

**CONVENTION ON INTERNATIONAL TRADE  
IN ENDANGERED SPECIES OF WILD FAUNA  
AND FLORA**

**EC ANNUAL REPORT 1998**

This document has been prepared for use within the Commission. It does not necessarily represent the Commission's official position.

---

A great deal of additional information on the European Union is available on the Internet.  
It can be accessed through the Europa server (<http://europa.eu.int>).

---

Cataloguing data can be found at the end of this publication.

Luxembourg: Office for Official Publications of the European Communities, 2001

ISBN 92-894-0532-5

© European Communities, 2001  
Reproduction is authorised provided the source is acknowledged.

*Printed in Belgium*

European Commission

**CONVENTION ON INTERNATIONAL TRADE IN  
ENDANGERED SPECIES OF WILD FAUNA AND FLORA  
EC ANNUAL REPORT 1998**

Document

CONTENTS :

CONTENU :

INDICE :

1. - Presentation and introduction to the EC 1998 annual report to CITES  
Présentation et Introduction du rapport annuel 1998 de la CE à la CITES  
Presentación y Introducción del informe anual de 1998 de la CE para el CITES p. I – VII
2. - Exports – Re-exports  
Exportations – Réexportations  
Exportaciones – Reexportaciones p. 1 – 177
3. - Imports  
Importations  
Importaciones p. 177 – 416
4. - Index of country codes used  
Liste des codes de pays utilisés  
Indice de los codigos de paises utilizados p.417 – 419

## **PRESENTATION OF THE EC 1998 ANNUAL REPORT TO CITES**

In accordance with Art. 8 (e) of Reg. (EEC) 3626/82<sup>1</sup> and (as from 1 June 1997) Art. 15 (4) of Reg. (EC) 338/97<sup>2</sup> as well as with regard to Art. VIII 7 (a) of the Convention, the European Commission gathered the necessary trade data from all Member States and charged the World Conservation Monitoring Centre with the production of the annual report. Equivalent information was gathered for non- CITES species, included in Annexes B and D to Reg. (EC) 338/97.

Annexes with information on each Member State's individual trade with third countries have been established as well. These annexes contain to the extent possible for each shipment:

- the States with which such trade occurred,
- the number or quantities and types of specimens,
- the Latin names of the specimens,
- size and sex of the specimens; where applicable,
- purpose of the exportation; re-exportation, importation or introduction from the sea,
- permit numbers.

Because of the volume of these annexes they will not be published together with the Community report. They were, however, made available to the EC Member States and the Convention Secretariat. Requests from Parties for information on individual shipments can be addressed to the European Commission, Directorate General for the Environment, Unit ENV/A/4, 200, rue de la Loi, 1040 Brussels, telefax 32 2 2969557.

---

<sup>1</sup> OJ L 384 of 31.12.1982, p. 1

<sup>2</sup> OJ L 61 of 3.3.1997, p. 1

## **INTRODUCTION TO THE EC 1998 ANNUAL REPORT TO CITES**

### **The Community and CITES**

1. The Community it is not yet a Party to CITES in its own right. In 1983, an amendment to CITES was adopted which would allow Community accession. This "Gaborone" Amendment requires 54 ratifications (two-thirds of the 80 parties that were a Party in 1983). To date, approximately 37 of those Parties have deposited the necessary instruments of ratification. Nevertheless, the Community has been implementing the CITES since 1 January 1984 with Council Regulation (EEC) No. 3626/82<sup>3</sup> and Commission Regulation (EEC) No. 3418/83<sup>4</sup> and its modifications and updates.
2. *In the last 16 years, wildlife trade regulations have shifted from a national matter to one of Community competence.* External trade rules are an exclusive Community competence and hence require Community involvement. Further, implementation of the CITES Convention by individual Member States was only possible under a derogation from the provision of the Treaty of Rome that Member States cannot adopt quantitative trade restrictions between them. Article 36 of the Rome Treaty conditionally allows such trade restrictions between Member States for the protection of the life and health of animals and plants. Generally, this does not apply to areas covered by Community legislation.

In addition, in 1982, only five of the Community Member States were Party to the Convention. The absence of systematic border controls between Member States, as a result of the customs union, made implementation of the Convention by individual Member States ineffective at best.

Apart from these technical reasons, the adoption of environmental action plans for Community legislation protecting and conserving the indigenous species also made wildlife trade regulations a matter of Community competence.

3. In December 1991, the Commission proposed that the Council replace the 1982 Regulation by a more comprehensive regulation as of 1 January 1993, the date of completion of the Single Market. The almost total disappearance of internal trade controls of goods, capital, persons and services on that date made the revision of the 1982 Regulation necessary (particularly in order to increase the effectiveness of external border controls).

---

<sup>3</sup> OJ L 384 of 31.12.82, p. 1

<sup>4</sup> OJ L 344 of 7.12.83, p.1

There were other reasons for redesigning Community wildlife trade legislation. Disparate implementation by Member States of the Community Regulations and recommendations of the Conference of the Parties had led to confusion and an increasing lack of harmonisation.

Further, the Regulations needed to be adapted to the evolution of wildlife trade control techniques and policies and to modern conservation and management policies.

4. The Council of the European Union adopted Regulation (EC) 338/97 on the Protection of Species of Wild Fauna and Flora by Regulating Trade Therein<sup>5</sup> (Regulation (EC) 338/97). This entered into force on 1 June 1997.

At the same time, Commission Regulation (EEC) 3418/83<sup>6</sup>, containing detailed implementation provisions, particularly on the use of permits and certificates - has been replaced by Commission Regulation (EC) No 939/97<sup>7</sup> (Commission Regulation (EC) 939/97).

5. These two new Regulations fully implement the provisions of CITES and include provisions to implement the bulk of currently applicable recommendations of the Conference of the Parties on their interpretation and implementation.

---

<sup>5</sup> OJ L 61 of 3/3/97, p. 1

<sup>6</sup> OJ L 344 of 7.12.83, p. 1

<sup>7</sup> OJ L 140 of 30.5.97, p. 9

## **More than CITES**

The Regulations from the eighties already had a number of measures which were stricter than CITES. These measures are maintained and further extended in the new Regulations.

- Annexes contain non-CITES listed species
- Stricter import conditions apply for species in Annexes A and B
- Import permits are also required for Annex B species, import notifications are required for Annex C and D species
- Housing conditions are specified for live specimens of species in Annex A and B
- Transport conditions apply for all live specimens More comprehensive restrictions are applicable for internal trade in Annex A species
- Annex D contains species for which import levels are monitored

## **Species coverage**

### **Annex A**

Commercial trade from, to and within the Community is as a general rule prohibited for Annex A species. External trade is governed by provisions comparable to those applicable to Appendix I species under CITES, including:

1. All CITES Appendix I species
2. Any species (CITES II, III, non-CITES) that is or may be in Community or international demand that is threatened with extinction or is so rare that any trade would imperil its survival. Where Appendix III species in Annexes A, B and C are concerned, the species are subject to the corresponding provisions of the Regulations and not just the populations of the countries that listed them in Appendix III.
3. Look-alike species (CITES II, III, non-CITES).  
If most of the species in a genus are listed in Annex A, the remaining species in the genus can be listed if that is essential for the effective protection of the species listed under the criteria in 1 and 2 above.

Although there is a similar provision for Annex B, the difference is significant and results in the following:

- a minority of species in a genus which does not qualify for listing in Annex A can nevertheless be listed in order to exclude commercial trade in the entire genus. This exclusion avoids that specimens of threatened species are in trade as specimens of more common species.
- the inclusion of look-alike species in Annex B is more of a technicality. Species that do not qualify for listing in Annex A or B on conservation grounds can be listed in Annex B in order to facilitate controls.

Although there is no separate provision in the Regulation (EC) 338/97, CITES-listed species that are subject to internal trade prohibitions under Community legislation on the protection of indigenous species (Directive on the protection of wild birds<sup>8</sup> and the so-called Habitats Directive<sup>9</sup>) are automatically listed in Annex A. This is necessary to ensure compatibility between the different legislative instruments and to avoid confusion. The names of these species in Annex A are printed in bold.

---

<sup>8</sup> Council Directive (EC) 409/79

<sup>9</sup> Council Directive (EC) 43/92

## **Annex B**

Annex B contains species, trade from and to the Community which require the issuance of import permits, export permits and re-export certificates along the lines of the provisions applicable to CITES Appendix II species. There are *significant* differences, however: unlike for CITES Appendix II, import permits are required for imports of specimens of Annex B species and imports can be restricted in spite of the fact that the (re-)exporting country has issued a valid CITES permit/certificate.

Annex B contains:

1. Remaining CITES Appendix II species.
2. Appendix I species with reservation (of which there are currently none).
3. Any species (CITES III, non-CITES) subject to levels of international trade that might not be compatible with survival of populations in certain countries or with the maintenance of its total population at a level that is consistent with its role in its ecosystem.
4. Look-alike species, to be listed for effective control of trade in species above.
5. Species (CITES III, non-CITES) known to pose an ecological threat to indigenous species.

## **Annex C**

Annex C contains the CITES Appendix III species that are not listed in Annex B. (For many of these species, there may not be a conservation reason for the inclusion of many of these species in Appendix III. These species could be removed from Appendix III according to the recommendations by the Conference of the Parties. This, however, is an action which can only be carried out by the countries which included them originally).

Species in Annex C are not subject to the stricter Community requirement of an import permit. Imports can take place on the basis of the CITES (re-)export document and an import notification. (The import notification is not a document required under CITES and is therefore a stricter Community measure).

Annex C contains:

1. Remaining Appendix III species.
2. Appendix II species with reservation. (Currently there are no Appendix II species subject to a "Community" reservation).

## **Annex D**

Annex D lists species that do not have a CITES equivalent. Imports of Annex D specimens require an import notification. As the purpose of Annex B is to ensure sustainable trade in species and thus prevent them from becoming Annex A candidates, the Annex D monitoring system is intended to allow an early detection of possible conservation concerns in relation to the species listed. Where necessary, Annex D species will be "up-listed" and brought under the trade provisions related to Annex B.

Annex D contains:

1. Non-CITES species that are not listed in Annexes A to C and that are imported into the Community in such numbers as to warrant monitoring.
2. Appendix III species with reservation.

\*\*\*\*\*

For more details on these and other provisions of the new regulations please consult the **Reference Guide on the European Community Wildlife Trade Regulations** ([http://europa.eu.int/comm/environment/cites/home\\_en.htm](http://europa.eu.int/comm/environment/cites/home_en.htm)).

**Import restrictions established under Art. 4(6) of Reg. EC N° 338/97** are published by the Commission in the Official Journal of the EC on a regular basis.

The situation with regard to import restrictions under Art. 4 (1), (2) and (6) can, however, be checked on the Internet web site created for that purpose by the World Conservation Monitoring Centre in Cambridge (<http://www.wcmc.org.uk/species/trade/eu>).

## ***PRESENTATION DU RAPPORT ANNUEL 1998 DE LA CE A LA CITES***

Conformément à l'article 8 (e) du Règlement (CEE) 3626/82<sup>1</sup> et l'article 15 (4) du Règlement (CE) 338/97<sup>2</sup> (à partir du 1er juin 1997), ainsi que par rapport à l'article VIII 7 (a) de la Convention sur le commerce international des espèces de faune et de flore sauvages menacées d'extinction (CITES), la Commission Européenne a recueilli les données commerciales nécessaires auprès de tous les Etats Membres et a chargé le World Conservation Monitoring Centre d'établir le rapport annuel. Des informations équivalentes pour les espèces inscrites aux Annexes B et D du Règlement (CE) N° 338/97 étaient rassemblées également.

Des annexes contenant des informations sur le commerce individuel de chaque Etat membre avec les pays tiers ont également été rédigées. Dans la mesure du possible, ces annexes contiennent des informations sur:

- les Etats avec lesquels le commerce a eu lieu,
- le nombre ou les quantités et les types de spécimens,
- le nom latin des spécimens,
- la taille et le sexe des spécimens, le cas échéant,
- le but de l'exportation, de la ré-exportation, de l'importation ou de la capture en mer,
- les numéros des permis.

Étant donné le volume de ces annexes, il n'a pas été possible de les publier en même temps que le rapport de la Communauté. Elles ont cependant été mises à la disposition des États membres de la Communauté et du Secrétariat de la Convention. Les Parties peuvent adresser les demandes d'information concernant des envois individuels à la Commission Européenne, Direction Générale de l'Environnement, Unité ENV/A/4, 200, rue de la Loi, 1040 Bruxelles, télécopie 32 2 2969557.

---

<sup>1</sup> JO L 384 du 31.12.1982, p. 1

<sup>2</sup> JO L 61 du 3.3.1997, p. 1

## ***INTRODUCTION AU RAPPORT ANNUEL 1998 DE LA CE A LA CITES***

### ***La Communauté et la CITES***

1. La Communauté n'est pas encore partie à part entière à la CITES. En 1983, un amendement à la CITES a été adopté pour autoriser l'adhésion de la Communauté. Cet amendement "Gabarone" nécessite 54 ratifications (deux tiers des 78 États qui étaient parties à la convention en 1983). Jusqu'à présent, 37 parties ont déposé les instruments de ratification nécessaires. Néanmoins, la CITES est en application dans la Communauté depuis 1984, en vertu du règlement (CEE) n° 3626/82 du Conseil et du règlement (CEE) n° 3418/83<sup>4</sup> de la Commission et ses modifications et mises à jour.
2. *Au cours des 16 dernières années, la réglementation du commerce des espèces sauvages qui était du ressort des autorités nationales est entrée dans le domaine des compétences communautaires.* Les règles en matière de commerce extérieur constituent une compétence communautaire exclusive et exigent par conséquent l'intervention de la Communauté. Par ailleurs, l'application de la convention CITES par les différents États membres n'a été possible qu'en vertu d'une dérogation aux dispositions du traité de Rome interdisant aux États membres d'introduire entre eux des restrictions quantitatives au commerce. L'article 36 du traité de Rome autorise de telles restrictions au commerce entre États membres, lorsqu'elles sont justifiées par des raisons de protection de la santé et de la vie des animaux ou de préservation des végétaux. En règle générale, cela ne s'applique pas aux domaines relevant de la législation communautaire.

De surcroît, en 1982, seulement cinq des États membres de la Communauté étaient parties à la convention. Du fait de l'absence de contrôles systématiques aux frontières entre les États membres, par suite de l'union douanière, l'application de la convention par chaque État membre individuellement était dans le meilleur des cas sans effet.

Mis à part ces considérations techniques, l'adoption de plans d'action pour l'environnement dans le cadre de la législation communautaire sur la protection et la conservation des espèces indigènes a également contribué à faire entrer la réglementation du commerce des espèces sauvages dans le domaine des compétences communautaires.

---

<sup>3</sup> JO L 384 du 31.12.1982, p.1

<sup>4</sup> JO L 344 du 7.12.1983, p. 1.

3. En décembre 1991, la Commission a proposé que le Conseil remplace le règlement de 1982 par un nouveau règlement plus complet, à partir du 1er janvier 1993, date de réalisation du marché unique. La suppression quasi totale des contrôles sur les mouvements internes de marchandises, de capitaux, de personnes et de services devant intervenir à cette date rendait nécessaire la révision du règlement de 1982 (en particulier pour renforcer l'efficacité des contrôles aux frontières externes de la Communauté).

D'autres raisons justifiaient cette refonte de la législation communautaire relative au commerce des espèces sauvages. Les mesures disparates arrêtées par les États membres pour appliquer les règlements communautaires et mettre en oeuvre les résolutions de la conférence des parties ont donné naissance à une situation confuse et de plus en plus hétérogène.

De surcroît, il convenait d'adapter les règlements à l'évolution des techniques et des politiques de contrôle du commerce, ainsi qu'aux politiques modernes de conservation et de gestion.

4. Le 9 décembre 1996 le Conseil de l'Union européenne adoptait le règlement (CE) n° 338/97 relatif à la protection des espèces de faune et de flore sauvages par le contrôle de leur commerce<sup>5</sup> (règlement (CE) n° 338/97). Il est entré en vigueur le 1er juin 1997.

Parallèlement, le règlement (CEE) n° 3418/83<sup>6</sup> de la Commission, qui contenait les modalités d'application détaillées, a été remplacé par le règlement (CE) n° 939/97 de la Commission.

5. Ces deux nouveaux règlements mettent pleinement en application les dispositions de la CITES et prévoient des dispositions pour mettre en oeuvre la majeure partie des résolutions de la conférence des parties qui sont actuellement en vigueur concernant l'interprétation et l'application des dispositions de la convention.

<sup>5</sup> JO L 61 du 3.3.1997, p.1.

<sup>6</sup> JO L 344 du 7.12.1983, p.1

<sup>7</sup> JO L 140 du 30.5.1997, p.1

## **Au-delà de la CITES**

Les règlements des années quatre-vingt comportaient déjà un certain nombre de mesures plus strictes que les dispositions de la CITES. Ces mesures sont maintenues et complétées dans les nouveaux règlements.

- Les annexes mentionnent des espèces non inscrites aux annexes de la CITES.
- Des conditions d'importations plus strictes s'appliquent aux espèces inscrites aux annexes A et B.
- Des permis d'importation sont aussi requis pour les espèces inscrites à l'annexe B, et des notifications d'importation pour les espèces inscrites aux annexes C et D.
- Des conditions d'hébergement sont spécifiées pour les spécimens vivants des espèces inscrites aux annexes A et B.
- Des conditions de transport s'appliquent à tous les spécimens vivants. Des restrictions plus complètes s'appliquent au commerce intérieur des espèces inscrites à l'annexe A.
- L'annexe D énumère des espèces dont les niveaux d'importation font l'objet d'une surveillance.

## **Espèces concernées**

### **Annexe A**

L'importation dans la Communauté, l'exportation hors de la Communauté et la circulation dans la Communauté d'espèces inscrites à l'annexe A à des fins commerciales sont en règle générale interdites. Le commerce extérieur est régi par des dispositions comparables à celles qui sont applicables aux espèces inscrites à l'annexe I de la CITES, notamment :

1. Toutes les espèces inscrites à l'annexe I de la CITES.
2. Toute espèce (inscrite aux annexes II et III de la CITES ou non inscrite) qui fait ou peut faire l'objet d'une demande dans la Communauté ou pour le commerce international et qui est soit menacée d'extinction, soit si rare que tout commerce compromettrait sa survie. En ce qui concerne les espèces inscrites à l'annexe III qui figurent aux annexes A, B et C, ce sont les espèces qui sont soumises aux dispositions correspondantes des règlements, et pas seulement les populations de ces espèces dans les pays qui les ont inscrites à l'annexe III.
3. Espèces ressemblantes (espèces inscrites aux annexes II et III de la CITES ou non inscrites).  
Si la plupart des espèces d'un genre sont inscrites à l'annexe A, les autres espèces de ce genre peuvent être inscrites si cela s'avère essentiel pour assurer une protection efficace des espèces inscrites en vertu des critères 1 et 2 ci-dessus.

Bien qu'il existe une disposition similaire pour les espèces inscrites à l'annexe B, on constate une différence importante qui se traduit comme suit :

- une minorité d'espèces appartenant à un genre qui ne justifie pas l'inscription à l'annexe A peut néanmoins être inscrite afin d'empêcher le commerce pour la totalité du genre. Cette disposition permet d'éviter que des spécimens d'espèces menacées fassent l'objet d'un commerce comme s'il s'agissait d'espèces plus communes.
- l'inscription d'espèces analogues à l'annexe B s'apparente plutôt à une subtilité. Les espèces dont le statut de conservation ne justifie pas une inscription à l'annexe A ou B peuvent être inscrites à l'annexe B pour faciliter les contrôles.

Malgré l'absence de dispositions spécifiques dans le règlement (CE) n° 338/97, les espèces inscrites à la CITES dont le commerce intérieur est interdit en vertu de la législation communautaire sur la protection des espèces indigènes (directive concernant la conservation des oiseaux sauvages<sup>8</sup> et directive "habitats"<sup>9</sup>) sont automatiquement inscrites à l'annexe A, afin de garantir la compatibilité des différents instruments législatifs et d'éviter les confusions. Le nom de ces espèces apparaît en caractères gras dans l'annexe A.

<sup>8</sup> Directive 79/409/CEE du Conseil.

<sup>9</sup> Directive 92/43/CEE du Conseil.

## *Annexe B*

L'annexe B recense les espèces de spécimens dont l'importation dans la Communauté et l'exportation hors de la Communauté nécessitent la délivrance de permis d'importation, de permis d'exportation et de certificats de réexportation, dans l'esprit des dispositions applicables aux espèces inscrites à l'annexe II de la CITES. Il existe cependant des différences *importantes* : contrairement aux dispositions applicables aux espèces inscrites à l'annexe II de la CITES, des permis d'importation sont requis pour les importations de spécimens des espèces inscrites à l'annexe B, et ces importations peuvent faire l'objet de restrictions quand bien même le pays (ré)exportateur a délivré un permis/certificat CITES en bonne et due forme.

Figurent à l'annexe B :

1. Les autres espèces inscrites à l'annexe II de la CITES.
2. Les espèces inscrites à l'annexe I de la CITES, qui ont fait l'objet d'une réserve (ce n'est le cas d'aucune espèce actuellement).
3. Toute espèce (inscrite à l'annexe III de la CITES ou non inscrite à la CITES) qui fait l'objet d'un commerce international dont le volume pourrait compromettre sa survie ou la survie de populations de certains pays, ou la conservation de la population totale à un niveau compatible avec le rôle de cette espèce dans les écosystèmes dans lesquels elle est présente.
4. Les espèces analogues dont l'inscription est essentielle pour assurer un contrôle efficace du commerce des espèces susvisées.
5. Les espèces (inscrites à l'annexe III de la CITES ou non inscrites à la CITES) pour lesquelles il a été établi que l'introduction dans la Communauté constitue une menace écologique pour les espèces indigènes.

## *Annexe C*

L'annexe C recense les espèces inscrites à l'annexe III de la CITES qui ne figurent pas à l'annexe B (dans de nombreux cas, l'inscription de ces espèces à l'annexe III n'est pas nécessairement justifiée par des raisons de conservation. Ces espèces peuvent être retirées de l'annexe III en fonction des résolutions de la conférence des parties.

Toutefois, les espèces ne peuvent être supprimées de l'annexe que par les pays qui les y ont initialement inscrites).

Les espèces inscrites à l'annexe C ne sont pas soumises à l'exigence communautaire plus stricte d'un permis d'importation. Les importations sont autorisées moyennant présentation du document d'exportation (ou de réexportation) CITES et d'une notification d'importation (la notification d'importation n'est pas un document requis par la CITES et constitue donc une mesure communautaire plus stricte).

Figurent à l'annexe C :

1. Les autres espèces inscrites à l'annexe III de la CITES.

2. Les espèces inscrites à l'annexe II de la CITES, qui ont fait l'objet d'une réserve (actuellement, aucune espèce inscrite à l'annexe II ne fait l'objet d'une réserve "communautaire").

## ***Annexe D***

L'annexe D recense des espèces qui n'ont pas d'équivalent CITES. Les importations de spécimens d'espèces inscrites à l'annexe D nécessitent une notification d'importation. Le but de l'annexe B étant d'assurer le commerce durable des espèces et partant, de leur éviter un statut justifiant leur inscription à l'annexe A, le système de surveillance prévu pour l'annexe D vise à permettre une détection rapide des problèmes de conservation concernant les espèces inscrites. Si nécessaire, les espèces inscrites à l'annexe D seront transférées à l'annexe B et leur commerce sera soumis aux dispositions correspondantes.

Figurent à l'annexe D :

1. Les espèces non inscrites à la CITES qui ne figurent pas aux annexes A à C et dont le volume des importations dans la Communauté justifie une surveillance.
2. Les espèces inscrites à l'annexe III de la CITES qui ont fait l'objet d'une réserve (article 3, paragraphe 4, point b), du règlement (CE) n° 338/97)

\*\*\*\*\*

Consultez le **Guide de référence** sur la réglementation du commerce des espèces de faune et de flore sauvages de la Communauté européenne pour plus d'informations sur les provisions des nouveaux règlements ([http://europa.eu.int/comm/environment/cites/home\\_fr.htm](http://europa.eu.int/comm/environment/cites/home_fr.htm)).

Des restrictions à l'importation sous l'article 4(6) du règlement EC n° 338/97 sont publiées régulièrement par la Commission dans le Journal Officiel de la CE.

Il est toutefois possible de vérifier la situation en matière de restrictions d'importation imposées en application de l'article 4 (1), (2) et (6) sur le site Internet crée à cet effet par le Centre mondial de surveillance de la conservation (WCMC) de Cambridge. (<http://www.wcmc.org.uk/species/trade/eu>).

## ***PRESENTACIÓN DEL INFORME ANNUAL DE 1998 DE LA COMUNIDADES EUROPEAS PARA EL CITES***

De conformidad con el apartado e) del artículo 8 del Reglamento (CEE) n° 3626/82<sup>1</sup> y, desde el 1.6.1997, artículo 15 (4) del Reglamento (CE) 338/97<sup>2</sup> y en relación con el apartado 7 (a) del artículo VIII del Convenio Internacional sobre Comercio de Especies Amenazadas de Fauna y Flora silvestres (CITES), la Comisión Europea reunió los datos comerciales de todos los Estados miembros y encargo a la World Conservation Monitoring Centre la elaboración del informe anual. De la información equivalente ha sido coleccionado para las especies no-CITES que figuran en el Anexo D del Reglamento (CE) 338/97.

Asimismo, se han elaborado Anexos con información sobre el comercio de cada Estado miembro con terceros países. Dichos Anexos contienen; en la medida de lo posible, para cada envío:

- los Estados con los que tiene lugar dicho comercio;
- el número o cantidades y tipos de ejemplares;
- los nombres latinos de los ejemplares;
- tamaño y sexo de los ejemplares, en su caso;
- objetivo de la exportación, reexportación, importación de la introducción a partir del mar;
- números de los permisos.

Debido al volumen de dichos Anexos, no ha sido posible publicarlos junto con el informe de la Comunidad. Sin embargo, se pusieron a disposición de los Estados miembros de la Comunidad y de la Secretaría del Convenio. Las Partes pueden solicitar información sobre envíos particulares a la Comisión Europea, Dirección General de Medio Ambiente, Unitá ENV/A/4, 200, rue de la Loi, 1040 Bruselas, telefax 32 2 2969557.

---

<sup>1</sup> DO L 384 de 31.12.1982, p. 1

<sup>2</sup> DO L 61 de 3.3.1997, p. 1

## ***INTRODUCCIÓN DEL INFORME ANNUAL DE 1998 DE LAS COMUNIDADES EUROPEAS PARA EL CITES***

### ***La Comunidad Europea y el CITES.***

1. La Comunidad todavía no es Parte en el CITES por derecho propio. En 1983 se presentó una enmienda al CITES para permitir la adhesión de la Comunidad. Esta enmienda, denominada "Gaborone" necesitaba la ratificación de 54 Estados Parte (las dos terceras partes de los 78 países que eran Parte en ese momento). Hasta la fecha, sólo se han presentado alrededor de 34 instrumentos de ratificación. No obstante, la Comunidad Europea lleva aplicando el CITES desde el 1 de enero de 1984 por medio del Reglamento (CEE) nº 3626/82<sup>3</sup> del Consejo y del Reglamento (CEE) nº 3418/83<sup>4</sup>, de la Comisión así como de sus modificaciones y actualizaciones.
2. *En los últimos 16 años, la normativa sobre comercio de fauna y flora silvestres ha dejado de ser asunto nacional para convertirse en competencia comunitaria.* Las normas sobre comercio exterior son competencia exclusiva de la Comunidad y, por consiguiente, requieren la participación de la Comunidad. Por otra parte, la ejecución del Convenio CITES por cada Estado miembro de forma individual solo sería posible si se derogara lo establecido en el Tratado de Roma sobre la imposibilidad de que los Estados miembros adopten restricciones cuantitativas en el comercio intracomunitario. El Artículo 36 del Tratado únicamente permite estas restricciones entre Estados miembros en algunas condiciones por motivos de protección de la vida y la salud de animales y vegetales. Esto, en general, no es de aplicación a los campos regulados por la legislación comunitaria.

En 1982, por otra parte, sólo cinco Estados miembros eran Parte en el Convenio. La ausencia de controles sistemáticos en las fronteras entre Estados miembros, como resultado de la Unión Aduanera hace que la aplicación del Convenio por parte de los Estados miembros de forma aislada sea cuando menos ineficaz.

Aparte de estas razones técnicas, la adopción de planes sobre medio ambiente para la protección y conservación de especies autóctonas por medio de la legislación comunitaria hace que la normativa que regula el comercio de especies silvestres sea un asunto competencia de la Comunidad.

---

<sup>3</sup> DO L 384 de 31.12.1982, p.1

<sup>4</sup> DO L 344 de 7.12.83, p. 1.

3. En diciembre de 1991, la Comisión propuso al Consejo sustituir el Reglamento de 1982 por un nuevo reglamento de mayor alcance a partir del 1 de enero de 1993, fecha de la consecución del Mercado Único. La práctica desaparición de controles en el comercio intracomunitario de bienes, capitales, personas y servicios a partir de esta fecha hacía necesario reformar el Reglamento de 1982, particularmente con objeto de aumentar la eficacia de los controles en las fronteras exteriores.

Había, además, otras razones para modificar la normativa comunitaria de comercio de fauna y flora silvestres. La aplicación absolutamente heterogénea por parte de los Estados miembros de los reglamentos y recomendaciones de la Conferencia de las Partes había provocado confusión y una falta de armonización cada vez mayor.

Por otra parte, la normativa debía adaptarse a la evolución de las técnicas y sistemas de control del comercio de especies silvestres y a las estrategias modernas de conservación y gestión.

4. El 9 de diciembre de 1996, el Consejo de la Unión Europea aprobó el **Reglamento (CE) nº 338/97 del Consejo relativo a la protección de especies de fauna y flora silvestres mediante el control de su comercio**<sup>5</sup> (Reglamento (CE) 338/97). Éste entró en vigor el 1 de junio de 1997.

Al mismo tiempo, el Reglamento (CEE) nº 3418/83 de la Comisión<sup>6</sup>, que desarrollaba las condiciones de aplicación, en particular en lo que se refiere al uso de permisos y certificados, se sustituyó por el **Reglamento (CE) nº 939/97 de la Comisión**<sup>7</sup>.

5. Estos dos nuevos Reglamentos no sólo aplican plenamente las disposiciones del CITES sino que, además, incluyen disposiciones que desarrollan la mayor parte de las recomendaciones aplicables de la Conferencia de las Partes en relación con su interpretación y ejecución.

---

<sup>5</sup> DO L 61 de 3.3.97, p. 1.

<sup>6</sup> DO L 344 de 7.12.83, p. 1.

<sup>7</sup> DO L 140 de 30.5.97, p. 9.

## **MÁS QUE EL CITES**

Los reglamentos de la década de los 80 contenían ya algunas medidas más estrictas que el CITES. En los nuevos reglamentos se mantienen esas medidas y se amplía su alcance.

- **Los Anexos incluyen especies no reguladas en el CITES**
- **Se establecen condiciones más estrictas para la importación de especies incluidas en los Anexos A y B**
- **Se exigen permisos de importación también para las especies del Anexo B, y notificaciones de importación para las especies de los Anexos C y D**
- **Se especifican las condiciones de alojamiento de especímenes vivos de especies de los Anexos A y B**
- **Se establecen condiciones de transporte para cualquier espécimen vivo. Se establecen restricciones de mayor alcance en el comercio intracomunitario de especies incluidas en el Anexo A**
- **El Anexo D incluye las especies cuyo nivel de importación está sometido a seguimiento**

## **Especies reguladas**

### **Anexo A**

El Anexo A incluye especies cuyo comercio desde, hacia o en el interior de la Comunidad está prohibido. El comercio exterior se rige por requisitos comparables a los aplicables a las especies del Apéndice I del CITES, por ejemplo:

1. Todas las especies del Apéndice I del CITES.
2. Cualquier especie (CITES II, III o no regulada por el CITES) de la que haya o pueda haber demanda internacional o en la Comunidad, y que esté amenazada de extinción o sea tan rara que cualquier comercio puede poner en peligro su supervivencia. Si alguna especie del Apéndice III está incluida en los Anexos A, B o C, la especie está sujeta a lo dispuesto por el Reglamento y no sólo las poblaciones de los países que la hayan incluido en el Apéndice III.
3. Especies parecidas (CITES II, III o no reguladas por el CITES)  
Si la mayor parte de las especies pertenecientes a un género están incluidas en el Anexo A, las restantes especies de ese género pueden incluirse también si se considera esencial para una protección eficaz de dichas especies según los criterios de los puntos 1y 2.

Aunque en el caso del Anexo B existe una disposición a primera vista similar, la diferencia entre ambas es importante y consiste en lo siguiente:

- cuando una minoría de especies pertenecientes a un género no reúne las condiciones necesarias para ser incluidas en el Anexo A, pueden de todas maneras incluirse de forma que el género en su totalidad quede excluido del tráfico comercial. Esto es para evitar situaciones como, por ejemplo, que especímenes de especies amenazadas entren en el comercio haciéndolas pasar por especímenes de especies más comunes.
- la inclusión de especies en el Anexo B por su similitud con otras incluidas en el mismo Anexo obedece a una razón más técnica. Especies que no cumplen los requisitos necesarios para incluirse en los Anexos A o B por razones de conservación pueden introducirse en el Anexo B con el fin de facilitar los controles.

Si bien no está establecido de forma explícita en el Reglamento (CE) 338/97, todas las especies que, además de figurar en el CITES, están sujetas a prohibiciones en el comercio interior por aplicación de la normativa comunitaria relativa a la protección de especies autóctonas (Directiva de protección de aves<sup>8</sup> y Directiva de hábitats<sup>9</sup>), se incluyen automáticamente en el Anexo A. Esto es necesario en aras de la compatibilidad entre los distintos instrumentos legislativos y para evitar confusiones. El nombre de estas especies aparece en negrita en el Anexo A.

<sup>8</sup> Directiva (CE) 409/79 del Consejo.

<sup>9</sup> Directiva (CE) 43/92 del Consejo.

## **Anexo B**

El comercio de especímenes de especies incluidas en el Anexo B desde o hacia la Comunidad está sometido a la expedición de permisos de importación, permisos de exportación y certificados de reexportación según criterios similares a los aplicables a las especies incluidas en el Apéndice II del CITES. Hay, sin embargo, *grandes* diferencias entre ambos: para introducir en la Comunidad especímenes de especies del Anexo B se requiere un permiso de importación, cosa que no ocurre en el caso del Anexo II del CITES, y las importaciones pueden restringirse aunque el país (re)-exportador haya emitido el permiso o certificado CITES correspondiente.

El Anexo B contiene:

1. Las especies restantes del Apéndice II del CITES.
2. Las especies del Apéndice I del CITES con respecto a las cuales se ha presentado alguna reserva (ninguna especie en la actualidad).
3. Cualquier especie (CITES III, no-CITES) sometida a niveles de comercio internacional que pueden no ser compatibles con la supervivencia de las poblaciones de algunos países o con el mantenimiento de la población total en un nivel consecuente con su función dentro de su ecosistema.
4. Especies parecidas a otras enumeradas en ese Anexo, que sea preciso incluir para un control efectivo de su comercio.
5. Especies (CITES III, no-CITES) respecto a las cuales se haya demostrado que constituyen una amenaza ecológica para especies autóctonas.

## **Anexo C**

El Anexo C contiene las especies del Apéndice III del CITES que no están incluidas en el Anexo B. (De hecho, no parece que existan razones de conservación para la inclusión de muchas de esas especies en el Apéndice III. Según las recomendaciones de la Conferencia de las Partes, esas especies podían retirarse del Apéndice III. Tal decisión, sin embargo, corresponde a los países que las han incluido en ese Apéndice).

Las especies incluidas en el Anexo C no están sujetas a la mayor restricción que supone la obtención de un permiso de importación. Las importaciones pueden tener lugar sobre la base del documento CITES de (re)-exportación y una notificación de importación. (La notificación de importación no es un documento exigido por el CITES y constituye, por tanto, una medida comunitaria más estricta).

El Anexo C contiene:

1. El resto de las especies del Apéndice III.

- 2 Las especies del Apéndice II con respecto a las cuales se ha presentado alguna reserva. (En la actualidad no se ha formulado ninguna reserva "comunitaria" con respecto a especies del Apéndice II.)

#### **Anexo D**

El Anexo D está constituido por una lista de especies que no tienen equivalente en el CITES. La importación de especímenes del Anexo D requiere una notificación de importación. Mientras que la finalidad del Anexo B es asegurar un nivel de comercio sostenible de las especies para evitar que se conviertan en especies del Anexo A, el sistema de seguimiento del Anexo D tiene por objeto una detección precoz de los posibles problemas de conservación en relación con las especies incluidas. En caso necesario, las especies del Anexo D pueden ser "ascendidas" y su comercio sometido a los requisitos establecidos para el Anexo B.

El Anexo D contiene:

1. Especies no-CITES que no figuran en los Anexos A a C y que se importan a la Comunidad en un volumen tal que justifica su vigilancia.
2. Especies del Apéndice III con respecto a las cuales se ha presentado una reserva ).

\*\*\*\*\*

Para más detalles sobre estas y otras disposiciones de los nuevos reglamentos se puede consultar el "**Guía de referencia – Normativa de la Comunidad Europea sobre comercio de fauna y flora silvestres**" ([http://europa.int/comm/environment/cites/home\\_es.htm](http://europa.int/comm/environment/cites/home_es.htm)).

La Comisión publica en el Diario Oficial de las Comunidades Europeas **las restricciones establecidas de acuerdo con el apartado 6 del artículo 4** con periodicidad regular.

De todas maneras, la situación de las restricciones a la importación impuestas con arreglo a los apartados 1, 2 y 6 del artículo 4 puede consultarse en un sitio de Internet creado a tal fin por en WCMC (Centro de Seguimiento de la Conservación, de la Vida Silvestre) de Cambridge (<http://www.wcmc.org.uk/species/trade/eu>).

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                             | Term      | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| E        | 1    | A     | <i>Eulemur fulvus</i>             | live      | 7        |      | RU       | DE       | Z      | C       |        |
| E        | 1    | A     | <i>Eulemur fulvus albifrons</i>   | live      | 1        |      | CZ       | FR       | NL     | Z       | C      |
| E        | 1    | A     | <i>Eulemur fulvus albifrons</i>   | live      | 2        |      | EE       | FR       | Z      | C       |        |
| E        | 1    | A     | <i>Eulemur fulvus albifrons</i>   | live      | 5        |      | EE       | FR       | NL     | Z       | C      |
| E        | 1    | A     | <i>Eulemur rubriventer</i>        | live      | 1        |      | PL       | NL       | Z      | C       |        |
| E        | 1    | A     | <i>Eulemur rubriventer</i>        | live      | 1        |      | PL       | NL       | FR     | Z       | C      |
| E        | 1    | A     | <i>Hapalemur griseus</i>          | hair      | 7        |      | US       | GB       | S      | F       |        |
| E        | 1    | A     | <i>Hapalemur griseus</i>          | hair      | 3        |      | US       | GB       | MG     | S       | W      |
| E        | 1    | A     | <i>Lemur catta</i>                | live      | 2        |      | AE       | GB       | B      | C       |        |
| E        | 1    | A     | <i>Lemur catta</i>                | live      | 7        |      | CH       | FR       | Z      | C       |        |
| E        | 1    | A     | <i>Lemur catta</i>                | live      | 1        |      | IL       | NL       | Z      | C       |        |
| E        | 1    | A     | <i>Lemur catta</i>                | live      | 2        |      | PL       | DK       | DE     | Z       | C      |
| E        | 1    | A     | <i>Varecia variegata</i>          | live      | 2        |      | AE       | GB       | B      | C       |        |
| E        | 1    | A     | <i>Varecia variegata</i>          | live      | 3        |      | CZ       | DE       | Z      | C       |        |
| E        | 1    | A     | <i>Varecia variegata</i>          | live      | 1        |      | CZ       | FR       | Z      | F       |        |
| E        | 1    | A     | <i>Varecia variegata</i>          | live      | 3        |      | JP       | GB       | B      | C       |        |
| E        | 1    | A     | <i>Varecia variegata</i>          | live      | 2        |      | MC       | FR       | Z      | C       |        |
| E        | 1    | A     | <i>Varecia variegata</i>          | live      | 3        |      | NO       | GB       | B      | C       |        |
| E        | 1    | A     | <i>Varecia variegata</i>          | live      | 3        |      | PL       | DE       | Z      | C       |        |
| E        | 1    | A     | <i>Varecia variegata</i>          | live      | 1        |      | PL       | FR       | Z      | C       |        |
| E        | 1    | A     | <i>Varecia variegata</i>          | live      | 1        |      | PL       | GB       | B      | C       |        |
| E        | 1    | A     | <i>Varecia variegata</i>          | live      | 3        |      | RU       | DE       | Z      | C       |        |
| E        | 1    | A     | <i>Varecia variegata</i>          | live      | 1        |      | RU       | DE       | IT     | Z       | C      |
| E        | 1    | A     | <i>Varecia variegata</i>          | live      | 1        |      | RU       | DE       | US     | Z       | C      |
| E        | 1    | A     | <i>Varecia variegata</i>          | live      | 3        |      | UA       | IT       | T      | C       |        |
| E        | 1    | A     | <i>Varecia variegata</i>          | live      | 1        |      | UA       | IT       | GB     | T       | C      |
| E        | 1    | A     | <i>Microcebus murinus</i>         | live      | 1        |      | CH       | NL       | Z      | C       |        |
| E        | 1    | A     | <i>Microcebus murinus</i>         | live      | 11       |      | US       | FR       | S      | C       |        |
| E        | 1    | A     | <i>Microcebus murinus</i>         | specimens | 5 g      |      | CH       | DE       | S      | C       |        |
| E        | 1    | A     | <i>Microcebus murinus</i>         | specimens | 5 g      |      | CH       | DE       | FR     | S       | C      |
| E        | 1    | A     | <i>Microcebus murinus</i>         | specimens | 5 g      |      | CH       | DE       | NL     | S       | C      |
| E        | 1    | A     | <i>Leontopithecus chrysopygus</i> | live      | 5        |      | BR       | GB       | Z      | C       |        |
| E        | 1    | A     | <i>Leontopithecus chrysopygus</i> | live      | 1        |      | BR       | GB       | BR     | Z       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                             | Term      | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| E        | 1    | A     | <i>Leontopithecus chrysopygus</i> | live      | 1        |      | BR       | GB       | BR     | Z       | F      |
| E        | 1    | A     | <i>Leontopithecus rosalia</i>     | live      | 2        |      | CZ       | DE       | Z      | C       | C      |
| E        | 1    | A     | <i>Leontopithecus rosalia</i>     | live      | 4        |      | CZ       | NL       | Z      | C       | C      |
| E        | 1    | A     | <i>Leontopithecus rosalia</i>     | live      | 1        |      | PL       | GB       | E      | C       | C      |
| E        | 1    | A     | <i>Saguinus oedipus</i>           | live      | 1        |      | CZ       | FR       | Z      | C       | C      |
| E        | 1    | A     | <i>Saguinus oedipus</i>           | live      | 2        |      | CZ       | NL       | Z      | C       | C      |
| E        | 1    | A     | <i>Saguinus oedipus</i>           | live      | 10       |      | CZ       | NL       | T      | C       | C      |
| E        | 1    | A     | <i>Saguinus oedipus</i>           | live      | 5        |      | PL       | NL       | T      | C       | C      |
| E        | 1    | A     | <i>Saguinus oedipus</i>           | live      | 1        |      | RU       | DE       | Z      | C       | C      |
| E        | 1    | A     | <i>Saguinus oedipus</i>           | live      | 1        |      | UA       | DE       | Z      | C       | C      |
| E        | 1    | A     | <i>Saguinus oedipus</i>           | live      | 2        |      | ZA       | GB       | B      | C       | C      |
| E        | 1    | A     | <i>Cercopithecus diana</i>        | live      | 1        |      | PL       | GB       | B      | C       | C      |
| E        | 1    | A     | <i>Cercopithecus diana</i>        | live      | 1        |      | RU       | DE       | Z      | C       | C      |
| E        | 1    | A     | <i>Mandrillus sphinx</i>          | live      | 2        |      | CN       | GB       | B      | C       | C      |
| E        | 1    | A     | <i>Mandrillus sphinx</i>          | live      | 2        |      | JP       | GB       | B      | C       | C      |
| E        | 1    | A     | <i>Mandrillus sphinx</i>          | live      | 1        |      | JP       | GB       | CZ     | B       | C      |
| E        | 1    | A     | <i>Mandrillus sphinx</i>          | live      | 1        |      | PL       | DE       | Z      | C       | C      |
| E        | 1    | A     | <i>Semnopithecus entellus</i>     | live      | 1        |      | HR       | DE       | AU     | Z       | C      |
| E        | 1    | A     | <i>Semnopithecus entellus</i>     | live      | 2        |      | HR       | GB       | Z      | C       | C      |
| E        | 1    | A     | <i>Semnopithecus entellus</i>     | live      | 2        |      | HR       | GB       | LK     | Z       | U      |
| E        | 1    | A     | <i>Hylobates concolor</i>         | live      | 1        |      | AU       | DE       | Z      | C       | C      |
| E        | 1    | A     | <i>Hylobates lar</i>              | live      | 1        |      | CZ       | DE       | Z      | C       | C      |
| E        | 1    | A     | <i>Hylobates lar</i>              | live      | 1        |      | CZ       | FR       | XX     | Z       | C      |
| E        | 1    | A     | <i>Hylobates lar</i>              | live      | 1        |      | HU       | DK       | Z      | C       | C      |
| E        | 1    | A     | <i>Hylobates lar</i>              | live      | 1        |      | HU       | NL       | AR     | Z       | O      |
| E        | 1    | A     | <i>Hylobates lar</i>              | live      | 2        |      | KR       | NL       | DE     | Z       | C      |
| E        | 1    | A     | <i>Hylobates syndactylus</i>      | live      | 2        |      | BR       | DE       | B      | C       | C      |
| E        | 1    | A     | <i>Hylobates syndactylus</i>      | live      | 1        |      | TW       | DE       | ID     | Z       | O      |
| E        | 1    | A     | <i>Hylobates syndactylus</i>      | live      | 1        |      | ZA       | DE       | Z      | C       | C      |
| E        | 1    | A     | <i>Hylobates syndactylus</i>      | live      | 1        |      | ZA       | DE       | Z      | F       | C      |
| E        | 1    | A     | <i>Hylobates syndactylus</i>      | skeletons | 1        |      | BR       | NL       | S      | C       | C      |
| E        | 1    | A     | <i>Gorilla gorilla</i>            | hair      | 167      |      | GA       | GB       | GA     | S       | W      |
| E        | 1    | A     | <i>Gorilla gorilla</i>            | live      | 3        |      | RU       | DE       | XX     | Z       | O      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                        | Term      | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| E        | 1    | A     | <i>Pan troglodytes</i>       | bodies    | 11       |      | CH       | NL       |        | S       | C      |
| E        | 1    | A     | <i>Pan troglodytes</i>       | live      | 2        |      | HR       | DE       |        | Z       | C      |
| E        | 1    | A     | <i>Pan troglodytes</i>       | live      | 1        |      | HU       | DE       |        | Z       | C      |
| E        | 1    | A     | <i>Pan troglodytes</i>       | live      | 4        |      | PL       | FR       | Q      | C       | O      |
| E        | 1    | A     | <i>Pan troglodytes</i>       | live      | 3        |      | SL       | FR       | Z      | F       | O      |
| E        | 1    | A     | <i>Pan troglodytes</i>       | live      | 1        |      | UA       | DE       | Z      | Z       | O      |
| E        | 1    | A     | <i>Pan troglodytes</i>       | live      | 1        |      | UA       | DE       | CI     | Z       | O      |
| E        | 1    | A     | <i>Pan troglodytes</i>       | live      | 2        |      | ZA       | NL       | XX     | Z       | U      |
| E        | 1    | A     | <i>Pan troglodytes</i>       | skulls    | 1        |      | NZ       | NL       | XX     | P       | O      |
| E        | 1    | A     | <i>Pongo pygmaeus</i>        | live      | 1        |      | AR       | DE       | Z      | Z       | C      |
| E        | 1    | A     | <i>Pongo pygmaeus</i>        | live      | 1        |      | AR       | DE       | Z      | Z       | F      |
| E        | 1    | A     | <i>Pongo pygmaeus</i>        | live      | 1        |      | AR       | DE       | NL     | Z       | F      |
| E        | 1    | A     | <i>Pongo pygmaeus</i>        | live      | 1        |      | ZA       | DE       | Z      | Z       | C      |
| E        | 1    | A     | <i>Pongo pygmaeus</i>        | specimens | 1724     |      | AU       | NL       | MY     | S       | W      |
| E        | 1    | A     | <i>Pongo pygmaeus abelii</i> | live      | 1        |      | US       | ES       | DE     | Q       | O      |
| E        | 1    | A     | <i>Cetacea spp.</i>          | carvings  | 3        |      | NZ       | GB       | NZ     | Q       | O      |
| E        | 1    | A     | <i>Cetacea spp.</i>          | carvings  | 1        |      | US       | BE       | XX     | T       | O      |
| E        | 1    | A     | <i>Cetacea spp.</i>          | carvings  | 1        |      | US       | GB       | XX     | P       | O      |
| E        | 1    | A     | <i>Cetacea spp.</i>          | carvings  | 30       |      | US       | GB       | XX     | T       | O      |
| E        | 1    | A     | <i>Physeter catodon</i>      | carvings  | 1        |      | CL       | GB       | XX     | P       | O      |
| E        | 1    | A     | <i>Physeter catodon</i>      | carvings  | 1        |      | NZ       | GB       | NZ     | Q       | O      |
| E        | 1    | A     | <i>Physeter catodon</i>      | carvings  | 6        |      | TH       | DK       | GL     | P       | W      |
| E        | 1    | A     | <i>Physeter catodon</i>      | carvings  | 6        |      | US       | GB       | XX     | P       | O      |
| E        | 1    | A     | <i>Physeter catodon</i>      | carvings  | 6        |      | US       | GB       | XX     | T       | O      |
| E        | 1    | A     | <i>Physeter catodon</i>      | teeth     | 3        |      | CH       | FR       | XX     | Q       | O      |
| E        | 1    | A     | <i>Sousa chinensis</i>       | skulls    | 1        |      | CN       | NL       | OM     | S       | W      |
| E        | 1    | A     | <i>Balaenoptera physalus</i> | carvings  | 6        |      | CH       | GB       | XX     | P       | O      |
| E        | 1    | A     | <i>Balaenoptera physalus</i> | carvings  | 1        |      | US       | GB       | XX     | T       | O      |
| E        | 1    | A     | <i>Balaenoptera physalus</i> | teeth     | 2        |      | US       | GB       | XX     | T       | O      |
| E        | 1    | A     | <i>Balaena mysticetus</i>    | bones     | 2        |      | RU       | DK       | CA     | Q       | O      |
| E        | 1    | A     | <i>Speothos venaticus</i>    | live      | 1        |      | US       | DE       | Z      | C       | C      |
| E        | 1    | A     | <i>Speothos venaticus</i>    | live      | 3        |      | US       | FR       | Z      | C       | C      |
| E        | 1    | A     | <i>Speothos venaticus</i>    | live      | 2        |      | US       | GB       | B      | C       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                         | Term      | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |   |
|----------|------|-------|-------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|---|
| E        | 1    | A     | <i>Ailurus fulgens</i>        | live      | 1        |      | CH       | DK       |        | Z       | C      |   |
| E        | 1    | A     | <i>Ailurus fulgens</i>        | live      | 1        |      | CH       | FI       |        | Z       | C      |   |
| E        | 1    | A     | <i>Ailurus fulgens</i>        | live      | 1        |      | CZ       | DE       | ES     | Z       | C      |   |
| E        | 1    | A     | <i>Lutra lutra</i>            | bodies    | 1        |      | US       | GB       | XX     | T       | O      |   |
| E        | 1    | A     | <i>Acinonyx jubatus</i>       | bodies    | 2        |      | SA       | FR       | NL     | E       | F      |   |
| E        | 1    | A     | <i>Acinonyx jubatus</i>       | live      | 1        |      | AE       | NL       |        | Z       | C      |   |
| E        | 1    | A     | <i>Acinonyx jubatus</i>       | live      | 3        |      | PL       | NL       |        | Z       | C      |   |
| E        | 1    | A     | <i>Acinonyx jubatus</i>       | live      | 1        |      | QA       | BE       |        | T       | C      |   |
| E        | 1    | A     | <i>Acinonyx jubatus</i>       | skins     | 1        |      | NA       | BE       | NA     | P       | W      |   |
| E        | 1    | A     | <i>Catopuma temminckii</i>    | live      | 1        |      | AU       | NL       |        | Z       | C      |   |
| E        | 1    | A     | <i>Felis nigripes</i>         | live      | 1        |      | US       | DE       |        | Z       | F      |   |
| E        | 1    | A     | <i>Herpailurus yaguarondi</i> | live      | 2        |      | PL       | NL       |        | Z       | C      |   |
| E        | 1    | A     | <i>Herpailurus yaguarondi</i> | live      | 2        |      | US       | NL       |        | Z       | C      |   |
| E        | 1    | A     | <i>Leopardus pardalis</i>     | live      | 1        |      | PL       | BE       |        | XX      | B      | W |
| E        | 1    | A     | <i>Lynx pardinus</i>          | specimens | 260 ml   |      | US       | ES       |        | S       | W      |   |
| E        | 1    | A     | <i>Oncifelis geoffroyi</i>    | live      | 1        |      | CA       | GB       |        | B       | C      |   |
| E        | 1    | A     | <i>Oncifelis geoffroyi</i>    | live      | 2        |      | US       | DE       |        | B       | C      |   |
| E        | 1    | A     | <i>Panthera leo persica</i>   | live      | 2        |      | IL       | GB       |        | B       | F      |   |
| E        | 1    | A     | <i>Panthera onca</i>          | live      | 2        |      | HR       | DE       |        | Z       | C      |   |
| E        | 1    | A     | <i>Panthera pardus</i>        | live      | 1        |      | CA       | GB       |        | Z       | C      |   |
| E        | 1    | A     | <i>Panthera pardus</i>        | live      | 1        |      | JP       | DE       |        | Z       | C      |   |
| E        | 1    | A     | <i>Panthera pardus</i>        | live      | 1        |      | JP       | NL       |        | IT      | Z      | C |
| E        | 1    | A     | <i>Panthera pardus</i>        | live      | 2        |      | MC       | FR       |        | Z       | C      |   |
| E        | 1    | A     | <i>Panthera pardus</i>        | live      | 2        |      | MY       | IT       |        | Q       | C      |   |
| E        | 1    | A     | <i>Panthera pardus</i>        | live      | 1        |      | PL       | DE       |        | Z       | C      |   |
| E        | 1    | A     | <i>Panthera pardus</i>        | live      | 1        |      | SK       | DE       |        | Z       | C      |   |
| E        | 1    | A     | <i>Panthera pardus</i>        | skins     | 1        |      | AE       | FR       |        | TZ      | H      | W |
| E        | 1    | A     | <i>Panthera pardus</i>        | skins     | 1        |      | US       | DE       |        | TZ      | P      | W |
| E        | 1    | A     | <i>Panthera pardus</i>        | skins     | 1        |      | US       | ES       |        | TZ      | H      | W |
| E        | 1    | A     | <i>Panthera pardus</i>        | skulls    | 1        |      | US       | ES       |        | TZ      | H      | W |
| E        | 1    | A     | <i>Panthera pardus</i>        | specimens | 20 ml    |      | US       | DE       | KP     | S       | U      |   |
| E        | 1    | A     | <i>Panthera pardus</i>        | trophies  | 4        |      | AE       | FR       | TZ     | H       | W      |   |
| E        | 1    | A     | <i>Panthera pardus</i>        | trophies  | 1        |      | BR       | FR       | TZ     | H       | W      |   |

European Community annual report to CITES 1998

Exp/Imp. App. Annex Taxon

|   |   |   |                         | Term     | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|---|---|---|-------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| E | 1 | A | Panthera pardus         | trophies | 1        |      | KN       | DE       | BW     | P       | W      |
| E | 1 | A | Panthera pardus         | trophies | 5        |      | NA       | BE       | NA     | P       | W      |
| E | 1 | A | Panthera pardus         | trophies | 1        |      | US       | DE       | TZ     | P       | W      |
| E | 1 | A | Panthera tigris         | carvings | 1        |      | CH       | NL       | XX     | T       | O      |
| E | 1 | A | Panthera tigris         | claws    | 2        |      | US       | BE       | XX     | T       | W      |
| E | 1 | A | Panthera tigris         | live     | 1        |      | CH       | AT       | FR     | Q       | C      |
| E | 1 | A | Panthera tigris         | live     | 7        |      | CH       | AT       | GB     | Q       | C      |
| E | 1 | A | Panthera tigris         | live     | 3        |      | CH       | IT       |        | Q       | C      |
| E | 1 | A | Panthera tigris         | live     | 4        |      | CH       | IT       | CH     | Q       | C      |
| E | 1 | A | Panthera tigris         | live     | 1        |      | CH       | IT       | DE     | Q       | C      |
| E | 1 | A | Panthera tigris         | live     | 2        |      | CH       | IT       | US     | Q       | C      |
| E | 1 | A | Panthera tigris         | live     | 5        |      | CN       | DE       |        | B       | C      |
| E | 1 | A | Panthera tigris         | live     | 1        |      | CZ       | DE       |        | B       | C      |
| E | 1 | A | Panthera tigris         | live     | 1        |      | IL       | GR       |        | Q       | C      |
| E | 1 | A | Panthera tigris         | live     | 5        |      | LY       | IT       | FR     | Q       | C      |
| E | 1 | A | Panthera tigris         | live     | 2        |      | MY       | IT       | ES     | Q       | C      |
| E | 1 | A | Panthera tigris         | live     | 1        |      | MY       | IT       | FR     | Q       | C      |
| E | 1 | A | Panthera tigris         | live     | 4        |      | PL       | NL       | PL     | Q       | C      |
| E | 1 | A | Panthera tigris         | live     | 4        |      | RU       | ES       |        | T       | C      |
| E | 1 | A | Panthera tigris         | live     | 1        |      | TR       | ES       | FR     | Q       | C      |
| E | 1 | A | Panthera tigris         | live     | 1        |      | US       | NL       |        | Z       | C      |
| E | 1 | A | Panthera tigris         | skins    | 1        |      | CH       | DK       |        | P       | C      |
| E | 1 | A | Panthera tigris         | skins    | 1        |      | NO       | GB       | IN     | P       | O      |
| E | 1 | A | Panthera tigris         | skins    | 1        |      | US       | FR       | XX     | T       | O      |
| E | 1 | A | Panthera tigris         | skins    | 3        |      | US       | GB       | XX     | T       | O      |
| E | 1 | A | Panthera tigris         | skins    | 1        |      | US       | NL       | XX     | P       | O      |
| E | 1 | A | Panthera tigris         | trophies | 1        |      | US       | GB       | XX     | T       | O      |
| E | 1 | A | Panthera tigris altaica | live     | 3        |      | HR       | NL       | FR     | Z       | C      |
| E | 1 | A | Panthera tigris altaica | live     | 2        |      | PL       | NL       | PL     | Q       | C      |
| E | 1 | A | Panthera tigris altaica | live     | 2        |      | US       | DE       |        | Z       | C      |
| E | 1 | A | Uncia uncia             | live     | 1        |      | AU       | FI       |        | Z       | C      |
| E | 1 | A | Uncia uncia             | live     | 1        |      | CA       | DE       |        | B       | C      |
| E | 1 | A | Uncia uncia             | live     | 1        |      | CH       | DE       |        | B       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                    | Term     | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| E        | 1    | A     | <i>Uncia uncia</i>       | live     | 1        |      | CZ       | DE       | Z      | C       |        |
| E        | 1    | A     | <i>Uncia uncia</i>       | live     | 1        |      | KZ       | FI       | Z      | C       |        |
| E        | 1    | A     | <i>Uncia uncia</i>       | live     | 1        |      | PL       | GB       | B      | C       |        |
| E        | 1    | A     | <i>Uncia uncia</i>       | skins    | 1        |      | US       | GB       | XX     | T       | O      |
| E        | 1    | A     | <i>Proboscidea spp.</i>  | carvings | 7        |      | AU       | FR       | SG     | P       | O      |
| E        | 1    | A     | <i>Proboscidea spp.</i>  | carvings | 19       |      | BR       | FR       | XX     | E       | O      |
| E        | 1    | A     | <i>Proboscidea spp.</i>  | carvings | 1        |      | CA       | FR       | XX     | P       | O      |
| E        | 1    | A     | <i>Proboscidea spp.</i>  | carvings | 1        |      | CA       | FR       | XX     | T       | O      |
| E        | 1    | A     | <i>Proboscidea spp.</i>  | carvings | 10       |      | CH       | FR       | XX     | E       | O      |
| E        | 1    | A     | <i>Proboscidea spp.</i>  | carvings | 21       |      | CH       | FR       | XX     | T       | O      |
| E        | 1    | A     | <i>Proboscidea spp.</i>  | carvings | 3        |      | GN       | FR       | XX     | P       | O      |
| E        | 1    | A     | <i>Proboscidea spp.</i>  | carvings | 2        |      | ID       | FR       | XX     | T       | O      |
| E        | 1    | A     | <i>Proboscidea spp.</i>  | carvings | 2        |      | JP       | FR       | XX     | T       | O      |
| E        | 1    | A     | <i>Proboscidea spp.</i>  | carvings | 1        |      | NZ       | FR       | XX     | T       | O      |
| E        | 1    | A     | <i>Proboscidea spp.</i>  | carvings | 2        |      | QA       | FR       | XX     | T       | O      |
| E        | 1    | A     | <i>Proboscidea spp.</i>  | carvings | 5        |      | SG       | FR       | XX     | T       | O      |
| E        | 1    | A     | <i>Proboscidea spp.</i>  | carvings | 1        |      | US       | FR       | XX     | P       | O      |
| E        | 1    | A     | <i>Proboscidea spp.</i>  | carvings | 4        |      | US       | FR       | XX     | E       | O      |
| E        | 1    | A     | <i>Proboscidea spp.</i>  | carvings | 91       |      | US       | FR       | XX     | T       | O      |
| E        | 1    | A     | <i>Proboscidea spp.</i>  | tusks    | 2        |      | GN       | FR       | XX     | P       | O      |
| E        | 1    | A     | <i>Elephantidae spp.</i> | carvings | 2        |      | AU       | NL       | XX     | P       | O      |
| E        | 1    | A     | <i>Elephantidae spp.</i> | carvings | 1        |      | CA       | FR       | XX     | T       | O      |
| E        | 1    | A     | <i>Elephantidae spp.</i> | carvings | 1        |      | CH       | BE       | XX     | T       | O      |
| E        | 1    | A     | <i>Elephantidae spp.</i> | carvings | 1        |      | CH       | DK       | P      | O       |        |
| E        | 1    | A     | <i>Elephantidae spp.</i> | carvings | 5        |      | CH       | DK       | T      | O       |        |
| E        | 1    | A     | <i>Elephantidae spp.</i> | carvings | 2        |      | CH       | FR       | XX     | Q       | O      |
| E        | 1    | A     | <i>Elephantidae spp.</i> | carvings | 6        |      | CH       | FR       | XX     | E       | O      |
| E        | 1    | A     | <i>Elephantidae spp.</i> | carvings | 7        |      | CH       | FR       | XX     | P       | O      |
| E        | 1    | A     | <i>Elephantidae spp.</i> | carvings | 43       |      | CH       | FR       | XX     | T       | O      |
| E        | 1    | A     | <i>Elephantidae spp.</i> | carvings | 1        |      | HU       | FR       | XX     | T       | O      |
| E        | 1    | A     | <i>Elephantidae spp.</i> | carvings | 2        |      | JP       | BE       | XX     | T       | O      |
| E        | 1    | A     | <i>Elephantidae spp.</i> | carvings | 1        |      | US       | DK       | XX     | T       | W      |
| E        | 1    | A     | <i>Elephantidae spp.</i> | carvings | 1        |      | US       | FR       | XX     | P       | O      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon             | Term               | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------|--------------------|----------|------|----------|----------|--------|---------|--------|
| E        | 1    | A     | Elephantidae spp. | carvings           | 6        |      | US       | FR       | XX     | T       | O      |
| E        | 1    | A     | Elephantidae spp. | carvings           | 4        |      | US       | NL       | XX     | P       | O      |
| E        | 1    | A     | Elephantidae spp. | carvings           | 8        |      | US       | NL       | XX     | T       | O      |
| E        | 1    | A     | Elephantidae spp. | ivory carvings     | 2        |      | AU       | DE       | XX     | P       | W      |
| E        | 1    | A     | Elephantidae spp. | ivory carvings     | 11       |      | CH       | BE       | XX     | T       | O      |
| E        | 1    | A     | Elephantidae spp. | ivory carvings     | 35       |      | CH       | BE       | XX     | T       | W      |
| E        | 1    | A     | Elephantidae spp. | ivory carvings     | 64       |      | JP       | SE       | XX     | E       | O      |
| E        | 1    | A     | Elephantidae spp. | ivory carvings     | 2        |      | US       | BE       | XX     | E       | O      |
| E        | 1    | A     | Elephantidae spp. | ivory carvings     | 13       |      | US       | BE       | XX     | T       | W      |
| E        | 1    | A     | Elephantidae spp. | ivory carvings     | 78       |      | US       | BE       | XX     | T       | O      |
| E        | 1    | A     | Elephantidae spp. | ivory pieces       | 1        |      | CA       | NL       | XX     | T       | O      |
| E        | 1    | A     | Elephantidae spp. | ivory pieces       | 1        |      | CH       | IT       | XX     | P       | O      |
| E        | 1    | A     | Elephantidae spp. | ivory pieces       | 1        |      | CH       | NL       | XX     | Q       | O      |
| E        | 1    | A     | Elephantidae spp. | ivory pieces       | 1        |      | CH       | SE       | XX     | E       | O      |
| E        | 1    | A     | Elephantidae spp. | ivory pieces       | 1        |      | JP       | NL       | XX     | E       | O      |
| E        | 1    | A     | Elephantidae spp. | ivory pieces       | 1        |      | MC       | NL       | XX     | Q       | U      |
| E        | 1    | A     | Elephantidae spp. | ivory pieces       | 1        |      | US       | NL       | XX     | P       | O      |
| E        | 1    | A     | Elephantidae spp. | ivory pieces       | 4        |      | US       | NL       | XX     | T       | O      |
| E        | 1    | A     | Elephantidae spp. | sets of piano keys | 1        |      | CH       | DE       | XX     | T       | O      |
| E        | 1    | A     | Elephantidae spp. | sets of piano keys | 4        |      | CH       | DE       | XX     | P       | O      |
| E        | 1    | A     | Elephantidae spp. | tusks              | 1        |      | US       | NL       | XX     | P       | O      |
| E        | 1    | A     | Elephas maximus   | carvings           | 1        |      | AU       | GB       | XX     | P       | O      |
| E        | 1    | A     | Elephas maximus   | carvings           | 7        |      | BR       | FR       | XX     | E       | O      |
| E        | 1    | A     | Elephas maximus   | carvings           | 2        |      | BR       | GB       | XX     | P       | O      |
| E        | 1    | A     | Elephas maximus   | carvings           | 1        |      | CH       | GB       | XX     | P       | O      |
| E        | 1    | A     | Elephas maximus   | carvings           | 3        |      | CH       | NL       | XX     | T       | O      |
| E        | 1    | A     | Elephas maximus   | carvings           | 1        |      | HK       | GB       | XX     | T       | O      |
| E        | 1    | A     | Elephas maximus   | carvings           | 1        |      | KW       | GB       | XX     | T       | O      |
| E        | 1    | A     | Elephas maximus   | carvings           | 4        |      | MX       | FR       | MN     | Q       | O      |
| E        | 1    | A     | Elephas maximus   | carvings           | 5        |      | QA       | GB       | XX     | T       | O      |
| E        | 1    | A     | Elephas maximus   | carvings           | 5        |      | SG       | GB       | XX     | P       | O      |
| E        | 1    | A     | Elephas maximus   | carvings           | 2        |      | SG       | NL       | XX     | P       | O      |
| E        | 1    | A     | Elephas maximus   | carvings           | 2        |      | TW       | GB       | XX     | P       | O      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                     | Term               | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------|--------------------|----------|------|----------|----------|--------|---------|--------|
| E        | 1    | A     | <i>Elephas maximus</i>    | carvings           | 1        |      | US       | GB       | IN     | P       | O      |
| E        | 1    | A     | <i>Elephas maximus</i>    | carvings           | 1        |      | US       | GB       | XX     | E       | O      |
| E        | 1    | A     | <i>Elephas maximus</i>    | carvings           | 47       |      | US       | GB       | XX     | P       | O      |
| E        | 1    | A     | <i>Elephas maximus</i>    | carvings           | 516      |      | US       | GB       | XX     | T       | O      |
| E        | 1    | A     | <i>Elephas maximus</i>    | carvings           | 1        |      | US       | NL       | XX     | T       | O      |
| E        | 1    | A     | <i>Elephas maximus</i>    | ivory carvings     | 2        |      | CH       | DE       | XX     | T       | O      |
| E        | 1    | A     | <i>Elephas maximus</i>    | ivory carvings     | 2        |      | JP       | DE       | CN     | T       | O      |
| E        | 1    | A     | <i>Elephas maximus</i>    | ivory carvings     | 3        |      | JP       | DE       | XX     | Q       | O      |
| E        | 1    | A     | <i>Elephas maximus</i>    | ivory carvings     | 5        |      | JP       | DE       | XX     | T       | O      |
| E        | 1    | A     | <i>Elephas maximus</i>    | ivory carvings     | 3        |      | TW       | DE       | CN     | T       | O      |
| E        | 1    | A     | <i>Elephas maximus</i>    | ivory carvings     | 1        |      | TW       | DE       | XX     | T       | O      |
| E        | 1    | A     | <i>Elephas maximus</i>    | ivory carvings     | 1        |      | US       | AT       |        | T       | O      |
| E        | 1    | A     | <i>Elephas maximus</i>    | ivory carvings     | 2        |      | US       | DE       | XX     | P       | O      |
| E        | 1    | A     | <i>Elephas maximus</i>    | ivory carvings     | 6        |      | US       | DE       | XX     | T       | O      |
| E        | 1    | A     | <i>Elephas maximus</i>    | ivory pieces       | 5        |      | JP       | PT       | IN     | E       | O      |
| E        | 1    | A     | <i>Elephas maximus</i>    | live               | 5        |      | CH       | AT       |        | Q       | O      |
| E        | 1    | A     | <i>Elephas maximus</i>    | live               | 1        |      | CH       | DE       | XX     | Z       | O      |
| E        | 1    | A     | <i>Elephas maximus</i>    | live               | 5        |      | IL       | GR       | XX     | Q       | O      |
| E        | 1    | A     | <i>Elephas maximus</i>    | live               | 1        |      | SG       | ES       | XX     | Q       | O      |
| E        | 1    | A     | <i>Elephas maximus</i>    | live               | 1        |      | UA       | DE       | XX     | Z       | O      |
| E        | 1    | A     | <i>Elephas maximus</i>    | sets of piano keys | 2        |      | JP       | DE       | XX     | T       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings           | 1        |      | AE       | GB       | XX     | T       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings           | 5        |      | AU       | GB       | XX     | P       | U      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings           | 8        |      | AU       | GB       | XX     | P       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings           | 12       |      | AU       | GB       | XX     | T       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings           | 1        |      | BM       | GB       | XX     | T       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings           | 1        |      | BR       | GB       | XX     | T       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings           | 4        |      | BR       | GB       | XX     | P       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings           | 6        |      | CA       | GB       | XX     | T       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings           | 10       |      | CA       | GB       | XX     | P       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings           | 1        |      | CH       | DK       | XX     | P       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings           | 4        |      | CH       | FR       | T      | O       |        |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings           | 3        |      | CH       | FR       | XX     | Q       | O      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                     | Term     | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings | 24       |      | CH       | FR       | XX     | T       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings | 3        |      | CH       | GB       | XX     | Q       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings | 20       |      | CH       | GB       | XX     | P       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings | 167      |      | CH       | GB       | XX     | T       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings | 18       |      | CH       | NL       | XX     | T       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings | 100      |      | CN       | FR       | CF     | T       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings | 1        |      | CN       | FR       | XX     | Q       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings | 1        |      | CN       | GB       | XX     | P       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings | 6        |      | CZ       | GB       | XX     | T       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings | 5        |      | HK       | GB       | XX     | P       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings | 8        |      | HK       | GB       | XX     | E       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings | 42       |      | HK       | GB       | XX     | T       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings | 1        |      | ID       | FR       | CF     | T       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings | 3        |      | ID       | FR       | CM     | T       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings | 3        |      | ID       | FR       | KE     | T       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings | 1        |      | ID       | FR       | CD     | T       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings | 2        |      | IL       | GB       | XX     | P       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings | 2        |      | JP       | FR       | XX     | T       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings | 11       |      | JP       | FR       | XX     | Q       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings | 1        |      | JP       | GB       | XX     | P       | U      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings | 10       |      | JP       | GB       | XX     | P       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings | 23       |      | JP       | GB       | XX     | E       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings | 50       |      | JP       | GB       | XX     | Q       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings | 70       |      | JP       | GB       | XX     | T       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings | 4        |      | LB       | FR       | CI     | P       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings | 10       |      | MA       | GB       | XX     | T       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings | 6        |      | MY       | DK       | CD     | P       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings | 31       |      | MY       | DK       | CD     | P       | W      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings | 1        |      | NO       | GB       | XX     | T       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings | 1        |      | NZ       | GB       | XX     | P       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings | 1        |      | PA       | BE       | ZA     | P       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings | 1        |      | QA       | GB       | XX     | E       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings | 8        |      | QA       | GB       | XX     | P       | O      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                     | Term           | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------|----------------|----------|------|----------|----------|--------|---------|--------|
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings       | 8        |      | QA       | GB       | XX     | T       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings       | 40       |      | RU       | GB       | XX     | Q       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings       | 7        |      | SG       | GB       | XX     | T       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings       | 12       |      | SG       | GB       | XX     | P       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings       | 1        |      | TH       | GB       | XX     | T       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings       | 1        |      | TR       | GB       | XX     | T       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings       | 3        |      | TW       | FR       | XX     | T       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings       | 5        |      | TW       | GB       | XX     | P       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings       | 31       |      | TW       | GB       | XX     | T       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings       | 1        |      | US       | BE       | CD     | T       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings       | 2        |      | US       | ES       | XX     | P       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings       | 40       |      | US       | FR       | GA     | T       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings       | 1        |      | US       | FR       | XX     | Q       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings       | 2        |      | US       | FR       | XX     | P       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings       | 220      |      | US       | FR       | XX     | T       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings       | 1        |      | US       | GB       | KE     | P       | W      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings       | 2        |      | US       | GB       | XX     | E       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings       | 8        |      | US       | GB       | XX     | Q       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings       | 181      |      | US       | GB       | XX     | P       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings       | 2798     |      | US       | GB       | XX     | T       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings       | 4        |      | US       | NL       | XX     | T       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings       | 1        |      | XX       | GB       | XX     | P       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings       | 47       |      | XX       | GB       | XX     | T       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings       | 2        |      | ZA       | GB       | XX     | P       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings       | 5        |      | ZA       | GB       | XX     | T       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | carvings       | 1        |      | ZW       | BE       | XX     | E       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | ivory carvings | 4        |      | AU       | DE       | TZ     | P       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | ivory carvings | 1        |      | CA       | DE       | CG     | P       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | ivory carvings | 69       |      | CH       | BE       | XX     | T       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | ivory carvings | 156      |      | CH       | DE       | XX     | T       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | ivory carvings | 1        |      | CN       | DE       | XX     | T       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | ivory carvings | 1        |      | JP       | AT       | E      | O       |        |
| E        | 1    | A     | <i>Loxodonta africana</i> | ivory carvings | 3        |      | JP       | AT       | Q      | U       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                     | Term               | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------|--------------------|----------|------|----------|----------|--------|---------|--------|
| E        | 1    | A     | <i>Loxodonta africana</i> | ivory carvings     | 1        | sets | JP       | AT       |        | P       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | ivory carvings     | 1        | sets | JP       | AT       | DE     | P       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | ivory carvings     | 2        |      | SN       | BE       | CD     | P       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | ivory carvings     | 128      | sets | US       | AT       |        | T       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | ivory carvings     | 1        | sets | US       | AT       | US     | P       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | ivory carvings     | 10       |      | US       | BE       | XX     | E       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | ivory carvings     | 84       |      | US       | BE       | XX     | T       | W      |
| E        | 1    | A     | <i>Loxodonta africana</i> | ivory carvings     | 85       |      | US       | BE       | XX     | T       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | ivory carvings     | 1        |      | US       | DE       | XX     | T       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | ivory carvings     | 1        |      | US       | IE       | XX     | P       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | ivory carvings     | 1        |      | ZA       | BE       | XX     | E       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | ivory carvings     | 8        |      | ZW       | BE       | XX     | E       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | ivory pieces       | 8        |      | HK       | IT       | XX     | T       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | ivory pieces       | 6        |      | SG       | IT       | XX     | T       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | ivory pieces       | 2        |      | TW       | IT       | XX     | T       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | ivory pieces       | 4        |      | US       | GB       | XX     | T       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | ivory pieces       | 2        |      | US       | IT       | XX     | Q       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | ivory pieces       | 7        |      | US       | IT       | XX     | Q       | W      |
| E        | 1    | A     | <i>Loxodonta africana</i> | ivory pieces       | 6        |      | US       | NL       | XX     | Q       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | live               | 1        |      | IL       | GR       | XX     | Q       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | live               | 1        |      | NO       | SE       | ZA     | Q       | W      |
| E        | 1    | A     | <i>Loxodonta africana</i> | live               | 3        |      | NO       | SE       | ZW     | Q       | W      |
| E        | 1    | A     | <i>Loxodonta africana</i> | live               | 1        |      | SI       | IT       | ZA     | Q       | W      |
| E        | 1    | A     | <i>Loxodonta africana</i> | sets of piano keys | 1        |      | CH       | DE       | KE     | T       | W      |
| E        | 1    | A     | <i>Loxodonta africana</i> | sets of piano keys | 2        |      | CH       | DE       | SD     | T       | W      |
| E        | 1    | A     | <i>Loxodonta africana</i> | sets of piano keys | 1        |      | CH       | DE       | XX     | P       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | sets of piano keys | 1        |      | CH       | DE       | XX     | T       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | sets of piano keys | 11       |      | JP       | DE       | XX     | T       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | sets of piano keys | 1        |      | US       | DE       | XX     | P       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | shells             | 5        |      | US       | GB       | XX     | P       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | trophies           | 1        |      | US       | FR       | XX     | T       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | tusks              | 3        |      | AU       | DE       | TZ     | P       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i> | tusks              | 1        |      | CA       | GB       | XX     | P       | U      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                           | Term          | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------------|---------------|----------|------|----------|----------|--------|---------|--------|
| E        | 1    | A     | <i>Loxodonta africana</i>       | tusks         | 2        |      | CO       | ES       | CF     | P       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i>       | tusks         | 2        |      | HU       | GB       | XX     | P       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i>       | tusks         | 14       |      | MT       | GB       | XX     | P       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i>       | tusks         | 2        |      | NC       | FR       | XX     | P       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i>       | tusks         | 5        |      | NG       | FR       | XX     | T       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i>       | tusks         | 3        |      | NO       | BE       | CD     | P       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i>       | tusks         | 1        |      | PE       | FR       | GA     | P       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i>       | tusks         | 1        |      | US       | FR       | XX     | P       | O      |
| E        | 1    | A     | <i>Loxodonta africana</i>       | tusks         | 2        |      | US       | GB       | XX     | P       | O      |
| E        | 1    | A     | <i>Equus grevyi</i>             | live          | 1        |      | PL       | DE       | Z      | C       | C      |
| E        | 1    | A     | <i>Equus grevyi</i>             | live          | 1        |      | PL       | NL       | Z      | C       | C      |
| E        | 1    | A     | <i>Equus przewalskii</i>        | live          | 3        |      | HU       | GB       | N      | C       | C      |
| E        | 1    | A     | <i>Equus przewalskii</i>        | live          | 1        |      | HU       | GB       | CH     | N       | C      |
| E        | 1    | A     | <i>Equus przewalskii</i>        | live          | 14       |      | MN       | NL       | N      | C       | C      |
| E        | 1    | A     | <i>Equus przewalskii</i>        | live          | 5        |      | MN       | NL       | DE     | N       | C      |
| E        | 1    | A     | <i>Equus przewalskii</i>        | live          | 1        |      | MN       | NL       | US     | N       | C      |
| E        | 1    | A     | <i>Equus zebra zebra</i>        | skins         | 2        |      | NA       | BE       | NA     | P       | W      |
| E        | 1    | A     | <i>Rhinocerotidae</i> spp.      | carvings      | 1        |      | CH       | DK       | T      | O       | O      |
| E        | 1    | A     | <i>Rhinocerotidae</i> spp.      | carvings      | 1        |      | CH       | FR       | XX     | Q       | O      |
| E        | 1    | A     | <i>Rhinocerotidae</i> spp.      | carvings      | 1        |      | CH       | NL       | XX     | P       | O      |
| E        | 1    | A     | <i>Rhinocerotidae</i> spp.      | carvings      | 4        |      | CN       | NL       | XX     | P       | O      |
| E        | 1    | A     | <i>Rhinocerotidae</i> spp.      | carvings      | 2        |      | HK       | GB       | XX     | P       | O      |
| E        | 1    | A     | <i>Rhinocerotidae</i> spp.      | carvings      | 1        |      | HK       | NL       | XX     | P       | O      |
| E        | 1    | A     | <i>Rhinocerotidae</i> spp.      | carvings      | 1        |      | TW       | GB       | XX     | P       | O      |
| E        | 1    | A     | <i>Rhinocerotidae</i> spp.      | carvings      | 1        |      | US       | GB       | XX     | P       | O      |
| E        | 1    | A     | <i>Rhinocerotidae</i> spp.      | carvings      | 3        |      | US       | GB       | XX     | T       | O      |
| E        | 1    | A     | <i>Rhinocerotidae</i> spp.      | horn carvings | 1        |      | US       | DE       | XX     | T       | O      |
| E        | 1    | A     | <i>Rhinocerotidae</i> spp.      | horn pieces   | 1        |      | CH       | NL       | XX     | Q       | O      |
| E        | 1    | A     | <i>Rhinocerotidae</i> spp.      | skin pieces   | 1        |      | CH       | FR       | T      | O       | O      |
| E        | 1    | A     | <i>Dicerorhinus sumatrensis</i> | live          | 1        |      | ID       | GB       | ID     | B       | W      |
| E        | 1    | A     | <i>Diceros bicornis</i>         | live          | 1        |      | CH       | GB       | B      | C       | O      |
| E        | 1    | A     | <i>Rhinoceros</i> spp.          | horn carvings | 1        |      | US       | DE       | XX     | T       | O      |
| E        | 1    | A     | <i>Rhinoceros unicornis</i>     | carvings      | 1        |      | HK       | GB       | XX     | T       | O      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                         | Term     | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| E        | 1    | A     | <i>Rhinoceros unicornis</i>   | carvings | 25       |      | US       | GB       | XX     | T       | O      |
| E        | 1    | A     | <i>Babyrousa babyrussa</i>    | carvings | 1        |      | CH       | GB       | XX     | P       | O      |
| E        | 1    | A     | <i>Vicugna vicugna</i>        | cloth    | 2400     | m    | JP       | GB       | XX     | T       | O      |
| E        | 1    | A     | <i>Vicugna vicugna</i>        | hair     | 7        | g    | HK       | GB       | XX     | T       | O      |
| E        | 1    | A     | <i>Vicugna vicugna</i>        | live     | 2        |      | CZ       | FR       |        | Z       | C      |
| E        | 1    | A     | <i>Vicugna vicugna</i>        | live     | 2        |      | HU       | DE       |        | Z       | C      |
| E        | 1    | A     | <i>Blastocerus dichotomus</i> | carvings | 1        |      | CH       | GB       | XX     | P       | O      |
| E        | 1    | A     | <i>Blastocerus dichotomus</i> | carvings | 1        |      | US       | GB       | XX     | P       | O      |
| E        | 1    | A     | <i>Cervus duvaucelii</i>      | live     | 1        |      | CH       | GB       |        | B       | C      |
| E        | 1    | A     | <i>Pudu puda</i>              | live     | 1        |      | CZ       | DK       |        | Z       | C      |
| E        | 1    | A     | <i>Addax nasomaculatus</i>    | live     | 3        |      | CZ       | NL       |        | Z       | C      |
| E        | 1    | A     | <i>Addax nasomaculatus</i>    | live     | 1        |      | HU       | DE       |        | Z       | C      |
| E        | 1    | A     | <i>Addax nasomaculatus</i>    | live     | 3        |      | HU       | NL       |        | Z       | C      |
| E        | 1    | A     | <i>Addax nasomaculatus</i>    | live     | 2        |      | PK       | DE       |        | T       | C      |
| E        | 1    | A     | <i>Addax nasomaculatus</i>    | live     | 3        |      | PL       | DE       |        | B       | C      |
| E        | 1    | A     | <i>Bubalus depressicornis</i> | live     | 1        |      | CZ       | DE       |        | Z       | C      |
| E        | 1    | A     | <i>Bubalus depressicornis</i> | live     | 2        |      | CZ       | NL       |        | Z       | C      |
| E        | 1    | A     | <i>Capra falconeri</i>        | live     | 6        |      | SI       | DE       |        | Z       | C      |
| E        | 1    | A     | <i>Oryx dammah</i>            | live     | 1        |      | SK       | FR       |        | Z       | C      |
| E        | 1    | A     | <i>Oryx dammah</i>            | live     | 3        |      | TN       | FR       |        | N       | C      |
| E        | 1    | A     | <i>Pantholops hodgsonii</i>   | garments | 2        |      | CH       | FR       | XX     | L       | I      |
| E        | 1    | A     | <i>Pantholops hodgsonii</i>   | garments | 30       |      | CN       | FR       | XX     | L       | I      |
| E        | 1    | A     | <i>Pantholops hodgsonii</i>   | garments | 2        |      | NA       | FR       | XX     | L       | I      |
| E        | 1    | A     | <i>Pantholops hodgsonii</i>   | garments | 2        |      | NO       | FR       | XX     | E       | W      |
| E        | 1    | A     | <i>Struthio camelus</i>       | eggs     | 265      | g    | US       | FR       | XX     | T       | O      |
| E        | 1    | A     | <i>Struthio camelus</i>       | feathers | 3        |      | RU       | FI       | SN     | Q       | O      |
| E        | 1    | A     | <i>Struthio camelus</i>       | feathers | 1        |      | RU       | GB       | XX     | Q       | O      |
| E        | 1    | A     | <i>Pterocnemia pennata</i>    | live     | 2        |      | CZ       | NL       |        | Z       | C      |
| E        | 1    | A     | <i>Spheniscus humboldti</i>   | live     | 6        |      | HR       | GB       |        | B       | C      |
| E        | 1    | A     | <i>Spheniscus humboldti</i>   | live     | 4        |      | JP       | GB       |        | B       | C      |
| E        | 1    | A     | <i>Spheniscus humboldti</i>   | live     | 3        |      | US       | DE       |        | Z       | F      |
| E        | 1    | A     | <i>Spheniscus humboldti</i>   | live     | 5        |      | US       | DE       |        | Z       | C      |
| E        | 1    | A     | <i>Pelecanus crispus</i>      | live     | 3        |      | CZ       | FR       |        | Z       | C      |

European Community annual report to CITES 1998

Exp/Imp. App. Annex Taxon

|   |   |   | Term                            | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|---|---|---|---------------------------------|----------|------|----------|----------|--------|---------|--------|
| E | 1 | A | <i>Pelecanus crispus</i>        | live     | 4    | PL       | FR       | Z      | C       |        |
| E | 1 | A | <i>Pelecanus crispus</i>        | live     | 1    | XX       | GB       | Z      | C       |        |
| E | 1 | A | <i>Geronticus eremita</i>       | live     | 7    | CZ       | FR       | Z      | C       |        |
| E | 1 | A | <i>Geronticus eremita</i>       | live     | 4    | PL       | NL       | Z      | C       |        |
| E | 1 | A | <i>Branta sandvicensis</i>      | live     | 2    | PK       | NL       | T      | C       |        |
| E | 1 | A | <i>Branta sandvicensis</i>      | live     | 9    | YU       | NL       | T      | C       |        |
| E | 1 | A | <i>Cairina scutulata</i>        | live     | 2    | CZ       | DE       | Z      | C       |        |
| E | 1 | A | <i>Cairina scutulata</i>        | live     | 2    | CZ       | GB       | Z      | C       |        |
| E | 1 | A | <i>Haliaeetus leucocephalus</i> | feathers | 3    | US       | DE       | XX     | P       | O      |
| E | 1 | A | <i>Harpia harpyja</i>           | live     | 1    | MX       | ES       | PT     | B       | C      |
| E | 1 | A | <i>Falco hybrid</i>             | live     | 14   | AE       | AT       | T      | D       |        |
| E | 1 | A | <i>Falco hybrid</i>             | live     | 3    | AE       | BE       | T      | C       |        |
| E | 1 | A | <i>Falco hybrid</i>             | live     | 4    | AE       | BE       | AT     | T       | C      |
| E | 1 | A | <i>Falco hybrid</i>             | live     | 41   | AE       | BE       | DE     | T       | C      |
| E | 1 | A | <i>Falco hybrid</i>             | live     | 4    | AE       | BE       | GB     | T       | C      |
| E | 1 | A | <i>Falco hybrid</i>             | live     | 10   | AE       | DE       | T      | C       |        |
| E | 1 | A | <i>Falco hybrid</i>             | live     | 537  | AE       | DE       | T      | D       |        |
| E | 1 | A | <i>Falco hybrid</i>             | live     | 24   | AE       | DE       | ES     | T       | D      |
| E | 1 | A | <i>Falco hybrid</i>             | live     | 1    | AE       | DE       | GB     | T       | D      |
| E | 1 | A | <i>Falco hybrid</i>             | live     | 24   | AE       | DK       | T      | D       |        |
| E | 1 | A | <i>Falco hybrid</i>             | live     | 9    | AE       | FR       | B      | C       |        |
| E | 1 | A | <i>Falco hybrid</i>             | live     | 2    | HU       | FR       | B      | C       |        |
| E | 1 | A | <i>Falco hybrid</i>             | live     | 3    | SK       | AT       | P      | F       |        |
| E | 1 | A | <i>Falco hybrid</i>             | live     | 3    | SK       | AT       | T      | D       |        |
| E | 1 | A | <i>Falco jugger</i>             | live     | 1    | CH       | FR       | Q      | C       |        |
| E | 1 | A | <i>Falco peregrinus</i>         | bodies   | 1    | NO       | DK       | T      | C       |        |
| E | 1 | A | <i>Falco peregrinus</i>         | bodies   | 2    | NO       | DK       | T      | F       |        |
| E | 1 | A | <i>Falco peregrinus</i>         | bodies   | 1    | NO       | DK       | DE     | T       | C      |
| E | 1 | A | <i>Falco peregrinus</i>         | bodies   | 2    | NO       | DK       | TN     | T       | O      |
| E | 1 | A | <i>Falco peregrinus</i>         | live     | 4    | AE       | DE       | T      | D       |        |
| E | 1 | A | <i>Falco peregrinus</i>         | live     | 2    | AE       | DE       | AT     | T       | D      |
| E | 1 | A | <i>Falco peregrinus</i>         | live     | 6    | AE       | GB       | T      | C       |        |
| E | 1 | A | <i>Falco peregrinus</i>         | live     | 1    | CH       | DE       | B      | D       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                              | Term   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------------|--------|----------|------|----------|----------|--------|---------|--------|
| E        | 1    | A     | <i>Falco peregrinus</i>            | live   | 2        |      | CZ       | AT       |        | P       | C      |
| E        | 1    | A     | <i>Falco peregrinus</i>            | live   | 3        |      | CZ       | AT       |        | T       | D      |
| E        | 1    | A     | <i>Falco peregrinus</i>            | live   | 4        |      | CZ       | AT       |        | P       | D      |
| E        | 1    | A     | <i>Falco peregrinus</i>            | live   | 1        |      | CZ       | AT       | CZ     | P       | C      |
| E        | 1    | A     | <i>Falco peregrinus</i>            | live   | 1        |      | CZ       | AT       | DE     | P       | C      |
| E        | 1    | A     | <i>Falco peregrinus</i>            | live   | 1        |      | CZ       | DE       |        | P       | C      |
| E        | 1    | A     | <i>Falco peregrinus</i>            | live   | 1        |      | HU       | AT       |        | T       | D      |
| E        | 1    | A     | <i>Falco peregrinus</i>            | live   | 3        |      | HU       | AT       |        | P       | D      |
| E        | 1    | A     | <i>Falco peregrinus</i>            | live   | 3        |      | HU       | AT       | GB     | T       | C      |
| E        | 1    | A     | <i>Falco peregrinus</i>            | live   | 1        |      | HU       | ES       |        | T       | C      |
| E        | 1    | A     | <i>Falco peregrinus</i>            | live   | 2        |      | JP       | GB       |        | T       | C      |
| E        | 1    | A     | <i>Falco peregrinus</i>            | live   | 3        |      | JP       | GB       |        | P       | C      |
| E        | 1    | A     | <i>Falco peregrinus</i>            | live   | 1        |      | PL       | IT       | DE     | P       | C      |
| E        | 1    | A     | <i>Falco peregrinus</i>            | live   | 1        |      | QA       | GB       |        | T       | C      |
| E        | 1    | A     | <i>Falco peregrinus</i>            | live   | 4        |      | SA       | GB       |        | P       | C      |
| E        | 1    | A     | <i>Falco peregrinus</i>            | live   | 1        |      | SK       | AT       |        | P       | C      |
| E        | 1    | A     | <i>Falco peregrinus</i>            | live   | 2        |      | SK       | AT       |        | N       | W      |
| E        | 1    | A     | <i>Falco peregrinus</i>            | live   | 2        |      | SK       | AT       |        | P       | D      |
| E        | 1    | A     | <i>Falco peregrinus</i>            | live   | 2        |      | SK       | AT       | DE     | P       | C      |
| E        | 1    | A     | <i>Falco peregrinus</i>            | live   | 1        |      | ZA       | GB       |        | B       | C      |
| E        | 1    | A     | <i>Falco peregrinus pealei</i>     | live   | 1        |      | HU       | AT       |        | P       | D      |
| E        | 1    | A     | <i>Falco peregrinus peregrinus</i> | bodies | 1        |      | NO       | DK       |        | T       | F      |
| E        | 1    | A     | <i>Falco peregrinus peregrinus</i> | live   | 3        |      | CZ       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Falco peregrinus peregrinus</i> | live   | 1        |      | CZ       | NL       | GB     | T       | C      |
| E        | 1    | A     | <i>Falco peregrinus peregrinus</i> | live   | 1        |      | HU       | FR       | AT     | P       | D      |
| E        | 1    | A     | <i>Falco peregrinus peregrinus</i> | live   | 1        |      | HU       | NL       | DE     | T       | C      |
| E        | 1    | A     | <i>Falco peregrinus peregrinus</i> | live   | 2        |      | IL       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Falco rusticola</i>             | bodies | 2        |      | NO       | DK       |        | T       | F      |
| E        | 1    | A     | <i>Falco rusticola</i>             | bodies | 3        |      | NO       | DK       |        | T       | C      |
| E        | 1    | A     | <i>Falco rusticola</i>             | bodies | 1        |      | NO       | DK       | DE     | T       | C      |
| E        | 1    | A     | <i>Falco rusticola</i>             | live   | 2        |      | AE       | BE       | GB     | T       | C      |
| E        | 1    | A     | <i>Falco rusticola</i>             | live   | 4        |      | AE       | DE       |        | T       | C      |
| E        | 1    | A     | <i>Falco rusticola</i>             | live   | 32       |      | AE       | DE       |        | T       | D      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                            | Term      | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| E        | 1    | A     | <i>Falco rusticolus</i>          | live      | 1        |      | AE       | DE       | AT     | T       | C      |
| E        | 1    | A     | <i>Falco rusticolus</i>          | live      | 10       |      | AE       | DE       | CA     | T       | D      |
| E        | 1    | A     | <i>Falco rusticolus</i>          | live      | 2        |      | AE       | DK       |        | T       | D      |
| E        | 1    | A     | <i>Falco rusticolus</i>          | live      | 5        |      | AE       | GB       |        | P       | C      |
| E        | 1    | A     | <i>Falco rusticolus</i>          | live      | 81       |      | AE       | GB       |        | TT      | C      |
| E        | 1    | A     | <i>Falco rusticolus</i>          | live      | 2        |      | BH       | GB       |        | T       | C      |
| E        | 1    | A     | <i>Falco rusticolus</i>          | live      | 1        |      | CA       | DK       |        | T       | C      |
| E        | 1    | A     | <i>Falco rusticolus</i>          | live      | 1        |      | CH       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Falco rusticolus</i>          | live      | 1        |      | CZ       | AT       |        | T       | D      |
| E        | 1    | A     | <i>Falco rusticolus</i>          | live      | 1        |      | CZ       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Falco rusticolus</i>          | live      | 1        |      | JP       | GB       |        | T       | C      |
| E        | 1    | A     | <i>Falco rusticolus</i>          | live      | 1        |      | QA       | GB       |        | T       | C      |
| E        | 1    | A     | <i>Falco rusticolus</i>          | live      | 2        |      | SA       | GB       |        | P       | C      |
| E        | 1    | A     | <i>Falco rusticolus</i>          | live      | 1        |      | US       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Falco rusticolus</i>          | skeletons | 1        |      | PL       | DK       |        | S       | O      |
| E        | 1    | A     | <i>Catreus wallichii</i>         | live      | 5        |      | AE       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Catreus wallichii</i>         | live      | 3        |      | MU       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Crossoptilon crossoptilon</i> | bodies    | 1        |      | NO       | DK       |        | T       | C      |
| E        | 1    | A     | <i>Crossoptilon crossoptilon</i> | live      | 5        |      | JP       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Crossoptilon crossoptilon</i> | live      | 4        |      | PK       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Crossoptilon crossoptilon</i> | live      | 5        |      | TR       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Crossoptilon mantchuricum</i> | live      | 3        |      | AE       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Crossoptilon mantchuricum</i> | live      | 8        |      | AR       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Crossoptilon mantchuricum</i> | live      | 3        |      | JP       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Crossoptilon mantchuricum</i> | live      | 3        |      | PK       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Crossoptilon mantchuricum</i> | live      | 4        |      | ZA       | GB       |        | B       | C      |
| E        | 1    | A     | <i>Lophophorus impejanus</i>     | bodies    | 1        |      | CH       | FR       |        | E       | F      |
| E        | 1    | A     | <i>Lophophorus impejanus</i>     | bodies    | 1        |      | NO       | DK       |        | T       | C      |
| E        | 1    | A     | <i>Lophophorus impejanus</i>     | feathers  | 15       |      | NO       | DK       |        | P       | C      |
| E        | 1    | A     | <i>Lophophorus impejanus</i>     | live      | 3        |      | AE       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Lophophorus impejanus</i>     | live      | 4        |      | BR       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Lophophorus impejanus</i>     | live      | 1        |      | BS       | NL       |        | B       | C      |
| E        | 1    | A     | <i>Lophophorus impejanus</i>     | live      | 1        |      | BS       | NL       |        | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                        | Term   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|--------|----------|------|----------|----------|--------|---------|--------|
| E        | 1    | A     | <i>Lophophorus impejanus</i> | live   | 1        |      | CH       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Lophophorus impejanus</i> | live   | 14       |      | JP       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Lophophorus impejanus</i> | live   | 2        |      | KR       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Lophophorus impejanus</i> | live   | 3        |      | MU       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Lophophorus impejanus</i> | live   | 3        |      | PH       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Lophophorus impejanus</i> | live   | 17       |      | PK       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Lophophorus impejanus</i> | live   | 13       |      | TR       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Lophophorus impejanus</i> | live   | 4        |      | YU       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Lophophorus impejanus</i> | live   | 4        |      | ZA       | NL       |        | B       | C      |
| E        | 1    | A     | <i>Lophura edwardsi</i>      | live   | 5        |      | AE       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Lophura edwardsi</i>      | live   | 8        |      | AR       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Lophura edwardsi</i>      | live   | 6        |      | JP       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Lophura edwardsi</i>      | live   | 3        |      | MU       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Lophura edwardsi</i>      | live   | 3        |      | PK       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Lophura edwardsi</i>      | live   | 5        |      | ZA       | NL       |        | B       | C      |
| E        | 1    | A     | <i>Lophura swinhoii</i>      | live   | 4        |      | AE       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Lophura swinhoii</i>      | live   | 5        |      | JP       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Lophura swinhoii</i>      | live   | 3        |      | MU       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Lophura swinhoii</i>      | live   | 61       |      | PK       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Lophura swinhoii</i>      | live   | 12       |      | QA       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Polylectron emphanum</i>  | bodies | 1        |      | NO       | DK       |        | T       | C      |
| E        | 1    | A     | <i>Polylectron emphanum</i>  | live   | 2        |      | AE       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Polylectron emphanum</i>  | live   | 4        |      | BR       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Polylectron emphanum</i>  | live   | 1        |      | BS       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Polylectron emphanum</i>  | live   | 9        |      | JP       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Polylectron emphanum</i>  | live   | 8        |      | PK       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Polylectron emphanum</i>  | live   | 2        |      | SR       | NL       | BE     | T       | C      |
| E        | 1    | A     | <i>Polylectron emphanum</i>  | live   | 2        |      | ZA       | NL       |        | B       | C      |
| E        | 1    | A     | <i>Syrmaticus ellioti</i>    | live   | 4        |      | AE       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Syrmaticus ellioti</i>    | live   | 8        |      | AR       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Syrmaticus ellioti</i>    | live   | 4        |      | BR       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Syrmaticus ellioti</i>    | live   | 1        |      | JP       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Syrmaticus ellioti</i>    | live   | 3        |      | MU       | NL       |        | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                             | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 1    | A     | <i>Syrmaticus ellioti</i>         | live | 6        |      | PH       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Syrmaticus ellioti</i>         | live | 25       |      | PK       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Syrmaticus ellioti</i>         | live | 8        |      | ZA       | NL       |        | B       | C      |
| E        | 1    | A     | <i>Syrmaticus humiae</i>          | live | 2        |      | AE       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Syrmaticus humiae</i>          | live | 8        |      | AR       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Syrmaticus humiae</i>          | live | 4        |      | BR       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Syrmaticus humiae</i>          | live | 6        |      | JP       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Syrmaticus humiae</i>          | live | 3        |      | MU       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Syrmaticus humiae</i>          | live | 8        |      | ZA       | NL       |        | B       | C      |
| E        | 1    | A     | <i>Syrmaticus mikado</i>          | live | 2        |      | AE       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Syrmaticus mikado</i>          | live | 8        |      | AR       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Syrmaticus mikado</i>          | live | 4        |      | JP       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Syrmaticus mikado</i>          | live | 3        |      | MU       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Syrmaticus mikado</i>          | live | 1        |      | ZA       | GB       |        | B       | C      |
| E        | 1    | A     | <i>Syrmaticus mikado</i>          | live | 6        |      | ZA       | NL       |        | B       | C      |
| E        | 1    | A     | <i>Tragopan caboti</i>            | live | 4        |      | BR       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Grus leucogeranus</i>          | live | 2        |      | RU       | DE       | US     | N       | F      |
| E        | 1    | A     | <i>Grus vipio</i>                 | live | 1        |      | PL       | GB       |        | B       | F      |
| E        | 1    | A     | <i>Caloenas nicobarica</i>        | live | 1        |      | CH       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Amazona barbadensis</i>        | live | 4        |      | AN       | NL       | XX     | P       | O      |
| E        | 1    | A     | <i>Amazona barbadensis</i>        | live | 1        |      | CH       | ES       |        | T       | C      |
| E        | 1    | A     | <i>Amazona barbadensis</i>        | live | 4        |      | CH       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Amazona barbadensis</i>        | live | 3        |      | CH       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Amazona barbadensis</i>        | live | 2        |      | NC       | DE       |        | B       | C      |
| E        | 1    | A     | <i>Amazona barbadensis</i>        | live | 1        |      | NC       | DE       | ES     | B       | C      |
| E        | 1    | A     | <i>Amazona leucocephala</i>       | live | 1        |      | HU       | DE       | XX     | Z       | O      |
| E        | 1    | A     | <i>Amazona leucocephala</i>       | live | 1        |      | OM       | GB       | DE     | B       | C      |
| E        | 1    | A     | <i>Amazona tucumana</i>           | live | 2        |      | AE       | GB       |        | T       | C      |
| E        | 1    | A     | <i>Amazona tucumana</i>           | live | 2        |      | HU       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Amazona vinacea</i>            | live | 2        |      | AE       | GB       |        | T       | C      |
| E        | 1    | A     | <i>Amazona viridigenalis</i>      | live | 2        |      | SK       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Anodorhynchus hyacinthinus</i> | live | 1        |      | CH       | DE       |        | B       | F      |
| E        | 1    | A     | <i>Anodorhynchus hyacinthinus</i> | live | 1        |      | CH       | ES       |        | T       | C      |
| E        | 1    | A     | <i>Anodorhynchus hyacinthinus</i> | live | 2        |      | CH       | FR       | CH     | Z       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                              | Term      | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| E        | 1    | A     | <i>Ara macao</i>                   | feathers  | 13       |      | NO       | DK       |        | T       | C      |
| E        | 1    | A     | <i>Ara macao</i>                   | live      | 2        |      | AE       | GB       |        | T       | C      |
| E        | 1    | A     | <i>Ara macao</i>                   | live      | 1        |      | CZ       | DE       | XX     | P       | O      |
| E        | 1    | A     | <i>Ara macao</i>                   | live      | 1        |      | MV       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Ara macao</i>                   | live      | 1        |      | PL       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Ara macao</i>                   | live      | 2        |      | TN       | BE       | FR     | B       | C      |
| E        | 1    | A     | <i>Ara maracana</i>                | specimens | 20       |      | RU       | ES       | S      | C       | C      |
| E        | 1    | A     | <i>Ara militaris</i>               | live      | 2        |      | CZ       | BE       |        | B       | C      |
| E        | 1    | A     | <i>Ara militaris</i>               | live      | 2        |      | HU       | BE       |        | B       | C      |
| E        | 1    | A     | <i>Ara militaris</i>               | live      | 1        |      | KZ       | ES       | P      | C       |        |
| E        | 1    | A     | <i>Ara militaris</i>               | live      | 3        |      | KZ       | ES       | B      | C       |        |
| E        | 1    | A     | <i>Cacatua goffini</i>             | live      | 1        |      | AN       | NL       | T      | C       |        |
| E        | 1    | A     | <i>Cacatua goffini</i>             | live      | 3        |      | BR       | NL       | B      | C       |        |
| E        | 1    | A     | <i>Cacatua goffini</i>             | live      | 3        |      | PL       | GB       | T      | I       |        |
| E        | 1    | A     | <i>Cacatua goffini</i>             | live      | 1        |      | US       | GB       | P      | C       |        |
| E        | 1    | A     | <i>Cacatua haematuropygia</i>      | live      | 1        |      | PH       | DE       | PH     | P       |        |
| E        | 1    | A     | <i>Cacatua moluccensis</i>         | live      | 1        |      | CH       | FR       | US     | B       |        |
| E        | 1    | A     | <i>Cacatua moluccensis</i>         | live      | 1        |      | CL       | BE       | T      | C       |        |
| E        | 1    | A     | <i>Cacatua moluccensis</i>         | live      | 6        |      | JP       | NL       | T      | C       |        |
| E        | 1    | A     | <i>Cacatua moluccensis</i>         | live      | 1        |      | JP       | NL       | DE     | T       |        |
| E        | 1    | A     | <i>Cyanoramphus novaezelandiae</i> | live      | 15       |      | AR       | NL       | T      | C       |        |
| E        | 1    | A     | <i>Cyanoramphus novaezelandiae</i> | live      | 10       |      | BR       | NL       | T      | C       |        |
| E        | 1    | A     | <i>Cyanoramphus novaezelandiae</i> | live      | 10       |      | CA       | DE       | T      | C       |        |
| E        | 1    | A     | <i>Cyanoramphus novaezelandiae</i> | live      | 6        |      | CA       | GB       | T      | C       |        |
| E        | 1    | A     | <i>Cyanoramphus novaezelandiae</i> | live      | 224      |      | CA       | NL       | T      | C       |        |
| E        | 1    | A     | <i>Cyanoramphus novaezelandiae</i> | live      | 34       |      | CL       | NL       | T      | C       |        |
| E        | 1    | A     | <i>Cyanoramphus novaezelandiae</i> | live      | 6        |      | CO       | NL       | T      | C       |        |
| E        | 1    | A     | <i>Cyanoramphus novaezelandiae</i> | live      | 22       |      | CY       | GB       | T      | C       |        |
| E        | 1    | A     | <i>Cyanoramphus novaezelandiae</i> | live      | 70       |      | EG       | NL       | T      | C       |        |
| E        | 1    | A     | <i>Cyanoramphus novaezelandiae</i> | live      | 8        |      | HN       | NL       | T      | C       |        |
| E        | 1    | A     | <i>Cyanoramphus novaezelandiae</i> | live      | 45       |      | IL       | BE       | T      | C       |        |
| E        | 1    | A     | <i>Cyanoramphus novaezelandiae</i> | live      | 4        |      | JP       | BE       | T      | C       |        |
| E        | 1    | A     | <i>Cyanoramphus novaezelandiae</i> | live      | 6        |      | MU       | NL       | T      | C       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                              | Term     | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| E        | 1    | A     | <i>Cyanoramphus novaezelandiae</i> | live     | 86       |      | MX       | BE       |        | T       | C      |
| E        | 1    | A     | <i>Cyanoramphus novaezelandiae</i> | live     | 4        |      | NI       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Cyanoramphus novaezelandiae</i> | live     | 12       |      | PK       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Cyanoramphus novaezelandiae</i> | live     | 2        |      | PL       | BE       |        | T       | C      |
| E        | 1    | A     | <i>Cyanoramphus novaezelandiae</i> | live     | 10       |      | QA       | BE       |        | T       | C      |
| E        | 1    | A     | <i>Cyanoramphus novaezelandiae</i> | live     | 11       |      | SA       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Cyanoramphus novaezelandiae</i> | live     | 4        |      | TH       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Cyanoramphus novaezelandiae</i> | live     | 2        |      | TT       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Cyanoramphus novaezelandiae</i> | live     | 6        |      | TW       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Cyanoramphus novaezelandiae</i> | live     | 6        |      | US       | BE       |        | T       | C      |
| E        | 1    | A     | <i>Cyanoramphus novaezelandiae</i> | live     | 46       |      | US       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Cyanoramphus novaezelandiae</i> | live     | 12       |      | VE       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Cyanoramphus novaezelandiae</i> | live     | 14       |      | ZA       | BE       |        | T       | C      |
| E        | 1    | A     | <i>Cyanoramphus novaezelandiae</i> | live     | 6        |      | ZA       | GB       |        | T       | C      |
| E        | 1    | A     | <i>Cyanoramphus novaezelandiae</i> | live     | 30       |      | ZA       | GB       |        | B       | C      |
| E        | 1    | A     | <i>Cyanoramphus novaezelandiae</i> | live     | 2        |      | AN       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Eos histrio</i>                 | live     |          |      | US       | GB       |        | XX      | O      |
| E        | 1    | A     | <i>Pezoporus wallicus</i>          | bodies   | 1        |      |          |          |        |         | P      |
| E        | 1    | A     | <i>Psephotus chrysoterygius</i>    | live     | 4        |      |          |          |        |         | O      |
| E        | 1    | A     | <i>Psephotus chrysoterygius</i>    | live     | 12       |      | JP       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Psephotus dissimilis</i>        | live     | 8        |      | KR       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Psephotus dissimilis</i>        | live     | 2        |      | BR       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Psephotus dissimilis</i>        | live     | 8        |      | BS       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Psephotus dissimilis</i>        | live     | 6        |      | CA       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Psephotus dissimilis</i>        | live     | 10       |      | HU       | DE       |        | B       | C      |
| E        | 1    | A     | <i>Psephotus dissimilis</i>        | live     | 10       |      | JP       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Psephotus dissimilis</i>        | live     | 20       |      | PK       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Pyrrhura cruentata</i>          | live     | 10       |      | TW       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Pyrrhura cruentata</i>          | live     | 4        |      | CA       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Strigops habroptilus</i>        | carvings | 1        |      | ZA       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Buceros bicornis</i>            | carvings | 1        |      | US       | GB       |        | XX      | O      |
| E        | 1    | A     | <i>Carduelis cucullata</i>         | live     | 8        |      | ZA       | BE       |        | XX      | E      |
| E        | 1    | A     | <i>Carduelis cucullata</i>         | live     | 20       |      | AR       | NL       |        | B       | C      |
| E        | 1    | A     | <i>Carduelis cucullata</i>         | live     | 6        |      | BR       | NL       |        | T       | C      |
| E        |      |       |                                    |          |          |      | CY       | BE       |        | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                        | Term      | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| E        | 1    | A     | <i>Carduelis cucullata</i>   | live      | 7        |      | KW       | BE       |        | T       | C      |
| E        | 1    | A     | <i>Carduelis cucullata</i>   | live      | 12       |      | PA       | BE       |        | T       | C      |
| E        | 1    | A     | <i>Carduelis cucullata</i>   | live      | 10       |      | PA       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Carduelis cucullata</i>   | live      | 3        |      | US       | ES       | NL     | T       | C      |
| E        | 1    | A     | <i>Leucopsar rothschildi</i> | live      | 7        |      | CZ       | DE       |        | Z       | C      |
| E        | 1    | A     | <i>Leucopsar rothschildi</i> | live      | 4        |      | HU       | NL       |        | Z       | C      |
| E        | 1    | A     | <i>Leucopsar rothschildi</i> | live      | 6        |      | JP       | NL       | DE     | B       | C      |
| E        | 1    | A     | <i>Leucopsar rothschildi</i> | live      | 1        |      | PL       | DE       |        | Z       | C      |
| E        | 1    | A     | <i>Leucopsar rothschildi</i> | live      | 2        |      | PL       | NL       | BE     | T       | C      |
| E        | 1    | A     | <i>Leucopsar rothschildi</i> | specimens | 2        |      | US       | ES       | BE     | S       | C      |
| E        | 1    | A     | <i>Kachuga tecta</i>         | carvings  | 2        |      | CH       | NL       | XX     | T       | O      |
| E        | 1    | A     | <i>Terrapene coahuila</i>    | live      | 8        |      | BG       | GB       |        | B       | C      |
| E        | 1    | A     | Testudinidae spp.            | carvings  | 3        |      | US       | GB       | XX     | T       | O      |
| E        | 1    | A     | Testudinidae spp.            | carvings  | 6        |      | US       | GB       | XX     | P       | O      |
| E        | 1    | A     | Testudinidae spp.            | shells    | 7        |      | US       | GB       | XX     | T       | O      |
| E        | 1    | A     | Testudinidae spp.            | shells    | 3        |      | XX       | GB       | XX     | T       | O      |
| E        | 1    | A     | Testudinidae spp.            | shells    | 1        |      | ZA       | GB       | XX     | P       | O      |
| E        | 1    | A     | <i>Geochelone nigra</i>      | carvings  | 1        |      | MX       | GB       | XX     | T       | O      |
| E        | 1    | A     | <i>Geochelone radiata</i>    | live      | 2        |      | BG       | GB       | MG     | B       | W      |
| E        | 1    | A     | <i>Geochelone radiata</i>    | live      | 2        |      | CH       | DE       |        | B       | F      |
| E        | 1    | A     | <i>Geochelone radiata</i>    | live      | 2        |      | CH       | FR       | MG     | B       | F      |
| E        | 1    | A     | <i>Geochelone radiata</i>    | live      | 1        |      | PL       | GB       |        | B       | W      |
| E        | 1    | A     | <i>Geochelone radiata</i>    | live      | 2        |      | PL       | GB       | MG     | B       | W      |
| E        | 1    | A     | <i>Geochelone yniphora</i>   | live      | 33       |      | US       | NL       | MG     | N       | W      |
| E        | 1    | A     | Cheloniidae spp.             | carvings  | 1        |      | CA       | GB       |        | T       | O      |
| E        | 1    | A     | Cheloniidae spp.             | carvings  | 1        |      | CH       | BE       | CO     | T       | W      |
| E        | 1    | A     | Cheloniidae spp.             | carvings  | 5        |      | CH       | DE       | XX     | T       | O      |
| E        | 1    | A     | Cheloniidae spp.             | carvings  | 3        |      | CH       | DE       | XX     | T       | O      |
| E        | 1    | A     | Cheloniidae spp.             | carvings  | 3        |      | CH       | FR       | XX     | T       | O      |
| E        | 1    | A     | Cheloniidae spp.             | carvings  | 3        |      | CH       | GB       | XX     | T       | U      |
| E        | 1    | A     | Cheloniidae spp.             | carvings  | 1        |      | HK       | GB       | XX     | P       | O      |
| E        | 1    | A     | Cheloniidae spp.             | carvings  | 1        |      | HK       | GB       | XX     | T       | O      |
| E        | 1    | A     | Cheloniidae spp.             | carvings  | 1        |      | JP       | NL       | XX     | E       | O      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon            | Term                   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------|------------------------|----------|------|----------|----------|--------|---------|--------|
| E        | 1    | A     | Cheloniidae spp. | carvings               | 1        |      | JP       | PT       | IN     | E       | O      |
| E        | 1    | A     | Cheloniidae spp. | carvings               | 3        |      | MX       | GB       | XX     | T       | O      |
| E        | 1    | A     | Cheloniidae spp. | carvings               | 1        |      | NZ       | GB       | XX     | P       | O      |
| E        | 1    | A     | Cheloniidae spp. | carvings               | 1        |      | QA       | GB       |        | T       | O      |
| E        | 1    | A     | Cheloniidae spp. | carvings               | 10       |      | RU       | GB       | XX     | Q       | O      |
| E        | 1    | A     | Cheloniidae spp. | carvings               | 1        |      | RU       | NL       | XX     | P       | O      |
| E        | 1    | A     | Cheloniidae spp. | carvings               | 2        |      | SG       | GB       | XX     | T       | O      |
| E        | 1    | A     | Cheloniidae spp. | carvings               | 4        |      | SK       | FR       | XX     | T       | O      |
| E        | 1    | A     | Cheloniidae spp. | carvings               | 5        |      | US       | BE       | XX     | T       | W      |
| E        | 1    | A     | Cheloniidae spp. | carvings               | 8        |      | US       | FR       | XX     | TT      | O      |
| E        | 1    | A     | Cheloniidae spp. | carvings               | 1        |      | US       | GB       |        | TT      | O      |
| E        | 1    | A     | Cheloniidae spp. | carvings               | 1        |      | US       | GB       | XX     | P       | U      |
| E        | 1    | A     | Cheloniidae spp. | carvings               | 1        |      | US       | GB       | XX     | Q       | O      |
| E        | 1    | A     | Cheloniidae spp. | carvings               | 1        |      | US       | GB       | XX     | T       | U      |
| E        | 1    | A     | Cheloniidae spp. | carvings               | 8        |      | US       | GB       | XX     | P       | O      |
| E        | 1    | A     | Cheloniidae spp. | carvings               | 170      |      | US       | GB       | XX     | TT      | O      |
| E        | 1    | A     | Cheloniidae spp. | live                   | 1        |      | US       | GB       | XX     | T       | O      |
| E        | 1    | A     | Cheloniidae spp. | live                   | 6        |      | US       | GB       | XX     | P       | O      |
| E        | 1    | A     | Cheloniidae spp. | large leather products | 1        |      | US       | GB       | XX     | TT      | O      |
| E        | 1    | A     | Cheloniidae spp. | small leather products | 1        |      | US       | GB       | XX     | TT      | O      |
| E        | 1    | A     | Cheloniidae spp. | small leather products | 2        |      | XX       | GB       | XX     | TT      | O      |
| E        | 1    | A     | Cheloniidae spp. | scales                 | 1        |      | CH       | BE       | XX     | T       | W      |
| E        | 1    | A     | Cheloniidae spp. | scales                 | 1        |      | CH       | FR       | NG     | P       | O      |
| E        | 1    | A     | Cheloniidae spp. | scales                 | 1        |      | CH       | FR       | PG     | P       | O      |
| E        | 1    | A     | Cheloniidae spp. | scales                 | 2        |      | CH       | FR       | XX     | T       | O      |
| E        | 1    | A     | Cheloniidae spp. | scales                 | 7        |      | CH       | FR       | XX     | E       | O      |
| E        | 1    | A     | Cheloniidae spp. | scales                 | 1        |      | TW       | FR       | XX     | P       | O      |
| E        | 1    | A     | Cheloniidae spp. | scales                 | 1        |      | US       | FR       | XX     | TT      | O      |
| E        | 1    | A     | Cheloniidae spp. | scales                 | 5        |      | US       | FR       | XX     | P       | O      |
| E        | 1    | A     | Cheloniidae spp. | shells                 | 3        |      | CH       | GB       | XX     | T       | O      |
| E        | 1    | A     | Cheloniidae spp. | shells                 | 8        |      | CH       | IT       | XX     | E       | O      |
| E        | 1    | A     | Cheloniidae spp. | shells                 | 1        |      | QA       | GB       | XX     | T       | O      |
| E        | 1    | A     | Cheloniidae spp. | shells                 | 3        |      | US       | GB       | XX     | P       | O      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                          | Term                   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|------------------------|----------|------|----------|----------|--------|---------|--------|
| E        | 1    | A     | <i>Cheloniidae</i> spp.        | shells                 | 12       |      | US       | GB       | XX     | T       | O      |
| E        | 1    | A     | <i>Cheloniidae</i> spp.        | shells                 | 1        |      | XX       | GB       |        | P       | O      |
| E        | 1    | A     | <i>Cheloniidae</i> spp.        | specimens              | 30       |      | AU       | FR       | XX     | S       | W      |
| E        | 1    | A     | <i>Caretta caretta</i>         | specimens              | 78       |      | US       | ES       |        | S       | W      |
| E        | 1    | A     | <i>Chelonia mydas</i>          | carvings               | 1        |      | US       | GB       | XX     | P       | O      |
| E        | 1    | A     | <i>Chelonia mydas</i>          | live                   | 1        |      | CH       | NL       | XX     | T       | O      |
| E        | 1    | A     | <i>Chelonia mydas</i>          | scales                 | 1        |      | US       | FR       | MZ     | P       | O      |
| E        | 1    | A     | <i>Eretmochelys imbricata</i>  | carvings               | 11       |      | CH       | GB       | XX     | T       | O      |
| E        | 1    | A     | <i>Eretmochelys imbricata</i>  | carvings               | 4        |      | CH       | NL       | XX     | T       | O      |
| E        | 1    | A     | <i>Eretmochelys imbricata</i>  | carvings               | 9        |      | US       | FR       | XX     | T       | O      |
| E        | 1    | A     | <i>Eretmochelys imbricata</i>  | carvings               | 3        |      | US       | GB       |        | P       | O      |
| E        | 1    | A     | <i>Eretmochelys imbricata</i>  | carvings               | 3        |      | US       | GB       | XX     | T       | O      |
| E        | 1    | A     | <i>Eretmochelys imbricata</i>  | carvings               | 7        |      | US       | GB       | XX     | T       | O      |
| E        | 1    | A     | <i>Eretmochelys imbricata</i>  | carvings               | 1        |      | US       | NL       | XX     | Q       | O      |
| E        | 1    | A     | <i>Eretmochelys imbricata</i>  | scales                 | 8        |      | CH       | FR       | XX     | T       | O      |
| E        | 1    | A     | <i>Eretmochelys imbricata</i>  | scales                 | 8        |      | JP       | FR       | XX     | Q       | O      |
| E        | 1    | A     | <i>Eretmochelys imbricata</i>  | scales                 | 3        |      | US       | FR       | XX     | T       | O      |
| E        | 1    | A     | <i>Eretmochelys imbricata</i>  | shells                 | 2        |      | CH       | GB       | XX     | T       | O      |
| E        | 1    | A     | <i>Alligator sinensis</i>      | bodies                 | 1        |      | AU       | GB       | XX     | P       | O      |
| E        | 1    | A     | <i>Alligator sinensis</i>      | live                   | 2        |      | CZ       | NL       | US     | Z       | C      |
| E        | 1    | A     | <i>Crocodylus</i> spp.         | large leather products | 6        |      | XX       | GB       | XX     | T       | O      |
| E        | 1    | A     | <i>Crocodylus</i> spp.         | small leather products | 1        |      | US       | GB       |        | P       | O      |
| E        | 1    | A     | <i>Crocodylus</i> spp.         | small leather products | 1        |      | US       | GB       | XX     | P       | O      |
| E        | 1    | A     | <i>Crocodylus</i> spp.         | small leather products | 2        |      | US       | GB       | XX     | T       | O      |
| E        | 1    | A     | <i>Crocodylus</i> spp.         | skins                  | 1        |      | US       | GB       | XX     | P       | O      |
| E        | 1    | A     | <i>Crocodylus acutus</i>       | skin pieces            | 1        |      | US       | GB       | XX     | T       | O      |
| E        | 1    | A     | <i>Crocodylus cataphractus</i> | large leather products | 3        |      | US       | GB       | XX     | T       | O      |
| E        | 1    | A     | <i>Crocodylus cataphractus</i> | small leather products | 14       |      | US       | GB       | XX     | T       | O      |
| E        | 1    | A     | <i>Crocodylus moreletii</i>    | skins                  | 50       |      | MX       | FR       | MX     | T       | C      |
| E        | 1    | A     | <i>Crocodylus moreletii</i>    | skins                  | 60       |      | MX       | IT       | MX     | T       | C      |
| E        | 1    | A     | <i>Crocodylus niloticus</i>    | large leather products | 2        |      | TW       | DE       | ML     | T       | W      |
| E        | 1    | A     | <i>Crocodylus niloticus</i>    | large leather products | 1        |      | TW       | DE       | SD     | T       | W      |
| E        | 1    | A     | <i>Crocodylus niloticus</i>    | small leather products | 2        |      | CH       | DE       | IL     | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                               | Term                   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------------|------------------------|----------|------|----------|----------|--------|---------|--------|
| E        | 1    | A     | <i>Crocodylus niloticus</i>         | small leather products | 1        |      | IN       | IT       | SD     | P       | W      |
| E        | 1    | A     | <i>Crocodylus niloticus</i>         | small leather products | 1        |      | JP       | IT       | SD     | T       | W      |
| E        | 1    | A     | <i>Crocodylus niloticus</i>         | small leather products | 2        |      | JP       | IT       | SD     | P       | W      |
| E        | 1    | A     | <i>Crocodylus niloticus</i>         | small leather products | 1        |      | US       | IT       | SD     | P       | W      |
| E        | 1    | A     | <i>Crocodylus palustris</i>         | small leather products | 2        |      | US       | GB       | XX     | T       | O      |
| E        | 1    | A     | <i>Crocodylus porosus</i>           | large leather products | 2        |      | XX       | GB       | AU     | T       | R      |
| E        | 1    | A     | <i>Crocodylus porosus</i>           | small leather products | 1        |      | JP       | IT       | SG     | P       | C      |
| E        | 1    | A     | <i>Crocodylus rhombifer</i>         | live                   | 6        |      | PL       | SE       |        | Z       | C      |
| E        | 1    | A     | <i>Varanus komodoensis</i>          | live                   | 1        |      | US       | NL       | ID     | Z       | C      |
| E        | 1    | A     | <i>Acrantophis dumerili</i>         | live                   | 10       |      | ID       | NL       |        | T       | C      |
| E        | 1    | A     | <i>Acrantophis dumerili</i>         | live                   | 2        |      | PL       | FR       |        | Z       | F      |
| E        | 1    | A     | <i>Acrantophis dumerili</i>         | live                   | 2        |      | UA       | DE       |        | T       | C      |
| E        | 1    | A     | <i>Acrantophis madagascariensis</i> | live                   | 1        |      | CH       | DE       |        | P       | C      |
| E        | 1    | A     | <i>Acrantophis madagascariensis</i> | live                   | 5        |      | CH       | DE       |        | T       | C      |
| E        | 1    | A     | <i>Acrantophis madagascariensis</i> | live                   | 6        |      | US       | SE       |        | B       | C      |
| E        | 1    | A     | <i>Epicrates subflavus</i>          | live                   | 8        |      | BG       | GB       |        | B       | F      |
| E        | 1    | A     | <i>Epicrates subflavus</i>          | live                   | 5        |      | PL       | GB       |        | B       | F      |
| E        | 1    | A     | <i>Epicrates subflavus</i>          | live                   | 37       |      | US       | GB       |        | B       | F      |
| E        | 1    | A     | <i>Sanzinia madagascariensis</i>    | live                   | 4        |      | CH       | DE       |        | T       | C      |
| E        | 1    | A     | <i>Sanzinia madagascariensis</i>    | live                   | 3        |      | CR       | AT       |        | Z       | C      |
| E        | 1    | A     | <i>Sanzinia madagascariensis</i>    | live                   | 17       |      | PL       | NL       | XX     | Z       | I      |
| E        | 1    | A     | <i>Sanzinia madagascariensis</i>    | live                   | 4        |      | UA       | NL       |        | Z       | C      |
| E        | 1    | A     | <i>Dyscophus antongilii</i>         | live                   | 20       |      | CH       | DE       |        | Z       | C      |
| E        | 1    | A     | <i>Dyscophus antongilii</i>         | live                   | 12       |      | CH       | DK       |        | Z       | C      |
| E        | 1    | A     | <i>Dyscophus antongilii</i>         | live                   | 10       |      | CZ       | DE       |        | Z       | C      |
| E        | 1    | A     | <i>Dyscophus antongilii</i>         | live                   | 6        |      | PL       | DK       |        | Z       | C      |
| E        | 1    | A     | <i>Agave parviflora</i>             | live                   | 4        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Pachypodium baronii</i>          | live                   | 1        |      | IL       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Pachypodium baronii</i>          | live                   | 8        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Pachypodium baronii</i>          | live                   | 20       |      | TW       | NL       |        | T       | A      |
| E        | 1    | A     | <i>Pachypodium baronii</i>          | live                   | 4        |      | ZA       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Pachypodium decaryi</i>          | live                   | 4        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Pachypodium decaryi</i>          | live                   | 2        |      | ZA       | DE       |        | T       | D      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon  | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--|------|----------|------|----------|----------|--------|---------|--------|
| E        | 1    | A     | <i>Ariocarpus agavooides</i>                   | live | 2        |      | CH       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Ariocarpus agavooides</i>                   | live | 1        |      | IL       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Ariocarpus agavooides</i>                   | live | 4        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Ariocarpus agavooides</i>                   | live | 1        |      | MX       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Ariocarpus agavooides</i>                   | live | 7        |      | TW       | NL       |        | T       | A      |
| E        | 1    | A     | <i>Ariocarpus agavooides</i>                   | live | 3        |      | YU       | NL       |        | T       | A      |
| E        | 1    | A     | <i>Ariocarpus agavooides</i>                   | live | 2        |      | ZA       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Ariocarpus fissuratus</i>                   | live | 1        |      | CH       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Ariocarpus fissuratus</i>                   | live | 1        |      | IL       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Ariocarpus fissuratus</i>                   | live | 4        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Ariocarpus fissuratus</i>                   | live | 2        |      | TW       | NL       |        | T       | A      |
| E        | 1    | A     | <i>Ariocarpus fissuratus</i>                   | live | 3        |      | YU       | NL       |        | T       | A      |
| E        | 1    | A     | <i>Ariocarpus fissuratus</i>                   | live | 2        |      | ZA       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Ariocarpus kotschoubeyanus</i>              | live | 4        |      | CH       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Ariocarpus kotschoubeyanus</i>              | live | 1        |      | IL       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Ariocarpus kotschoubeyanus</i>              | live | 12       |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Ariocarpus kotschoubeyanus</i>              | live | 1        |      | PL       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Ariocarpus kotschoubeyanus</i>              | live | 5        |      | TW       | NL       |        | T       | A      |
| E        | 1    | A     | <i>Ariocarpus kotschoubeyanus</i>              | live | 6        |      | ZA       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Ariocarpus retusus</i>                      | live | 2        |      | AU       | GB       |        | B       | A      |
| E        | 1    | A     | <i>Ariocarpus retusus</i>                      | live | 2        |      | CH       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Ariocarpus retusus</i>                      | live | 1        |      | IL       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Ariocarpus retusus</i>                      | live | 6        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Ariocarpus retusus</i>                      | live | 11       |      | TW       | NL       |        | T       | A      |
| E        | 1    | A     | <i>Ariocarpus retusus</i>                      | live | 3        |      | YU       | NL       |        | T       | A      |
| E        | 1    | A     | <i>Ariocarpus retusus</i>                      | live | 2        |      | ZA       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Ariocarpus retusus</i> ssp. <i>trigonus</i> | live | 1        |      | IL       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Ariocarpus retusus</i> ssp. <i>trigonus</i> | live | 4        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Ariocarpus retusus</i> ssp. <i>trigonus</i> | live | 9        |      | TW       | NL       |        | T       | A      |
| E        | 1    | A     | <i>Ariocarpus retusus</i> ssp. <i>trigonus</i> | live | 3        |      | YU       | NL       |        | T       | A      |
| E        | 1    | A     | <i>Ariocarpus scaphirostris</i>                | live | 2        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Astrophytum asterias</i>                    | live | 1        |      | AR       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Astrophytum asterias</i>                    | live | 1        |      | BF       | DE       |        | T       | D      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon   | Term  | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---|-------|----------|------|----------|----------|--------|---------|--------|
| E        | 1    | A     | <i>Astrophytum asterias</i>                       | live  | 16       |      | CH       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Astrophytum asterias</i>                       | live  | 70       |      | CH       | NL       |        | T       | A      |
| E        | 1    | A     | <i>Astrophytum asterias</i>                       | live  | 8        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Astrophytum asterias</i>                       | live  | 15       |      | MC       | FR       |        | T       | D      |
| E        | 1    | A     | <i>Astrophytum asterias</i>                       | live  | 1        |      | NO       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Astrophytum asterias</i>                       | live  | 1        |      | ZA       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Astrophytum asterias</i>                       | seeds | 1000     |      | MX       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Aztekium ritteri</i>                           | live  | 1        |      | AR       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Aztekium ritteri</i>                           | live  | 1        |      | BF       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Aztekium ritteri</i>                           | live  | 4        |      | CH       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Aztekium ritteri</i>                           | live  | 1        |      | IL       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Aztekium ritteri</i>                           | live  | 6        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Aztekium ritteri</i>                           | live  | 1        |      | MX       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Aztekium ritteri</i>                           | live  | 1        |      | PL       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Discocactus spp.</i>                           | live  | 4        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Discocactus spp.</i>                           | live  | 2        |      | RU       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Discocactus bahiensis</i>                      | live  | 4        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Discocactus bahiensis</i>                      | live  | 4        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Discocactus bahiensis</i>                      | live  | 1        |      | PL       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Discocactus bahiensis</i>                      | live  | 1        |      | RU       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Discocactus bahiensis</i>                      | live  | 3        |      | RU       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Discocactus bahiensis</i>                      | seeds | 1000     |      | MT       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Discocactus heptacanthus</i>                   | live  | 8        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Discocactus heptacanthus</i>                   | live  | 4        |      | MT       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Discocactus heptacanthus</i>                   | live  | 1        |      | PL       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Discocactus heptacanthus</i>                   | live  | 3        |      | RU       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Discocactus heptacanthus ssp. catingicola</i>  | live  | 4        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Discocactus heptacanthus ssp. catingicola</i>  | live  | 1        |      | PL       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Discocactus heptacanthus ssp. heptacanthus</i> | live  | 1        |      | AR       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Discocactus heptacanthus ssp. heptacanthus</i> | live  | 1        |      | CH       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Discocactus heptacanthus ssp. heptacanthus</i> | live  | 4        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Discocactus heptacanthus ssp. heptacanthus</i> | live  | 4        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Discocactus heptacanthus ssp. heptacanthus</i> | live  | 4        |      | MC       | DE       |        | T       | D      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon  | Term  | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--|-------|----------|------|----------|----------|--------|---------|--------|
| E        | 1    | A     | <i>Discocactus heptacanthus</i> ssp. <i>heptacanthus</i> | live  | 1        |      | PL       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Discocactus heptacanthus</i> ssp. <i>heptacanthus</i> | live  | 1        |      | PL       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Discocactus heptacanthus</i> ssp. <i>heptacanthus</i> | live  | 2        |      | PL       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Discocactus heptacanthus</i> ssp. <i>heptacanthus</i> | live  | 3        |      | RU       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Discocactus heptacanthus</i> ssp. <i>heptacanthus</i> | live  | 3        |      | RU       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Discocactus heptacanthus</i> ssp. <i>magnimammus</i>  | live  | 8        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Discocactus heptacanthus</i> ssp. <i>magnimammus</i>  | live  | 1        |      | MT       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Discocactus heptacanthus</i> ssp. <i>magnimammus</i>  | live  | 3        |      | PL       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Discocactus heptacanthus</i> ssp. <i>magnimammus</i>  | live  | 6        |      | RU       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Discocactus heptacanthus</i> ssp. <i>magnimammus</i>  | seeds | 500      |      | MT       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Discocactus horstii</i>                               | live  | 4        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Discocactus horstii</i>                               | live  | 4        |      | PL       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Discocactus placentiformis</i>                        | live  | 3        |      | CH       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Discocactus placentiformis</i>                        | live  | 8        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Discocactus placentiformis</i>                        | live  | 1        |      | MT       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Discocactus placentiformis</i>                        | live  | 2        |      | PL       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Discocactus placentiformis</i>                        | live  | 11       |      | RU       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Discocactus placentiformis</i>                        | live  | 1        |      | US       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Discocactus placentiformis</i>                        | seeds | 1500     |      | MT       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Discocactus pseudoinsignis</i>                        | live  | 8        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Discocactus pseudoinsignis</i>                        | live  | 3        |      | RU       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Discocactus zehntneri</i>                             | live  | 1        |      | AR       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Discocactus zehntneri</i>                             | live  | 1        |      | CH       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Discocactus zehntneri</i>                             | live  | 1        |      | CR       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Discocactus zehntneri</i>                             | live  | 8        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Discocactus zehntneri</i>                             | live  | 2        |      | PL       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Discocactus zehntneri</i>                             | live  | 4        |      | RU       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Discocactus zehntneri</i>                             | seeds | 500      |      | MT       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Discocactus zehntneri</i> ssp. <i>boomianus</i>       | live  | 4        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Discocactus zehntneri</i> ssp. <i>boomianus</i>       | live  | 4        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Discocactus zehntneri</i> ssp. <i>boomianus</i>       | live  | 3        |      | RU       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Discocactus zehntneri</i> ssp. <i>boomianus</i>       | live  | 3        |      | RU       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Echinocereus ferreiranus</i> spp. <i>lindsayi</i>     | live  | 6        |      | MC       | DE       |        | T       | D      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                               | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 1    | A     | <i>Escobaria minima</i>             | live | 4        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Escobaria sneedii</i>            | live | 2        |      | BF       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Escobaria sneedii</i>            | live | 2        |      | CH       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Escobaria sneedii</i>            | live | 8        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Mammillaria pectinifera</i>      | live | 6        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Mammillaria plumosa</i>          | live | 72       |      | CH       | ES       |        | T       | A      |
| E        | 1    | A     | <i>Mammillaria plumosa</i>          | live | 54       |      | RU       | ES       |        | T       | A      |
| E        | 1    | A     | <i>Mammillaria solisioides</i>      | live | 6        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Melocactus conoideus</i>         | live | 4        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Obregonia denegrii</i>           | live | 1        |      | CH       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Obregonia denegrii</i>           | live | 35       |      | CH       | NL       |        | T       | A      |
| E        | 1    | A     | <i>Obregonia denegrii</i>           | live | 1        |      | IL       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Obregonia denegrii</i>           | live | 8        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Obregonia denegrii</i>           | live | 10       |      | MC       | FR       |        | T       | D      |
| E        | 1    | A     | <i>Obregonia denegrii</i>           | live | 2        |      | TW       | NL       |        | T       | A      |
| E        | 1    | A     | <i>Pediocactus knowltonii</i>       | live | 1        |      | CH       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Pediocactus knowltonii</i>       | live | 4        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Pediocactus paradinei</i>        | live | 4        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Pediocactus paradinei</i>        | live | 1        |      | RU       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Pediocactus peeblesianus</i>     | live | 8        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Pediocactus peeblesianus</i>     | live | 4        |      | US       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Pelecyphora strobiliformis</i>   | live | 2        |      | CH       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Pelecyphora strobiliformis</i>   | live | 7        |      | TW       | NL       |        | T       | A      |
| E        | 1    | A     | <i>Sclerocactus papyracanthus</i>   | live | 4        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Sclerocactus warnockii</i>       | live | 8        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Sclerocactus warnockii</i>       | live | 1        |      | NO       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Sclerocactus warnockii</i>       | live | 1        |      | US       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Strombocactus disciformis</i>    | live | 4        |      | CH       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Strombocactus disciformis</i>    | live | 35       |      | CH       | NL       |        | T       | A      |
| E        | 1    | A     | <i>Strombocactus disciformis</i>    | live | 1        |      | IL       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Strombocactus disciformis</i>    | live | 4        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Strombocactus disciformis</i>    | live | 1        |      | MT       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Turbinicarpus gielsdorfianus</i> | live | 4        |      | MC       | DE       |        | T       | D      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon  | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--|------|----------|------|----------|----------|--------|---------|--------|
| E        | 1    | A     | <i>Turbinicarpus hoferi</i>                                  | live | 1        |      | CH       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Turbinicarpus horripilus</i>                              | live | 4        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Turbinicarpus horripilus</i>                              | live | 1        |      | YU       | NL       |        | T       | A      |
| E        | 1    | A     | <i>Turbinicarpus jauernigii</i>                              | live | 1        |      | IL       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Turbinicarpus jauernigii</i>                              | live | 4        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Turbinicarpus jauernigii</i>                              | live | 2        |      | US       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Turbinicarpus knuthianus</i>                              | live | 4        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Turbinicarpus knuthianus</i>                              | live | 1        |      | US       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Turbinicarpus laui</i>                                    | live | 35       |      | CH       | NL       |        | T       | A      |
| E        | 1    | A     | <i>Turbinicarpus laui</i>                                    | live | 4        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Turbinicarpus lophophorooides</i>                         | live | 2        |      | CH       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Turbinicarpus lophophorooides</i>                         | live | 4        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Turbinicarpus lophophorooides</i>                         | live | 10       |      | MC       | FR       |        | T       | D      |
| E        | 1    | A     | <i>Turbinicarpus pseudomacrochele</i>                        | live | 2        |      | CH       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Turbinicarpus pseudomacrochele</i>                        | live | 2        |      | CH       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Turbinicarpus pseudomacrochele</i>                        | live | 8        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Turbinicarpus pseudomacrochele</i>                        | live | 8        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Turbinicarpus pseudomacrochele</i>                        | live | 1        |      | YU       | NL       |        | T       | A      |
| E        | 1    | A     | <i>Turbinicarpus pseudopectinatus</i>                        | live | 7        |      | CH       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Turbinicarpus pseudopectinatus</i>                        | live | 1        |      | IL       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Turbinicarpus pseudopectinatus</i>                        | live | 8        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Turbinicarpus pseudopectinatus</i>                        | live | 2        |      | ZA       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Turbinicarpus roseiflorus</i>                             | live | 1        |      | CH       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Turbinicarpus roseiflorus</i>                             | live | 4        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Turbinicarpus roseiflorus</i>                             | live | 1        |      | US       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Turbinicarpus schmiedickeanus</i>                         | live | 1        |      | CH       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Turbinicarpus schmiedickeanus</i>                         | live | 4        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Turbinicarpus schmiedickeanus</i> ssp. <i>dickisoniae</i> | live | 10       |      | MC       | FR       |        | T       | D      |
| E        | 1    | A     | <i>Turbinicarpus schmiedickeanus</i> ssp. <i>flaviflorus</i> | live | 1        |      | CH       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Turbinicarpus schmiedickeanus</i> ssp. <i>flaviflorus</i> | live | 4        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Turbinicarpus schmiedickeanus</i> ssp. <i>gracilis</i>    | live | 35       |      | CH       | NL       |        | T       | A      |
| E        | 1    | A     | <i>Turbinicarpus schmiedickeanus</i> ssp. <i>gracilis</i>    | live | 4        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Turbinicarpus schmiedickeanus</i> ssp. <i>gracilis</i>    | live | 1        |      | YU       | NL       |        | T       | A      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon   | Term    | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---|---------|----------|------|----------|----------|--------|---------|--------|
| E        | 1    | A     | <i>Turbinicarpus schmiedickeanus</i> ssp. <i>klinkerianus</i> | live    | 1        |      | CH       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Turbinicarpus schmiedickeanus</i> ssp. <i>klinkerianus</i> | live    | 4        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Turbinicarpus schmiedickeanus</i> ssp. <i>klinkerianus</i> | live    | 2        |      | NO       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Turbinicarpus schmiedickeanus</i> ssp. <i>macrochele</i>   | live    | 1        |      | CH       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Turbinicarpus schmiedickeanus</i> ssp. <i>macrochele</i>   | live    | 4        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Turbinicarpus schmiedickeanus</i> ssp. <i>schwarzii</i>    | live    | 1        |      | CH       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Turbinicarpus schmiedickeanus</i> ssp. <i>schwarzii</i>    | live    | 35       |      | CH       | NL       |        | T       | A      |
| E        | 1    | A     | <i>Turbinicarpus schmiedickeanus</i> ssp. <i>schwarzii</i>    | live    | 4        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Turbinicarpus schmiedickeanus</i> ssp. <i>schwarzii</i>    | live    | 10       |      | MC       | FR       |        | T       | D      |
| E        | 1    | A     | <i>Turbinicarpus schmiedickeanus</i> ssp. <i>schwarzii</i>    | live    | 15       |      | MC       | FR       |        | T       | D      |
| E        | 1    | A     | <i>Turbinicarpus subterraneus</i>                             | live    | 1        |      | CH       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Turbinicarpus subterraneus</i>                             | live    | 4        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Turbinicarpus subterraneus</i>                             | live    | 1        |      | US       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Turbinicarpus swobodae</i>                                 | live    | 1        |      | CH       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Turbinicarpus swobodae</i>                                 | live    | 4        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Turbinicarpus swobodae</i>                                 | live    | 3        |      | US       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Turbinicarpus valdezianus</i>                              | live    | 2        |      | CH       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Turbinicarpus valdezianus</i>                              | live    | 8        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Turbinicarpus valdezianus</i>                              | live    | 10       |      | MC       | FR       |        | T       | D      |
| E        | 1    | A     | <i>Turbinicarpus valdezianus</i>                              | live    | 1        |      | NO       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Turbinicarpus valdezianus</i>                              | live    | 1        |      | YU       | NL       |        | T       | A      |
| E        | 1    | A     | <i>Turbinicarpus viereckii</i>                                | live    | 3        |      | JP       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Turbinicarpus viereckii</i>                                | live    | 4        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Uebelmannia buiningii</i>                                  | live    | 4        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Uebelmannia buiningii</i>                                  | live    | 2        |      | PL       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Uebelmannia buiningii</i>                                  | live    | 2        |      | RU       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Uebelmannia pectinifera</i>                                | live    | 70       |      | CH       | NL       |        | T       | A      |
| E        | 1    | A     | <i>Uebelmannia pectinifera</i>                                | live    | 1        |      | CR       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Uebelmannia pectinifera</i>                                | live    | 8        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Uebelmannia pectinifera</i>                                | live    | 7        |      | PL       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Uebelmannia pectinifera</i> ssp. <i>flavispina</i>         | live    | 4        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Uebelmannia pectinifera</i> ssp. <i>flavispina</i>         | live    | 2        |      | PL       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Saussurea costus</i>                                       | extract | < 1 kg   |      | AU       | FR       | IN     | T       | A      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                          | Term      | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| E        | 1    | A     | <i>Saussurea costus</i>        | extract   | < 1 kg   |      | CN       | FR       | IN     | T       | A      |
| E        | 1    | A     | <i>Saussurea costus</i>        | extract   | < 1 kg   |      | KR       | FR       | IN     | T       | A      |
| E        | 1    | A     | <i>Saussurea costus</i>        | extract   | < 1 kg   |      | SG       | FR       | IN     | T       | A      |
| E        | 1    | A     | <i>Saussurea costus</i>        | extract   | 85 kg    |      | US       | FR       | IN     | T       | A      |
| E        | 1    | A     | <i>Saussurea costus</i>        | extract   | < 1 kg   |      | VE       | FR       | IN     | T       | A      |
| E        | 1    | A     | <i>Euphorbia ambovombensis</i> | live      | 4        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Euphorbia ambovombensis</i> | live      | 1        |      | MT       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Euphorbia ambovombensis</i> | live      | 1        |      | MX       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Euphorbia ambovombensis</i> | live      | 1        |      | RU       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Euphorbia cylindrifolia</i> | live      | 4        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Euphorbia cylindrifolia</i> | live      | 1        |      | MT       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Euphorbia cylindrifolia</i> | live      | 5        |      | TW       | NL       |        | T       | A      |
| E        | 1    | A     | <i>Euphorbia decaryi</i>       | live      | 4        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Euphorbia decaryi</i>       | live      | 15       |      | TW       | NL       |        | T       | A      |
| E        | 1    | A     | <i>Euphorbia francoisii</i>    | live      | 4        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Euphorbia francoisii</i>    | live      | 20       |      | TW       | NL       |        | T       | A      |
| E        | 1    | A     | <i>Fouquieria fasciculata</i>  | live      | 10       |      | JP       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Fouquieria fasciculata</i>  | live      | 4        |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Dalbergia nigra</i>         | carvings  | 1        |      | AU       | ES       | XX     | T       | O      |
| E        | 1    | A     | <i>Dalbergia nigra</i>         | carvings  | 2        |      | AU       | GB       | XX     | T       | O      |
| E        | 1    | A     | <i>Dalbergia nigra</i>         | carvings  | 60       |      | CA       | ES       | XX     | T       | O      |
| E        | 1    | A     | <i>Dalbergia nigra</i>         | carvings  | 2        |      | CH       | ES       | XX     | T       | O      |
| E        | 1    | A     | <i>Dalbergia nigra</i>         | carvings  | 3 pairs  |      | CH       | ES       | XX     | T       | O      |
| E        | 1    | A     | <i>Dalbergia nigra</i>         | carvings  | 1        |      | HU       | ES       | XX     | T       | O      |
| E        | 1    | A     | <i>Dalbergia nigra</i>         | carvings  | 6        |      | IL       | ES       | XX     | T       | O      |
| E        | 1    | A     | <i>Dalbergia nigra</i>         | carvings  | 904      |      | JP       | ES       | XX     | T       | O      |
| E        | 1    | A     | <i>Dalbergia nigra</i>         | carvings  | 1843     |      | JP       | GB       | BR     | T       | O      |
| E        | 1    | A     | <i>Dalbergia nigra</i>         | carvings  | 20       |      | PY       | ES       | XX     | T       | O      |
| E        | 1    | A     | <i>Dalbergia nigra</i>         | carvings  | 29       |      | US       | ES       | XX     | T       | O      |
| E        | 1    | A     | <i>Dalbergia nigra</i>         | carvings  | 70 m2    |      | US       | ES       | XX     | T       | O      |
| E        | 1    | A     | <i>Dalbergia nigra</i>         | carvings  | 5        |      | US       | GB       | XX     | P       | O      |
| E        | 1    | A     | <i>Dalbergia nigra</i>         | carvings  | 6        |      | US       | GB       | XX     | T       | O      |
| E        | 1    | A     | <i>Dalbergia nigra</i>         | sawn wood | 600      |      | CA       | ES       | XX     | T       | O      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon              | Term          | Quantity          | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------|---------------|-------------------|------|----------|----------|--------|---------|--------|
| E        | 1    | A     | Dalbergia nigra    | timber pieces | 2360              |      | US       | ES       | XX     | T       | O      |
| E        | 1    | A     | Dalbergia nigra    | timber pieces | 2                 |      | CN       | DE       | XX     | T       | O      |
| E        | 1    | A     | Dalbergia nigra    | timber pieces | 2                 |      | JP       | DE       | BR     | T       | O      |
| E        | 1    | A     | Dalbergia nigra    | timber pieces | 3                 |      | JP       | DE       | XX     | T       | O      |
| E        | 1    | A     | Dalbergia nigra    | veneer        | 9                 |      | JP       | DE       | BR     | T       | O      |
| E        | 1    | A     | Dalbergia nigra    | veneer        | 53 kg             |      | JP       | DE       | BR     | T       | O      |
| E        | 1    | A     | Dalbergia nigra    | veneer        | 7                 |      | US       | DE       | BR     | T       | O      |
| E        | 1    | A     | Dalbergia nigra    | veneer        | 600 kg            |      | US       | DK       | BR     | T       | W      |
| E        | 1    | A     | Dalbergia nigra    | veneer        | 19 m <sup>2</sup> |      | US       | FR       | BR     | T       | O      |
| E        | 1    | A     | Aloe bellatula     | live          | 4                 |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | Aloe calcairophila | live          | 4                 |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | Aloe compressa     | live          | 4                 |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | Aloe descoingsii   | live          | 4                 |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | Aloe fragilis      | live          | 4                 |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | Aloe haworthioides | live          | 1                 |      | CH       | DE       |        | T       | D      |
| E        | 1    | A     | Aloe haworthioides | live          | 4                 |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | Aloe laeta         | live          | 4                 |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | Aloe parvula       | live          | 4                 |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | Aloe pillansii     | live          | 2                 |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | Aloe rauhii        | live          | 4                 |      | MC       | DE       |        | T       | D      |
| E        | 1    | A     | Aloe suzannae      | live          | 1                 |      | MC       | FR       |        | XX      | Q      |
| E        | 1    | A     | Nepenthes khasiana | live          | 3                 |      | JP       | DE       |        | T       | A      |
| E        | 1    | A     | Nepenthes khasiana | live          | 1                 |      | TW       | DE       |        | T       | A      |
| E        | 1    | A     | Nepenthes khasiana | live          | 1                 |      | US       | DE       |        | T       | A      |
| E        | 1    | A     | Nepenthes rajah    | live          | 2                 |      | CH       | DE       |        | T       | A      |
| E        | 1    | A     | Nepenthes rajah    | live          | 1                 |      | HK       | DE       |        | T       | A      |
| E        | 1    | A     | Nepenthes rajah    | live          | 17                |      | JP       | DE       |        | T       | A      |
| E        | 1    | A     | Nepenthes rajah    | live          | 4                 |      | TH       | DE       |        | T       | A      |
| E        | 1    | A     | Nepenthes rajah    | live          | 11                |      | TW       | DE       |        | T       | A      |
| E        | 1    | A     | Nepenthes rajah    | live          | 4                 |      | US       | DE       |        | T       | A      |
| E        | 1    | A     | Orchidaceae spp.   | live          | 12                |      | CA       | GB       |        | T       | A      |
| E        | 1    | A     | Orchidaceae hybrid | live          | 6                 |      | CA       | GB       |        | T       | A      |
| E        | 1    | A     | Orchidaceae hybrid | live          | 150               |      | US       | GB       |        | B       | A      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon  | Term  | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--|-------|----------|------|----------|----------|--------|---------|--------|
| E        | 1    | A     | <i>Paphiopedilum</i> spp.                            | live  | 20       |      | CH       | DE       |        | T       | A      |
| E        | 1    | A     | <i>Paphiopedilum</i> spp.                            | live  | 3        |      | US       | FR       |        | T       | A      |
| E        | 1    | A     | <i>Paphiopedilum</i> spp.                            | live  | 47       |      | ZA       | DE       |        | T       | A      |
| E        | 1    | A     | <i>Paphiopedilum appletonianum</i>                   | live  | 4        |      | CH       | FR       |        | T       | A      |
| E        | 1    | A     | <i>Paphiopedilum barbatum</i>                        | live  | 6        |      | CH       | FR       |        | T       | A      |
| E        | 1    | A     | <i>Paphiopedilum barbigerum</i>                      | live  | 2        |      | CZ       | DE       |        | T       | A      |
| E        | 1    | A     | <i>Paphiopedilum charlesworthii</i>                  | live  | 5        |      | CH       | FR       |        | T       | A      |
| E        | 1    | A     | <i>Paphiopedilum charlesworthii</i>                  | live  | 1        |      | MU       | FR       |        | T       | A      |
| E        | 1    | A     | <i>Paphiopedilum delenatii</i>                       | live  | 5        |      | CH       | FR       |        | T       | A      |
| E        | 1    | A     | <i>Paphiopedilum delenatii</i>                       | live  | 1        |      | ZA       | DE       |        | B       | A      |
| E        | 1    | A     | <i>Paphiopedilum fowliei</i>                         | live  | 6        |      | CH       | FR       |        | T       | A      |
| E        | 1    | A     | <i>Paphiopedilum glanduliferum</i>                   | live  | 3        |      | CH       | FR       |        | T       | A      |
| E        | 1    | A     | <i>Paphiopedilum glaucophyllum</i>                   | live  | 9        |      | CH       | FR       |        | T       | A      |
| E        | 1    | A     | <i>Paphiopedilum hennsonianum</i>                    | live  | 2        |      | CZ       | DE       |        | T       | A      |
| E        | 1    | A     | <i>Paphiopedilum henryanum</i>                       | live  | 4        |      | CH       | FR       |        | T       | A      |
| E        | 1    | A     | <i>Paphiopedilum henryanum</i>                       | live  | 1        |      | MU       | FR       |        | T       | A      |
| E        | 1    | A     | <i>Paphiopedilum hirsutissimum</i>                   | live  | 3        |      | CH       | DE       |        | T       | A      |
| E        | 1    | A     | <i>Paphiopedilum kolopakingii</i>                    | live  | 1        |      | MU       | FR       |        | T       | A      |
| E        | 1    | A     | <i>Paphiopedilum primulinum</i>                      | live  | 3        |      | CH       | DE       |        | T       | A      |
| E        | 1    | A     | <i>Paphiopedilum primulinum</i>                      | live  | 6        |      | CH       | FR       |        | T       | A      |
| E        | 1    | A     | <i>Paphiopedilum rothschildianum</i>                 | live  | 1        |      | TW       | BE       |        | T       | A      |
| E        | 1    | A     | <i>Paphiopedilum spicerianum</i>                     | live  | 3        |      | CH       | DE       |        | T       | A      |
| E        | 1    | A     | <i>Paphiopedilum supardii</i>                        | live  | 2        |      | CZ       | DE       |        | T       | A      |
| E        | 1    | A     | <i>Paphiopedilum superbiens</i> var. <i>curtisii</i> | live  | 1        |      | MU       | FR       |        | T       | A      |
| E        | 1    | A     | <i>Phragmipedium</i> spp.                            | live  | 2        |      | CH       | DE       |        | T       | A      |
| E        | 1    | A     | <i>Phragmipedium</i> spp.                            | live  | 3        |      | CH       | DE       |        | T       | A      |
| E        | 1    | A     | <i>Phragmipedium</i> spp.                            | live  | 1        |      | CH       | FR       |        | T       | A      |
| E        | 1    | A     | <i>Phragmipedium besseae</i>                         | live  | 1        |      | CH       | DE       |        | T       | D      |
| E        | 1    | A     | <i>Phragmipedium pearcei</i>                         | live  | 5        |      | CH       | DE       |        | T       | A      |
| E        | 1    | A     | <i>Renanthera imschootiana</i>                       | live  | 1        |      | CH       | BE       |        | T       | A      |
| E        | 1    | A     | <i>Sarracenia oreophila</i>                          | live  | 1        |      | US       | DE       |        | T       | A      |
| E        | 1    | A     | <i>Encephalartos altensteinii</i>                    | seeds | 400      |      | EG       | AT       | ZA     | B       | A      |
| E        | 2    | B     | <i>Pteropus lylei</i>                                | live  | 6        |      | CH       | NL       | Z      | C       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                          | Term      | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | A     | <i>Pteropus rodricensis</i>    | live      | 1        |      | SG       | GB       |        | Z       | F      |
| E        | 2    | A     | <i>Pteropus rodricensis</i>    | live      | 14       |      | SG       | GB       |        | Z       | U      |
| E        | 2    | B     | <i>Loris tardigradus</i>       | live      | 1        |      | HU       | NL       |        | Z       | C      |
| E        | 2    | B     | <i>Nycticebus pygmaeus</i>     | live      | 2        |      | US       | DE       |        | Z       | C      |
| E        | 2    | B     | <i>Galago senegalensis</i>     | bodies    | 1        |      | ZA       | NL       | ZA     | E       | W      |
| E        | 2    | B     | <i>Galago senegalensis</i>     | live      | 2        |      | PL       | GB       |        | B       | F      |
| E        | 2    | B     | <i>Otolemur crassicaudatus</i> | live      | 3        |      | PL       | NL       |        | Z       | C      |
| E        | 2    | B     | <i>Callithrix geoffroyi</i>    | live      | 3        |      | CH       | DE       |        | B       | F      |
| E        | 2    | B     | <i>Callithrix geoffroyi</i>    | live      | 2        |      | CZ       | BE       |        | B       | C      |
| E        | 2    | B     | <i>Callithrix jacchus</i>      | live      | 2        |      | CZ       | DE       |        | T       | C      |
| E        | 2    | B     | <i>Callithrix jacchus</i>      | live      | 1        |      | JP       | GB       |        | P       | C      |
| E        | 2    | B     | <i>Callithrix jacchus</i>      | live      | 4        |      | NO       | SE       |        | Z       | C      |
| E        | 2    | B     | <i>Callithrix jacchus</i>      | live      | 3        |      | PL       | DE       |        | Z       | C      |
| E        | 2    | B     | <i>Callithrix jacchus</i>      | specimens | 221 g    |      | US       | DE       |        | M       | C      |
| E        | 2    | B     | <i>Callithrix jacchus</i>      | specimens | 24 kg    |      | US       | DE       |        | M       | C      |
| E        | 2    | B     | <i>Callithrix jacchus</i>      | specimens | 87 g     |      | US       | DE       | GB     | M       | C      |
| E        | 2    | B     | <i>Callithrix jacchus</i>      | specimens | 6 kg     |      | US       | DE       | GB     | M       | C      |
| E        | 2    | B     | <i>Callithrix jacchus</i>      | specimens | 151      |      | US       | GB       |        | S       | C      |
| E        | 2    | B     | <i>Callithrix jacchus</i>      | specimens | 500      |      | XX       | GB       |        | S       | C      |
| E        | 2    | B     | <i>Callithrix penicillata</i>  | live      | 1        |      | IL       | NL       | XX     | Z       | U      |
| E        | 2    | B     | <i>Callithrix pygmaea</i>      | live      | 2        |      | AU       | DK       |        | Z       | C      |
| E        | 2    | B     | <i>Callithrix pygmaea</i>      | live      | 1        |      | CH       | DK       |        | Z       | C      |
| E        | 2    | B     | <i>Callithrix pygmaea</i>      | live      | 1        |      | HR       | DE       |        | Z       | C      |
| E        | 2    | B     | <i>Callithrix pygmaea</i>      | live      | 2        |      | HU       | SE       |        | Z       | C      |
| E        | 2    | B     | <i>Callithrix pygmaea</i>      | live      | 1        |      | PL       | DE       |        | Z       | C      |
| E        | 2    | B     | <i>Callithrix pygmaea</i>      | live      | 5        |      | PL       | NL       |        | Z       | C      |
| E        | 2    | B     | <i>Callithrix pygmaea</i>      | live      | 2        |      | PL       | SE       |        | Z       | C      |
| E        | 2    | B     | <i>Saguinus imperator</i>      | live      | 1        |      | CH       | NL       |        | Z       | C      |
| E        | 2    | B     | <i>Saguinus imperator</i>      | specimens | 3        |      | CH       | FR       | CZ     | S       | C      |
| E        | 2    | B     | <i>Saguinus imperator</i>      | specimens | 24       |      | CH       | NL       |        | S       | C      |
| E        | 2    | B     | <i>Saguinus imperator</i>      | specimens | 2        |      | CH       | PT       |        | S       | C      |
| E        | 2    | B     | <i>Alouatta caraya</i>         | live      | 1        |      | IL       | GB       |        | Z       | C      |
| E        | 2    | B     | <i>Alouatta caraya</i>         | live      | 1        |      | IL       | GB       |        | Z       | F      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                          | Term      | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Aotus lemurinus</i>         | live      | 2        |      | CH       | GB       |        | B       | C      |
| E        | 2    | B     | <i>Aotus trivirgatus</i>       | live      | 1        |      | CH       | NL       |        | Z       | C      |
| E        | 2    | B     | <i>Cebus apella</i>            | live      | 11       |      | HR       | GB       | GY     | B       | W      |
| E        | 2    | B     | <i>Cebus apella</i>            | live      | 1        |      | HU       | BE       | GB     | Z       | C      |
| E        | 2    | B     | <i>Cebus apella</i>            | live      | 2        |      | LK       | BE       | FR     | B       | C      |
| E        | 2    | B     | <i>Cebus apella</i>            | live      | 6        |      | MC       | FR       |        | Z       | C      |
| E        | 2    | B     | <i>Cebus apella</i>            | live      | 2        |      | ZA       | GB       |        | B       | C      |
| E        | 2    | B     | <i>Cebus apella</i>            | live      | 2        |      | ZA       | GB       | GY     | B       | W      |
| E        | 2    | B     | <i>Cebus apella</i>            | live      | 10       |      | ZA       | NL       |        | Z       | C      |
| E        | 2    | B     | <i>Cebus apella</i>            | live      | 2        |      | ZA       | NL       | DE     | Z       | C      |
| E        | 2    | B     | <i>Cebus apella</i>            | live      | 1        |      | ZA       | NL       | XX     | Z       | I      |
| E        | 2    | B     | <i>Cebus apella</i>            | live      | 2        |      | ZA       | NL       | XX     | Z       | O      |
| E        | 2    | B     | <i>Pithecia pithecia</i>       | live      | 1        |      | RU       | DE       |        | Z       | C      |
| E        | 2    | B     | <i>Saimiri boliviensis</i>     | live      | 7        |      | AN       | NL       |        | Z       | C      |
| E        | 2    | B     | <i>Saimiri boliviensis</i>     | live      | 2        |      | XX       | GB       |        | Z       | C      |
| E        | 2    | B     | <i>Saimiri sciureus</i>        | live      | 12       |      | AE       | GB       | GY     | B       | W      |
| E        | 2    | B     | <i>Saimiri sciureus</i>        | live      | 25       |      | NO       | GB       | GY     | B       | W      |
| E        | 2    | B     | <i>Saimiri sciureus</i>        | live      | 6        |      | PL       | GB       | GY     | B       | W      |
| E        | 2    | B     | <i>Saimiri sciureus</i>        | live      | 7        |      | PL       | NL       |        | Z       | C      |
| E        | 2    | B     | <i>Saimiri sciureus</i>        | live      | 5        |      | US       | GB       | GY     | B       | W      |
| E        | 2    | B     | <i>Cercocebus torquatus</i>    | live      | 1        |      | PL       | DE       |        | Z       | C      |
| E        | 2    | B     | <i>Cercopithecus neglectus</i> | live      | 2        |      | CN       | NL       | DE     | Z       | C      |
| E        | 2    | B     | <i>Cercopithecus neglectus</i> | live      | 1        |      | PL       | DE       |        | Z       | C      |
| E        | 2    | B     | <i>Cercopithecus neglectus</i> | live      | 1        |      | RU       | FR       |        | Z       | C      |
| E        | 2    | B     | <i>Cercopithecus wolffii</i>   | live      | 2        |      | US       | FR       |        | Z       | C      |
| E        | 2    | B     | <i>Chlorocebus aethiops</i>    | live      | 1        |      | RU       | FR       | RU     | Q       | C      |
| E        | 2    | B     | <i>Chlorocebus aethiops</i>    | specimens | 232      |      | US       | BE       | BB     | S       | W      |
| E        | 2    | B     | <i>Colobus guereza</i>         | live      | 1        |      | PL       | DE       |        | Z       | C      |
| E        | 2    | B     | <i>Colobus guereza</i>         | live      | 4        |      | RU       | DE       |        | Z       | C      |
| E        | 2    | B     | <i>Colobus guereza</i>         | live      | 1        |      | RU       | DE       | CZ     | Z       | C      |
| E        | 2    | B     | <i>Colobus guereza</i>         | live      | 2        |      | ZA       | DE       |        | Z       | C      |
| E        | 2    | B     | <i>Erythrocebus patas</i>      | live      | 1        |      | CN       | DE       |        | Z       | C      |
| E        | 2    | B     | <i>Erythrocebus patas</i>      | live      | 3        |      | CN       | NL       | DE     | Z       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon               | Term      | Quantity | Unit   | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------|-----------|----------|--------|----------|----------|--------|---------|--------|
| E        | 2    | B     | Erythrocebus patas  | live      | 1        |        | JP       | NL       | DE     | Z       | C      |
| E        | 2    | B     | Macaca spp.         | specimens | 580      | ml     | CH       | FR       | M      | C       | C      |
| E        | 2    | B     | Macaca fascicularis | bones     | 96       |        | US       | BE       | MU     | S       | C      |
| E        | 2    | B     | Macaca fascicularis | extract   | 50       |        | CH       | GB       | PH     | S       | C      |
| E        | 2    | B     | Macaca fascicularis | live      | 1        |        | CH       | ES       | CH     | S       | C      |
| E        | 2    | B     | Macaca fascicularis | live      | 2        |        | CH       | ES       | CN     | S       | C      |
| E        | 2    | B     | Macaca fascicularis | live      | 1        |        | CH       | ES       | DE     | S       | C      |
| E        | 2    | B     | Macaca fascicularis | live      | 2        |        | CH       | FR       | M      | C       | C      |
| E        | 2    | B     | Macaca fascicularis | live      | 24       |        | CH       | FR       | MU     | M       | F      |
| E        | 2    | B     | Macaca fascicularis | live      | 115      |        | CH       | FR       | PH     | M       | C      |
| E        | 2    | B     | Macaca fascicularis | live      | 24       |        | CH       | FR       | XS     | M       | C      |
| E        | 2    | B     | Macaca fascicularis | live      | 3        |        | JP       | ES       | CN     | S       | C      |
| E        | 2    | B     | Macaca fascicularis | specimens | 185      |        | AR       | GB       | MU     | S       | C      |
| E        | 2    | B     | Macaca fascicularis | specimens | 260      |        | AR       | GB       | MU     | S       | F      |
| E        | 2    | B     | Macaca fascicularis | specimens | 100      | ml     | AU       | DE       | CN     | M       | C      |
| E        | 2    | B     | Macaca fascicularis | specimens | 1117     |        | AU       | GB       | MU     | S       | C      |
| E        | 2    | B     | Macaca fascicularis | specimens | 1950     |        | AU       | GB       | MU     | S       | F      |
| E        | 2    | B     | Macaca fascicularis | specimens | 60       |        | CA       | GB       | MU     | S       | C      |
| E        | 2    | B     | Macaca fascicularis | specimens | 240      | ml     | CH       | DE       | CN     | M       | C      |
| E        | 2    | B     | Macaca fascicularis | specimens | < 1      | kg     | CH       | FR       | M      | F       | F      |
| E        | 2    | B     | Macaca fascicularis | specimens | < 1      | kg     | CH       | FR       | GB     | M       | F      |
| E        | 2    | B     | Macaca fascicularis | specimens | 1050     | flasks | CH       | FR       | MU     | M       | F      |
| E        | 2    | B     | Macaca fascicularis | specimens | 117      | ml     | CH       | FR       | MU     | M       | W      |
| E        | 2    | B     | Macaca fascicularis | specimens | 500      | ml     | CH       | FR       | MU     | M       | F      |
| E        | 2    | B     | Macaca fascicularis | specimens | 570      | pieces | CH       | FR       | MU     | M       | F      |
| E        | 2    | B     | Macaca fascicularis | specimens | 250      | flasks | CH       | FR       | PH     | M       | C      |
| E        | 2    | B     | Macaca fascicularis | specimens | 9        | kg     | CH       | FR       | PH     | M       | C      |
| E        | 2    | B     | Macaca fascicularis | specimens | 100      | ml     | CH       | FR       | PH     | M       | C      |
| E        | 2    | B     | Macaca fascicularis | specimens | 1124     | g      | CH       | FR       | XX     | M       |        |
| E        | 2    | B     | Macaca fascicularis | specimens | 122      | ml     | CH       | FR       | XX     | M       | W      |
| E        | 2    | B     | Macaca fascicularis | specimens | 198      | ml     | CH       | FR       | XX     | M       |        |
| E        | 2    | B     | Macaca fascicularis | specimens | 121      |        | CH       | GB       | PH     | S       | C      |
| E        | 2    | B     | Macaca fascicularis | specimens | 8        |        | CH       | GB       | XX     | M       | F      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon               | Term      | Quantity   | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------|-----------|------------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | Macaca fascicularis | specimens | 23         |      | CN       | GB       | MU     | S       | F      |
| E        | 2    | B     | Macaca fascicularis | specimens | 412        |      | CZ       | GB       | MU     | S       | F      |
| E        | 2    | B     | Macaca fascicularis | specimens | 140        |      | IL       | GB       | MU     | S       | F      |
| E        | 2    | B     | Macaca fascicularis | specimens | 498 ml     |      | JP       | DE       | CN     | M       | C      |
| E        | 2    | B     | Macaca fascicularis | specimens | 5 ml       |      | JP       | DE       | PH     | M       | W      |
| E        | 2    | B     | Macaca fascicularis | specimens | 10         |      | LB       | GB       | MU     | S       | C      |
| E        | 2    | B     | Macaca fascicularis | specimens | 50         |      | LB       | GB       | MU     | S       | F      |
| E        | 2    | B     | Macaca fascicularis | specimens | 2          |      | NO       | GB       | ID     | S       | C      |
| E        | 2    | B     | Macaca fascicularis | specimens | 20         |      | PL       | GB       | MU     | S       | C      |
| E        | 2    | B     | Macaca fascicularis | specimens | 3          |      | PY       | GB       | MU     | S       | C      |
| E        | 2    | B     | Macaca fascicularis | specimens | 90         |      | TN       | GB       | MU     | S       | F      |
| E        | 2    | B     | Macaca fascicularis | specimens | 567        |      | TR       | GB       | MU     | S       | F      |
| E        | 2    | B     | Macaca fascicularis | specimens | 200        |      | US       | BE       | MU     | S       | C      |
| E        | 2    | B     | Macaca fascicularis | specimens | 272        |      | US       | BE       | MU     | S       | C      |
| E        | 2    | B     | Macaca fascicularis | specimens | 60 g       |      | US       | DE       | M      | C       |        |
| E        | 2    | B     | Macaca fascicularis | specimens | 192 ml     |      | US       | DE       | M      | C       |        |
| E        | 2    | B     | Macaca fascicularis | specimens | 1896       |      | US       | DE       | CN     | M       | C      |
| E        | 2    | B     | Macaca fascicularis | specimens | 4894 g     |      | US       | DE       | CN     | M       | C      |
| E        | 2    | B     | Macaca fascicularis | specimens | 5 kg       |      | US       | DE       | CN     | M       | C      |
| E        | 2    | B     | Macaca fascicularis | specimens | 1608 ml    |      | US       | DE       | CN     | M       | C      |
| E        | 2    | B     | Macaca fascicularis | specimens | 48         |      | US       | DE       | VN     | M       | C      |
| E        | 2    | B     | Macaca fascicularis | specimens | 280 g      |      | US       | DE       | VN     | M       | C      |
| E        | 2    | B     | Macaca fascicularis | specimens | 24 kg      |      | US       | DE       | VN     | M       | C      |
| E        | 2    | B     | Macaca fascicularis | specimens | 300 flasks |      | US       | FR       | MU     | M       | F      |
| E        | 2    | B     | Macaca fascicularis | specimens | 300 flasks |      | US       | FR       | MU     | M       | F      |
| E        | 2    | B     | Macaca fascicularis | specimens | 450 flasks |      | US       | FR       | MU     | M       | C      |
| E        | 2    | B     | Macaca fascicularis | specimens | 13 g       |      | US       | FR       | MU     | M       | W      |
| E        | 2    | B     | Macaca fascicularis | specimens | 7 ml       |      | US       | FR       | MU     | M       | C      |
| E        | 2    | B     | Macaca fascicularis | specimens | 200 ml     |      | US       | FR       | MU     | M       | F      |
| E        | 2    | B     | Macaca fascicularis | specimens | 200 flasks |      | US       | FR       | PH     | M       | C      |
| E        | 2    | B     | Macaca fascicularis | specimens | 100 ml     |      | US       | FR       | PH     | M       | C      |
| E        | 2    | B     | Macaca fascicularis | specimens | < 1 kg     |      | US       | FR       | XS     | M       |        |
| E        | 2    | B     | Macaca fascicularis | specimens | 6          |      | US       | GB       | MU     | M       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                | Term      | Quantity   | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------|-----------|------------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | Macaca fascicularis  | specimens | 20         |      | US       | GB       | MU     | S       | C      |
| E        | 2    | B     | Macaca fascicularis  | specimens | 120        |      | US       | GB       | MU     | M       | C      |
| E        | 2    | B     | Macaca fascicularis  | specimens | 600        |      | US       | GB       | MU     | M       | F      |
| E        | 2    | B     | Macaca fascicularis  | specimens | 963        |      | US       | GB       | MU     | S       | F      |
| E        | 2    | B     | Macaca fascicularis  | specimens | 30         |      | US       | GB       | PH     | M       | C      |
| E        | 2    | B     | Macaca fascicularis  | specimens | 32         |      | US       | GB       | PH     | M       | W      |
| E        | 2    | B     | Macaca fascicularis  | specimens | 50         |      | US       | GB       | PH     | S       | C      |
| E        | 2    | B     | Macaca fascicularis  | specimens | 100 ml     |      | US       | GB       | PH     | S       | C      |
| E        | 2    | B     | Macaca fascicularis  | specimens | 60         |      | US       | GB       | XX     | M       | F      |
| E        | 2    | B     | Macaca fascicularis  | specimens | 45         |      | US       | NL       | CN     | S       | C      |
| E        | 2    | B     | Macaca fascicularis  | specimens | 25         |      | XX       | GB       | MU     | S       | F      |
| E        | 2    | B     | Macaca fascicularis  | specimens | 192        |      | XX       | GB       | MU     | S       | C      |
| E        | 2    | B     | Macaca fascicularis  | specimens | 1512       |      | XX       | GB       | MU     | M       | F      |
| E        | 2    | B     | Macaca fascicularis  | specimens | 160 ml     |      | XX       | GB       | PH     | S       | C      |
| E        | 2    | B     | Macaca mulatta       | live      | 10         |      | CH       | FR       |        | M       | C      |
| E        | 2    | B     | Macaca mulatta       | live      | 25         |      | RU       | NL       | CN     | S       | C      |
| E        | 2    | B     | Macaca mulatta       | live      | 7          |      | ZA       | NL       | XX     | Z       | I      |
| E        | 2    | B     | Macaca mulatta       | specimens | 220 g      |      | JP       | DE       | CN     | M       | C      |
| E        | 2    | B     | Macaca mulatta       | specimens | 1          |      | US       | AT       | CH     | S       | U      |
| E        | 2    | B     | Macaca mulatta       | specimens | 3          |      | US       | AT       | CN     | S       | U      |
| E        | 2    | B     | Macaca mulatta       | specimens | 3          |      | US       | AT       | FR     | S       | U      |
| E        | 2    | B     | Macaca mulatta       | specimens | 2          |      | US       | AT       | MM     | S       | U      |
| E        | 2    | B     | Macaca mulatta       | specimens | 408        |      | US       | BE       | CN     | S       | C      |
| E        | 2    | B     | Macaca mulatta       | specimens | 1000 ml    |      | US       | DE       |        | S       | C      |
| E        | 2    | B     | Macaca mulatta       | specimens | 48         |      | US       | FR       | US     | S       | C      |
| E        | 2    | B     | Macaca mulatta       | specimens | 129 flasks |      | US       | FR       | US     | S       | C      |
| E        | 2    | B     | Macaca nemestrina    | live      | 10         |      | HU       | FR       | HU     | Q       | C      |
| E        | 2    | B     | Macaca nemestrina    | live      | 9          |      | RU       | FR       | RU     | Q       | C      |
| E        | 2    | B     | Macaca sylvanus      | live      | 1          |      | CH       | FR       |        | P       | U      |
| E        | 2    | B     | Macaca sylvanus      | live      | 25         |      | XX       | GI       |        |         |        |
| E        | 2    | B     | Miopithecus talapoin | live      | 1          |      | IL       | NL       | CD     | Z       | W      |
| E        | 2    | B     | Papio hamadryas      | bodies    | 1          |      | CA       | FR       | XX     | E       | O      |
| E        | 2    | B     | Papio hamadryas      | live      | 4          |      | RU       | FR       | RU     | Q       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                             | Term      | Quantity       | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------------|-----------|----------------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Papio hamadryas</i>            | live      | 1              |      | XX       | GI       | GN     |         |        |
| E        | 2    | B     | <i>Papio hamadryas anubis</i>     | extract   | 20 g           |      | CH       | GB       | KE     | M       | W      |
| E        | 2    | B     | <i>Papio hamadryas anubis</i>     | live      | 6              |      | CA       | GB       |        | B       | C      |
| E        | 2    | B     | <i>Papio hamadryas anubis</i>     | live      | 1              |      | RU       | FR       | RU     | Q       | C      |
| E        | 2    | B     | <i>Papio hamadryas anubis</i>     | specimens | 80             |      | CH       | ES       | KE     | M       | W      |
| E        | 2    | B     | <i>Papio hamadryas anubis</i>     | specimens | 80             |      | CH       | ES       | KE     | S       | W      |
| E        | 2    | B     | <i>Papio hamadryas anubis</i>     | specimens | < 1 kg         |      | US       | FR       |        | M       | R      |
| E        | 2    | B     | <i>Papio hamadryas anubis</i>     | specimens | < 1 kg         |      | US       | FR       | KE     | M       | W      |
| E        | 2    | B     | <i>Papio hamadryas anubis</i>     | specimens | 10             |      | US       | GB       | KE     | M       | C      |
| E        | 2    | B     | <i>Papio hamadryas anubis</i>     | specimens | 119            |      | US       | GB       | KE     | M       | W      |
| E        | 2    | B     | <i>Papio hamadryas anubis</i>     | trophies  | 1              |      | CH       | FR       | CF     | H       | W      |
| E        | 2    | B     | <i>Papio hamadryas hamadryas</i>  | skeletons | 2              |      | JP       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Trachypithecus francoisi</i>   | specimens | 2 microgrammes |      | US       | DE       | VN     | S       | W      |
| E        | 2    | B     | <i>Trachypithecus johnii</i>      | specimens | 1 microgrammes |      | US       | DE       |        | S       | C      |
| E        | 2    | B     | <i>Myrmecophaga tridactyla</i>    | live      | 1              |      | PL       | AT       | DE     | Z       | D      |
| E        | 2    | B     | <i>Manis spp.</i>                 | claws     | 1              |      | US       | BE       | XX     | T       | W      |
| E        | 2    | B     | <i>Manis pentadactyla</i>         | skins     | 1              |      | AU       | DE       | TH     | P       | W      |
| E        | 2    | B     | <i>Monodon monoceros</i>          | teeth     | 1              |      | US       | IT       | XX     | P       | O      |
| E        | 2    | B     | <i>Monodon monoceros</i>          | tusks     | 1              |      | CA       | DE       | CA     | P       | W      |
| E        | 2    | B     | <i>Monodon monoceros</i>          | tusks     | 1              |      | CA       | DK       | GL     | P       | W      |
| E        | 2    | B     | <i>Monodon monoceros</i>          | tusks     | 1              |      | GL       | DK       | GL     | P       | W      |
| E        | 2    | B     | <i>Monodon monoceros</i>          | tusks     | 1              |      | TH       | DK       | GL     | P       | W      |
| E        | 2    | B     | <i>Monodon monoceros</i>          | tusks     | 2              |      | US       | GB       | XX     | P       | O      |
| E        | 2    | B     | <i>Monodon monoceros</i>          | tusks     | 3              |      | US       | GB       | XX     | T       | O      |
| E        | 2    | A     | <i>Lagenorhynchus albirostris</i> | specimens | 2              |      | CA       | NL       | XX     | S       | W      |
| E        | 2    | A     | <i>Stenella coeruleoalba</i>      | specimens | 30             |      | JP       | ES       |        | S       | W      |
| E        | 2    | A     | <i>Tursiops truncatus</i>         | live      | 1              |      | CR       | ES       | CU     | E       | W      |
| E        | 2    | B     | <i>Canis lupus</i>                | bodies    | 6              |      | CH       | IT       |        | E       | C      |
| E        | 2    | B     | <i>Canis lupus</i>                | live      | 2              |      | CZ       | DE       |        | Z       | C      |
| E        | 2    | B     | <i>Canis lupus</i>                | live      | 1              |      | CZ       | DE       | CH     | B       | C      |
| E        | 2    | B     | <i>Canis lupus</i>                | live      | 3              |      | LT       | DE       |        | B       | C      |
| E        | 2    | B     | <i>Canis lupus</i>                | live      | 1              |      | US       | DE       |        | B       | C      |
| E        | 2    | B     | <i>Canis lupus</i>                | teeth     | 3              |      | US       | SE       |        | S       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                        | Term        | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|-------------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Chrysocyon brachyurus</i> | live        | 2        |      | AU       | GB       |        | B       | C      |
| E        | 2    | B     | <i>Chrysocyon brachyurus</i> | live        | 1        |      | EE       | DE       |        | Z       | C      |
| E        | 2    | B     | <i>Chrysocyon brachyurus</i> | live        | 2        |      | PL       | DE       |        | Z       | C      |
| E        | 2    | B     | <i>Chrysocyon brachyurus</i> | live        | 2        |      | RU       | DE       |        | Z       | C      |
| E        | 2    | B     | <i>Cuon alpinus</i>          | live        | 1        |      | RU       | DE       |        | Z       | C      |
| E        | 2    | B     | <i>Pseudalopex griseus</i>   | skins       | 9        |      | CH       | DE       | AR     | T       | W      |
| E        | 2    | B     | <i>Pseudalopex griseus</i>   | skins       | 9 kg     |      | CH       | DE       | AR     | T       | W      |
| E        | 2    | B     | <i>Pseudalopex griseus</i>   | skins       | 34       |      | HK       | DE       | AR     | T       | W      |
| E        | 2    | B     | <i>Pseudalopex griseus</i>   | skins       | 331      |      | HK       | IT       | AR     | T       | W      |
| E        | 2    | B     | <i>Pseudalopex griseus</i>   | skins       | 150      |      | RU       | DE       | AR     | T       | W      |
| E        | 2    | B     | <i>Pseudalopex griseus</i>   | skins       | 10       |      | SI       | DE       | AR     | T       | W      |
| E        | 2    | B     | <i>Pseudalopex griseus</i>   | skins       | 80       |      | TR       | DE       | AR     | T       | W      |
| E        | 2    | B     | <i>Pseudalopex griseus</i>   | skin pieces | 21       |      | CH       | DE       | AR     | T       | W      |
| E        | 2    | B     | <i>Vulpes zerda</i>          | live        | 1        |      | CZ       | DE       |        | Z       | C      |
| E        | 2    | B     | <i>Ursus americanus</i>      | bodies      | 4        |      | US       | GB       | US     | E       | W      |
| E        | 2    | B     | <i>Ursus americanus</i>      | live        | 1        |      | TG       | FR       |        | Z       | C      |
| E        | 2    | B     | <i>Ursus americanus</i>      | skins       | 1        |      | AE       | AT       | CA     | P       | O      |
| E        | 2    | B     | <i>Ursus americanus</i>      | skins       | 7        |      | NO       | DK       | CA     | T       | W      |
| E        | 2    | B     | <i>Ursus americanus</i>      | skins       | 1        |      | US       | DK       | CA     | T       | W      |
| E        | 2    | B     | <i>Ursus americanus</i>      | trophies    | 1        |      | CH       | DE       | CA     | P       | W      |
| E        | 2    | B     | <i>Ursus americanus</i>      | trophies    | 1        |      | SI       | AT       | US     | H       | W      |
| E        | 2    | A     | <i>Ursus arctos</i>          | bodies      | 1        |      | NO       | SE       |        | T       | C      |
| E        | 2    | A     | <i>Ursus arctos</i>          | bodies      | 3        |      | NO       | SE       | E      | E       | C      |
| E        | 2    | A     | <i>Ursus arctos</i>          | live        | 5        |      | CZ       | FR       | CZ     | Q       | C      |
| E        | 2    | A     | <i>Ursus arctos</i>          | live        | 1        |      | HU       | AT       | HU     | E       | C      |
| E        | 2    | A     | <i>Ursus arctos</i>          | live        | 1        |      | HU       | AT       | RO     | E       | W      |
| E        | 2    | A     | <i>Ursus arctos</i>          | live        | 3        |      | PK       | NL       | DE     | Z       | C      |
| E        | 2    | A     | <i>Ursus arctos</i>          | live        | 4        |      | RU       | FR       | RU     | Q       | C      |
| E        | 2    | A     | <i>Ursus arctos</i>          | live        | 2        |      | ZA       | NL       | BE     | Z       | C      |
| E        | 2    | A     | <i>Ursus arctos</i>          | skins       | 1        |      | NO       | FI       |        | P       | W      |
| E        | 2    | A     | <i>Ursus arctos</i>          | skins       | 2        |      | NO       | SE       | E      | E       | C      |
| E        | 2    | A     | <i>Ursus arctos</i>          | skins       | 2        |      | US       | ES       | RO     | H       | W      |
| E        | 2    | A     | <i>Ursus arctos</i>          | skulls      | 1        |      | US       | ES       | RO     | H       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                     | Term        | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------|-------------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | A     | <i>Ursus arctos</i>       | teeth       | 83       |      | US       | SE       | S      | W       |        |
| E        | 2    | A     | <i>Ursus arctos</i>       | trophies    | 4        |      | CH       | FR       | RO     | H       | W      |
| E        | 2    | A     | <i>Ursus arctos</i>       | trophies    | 1        |      | LI       | AT       | US     | H       | W      |
| E        | 2    | A     | <i>Ursus arctos</i>       | trophies    | 1        |      | NO       | FI       | P      | W       |        |
| E        | 2    | A     | <i>Ursus arctos</i>       | trophies    | 1        |      | US       | DE       | US     | P       | W      |
| E        | 2    | B     | <i>Ursus maritimus</i>    | claws       | 1        |      | GL       | SE       | GL     | Q       | W      |
| E        | 2    | B     | <i>Ursus maritimus</i>    | live        | 2        |      | CL       | NL       | Z      | C       |        |
| E        | 2    | B     | <i>Ursus maritimus</i>    | skins       | 1        |      | CA       | DE       | CA     | P       | O      |
| E        | 2    | B     | <i>Ursus maritimus</i>    | skins       | 1        |      | GL       | DK       | GL     | T       | W      |
| E        | 2    | B     | <i>Ursus maritimus</i>    | skins       | 2        |      | GL       | DK       | GL     | P       | W      |
| E        | 2    | B     | <i>Ursus maritimus</i>    | skins       | 1        |      | IS       | DK       | GL     | T       | W      |
| E        | 2    | B     | <i>Ursus maritimus</i>    | skins       | 1        |      | LV       | DK       | GL     | Q       | W      |
| E        | 2    | B     | <i>Ursus maritimus</i>    | skins       | 7        |      | NO       | DK       | GL     | T       | W      |
| E        | 2    | B     | <i>Ursus maritimus</i>    | skins       | 2        |      | TH       | DK       | GL     | P       | W      |
| E        | 2    | B     | <i>Ursus maritimus</i>    | skin pieces | 7        |      | NO       | DK       | XX     | P       | W      |
| E        | 2    | B     | <i>Ursus maritimus</i>    | skulls      | 1        |      | GL       | DK       | GL     | P       | W      |
| E        | 2    | B     | <i>Ursus maritimus</i>    | skulls      | 1        |      | RU       | DK       | CA     | Q       | O      |
| E        | 2    | B     | <i>Ursus maritimus</i>    | skulls      | 1        |      | TH       | DK       | GL     | P       | W      |
| E        | 2    | B     | <i>Amblonyx cinereus</i>  | live        | 2        |      | JP       | GB       | B      | C       |        |
| E        | 2    | B     | <i>Amblonyx cinereus</i>  | live        | 1        |      | PL       | NL       | Z      | C       |        |
| E        | 2    | B     | <i>Felis chaus</i>        | live        | 2        |      | JP       | NL       | CZ     | T       | C      |
| E        | 2    | B     | <i>Felis margarita</i>    | live        | 2        |      | CZ       | DE       | Z      | T       | C      |
| E        | 2    | A     | <i>Felis silvestris</i>   | live        | 3        |      | CH       | DE       | B      | C       |        |
| E        | 2    | A     | <i>Felis silvestris</i>   | specimens   | 45 ml    |      | US       | ES       | S      | W       |        |
| E        | 2    | B     | <i>Leptailurus serval</i> | live        | 2        |      | AU       | GB       | B      | C       |        |
| E        | 2    | B     | <i>Leptailurus serval</i> | skins       | 1        |      | US       | DE       | TZ     | P       | W      |
| E        | 2    | B     | <i>Leptailurus serval</i> | skulls      | 1        |      | US       | DE       | TZ     | P       | W      |
| E        | 2    | B     | <i>Leptailurus serval</i> | trophies    | 1        |      | AE       | FR       | TZ     | H       | W      |
| E        | 2    | A     | <i>Lynx lynx</i>          | bodies      | 1        |      | NO       | FI       | Q      | W       |        |
| E        | 2    | A     | <i>Lynx lynx</i>          | live        | 2        |      | PL       | DE       | B      | C       |        |
| E        | 2    | A     | <i>Lynx lynx</i>          | live        | 1        |      | PL       | FI       | Z      | C       |        |
| E        | 2    | A     | <i>Lynx lynx</i>          | live        | 1        |      | PL       | FI       | Z      | W       |        |
| E        | 2    | A     | <i>Lynx lynx</i>          | skins       | 3        |      | NA       | BE       | NA     | P       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                           | Term     | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | A     | <i>Lynx lynx</i>                | teeth    | 188      |      | US       | SE       |        | S       | W      |
| E        | 2    | B     | <i>Lynx rufus</i>               | live     | 2        |      | CZ       | DE       |        | T       | C      |
| E        | 2    | B     | <i>Lynx rufus</i>               | skins    | 2        |      | JP       | DK       | US     | T       | W      |
| E        | 2    | B     | <i>Panthera leo</i>             | live     | 1        |      | CA       | ES       |        | T       | C      |
| E        | 2    | B     | <i>Panthera leo</i>             | live     | 1        |      | CM       | FR       |        | N       | C      |
| E        | 2    | B     | <i>Panthera leo</i>             | live     | 2        |      | HR       | DE       |        | Z       | C      |
| E        | 2    | B     | <i>Panthera leo</i>             | live     | 2        |      | ID       | ES       | FR     | T       | C      |
| E        | 2    | B     | <i>Panthera leo</i>             | live     | 10       |      | IL       | GR       |        | Q       | C      |
| E        | 2    | B     | <i>Panthera leo</i>             | live     | 2        |      | LV       | PT       |        | Z       | C      |
| E        | 2    | B     | <i>Panthera leo</i>             | live     | 2        |      | PL       | DE       |        | Z       | C      |
| E        | 2    | B     | <i>Panthera leo</i>             | live     | 1        |      | PL       | NL       | PL     | Q       | C      |
| E        | 2    | B     | <i>Panthera leo</i>             | live     | 1        |      | TR       | ES       |        | Q       | C      |
| E        | 2    | B     | <i>Panthera leo</i>             | live     | 2        |      | US       | DE       |        | T       | C      |
| E        | 2    | B     | <i>Panthera leo</i>             | live     | 5        |      | US       | FR       |        | Q       | C      |
| E        | 2    | B     | <i>Panthera leo</i>             | live     | 2        |      | ZA       | IT       |        | S       | I      |
| E        | 2    | B     | <i>Panthera leo</i>             | skins    | 1        |      | AU       | DE       |        | TZ      | W      |
| E        | 2    | B     | <i>Panthera leo</i>             | skins    | 1        |      | US       | GB       | XX     | T       | O      |
| E        | 2    | B     | <i>Panthera leo</i>             | trophies | 3        |      | AE       | FR       | TZ     | H       | W      |
| E        | 2    | B     | <i>Panthera leo</i>             | trophies | 1        |      | BR       | FR       | TZ     | H       | W      |
| E        | 2    | B     | <i>Panthera leo</i>             | trophies | 1        |      | CH       | FR       | CF     | H       | W      |
| E        | 2    | B     | <i>Panthera leo</i>             | trophies | 1        |      | ZA       | FR       | TZ     | H       | W      |
| E        | 2    | B     | <i>Panthera leo</i>             | trophies | 1        |      | ZW       | SE       | ZW     | P       | W      |
| E        | 2    | B     | <i>Prionailurus bengalensis</i> | live     | 3        |      | US       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Prionailurus bengalensis</i> | skins    | 17       |      | JP       | IT       | CN     | T       | W      |
| E        | 2    | B     | <i>Puma concolor</i>            | live     | 1        |      | CH       | FR       |        | Z       | C      |
| E        | 2    | B     | <i>Puma concolor</i>            | live     | 1        |      | HK       | BE       |        | Q       | C      |
| E        | 2    | B     | <i>Puma concolor</i>            | live     | 1        |      | MY       | IT       |        | Q       | C      |
| E        | 2    | B     | <i>Puma concolor</i>            | live     | 2        |      | PK       | NL       | DE     | Z       | C      |
| E        | 2    | B     | <i>Puma concolor</i>            | live     | 1        |      | SI       | AT       |        | Z       | C      |
| E        | 2    | B     | <i>Puma concolor</i>            | trophies | 1        |      | CH       | AT       | AR     | H       | W      |
| E        | 2    | B     | <i>Arctocephalus</i> spp.       | teeth    | 4        |      | NZ       | FI       | XX     | Q       | O      |
| E        | 2    | B     | <i>Arctocephalus pusillus</i>   | live     | 1        |      | CZ       | BE       |        | B       | C      |
| E        | 2    | B     | <i>Arctocephalus pusillus</i>   | skins    | 10       |      | HK       | GB       | NA     | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                           | Term        | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------------|-------------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Arctocephalus pusillus</i>   | skins       | 3736     |      | JP       | GB       | NA     | T       | W      |
| E        | 2    | B     | <i>Arctocephalus pusillus</i>   | skins       | 432      |      | NO       | DK       | NA     | T       | W      |
| E        | 2    | B     | <i>Arctocephalus pusillus</i>   | skin pieces | 300      |      | JP       | GB       | NA     | T       | W      |
| E        | 2    | A     | <i>Equus hemionus</i>           | live        | 1        |      | RU       | DE       |        | Z       | C      |
| E        | 2    | B     | <i>Equus zebra hartmannae</i>   | live        | 1        |      | PL       | DE       |        | Z       | C      |
| E        | 2    | B     | <i>Equus zebra hartmannae</i>   | skins       | 1        |      | JP       | IT       | NA     | T       | W      |
| E        | 2    | B     | <i>Equus zebra hartmannae</i>   | skins       | 1        |      | XX       | AT       | NA     | P       | W      |
| E        | 2    | B     | <i>Tapirus terrestris</i>       | live        | 1        |      | HR       | AT       | DE     | Z       | D      |
| E        | 2    | B     | <i>Tapirus terrestris</i>       | live        | 1        |      | HR       | AT       | US     | Z       | D      |
| E        | 2    | B     | <i>Tapirus terrestris</i>       | live        | 2        |      | IL       | DE       |        | Z       | C      |
| E        | 2    | B     | <i>Ceratotherium simum</i>      | live        | 1        |      | CZ       | AT       | ZA     | Z       | O      |
| E        | 2    | B     | <i>Pecari tajacu</i>            | live        | 6        |      | RU       | DE       |        | Z       | C      |
| E        | 2    | B     | <i>Pecari tajacu</i>            | skins       | 322      |      | CH       | IT       | PE     | T       | W      |
| E        | 2    | B     | <i>Pecari tajacu</i>            | skins       | 15 m2    |      | CH       | IT       | PE     | T       | W      |
| E        | 2    | B     | <i>Pecari tajacu</i>            | skins       | 435      |      | CH       | PT       | PE     | T       | W      |
| E        | 2    | B     | <i>Pecari tajacu</i>            | skins       | 2162     |      | HU       | DE       | PE     | T       | W      |
| E        | 2    | B     | <i>Pecari tajacu</i>            | skins       | 112      |      | HU       | IT       | PE     | T       | W      |
| E        | 2    | B     | <i>Pecari tajacu</i>            | skins       | 686      |      | JP       | DE       | PE     | T       | W      |
| E        | 2    | B     | <i>Pecari tajacu</i>            | skins       | 12       |      | JP       | IT       | AR     | T       | W      |
| E        | 2    | B     | <i>Pecari tajacu</i>            | skins       | 6459     |      | JP       | IT       | PE     | T       | W      |
| E        | 2    | B     | <i>Pecari tajacu</i>            | skins       | 120      |      | LB       | IT       | AR     | T       | W      |
| E        | 2    | B     | <i>Pecari tajacu</i>            | skin pieces | 761      |      | HU       | DE       | PE     | T       | W      |
| E        | 2    | B     | <i>Pecari tajacu</i>            | skin pieces | 329      |      | JP       | DE       | PE     | T       | W      |
| E        | 2    | B     | <i>Tayassu pecari</i>           | live        | 3        |      | PL       | BE       | DE     | B       | C      |
| E        | 2    | B     | <i>Tayassu pecari</i>           | skins       | 5827     |      | HU       | DE       | PE     | T       | W      |
| E        | 2    | B     | <i>Tayassu pecari</i>           | skins       | 85       |      | PE       | IT       | PE     | T       | W      |
| E        | 2    | B     | <i>Tayassu pecari</i>           | skin pieces | 3598     |      | HU       | DE       | PE     | T       | W      |
| E        | 2    | B     | <i>Hexaprotodon liberiensis</i> | live        | 1        |      | CN       | NL       | DE     | Z       | C      |
| E        | 2    | B     | <i>Hexaprotodon liberiensis</i> | live        | 1        |      | SI       | IT       | DE     | Q       | C      |
| E        | 2    | B     | <i>Hippopotamus amphibius</i>   | live        | 1        |      | CZ       | NL       |        | Z       | C      |
| E        | 2    | B     | <i>Hippopotamus amphibius</i>   | live        | 1        |      | US       | DE       |        | T       | C      |
| E        | 2    | B     | <i>Hippopotamus amphibius</i>   | live        | 1        |      | US       | DE       |        | T       | F      |
| E        | 2    | B     | <i>Hippopotamus amphibius</i>   | live        | 1        |      | US       | DE       |        | Z       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                  | Term     | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | Hippopotamus amphibius | skins    | 1        |      | AU       | NL       | ET     | P       | W      |
| E        | 2    | B     | Hippopotamus amphibius | skins    | 600      |      | JP       | GB       | ZW     | T       | W      |
| E        | 2    | B     | Hippopotamus amphibius | skins    | 19 m2    |      | US       | GB       | ZM     | T       | W      |
| E        | 2    | B     | Hippopotamus amphibius | teeth    | 45       |      | CH       | IT       | TZ     | T       | W      |
| E        | 2    | B     | Hippopotamus amphibius | trophies | 5        |      | IN       | GB       | TZ     | P       | W      |
| E        | 2    | B     | Hippopotamus amphibius | trophies | 1        |      | OM       | DE       | TZ     | T       | W      |
| E        | 2    | B     | Hippopotamus amphibius | tusks    | 4        |      | OM       | DE       | TZ     | T       | W      |
| E        | 2    | B     | Lama guanicoe          | cloth    | 11       |      | CH       | DE       | AR     | T       | W      |
| E        | 2    | B     | Lama guanicoe          | cloth    | 7        |      | CH       | IT       | AR     | T       | W      |
| E        | 2    | B     | Lama guanicoe          | cloth    | 121 m    |      | JP       | IT       | AR     | T       | W      |
| E        | 2    | B     | Lama guanicoe          | cloth    | 87       |      | US       | GB       | AR     | T       | W      |
| E        | 2    | B     | Lama guanicoe          | cloth    | 1        |      | US       | IT       | AR     | T       | W      |
| E        | 2    | B     | Lama guanicoe          | cloth    | 10 m     |      | US       | IT       | AR     | T       | W      |
| E        | 2    | B     | Lama guanicoe          | live     | 1        |      | CZ       | NL       |        | Z       | C      |
| E        | 2    | B     | Lama guanicoe          | skins    | 18       |      | CH       | FR       | AR     | T       | W      |
| E        | 2    | B     | Vicugna vicugna        | cloth    | 5 m      |      | AE       | IT       | PE     | T       | W      |
| E        | 2    | B     | Vicugna vicugna        | cloth    | 4 m      |      | BR       | IT       | PE     | T       | W      |
| E        | 2    | B     | Vicugna vicugna        | cloth    | 13 m     |      | CH       | IT       | PE     | T       | W      |
| E        | 2    | B     | Vicugna vicugna        | cloth    | 2 m      |      | CL       | IT       | PE     | T       | W      |
| E        | 2    | B     | Vicugna vicugna        | cloth    | 431 m    |      | DO       | FR       | PE     | T       | O      |
| E        | 2    | B     | Vicugna vicugna        | cloth    | 615 m    |      | HK       | FR       | PE     | T       | O      |
| E        | 2    | B     | Vicugna vicugna        | cloth    | 22 m     |      | HK       | IT       | PE     | T       | W      |
| E        | 2    | B     | Vicugna vicugna        | cloth    | 3 m      |      | JP       | BE       | PE     | T       | W      |
| E        | 2    | B     | Vicugna vicugna        | cloth    | 68 m     |      | JP       | FR       | PE     | T       | O      |
| E        | 2    | B     | Vicugna vicugna        | cloth    | 11 m2    |      | JP       | GB       | PE     | T       | W      |
| E        | 2    | B     | Vicugna vicugna        | cloth    | 1        |      | JP       | IT       | PE     | T       | W      |
| E        | 2    | B     | Vicugna vicugna        | cloth    | 180 m    |      | JP       | IT       | PE     | T       | W      |
| E        | 2    | B     | Vicugna vicugna        | cloth    | 5 m2     |      | JP       | IT       | PE     | T       | W      |
| E        | 2    | B     | Vicugna vicugna        | cloth    | 365 m    |      | MX       | FR       | PE     | T       | O      |
| E        | 2    | B     | Vicugna vicugna        | cloth    | 5 m      |      | MX       | IT       | PE     | T       | W      |
| E        | 2    | B     | Vicugna vicugna        | cloth    | 79 m     |      | PA       | FR       | PE     | T       | O      |
| E        | 2    | B     | Vicugna vicugna        | cloth    | 12 m     |      | QA       | IT       | PE     | T       | W      |
| E        | 2    | B     | Vicugna vicugna        | cloth    | 9 m2     |      | QA       | IT       | PE     | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                          | Term     | Quantity | Unit           | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|----------|----------|----------------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Vicugna vicugna</i>         | cloth    | 2        | m              | SG       | FR       | PE     | T       | O      |
| E        | 2    | B     | <i>Vicugna vicugna</i>         | cloth    | 5        | m              | SG       | FR       | PE     | T       |        |
| E        | 2    | B     | <i>Vicugna vicugna</i>         | cloth    | 7        | m              | SG       | IT       | PE     | T       | W      |
| E        | 2    | B     | <i>Vicugna vicugna</i>         | cloth    | 2        |                | US       | IT       | PE     | P       | W      |
| E        | 2    | B     | <i>Vicugna vicugna</i>         | cloth    | 12       | m              | US       | IT       | PE     | T       | W      |
| E        | 2    | B     | <i>Vicugna vicugna</i>         | cloth    | 1        | m <sup>2</sup> | US       | IT       | PE     | P       | W      |
| E        | 2    | B     | <i>Vicugna vicugna</i>         | skins    | 2        |                | JP       | IT       | PE     | T       | W      |
| E        | 2    | B     | <i>Moschus moschiferus</i>     | musk     | 5        | kg             | HK       | DE       | RU     | T       | W      |
| E        | 2    | B     | <i>Moschus moschiferus</i>     | musk     | 5        | kg             | SG       | DE       | RU     | T       | W      |
| E        | 2    | B     | <i>Ammotragus lervia</i>       | bodies   | 1        |                | MX       | ES       | H      | W       |        |
| E        | 2    | B     | <i>Ammotragus lervia</i>       | live     | 4        |                | HR       | DE       | Z      | C       |        |
| E        | 2    | B     | <i>Ammotragus lervia</i>       | skins    | 1        |                | US       | ES       | H      | W       |        |
| E        | 2    | B     | <i>Ammotragus lervia</i>       | skulls   | 1        |                | US       | ES       | H      | W       |        |
| E        | 2    | B     | <i>Budorcas taxicolor</i>      | live     | 2        |                | CZ       | DE       | Z      | C       |        |
| E        | 2    | B     | <i>Cephalophus monticola</i>   | skins    | 1        |                | ZA       | DK       | ZA     | P       | W      |
| E        | 2    | B     | <i>Cephalophus silvicultor</i> | skins    | 1        |                | CH       | DE       | CF     | T       | W      |
| E        | 2    | B     | <i>Cephalophus silvicultor</i> | skulls   | 1        |                | CH       | DE       | CF     | T       | W      |
| E        | 2    | B     | <i>Kobus leche</i>             | skulls   | 1        |                | KN       | DE       | BW     | P       | W      |
| E        | 2    | B     | <i>Kobus leche</i>             | trophies | 1        |                | US       | DE       | BW     | P       | W      |
| E        | 2    | B     | <i>Ovis ammon</i>              | skulls   | 1        |                | US       | DE       | KG     | P       | W      |
| E        | 2    | B     | <i>Ovis ammon</i>              | skulls   | 1        |                | US       | DE       | RU     | P       | W      |
| E        | 2    | B     | <i>Ovis ammon</i>              | trophies | 1        |                | CH       | AT       | MN     | H       | W      |
| E        | 2    | B     | <i>Saiga tatarica</i>          | bones    | 30       |                | NO       | GB       | KZ     | S       | W      |
| E        | 2    | B     | <i>Saiga tatarica</i>          | teeth    | 1000     |                | NO       | GB       | KZ     | S       | W      |
| E        | 2    | B     | <i>Rhea americana</i>          | live     | 42       |                | AE       | NL       | T      | C       |        |
| E        | 2    | B     | <i>Rhea americana</i>          | live     | 50       |                | AN       | NL       | T      | C       |        |
| E        | 2    | B     | <i>Rhea americana</i>          | live     | 15       |                | AW       | NL       | T      | C       |        |
| E        | 2    | B     | <i>Rhea americana</i>          | live     | 18       |                | MY       | NL       | T      | C       |        |
| E        | 2    | B     | <i>Rhea americana</i>          | live     | 28       |                | PH       | NL       | T      | C       |        |
| E        | 2    | B     | <i>Rhea americana</i>          | live     | 3        |                | PK       | NL       | T      | C       |        |
| E        | 2    | B     | <i>Rhea americana</i>          | live     | 4        |                | PL       | DK       | Z      | C       |        |
| E        | 2    | B     | <i>Rhea americana</i>          | live     | 19       |                | TH       | NL       | T      | C       |        |
| E        | 2    | B     | <i>Rhea americana</i>          | live     | 4        |                | TR       | NL       | T      | C       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                           | Term     | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Rhea americana</i>           | live     | 60       |      | YU       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Spheniscus demersus</i>      | live     | 8        |      | CN       | NL       |        | Z       | C      |
| E        | 2    | B     | <i>Spheniscus demersus</i>      | live     | 3        |      | JP       | GB       |        | B       | C      |
| E        | 2    | B     | <i>Spheniscus demersus</i>      | live     | 8        |      | TR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Eudocimus ruber</i>          | bodies   | 1        |      | US       | GB       | XX     | P       | O      |
| E        | 2    | B     | <i>Eudocimus ruber</i>          | feathers | 22       |      | NO       | DK       |        | T       | C      |
| E        | 2    | B     | <i>Eudocimus ruber</i>          | feathers | 4        |      | NO       | DK       | XX     | T       | U      |
| E        | 2    | B     | <i>Eudocimus ruber</i>          | live     | 10       |      | CN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Eudocimus ruber</i>          | live     | 10       |      | CZ       | DE       |        | B       | C      |
| E        | 2    | B     | <i>Eudocimus ruber</i>          | live     | 2        |      | CZ       | NL       |        | Z       | C      |
| E        | 2    | B     | <i>Eudocimus ruber</i>          | live     | 8        |      | JP       | BE       |        | B       | C      |
| E        | 2    | B     | <i>Eudocimus ruber</i>          | live     | 15       |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Eudocimus ruber</i>          | live     | 10       |      | JP       | NL       | DE     | T       | C      |
| E        | 2    | B     | <i>Eudocimus ruber</i>          | live     | 8        |      | KZ       | DE       |        | B       | C      |
| E        | 2    | B     | <i>Eudocimus ruber</i>          | live     | 30       |      | QA       | DE       |        | B       | C      |
| E        | 2    | A     | <i>Platalea leucorodia</i>      | live     | 2        |      | CZ       | DE       |        | Z       | C      |
| E        | 2    | A     | <i>Platalea leucorodia</i>      | live     | 4        |      | JP       | NL       | DE     | Z       | C      |
| E        | 2    | A     | <i>Platalea leucorodia</i>      | live     | 8        |      | PL       | DE       |        | Z       | C      |
| E        | 2    | A     | <i>Platalea leucorodia</i>      | live     | 7        |      | TR       | FR       |        | Z       | F      |
| E        | 2    | B     | <i>Phoenicopterus chilensis</i> | feathers | 19       |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Phoenicopterus minor</i>     | bodies   | 1        |      | US       | GB       | XX     | T       | O      |
| E        | 2    | B     | <i>Phoenicopterus minor</i>     | live     | 26       |      | CH       | NL       | TZ     | T       | W      |
| E        | 2    | B     | <i>Phoenicopterus minor</i>     | live     | 10       |      | MU       | NL       | TZ     | T       | W      |
| E        | 2    | A     | <i>Phoenicopterus ruber</i>     | bodies   | 1        |      | NO       | SE       | TE     | T       | C      |
| E        | 2    | B     | <i>Alopochen aegyptiacus</i>    | feathers | 2        |      | NO       | DK       |        | T       | C      |
| E        | 2    | B     | <i>Anas formosa</i>             | live     | 4        |      | BS       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Anas formosa</i>             | live     | 4        |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Anas formosa</i>             | live     | 50       |      | YU       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Anas formosa</i>             | live     | 39       |      | ZA       | NL       |        | T       | C      |
| E        | 2    | A     | <i>Branta ruficollis</i>        | live     | 6        |      | AR       | ES       | NL     | T       | C      |
| E        | 2    | A     | <i>Branta ruficollis</i>        | live     | 2        |      | BS       | NL       |        | B       | C      |
| E        | 2    | A     | <i>Branta ruficollis</i>        | live     | 6        |      | CA       | GB       |        | B       | C      |
| E        | 2    | A     | <i>Branta ruficollis</i>        | live     | 24       |      | CA       | NL       |        | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                       | Term      | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | A     | <i>Branta ruficollis</i>    | live      | 1        |      | CH       | BE       |        | B       | C      |
| E        | 2    | A     | <i>Branta ruficollis</i>    | live      | 3        |      | CH       | GB       |        | T       | C      |
| E        | 2    | A     | <i>Branta ruficollis</i>    | live      | 5        |      | CH       | NL       |        | T       | C      |
| E        | 2    | A     | <i>Branta ruficollis</i>    | live      | 4        |      | CL       | NL       |        | T       | C      |
| E        | 2    | A     | <i>Branta ruficollis</i>    | live      | 2        |      | MA       | ES       | NL     | T       | C      |
| E        | 2    | A     | <i>Branta ruficollis</i>    | live      | 38       |      | YU       | NL       |        | T       | C      |
| E        | 2    | A     | <i>Branta ruficollis</i>    | live      | 21       |      | ZA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Coscoroba coscoroba</i>  | live      | 2        |      | CZ       | BE       |        | B       | C      |
| E        | 2    | B     | <i>Coscoroba coscoroba</i>  | live      | 2        |      | XX       | GB       |        | Z       | C      |
| E        | 2    | B     | <i>Coscoroba coscoroba</i>  | live      | 12       |      | YU       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Coscoroba coscoroba</i>  | live      | 8        |      | ZA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Cygnus melanocorypha</i> | live      | 82       |      | AE       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Cygnus melanocorypha</i> | live      | 12       |      | AN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Cygnus melanocorypha</i> | live      | 8        |      | CN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Cygnus melanocorypha</i> | live      | 2        |      | GT       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Cygnus melanocorypha</i> | live      | 3        |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Cygnus melanocorypha</i> | live      | 2        |      | MA       | ES       | NL     | T       | C      |
| E        | 2    | B     | <i>Cygnus melanocorypha</i> | live      | 8        |      | MY       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Cygnus melanocorypha</i> | live      | 5        |      | PH       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Cygnus melanocorypha</i> | live      | 12       |      | PK       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Cygnus melanocorypha</i> | live      | 21       |      | TH       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Cygnus melanocorypha</i> | live      | 4        |      | TR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Cygnus melanocorypha</i> | live      | 6        |      | YU       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Cygnus melanocorypha</i> | live      | 2        |      | ZA       | NL       |        | B       | C      |
| E        | 2    | B     | <i>Cygnus melanocorypha</i> | live      | 33       |      | ZA       | NL       |        | T       | C      |
| E        | 2    | A     | <i>Oxyura spp.</i>          | specimens | 5        |      | US       | ES       |        | S       | W      |
| E        | 2    | A     | <i>Oxyura leucocephala</i>  | specimens | 3        |      | US       | ES       |        | S       | W      |
| E        | 2    | A     | <i>Pandion haliaetus</i>    | skins     | 1        |      | US       | GB       | US     | E       | W      |
| E        | 2    | A     | <i>Accipiter gentilis</i>   | bodies    | 3        |      | NO       | DK       |        | T       | W      |
| E        | 2    | A     | <i>Accipiter gentilis</i>   | eggs      | 10 kg    |      | CH       | DK       | RU     | T       | O      |
| E        | 2    | A     | <i>Accipiter gentilis</i>   | live      | 1        |      | CH       | DE       |        | T       | C      |
| E        | 2    | A     | <i>Accipiter gentilis</i>   | live      | 1        |      | CZ       | AT       |        | P       | C      |
| E        | 2    | A     | <i>Accipiter gentilis</i>   | live      | 2        |      | CZ       | AT       |        | P       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                     | Term     | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | A     | <i>Accipiter gentilis</i> | live     | 2        |      | CZ       | NL       |        | T       | C      |
| E        | 2    | A     | <i>Accipiter gentilis</i> | live     | 1        |      | HU       | AT       |        | P       | C      |
| E        | 2    | A     | <i>Accipiter gentilis</i> | live     | 1        |      | HU       | AT       |        | P       | W      |
| E        | 2    | A     | <i>Accipiter gentilis</i> | live     | 4        |      | IL       | NL       |        | T       | C      |
| E        | 2    | A     | <i>Accipiter gentilis</i> | live     | 3        |      | SK       | AT       |        | P       | W      |
| E        | 2    | A     | <i>Accipiter nisus</i>    | bodies   | 1        |      | NO       | DK       |        | T       | W      |
| E        | 2    | A     | <i>Accipiter nisus</i>    | bodies   | 4        |      | NO       | DK       |        | T       | O      |
| E        | 2    | A     | <i>Accipiter nisus</i>    | bodies   | 1        |      | TH       | DK       |        | P       | W      |
| E        | 2    | B     | <i>Accipiter striatus</i> | feet     | 1        |      | US       | GB       | US     | E       | W      |
| E        | 2    | A     | <i>Aegypius monachus</i>  | live     | 1        |      | CH       | FR       |        | Z       | O      |
| E        | 2    | B     | <i>Aquila audax</i>       | feathers | 44       |      | US       | DE       |        | P       | C      |
| E        | 2    | A     | <i>Aquila chrysaetos</i>  | bodies   | 1        |      | NO       | DK       |        | T       | F      |
| E        | 2    | A     | <i>Aquila chrysaetos</i>  | live     | 1        |      | CH       | FR       |        | Q       | C      |
| E        | 2    | A     | <i>Aquila chrysaetos</i>  | live     | 2        |      | CH       | FR       |        | T       | C      |
| E        | 2    | A     | <i>Aquila chrysaetos</i>  | live     | 1        |      | CZ       | AT       |        | P       | C      |
| E        | 2    | A     | <i>Aquila chrysaetos</i>  | live     | 1        |      | CZ       | AT       |        | P       | W      |
| E        | 2    | A     | <i>Aquila chrysaetos</i>  | live     | 2        |      | CZ       | AT       |        | P       | D      |
| E        | 2    | A     | <i>Aquila chrysaetos</i>  | live     | 1        |      | CZ       | AT       | CZ     | E       | C      |
| E        | 2    | A     | <i>Aquila chrysaetos</i>  | live     | 1        |      | CZ       | AT       | DE     | P       | D      |
| E        | 2    | A     | <i>Aquila chrysaetos</i>  | live     | 1        |      | HU       | AT       |        | P       | C      |
| E        | 2    | A     | <i>Aquila chrysaetos</i>  | live     | 3        |      | HU       | AT       |        | P       | D      |
| E        | 2    | A     | <i>Aquila chrysaetos</i>  | live     | 1        |      | SK       | AT       |        | P       | C      |
| E        | 2    | A     | <i>Aquila chrysaetos</i>  | live     | 3        |      | SK       | AT       |        | P       | D      |
| E        | 2    | A     | <i>Aquila chrysaetos</i>  | live     | 1        |      | SK       | AT       | DE     | P       | D      |
| E        | 2    | A     | <i>Aquila chrysaetos</i>  | live     | 1        |      | SK       | AT       | RU     | P       | C      |
| E        | 2    | B     | <i>Aquila nipalensis</i>  | live     | 1        |      | CA       | DE       | TZ     | T       | W      |
| E        | 2    | B     | <i>Aquila nipalensis</i>  | live     | 3        |      | CA       | GB       | T      | C       |        |
| E        | 2    | B     | <i>Aquila rapax</i>       | live     | 1        |      | CA       | DE       | XX     | T       | O      |
| E        | 2    | B     | <i>Aquila rapax</i>       | live     | 2        |      | JP       | FR       | ML     | T       | W      |
| E        | 2    | B     | <i>Aquila rapax</i>       | live     | 1        |      | JP       | GB       | E      | T       | C      |
| E        | 2    | A     | <i>Buteo buteo</i>        | bodies   | 4        |      | NO       | DK       | T      | T       | O      |
| E        | 2    | A     | <i>Buteo buteo</i>        | bodies   | 4        |      | NO       | DK       | T      | T       | W      |
| E        | 2    | A     | <i>Buteo buteo</i>        | bodies   | 1        |      | US       | GB       | XX     | T       | O      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                        | Term      | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Buteo jamaicensis</i>     | live      | 1        |      | CZ       | AT       |        | P       | D      |
| E        | 2    | B     | <i>Buteo jamaicensis</i>     | live      | 1        |      | CZ       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Buteo jamaicensis</i>     | live      | 1        |      | HU       | AT       |        | P       | C      |
| E        | 2    | B     | <i>Buteo jamaicensis</i>     | live      | 1        |      | SK       | AT       |        | P       | C      |
| E        | 2    | B     | <i>Buteo jamaicensis</i>     | live      | 2        |      | SK       | AT       |        | P       | D      |
| E        | 2    | A     | <i>Buteo lagopus</i>         | bodies    | 2        |      | NO       | DK       |        | T       | W      |
| E        | 2    | B     | <i>Buteo platypterus</i>     | feet      | 1        |      | US       | GB       | US     | E       | W      |
| E        | 2    | B     | <i>Circus maillardi</i>      | live      | 1        |      | MU       | FR       | RE     | B       | I      |
| E        | 2    | A     | <i>Gypaetus barbatus</i>     | live      | 2        |      | CH       | AT       |        | N       | C      |
| E        | 2    | A     | <i>Gypaetus barbatus</i>     | live      | 1        |      | CH       | AT       | CH     | N       | C      |
| E        | 2    | A     | <i>Gypaetus barbatus</i>     | live      | 1        |      | CH       | AT       | RU     | N       | C      |
| E        | 2    | A     | <i>Gypaetus barbatus</i>     | live      | 1        |      | CZ       | FI       | RU     | Z       | C      |
| E        | 2    | A     | <i>Gypaetus barbatus</i>     | live      | 1        |      | CZ       | FR       |        | Z       | C      |
| E        | 2    | B     | <i>Gyps coprotheres</i>      | skulls    | 1        |      | ZA       | NL       | ZA     | E       | W      |
| E        | 2    | A     | <i>Gyps fulvus</i>           | feathers  | 65       |      | US       | DE       |        | P       | C      |
| E        | 2    | A     | <i>Gyps fulvus</i>           | live      | 2        |      | HU       | ES       |        | N       | C      |
| E        | 2    | A     | <i>Gyps fulvus</i>           | live      | 1        |      | IL       | NL       |        | Z       | C      |
| E        | 2    | A     | <i>Haliaeetus vocifer</i>    | bodies    | 1        |      | ZA       | NL       |        | E       | W      |
| E        | 2    | A     | <i>Milvus migrans</i>        | live      | 1        |      | HU       | DE       |        | B       | W      |
| E        | 2    | A     | <i>Milvus migrans</i>        | live      | 4        |      | SK       | AT       |        | N       | W      |
| E        | 2    | A     | <i>Milvus migrans</i>        | specimens | 500      |      | US       | ES       |        | S       | W      |
| E        | 2    | A     | <i>Milvus milvus</i>         | live      | 2        |      | HU       | DE       |        | B       | W      |
| E        | 2    | B     | <i>Necrosyrtes monachus</i>  | live      | 2        |      | JP       | NL       | GN     | T       | W      |
| E        | 2    | A     | <i>Neophron percnopterus</i> | live      | 1        |      | CH       | FR       |        | Z       | O      |
| E        | 2    | B     | <i>Parabuteo unicinctus</i>  | live      | 1        |      | CZ       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Parabuteo unicinctus</i>  | live      | 1        |      | CZ       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Parabuteo unicinctus</i>  | live      | 2        |      | IL       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Parabuteo unicinctus</i>  | live      | 4        |      | IL       | NL       | BE     | T       | C      |
| E        | 2    | B     | <i>Parabuteo unicinctus</i>  | live      | 1        |      | JP       | GB       |        | B       | C      |
| E        | 2    | B     | <i>Parabuteo unicinctus</i>  | live      | 1        |      | JP       | GB       |        | P       | C      |
| E        | 2    | B     | <i>Parabuteo unicinctus</i>  | live      | 2        |      | JP       | GB       |        | E       | C      |
| E        | 2    | B     | <i>Falco hybrid</i>          | live      | 1        |      | AE       | ES       | DE     | T       | D      |
| E        | 2    | A     | <i>Falco biarmicus</i>       | live      | 1        |      | CZ       | AT       |        | T       | D      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                           | Term     | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | A     | <i>Falco biarmicus</i>          | live     | 1        |      | HU       | AT       |        | P       | D      |
| E        | 2    | A     | <i>Falco biarmicus</i>          | live     | 1        |      | JP       | GB       |        | T       | C      |
| E        | 2    | A     | <i>Falco biarmicus</i>          | live     | 2        |      | JP       | GB       |        | E       | C      |
| E        | 2    | A     | <i>Falco cherrug</i>            | live     | 8        |      | AE       | DE       |        | T       | C      |
| E        | 2    | A     | <i>Falco cherrug</i>            | live     | 27       |      | AE       | DE       |        | T       | D      |
| E        | 2    | A     | <i>Falco cherrug</i>            | live     | 13       |      | AE       | GB       |        | T       | C      |
| E        | 2    | A     | <i>Falco cherrug</i>            | live     | 1        |      | CA       | GB       |        | T       | C      |
| E        | 2    | A     | <i>Falco cherrug</i>            | live     | 2        |      | IL       | NL       |        | T       | C      |
| E        | 2    | A     | <i>Falco cherrug</i>            | live     | 2        |      | JP       | GB       |        | T       | C      |
| E        | 2    | A     | <i>Falco cherrug</i>            | live     | 1        |      | SA       | GB       |        | P       | C      |
| E        | 2    | A     | <i>Falco cherrug</i>            | live     | 1        |      | XX       | GB       |        | T       | C      |
| E        | 2    | A     | <i>Falco columbarius</i>        | live     | 1        |      | CH       | GB       |        | B       | C      |
| E        | 2    | B     | <i>Falco mexicanus</i>          | live     | 3        |      | ZA       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Falco sparverius</i>         | bodies   | 1        |      | NO       | DK       |        | T       | O      |
| E        | 2    | B     | <i>Falco sparverius</i>         | bodies   | 3        |      | US       | GB       | US     | E       | W      |
| E        | 2    | A     | <i>Falco subbuteo</i>           | feet     | 1        |      | CH       | DE       |        | T       | C      |
| E        | 2    | A     | <i>Falco subbuteo</i>           | live     | 2        |      | NA       | DE       |        | N       | W      |
| E        | 2    | A     | <i>Falco tinnunculus</i>        | live     | 1        |      | NO       | DK       |        | T       | O      |
| E        | 2    | A     | <i>Falco tinnunculus</i>        | bodies   | 4        |      | NO       | DK       |        | T       | W      |
| E        | 2    | A     | <i>Falco tinnunculus</i>        | bodies   | 4        |      | NO       | DK       |        | E       | W      |
| E        | 2    | B     | <i>Microhierax erythrogenys</i> | live     | 1        |      | JP       | GB       |        | P       | C      |
| E        | 2    | B     | <i>Microhierax melanoleucus</i> | bodies   | 1        |      | US       | GB       | XX     | T       | O      |
| E        | 2    | B     | <i>Argusianus argus</i>         | bodies   | 1        |      | NO       | DK       |        | T       | C      |
| E        | 2    | B     | <i>Argusianus argus</i>         | bodies   | 1        |      | NO       | DK       |        | T       | C      |
| E        | 2    | B     | <i>Argusianus argus</i>         | feathers | 4        |      | AU       | DK       |        | P       | C      |
| E        | 2    | B     | <i>Argusianus argus</i>         | feathers | 6        |      | NO       | DK       |        | T       | C      |
| E        | 2    | B     | <i>Argusianus argus</i>         | feathers | 30       |      | NO       | DK       |        | T       | C      |
| E        | 2    | B     | <i>Argusianus argus</i>         | live     | 4        |      | BR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Argusianus argus</i>         | live     | 2        |      | CH       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Argusianus argus</i>         | live     | 8        |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Argusianus argus</i>         | live     | 1        |      | RU       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Gallus sonneratii</i>        | feathers | 8        |      | NO       | DK       |        | P       | C      |
| E        | 2    | B     | <i>Gallus sonneratii</i>        | feathers | 12       |      | NO       | DK       |        | T       | C      |
| E        | 2    | B     | <i>Gallus sonneratii</i>        | feathers | 120      |      | NO       | GB       |        | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                            | Term     | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Gallus sonneratii</i>         | live     | 2        |      | NO       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Gallus sonneratii</i>         | live     | 15       |      | PK       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Ithaginis cruentus</i>        | live     | 1        |      | CH       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Pavo muticus</i>              | live     | 1        |      | CH       | GB       |        | B       | C      |
| E        | 2    | B     | <i>Pavo muticus</i>              | live     | 3        |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Pavo muticus</i>              | live     | 6        |      | PK       | GB       |        | B       | C      |
| E        | 2    | B     | <i>Polyplectron bicalcaratum</i> | feathers | 12       |      | NO       | DK       |        | P       | C      |
| E        | 2    | B     | <i>Polyplectron bicalcaratum</i> | feathers | 20       |      | NO       | DK       |        | T       | C      |
| E        | 2    | B     | <i>Polyplectron bicalcaratum</i> | live     | 8        |      | AR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polyplectron bicalcaratum</i> | live     | 4        |      | BH       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polyplectron bicalcaratum</i> | live     | 5        |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polyplectron bicalcaratum</i> | live     | 2        |      | KR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polyplectron bicalcaratum</i> | live     | 3        |      | MU       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polyplectron bicalcaratum</i> | live     | 6        |      | MX       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polyplectron bicalcaratum</i> | live     | 23       |      | PK       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polyplectron bicalcaratum</i> | live     | 12       |      | QA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polyplectron bicalcaratum</i> | live     | 2        |      | ZA       | NL       |        | B       | C      |
| E        | 2    | B     | <i>Polyplectron bicalcaratum</i> | live     | 2        |      | ZA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polyplectron germaini</i>     | skins    | 1        |      | NO       | DK       |        | P       | C      |
| E        | 2    | B     | <i>Polyplectron germaini</i>     | live     | 6        |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Balearica pavonina</i>        | live     | 3        |      | US       | BE       |        | B       | C      |
| E        | 2    | B     | <i>Balearica pavonina</i>        | live     | 5        |      | CL       | NL       | GN     | T       | W      |
| E        | 2    | B     | <i>Balearica regulorum</i>       | live     | 14       |      | JP       | NL       | ML     | T       | W      |
| E        | 2    | B     | <i>Balearica regulorum</i>       | live     | 16       |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Balearica regulorum</i>       | live     | 2        |      | MA       | ES       | NL     | T       | C      |
| E        | 2    | B     | <i>Balearica regulorum</i>       | live     | 2        |      | MA       | ES       | TZ     | T       | W      |
| E        | 2    | B     | <i>Balearica regulorum</i>       | live     | 3        |      | SG       | NL       | TZ     | Z       | W      |
| E        | 2    | B     | <i>Balearica regulorum</i>       | live     | 2        |      | ZA       | NL       | XX     | N       | U      |
| E        | 2    | B     | <i>Grus antigone</i>             | bodies   | 1        |      | CH       | FR       |        | E       | O      |
| E        | 2    | B     | <i>Grus antigone</i>             | bodies   | 1        |      | NO       | DK       |        | T       | O      |
| E        | 2    | B     | <i>Grus antigone</i>             | live     | 6        |      | CA       | NL       |        | T       | C      |
| E        | 2    | A     | <i>Grus grus</i>                 | live     | 1        |      | PL       | NL       | XX     | Z       | O      |
| E        | 2    | B     | <i>Grus paradisea</i>            | bodies   | 1        |      | ZA       | NL       | ZA     | E       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                        | Term     | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Grus paradisea</i>        | feathers | 10       |      | ZA       | NL       | ZA     | E       | W      |
| E        | 2    | B     | <i>Grus vipio</i>            | live     | 1        |      | CZ       | BE       |        | B       | C      |
| E        | 2    | B     | <i>Grus virgo</i>            | bodies   | 1        |      | NO       | DK       |        | T       | C      |
| E        | 2    | B     | <i>Grus virgo</i>            | live     | 4        |      | DO       | NL       | RU     | T       | W      |
| E        | 2    | B     | <i>Grus virgo</i>            | live     | 10       |      | MU       | NL       | RU     | T       | W      |
| E        | 2    | B     | <i>Grus virgo</i>            | live     | 4        |      | NC       | DE       |        | B       | C      |
| E        | 2    | B     | <i>Ardeotis kori</i>         | feathers | 6        |      | NO       | DK       |        | P       | C      |
| E        | 2    | B     | <i>Ardeotis kori</i>         | feathers | 10       |      | NO       | DK       |        | T       | C      |
| E        | 2    | B     | <i>Ardeotis kori</i>         | feathers | 3        |      | NO       | DK       | DE     | P       | C      |
| E        | 2    | B     | <i>Ardeotis kori</i>         | feathers | 34       |      | NO       | DK       | DE     | T       | C      |
| E        | 2    | B     | <i>Gallicolumba luzonica</i> | live     | 2        |      | BS       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Gallicolumba luzonica</i> | live     | 4        |      | SA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Goura cristata</i>        | live     | 2        |      | CH       | DE       | PH     | T       | C      |
| E        | 2    | B     | <i>Goura cristata</i>        | live     | 3        |      | SR       | NL       | SG     | T       | C      |
| E        | 2    | B     | <i>Goura victoria</i>        | live     | 3        |      | CH       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Goura victoria</i>        | live     | 2        |      | CH       | NL       | PH     | T       | C      |
| E        | 2    | B     | <i>Goura victoria</i>        | live     | 2        |      | CZ       | NL       |        | Z       | C      |
| E        | 2    | B     | <i>Agapornis canus</i>       | live     | 40       |      | AN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis canus</i>       | live     | 4        |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis canus</i>       | live     | 180      |      | CA       | NL       | MG     | T       | W      |
| E        | 2    | B     | <i>Agapornis canus</i>       | live     | 114      |      | CN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis canus</i>       | live     | 2        |      | JP       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis canus</i>       | live     | 10       |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis canus</i>       | live     | 4        |      | MT       | BE       | MG     | T       | W      |
| E        | 2    | B     | <i>Agapornis canus</i>       | live     | 2        |      | PK       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis canus</i>       | live     | 6        |      | TH       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis canus</i>       | live     | 142      |      | TW       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis canus</i>       | live     | 50       |      | TW       | NL       | MG     | T       | W      |
| E        | 2    | B     | <i>Agapornis fischeri</i>    | live     | 20       |      | AD       | ES       | CZ     | T       | C      |
| E        | 2    | B     | <i>Agapornis fischeri</i>    | live     | 230      |      | AN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis fischeri</i>    | live     | 10       |      | AO       | PT       | NL     | T       | C      |
| E        | 2    | B     | <i>Agapornis fischeri</i>    | live     | 2        |      | AR       | DK       | UA     | P       | C      |
| E        | 2    | B     | <i>Agapornis fischeri</i>    | live     | 136      |      | AW       | NL       |        | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon              | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | Agapornis fischeri | live | 95       |      | BR       | ES       | CZ     | T       | C      |
| E        | 2    | B     | Agapornis fischeri | live | 36       |      | BR       | NL       | T      | T       | C      |
| E        | 2    | B     | Agapornis fischeri | live | 40       |      | CA       | FR       | NL     | T       | C      |
| E        | 2    | B     | Agapornis fischeri | live | 380      |      | CA       | NL       | T      | T       | C      |
| E        | 2    | B     | Agapornis fischeri | live | 1        |      | CH       | NL       | CH     | T       | C      |
| E        | 2    | B     | Agapornis fischeri | live | 2960     |      | CN       | NL       | T      | T       | C      |
| E        | 2    | B     | Agapornis fischeri | live | 20       |      | CO       | NL       | T      | T       | C      |
| E        | 2    | B     | Agapornis fischeri | live | 102      |      | CR       | NL       | T      | T       | C      |
| E        | 2    | B     | Agapornis fischeri | live | 46       |      | CY       | GB       | T      | T       | C      |
| E        | 2    | B     | Agapornis fischeri | live | 180      |      | GT       | NL       | T      | T       | C      |
| E        | 2    | B     | Agapornis fischeri | live | 50       |      | HK       | ES       | ZA     | T       | C      |
| E        | 2    | B     | Agapornis fischeri | live | 40       |      | HN       | NL       | T      | T       | C      |
| E        | 2    | B     | Agapornis fischeri | live | 8        |      | IS       | GB       | T      | T       | C      |
| E        | 2    | B     | Agapornis fischeri | live | 100      |      | JO       | NL       | T      | T       | C      |
| E        | 2    | B     | Agapornis fischeri | live | 15       |      | JP       | BE       | T      | T       | C      |
| E        | 2    | B     | Agapornis fischeri | live | 520      |      | JP       | NL       | T      | T       | C      |
| E        | 2    | B     | Agapornis fischeri | live | 300      |      | KR       | NL       | T      | T       | C      |
| E        | 2    | B     | Agapornis fischeri | live | 450      |      | KW       | NL       | T      | T       | C      |
| E        | 2    | B     | Agapornis fischeri | live | 20       |      | LK       | NL       | T      | T       | C      |
| E        | 2    | B     | Agapornis fischeri | live | 30       |      | ML       | ES       | ZA     | T       | C      |
| E        | 2    | B     | Agapornis fischeri | live | 60       |      | MU       | NL       | T      | T       | C      |
| E        | 2    | B     | Agapornis fischeri | live | 177      |      | MX       | BE       | T      | T       | C      |
| E        | 2    | B     | Agapornis fischeri | live | 30       |      | MY       | BE       | T      | T       | C      |
| E        | 2    | B     | Agapornis fischeri | live | 18       |      | NI       | NL       | T      | T       | C      |
| E        | 2    | B     | Agapornis fischeri | live | 28       |      | PA       | NL       | T      | T       | C      |
| E        | 2    | B     | Agapornis fischeri | live | 50       |      | PH       | NL       | T      | T       | C      |
| E        | 2    | B     | Agapornis fischeri | live | 6        |      | PK       | NL       | T      | T       | C      |
| E        | 2    | B     | Agapornis fischeri | live | 520      |      | SA       | NL       | T      | T       | C      |
| E        | 2    | B     | Agapornis fischeri | live | 100      |      | SG       | NL       | T      | T       | C      |
| E        | 2    | B     | Agapornis fischeri | live | 6        |      | SV       | NL       | T      | T       | C      |
| E        | 2    | B     | Agapornis fischeri | live | 517      |      | TH       | NL       | T      | T       | C      |
| E        | 2    | B     | Agapornis fischeri | live | 4        |      | TN       | BE       | NL     | T       | C      |
| E        | 2    | B     | Agapornis fischeri | live | 30       |      | TN       | NL       | T      | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                       | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Agapornis fischeri</i>   | live | 5        |      | TR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis fischeri</i>   | live | 66       |      | TT       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis fischeri</i>   | live | 5        |      | TW       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis fischeri</i>   | live | 251      |      | TW       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis fischeri</i>   | live | 20       |      | US       | ES       | ZA     | T       | C      |
| E        | 2    | B     | <i>Agapornis fischeri</i>   | live | 24       |      | US       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis fischeri</i>   | live | 56       |      | VE       | NL       |        | TT      | C      |
| E        | 2    | B     | <i>Agapornis fischeri</i>   | live | 200      |      | VN       | NL       |        | TT      | C      |
| E        | 2    | B     | <i>Agapornis lilianae</i>   | live | 4        |      | CL       | NL       |        | TT      | C      |
| E        | 2    | B     | <i>Agapornis lilianae</i>   | live | 200      |      | CN       | NL       |        | TT      | C      |
| E        | 2    | B     | <i>Agapornis lilianae</i>   | live | 6        |      | TH       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis lilianae</i>   | live | 60       |      | TW       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis nigrigenis</i> | live | 68       |      | AN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis nigrigenis</i> | live | 4        |      | BR       | NL       |        | P       | C      |
| E        | 2    | B     | <i>Agapornis nigrigenis</i> | live | 10       |      | BR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis nigrigenis</i> | live | 274      |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis nigrigenis</i> | live | 1        |      | CH       | NL       | CH     | TT      | C      |
| E        | 2    | B     | <i>Agapornis nigrigenis</i> | live | 4        |      | CL       | NL       |        | TT      | C      |
| E        | 2    | B     | <i>Agapornis nigrigenis</i> | live | 1600     |      | CN       | NL       |        | TT      | C      |
| E        | 2    | B     | <i>Agapornis nigrigenis</i> | live | 8        |      | JP       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis nigrigenis</i> | live | 16       |      | LK       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis nigrigenis</i> | live | 4        |      | MT       | NL       | MT     | E       | C      |
| E        | 2    | B     | <i>Agapornis nigrigenis</i> | live | 20       |      | MU       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis nigrigenis</i> | live | 40       |      | PH       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis nigrigenis</i> | live | 100      |      | TH       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis nigrigenis</i> | live | 10       |      | VE       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis personatus</i> | live | 20       |      | AD       | ES       | ZA     | T       | C      |
| E        | 2    | B     | <i>Agapornis personatus</i> | live | 10       |      | AE       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis personatus</i> | live | 50       |      | AE       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis personatus</i> | live | 294      |      | AN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis personatus</i> | live | 10       |      | AO       | PT       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis personatus</i> | live | 6        |      | AO       | PT       | NL     | T       | C      |
| E        | 2    | B     | <i>Agapornis personatus</i> | live | 24       |      | AR       | NL       |        | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | Agapornis personatus | live | 243      |      | AW       | NL       |        | T       | C      |
| E        | 2    | B     | Agapornis personatus | live | 2        |      | BH       | BE       |        | T       | C      |
| E        | 2    | B     | Agapornis personatus | live | 16       |      | BH       | NL       |        | T       | C      |
| E        | 2    | B     | Agapornis personatus | live | 8        |      | BR       | DE       |        | T       | C      |
| E        | 2    | B     | Agapornis personatus | live | 40       |      | BR       | ES       | CZ     | T       | C      |
| E        | 2    | B     | Agapornis personatus | live | 244      |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | Agapornis personatus | live | 40       |      | CH       | ES       | CZ     | T       | C      |
| E        | 2    | B     | Agapornis personatus | live | 20       |      | CL       | ES       | ZA     | T       | C      |
| E        | 2    | B     | Agapornis personatus | live | 30       |      | CL       | NL       |        | T       | C      |
| E        | 2    | B     | Agapornis personatus | live | 24       |      | CN       | DE       |        | T       | C      |
| E        | 2    | B     | Agapornis personatus | live | 11752    |      | CN       | NL       |        | T       | C      |
| E        | 2    | B     | Agapornis personatus | live | 50       |      | CO       | BE       |        | T       | C      |
| E        | 2    | B     | Agapornis personatus | live | 130      |      | CO       | NL       |        | T       | C      |
| E        | 2    | B     | Agapornis personatus | live | 20       |      | CR       | DE       |        | P       | C      |
| E        | 2    | B     | Agapornis personatus | live | 20       |      | CR       | DE       |        | T       | C      |
| E        | 2    | B     | Agapornis personatus | live | 2        |      | CR       | FR       | NL     | B       | C      |
| E        | 2    | B     | Agapornis personatus | live | 133      |      | CR       | NL       |        | T       | C      |
| E        | 2    | B     | Agapornis personatus | live | 4        |      | CU       | ES       | BE     | T       | C      |
| E        | 2    | B     | Agapornis personatus | live | 80       |      | CY       | GB       |        | T       | C      |
| E        | 2    | B     | Agapornis personatus | live | 100      |      | CY       | NL       |        | T       | C      |
| E        | 2    | B     | Agapornis personatus | live | 10       |      | DO       | NL       |        | T       | C      |
| E        | 2    | B     | Agapornis personatus | live | 182      |      | GT       | NL       |        | T       | C      |
| E        | 2    | B     | Agapornis personatus | live | 50       |      | HN       | NL       |        | T       | C      |
| E        | 2    | B     | Agapornis personatus | live | 24       |      | HT       | NL       |        | T       | C      |
| E        | 2    | B     | Agapornis personatus | live | 8        |      | IS       | GB       |        | T       | C      |
| E        | 2    | B     | Agapornis personatus | live | 100      |      | JO       | NL       |        | T       | C      |
| E        | 2    | B     | Agapornis personatus | live | 16       |      | JP       | BE       |        | T       | C      |
| E        | 2    | B     | Agapornis personatus | live | 542      |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | Agapornis personatus | live | 300      |      | KR       | NL       |        | T       | C      |
| E        | 2    | B     | Agapornis personatus | live | 450      |      | KW       | NL       |        | T       | C      |
| E        | 2    | B     | Agapornis personatus | live | 128      |      | LK       | NL       |        | T       | C      |
| E        | 2    | B     | Agapornis personatus | live | 14       |      | MT       | BE       |        | T       | C      |
| E        | 2    | B     | Agapornis personatus | live | 4        |      | MT       | NL       | MT     | E       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                        | Term     | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Agapornis personatus</i>  | live     | 170      |      | MU       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis personatus</i>  | live     | 8        |      | MV       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis personatus</i>  | live     | 225      |      | MX       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis personatus</i>  | live     | 12       |      | NI       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis personatus</i>  | live     | 18       |      | PA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis personatus</i>  | live     | 100      |      | PH       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis personatus</i>  | live     | 17       |      | PK       | NL       |        | TT      | C      |
| E        | 2    | B     | <i>Agapornis personatus</i>  | live     | 845      |      | SA       | NL       |        | TT      | C      |
| E        | 2    | B     | <i>Agapornis personatus</i>  | live     | 100      |      | SG       | NL       |        | TP      | C      |
| E        | 2    | B     | <i>Agapornis personatus</i>  | live     | 2        |      | SR       | NL       |        | P       | C      |
| E        | 2    | B     | <i>Agapornis personatus</i>  | live     | 8        |      | SV       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis personatus</i>  | live     | 677      |      | TH       | NL       |        | TT      | C      |
| E        | 2    | B     | <i>Agapornis personatus</i>  | live     | 30       |      | TN       | NL       |        | TT      | C      |
| E        | 2    | B     | <i>Agapornis personatus</i>  | live     | 115      |      | TR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis personatus</i>  | live     | 136      |      | TT       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis personatus</i>  | live     | 29       |      | TW       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis personatus</i>  | live     | 4639     |      | TW       | NL       |        | TT      | C      |
| E        | 2    | B     | <i>Agapornis personatus</i>  | live     | 102      |      | VE       | NL       |        | TT      | C      |
| E        | 2    | B     | <i>Agapornis personatus</i>  | live     | 100      |      | VN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis personatus</i>  | live     | 100      |      | YU       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis pullarius</i>   | live     | 4        |      | CL       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis pullarius</i>   | live     | 400      |      | CN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis pullarius</i>   | live     | 10       |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis roseicollis</i> | feathers | 91       |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis roseicollis</i> | live     | 11       |      | AE       | BE       |        | TT      | C      |
| E        | 2    | B     | <i>Agapornis roseicollis</i> | live     | 20       |      | AE       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis roseicollis</i> | live     | 190      |      | AN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis roseicollis</i> | live     | 30       |      | AO       | PT       | NL     | T       | C      |
| E        | 2    | B     | <i>Agapornis roseicollis</i> | live     | 20       |      | AR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis roseicollis</i> | live     | 2        |      | AW       | NL       |        | P       | C      |
| E        | 2    | B     | <i>Agapornis roseicollis</i> | live     | 346      |      | AW       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis roseicollis</i> | live     | 308      |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis roseicollis</i> | live     | 15       |      | CH       | NL       | CH     | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                 | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | Agapornis roseicollis | live | 312      |      | CN       | DE       |        | T       | C      |
| E        | 2    | B     | Agapornis roseicollis | live | 12258    |      | CN       | NL       |        | T       | C      |
| E        | 2    | B     | Agapornis roseicollis | live | 60       |      | CO       | BE       |        | T       | C      |
| E        | 2    | B     | Agapornis roseicollis | live | 30       |      | CO       | NL       |        | T       | C      |
| E        | 2    | B     | Agapornis roseicollis | live | 6        |      | CR       | DE       |        | P       | C      |
| E        | 2    | B     | Agapornis roseicollis | live | 164      |      | CR       | NL       |        | T       | C      |
| E        | 2    | B     | Agapornis roseicollis | live | 20       |      | CY       | GB       |        | T       | C      |
| E        | 2    | B     | Agapornis roseicollis | live | 30       |      | CY       | NL       |        | T       | C      |
| E        | 2    | B     | Agapornis roseicollis | live | 195      |      | GT       | NL       |        | T       | C      |
| E        | 2    | B     | Agapornis roseicollis | live | 32       |      | HN       | BE       |        | T       | C      |
| E        | 2    | B     | Agapornis roseicollis | live | 20       |      | HN       | NL       |        | T       | C      |
| E        | 2    | B     | Agapornis roseicollis | live | 16       |      | HT       | NL       |        | T       | C      |
| E        | 2    | B     | Agapornis roseicollis | live | 20       |      | IS       | GB       |        | T       | C      |
| E        | 2    | B     | Agapornis roseicollis | live | 100      |      | JO       | NL       |        | T       | C      |
| E        | 2    | B     | Agapornis roseicollis | live | 7        |      | JP       | BE       |        | T       | C      |
| E        | 2    | B     | Agapornis roseicollis | live | 776      |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | Agapornis roseicollis | live | 300      |      | KR       | NL       |        | T       | C      |
| E        | 2    | B     | Agapornis roseicollis | live | 19       |      | KW       | BE       |        | T       | C      |
| E        | 2    | B     | Agapornis roseicollis | live | 450      |      | KW       | NL       |        | T       | C      |
| E        | 2    | B     | Agapornis roseicollis | live | 100      |      | LB       | NL       |        | T       | C      |
| E        | 2    | B     | Agapornis roseicollis | live | 10       |      | LK       | NL       |        | T       | C      |
| E        | 2    | B     | Agapornis roseicollis | live | 15       |      | MT       | BE       |        | T       | C      |
| E        | 2    | B     | Agapornis roseicollis | live | 14       |      | MT       | GB       |        | T       | C      |
| E        | 2    | B     | Agapornis roseicollis | live | 2        |      | MT       | NL       |        | MT      | C      |
| E        | 2    | B     | Agapornis roseicollis | live | 66       |      | MU       | NL       |        | T       | C      |
| E        | 2    | B     | Agapornis roseicollis | live | 32       |      | MV       | BE       |        | T       | C      |
| E        | 2    | B     | Agapornis roseicollis | live | 275      |      | MX       | BE       |        | T       | C      |
| E        | 2    | B     | Agapornis roseicollis | live | 45       |      | MY       | BE       |        | T       | C      |
| E        | 2    | B     | Agapornis roseicollis | live | 30       |      | NI       | NL       |        | T       | C      |
| E        | 2    | B     | Agapornis roseicollis | live | 144      |      | PA       | NL       |        | T       | C      |
| E        | 2    | B     | Agapornis roseicollis | live | 215      |      | PH       | NL       |        | T       | C      |
| E        | 2    | B     | Agapornis roseicollis | live | 1365     |      | SA       | NL       |        | T       | C      |
| E        | 2    | B     | Agapornis roseicollis | live | 250      |      | SG       | NL       |        | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                        | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Agapornis roseicollis</i> | live | 2        |      | SI       | NL       | SI     | T       | C      |
| E        | 2    | B     | <i>Agapornis roseicollis</i> | live | 6        |      | SV       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis roseicollis</i> | live | 1249     |      | TH       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis roseicollis</i> | live | 16       |      | TN       | BE       | NL     | T       | C      |
| E        | 2    | B     | <i>Agapornis roseicollis</i> | live | 30       |      | TN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis roseicollis</i> | live | 80       |      | TT       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis roseicollis</i> | live | 51       |      | TW       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis roseicollis</i> | live | 5503     |      | TW       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis roseicollis</i> | live | 1        |      | US       | IE       | US     | P       | C      |
| E        | 2    | B     | <i>Agapornis roseicollis</i> | live | 72       |      | VE       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis roseicollis</i> | live | 100      |      | VN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis taranta</i>     | live | 24       |      | AN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis taranta</i>     | live | 4        |      | BR       | DE       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis taranta</i>     | live | 4        |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis taranta</i>     | live | 2        |      | CH       | NL       | CH     | T       | C      |
| E        | 2    | B     | <i>Agapornis taranta</i>     | live | 7        |      | CL       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis taranta</i>     | live | 2        |      | JP       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis taranta</i>     | live | 16       |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis taranta</i>     | live | 26       |      | TH       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Agapornis taranta</i>     | live | 56       |      | TW       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Alisterus amboinensis</i> | live | 1        |      | ZW       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Alisterus scapularis</i>  | live | 1        |      | AR       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Alisterus scapularis</i>  | live | 4        |      | BR       | ES       | PT     | T       | C      |
| E        | 2    | B     | <i>Alisterus scapularis</i>  | live | 62       |      | BR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Alisterus scapularis</i>  | live | 4        |      | BS       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Alisterus scapularis</i>  | live | 7        |      | CA       | DE       |        | T       | C      |
| E        | 2    | B     | <i>Alisterus scapularis</i>  | live | 25       |      | IL       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Alisterus scapularis</i>  | live | 26       |      | JP       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Alisterus scapularis</i>  | live | 11       |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Alisterus scapularis</i>  | live | 1        |      | PK       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Alisterus scapularis</i>  | live | 4        |      | PL       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Alisterus scapularis</i>  | live | 10       |      | ZA       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Alisterus scapularis</i>  | live | 20       |      | ZA       | NL       |        | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                       | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Alisterus scapularis</i> | live | 2        |      | ZW       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Amazona spp.</i>         | live | 1        |      | EE       | FI       |        | P       | U      |
| E        | 2    | B     | <i>Amazona aestiva</i>      | live | 4        |      | BS       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Amazona aestiva</i>      | live | 1        |      | CA       | PT       | CA     | P       | C      |
| E        | 2    | B     | <i>Amazona aestiva</i>      | live | 1        |      | CA       | PT       | CA     | T       | C      |
| E        | 2    | B     | <i>Amazona aestiva</i>      | live | 1        |      | CH       | ES       | AR     | T       | W      |
| E        | 2    | B     | <i>Amazona aestiva</i>      | live | 1        |      | CH       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Amazona aestiva</i>      | live | 1        |      | CZ       | DE       | XX     | P       | O      |
| E        | 2    | B     | <i>Amazona aestiva</i>      | live | 4        |      | DO       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Amazona aestiva</i>      | live | 1        |      | EG       | DE       | XX     | P       | O      |
| E        | 2    | B     | <i>Amazona aestiva</i>      | live | 2        |      | GA       | FR       | US     | B       | C      |
| E        | 2    | B     | <i>Amazona aestiva</i>      | live | 1        |      | IL       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Amazona aestiva</i>      | live | 2        |      | IL       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Amazona aestiva</i>      | live | 1        |      | IS       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Amazona aestiva</i>      | live | 2        |      | JP       | BE       | DE     | T       | C      |
| E        | 2    | B     | <i>Amazona aestiva</i>      | live | 2        |      | JP       | BE       | NL     | T       | C      |
| E        | 2    | B     | <i>Amazona aestiva</i>      | live | 28       |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Amazona aestiva</i>      | live | 1        |      | KW       | FR       | XX     | S       | U      |
| E        | 2    | B     | <i>Amazona aestiva</i>      | live | 1        |      | MX       | FR       |        | B       | C      |
| E        | 2    | B     | <i>Amazona aestiva</i>      | live | 1        |      | MY       | SE       | PL     | P       | C      |
| E        | 2    | B     | <i>Amazona aestiva</i>      | live | 1        |      | NO       | DK       |        | B       | C      |
| E        | 2    | B     | <i>Amazona aestiva</i>      | live | 1        |      | NO       | FI       |        | P       | C      |
| E        | 2    | B     | <i>Amazona aestiva</i>      | live | 1        |      | OM       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Amazona aestiva</i>      | live | 4        |      | PH       | GB       |        | P       | C      |
| E        | 2    | B     | <i>Amazona aestiva</i>      | live | 1        |      | PH       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Amazona aestiva</i>      | live | 1        |      | PL       | DK       |        | Z       | C      |
| E        | 2    | B     | <i>Amazona aestiva</i>      | live | 3        |      | PL       | DE       |        | P       | W      |
| E        | 2    | B     | <i>Amazona aestiva</i>      | live | 1        |      | RO       | DE       |        | Y       | P      |
| E        | 2    | B     | <i>Amazona aestiva</i>      | live | 7        |      | SA       | NL       | XX     | Z       | P      |
| E        | 2    | B     | <i>Amazona aestiva</i>      | live | 1        |      | SG       | DE       | XX     | P       | I      |
| E        | 2    | B     | <i>Amazona aestiva</i>      | live | 1        |      | TH       | DE       | XX     | P       | U      |
| E        | 2    | B     | <i>Amazona aestiva</i>      | live | 3        |      | TH       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Amazona aestiva</i>      | live | 1        |      | TR       | DE       |        | P       | W      |
| E        | 2    | B     | <i>Amazona aestiva</i>      | live | 1        |      | TR       | NL       |        | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                    | Term     | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Amazona aestiva</i>   | live     | 1        |      | US       | DE       |        | P       | C      |
| E        | 2    | B     | <i>Amazona aestiva</i>   | live     | 1        |      | US       | DE       | US     | P       | F      |
| E        | 2    | B     | <i>Amazona aestiva</i>   | live     | 2        |      | US       | GB       |        | P       | C      |
| E        | 2    | B     | <i>Amazona aestiva</i>   | live     | 1        |      | US       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Amazona aestiva</i>   | live     | 2        |      | XX       | GI       | BR     |         |        |
| E        | 2    | B     | <i>Amazona aestiva</i>   | live     | 1        |      | ZW       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Amazona albifrons</i> | live     | 2        |      | BR       | DE       | NI     | T       | W      |
| E        | 2    | B     | <i>Amazona albifrons</i> | live     | 1        |      | CH       | SE       | NL     | P       | C      |
| E        | 2    | B     | <i>Amazona albifrons</i> | live     | 10       |      | CN       | DE       | NI     | T       | W      |
| E        | 2    | B     | <i>Amazona albifrons</i> | live     | 4        |      | CU       | DE       | NI     | T       | R      |
| E        | 2    | B     | <i>Amazona albifrons</i> | live     | 6        |      | CU       | NL       | NI     | T       | W      |
| E        | 2    | B     | <i>Amazona albifrons</i> | live     | 10       |      | CZ       | ES       | NI     | T       | R      |
| E        | 2    | B     | <i>Amazona albifrons</i> | live     | 2        |      | CZ       | NL       | NI     | T       | C      |
| E        | 2    | B     | <i>Amazona albifrons</i> | live     | 10       |      | CZ       | NL       | NI     | T       | R      |
| E        | 2    | B     | <i>Amazona albifrons</i> | live     | 6        |      | SI       | NL       | NI     | T       | W      |
| E        | 2    | B     | <i>Amazona albifrons</i> | live     | 8        |      | TH       | NL       | NI     | T       | R      |
| E        | 2    | B     | <i>Amazona albifrons</i> | live     | 2        |      | ZW       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Amazona amazonica</i> | feathers | 100      |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Amazona amazonica</i> | live     | 2        |      | AE       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Amazona amazonica</i> | live     | 2        |      | BD       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Amazona amazonica</i> | live     | 2        |      | CO       | IT       | GY     | P       | W      |
| E        | 2    | B     | <i>Amazona amazonica</i> | live     | 6        |      | CU       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Amazona amazonica</i> | live     | 4        |      | CY       | GB       | BE     | T       | C      |
| E        | 2    | B     | <i>Amazona amazonica</i> | live     | 20       |      | CY       | GB       | GY     | T       | W      |
| E        | 2    | B     | <i>Amazona amazonica</i> | live     | 1        |      | CY       | GR       | XX     | P       | W      |
| E        | 2    | B     | <i>Amazona amazonica</i> | live     | 7        |      | CY       | GR       | XX     | T       | W      |
| E        | 2    | B     | <i>Amazona amazonica</i> | live     | 4        |      | CY       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Amazona amazonica</i> | live     | 10       |      | CZ       | ES       | GY     | T       | W      |
| E        | 2    | B     | <i>Amazona amazonica</i> | live     | 50       |      | CZ       | NL       | GY     | T       | W      |
| E        | 2    | B     | <i>Amazona amazonica</i> | live     | 50       |      | CZ       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Amazona amazonica</i> | live     | 2        |      | EG       | BE       | SR     | T       | W      |
| E        | 2    | B     | <i>Amazona amazonica</i> | live     | 20       |      | EG       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Amazona amazonica</i> | live     | 1        |      | HU       | DE       | GY     | P       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                       | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Amazona amazonica</i>    | live | 20       |      | HU       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Amazona amazonica</i>    | live | 75       |      | IL       | NL       | GY     | T       | W      |
| E        | 2    | B     | <i>Amazona amazonica</i>    | live | 10       |      | IN       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Amazona amazonica</i>    | live | 3        |      | IS       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Amazona amazonica</i>    | live | 15       |      | IS       | GB       | GY     | T       | W      |
| E        | 2    | B     | <i>Amazona amazonica</i>    | live | 2        |      | JP       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Amazona amazonica</i>    | live | 4        |      | JP       | ES       | GY     | T       | W      |
| E        | 2    | B     | <i>Amazona amazonica</i>    | live | 100      |      | KW       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Amazona amazonica</i>    | live | 35       |      | MT       | BE       | SR     | T       | W      |
| E        | 2    | B     | <i>Amazona amazonica</i>    | live | 2        |      | MT       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Amazona amazonica</i>    | live | 10       |      | MT       | GB       | SR     | T       | W      |
| E        | 2    | B     | <i>Amazona amazonica</i>    | live | 22       |      | MU       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Amazona amazonica</i>    | live | 10       |      | MY       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Amazona amazonica</i>    | live | 1        |      | NO       | BE       | XX     | Q       | W      |
| E        | 2    | B     | <i>Amazona amazonica</i>    | live | 10       |      | PL       | NL       | GY     | T       | W      |
| E        | 2    | B     | <i>Amazona amazonica</i>    | live | 20       |      | SI       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Amazona amazonica</i>    | live | 12       |      | TR       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Amazona amazonica</i>    | live | 1        |      | US       | GB       |        | P       | C      |
| E        | 2    | B     | <i>Amazona amazonica</i>    | live | 20       |      | YU       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Amazona amazonica</i>    | live | 1        |      | ZA       | GB       |        | P       | U      |
| E        | 2    | B     | <i>Amazona amazonica</i>    | live | 60       |      | ZA       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Amazona amazonica</i>    | live | 2        |      | ZW       | GB       | GY     | T       | W      |
| E        | 2    | B     | <i>Amazona europalliata</i> | live | 5        |      | AE       | ES       | NI     | T       | R      |
| E        | 2    | B     | <i>Amazona europalliata</i> | live | 2        |      | EG       | BE       | NI     | T       | W      |
| E        | 2    | B     | <i>Amazona europalliata</i> | live | 1        |      | IL       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Amazona europalliata</i> | live | 9        |      | IL       | NL       | NI     | T       | W      |
| E        | 2    | B     | <i>Amazona europalliata</i> | live | 2        |      | JP       | BE       | FR     | T       | C      |
| E        | 2    | B     | <i>Amazona europalliata</i> | live | 3        |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Amazona europalliata</i> | live | 7        |      | KW       | NL       | NI     | T       | R      |
| E        | 2    | B     | <i>Amazona europalliata</i> | live | 18       |      | KW       | NL       | NI     | T       | W      |
| E        | 2    | B     | <i>Amazona europalliata</i> | live | 4        |      | PL       | NL       | NI     | T       | R      |
| E        | 2    | B     | <i>Amazona europalliata</i> | live | 24       |      | TH       | NL       | NI     | T       | C      |
| E        | 2    | B     | <i>Amazona europalliata</i> | live | 5        |      | TW       | NL       |        | T       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                      | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Amazona autumnalis</i>  | live | 4        |      | AE       | NL       | NI     | T       | W      |
| E        | 2    | B     | <i>Amazona autumnalis</i>  | live | 2        |      | BR       | DE       | NI     | T       | W      |
| E        | 2    | B     | <i>Amazona autumnalis</i>  | live | 1        |      | BR       | PT       | NI     | P       | R      |
| E        | 2    | B     | <i>Amazona autumnalis</i>  | live | 1        |      | CH       | DE       | NI     | P       | W      |
| E        | 2    | B     | <i>Amazona autumnalis</i>  | live | 6        |      | CU       | NL       | NI     | T       | W      |
| E        | 2    | B     | <i>Amazona autumnalis</i>  | live | 10       |      | CZ       | ES       | NI     | T       | R      |
| E        | 2    | B     | <i>Amazona autumnalis</i>  | live | 6        |      | DO       | NL       | NI     | T       | W      |
| E        | 2    | B     | <i>Amazona autumnalis</i>  | live | 2        |      | EG       | BE       | NI     | T       | W      |
| E        | 2    | B     | <i>Amazona autumnalis</i>  | live | 4        |      | HU       | NL       | NI     | T       | W      |
| E        | 2    | B     | <i>Amazona autumnalis</i>  | live | 2        |      | IL       | NL       | NI     | T       | R      |
| E        | 2    | B     | <i>Amazona autumnalis</i>  | live | 15       |      | IL       | NL       | NI     | T       | W      |
| E        | 2    | B     | <i>Amazona autumnalis</i>  | live | 1        |      | JP       | BE       | FR     | T       | C      |
| E        | 2    | B     | <i>Amazona autumnalis</i>  | live | 1        |      | JP       | BE       | NL     | T       | C      |
| E        | 2    | B     | <i>Amazona autumnalis</i>  | live | 1        |      | KM       | FR       | XX     | B       | O      |
| E        | 2    | B     | <i>Amazona autumnalis</i>  | live | 1        |      | NO       | BE       | NI     | Q       | W      |
| E        | 2    | B     | <i>Amazona autumnalis</i>  | live | 2        |      | PL       | BE       | NI     | T       | W      |
| E        | 2    | B     | <i>Amazona autumnalis</i>  | live | 12       |      | PL       | NL       | NI     | T       | W      |
| E        | 2    | B     | <i>Amazona autumnalis</i>  | live | 1        |      | SG       | DE       | NI     | P       | W      |
| E        | 2    | B     | <i>Amazona autumnalis</i>  | live | 30       |      | SG       | NL       | NI     | T       | W      |
| E        | 2    | B     | <i>Amazona autumnalis</i>  | live | 10       |      | TH       | NL       | NI     | T       | R      |
| E        | 2    | B     | <i>Amazona autumnalis</i>  | live | 2        |      | US       | DE       | HN     | P       | W      |
| E        | 2    | B     | <i>Amazona autumnalis</i>  | live | 1        |      | US       | DE       | NI     | P       | W      |
| E        | 2    | B     | <i>Amazona autumnalis</i>  | live | 6        |      | ZW       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Amazona dufresniana</i> | live | 7        |      | CH       | FR       |        | B       | F      |
| E        | 2    | B     | <i>Amazona dufresniana</i> | live | 4        |      | ZA       | GR       | XX     | T       | W      |
| E        | 2    | B     | <i>Amazona dufresniana</i> | live | 5        |      | ZA       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Amazona farinosa</i>    | live | 4        |      | AE       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Amazona farinosa</i>    | live | 1        |      | BD       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Amazona farinosa</i>    | live | 1        |      | BR       | ES       | NI     | T       | R      |
| E        | 2    | B     | <i>Amazona farinosa</i>    | live | 12       |      | CY       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Amazona farinosa</i>    | live | 4        |      | CY       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Amazona farinosa</i>    | live | 17       |      | CZ       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Amazona farinosa</i>    | live | 19       |      | IL       | NL       | GY     | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                       | Term     | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Amazona farinosa</i>     | live     | 2        |      | IL       | NL       | NI     | T       | W      |
| E        | 2    | B     | <i>Amazona farinosa</i>     | live     | 2        |      | JP       | BE       | NL     | T       | C      |
| E        | 2    | B     | <i>Amazona farinosa</i>     | live     | 1        |      | NO       | BE       | XX     | Q       | W      |
| E        | 2    | B     | <i>Amazona farinosa</i>     | live     | 3        |      | SI       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Amazona farinosa</i>     | live     | 6        |      | TR       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Amazona farinosa</i>     | live     | 1        |      | US       | DE       | XX     | P       | U      |
| E        | 2    | B     | <i>Amazona farinosa</i>     | live     | 1        |      | US       | GB       | US     | P       | F      |
| E        | 2    | B     | <i>Amazona farinosa</i>     | live     | 1        |      | YU       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Amazona farinosa</i>     | live     | 4        |      | ZW       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Amazona finschi</i>      | live     | 2        |      | AE       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Amazona finschi</i>      | live     | 2        |      | JP       | BE       | NL     | T       | C      |
| E        | 2    | B     | <i>Amazona ochrocephala</i> | feathers | 2        |      | NO       | DK       |        | T       | C      |
| E        | 2    | B     | <i>Amazona ochrocephala</i> | live     | 4        |      | AE       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Amazona ochrocephala</i> | live     | 1        |      | AR       | ES       |        | P       | C      |
| E        | 2    | B     | <i>Amazona ochrocephala</i> | live     | 2        |      | BD       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Amazona ochrocephala</i> | live     | 2        |      | BH       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Amazona ochrocephala</i> | live     | 1        |      | BR       | ES       |        | T       | C      |
| E        | 2    | B     | <i>Amazona ochrocephala</i> | live     | 1        |      | CH       | DE       |        | T       | C      |
| E        | 2    | B     | <i>Amazona ochrocephala</i> | live     | 6        |      | CU       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Amazona ochrocephala</i> | live     | 2        |      | CY       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Amazona ochrocephala</i> | live     | 1        |      | IL       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Amazona ochrocephala</i> | live     | 20       |      | IL       | NL       | GY     | T       | W      |
| E        | 2    | B     | <i>Amazona ochrocephala</i> | live     | 25       |      | IL       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Amazona ochrocephala</i> | live     | 1        |      | JP       | BE       | FR     | T       | C      |
| E        | 2    | B     | <i>Amazona ochrocephala</i> | live     | 10       |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Amazona ochrocephala</i> | live     | 3        |      | LK       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Amazona ochrocephala</i> | live     | 5        |      | MY       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Amazona ochrocephala</i> | live     | 1        |      | NO       | DE       | XX     | P       | O      |
| E        | 2    | B     | <i>Amazona ochrocephala</i> | live     | 2        |      | NO       | DK       |        | B       | C      |
| E        | 2    | B     | <i>Amazona ochrocephala</i> | live     | 1        |      | NO       | SE       |        | T       | C      |
| E        | 2    | B     | <i>Amazona ochrocephala</i> | live     | 2        |      | PL       | BE       | SR     | T       | W      |
| E        | 2    | B     | <i>Amazona ochrocephala</i> | live     | 2        |      | SA       | NL       | XX     | Z       | U      |
| E        | 2    | B     | <i>Amazona ochrocephala</i> | live     | 4        |      | SI       | NL       | SR     | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                             | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Amazona ochrocephala</i>       | live | 5        |      | TR       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Amazona ochrocephala</i>       | live | 1        |      | US       | DE       | PA     | P       | W      |
| E        | 2    | B     | <i>Amazona ochrocephala</i>       | live | 1        |      | US       | DE       | US     | P       | C      |
| E        | 2    | B     | <i>Amazona ochrocephala</i>       | live | 1        |      | US       | DE       | US     | P       | F      |
| E        | 2    | B     | <i>Amazona ochrocephala</i>       | live | 1        |      | US       | ES       | US     | P       | F      |
| E        | 2    | B     | <i>Amazona ochrocephala</i>       | live | 1        |      | US       | ES       | XX     | P       | O      |
| E        | 2    | B     | <i>Amazona ochrocephala</i>       | live | 2        |      | VN       | FR       | BE     | B       | I      |
| E        | 2    | B     | <i>Amazona ochrocephala</i>       | live | 1        |      | YU       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Amazona ochrocephala</i>       | live | 4        |      | ZW       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Amazona oratrix</i>            | live | 2        |      | AE       | BE       |        | P       | C      |
| E        | 2    | B     | <i>Amazona oratrix</i>            | live | 2        |      | AE       | BE       | NL     | T       | C      |
| E        | 2    | B     | <i>Amazona oratrix</i>            | live | 6        |      | AE       | GB       |        | P       | C      |
| E        | 2    | B     | <i>Amazona oratrix</i>            | live | 1        |      | CA       | GB       | XX     | P       | U      |
| E        | 2    | B     | <i>Amazona oratrix</i>            | live | 4        |      | IL       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Amazona oratrix</i>            | live | 4        |      | KW       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Amazona oratrix</i>            | live | 5        |      | KW       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Amazona oratrix</i>            | live | 2        |      | MV       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Amazona oratrix</i>            | live | 2        |      | QA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Amazona oratrix</i>            | live | 2        |      | ZW       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Amazona oratrix tresmariae</i> | live | 1        |      | NO       | BE       | XX     | Q       | W      |
| E        | 2    | B     | <i>Amazona ventralis</i>          | live | 1        |      | ZA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Amazona viridigenalis</i>      | live | 2        |      | ZW       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Amazona xanthops</i>           | live | 2        |      | ZW       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Aprosmictus erythropterus</i>  | live | 30       |      | BR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Aprosmictus erythropterus</i>  | live | 2        |      | CA       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Aprosmictus erythropterus</i>  | live | 2        |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Aprosmictus erythropterus</i>  | live | 2        |      | CH       | NL       | CH     | T       | C      |
| E        | 2    | B     | <i>Aprosmictus erythropterus</i>  | live | 2        |      | CY       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Aprosmictus erythropterus</i>  | live | 2        |      | DO       | NL       | SG     | T       | C      |
| E        | 2    | B     | <i>Aprosmictus erythropterus</i>  | live | 2        |      | EG       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Aprosmictus erythropterus</i>  | live | 7        |      | IL       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Aprosmictus erythropterus</i>  | live | 4        |      | IL       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Aprosmictus erythropterus</i>  | live | 19       |      | JP       | BE       |        | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                            | Term     | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Aprosmictus erythropterus</i> | live     | 40       |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Aprosmictus erythropterus</i> | live     | 3        |      | LK       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Aprosmictus erythropterus</i> | live     | 2        |      | ZW       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Ara ararauna</i>              | feathers | 20       |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Ara ararauna</i>              | feathers | 50       |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Ara ararauna</i>              | feathers | 12       |      | NO       | DK       |        | P       | C      |
| E        | 2    | B     | <i>Ara ararauna</i>              | feathers | 6        |      | NO       | DK       | XX     | T       | C      |
| E        | 2    | B     | <i>Ara ararauna</i>              | live     | 2        |      | AO       | PT       | SR     | T       | W      |
| E        | 2    | B     | <i>Ara ararauna</i>              | live     | 2        |      | AR       | BE       | SR     | T       | W      |
| E        | 2    | B     | <i>Ara ararauna</i>              | live     | 1        |      | AW       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Ara ararauna</i>              | live     | 2        |      | BD       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Ara ararauna</i>              | live     | 1        |      | CI       | BE       | SR     | B       | W      |
| E        | 2    | B     | <i>Ara ararauna</i>              | live     | 5        |      | CN       | DE       | GY     | T       | W      |
| E        | 2    | B     | <i>Ara ararauna</i>              | live     | 30       |      | CN       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Ara ararauna</i>              | live     | 1        |      | CY       | GB       | GY     | T       | W      |
| E        | 2    | B     | <i>Ara ararauna</i>              | live     | 3        |      | CY       | GR       | XX     | T       | W      |
| E        | 2    | B     | <i>Ara ararauna</i>              | live     | 1        |      | CZ       | NL       |        | Z       | C      |
| E        | 2    | B     | <i>Ara ararauna</i>              | live     | 1        |      | CZ       | NL       |        | Z       | C      |
| E        | 2    | B     | <i>Ara ararauna</i>              | live     | 12       |      | CZ       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Ara ararauna</i>              | live     | 2        |      | DO       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Ara ararauna</i>              | live     | 2        |      | EG       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Ara ararauna</i>              | live     | 3        |      | HU       | NL       | GY     | T       | W      |
| E        | 2    | B     | <i>Ara ararauna</i>              | live     | 2        |      | IL       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Ara ararauna</i>              | live     | 15       |      | IL       | NL       | GY     | T       | W      |
| E        | 2    | B     | <i>Ara ararauna</i>              | live     | 10       |      | KW       | NL       | GY     | T       | W      |
| E        | 2    | B     | <i>Ara ararauna</i>              | live     | 2        |      | LK       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Ara ararauna</i>              | live     | 1        |      | LV       | NL       |        | Z       | C      |
| E        | 2    | B     | <i>Ara ararauna</i>              | live     | 3        |      | MT       | AT       | GY     | Q       | W      |
| E        | 2    | B     | <i>Ara ararauna</i>              | live     | 1        |      | MT       | BE       | GY     | T       | W      |
| E        | 2    | B     | <i>Ara ararauna</i>              | live     | 7        |      | MT       | BE       | SR     | T       | W      |
| E        | 2    | B     | <i>Ara ararauna</i>              | live     | 1        |      | MT       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Ara ararauna</i>              | live     | 1        |      | MV       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Ara ararauna</i>              | live     | 1        |      | MY       | IT       | SR     | Q       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                   | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Ara ararauna</i>     | live | 2        |      | NO       | BE       | XX     | Q       | W      |
| E        | 2    | B     | <i>Ara ararauna</i>     | live | 2        |      | NO       | FI       | NO     | P       | C      |
| E        | 2    | B     | <i>Ara ararauna</i>     | live | 10       |      | PK       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Ara ararauna</i>     | live | 2        |      | PL       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Ara ararauna</i>     | live | 2        |      | PL       | BE       | SR     | T       | W      |
| E        | 2    | B     | <i>Ara ararauna</i>     | live | 2        |      | PL       | DE       |        | Z       | C      |
| E        | 2    | B     | <i>Ara ararauna</i>     | live | 2        |      | PL       | NL       |        | Z       | C      |
| E        | 2    | B     | <i>Ara ararauna</i>     | live | 6        |      | PL       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Ara ararauna</i>     | live | 1        |      | QA       | NL       | GY     | T       | W      |
| E        | 2    | B     | <i>Ara ararauna</i>     | live | 3        |      | RO       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Ara ararauna</i>     | live | 6        |      | RU       | DE       | PH     | T       | C      |
| E        | 2    | B     | <i>Ara ararauna</i>     | live | 1        |      | RU       | FR       | RU     | Q       | C      |
| E        | 2    | B     | <i>Ara ararauna</i>     | live | 6        |      | SA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Ara ararauna</i>     | live | 2        |      | SI       | DE       | XX     | Z       | O      |
| E        | 2    | B     | <i>Ara ararauna</i>     | live | 2        |      | SI       | NL       | GY     | T       | W      |
| E        | 2    | B     | <i>Ara ararauna</i>     | live | 4        |      | SI       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Ara ararauna</i>     | live | 6        |      | TH       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Ara ararauna</i>     | live | 1        |      | TR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Ara ararauna</i>     | live | 2        |      | TR       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Ara ararauna</i>     | live | 5        |      | TW       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Ara ararauna</i>     | live | 2        |      | UA       | NL       |        | Z       | C      |
| E        | 2    | B     | <i>Ara ararauna</i>     | live | 1        |      | US       | DE       | US     | P       | C      |
| E        | 2    | B     | <i>Ara ararauna</i>     | live | 1        |      | US       | NL       | GB     | P       | C      |
| E        | 2    | B     | <i>Ara ararauna</i>     | live | 2        |      | VN       | FR       |        | Z       | C      |
| E        | 2    | B     | <i>Ara ararauna</i>     | live | 8        |      | YU       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Ara ararauna</i>     | live | 1        |      | CD       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Ara ararauna</i>     | live | 1        |      | ZW       | GB       | GY     | T       | W      |
| E        | 2    | B     | <i>Ara auricollis</i>   | live | 7        |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Ara auricollis</i>   | live | 6        |      | TW       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Ara chloropterus</i> | live | 2        |      | AR       | BE       | SR     | T       | W      |
| E        | 2    | B     | <i>Ara chloropterus</i> | live | 3        |      | BD       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Ara chloropterus</i> | live | 1        |      | CI       | BE       | SR     | T       | W      |
| E        | 2    | B     | <i>Ara chloropterus</i> | live | 10       |      | CN       | DE       | GY     | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                   | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Ara chloropterus</i> | live | 14       |      | CN       | NL       | GY     | T       | W      |
| E        | 2    | B     | <i>Ara chloropterus</i> | live | 25       |      | CN       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Ara chloropterus</i> | live | 2        |      | CY       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Ara chloropterus</i> | live | 1        |      | CY       | GB       | GY     | T       | W      |
| E        | 2    | B     | <i>Ara chloropterus</i> | live | 4        |      | CY       | GR       | XX     | T       | W      |
| E        | 2    | B     | <i>Ara chloropterus</i> | live | 5        |      | CZ       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Ara chloropterus</i> | live | 1        |      | HR       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Ara chloropterus</i> | live | 5        |      | HU       | NL       | GY     | T       | W      |
| E        | 2    | B     | <i>Ara chloropterus</i> | live | 10       |      | IL       | NL       | GY     | T       | W      |
| E        | 2    | B     | <i>Ara chloropterus</i> | live | 6        |      | LK       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Ara chloropterus</i> | live | 1        |      | MT       | BE       |        | B       | C      |
| E        | 2    | B     | <i>Ara chloropterus</i> | live | 3        |      | MT       | BE       | SR     | T       | W      |
| E        | 2    | B     | <i>Ara chloropterus</i> | live | 1        |      | MT       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Ara chloropterus</i> | live | 1        |      | MY       | IT       | GY     | Q       | W      |
| E        | 2    | B     | <i>Ara chloropterus</i> | live | 2        |      | NO       | BE       | GY     | Q       | W      |
| E        | 2    | B     | <i>Ara chloropterus</i> | live | 2        |      | OM       | NL       | GY     | T       | W      |
| E        | 2    | B     | <i>Ara chloropterus</i> | live | 2        |      | PL       | BE       | GY     | T       | W      |
| E        | 2    | B     | <i>Ara chloropterus</i> | live | 2        |      | PL       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Ara chloropterus</i> | live | 1        |      | RU       | FR       | RU     | Q       | U      |
| E        | 2    | B     | <i>Ara chloropterus</i> | live | 2        |      | SI       | NL       | GY     | T       | W      |
| E        | 2    | B     | <i>Ara chloropterus</i> | live | 1        |      | SI       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Ara chloropterus</i> | live | 1        |      | TR       | DE       |        | P       | C      |
| E        | 2    | B     | <i>Ara chloropterus</i> | live | 1        |      | TR       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Ara chloropterus</i> | live | 2        |      | US       | FI       | US     | P       | C      |
| E        | 2    | B     | <i>Ara chloropterus</i> | live | 1        |      | UY       | DE       | XX     | P       | O      |
| E        | 2    | B     | <i>Ara chloropterus</i> | live | 2        |      | ZW       | GB       | GY     | T       | W      |
| E        | 2    | B     | <i>Ara manilata</i>     | live | 2        |      | BD       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Ara manilata</i>     | live | 3        |      | CA       | GB       | GY     | T       | C      |
| E        | 2    | B     | <i>Ara manilata</i>     | live | 2        |      | CY       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Ara manilata</i>     | live | 2        |      | CY       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Ara manilata</i>     | live | 7        |      | IL       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Ara manilata</i>     | live | 2        |      | SI       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Ara manilata</i>     | live | 2        |      | ZW       | GB       | GY     | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                        | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Ara nobilis</i>           | live | 2        |      | BD       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Ara nobilis</i>           | live | 2        |      | BS       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Ara nobilis</i>           | live | 2        |      | CA       | GB       | GY     | T       | W      |
| E        | 2    | B     | <i>Ara nobilis</i>           | live | 6        |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Ara nobilis</i>           | live | 1        |      | CH       | ES       | GY     | P       | W      |
| E        | 2    | B     | <i>Ara nobilis</i>           | live | 2        |      | CY       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Ara nobilis</i>           | live | 2        |      | CY       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Ara nobilis</i>           | live | 4        |      | HU       | DK       |        | Z       | C      |
| E        | 2    | B     | <i>Ara nobilis</i>           | live | 2        |      | IL       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Ara nobilis</i>           | live | 2        |      | IL       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Ara nobilis</i>           | live | 1        |      | MT       | GB       |        | P       | C      |
| E        | 2    | B     | <i>Ara nobilis</i>           | live | 1        |      | PK       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Arà nobilis</i>           | live | 6        |      | TH       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Ara nobilis</i>           | live | 1        |      | US       | GB       |        | P       | C      |
| E        | 2    | B     | <i>Ara nobilis</i>           | live | 1        |      | US       | GB       | US     | P       | F      |
| E        | 2    | B     | <i>Ara severa</i>            | live | 2        |      | AN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Ara severa</i>            | live | 2        |      | AN       | NL       | XX     | Z       | U      |
| E        | 2    | B     | <i>Ara severa</i>            | live | 2        |      | CY       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Ara severa</i>            | live | 2        |      | CY       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Ara severa</i>            | live | 12       |      | HU       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Ara severa</i>            | live | 2        |      | IL       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Ara severa</i>            | live | 2        |      | IL       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Ara severa</i>            | live | 4        |      | JP       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Ara severa</i>            | live | 2        |      | MT       | BE       | SR     | T       | W      |
| E        | 2    | B     | <i>Ara severa</i>            | live | 2        |      | SI       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Ara severa</i>            | live | 6        |      | TH       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Aratinga acuticaudata</i> | live | 40       |      | CZ       | ES       | AR     | T       | W      |
| E        | 2    | B     | <i>Aratinga acuticaudata</i> | live | 4        |      | MT       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Aratinga aurea</i>        | live | 12       |      | CA       | FR       | NL     | T       | C      |
| E        | 2    | B     | <i>Aratinga aurea</i>        | live | 8        |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Aratinga aurea</i>        | live | 4        |      | DO       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Aratinga aurea</i>        | live | 10       |      | TH       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Aratinga aurea</i>        | live | 1        |      | US       | DE       | US     | P       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                          | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Aratinga auricapilla</i>    | live | 4        |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Aratinga auricapilla</i>    | live | 1        |      | CL       | ES       |        | T       | C      |
| E        | 2    | B     | <i>Aratinga auricapilla</i>    | live | 4        |      | TH       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Aratinga canicularis</i>    | live | 4        |      | HU       | NL       | NI     | T       | W      |
| E        | 2    | B     | <i>Aratinga canicularis</i>    | live | 10       |      | TH       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Aratinga erythrogenys</i>   | live | 1        |      | CA       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Aratinga erythrogenys</i>   | live | 3        |      | HU       | DE       |        | T       | C      |
| E        | 2    | B     | <i>Aratinga erythrogenys</i>   | live | 2        |      | HU       | DE       | PE     | P       | W      |
| E        | 2    | B     | <i>Aratinga jandaya</i>        | live | 2        |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Aratinga jandaya</i>        | live | 2        |      | CY       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Aratinga jandaya</i>        | live | 4        |      | DO       | NL       | ZA     | T       | C      |
| E        | 2    | B     | <i>Aratinga jandaya</i>        | live | 2        |      | JP       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Aratinga jandaya</i>        | live | 6        |      | TH       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Aratinga jandaya</i>        | live | 2        |      | TW       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Aratinga pertinax</i>       | live | 1        |      | CA       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Aratinga pertinax</i>       | live | 10       |      | CA       | GB       | SR     | T       | W      |
| E        | 2    | B     | <i>Aratinga pertinax</i>       | live | 10       |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Aratinga solstitialis</i>   | live | 24       |      | AN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Aratinga solstitialis</i>   | live | 4        |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Aratinga solstitialis</i>   | live | 4        |      | CL       | ES       |        | T       | C      |
| E        | 2    | B     | <i>Aratinga solstitialis</i>   | live | 6        |      | DO       | NL       | ZA     | T       | C      |
| E        | 2    | B     | <i>Aratinga solstitialis</i>   | live | 1        |      | HU       | DE       |        | T       | C      |
| E        | 2    | B     | <i>Aratinga solstitialis</i>   | live | 4        |      | LK       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Aratinga solstitialis</i>   | live | 2        |      | MV       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Aratinga solstitialis</i>   | live | 174      |      | TH       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Aratinga solstitialis</i>   | live | 2        |      | TT       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Aratinga solstitialis</i>   | live | 96       |      | TW       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Aratinga wagleri</i>        | live | 1        |      | HU       | DE       | PE     | P       | W      |
| E        | 2    | B     | <i>Aratinga wagleri</i>        | live | 1        |      | US       | ES       | PE     | P       | W      |
| E        | 2    | B     | <i>Aratinga weddellii</i>      | live | 4        |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Bolborhynchus aurifrons</i> | live | 2        |      | JP       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Bolborhynchus aymara</i>    | live | 10       |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Bolborhynchus lineola</i>   | live | 20       |      | AE       | NL       |        | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                          | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Bolborhynchus lineola</i>   | live | 60       |      | AN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Bolborhynchus lineola</i>   | live | 6        |      | AO       | PT       | NL     | T       | C      |
| E        | 2    | B     | <i>Bolborhynchus lineola</i>   | live | 30       |      | CA       | FR       | NL     | T       | C      |
| E        | 2    | B     | <i>Bolborhynchus lineola</i>   | live | 14       |      | CA       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Bolborhynchus lineola</i>   | live | 210      |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Bolborhynchus lineola</i>   | live | 4        |      | CH       | NL       | CH     | T       | C      |
| E        | 2    | B     | <i>Bolborhynchus lineola</i>   | live | 29       |      | CY       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Bolborhynchus lineola</i>   | live | 52       |      | JP       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Bolborhynchus lineola</i>   | live | 254      |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Bolborhynchus lineola</i>   | live | 20       |      | KW       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Bolborhynchus lineola</i>   | live | 26       |      | MT       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Bolborhynchus lineola</i>   | live | 8        |      | PA       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Bolborhynchus lineola</i>   | live | 49       |      | SG       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Bolborhynchus lineola</i>   | live | 18       |      | TH       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Bolborhynchus lineola</i>   | live | 2        |      | TN       | BE       | NL     | T       | C      |
| E        | 2    | B     | <i>Bolborhynchus lineola</i>   | live | 60       |      | TW       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Bolborhynchus lineola</i>   | live | 5        |      | US       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Bolborhynchus lineola</i>   | live | 26       |      | ZA       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Bolborhynchus lineola</i>   | live | 15       |      | ZA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Brotogeris chrysopterus</i> | live | 16       |      | AN       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Brotogeris tirica</i>       | live | 5        |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Brotogeris tirica</i>       | live | 1        |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Brotogeris tirica</i>       | live | 1        |      | JP       | NL       | DE     | T       | C      |
| E        | 2    | B     | <i>Brotogeris versicolorus</i> | live | 8        |      | CA       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Brotogeris versicolorus</i> | live | 10       |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Brotogeris versicolorus</i> | live | 4        |      | CY       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Brotogeris versicolorus</i> | live | 8        |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Cacatua alba</i>            | live | 1        |      | AE       | FR       | ID     | B       | W      |
| E        | 2    | B     | <i>Cacatua alba</i>            | live | 1        |      | AE       | FR       | ID     | T       | W      |
| E        | 2    | B     | <i>Cacatua alba</i>            | live | 1        |      | AE       | GB       | P      | T       | C      |
| E        | 2    | B     | <i>Cacatua alba</i>            | live | 11       |      | AN       | NL       | ID     | T       | W      |
| E        | 2    | B     | <i>Cacatua alba</i>            | live | 8        |      | AR       | ES       | ID     | T       | W      |
| E        | 2    | B     | <i>Cacatua alba</i>            | live | 8        |      | AW       | NL       | ID     | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon            | Term   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------|--------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | Cacatua alba     | live   | 1        |      | CY       | GB       |        | T       | C      |
| E        | 2    | B     | Cacatua alba     | live   | 1        |      | CY       | GR       | XX     | P       | W      |
| E        | 2    | B     | Cacatua alba     | live   | 2        |      | CY       | GR       | XX     | T       | W      |
| E        | 2    | B     | Cacatua alba     | live   | 6        |      | CY       | NL       | ID     | T       | W      |
| E        | 2    | B     | Cacatua alba     | live   | 4        |      | DO       | NL       | ID     | T       | W      |
| E        | 2    | B     | Cacatua alba     | live   | 12       |      | IL       | NL       | ID     | T       | W      |
| E        | 2    | B     | Cacatua alba     | live   | 2        |      | MT       | GB       | ID     | T       | W      |
| E        | 2    | B     | Cacatua alba     | live   | 2        |      | MX       | BE       | ID     | T       | W      |
| E        | 2    | B     | Cacatua alba     | live   | 1        |      | MY       | IT       |        | Q       | C      |
| E        | 2    | B     | Cacatua alba     | live   | 1        |      | NO       | BE       | XX     | Q       | W      |
| E        | 2    | B     | Cacatua alba     | live   | 1        |      | SG       | ES       |        | T       | C      |
| E        | 2    | B     | Cacatua alba     | live   | 1        |      | XX       | GB       |        | Z       | C      |
| E        | 2    | B     | Cacatua ducorpii | live   | 1        |      | BR       | ES       |        | T       | C      |
| E        | 2    | B     | Cacatua ducorpii | live   | 2        |      | CA       | GB       |        | T       | C      |
| E        | 2    | B     | Cacatua ducorpii | live   | 1        |      | CY       | GR       | XX     | T       | W      |
| E        | 2    | B     | Cacatua ducorpii | live   | 2        |      | HU       | NL       | SB     | T       | W      |
| E        | 2    | B     | Cacatua ducorpii | live   | 2        |      | IL       | NL       | SB     | T       | W      |
| E        | 2    | B     | Cacatua ducorpii | live   | 3        |      | IL       | NL       | SG     | T       | C      |
| E        | 2    | B     | Cacatua ducorpii | live   | 1        |      | TR       | DE       |        | P       | C      |
| E        | 2    | B     | Cacatua galerita | bodies | 1        |      | AU       | GB       |        | T       | O      |
| E        | 2    | B     | Cacatua galerita | bodies | 1        |      | US       | GB       | XX     | P       | O      |
| E        | 2    | B     | Cacatua galerita | live   | 1        |      | AR       | ES       | NZ     | T       | W      |
| E        | 2    | B     | Cacatua galerita | live   | 1        |      | BO       | FR       | ID     | B       | W      |
| E        | 2    | B     | Cacatua galerita | live   | 1        |      | BR       | ES       |        | T       | C      |
| E        | 2    | B     | Cacatua galerita | live   | 3        |      | BR       | ES       | NZ     | T       | W      |
| E        | 2    | B     | Cacatua galerita | live   | 1        |      | CH       | DE       |        | T       | C      |
| E        | 2    | B     | Cacatua galerita | live   | 2        |      | DO       | NL       | SG     | T       | C      |
| E        | 2    | B     | Cacatua galerita | live   | 2        |      | HU       | DE       | XX     | L       | I      |
| E        | 2    | B     | Cacatua galerita | live   | 8        |      | IL       | NL       | SG     | T       | C      |
| E        | 2    | B     | Cacatua galerita | live   | 4        |      | MU       | NL       | SG     | T       | F      |
| E        | 2    | B     | Cacatua galerita | live   | 2        |      | US       | GB       | US     | Q       | W      |
| E        | 2    | B     | Cacatua galerita | live   | 2        |      | ZA       | ES       | NZ     | T       | C      |
| E        | 2    | B     | Cacatua galerita | live   | 2        |      | ZW       | GB       |        | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                            | Term   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------------|--------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Cacatua galerita</i>          | live   | 4        |      | ZW       | GB       | NZ     | T       | W      |
| E        | 2    | B     | <i>Cacatua galerita eleonora</i> | live   | 2        |      | AR       | ES       | ID     | T       | C      |
| E        | 2    | B     | <i>Cacatua galerita eleonora</i> | live   | 2        |      | BR       | ES       | ID     | T       | C      |
| E        | 2    | B     | <i>Cacatua galerita eleonora</i> | live   | 1        |      | BR       | ES       | SG     | T       | C      |
| E        | 2    | B     | <i>Cacatua galerita eleonora</i> | live   | 2        |      | JP       | ES       | SG     | T       | C      |
| E        | 2    | B     | <i>Cacatua leadbeateri</i>       | bodies | 1        |      | US       | GB       | XX     | P       | O      |
| E        | 2    | B     | <i>Cacatua leadbeateri</i>       | live   | 2        |      | CH       | ES       |        | T       | C      |
| E        | 2    | B     | <i>Cacatua leadbeateri</i>       | live   | 3        |      | ID       | DE       |        | T       | C      |
| E        | 2    | B     | <i>Cacatua leadbeateri</i>       | live   | 1        |      | JP       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Cacatua sanguinea</i>         | live   | 1        |      | BR       | ES       |        | T       | C      |
| E        | 2    | B     | <i>Cacatua sanguinea</i>         | live   | 1        |      | JP       | BE       | NL     | T       | C      |
| E        | 2    | B     | <i>Cacatua sulphurea</i>         | live   | 3        |      | BR       | ES       | ID     | T       | C      |
| E        | 2    | B     | <i>Cacatua sulphurea</i>         | live   | 1        |      | BR       | ES       | SG     | T       | C      |
| E        | 2    | B     | <i>Cacatua sulphurea</i>         | live   | 2        |      | BR       | ES       | SG     | T       | C      |
| E        | 2    | B     | <i>Cacatua sulphurea</i>         | live   | 1        |      | GA       | FR       |        | B       | C      |
| E        | 2    | B     | <i>Cacatua sulphurea</i>         | live   | 2        |      | IL       | NL       | SG     | T       | C      |
| E        | 2    | B     | <i>Cacatua sulphurea</i>         | live   | 1        |      | MT       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Cacatua sulphurea</i>         | live   | 6        |      | MU       | NL       | SG     | T       | C      |
| E        | 2    | B     | <i>Cacatua sulphurea</i>         | live   | 1        |      | NO       | BE       | XX     | Q       | W      |
| E        | 2    | B     | <i>Cacatua sulphurea</i>         | live   | 2        |      | TH       | DE       | ID     | P       | W      |
| E        | 2    | B     | <i>Cacatua sulphurea</i>         | live   | 2        |      | US       | ES       | SG     | T       | W      |
| E        | 2    | B     | <i>Cacatua sulphurea</i>         | live   | 1        |      | US       | FR       |        | B       | C      |
| E        | 2    | B     | <i>Cacatua sulphurea</i>         | live   | 1        |      | YE       | NL       | KW     | T       | C      |
| E        | 2    | B     | <i>Cacatua tenuirostris</i>      | live   | 1        |      | TH       | NL       |        | T       | C      |
| E        | 2    | *B    | <i>Callocephalon fimbriatum</i>  | live   | 2        |      | ID       | DE       |        | T       | C      |
| E        | 2    | B     | <i>Calyptorhynchus banksii</i>   | live   | 2        |      | ID       | DE       |        | T       | C      |
| E        | 2    | B     | <i>Calyptorhynchus baudinii</i>  | live   | 1        |      | ID       | DE       | GB     | T       | C      |
| E        | 2    | B     | <i>Chalcopsitta atra</i>         | live   | 2        |      | AN       | NL       | ID     | T       | W      |
| E        | 2    | B     | <i>Chalcopsitta atra</i>         | live   | 2        |      | JP       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Chalcopsitta atra</i>         | live   | 2        |      | ZW       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Chalcopsitta cardinalis</i>   | live   | 2        |      | AN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Chalcopsitta duivenbodei</i>  | live   | 1        |      | AN       | NL       | ID     | T       | W      |
| E        | 2    | B     | <i>Chalcopsitta duivenbodei</i>  | live   | 4        |      | DO       | NL       | ID     | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                           | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Chalcopsitta duivenbodei</i> | live | 14       |      | IL       | NL       | ID     | T       | W      |
| E        | 2    | B     | <i>Chalcopsitta duivenbodei</i> | live | 4        |      | JP       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Chalcopsitta duivenbodei</i> | live | 4        |      | MU       | NL       | ID     | T       | C      |
| E        | 2    | B     | <i>Chalcopsitta duivenbodei</i> | live | 10       |      | TW       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Chalcopsitta sintillata</i>  | live | 2        |      | AN       | NL       | ID     | T       | W      |
| E        | 2    | B     | <i>Chalcopsitta sintillata</i>  | live | 4        |      | DO       | NL       | ID     | T       | W      |
| E        | 2    | B     | <i>Chalcopsitta sintillata</i>  | live | 12       |      | IL       | NL       | ID     | T       | W      |
| E        | 2    | B     | <i>Chalcopsitta sintillata</i>  | live | 2        |      | JP       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Chalcopsitta sintillata</i>  | live | 2        |      | ZW       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Charmosyna josefinae</i>     | live | 8        |      | ZA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Charmosyna papou</i>         | live | 3        |      | AN       | NL       | ID     | T       | W      |
| E        | 2    | B     | <i>Charmosyna papou</i>         | live | 22       |      | IL       | NL       | ID     | T       | W      |
| E        | 2    | B     | <i>Charmosyna papou</i>         | live | 43       |      | ZA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Charmosyna placentis</i>     | live | 8        |      | ZA       | NL       | ID     | T       | W      |
| E        | 2    | B     | <i>Charmosyna placentis</i>     | live | 1        |      | AN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Charmosyna placentis</i>     | live | 16       |      | AR       | ES       | ID     | T       | W      |
| E        | 2    | B     | <i>Charmosyna placentis</i>     | live | 2        |      | HU       | DE       |        | B       | C      |
| E        | 2    | B     | <i>Charmosyna placentis</i>     | live | 6        |      | IL       | NL       | ID     | T       | W      |
| E        | 2    | B     | <i>Charmosyna placentis</i>     | live | 6        |      | JP       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Charmosyna placentis</i>     | live | 10       |      | ZA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Charmosyna pulchella</i>     | live | 2        |      | HU       | DE       |        | B       | C      |
| E        | 2    | B     | <i>Charmosyna pulchella</i>     | live | 4        |      | IL       | NL       | ID     | T       | W      |
| E        | 2    | B     | <i>Charmosyna pulchella</i>     | live | 5        |      | ZA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Charmosyna rubronotata</i>   | live | 4        |      | ZA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Coracopsis nigra</i>         | live | 1        |      | JP       | ES       |        | T       | C      |
| E        | 2    | B     | <i>Coracopsis nigra</i>         | live | 2        |      | MG       | FR       | MG     | B       | W      |
| E        | 2    | B     | <i>Coracopsis vasa</i>          | live | 1        |      | CZ       | GB       |        | B       | C      |
| E        | 2    | B     | <i>Coracopsis vasa</i>          | live | 2        |      | SA       | NL       | XX     | Z       | U      |
| E        | 2    | B     | <i>Cyanoliseus patagonus</i>    | live | 60       |      | BR       | ES       | AR     | T       | W      |
| E        | 2    | B     | <i>Cyanoliseus patagonus</i>    | live | 4        |      | BS       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Cyanoliseus patagonus</i>    | live | 20       |      | CL       | ES       | AR     | T       | W      |
| E        | 2    | B     | <i>Cyanoliseus patagonus</i>    | live | 200      |      | CZ       | ES       | AR     | T       | W      |
| E        | 2    | B     | <i>Cyanoliseus patagonus</i>    | live | 2        |      | EG       | NL       |        | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                          | Term   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|--------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Cyanoliseus patagonus</i>   | live   | 30       |      | HK       | ES       | AR     | T       | W      |
| E        | 2    | B     | <i>Cyanoliseus patagonus</i>   | live   | 1        |      | JP       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Cyanoliseus patagonus</i>   | live   | 28       |      | MX       | BE       | AR     | T       | W      |
| E        | 2    | B     | <i>Cyanoliseus patagonus</i>   | live   | 2        |      | NO       | BE       | GB     | Q       | C      |
| E        | 2    | B     | <i>Cyanoliseus patagonus</i>   | live   | 38       |      | US       | ES       | AR     | T       | W      |
| E        | 2    | B     | <i>Cyanoramphus auriceps</i>   | live   | 53       |      | AN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Cyanoramphus auriceps</i>   | live   | 220      |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Cyanoramphus auriceps</i>   | live   | 10       |      | EG       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Cyanoramphus auriceps</i>   | live   | 8        |      | JP       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Cyanoramphus auriceps</i>   | live   | 16       |      | MT       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Cyanoramphus auriceps</i>   | live   | 20       |      | MU       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Cyanoramphus auriceps</i>   | live   | 10       |      | PK       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Cyclopsitta diophthalma</i> | live   | 4        |      | IL       | NL       | SG     | T       | C      |
| E        | 2    | B     | <i>Deroptyus accipitrinus</i>  | live   | 4        |      | CA       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Deroptyus accipitrinus</i>  | live   | 6        |      | CU       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Deroptyus accipitrinus</i>  | live   | 2        |      | CY       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Deroptyus accipitrinus</i>  | live   | 2        |      | CY       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Deroptyus accipitrinus</i>  | live   | 7        |      | DO       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Deroptyus accipitrinus</i>  | live   | 6        |      | IL       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Deroptyus accipitrinus</i>  | live   | 3        |      | MU       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Deroptyus accipitrinus</i>  | live   | 2        |      | PL       | BE       | SR     | T       | W      |
| E        | 2    | B     | <i>Deroptyus accipitrinus</i>  | live   | 8        |      | PL       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Deroptyus accipitrinus</i>  | live   | 6        |      | TH       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Deroptyus accipitrinus</i>  | live   | 1        |      | YU       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Deroptyus accipitrinus</i>  | live   | 2        |      | ZW       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Eclectus roratus</i>        | bodies | 1        |      | NO       | DK       |        | T       | C      |
| E        | 2    | B     | <i>Eclectus roratus</i>        | live   | 4        |      | AE       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Eclectus roratus</i>        | live   | 4        |      | AR       | ES       | SG     | T       | C      |
| E        | 2    | B     | <i>Eclectus roratus</i>        | live   | 10       |      | BR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Eclectus roratus</i>        | live   | 1        |      | CH       | ES       |        | T       | C      |
| E        | 2    | B     | <i>Eclectus roratus</i>        | live   | 2        |      | CL       | NL       | SG     | T       | C      |
| E        | 2    | B     | <i>Eclectus roratus</i>        | live   | 10       |      | CU       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Eclectus roratus</i>        | live   | 2        |      | CY       | GB       |        | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                             | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Eclectus roratus</i>           | live | 6        |      | DO       | NL       | SG     | T       | C      |
| E        | 2    | B     | <i>Eclectus roratus</i>           | live | 1        |      | HU       | DE       | Z      | C       |        |
| E        | 2    | B     | <i>Eclectus roratus</i>           | live | 2        |      | HU       | DE       | B      | C       |        |
| E        | 2    | B     | <i>Eclectus roratus</i>           | live | 2        |      | HU       | DE       | T      | C       |        |
| E        | 2    | B     | <i>Eclectus roratus</i>           | live | 6        |      | ID       | ES       | ID     | T       | C      |
| E        | 2    | B     | <i>Eclectus roratus</i>           | live | 7        |      | JP       | BE       | T      | C       |        |
| E        | 2    | B     | <i>Eclectus roratus</i>           | live | 4        |      | JP       | GB       | T      | C       |        |
| E        | 2    | B     | <i>Eclectus roratus</i>           | live | 8        |      | LK       | NL       | T      | C       |        |
| E        | 2    | B     | <i>Eclectus roratus</i>           | live | 2        |      | MU       | NL       | SG     | T       | C      |
| E        | 2    | B     | <i>Eclectus roratus</i>           | live | 4        |      | PL       | NL       | T      | C       |        |
| E        | 2    | B     | <i>Eclectus roratus</i>           | live | 2        |      | TH       | DE       | ID     | P       | W      |
| E        | 2    | B     | <i>Eclectus roratus</i>           | live | 2        |      | TR       | NL       | T      | C       |        |
| E        | 2    | B     | <i>Eclectus roratus</i>           | live | 1        |      | US       | FR       | B      | C       |        |
| E        | 2    | B     | <i>Enicognathus ferrugineus</i>   | live | 4        |      | CA       | NL       | T      | C       |        |
| E        | 2    | B     | <i>Enicognathus leptorhynchus</i> | live | 2        |      | CA       | NL       | T      | C       |        |
| E        | 2    | B     | <i>Eolophus roseicapillus</i>     | live | 2        |      | AE       | BE       | T      | C       |        |
| E        | 2    | B     | <i>Eolophus roseicapillus</i>     | live | 6        |      | BR       | ES       | NZ     | T       | C      |
| E        | 2    | B     | <i>Eolophus roseicapillus</i>     | live | 6        |      | BR       | ES       | NZ     | T       | R      |
| E        | 2    | B     | <i>Eolophus roseicapillus</i>     | live | 9        |      | BR       | NL       | T      | C       |        |
| E        | 2    | B     | <i>Eolophus roseicapillus</i>     | live | 2        |      | BS       | NL       | T      | C       |        |
| E        | 2    | B     | <i>Eolophus roseicapillus</i>     | live | 3        |      | CA       | NL       | T      | C       |        |
| E        | 2    | B     | <i>Eolophus roseicapillus</i>     | live | 1        |      | CH       | FR       | B      | C       |        |
| E        | 2    | B     | <i>Eolophus roseicapillus</i>     | live | 1        |      | CH       | FR       | B      | C       |        |
| E        | 2    | B     | <i>Eolophus roseicapillus</i>     | live | 10       |      | CH       | NL       | T      | C       |        |
| E        | 2    | B     | <i>Eolophus roseicapillus</i>     | live | 4        |      | HK       | ES       | NZ     | T       | C      |
| E        | 2    | B     | <i>Eolophus roseicapillus</i>     | live | 2        |      | HU       | DE       | P      | C       |        |
| E        | 2    | B     | <i>Eolophus roseicapillus</i>     | live | 1        |      | HU       | NL       | T      | C       |        |
| E        | 2    | B     | <i>Eolophus roseicapillus</i>     | live | 6        |      | IL       | NL       | T      | C       |        |
| E        | 2    | B     | <i>Eolophus roseicapillus</i>     | live | 4        |      | LK       | NL       | T      | C       |        |
| E        | 2    | B     | <i>Eolophus roseicapillus</i>     | live | 10       |      | TR       | DE       | T      | C       |        |
| E        | 2    | B     | <i>Eos bornea</i>                 | live | 2        |      | AN       | NL       | ID     | T       | W      |
| E        | 2    | B     | <i>Eos bornea</i>                 | live | 22       |      | AR       | ES       | ID     | T       | W      |
| E        | 2    | B     | <i>Eos bornea</i>                 | live | 2        |      | AR       | ES       | ZA     | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                       | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Eos bornea</i>           | live | 16       |      | BR       | ES       | ZA     | T       | C      |
| E        | 2    | B     | <i>Eos bornea</i>           | live | 4        |      | CL       | ES       | ZA     | T       | C      |
| E        | 2    | B     | <i>Eos bornea</i>           | live | 4        |      | CN       | ES       | ID     | T       | W      |
| E        | 2    | B     | <i>Eos bornea</i>           | live | 6        |      | CY       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Eos bornea</i>           | live | 6        |      | DO       | NL       | ID     | T       | W      |
| E        | 2    | B     | <i>Eos bornea</i>           | live | 5        |      | HK       | ES       | ID     | T       | W      |
| E        | 2    | B     | <i>Eos bornea</i>           | live | 2        |      | IL       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Eos bornea</i>           | live | 69       |      | IL       | NL       | ID     | T       | W      |
| E        | 2    | B     | <i>Eos bornea</i>           | live | 4        |      | MX       | BE       | ID     | T       | W      |
| E        | 2    | B     | <i>Eos bornea</i>           | live | 6        |      | PA       | NL       | ID     | T       | W      |
| E        | 2    | B     | <i>Eos bornea</i>           | live | 1        |      | TT       | NL       | ID     | T       | W      |
| E        | 2    | B     | <i>Eos bornea</i>           | live | 1        |      | US       | BE       | US     | P       | C      |
| E        | 2    | B     | <i>Eos bornea</i>           | live | 2        |      | US       | ES       | ZA     | T       | C      |
| E        | 2    | B     | <i>Eos bornea</i>           | live | 2        |      | ZA       | ES       | ZA     | T       | C      |
| E        | 2    | B     | <i>Eos cyanogenia</i>       | live | 2        |      | AN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Eos cyanogenia</i>       | live | 1        |      | ZA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Eos squamata</i>         | live | 1        |      | AN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Eunymphicus cornutus</i> | live | 2        |      | JP       | BE       | NL     | T       | C      |
| E        | 2    | B     | <i>Eunymphicus cornutus</i> | live | 4        |      | US       | NL       | Z      | C       |        |
| E        | 2    | B     | <i>Forpus coelestis</i>     | live | 40       |      | AN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Forpus coelestis</i>     | live | 28       |      | BR       | DE       |        | T       | C      |
| E        | 2    | B     | <i>Forpus coelestis</i>     | live | 28       |      | BR       | NL       |        | P       | C      |
| E        | 2    | B     | <i>Forpus coelestis</i>     | live | 56       |      | BR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Forpus coelestis</i>     | live | 12       |      | BS       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Forpus coelestis</i>     | live | 50       |      | CA       | FR       | NL     | T       | C      |
| E        | 2    | B     | <i>Forpus coelestis</i>     | live | 305      |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Forpus coelestis</i>     | live | 12       |      | CH       | NL       | CH     | T       | C      |
| E        | 2    | B     | <i>Forpus coelestis</i>     | live | 200      |      | CN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Forpus coelestis</i>     | live | 12       |      | CY       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Forpus coelestis</i>     | live | 2        |      | GT       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Forpus coelestis</i>     | live | 99       |      | JP       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Forpus coelestis</i>     | live | 216      |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Forpus coelestis</i>     | live | 20       |      | KR       | NL       |        | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                        | Term   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|--------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Forpus coelestis</i>      | live   | 8        |      | MT       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Forpus coelestis</i>      | live   | 6        |      | PH       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Forpus coelestis</i>      | live   | 311      |      | TW       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Forpus coelestis</i>      | live   | 20       |      | US       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Forpus coelestis</i>      | live   | 37       |      | US       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Forpus conspicillatus</i> | live   | 16       |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Forpus conspicillatus</i> | live   | 2        |      | JP       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Forpus conspicillatus</i> | live   | 2        |      | MX       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Forpus passerinus</i>     | live   | 6        |      | BS       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Forpus xanthops</i>       | live   | 10       |      | ZA       | DK       |        | P       | C      |
| E        | 2    | B     | <i>Glossopsitta concinna</i> | bodies | 1        |      | AU       | GB       |        | T       | O      |
| E        | 2    | B     | <i>Glossopsitta concinna</i> | bodies | 1        |      | US       | GB       | XX     | P       | O      |
| E        | 2    | B     | <i>Glossopsitta concinna</i> | live   | 3        |      | BR       | ES       | NZ     | T       | C      |
| E        | 2    | B     | <i>Glossopsitta concinna</i> | live   | 5        |      | ZA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Lathamus discolor</i>     | live   | 27       |      | AN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Lathamus discolor</i>     | live   | 4        |      | AR       | ES       | NL     | T       | C      |
| E        | 2    | B     | <i>Lathamus discolor</i>     | live   | 8        |      | AR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Lathamus discolor</i>     | live   | 18       |      | AW       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Lathamus discolor</i>     | live   | 4        |      | BR       | ES       | NL     | T       | C      |
| E        | 2    | B     | <i>Lathamus discolor</i>     | live   | 50       |      | BR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Lathamus discolor</i>     | live   | 8        |      | CA       | FR       | NL     | T       | C      |
| E        | 2    | B     | <i>Lathamus discolor</i>     | live   | 4        |      | CA       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Lathamus discolor</i>     | live   | 158      |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Lathamus discolor</i>     | live   | 2        |      | CL       | ES       | NL     | T       | C      |
| E        | 2    | B     | <i>Lathamus discolor</i>     | live   | 20       |      | CN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Lathamus discolor</i>     | live   | 10       |      | CY       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Lathamus discolor</i>     | live   | 8        |      | CY       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Lathamus discolor</i>     | live   | 1        |      | JP       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Lathamus discolor</i>     | live   | 234      |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Lathamus discolor</i>     | live   | 10       |      | KR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Lathamus discolor</i>     | live   | 3        |      | PK       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Lathamus discolor</i>     | live   | 84       |      | TW       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Lathamus discolor</i>     | live   | 3        |      | ZW       | GB       |        | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                         | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Loriculus galgulus</i>     | live | 4        |      | AN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Loriculus galgulus</i>     | live | 10       |      | AR       | ES       | ID     | T       | W      |
| E        | 2    | B     | <i>Loriculus galgulus</i>     | live | 4        |      | CA       | GB       | MY     | T       | W      |
| E        | 2    | B     | <i>Loriculus galgulus</i>     | live | 20       |      | CA       | NL       | MY     | T       | W      |
| E        | 2    | B     | <i>Loriculus philippensis</i> | live | 6        |      | ZA       | DK       |        | P       | C      |
| E        | 2    | B     | <i>Lorius chlorocercus</i>    | live | 1        |      | AN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Lorius chlorocercus</i>    | live | 2        |      | DO       | NL       | ZA     | T       | C      |
| E        | 2    | B     | <i>Lorius chlorocercus</i>    | live | 6        |      | IL       | NL       | ZA     | T       | C      |
| E        | 2    | B     | <i>Lorius chlorocercus</i>    | live | 3        |      | NC       | DE       |        | T       | C      |
| E        | 2    | B     | <i>Lorius domicella</i>       | live | 1        |      | ZA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Lorius garrulus</i>        | live | 4        |      | AN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Lorius garrulus</i>        | live | 1        |      | BR       | ES       | ID     | T       | C      |
| E        | 2    | B     | <i>Lorius garrulus</i>        | live | 10       |      | DO       | NL       | SG     | T       | C      |
| E        | 2    | B     | <i>Lorius garrulus</i>        | live | 5        |      | ID       | ES       | ID     | T       | C      |
| E        | 2    | B     | <i>Lorius garrulus</i>        | live | 6        |      | IL       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Lorius garrulus</i>        | live | 6        |      | IL       | NL       | SG     | T       | C      |
| E        | 2    | B     | <i>Lorius garrulus</i>        | live | 2        |      | JP       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Lorius garrulus</i>        | live | 6        |      | MU       | NL       | SG     | T       | C      |
| E        | 2    | B     | <i>Lorius garrulus</i>        | live | 6        |      | TW       | NL       | SG     | T       | C      |
| E        | 2    | B     | <i>Lorius lory</i>            | live | 2        |      | AN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Lorius lory</i>            | live | 1        |      | BO       | FR       | ID     | B       | W      |
| E        | 2    | B     | <i>Lorius lory</i>            | live | 10       |      | BR       | ES       | ZA     | T       | C      |
| E        | 2    | B     | <i>Lorius lory</i>            | live | 2        |      | CA       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Lorius lory</i>            | live | 4        |      | JP       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Lorius lory</i>            | live | 1        |      | OM       | GB       |        | B       | F      |
| E        | 2    | B     | <i>Lorius lory</i>            | live | 2        |      | TW       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Myiopsitta monachus</i>    | live | 4        |      | AE       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Myiopsitta monachus</i>    | live | 12       |      | AN       | NL       | AR     | T       | W      |
| E        | 2    | B     | <i>Myiopsitta monachus</i>    | live | 12       |      | CA       | FR       | NL     | T       | C      |
| E        | 2    | B     | <i>Myiopsitta monachus</i>    | live | 28       |      | CA       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Myiopsitta monachus</i>    | live | 6        |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Myiopsitta monachus</i>    | live | 1        |      | CL       | ES       |        | P       | C      |
| E        | 2    | B     | <i>Myiopsitta monachus</i>    | live | 1        |      | CL       | ES       | XX     | P       | O      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                       | Term   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------|--------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Myiopsitta monachus</i>  | live   | 2        |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Myiopsitta monachus</i>  | live   | 26       |      | MU       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Myiopsitta monachus</i>  | live   | 50       |      | TW       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Myiopsitta monachus</i>  | live   | 1        |      | US       | GB       |        | P       | C      |
| E        | 2    | B     | <i>Myiopsitta monachus</i>  | live   | 1        |      | US       | NL       | US     | P       | C      |
| E        | 2    | B     | <i>Nandayus nenday</i>      | live   | 8        |      | AN       | NL       | AR     | T       | W      |
| E        | 2    | B     | <i>Nandayus nenday</i>      | live   | 40       |      | CZ       | ES       | AR     | T       | W      |
| E        | 2    | B     | <i>Nandayus nenday</i>      | live   | 20       |      | TW       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema chrysostoma</i> | live   | 14       |      | BS       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema chrysostoma</i> | live   | 2        |      | CH       | NL       | CH     | T       | C      |
| E        | 2    | B     | <i>Neophema elegans</i>     | bodies | 1        |      | US       | GB       | XX     | P       | O      |
| E        | 2    | B     | <i>Neophema elegans</i>     | live   | 20       |      | AS       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema elegans</i>     | live   | 10       |      | BS       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema elegans</i>     | live   | 15       |      | CA       | FR       | NL     | T       | C      |
| E        | 2    | B     | <i>Neophema elegans</i>     | live   | 10       |      | CA       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Neophema elegans</i>     | live   | 252      |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema elegans</i>     | live   | 6        |      | CH       | NL       | CH     | T       | C      |
| E        | 2    | B     | <i>Neophema elegans</i>     | live   | 20       |      | CN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema elegans</i>     | live   | 10       |      | CY       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema elegans</i>     | live   | 6        |      | DO       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema elegans</i>     | live   | 64       |      | EG       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema elegans</i>     | live   | 12       |      | HN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema elegans</i>     | live   | 100      |      | IL       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema elegans</i>     | live   | 6        |      | JP       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Neophema elegans</i>     | live   | 95       |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema elegans</i>     | live   | 25       |      | KR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema elegans</i>     | live   | 10       |      | MU       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema elegans</i>     | live   | 13       |      | MX       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Neophema elegans</i>     | live   | 20       |      | MX       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema elegans</i>     | live   | 66       |      | PH       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema elegans</i>     | live   | 16       |      | PK       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema elegans</i>     | live   | 54       |      | SA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema elegans</i>     | live   | 30       |      | TH       | NL       |        | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                     | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Neophema elegans</i>   | live | 6        |      | TN       | BE       | NL     | T       | C      |
| E        | 2    | B     | <i>Neophema elegans</i>   | live | 6        |      | TN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema elegans</i>   | live | 12       |      | TT       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema elegans</i>   | live | 62       |      | TW       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema elegans</i>   | live | 20       |      | US       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema elegans</i>   | live | 10       |      | VE       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema pulchella</i> | live | 49       |      | AN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema pulchella</i> | live | 26       |      | AR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema pulchella</i> | live | 42       |      | AW       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema pulchella</i> | live | 40       |      | BS       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema pulchella</i> | live | 20       |      | CA       | FR       | NL     | T       | C      |
| E        | 2    | B     | <i>Neophema pulchella</i> | live | 4        |      | CA       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Neophema pulchella</i> | live | 219      |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema pulchella</i> | live | 58       |      | CL       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema pulchella</i> | live | 120      |      | CN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema pulchella</i> | live | 24       |      | CO       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema pulchella</i> | live | 20       |      | CR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema pulchella</i> | live | 45       |      | CY       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Neophema pulchella</i> | live | 10       |      | CY       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema pulchella</i> | live | 16       |      | EG       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema pulchella</i> | live | 8        |      | HN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema pulchella</i> | live | 6        |      | HT       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema pulchella</i> | live | 20       |      | IL       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Neophema pulchella</i> | live | 100      |      | IL       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema pulchella</i> | live | 66       |      | JP       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Neophema pulchella</i> | live | 314      |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema pulchella</i> | live | 25       |      | KR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema pulchella</i> | live | 30       |      | MU       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema pulchella</i> | live | 19       |      | MX       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Neophema pulchella</i> | live | 20       |      | MX       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema pulchella</i> | live | 6        |      | NI       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema pulchella</i> | live | 60       |      | NP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema pulchella</i> | live | 6        |      | PH       | NL       |        | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                     | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Neophema pulchella</i> | live | 97       |      | PK       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema pulchella</i> | live | 54       |      | SA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema pulchella</i> | live | 52       |      | TH       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema pulchella</i> | live | 8        |      | TN       | BE       | NL     | T       | C      |
| E        | 2    | B     | <i>Neophema pulchella</i> | live | 10       |      | TN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema pulchella</i> | live | 2        |      | TT       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema pulchella</i> | live | 331      |      | TW       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema pulchella</i> | live | 10       |      | VE       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema splendida</i> | live | 24       |      | AN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema splendida</i> | live | 16       |      | AR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema splendida</i> | live | 2        |      | BH       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Neophema splendida</i> | live | 35       |      | BS       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema splendida</i> | live | 18       |      | CA       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Neophema splendida</i> | live | 193      |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema splendida</i> | live | 20       |      | CL       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema splendida</i> | live | 20       |      | CN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema splendida</i> | live | 20       |      | CR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema splendida</i> | live | 40       |      | CY       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Neophema splendida</i> | live | 30       |      | CY       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema splendida</i> | live | 4        |      | IL       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema splendida</i> | live | 86       |      | JP       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Neophema splendida</i> | live | 385      |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema splendida</i> | live | 25       |      | KR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema splendida</i> | live | 8        |      | LK       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema splendida</i> | live | 6        |      | MX       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Neophema splendida</i> | live | 10       |      | PH       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema splendida</i> | live | 118      |      | PK       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema splendida</i> | live | 2        |      | SA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema splendida</i> | live | 60       |      | TH       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema splendida</i> | live | 20       |      | TT       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema splendida</i> | live | 407      |      | TW       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema splendida</i> | live | 7        |      | US       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neophema splendida</i> | live | 10       |      | VE       | NL       |        | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                       | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Neophema splendida</i>   | live | 2        |      | ZA       | DK       |        | P       | C      |
| E        | 2    | B     | <i>Neopsephotus bourkii</i> | live | 46       |      | AN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neopsephotus bourkii</i> | live | 6        |      | AR       | ES       | NL     | T       | C      |
| E        | 2    | B     | <i>Neopsephotus bourkii</i> | live | 41       |      | AW       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neopsephotus bourkii</i> | live | 24       |      | BD       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neopsephotus bourkii</i> | live | 4        |      | BR       | ES       | BR     | T       | C      |
| E        | 2    | B     | <i>Neopsephotus bourkii</i> | live | 6        |      | BR       | ES       | NL     | T       | C      |
| E        | 2    | B     | <i>Neopsephotus bourkii</i> | live | 22       |      | BS       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neopsephotus bourkii</i> | live | 232      |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neopsephotus bourkii</i> | live | 1        |      | CH       | NL       | CH     | T       | C      |
| E        | 2    | B     | <i>Neopsephotus bourkii</i> | live | 44       |      | CL       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neopsephotus bourkii</i> | live | 20       |      | CN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neopsephotus bourkii</i> | live | 68       |      | CR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neopsephotus bourkii</i> | live | 47       |      | CY       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Neopsephotus bourkii</i> | live | 4        |      | DO       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neopsephotus bourkii</i> | live | 148      |      | EG       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neopsephotus bourkii</i> | live | 18       |      | GT       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neopsephotus bourkii</i> | live | 14       |      | HN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neopsephotus bourkii</i> | live | 23       |      | IL       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Neopsephotus bourkii</i> | live | 100      |      | IL       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neopsephotus bourkii</i> | live | 20       |      | IN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neopsephotus bourkii</i> | live | 20       |      | JO       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neopsephotus bourkii</i> | live | 57       |      | JP       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Neopsephotus bourkii</i> | live | 477      |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neopsephotus bourkii</i> | live | 162      |      | KW       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neopsephotus bourkii</i> | live | 4        |      | LK       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neopsephotus bourkii</i> | live | 34       |      | MX       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Neopsephotus bourkii</i> | live | 20       |      | MX       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neopsephotus bourkii</i> | live | 49       |      | NP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neopsephotus bourkii</i> | live | 12       |      | PA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neopsephotus bourkii</i> | live | 74       |      | PH       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neopsephotus bourkii</i> | live | 22       |      | PK       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neopsephotus bourkii</i> | live | 106      |      | SA       | NL       |        | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                               | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Neopsephotus bourkii</i>         | live | 10       |      | TH       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neopsephotus bourkii</i>         | live | 8        |      | TN       | BE       | NL     | T       | C      |
| E        | 2    | B     | <i>Neopsephotus bourkii</i>         | live | 4        |      | TT       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neopsephotus bourkii</i>         | live | 379      |      | TW       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neopsephotus bourkii</i>         | live | 7        |      | US       | ES       | NL     | T       | C      |
| E        | 2    | B     | <i>Neopsephotus bourkii</i>         | live | 20       |      | VE       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neopsephotus bourkii</i>         | live | 20       |      | YU       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neopsittacus musschenbroekii</i> | live | 8        |      | AR       | ES       | ID     | T       | W      |
| E        | 2    | B     | <i>Neopsittacus musschenbroekii</i> | live | 9        |      | ZA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Neopsittacus pullicauda</i>      | live | 6        |      | ZA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Nestor notabilis</i>             | live | 4        |      | QA       | GB       |        | B       | C      |
| E        | 2    | B     | <i>Northiella haematogaster</i>     | live | 4        |      | AE       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Northiella haematogaster</i>     | live | 64       |      | BR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Northiella haematogaster</i>     | live | 10       |      | CA       | FR       | NL     | T       | C      |
| E        | 2    | B     | <i>Northiella haematogaster</i>     | live | 120      |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Northiella haematogaster</i>     | live | 12       |      | CL       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Northiella haematogaster</i>     | live | 20       |      | CN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Northiella haematogaster</i>     | live | 10       |      | CY       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Northiella haematogaster</i>     | live | 10       |      | IL       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Northiella haematogaster</i>     | live | 2        |      | IL       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Northiella haematogaster</i>     | live | 20       |      | IN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Northiella haematogaster</i>     | live | 4        |      | JP       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Northiella haematogaster</i>     | live | 64       |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Northiella haematogaster</i>     | live | 10       |      | KR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Northiella haematogaster</i>     | live | 2        |      | MT       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Northiella haematogaster</i>     | live | 20       |      | MX       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Northiella haematogaster</i>     | live | 20       |      | MX       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Northiella haematogaster</i>     | live | 2        |      | PH       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Northiella haematogaster</i>     | live | 48       |      | PK       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Northiella haematogaster</i>     | live | 14       |      | TW       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Northiella haematogaster</i>     | live | 6        |      | ZW       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Pionites melanocephala</i>       | live | 3        |      | BR       | ES       |        | T       | C      |
| E        | 2    | B     | <i>Pionites melanocephala</i>       | live | 4        |      | BS       | NL       |        | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                         | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Pionites melanocephala</i> | live | 3        |      | CA       | GB       | GY     | T       | W      |
| E        | 2    | B     | <i>Pionites melanocephala</i> | live | 2        |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Pionites melanocephala</i> | live | 4        |      | CY       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Pionites melanocephala</i> | live | 4        |      | CY       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Pionites melanocephala</i> | live | 10       |      | CZ       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Pionites melanocephala</i> | live | 4        |      | IL       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Pionites melanocephala</i> | live | 20       |      | IL       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Pionites melanocephala</i> | live | 5        |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Pionites melanocephala</i> | live | 3        |      | NO       | SE       |        | T       | C      |
| E        | 2    | B     | <i>Pionites melanocephala</i> | live | 2        |      | PL       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Pionites melanocephala</i> | live | 50       |      | TH       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Pionites melanocephala</i> | live | 2        |      | TW       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Pionopsitta barrabandi</i> | live | 2        |      | AN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Pionopsitta barrabandi</i> | live | 150      |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Pionus chalcopterus</i>    | live | 4        |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Pionus chalcopterus</i>    | live | 12       |      | ZA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Pionus chalcopterus</i>    | live | 2        |      | ZW       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Pionus fuscus</i>          | live | 48       |      | ZA       | GR       |        | XX      | T      |
| E        | 2    | B     | <i>Pionus fuscus</i>          | live | 2        |      | ZW       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Pionus maximiliani</i>     | live | 1        |      | CA       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Pionus maximiliani</i>     | live | 2        |      | IL       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Pionus maximiliani</i>     | live | 1        |      | IL       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Pionus maximiliani</i>     | live | 1        |      | ZW       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Pionus menstruus</i>       | live | 2        |      | BD       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Pionus menstruus</i>       | live | 4        |      | CA       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Pionus menstruus</i>       | live | 1        |      | CA       | GB       | GY     | T       | W      |
| E        | 2    | B     | <i>Pionus menstruus</i>       | live | 6        |      | CA       | NL       | SR     | T       | C      |
| E        | 2    | B     | <i>Pionus menstruus</i>       | live | 31       |      | CA       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Pionus menstruus</i>       | live | 1        |      | IL       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Pionus menstruus</i>       | live | 2        |      | ZW       | GB       | GY     | T       | W      |
| E        | 2    | B     | <i>Pionus senilis</i>         | live | 10       |      | CN       | DE       | NI     | T       | W      |
| E        | 2    | B     | <i>Pionus senilis</i>         | live | 15       |      | CZ       | NL       | NI     | T       | W      |
| E        | 2    | B     | <i>Pionus senilis</i>         | live | 2        |      | JP       | NL       | NI     | T       | R      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                         | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Pionus senilis</i>         | live | 6        |      | PL       | NL       | NI     | T       | W      |
| E        | 2    | B     | <i>Platycercus adelaia</i> de | live | 2        |      | AE       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adelaia</i> de | live | 40       |      | AE       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adelaia</i> de | live | 10       |      | AR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adelaia</i> de | live | 9        |      | BD       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adelaia</i> de | live | 50       |      | BR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adelaia</i> de | live | 2        |      | BS       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adelaia</i> de | live | 10       |      | CA       | FR       | NL     | T       | C      |
| E        | 2    | B     | <i>Platycercus adelaia</i> de | live | 139      |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adelaia</i> de | live | 14       |      | CL       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adelaia</i> de | live | 4        |      | DO       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adelaia</i> de | live | 100      |      | IL       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adelaia</i> de | live | 40       |      | IN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adelaia</i> de | live | 4        |      | JP       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adelaia</i> de | live | 126      |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adelaia</i> de | live | 25       |      | KR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adelaia</i> de | live | 2        |      | KW       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adelaia</i> de | live | 2        |      | LK       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adelaia</i> de | live | 2        |      | MX       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adelaia</i> de | live | 20       |      | MX       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adelaia</i> de | live | 10       |      | NP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adelaia</i> de | live | 4        |      | PH       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adelaia</i> de | live | 10       |      | PK       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adelaia</i> de | live | 10       |      | QA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adelaia</i> de | live | 15       |      | RU       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adelaia</i> de | live | 6        |      | SG       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adelaia</i> de | live | 6        |      | TT       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adelaia</i> de | live | 58       |      | TW       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adelaia</i> de | live | 29       |      | US       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adelaia</i> de | live | 20       |      | ZA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adscitus</i>   | live | 2        |      | AE       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adscitus</i>   | live | 132      |      | AE       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adscitus</i>   | live | 21       |      | AN       | NL       |        | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                       | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Platycercus adscitus</i> | live | 4        |      | AR       | ES       | NL     | T       | C      |
| E        | 2    | B     | <i>Platycercus adscitus</i> | live | 16       |      | AR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adscitus</i> | live | 6        |      | BD       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adscitus</i> | live | 6        |      | BH       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adscitus</i> | live | 30       |      | BR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adscitus</i> | live | 14       |      | BS       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adscitus</i> | live | 10       |      | CA       | FR       | NL     | T       | C      |
| E        | 2    | B     | <i>Platycercus adscitus</i> | live | 168      |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adscitus</i> | live | 27       |      | CL       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adscitus</i> | live | 60       |      | CN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adscitus</i> | live | 80       |      | CO       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adscitus</i> | live | 22       |      | CR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adscitus</i> | live | 18       |      | CY       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adscitus</i> | live | 6        |      | DO       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adscitus</i> | live | 80       |      | EG       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adscitus</i> | live | 9        |      | IL       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adscitus</i> | live | 102      |      | IL       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adscitus</i> | live | 20       |      | IN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adscitus</i> | live | 6        |      | JP       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adscitus</i> | live | 299      |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adscitus</i> | live | 24       |      | KR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adscitus</i> | live | 4        |      | KW       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adscitus</i> | live | 2        |      | KW       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adscitus</i> | live | 2        |      | LK       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adscitus</i> | live | 11       |      | MT       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adscitus</i> | live | 4        |      | MT       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adscitus</i> | live | 20       |      | MU       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adscitus</i> | live | 37       |      | MX       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adscitus</i> | live | 50       |      | MX       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adscitus</i> | live | 2        |      | NI       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adscitus</i> | live | 24       |      | NP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adscitus</i> | live | 4        |      | PH       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adscitus</i> | live | 72       |      | PK       | NL       |        | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                       | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Platycercus adscitus</i> | live | 10       |      | QA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adscitus</i> | live | 80       |      | SA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adscitus</i> | live | 18       |      | SG       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adscitus</i> | live | 50       |      | TH       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adscitus</i> | live | 8        |      | TN       | BE       | NL     | T       | C      |
| E        | 2    | B     | <i>Platycercus adscitus</i> | live | 14       |      | TN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adscitus</i> | live | 4        |      | TR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adscitus</i> | live | 6        |      | TT       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adscitus</i> | live | 303      |      | TW       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adscitus</i> | live | 4        |      | US       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adscitus</i> | live | 10       |      | US       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adscitus</i> | live | 14       |      | VE       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus adscitus</i> | live | 40       |      | YU       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus barnardi</i> | live | 12       |      | ZA       | GB       |        | B       | C      |
| E        | 2    | B     | <i>Platycercus barnardi</i> | live | 80       |      | AE       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus barnardi</i> | live | 108      |      | AN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus barnardi</i> | live | 2        |      | BD       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus barnardi</i> | live | 76       |      | BR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus barnardi</i> | live | 12       |      | BS       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus barnardi</i> | live | 4        |      | CA       | DE       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus barnardi</i> | live | 14       |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus barnardi</i> | live | 1        |      | CH       | NL       | CH     | T       | C      |
| E        | 2    | B     | <i>Platycercus barnardi</i> | live | 4        |      | CL       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus barnardi</i> | live | 40       |      | CN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus barnardi</i> | live | 5        |      | CY       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus barnardi</i> | live | 8        |      | DO       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus barnardi</i> | live | 4        |      | IL       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus barnardi</i> | live | 100      |      | IL       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus barnardi</i> | live | 1        |      | JP       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus barnardi</i> | live | 119      |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus barnardi</i> | live | 19       |      | KR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus barnardi</i> | live | 6        |      | MU       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus barnardi</i> | live | 4        |      | MX       | BE       |        | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                                     | Term   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---|--------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Platycercus barnardi</i>               | live   | 20       |      | NP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus barnardi</i>               | live   | 8        |      | PH       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus barnardi</i>               | live   | 6        |      | PK       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus barnardi</i>               | live   | 2        |      | PL       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus barnardi</i>               | live   | 15       |      | RU       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus barnardi</i>               | live   | 14       |      | TH       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus barnardi</i>               | live   | 2        |      | TN       | BE       | NL     | T       | C      |
| E        | 2    | B     | <i>Platycercus barnardi</i>               | live   | 91       |      | TW       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus barnardi</i>               | live   | 8        |      | US       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus barnardi</i>               | live   | 6        |      | US       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus barnardi</i>               | live   | 22       |      | VE       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus barnardi</i>               | live   | 40       |      | ZA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus barnardi</i>               | live   | 8        |      | ZW       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus barnardi macgillivrayi</i> | live   | 6        |      | CA       | FR       | NL     | T       | C      |
| E        | 2    | B     | <i>Platycercus barnardi macgillivrayi</i> | live   | 4        |      | JP       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus barnardi macgillivrayi</i> | live   | 4        |      | MX       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus barnardi macgillivrayi</i> | live   | 8        |      | US       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus barnardi macgillivrayi</i> | live   | 15       |      | ZA       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus caledonicus</i>            | bodies | 1        |      | US       | GB       |        | XX      | P      |
| E        | 2    | B     | <i>Platycercus caledonicus</i>            | live   | 1        |      | AE       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus caledonicus</i>            | live   | 8        |      | BR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus caledonicus</i>            | live   | 2        |      | BS       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus caledonicus</i>            | live   | 5        |      | IL       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus caledonicus</i>            | live   | 50       |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus caledonicus</i>            | live   | 4        |      | PA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus caledonicus</i>            | live   | 2        |      | PK       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus caledonicus</i>            | live   | 14       |      | TW       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus caledonicus</i>            | live   | 10       |      | YU       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus caledonicus</i>            | live   | 12       |      | ZA       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus caledonicus</i>            | live   | 13       |      | ZA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus elegans</i>                | live   | 3        |      | AE       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus elegans</i>                | live   | 110      |      | AE       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus elegans</i>                | live   | 110      |      | AN       | NL       |        | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                      | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Platycercus elegans</i> | live | 5        |      | AO       | PT       | NL     | T       | C      |
| E        | 2    | B     | <i>Platycercus elegans</i> | live | 2        |      | AR       | DK       |        | P       | C      |
| E        | 2    | B     | <i>Platycercus elegans</i> | live | 10       |      | AR       | ES       | NL     | T       | C      |
| E        | 2    | B     | <i>Platycercus elegans</i> | live | 13       |      | AR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus elegans</i> | live | 62       |      | AW       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus elegans</i> | live | 7        |      | BN       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus elegans</i> | live | 34       |      | BR       | ES       | NL     | T       | C      |
| E        | 2    | B     | <i>Platycercus elegans</i> | live | 104      |      | BR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus elegans</i> | live | 24       |      | BS       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus elegans</i> | live | 15       |      | CA       | FR       | NL     | T       | C      |
| E        | 2    | B     | <i>Platycercus elegans</i> | live | 226      |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus elegans</i> | live | 2        |      | CH       | NL       | CH     | T       | C      |
| E        | 2    | B     | <i>Platycercus elegans</i> | live | 81       |      | CL       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus elegans</i> | live | 110      |      | CN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus elegans</i> | live | 76       |      | CO       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus elegans</i> | live | 12       |      | CR       | DE       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus elegans</i> | live | 18       |      | CR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus elegans</i> | live | 4        |      | CU       | ES       | BE     | T       | C      |
| E        | 2    | B     | <i>Platycercus elegans</i> | live | 8        |      | CY       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus elegans</i> | live | 44       |      | CY       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus elegans</i> | live | 10       |      | CY       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus elegans</i> | live | 20       |      | DO       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus elegans</i> | live | 236      |      | EG       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus elegans</i> | live | 30       |      | GT       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus elegans</i> | live | 6        |      | HK       | ES       | NL     | T       | C      |
| E        | 2    | B     | <i>Platycercus elegans</i> | live | 48       |      | IL       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus elegans</i> | live | 16       |      | IL       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus elegans</i> | live | 117      |      | IL       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus elegans</i> | live | 10       |      | IN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus elegans</i> | live | 30       |      | JO       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus elegans</i> | live | 21       |      | JP       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus elegans</i> | live | 409      |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus elegans</i> | live | 18       |      | KR       | NL       |        | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon               | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | Platycercus elegans | live | 86       |      | KW       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus elegans | live | 10       |      | LK       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus elegans | live | 9        |      | MT       | BE       |        | T       | C      |
| E        | 2    | B     | Platycercus elegans | live | 8        |      | MT       | GB       |        | T       | C      |
| E        | 2    | B     | Platycercus elegans | live | 1        |      | MT       | NL       | MT     | E       | C      |
| E        | 2    | B     | Platycercus elegans | live | 14       |      | MU       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus elegans | live | 4        |      | MV       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus elegans | live | 59       |      | MX       | BE       |        | T       | C      |
| E        | 2    | B     | Platycercus elegans | live | 140      |      | MX       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus elegans | live | 28       |      | NP       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus elegans | live | 6        |      | OM       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus elegans | live | 18       |      | PA       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus elegans | live | 10       |      | PH       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus elegans | live | 191      |      | PK       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus elegans | live | 6        |      | PL       | BE       |        | T       | C      |
| E        | 2    | B     | Platycercus elegans | live | 10       |      | QA       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus elegans | live | 25       |      | RU       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus elegans | live | 120      |      | SA       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus elegans | live | 19       |      | SG       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus elegans | live | 2        |      | TH       | BE       | P      | C       |        |
| E        | 2    | B     | Platycercus elegans | live | 116      |      | TH       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus elegans | live | 8        |      | TN       | BE       | NL     | T       | C      |
| E        | 2    | B     | Platycercus elegans | live | 14       |      | TN       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus elegans | live | 8        |      | TR       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus elegans | live | 6        |      | TT       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus elegans | live | 317      |      | TW       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus elegans | live | 38       |      | US       | BE       |        | T       | C      |
| E        | 2    | B     | Platycercus elegans | live | 5        |      | US       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus elegans | live | 16       |      | VE       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus elegans | live | 20       |      | YU       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus elegans | live | 100      |      | ZA       | BE       |        | T       | C      |
| E        | 2    | B     | Platycercus elegans | live | 8        |      | ZA       | GB       |        | T       | C      |
| E        | 2    | B     | Platycercus elegans | live | 11       |      | ZA       | GB       | B      | C       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                      | Term     | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Platycercus elegans</i> | live     | 163      |      | ZA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus elegans</i> | live     | 4        |      | ZW       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus eximius</i> | bodies   | 1        |      | US       | GB       | XX     | P       | O      |
| E        | 2    | B     | <i>Platycercus eximius</i> | feathers | 43       |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus eximius</i> | live     | 36       |      | AE       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus eximius</i> | live     | 222      |      | AE       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus eximius</i> | live     | 57       |      | AN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus eximius</i> | live     | 1        |      | AO       | PT       | NL     | T       | C      |
| E        | 2    | B     | <i>Platycercus eximius</i> | live     | 32       |      | AR       | ES       | NL     | T       | C      |
| E        | 2    | B     | <i>Platycercus eximius</i> | live     | 26       |      | AR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus eximius</i> | live     | 51       |      | AW       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus eximius</i> | live     | 12       |      | BH       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus eximius</i> | live     | 14       |      | BN       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus eximius</i> | live     | 62       |      | BR       | ES       | NL     | T       | C      |
| E        | 2    | B     | <i>Platycercus eximius</i> | live     | 125      |      | BR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus eximius</i> | live     | 48       |      | BS       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus eximius</i> | live     | 7        |      | CA       | DE       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus eximius</i> | live     | 30       |      | CA       | FR       | NL     | T       | C      |
| E        | 2    | B     | <i>Platycercus eximius</i> | live     | 300      |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus eximius</i> | live     | 5        |      | CH       | ES       | NL     | T       | C      |
| E        | 2    | B     | <i>Platycercus eximius</i> | live     | 3        |      | CH       | NL       | CH     | T       | C      |
| E        | 2    | B     | <i>Platycercus eximius</i> | live     | 10       |      | CL       | ES       | NL     | T       | C      |
| E        | 2    | B     | <i>Platycercus eximius</i> | live     | 84       |      | CL       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus eximius</i> | live     | 110      |      | CN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus eximius</i> | live     | 32       |      | CO       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus eximius</i> | live     | 62       |      | CR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus eximius</i> | live     | 4        |      | CU       | ES       | BE     | T       | C      |
| E        | 2    | B     | <i>Platycercus eximius</i> | live     | 20       |      | CU       | ES       | CZ     | T       | C      |
| E        | 2    | B     | <i>Platycercus eximius</i> | live     | 44       |      | CY       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus eximius</i> | live     | 30       |      | DO       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus eximius</i> | live     | 142      |      | EG       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus eximius</i> | live     | 82       |      | GT       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus eximius</i> | live     | 4        |      | HN       | BE       |        | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon               | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | Platycercus eximius | live | 18       |      | HN       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus eximius | live | 163      |      | IL       | BE       |        | T       | C      |
| E        | 2    | B     | Platycercus eximius | live | 18       |      | IL       | GB       |        | T       | C      |
| E        | 2    | B     | Platycercus eximius | live | 123      |      | IL       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus eximius | live | 80       |      | IN       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus eximius | live | 22       |      | JO       | BE       |        | T       | C      |
| E        | 2    | B     | Platycercus eximius | live | 4        |      | JO       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus eximius | live | 104      |      | JP       | BE       |        | T       | C      |
| E        | 2    | B     | Platycercus eximius | live | 759      |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus eximius | live | 25       |      | KR       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus eximius | live | 124      |      | KW       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus eximius | live | 30       |      | LB       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus eximius | live | 2        |      | LK       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus eximius | live | 51       |      | MT       | BE       |        | T       | C      |
| E        | 2    | B     | Platycercus eximius | live | 10       |      | MT       | GB       |        | T       | C      |
| E        | 2    | B     | Platycercus eximius | live | 16       |      | MU       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus eximius | live | 2        |      | MV       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus eximius | live | 226      |      | MX       | BE       |        | T       | C      |
| E        | 2    | B     | Platycercus eximius | live | 180      |      | MX       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus eximius | live | 20       |      | MY       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus eximius | live | 11       |      | NI       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus eximius | live | 1        |      | NO       | BE       |        | GB      | Q      |
| E        | 2    | B     | Platycercus eximius | live | 94       |      | NP       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus eximius | live | 6        |      | OM       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus eximius | live | 38       |      | PA       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus eximius | live | 16       |      | PH       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus eximius | live | 252      |      | PK       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus eximius | live | 20       |      | PL       | BE       |        | T       | C      |
| E        | 2    | B     | Platycercus eximius | live | 10       |      | QA       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus eximius | live | 476      |      | SA       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus eximius | live | 28       |      | SG       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus eximius | live | 1        |      | SR       | NL       |        | P       | C      |
| E        | 2    | B     | Platycercus eximius | live | 6        |      | TH       | BE       |        | P       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                        | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Platycercus eximius</i>   | live | 182      |      | TH       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus eximius</i>   | live | 4        |      | TN       | BE       | NL     | T       | C      |
| E        | 2    | B     | <i>Platycercus eximius</i>   | live | 22       |      | TN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus eximius</i>   | live | 30       |      | TR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus eximius</i>   | live | 32       |      | TT       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus eximius</i>   | live | 3        |      | TW       | ES       | NL     | T       | C      |
| E        | 2    | B     | <i>Platycercus eximius</i>   | live | 972      |      | TW       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus eximius</i>   | live | 47       |      | US       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus eximius</i>   | live | 45       |      | US       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus eximius</i>   | live | 46       |      | VE       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus eximius</i>   | live | 162      |      | YU       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus eximius</i>   | live | 135      |      | ZA       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus eximius</i>   | live | 14       |      | ZA       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus eximius</i>   | live | 341      |      | ZA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus flaveolus</i> | live | 2        |      | AE       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus flaveolus</i> | live | 8        |      | AR       | ES       | NL     | T       | C      |
| E        | 2    | B     | <i>Platycercus flaveolus</i> | live | 12       |      | AR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus flaveolus</i> | live | 58       |      | BR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus flaveolus</i> | live | 2        |      | BS       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus flaveolus</i> | live | 4        |      | CA       | FR       | NL     | T       | C      |
| E        | 2    | B     | <i>Platycercus flaveolus</i> | live | 9        |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus flaveolus</i> | live | 11       |      | CL       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus flaveolus</i> | live | 20       |      | CN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus flaveolus</i> | live | 4        |      | DO       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus flaveolus</i> | live | 4        |      | EG       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus flaveolus</i> | live | 26       |      | IL       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus flaveolus</i> | live | 100      |      | IL       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus flaveolus</i> | live | 1        |      | JP       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus flaveolus</i> | live | 128      |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus flaveolus</i> | live | 10       |      | KR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus flaveolus</i> | live | 2        |      | MT       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus flaveolus</i> | live | 6        |      | MX       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus flaveolus</i> | live | 20       |      | MX       | NL       |        | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                 | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | Platycercus flaveolus | live | 10       |      | NP       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus flaveolus | live | 8        |      | PH       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus flaveolus | live | 6        |      | PK       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus flaveolus | live | 6        |      | SG       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus flaveolus | live | 10       |      | TT       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus flaveolus | live | 190      |      | TW       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus flaveolus | live | 5        |      | US       | ES       | NL     | T       | C      |
| E        | 2    | B     | Platycercus flaveolus | live | 10       |      | YU       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus flaveolus | live | 20       |      | ZA       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus flaveolus | live | 2        |      | ZW       | GB       |        | T       | C      |
| E        | 2    | B     | Platycercus icterotis | live | 2        |      | AE       | BE       |        | T       | C      |
| E        | 2    | B     | Platycercus icterotis | live | 42       |      | AE       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus icterotis | live | 14       |      | AN       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus icterotis | live | 10       |      | AR       | ES       | NL     | T       | C      |
| E        | 2    | B     | Platycercus icterotis | live | 19       |      | AR       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus icterotis | live | 4        |      | BR       | ES       | NL     | T       | C      |
| E        | 2    | B     | Platycercus icterotis | live | 10       |      | BR       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus icterotis | live | 18       |      | BS       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus icterotis | live | 10       |      | CA       | FR       | NL     | T       | C      |
| E        | 2    | B     | Platycercus icterotis | live | 288      |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus icterotis | live | 1        |      | CH       | NL       | CH     | T       | C      |
| E        | 2    | B     | Platycercus icterotis | live | 82       |      | CL       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus icterotis | live | 60       |      | CN       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus icterotis | live | 80       |      | CO       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus icterotis | live | 12       |      | CY       | GB       |        | T       | C      |
| E        | 2    | B     | Platycercus icterotis | live | 4        |      | DO       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus icterotis | live | 126      |      | EG       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus icterotis | live | 22       |      | GT       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus icterotis | live | 2        |      | HN       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus icterotis | live | 4        |      | IL       | BE       |        | T       | C      |
| E        | 2    | B     | Platycercus icterotis | live | 11       |      | JP       | BE       |        | T       | C      |
| E        | 2    | B     | Platycercus icterotis | live | 274      |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus icterotis | live | 45       |      | KR       | NL       |        | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                        | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Platycercus icterotis</i> | live | 4        |      | MU       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus icterotis</i> | live | 18       |      | MX       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus icterotis</i> | live | 20       |      | MX       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus icterotis</i> | live | 18       |      | NI       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus icterotis</i> | live | 34       |      | NP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus icterotis</i> | live | 6        |      | PA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus icterotis</i> | live | 62       |      | PK       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus icterotis</i> | live | 60       |      | SA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus icterotis</i> | live | 10       |      | SG       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus icterotis</i> | live | 12       |      | TH       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus icterotis</i> | live | 10       |      | TN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus icterotis</i> | live | 12       |      | TT       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus icterotis</i> | live | 303      |      | TW       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus icterotis</i> | live | 14       |      | US       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus icterotis</i> | live | 5        |      | US       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus icterotis</i> | live | 10       |      | VE       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus icterotis</i> | live | 20       |      | YU       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus icterotis</i> | live | 20       |      | ZA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus venustus</i>  | live | 4        |      | DO       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus venustus</i>  | live | 100      |      | IL       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus venustus</i>  | live | 8        |      | JP       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus venustus</i>  | live | 18       |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus venustus</i>  | live | 10       |      | KR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus venustus</i>  | live | 7        |      | PK       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus venustus</i>  | live | 3        |      | TH       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus venustus</i>  | live | 20       |      | TW       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus venustus</i>  | live | 5        |      | US       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus venustus</i>  | live | 11       |      | US       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus venustus</i>  | live | 10       |      | YU       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus venustus</i>  | live | 10       |      | ZA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus venustus</i>  | live | 2        |      | ZW       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus zonarius</i>  | live | 61       |      | AN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Platycercus zonarius</i>  | live | 26       |      | AW       | NL       |        | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                              | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | Platycercus zonarius               | live | 6        |      | BD       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus zonarius               | live | 40       |      | BR       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus zonarius               | live | 3        |      | BS       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus zonarius               | live | 3        |      | CA       | GB       |        | T       | C      |
| E        | 2    | B     | Platycercus zonarius               | live | 154      |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus zonarius               | live | 2        |      | CH       | NL       | CH     | T       | C      |
| E        | 2    | B     | Platycercus zonarius               | live | 24       |      | CL       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus zonarius               | live | 20       |      | CN       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus zonarius               | live | 26       |      | CY       | GB       |        | T       | C      |
| E        | 2    | B     | Platycercus zonarius               | live | 20       |      | DO       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus zonarius               | live | 12       |      | EG       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus zonarius               | live | 16       |      | IL       | BE       |        | T       | C      |
| E        | 2    | B     | Platycercus zonarius               | live | 1        |      | IL       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus zonarius               | live | 1        |      | JP       | BE       |        | T       | C      |
| E        | 2    | B     | Platycercus zonarius               | live | 42       |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus zonarius               | live | 4        |      | KR       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus zonarius               | live | 6        |      | MT       | BE       |        | T       | C      |
| E        | 2    | B     | Platycercus zonarius               | live | 8        |      | MX       | BE       |        | T       | C      |
| E        | 2    | B     | Platycercus zonarius               | live | 20       |      | MX       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus zonarius               | live | 10       |      | NP       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus zonarius               | live | 6        |      | PA       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus zonarius               | live | 10       |      | PK       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus zonarius               | live | 15       |      | RU       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus zonarius               | live | 16       |      | TH       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus zonarius               | live | 8        |      | TT       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus zonarius               | live | 78       |      | TW       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus zonarius               | live | 20       |      | VE       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus zonarius               | live | 6        |      | ZA       | BE       |        | T       | C      |
| E        | 2    | B     | Platycercus zonarius               | live | 16       |      | ZA       | GB       |        | T       | C      |
| E        | 2    | B     | Platycercus zonarius               | live | 40       |      | ZA       | NL       |        | T       | C      |
| E        | 2    | B     | Platycercus zonarius               | live | 2        |      | ZW       | GB       |        | T       | C      |
| E        | 2    | B     | Platycercus zonarius semitorquatus | live | 5        |      | JP       | BE       |        | T       | C      |
| E        | 2    | B     | Platycercus zonarius semitorquatus | live | 2        |      | ZA       | BE       |        | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                            | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Poicephalus cryptoxanthus</i> | live | 1        |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Poicephalus gulielmi</i>      | live | 7        |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Poicephalus gulielmi</i>      | live | 6        |      | DO       | NL       | CD     | T       | W      |
| E        | 2    | B     | <i>Poicephalus gulielmi</i>      | live | 12       |      | IL       | NL       | CD     | T       | W      |
| E        | 2    | B     | <i>Poicephalus gulielmi</i>      | live | 1        |      | NO       | BE       | XX     | Q       | W      |
| E        | 2    | B     | <i>Poicephalus gulielmi</i>      | live | 20       |      | TH       | NL       | CD     | T       | W      |
| E        | 2    | B     | <i>Poicephalus gulielmi</i>      | live | 10       |      | YU       | NL       | CD     | T       | W      |
| E        | 2    | B     | <i>Poicephalus meyeri</i>        | live | 5        |      | BR       | ES       |        | T       | C      |
| E        | 2    | B     | <i>Poicephalus meyeri</i>        | live | 10       |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Poicephalus meyeri</i>        | live | 1        |      | CH       | NL       | CH     | T       | C      |
| E        | 2    | B     | <i>Poicephalus meyeri</i>        | live | 2        |      | JP       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Poicephalus robustus</i>      | live | 4        |      | CA       | GB       | ZW     | T       | C      |
| E        | 2    | B     | <i>Poicephalus robustus</i>      | live | 4        |      | JP       | BE       | NL     | T       | C      |
| E        | 2    | B     | <i>Poicephalus robustus</i>      | live | 2        |      | JP       | GB       | ZW     | T       | C      |
| E        | 2    | B     | <i>Poicephalus rueppellii</i>    | live | 3        |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Poicephalus rufiventris</i>   | live | 2        |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Poicephalus rufiventris</i>   | live | 1        |      | KE       | GB       |        | P       | C      |
| E        | 2    | B     | <i>Poicephalus senegalus</i>     | live | 1        |      | AN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Poicephalus senegalus</i>     | live | 24       |      | AN       | NL       | GN     | T       | W      |
| E        | 2    | B     | <i>Poicephalus senegalus</i>     | live | 60       |      | BR       | ES       | SN     | T       | W      |
| E        | 2    | B     | <i>Poicephalus senegalus</i>     | live | 1        |      | CA       | FR       | SN     | B       | W      |
| E        | 2    | B     | <i>Poicephalus senegalus</i>     | live | 17       |      | CA       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Poicephalus senegalus</i>     | live | 10       |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Poicephalus senegalus</i>     | live | 160      |      | CA       | NL       | GN     | T       | W      |
| E        | 2    | B     | <i>Poicephalus senegalus</i>     | live | 1        |      | CG       | FR       | CI     | B       | W      |
| E        | 2    | B     | <i>Poicephalus senegalus</i>     | live | 40       |      | CH       | DE       | SN     | T       | W      |
| E        | 2    | B     | <i>Poicephalus senegalus</i>     | live | 10       |      | CL       | ES       | SN     | T       | W      |
| E        | 2    | B     | <i>Poicephalus senegalus</i>     | live | 20       |      | CY       | DE       | SN     | T       | W      |
| E        | 2    | B     | <i>Poicephalus senegalus</i>     | live | 15       |      | CY       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Poicephalus senegalus</i>     | live | 200      |      | CZ       | ES       | SN     | T       | W      |
| E        | 2    | B     | <i>Poicephalus senegalus</i>     | live | 10       |      | DO       | NL       | TG     | T       | W      |
| E        | 2    | B     | <i>Poicephalus senegalus</i>     | live | 1        |      | EG       | IT       |        | P       | C      |
| E        | 2    | B     | <i>Poicephalus senegalus</i>     | live | 50       |      | IL       | NL       | GN     | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                        | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Poicephalus senegalus</i> | live | 20       |      | IS       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Poicephalus senegalus</i> | live | 2        |      | JP       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Poicephalus senegalus</i> | live | 12       |      | JP       | NL       | GN     | T       | W      |
| E        | 2    | B     | <i>Poicephalus senegalus</i> | live | 21       |      | MT       | BE       | GN     | T       | W      |
| E        | 2    | B     | <i>Poicephalus senegalus</i> | live | 10       |      | MT       | BE       | ML     | T       | W      |
| E        | 2    | B     | <i>Poicephalus senegalus</i> | live | 11       |      | MT       | BE       | SN     | T       | W      |
| E        | 2    | B     | <i>Poicephalus senegalus</i> | live | 4        |      | MT       | BE       | XX     | T       | W      |
| E        | 2    | B     | <i>Poicephalus senegalus</i> | live | 60       |      | MX       | BE       | SN     | T       | W      |
| E        | 2    | B     | <i>Poicephalus senegalus</i> | live | 10       |      | PL       | BE       | ML     | T       | W      |
| E        | 2    | B     | <i>Poicephalus senegalus</i> | live | 1        |      | SN       | FR       |        | B       | O      |
| E        | 2    | B     | <i>Poicephalus senegalus</i> | live | 1        |      | SN       | FR       | XX     | B       | U      |
| E        | 2    | B     | <i>Poicephalus senegalus</i> | live | 2        |      | SN       | FR       | XX     | B       | O      |
| E        | 2    | B     | <i>Poicephalus senegalus</i> | live | 1        |      | ST       | FR       | GN     | B       | W      |
| E        | 2    | B     | <i>Poicephalus senegalus</i> | live | 14       |      | TW       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Poicephalus senegalus</i> | live | 1        |      | US       | ES       | US     | P       | C      |
| E        | 2    | B     | <i>Poicephalus senegalus</i> | live | 1        |      | US       | GB       | US     | P       | F      |
| E        | 2    | B     | <i>Poicephalus senegalus</i> | live | 3        |      | AE       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis alexandrae</i>  | live | 63       |      | AE       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis alexandrae</i>  | live | 12       |      | AN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis alexandrae</i>  | live | 2        |      | AR       | ES       | NL     | T       | C      |
| E        | 2    | B     | <i>Polytelis alexandrae</i>  | live | 16       |      | BN       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis alexandrae</i>  | live | 6        |      | BR       | ES       | NL     | T       | C      |
| E        | 2    | B     | <i>Polytelis alexandrae</i>  | live | 76       |      | BR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis alexandrae</i>  | live | 28       |      | BS       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis alexandrae</i>  | live | 4        |      | CA       | DE       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis alexandrae</i>  | live | 3        |      | CA       | ES       | NL     | T       | C      |
| E        | 2    | B     | <i>Polytelis alexandrae</i>  | live | 16       |      | CA       | FR       | NL     | T       | C      |
| E        | 2    | B     | <i>Polytelis alexandrae</i>  | live | 2        |      | CA       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis alexandrae</i>  | live | 133      |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis alexandrae</i>  | live | 29       |      | CL       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis alexandrae</i>  | live | 20       |      | CN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis alexandrae</i>  | live | 20       |      | CO       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis alexandrae</i>  | live | 20       |      | CR       | NL       |        | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                       | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Polytelis alexandrae</i> | live | 4        |      | CY       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis alexandrae</i> | live | 20       |      | CY       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis alexandrae</i> | live | 4        |      | DO       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis alexandrae</i> | live | 85       |      | EG       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis alexandrae</i> | live | 20       |      | GT       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis alexandrae</i> | live | 15       |      | IL       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis alexandrae</i> | live | 20       |      | IN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis alexandrae</i> | live | 20       |      | JO       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis alexandrae</i> | live | 19       |      | JP       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis alexandrae</i> | live | 191      |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis alexandrae</i> | live | 10       |      | KR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis alexandrae</i> | live | 4        |      | KW       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis alexandrae</i> | live | 4        |      | KW       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis alexandrae</i> | live | 8        |      | MT       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis alexandrae</i> | live | 12       |      | MU       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis alexandrae</i> | live | 34       |      | MX       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis alexandrae</i> | live | 50       |      | MX       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis alexandrae</i> | live | 10       |      | PA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis alexandrae</i> | live | 18       |      | PH       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis alexandrae</i> | live | 115      |      | PK       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis alexandrae</i> | live | 132      |      | SA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis alexandrae</i> | live | 14       |      | TH       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis alexandrae</i> | live | 1        |      | TN       | BE       |        | NL      |        |
| E        | 2    | B     | <i>Polytelis alexandrae</i> | live | 10       |      | TR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis alexandrae</i> | live | 6        |      | TT       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis alexandrae</i> | live | 4        |      | TW       | ES       |        | NL      |        |
| E        | 2    | B     | <i>Polytelis alexandrae</i> | live | 222      |      | TW       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis alexandrae</i> | live | 6        |      | US       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis alexandrae</i> | live | 25       |      | US       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis alexandrae</i> | live | 10       |      | VE       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis alexandrae</i> | live | 20       |      | YU       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis alexandrae</i> | live | 15       |      | ZA       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis alexandrae</i> | live | 30       |      | ZA       | NL       |        | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                        | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Polytelis anthopeplus</i> | live | 83       |      | AE       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis anthopeplus</i> | live | 87       |      | AN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis anthopeplus</i> | live | 6        |      | AO       | PT       | NL     | T       | C      |
| E        | 2    | B     | <i>Polytelis anthopeplus</i> | live | 63       |      | AW       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis anthopeplus</i> | live | 4        |      | BD       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis anthopeplus</i> | live | 114      |      | BR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis anthopeplus</i> | live | 16       |      | BS       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis anthopeplus</i> | live | 8        |      | CA       | FR       | NL     | T       | C      |
| E        | 2    | B     | <i>Polytelis anthopeplus</i> | live | 156      |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis anthopeplus</i> | live | 24       |      | CL       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis anthopeplus</i> | live | 20       |      | CN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis anthopeplus</i> | live | 34       |      | CY       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis anthopeplus</i> | live | 98       |      | EG       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis anthopeplus</i> | live | 12       |      | GT       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis anthopeplus</i> | live | 24       |      | IL       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis anthopeplus</i> | live | 2        |      | IL       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis anthopeplus</i> | live | 2        |      | IL       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis anthopeplus</i> | live | 4        |      | IS       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis anthopeplus</i> | live | 5        |      | JP       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis anthopeplus</i> | live | 308      |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis anthopeplus</i> | live | 14       |      | KR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis anthopeplus</i> | live | 8        |      | KW       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis anthopeplus</i> | live | 90       |      | KW       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis anthopeplus</i> | live | 7        |      | MT       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis anthopeplus</i> | live | 28       |      | MX       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis anthopeplus</i> | live | 60       |      | MX       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis anthopeplus</i> | live | 6        |      | PA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis anthopeplus</i> | live | 14       |      | PH       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis anthopeplus</i> | live | 73       |      | PK       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis anthopeplus</i> | live | 146      |      | SA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis anthopeplus</i> | live | 12       |      | TH       | BE       |        | P       | C      |
| E        | 2    | B     | <i>Polytelis anthopeplus</i> | live | 10       |      | TH       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis anthopeplus</i> | live | 6        |      | TT       | NL       |        | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                        | Term   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|--------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Polytelis anthopeplus</i> | live   | 148      |      | TW       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis anthopeplus</i> | live   | 12       |      | US       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis anthopeplus</i> | live   | 12       |      | US       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis anthopeplus</i> | live   | 10       |      | VE       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis anthopeplus</i> | live   | 20       |      | YU       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis anthopeplus</i> | live   | 10       |      | ZA       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis anthopeplus</i> | live   | 20       |      | ZA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis swainsonii</i>  | bodies | 1        |      | NO       | DK       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis swainsonii</i>  | live   | 60       |      | AE       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis swainsonii</i>  | live   | 30       |      | AN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis swainsonii</i>  | live   | 2        |      | AO       | PT       | NL     | T       | C      |
| E        | 2    | B     | <i>Polytelis swainsonii</i>  | live   | 1        |      | AR       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis swainsonii</i>  | live   | 42       |      | AW       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis swainsonii</i>  | live   | 2        |      | BD       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis swainsonii</i>  | live   | 14       |      | BR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis swainsonii</i>  | live   | 22       |      | BS       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis swainsonii</i>  | live   | 10       |      | CA       | FR       | NL     | T       | C      |
| E        | 2    | B     | <i>Polytelis swainsonii</i>  | live   | 6        |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis swainsonii</i>  | live   | 16       |      | CL       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis swainsonii</i>  | live   | 20       |      | CN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis swainsonii</i>  | live   | 8        |      | CY       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis swainsonii</i>  | live   | 4        |      | DO       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis swainsonii</i>  | live   | 8        |      | EG       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis swainsonii</i>  | live   | 20       |      | IL       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis swainsonii</i>  | live   | 100      |      | IL       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis swainsonii</i>  | live   | 4        |      | JP       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis swainsonii</i>  | live   | 233      |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis swainsonii</i>  | live   | 60       |      | KW       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis swainsonii</i>  | live   | 3        |      | LK       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis swainsonii</i>  | live   | 2        |      | MT       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis swainsonii</i>  | live   | 6        |      | MT       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis swainsonii</i>  | live   | 9        |      | MX       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis swainsonii</i>  | live   | 20       |      | MX       | NL       |        | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                           | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Polytelis swainsonii</i>     | live | 10       |      | NP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis swainsonii</i>     | live | 11       |      | PH       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis swainsonii</i>     | live | 88       |      | PK       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis swainsonii</i>     | live | 42       |      | SA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis swainsonii</i>     | live | 30       |      | TH       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis swainsonii</i>     | live | 4        |      | TT       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis swainsonii</i>     | live | 3        |      | TW       | ES       | NL     | T       | C      |
| E        | 2    | B     | <i>Polytelis swainsonii</i>     | live | 270      |      | TW       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis swainsonii</i>     | live | 20       |      | YU       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Polytelis swainsonii</i>     | live | 20       |      | ZA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus chrysoterygius</i> | live | 3        |      | US       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus dissimilis</i>     | live | 4        |      | AE       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus dissimilis</i>     | live | 2        |      | MT       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus dissimilis</i>     | live | 2        |      | MX       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus haematonotus</i>   | live | 8        |      | AD       | ES       | NL     | T       | C      |
| E        | 2    | B     | <i>Psephotus haematonotus</i>   | live | 240      |      | AE       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus haematonotus</i>   | live | 132      |      | AN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus haematonotus</i>   | live | 10       |      | AO       | PT       | NL     | T       | C      |
| E        | 2    | B     | <i>Psephotus haematonotus</i>   | live | 15       |      | AR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus haematonotus</i>   | live | 74       |      | AW       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus haematonotus</i>   | live | 30       |      | BD       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus haematonotus</i>   | live | 30       |      | BH       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus haematonotus</i>   | live | 140      |      | BR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus haematonotus</i>   | live | 50       |      | BS       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus haematonotus</i>   | live | 30       |      | CA       | FR       | NL     | T       | C      |
| E        | 2    | B     | <i>Psephotus haematonotus</i>   | live | 2        |      | CA       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus haematonotus</i>   | live | 339      |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus haematonotus</i>   | live | 4        |      | CH       | ES       |        | T       | A      |
| E        | 2    | B     | <i>Psephotus haematonotus</i>   | live | 64       |      | CL       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus haematonotus</i>   | live | 20       |      | CN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus haematonotus</i>   | live | 24       |      | CO       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus haematonotus</i>   | live | 34       |      | CR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus haematonotus</i>   | live | 73       |      | CY       | GB       |        | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                         | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Psephotus haematonotus</i> | live | 12       |      | DO       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus haematonotus</i> | live | 458      |      | EG       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus haematonotus</i> | live | 80       |      | GT       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus haematonotus</i> | live | 12       |      | HN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus haematonotus</i> | live | 203      |      | IL       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus haematonotus</i> | live | 152      |      | IL       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus haematonotus</i> | live | 60       |      | IN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus haematonotus</i> | live | 10       |      | JO       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus haematonotus</i> | live | 54       |      | JO       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus haematonotus</i> | live | 18       |      | JP       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus haematonotus</i> | live | 1310     |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus haematonotus</i> | live | 30       |      | KW       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus haematonotus</i> | live | 346      |      | KW       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus haematonotus</i> | live | 30       |      | LB       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus haematonotus</i> | live | 10       |      | MT       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus haematonotus</i> | live | 6        |      | MT       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus haematonotus</i> | live | 20       |      | MU       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus haematonotus</i> | live | 10       |      | MV       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus haematonotus</i> | live | 100      |      | MX       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus haematonotus</i> | live | 120      |      | MX       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus haematonotus</i> | live | 40       |      | MY       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus haematonotus</i> | live | 3        |      | NI       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus haematonotus</i> | live | 192      |      | NP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus haematonotus</i> | live | 28       |      | PA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus haematonotus</i> | live | 100      |      | PH       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus haematonotus</i> | live | 469      |      | PK       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus haematonotus</i> | live | 30       |      | QA       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus haematonotus</i> | live | 498      |      | SA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus haematonotus</i> | live | 10       |      | SV       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus haematonotus</i> | live | 282      |      | TH       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus haematonotus</i> | live | 3        |      | TN       | BE       | NL     | T       | C      |
| E        | 2    | B     | <i>Psephotus haematonotus</i> | live | 32       |      | TT       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus haematonotus</i> | live | 960      |      | TW       | NL       |        | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                         | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Psephotus haematonotus</i> | live | 33       |      | US       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus haematonotus</i> | live | 12       |      | US       | ES       | NL     | T       | C      |
| E        | 2    | B     | <i>Psephotus haematonotus</i> | live | 6        |      | US       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus haematonotus</i> | live | 20       |      | VE       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus haematonotus</i> | live | 4        |      | XX       | ES       | BE     | B       | C      |
| E        | 2    | B     | <i>Psephotus haematonotus</i> | live | 17       |      | ZA       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus haematonotus</i> | live | 8        |      | ZA       | GB       |        | B       | C      |
| E        | 2    | B     | <i>Psephotus haematonotus</i> | live | 62       |      | ZA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus varius</i>       | live | 44       |      | AN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus varius</i>       | live | 5        |      | AW       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus varius</i>       | live | 4        |      | BD       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus varius</i>       | live | 60       |      | BR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus varius</i>       | live | 6        |      | BS       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus varius</i>       | live | 4        |      | CA       | DE       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus varius</i>       | live | 10       |      | CA       | FR       | NL     | T       | C      |
| E        | 2    | B     | <i>Psephotus varius</i>       | live | 152      |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus varius</i>       | live | 14       |      | CL       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus varius</i>       | live | 117      |      | CN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus varius</i>       | live | 28       |      | CR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus varius</i>       | live | 1        |      | CY       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus varius</i>       | live | 6        |      | DO       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus varius</i>       | live | 5        |      | EG       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus varius</i>       | live | 4        |      | HN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus varius</i>       | live | 10       |      | IN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus varius</i>       | live | 5        |      | JP       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus varius</i>       | live | 162      |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus varius</i>       | live | 26       |      | KR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus varius</i>       | live | 2        |      | MT       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus varius</i>       | live | 4        |      | MT       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus varius</i>       | live | 10       |      | MX       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus varius</i>       | live | 20       |      | MX       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus varius</i>       | live | 20       |      | NP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus varius</i>       | live | 80       |      | PK       | NL       |        | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                          | Term   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|--------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Psephotus varius</i>        | live   | 4        |      | PL       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus varius</i>        | live   | 8        |      | SA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus varius</i>        | live   | 2        |      | TN       | BE       | NL     | T       | C      |
| E        | 2    | B     | <i>Psephotus varius</i>        | live   | 6        |      | TN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus varius</i>        | live   | 2        |      | TT       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus varius</i>        | live   | 123      |      | TW       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus varius</i>        | live   | 17       |      | US       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus varius</i>        | live   | 4        |      | US       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psephotus varius</i>        | live   | 10       |      | VE       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Pseudeos fuscata</i>        | live   | 8        |      | AR       | ES       | ID     | T       | W      |
| E        | 2    | B     | <i>Pseudeos fuscata</i>        | live   | 10       |      | CY       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Pseudeos fuscata</i>        | live   | 7        |      | DO       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Pseudeos fuscata</i>        | live   | 16       |      | IL       | NL       | ID     | T       | C      |
| E        | 2    | B     | <i>Pseudeos fuscata</i>        | live   | 20       |      | IL       | NL       | ID     | T       | W      |
| E        | 2    | B     | <i>Pseudeos fuscata</i>        | live   | 2        |      | JP       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Pseudeos fuscata</i>        | live   | 2        |      | MT       | BE       | ID     | T       | W      |
| E        | 2    | B     | <i>Pseudeos fuscata</i>        | live   | 4        |      | MU       | NL       | ID     | T       | W      |
| E        | 2    | B     | <i>Pseudeos fuscata</i>        | live   | 4        |      | MX       | BE       | ID     | T       | W      |
| E        | 2    | B     | <i>Psittacula alexandri</i>    | live   | 4        |      | BS       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psittacula alexandri</i>    | live   | 12       |      | CA       | FR       | NL     | T       | C      |
| E        | 2    | B     | <i>Psittacula alexandri</i>    | live   | 20       |      | CN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psittacula alexandri</i>    | live   | 40       |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psittacula alexandri</i>    | live   | 5        |      | MT       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Psittacula alexandri</i>    | live   | 4        |      | US       | ES       | ID     | T       | C      |
| E        | 2    | B     | <i>Psittacula cyanocephala</i> | bodies | 1        |      | US       | GB       | XX     | P       | O      |
| E        | 2    | B     | <i>Psittacula cyanocephala</i> | live   | 32       |      | AN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psittacula cyanocephala</i> | live   | 8        |      | BR       | ES       |        | T       | C      |
| E        | 2    | B     | <i>Psittacula cyanocephala</i> | live   | 34       |      | BR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psittacula cyanocephala</i> | live   | 8        |      | BS       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psittacula cyanocephala</i> | live   | 20       |      | CA       | FR       | NL     | T       | C      |
| E        | 2    | B     | <i>Psittacula cyanocephala</i> | live   | 3        |      | CH       | NL       | CH     | T       | C      |
| E        | 2    | B     | <i>Psittacula cyanocephala</i> | live   | 20       |      | CN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psittacula cyanocephala</i> | live   | 6        |      | DO       | NL       |        | T       | C      |

**European Community annual report to CITES 1998**

| Exp/Imp. | App. | Annex | Taxon                          | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Psittacula cyanocephala</i> | live | 40       |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psittacula cyanocephala</i> | live | 6        |      | MT       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Psittacula cyanocephala</i> | live | 2        |      | MX       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Psittacula cyanocephala</i> | live | 36       |      | TW       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psittacula derbiana</i>     | live | 1        |      | AE       | ES       | NL     | T       | C      |
| E        | 2    | B     | <i>Psittacula derbiana</i>     | live | 1        |      | AO       | PT       | NL     | T       | C      |
| E        | 2    | B     | <i>Psittacula derbiana</i>     | live | 2        |      | AR       | ES       |        | T       | C      |
| E        | 2    | B     | <i>Psittacula derbiana</i>     | live | 2        |      | CA       | ES       | DE     | T       | C      |
| E        | 2    | B     | <i>Psittacula derbiana</i>     | live | 2        |      | CA       | ES       | NL     | T       | C      |
| E        | 2    | B     | <i>Psittacula derbiana</i>     | live | 6        |      | CA       | FR       | NL     | T       | C      |
| E        | 2    | B     | <i>Psittacula derbiana</i>     | live | 2        |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psittacula derbiana</i>     | live | 1        |      | CZ       | ES       | DE     | T       | C      |
| E        | 2    | B     | <i>Psittacula derbiana</i>     | live | 2        |      | HU       | NL       |        | P       | C      |
| E        | 2    | B     | <i>Psittacula derbiana</i>     | live | 2        |      | JP       | ES       | NL     | T       | C      |
| E        | 2    | B     | <i>Psittacula derbiana</i>     | live | 1        |      | RU       | ES       | DE     | T       | C      |
| E        | 2    | B     | <i>Psittacula derbiana</i>     | live | 1        |      | US       | ES       | DE     | T       | C      |
| E        | 2    | B     | <i>Psittacula derbiana</i>     | live | 1        |      | US       | ES       | NL     | T       | C      |
| E        | 2    | B     | <i>Psittacula eupatria</i>     | live | 37       |      | AN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psittacula eupatria</i>     | live | 1        |      | BN       | NL       | TH     | T       | W      |
| E        | 2    | B     | <i>Psittacula eupatria</i>     | live | 8        |      | BR       | ES       | NL     | T       | C      |
| E        | 2    | B     | <i>Psittacula eupatria</i>     | live | 8        |      | CA       | FR       | NL     | T       | C      |
| E        | 2    | B     | <i>Psittacula eupatria</i>     | live | 20       |      | CN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psittacula eupatria</i>     | live | 4        |      | HK       | ES       | NL     | T       | C      |
| E        | 2    | B     | <i>Psittacula eupatria</i>     | live | 1        |      | IL       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Psittacula eupatria</i>     | live | 2        |      | IS       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Psittacula eupatria</i>     | live | 1        |      | JP       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Psittacula eupatria</i>     | live | 30       |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psittacula eupatria</i>     | live | 1        |      | US       | ES       | US     | P       | F      |
| E        | 2    | B     | <i>Psittacula himalayana</i>   | live | 30       |      | BR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psittacula himalayana</i>   | live | 8        |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psittacula himalayana</i>   | live | 2        |      | JP       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Psittacula longicauda</i>   | live | 6        |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psittacula roseata</i>      | live | 6        |      | CA       | NL       |        | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                                | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Psittaculirostris desmarestii</i> | live | 2        |      | CL       | ES       | ID     | T       | C      |
| E        | 2    | B     | <i>Psittaculirostris salvadorii</i>  | live | 4        |      | BR       | ES       | ID     | T       | C      |
| E        | 2    | B     | <i>Psittaculirostris salvadorii</i>  | live | 4        |      | CL       | ES       | ID     | T       | C      |
| E        | 2    | B     | <i>Psittacus erithacus</i>           | live | 3        |      | AE       | GB       |        | P       | C      |
| E        | 2    | B     | <i>Psittacus erithacus</i>           | live | 10       |      | AN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psittacus erithacus</i>           | live | 14       |      | AN       | NL       | CM     | T       | W      |
| E        | 2    | B     | <i>Psittacus erithacus</i>           | live | 1        |      | AN       | NL       | GA     | T       | W      |
| E        | 2    | B     | <i>Psittacus erithacus</i>           | live | 1        |      | AO       | GB       | OM     | P       | C      |
| E        | 2    | B     | <i>Psittacus erithacus</i>           | live | 8        |      | AR       | ES       | CM     | T       | W      |
| E        | 2    | B     | <i>Psittacus erithacus</i>           | live | 10       |      | AR       | ES       | CD     | T       | W      |
| E        | 2    | B     | <i>Psittacus erithacus</i>           | live | 1        |      | AR       | FR       | CI     | B       | W      |
| E        | 2    | B     | <i>Psittacus erithacus</i>           | live | 2        |      | AW       | NL       | P      | C       |        |
| E        | 2    | B     | <i>Psittacus erithacus</i>           | live | 8        |      | AW       | NL       | CM     | T       | W      |
| E        | 2    | B     | <i>Psittacus erithacus</i>           | live | 6        |      | BR       | ES       | CM     | T       | W      |
| E        | 2    | B     | <i>Psittacus erithacus</i>           | live | 2        |      | BR       | ES       | ZA     | T       | C      |
| E        | 2    | B     | <i>Psittacus erithacus</i>           | live | 2        |      | BR       | ES       | CD     | T       | W      |
| E        | 2    | B     | <i>Psittacus erithacus</i>           | live | 4        |      | BS       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psittacus erithacus</i>           | live | 6        |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psittacus erithacus</i>           | live | 9        |      | CA       | NL       | CM     | T       | W      |
| E        | 2    | B     | <i>Psittacus erithacus</i>           | live | 11       |      | CA       | NL       | CD     | T       | W      |
| E        | 2    | B     | <i>Psittacus erithacus</i>           | live | 1        |      | CA       | PT       | CG     | P       | W      |
| E        | 2    | B     | <i>Psittacus erithacus</i>           | live | 1        |      | CF       | FR       | CF     | B       | W      |
| E        | 2    | B     | <i>Psittacus erithacus</i>           | live | 1        |      | CG       | FR       | GA     | B       | W      |
| E        | 2    | B     | <i>Psittacus erithacus</i>           | live | 1        |      | CG       | FR       | CD     | B       | W      |
| E        | 2    | B     | <i>Psittacus erithacus</i>           | live | 1        |      | CH       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Psittacus erithacus</i>           | live | 1        |      | CH       | DE       | CI     | P       | W      |
| E        | 2    | B     | <i>Psittacus erithacus</i>           | live | 1        |      | CH       | DE       | XX     | P       | O      |
| E        | 2    | B     | <i>Psittacus erithacus</i>           | live | 1        |      | CH       | ES       | CM     | T       | C      |
| E        | 2    | B     | <i>Psittacus erithacus</i>           | live | 1        |      | CH       | FR       |        | B       | C      |
| E        | 2    | B     | <i>Psittacus erithacus</i>           | live | 1        |      | CH       | FR       | XX     | B       | O      |
| E        | 2    | B     | <i>Psittacus erithacus</i>           | live | 30       |      | CH       | NL       | CD     | T       | W      |
| E        | 2    | B     | <i>Psittacus erithacus</i>           | live | 1        |      | CI       | BE       | CD     | P       | C      |
| E        | 2    | B     | <i>Psittacus erithacus</i>           | live | 2        |      | CI       | FR       | CI     | B       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon               | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | Psittacus erithacus | live | 2        |      | CI       | FR       | CI     | B       | W      |
| E        | 2    | B     | Psittacus erithacus | live | 5        |      | CL       | ES       | P      | C       |        |
| E        | 2    | B     | Psittacus erithacus | live | 1        |      | CL       | ES       | CD     | P       | W      |
| E        | 2    | B     | Psittacus erithacus | live | 2        |      | CL       | ES       | CD     | T       | W      |
| E        | 2    | B     | Psittacus erithacus | live | 1        |      | CL       | FR       | XX     | B       | U      |
| E        | 2    | B     | Psittacus erithacus | live | 2        |      | CM       | FR       | CM     | B       | W      |
| E        | 2    | B     | Psittacus erithacus | live | 3        |      | CM       | FR       | GA     | B       | W      |
| E        | 2    | B     | Psittacus erithacus | live | 1        |      | CN       | DE       | XX     | P       | U      |
| E        | 2    | B     | Psittacus erithacus | live | 8        |      | CY       | BE       | T      | C       |        |
| E        | 2    | B     | Psittacus erithacus | live | 7        |      | CY       | GB       | T      | C       |        |
| E        | 2    | B     | Psittacus erithacus | live | 16       |      | CY       | GB       | CM     | T       | W      |
| E        | 2    | B     | Psittacus erithacus | live | 5        |      | CY       | GR       | XX     | P       | W      |
| E        | 2    | B     | Psittacus erithacus | live | 1        |      | CZ       | AT       | UA     | P       | O      |
| E        | 2    | B     | Psittacus erithacus | live | 2        |      | CZ       | DE       | P      | C       |        |
| E        | 2    | B     | Psittacus erithacus | live | 30       |      | CZ       | NL       | CD     | T       | W      |
| E        | 2    | B     | Psittacus erithacus | live | 1        |      | GA       | FR       | CG     | B       | W      |
| E        | 2    | B     | Psittacus erithacus | live | 1        |      | GA       | FR       | GA     | B       | W      |
| E        | 2    | B     | Psittacus erithacus | live | 20       |      | HR       | IT       | CG     | T       | W      |
| E        | 2    | B     | Psittacus erithacus | live | 1        |      | HT       | FR       | CD     | B       | W      |
| E        | 2    | B     | Psittacus erithacus | live | 1        |      | HU       | DE       | Z      | C       |        |
| E        | 2    | B     | Psittacus erithacus | live | 1        |      | HU       | DE       | CM     | P       | W      |
| E        | 2    | B     | Psittacus erithacus | live | 1        |      | HU       | DE       | XX     | P       | U      |
| E        | 2    | B     | Psittacus erithacus | live | 20       |      | IL       | BE       | CD     | T       | W      |
| E        | 2    | B     | Psittacus erithacus | live | 6        |      | IL       | GB       | T      | C       |        |
| E        | 2    | B     | Psittacus erithacus | live | 8        |      | IL       | NL       | T      | C       |        |
| E        | 2    | B     | Psittacus erithacus | live | 1        |      | IN       | FR       | CM     | B       | W      |
| E        | 2    | B     | Psittacus erithacus | live | 12       |      | IR       | BE       | T      | C       |        |
| E        | 2    | B     | Psittacus erithacus | live | 1        |      | IS       | DE       | PH     | T       | C      |
| E        | 2    | B     | Psittacus erithacus | live | 2        |      | IS       | GB       | T      | C       |        |
| E        | 2    | B     | Psittacus erithacus | live | 4        |      | JP       | BE       | T      | C       |        |
| E        | 2    | B     | Psittacus erithacus | live | 1        |      | JP       | BE       | NL     | T       | C      |
| E        | 2    | B     | Psittacus erithacus | live | 2        |      | JP       | GB       | T      | C       |        |
| E        | 2    | B     | Psittacus erithacus | live | 45       |      | JP       | NL       | T      | C       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                      | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Psittacus erithacus</i> | live | 1        |      | JP       | SE       | NG     | P       | U      |
| E        | 2    | B     | <i>Psittacus erithacus</i> | live | 1        |      | KE       | GB       |        | P       | C      |
| E        | 2    | B     | <i>Psittacus erithacus</i> | live | 2        |      | KR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psittacus erithacus</i> | live | 1        |      | MA       | AT       | TG     | P       | W      |
| E        | 2    | B     | <i>Psittacus erithacus</i> | live | 1        |      | MG       | BE       | BI     | T       | C      |
| E        | 2    | B     | <i>Psittacus erithacus</i> | live | 2        |      | MT       | BE       | CD     | T       | W      |
| E        | 2    | B     | <i>Psittacus erithacus</i> | live | 2        |      | MT       | DE       |        | P       | C      |
| E        | 2    | B     | <i>Psittacus erithacus</i> | live | 24       |      | MT       | FR       | CM     | T       | W      |
| E        | 2    | B     | <i>Psittacus erithacus</i> | live | 4        |      | MT       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Psittacus erithacus</i> | live | 10       |      | MT       | GB       | CM     | T       | W      |
| E        | 2    | B     | <i>Psittacus erithacus</i> | live | 12       |      | MU       | NL       | CD     | T       | W      |
| E        | 2    | B     | <i>Psittacus erithacus</i> | live | 2        |      | MY       | GB       |        | P       | C      |
| E        | 2    | B     | <i>Psittacus erithacus</i> | live | 10       |      | MY       | NL       | CD     | T       | W      |
| E        | 2    | B     | <i>Psittacus erithacus</i> | live | 2        |      | NG       | BE       | XX     | T       | W      |
| E        | 2    | B     | <i>Psittacus erithacus</i> | live | 1        |      | NO       | BE       | XX     | Q       | W      |
| E        | 2    | B     | <i>Psittacus erithacus</i> | live | 3        |      | NO       | DK       | XX     | P       | O      |
| E        | 2    | B     | <i>Psittacus erithacus</i> | live | 1        |      | NO       | FI       |        | P       | C      |
| E        | 2    | B     | <i>Psittacus erithacus</i> | live | 1        |      | OM       | GB       |        | P       | C      |
| E        | 2    | B     | <i>Psittacus erithacus</i> | live | 2        |      | PH       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psittacus erithacus</i> | live | 1        |      | PK       | FI       |        | P       | C      |
| E        | 2    | B     | <i>Psittacus erithacus</i> | live | 3        |      | PL       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Psittacus erithacus</i> | live | 1        |      | PL       | DE       |        | P       | U      |
| E        | 2    | B     | <i>Psittacus erithacus</i> | live | 5        |      | PL       | FI       |        | Z       | C      |
| E        | 2    | B     | <i>Psittacus erithacus</i> | live | 1        |      | PL       | FR       | CM     | B       | W      |
| E        | 2    | B     | <i>Psittacus erithacus</i> | live | 8        |      | PL       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psittacus erithacus</i> | live | 1        |      | PL       | NL       |        | X       | O      |
| E        | 2    | B     | <i>Psittacus erithacus</i> | live | 10       |      | PL       | NL       | CD     | T       | W      |
| E        | 2    | B     | <i>Psittacus erithacus</i> | live | 1        |      | PY       | DE       |        | P       | C      |
| E        | 2    | B     | <i>Psittacus erithacus</i> | live | 1        |      | QA       | FR       | GA     | B       | W      |
| E        | 2    | B     | <i>Psittacus erithacus</i> | live | 6        |      | SA       | NL       | XX     | Z       | U      |
| E        | 2    | B     | <i>Psittacus erithacus</i> | live | 50       |      | SK       | NL       | CD     | T       | W      |
| E        | 2    | B     | <i>Psittacus erithacus</i> | live | 1        |      | SR       | NL       | XX     | T       | O      |
| E        | 2    | B     | <i>Psittacus erithacus</i> | live | 5        |      | SR       | NL       | CD     | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                             | Term      | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Psittacus erithacus</i>        | live      | 1        |      | TR       | BE       | NG     | T       | W      |
| E        | 2    | B     | <i>Psittacus erithacus</i>        | live      | 1        |      | TR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psittacus erithacus</i>        | live      | 25       |      | TT       | NL       | CD     | T       | W      |
| E        | 2    | B     | <i>Psittacus erithacus</i>        | live      | 10       |      | TW       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Psittacus erithacus</i>        | live      | 2        |      | US       | DE       |        | P       | C      |
| E        | 2    | B     | <i>Psittacus erithacus</i>        | live      | 1        |      | US       | DE       | CM     | P       | W      |
| E        | 2    | B     | <i>Psittacus erithacus</i>        | live      | 1        |      | US       | DE       | GH     | P       | W      |
| E        | 2    | B     | <i>Psittacus erithacus</i>        | live      | 1        |      | US       | DE       | KE     | P       | W      |
| E        | 2    | B     | <i>Psittacus erithacus</i>        | live      | 1        |      | US       | DE       | XX     | P       | U      |
| E        | 2    | B     | <i>Psittacus erithacus</i>        | live      | 1        |      | US       | DE       | XX     | P       | W      |
| E        | 2    | B     | <i>Psittacus erithacus</i>        | live      | 1        |      | US       | ES       | GB     | P       | C      |
| E        | 2    | B     | <i>Psittacus erithacus</i>        | live      | 1        |      | US       | ES       | US     | P       | C      |
| E        | 2    | B     | <i>Psittacus erithacus</i>        | live      | 3        |      | US       | ES       | ZA     | T       | C      |
| E        | 2    | B     | <i>Psittacus erithacus</i>        | live      | 1        |      | US       | FR       |        | B       | C      |
| E        | 2    | B     | <i>Psittacus erithacus</i>        | live      | 1        |      | US       | GB       | US     | P       | C      |
| E        | 2    | B     | <i>Psittacus erithacus</i>        | live      | 1        |      | US       | GB       | ZA     | P       | C      |
| E        | 2    | B     | <i>Psittacus erithacus</i>        | live      | 1        |      | US       | NL       | TP     | C       |        |
| E        | 2    | B     | <i>Psittacus erithacus</i>        | live      | 1        |      | US       | NL       | US     | P       | F      |
| E        | 2    | B     | <i>Psittacus erithacus</i>        | live      | 1        |      | ZA       | DE       | PP     | C       |        |
| E        | 2    | B     | <i>Psittacus erithacus</i>        | live      | 1        |      | ZA       | DE       | XX     | P       | O      |
| E        | 2    | B     | <i>Psittacus erithacus</i>        | specimens | 6        |      | US       | NL       | S      | W       |        |
| E        | 2    | B     | <i>Psittacus erithacus</i> timneh | live      | 1        |      | CA       | FR       | B      | F       |        |
| E        | 2    | B     | <i>Psittacus erithacus</i> timneh | live      | 4        |      | CH       | ES       | SL     | T       | W      |
| E        | 2    | B     | <i>Psittacus erithacus</i> timneh | live      | 4        |      | CL       | ES       | SL     | T       | W      |
| E        | 2    | B     | <i>Psittacus erithacus</i> timneh | live      | 2        |      | CZ       | NL       | ZA     | T       | C      |
| E        | 2    | B     | <i>Psittacus erithacus</i> timneh | live      | 2        |      | JP       | GB       | TP     | C       |        |
| E        | 2    | B     | <i>Psittacus erithacus</i> timneh | live      | 1        |      | US       | DE       | LR     | P       | W      |
| E        | 2    | B     | <i>Psittacus erithacus</i> timneh | live      | 1        |      | US       | GB       | XX     | P       | W      |
| E        | 2    | B     | <i>Psitteuteles goldiei</i>       | live      | 5        |      | AN       | NL       | T      | C       |        |
| E        | 2    | B     | <i>Psitteuteles goldiei</i>       | live      | 10       |      | IL       | NL       | T      | C       |        |
| E        | 2    | B     | <i>Psitteuteles goldiei</i>       | live      | 2        |      | JP       | GB       | T      | C       |        |
| E        | 2    | B     | <i>Psitteuteles iris</i>          | live      | 5        |      | ZA       | NL       | T      | C       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                          | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Psittinus cyanurus</i>      | live | 4        |      | CY       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Purpleicephalus spurius</i> | live | 34       |      | BR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Purpleicephalus spurius</i> | live | 3        |      | BS       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Purpleicephalus spurius</i> | live | 4        |      | CY       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Purpleicephalus spurius</i> | live | 5        |      | IL       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Purpleicephalus spurius</i> | live | 4        |      | JP       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Purpleicephalus spurius</i> | live | 116      |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Purpleicephalus spurius</i> | live | 5        |      | KR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Purpleicephalus spurius</i> | live | 2        |      | MV       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Purpleicephalus spurius</i> | live | 7        |      | MX       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Purpleicephalus spurius</i> | live | 2        |      | PA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Purpleicephalus spurius</i> | live | 4        |      | PH       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Purpleicephalus spurius</i> | live | 7        |      | PK       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Purpleicephalus spurius</i> | live | 3        |      | PL       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Purpleicephalus spurius</i> | live | 6        |      | TH       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Purpleicephalus spurius</i> | live | 64       |      | TW       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Purpleicephalus spurius</i> | live | 3        |      | US       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Purpleicephalus spurius</i> | live | 11       |      | US       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Purpleicephalus spurius</i> | live | 8        |      | VE       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Purpleicephalus spurius</i> | live | 9        |      | ZA       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Purpleicephalus spurius</i> | live | 3        |      | ZW       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Pyrrhura egregia</i>        | live | 28       |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Pyrrhura egregia</i>        | live | 6        |      | MX       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Pyrrhura frontalis</i>      | live | 4        |      | CH       | NL       | CH     | T       | C      |
| E        | 2    | B     | <i>Pyrrhura frontalis</i>      | live | 40       |      | TW       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Pyrrhura hoematotis</i>     | live | 4        |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Pyrrhura hoffmanni</i>      | live | 2        |      | CA       | NL       | US     | T       | C      |
| E        | 2    | B     | <i>Pyrrhura leucotis</i>       | live | 4        |      | CA       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Pyrrhura leucotis</i>       | live | 21       |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Pyrrhura leucotis</i>       | live | 6        |      | MX       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Pyrrhura melanura</i>       | live | 4        |      | HU       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Pyrrhura molinae</i>        | live | 10       |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Pyrrhura molinae</i>        | live | 6        |      | HU       | NL       |        | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                                | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Pyrrhura molinae</i>              | live | 8        |      | MT       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Pyrrhura molinae</i>              | live | 18       |      | MX       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Pyrrhura molinae</i>              | live | 1        |      | NO       | DK       | NO     | P       | C      |
| E        | 2    | B     | <i>Pyrrhura molinae</i>              | live | 2        |      | ZA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Pyrrhura perlata</i>              | live | 20       |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Pyrrhura perlata</i>              | live | 45       |      | US       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Pyrrhura picta</i>                | live | 6        |      | CA       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Pyrrhura picta</i>                | live | 15       |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Pyrrhura picta</i>                | live | 4        |      | HU       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Pyrrhura picta</i>                | live | 4        |      | MX       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Pyrrhura picta</i>                | live | 2        |      | SA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Pyrrhura picta</i>                | live | 20       |      | YU       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Pyrrhura picta</i>                | live | 2        |      | ZA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Pyrrhura rhodocephala</i>         | live | 4        |      | SA       | NL       | VE     | Z       | I      |
| E        | 2    | B     | <i>Pyrrhura rhodocephala</i>         | live | 4        |      | ZA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Pyrrhura rhodogaster</i>          | live | 5        |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Pyrrhura rhodogaster</i>          | live | 1        |      | ZA       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Pyrrhura rhodogaster</i>          | live | 8        |      | ZA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Pyrrhura rupicola</i>             | live | 8        |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Pyrrhura rupicola</i>             | live | 6        |      | MX       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Tanygnathus megalorynchos</i>     | live | 4        |      | IL       | NL       | SG     | T       | C      |
| E        | 2    | B     | <i>Trichoglossus chlorolepidotus</i> | live | 4        |      | ZA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Trichoglossus euteles</i>         | live | 1        |      | BR       | ES       |        | T       | C      |
| E        | 2    | B     | <i>Trichoglossus euteles</i>         | live | 2        |      | JP       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Trichoglossus flavoviridis</i>    | live | 3        |      | BR       | ES       | MY     | T       | W      |
| E        | 2    | B     | <i>Trichoglossus haematodus</i>      | live | 20       |      | AE       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Trichoglossus haematodus</i>      | live | 8        |      | AN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Trichoglossus haematodus</i>      | live | 42       |      | AR       | ES       | ID     | T       | W      |
| E        | 2    | B     | <i>Trichoglossus haematodus</i>      | live | 3        |      | BR       | ES       |        | T       | C      |
| E        | 2    | B     | <i>Trichoglossus haematodus</i>      | live | 17       |      | BR       | ES       | ID     | T       | C      |
| E        | 2    | B     | <i>Trichoglossus haematodus</i>      | live | 16       |      | BR       | ES       | ZA     | T       | C      |
| E        | 2    | B     | <i>Trichoglossus haematodus</i>      | live | 2        |      | CL       | ES       | ID     | T       | W      |
| E        | 2    | B     | <i>Trichoglossus haematodus</i>      | live | 2        |      | CL       | ES       | ZA     | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                           | Term     | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Trichoglossus haematodus</i> | live     | 20       |      | DO       | NL       | ZA     | T       | C      |
| E        | 2    | B     | <i>Trichoglossus haematodus</i> | live     | 60       |      | IL       | NL       | ID     | T       | W      |
| E        | 2    | B     | <i>Trichoglossus haematodus</i> | live     | 10       |      | IL       | NL       | ZA     | T       | C      |
| E        | 2    | B     | <i>Trichoglossus haematodus</i> | live     | 2        |      | MT       | BE       | ID     | T       | W      |
| E        | 2    | B     | <i>Trichoglossus haematodus</i> | live     | 12       |      | MU       | NL       | ID     | T       | C      |
| E        | 2    | B     | <i>Trichoglossus haematodus</i> | live     | 10       |      | MX       | BE       | ID     | T       | W      |
| E        | 2    | B     | <i>Trichoglossus haematodus</i> | live     | 4        |      | PA       | NL       | ID     | T       | W      |
| E        | 2    | B     | <i>Trichoglossus haematodus</i> | live     | 1        |      | TT       | NL       | ID     | T       | W      |
| E        | 2    | B     | <i>Trichoglossus haematodus</i> | live     | 1        |      | US       | FR       | US     | B       | F      |
| E        | 2    | B     | <i>Trichoglossus haematodus</i> | live     | 4        |      | ZA       | ES       | ID     | T       | W      |
| E        | 2    | B     | <i>Trichoglossus haematodus</i> | live     | 12       |      | ZA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Trichoglossus haematodus</i> | live     | 5        |      | ZA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Trichoglossus ornatus</i>    | bodies   | 1        |      | ZA       | NL       | ZA     | E       | W      |
| E        | 2    | B     | <i>Musophaga porphyreolopha</i> | feathers | 2        |      | ZA       | NL       | ZA     | E       | W      |
| E        | 2    | B     | <i>Musophaga porphyreolopha</i> | live     | 4        |      | CH       | DE       | MZ     | T       | W      |
| E        | 2    | B     | <i>Musophaga porphyreolopha</i> | live     | 4        |      | US       | NL       | MZ     | T       | W      |
| E        | 2    | B     | <i>Tauraco hartlaubi</i>        | feathers | 6        |      | NO       | DK       | PT     | C       |        |
| E        | 2    | B     | <i>Tauraco hartlaubi</i>        | live     | 10       |      | AR       | ES       | TZ     | T       | W      |
| E        | 2    | B     | <i>Tauraco hartlaubi</i>        | live     | 2        |      | BR       | ES       | TZ     | T       | W      |
| E        | 2    | B     | <i>Tauraco hartlaubi</i>        | live     | 2        |      | BS       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Tauraco hartlaubi</i>        | live     | 2        |      | IL       | BE       | TZ     | T       | W      |
| E        | 2    | B     | <i>Tauraco hartlaubi</i>        | live     | 2        |      | LK       | DE       | TZ     | T       | W      |
| E        | 2    | B     | <i>Tauraco hartlaubi</i>        | live     | 9        |      | MX       | BE       | TZ     | T       | W      |
| E        | 2    | B     | <i>Tauraco hartlaubi</i>        | live     | 2        |      | US       | ES       | TZ     | T       | W      |
| E        | 2    | B     | <i>Tauraco leucolophus</i>      | live     | 5        |      | US       | FR       |        | Z       | C      |
| E        | 2    | B     | <i>Tauraco leucotis</i>         | bodies   | 1        |      | NO       | DK       |        | T       |        |
| E        | 2    | B     | <i>Tauraco leucotis</i>         | live     | 4        |      | CY       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Tauraco leucotis</i>         | live     | 4        |      | CZ       | NL       |        | Z       | C      |
| E        | 2    | B     | <i>Tauraco leucotis</i>         | live     | 10       |      | IL       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Tauraco leucotis</i>         | live     | 3        |      | PL       | NL       |        | Z       | C      |
| E        | 2    | B     | <i>Tauraco livingstonii</i>     | live     | 4        |      | AR       | ES       | TZ     | T       | W      |
| E        | 2    | B     | <i>Tauraco livingstonii</i>     | live     | 2        |      | LK       | DE       | TZ     | T       | W      |
| E        | 2    | B     | <i>Tauraco livingstonii</i>     | live     | 4        |      | MX       | BE       | TZ     | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                       | Term     | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Tauraco livingstonii</i> | live     | 10       |      | RU       | ES       | TZ     | T       | W      |
| E        | 2    | B     | <i>Tauraco livingstonii</i> | live     | 2        |      | TR       | DE       | TZ     | T       | W      |
| E        | 2    | B     | <i>Tauraco persa</i>        | live     | 4        |      | AR       | ES       | GN     | T       | W      |
| E        | 2    | B     | <i>Tauraco persa</i>        | live     | 4        |      | CY       | NL       | GN     | T       | W      |
| E        | 2    | B     | <i>Tauraco persa</i>        | live     | 2        |      | HR       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Tauraco persa</i>        | live     | 8        |      | MX       | BE       | TG     | T       | W      |
| E        | 2    | B     | <i>Phodilus badius</i>      | live     | 2        |      | JP       | DE       | ES     | T       | C      |
| E        | 2    | A     | <i>Tyto alba</i>            | bodies   | 1        |      | CH       | FR       |        | E       | O      |
| E        | 2    | A     | <i>Tyto alba</i>            | bodies   | 7        |      | NO       | DK       |        | T       | W      |
| E        | 2    | A     | <i>Tyto alba</i>            | bodies   | 1        |      | ZA       | GB       |        | P       | W      |
| E        | 2    | A     | <i>Tyto alba</i>            | live     | 2        |      | HU       | NL       |        | Z       | C      |
| E        | 2    | A     | <i>Tyto alba</i>            | live     | 2        |      | MX       | ES       |        | T       | C      |
| E        | 2    | A     | <i>Tyto alba</i>            | live     | 12       |      | SG       | GB       |        | Z       | C      |
| E        | 2    | A     | <i>Tyto alba</i>            | skins    | 1        |      | NO       | DK       |        | T       | O      |
| E        | 2    | B     | <i>Asio clamator</i>        | live     | 3        |      | SG       | GB       |        | Z       | C      |
| E        | 2    | A     | <i>Asio otus</i>            | bodies   | 1        |      | AE       | NL       |        | E       | W      |
| E        | 2    | A     | <i>Asio otus</i>            | bodies   | 4        |      | NO       | DK       |        | T       | O      |
| E        | 2    | A     | <i>Asio otus</i>            | bodies   | 9        |      | NO       | DK       |        | T       | W      |
| E        | 2    | A     | <i>Athene noctua</i>        | bodies   | 2        |      | CH       | FR       |        | E       | O      |
| E        | 2    | A     | <i>Athene noctua</i>        | bodies   | 3        |      | NO       | DK       |        | T       | W      |
| E        | 2    | A     | <i>Athene noctua</i>        | bodies   | 4        |      | NO       | DK       |        | T       | O      |
| E        | 2    | A     | <i>Athene noctua</i>        | live     | 3        |      | JP       | DE       |        | T       | C      |
| E        | 2    | B     | <i>Bubo africanus</i>       | live     | 1        |      | JP       | DE       |        | T       | C      |
| E        | 2    | A     | <i>Bubo bubo</i>            | bodies   | 5        |      | NO       | DK       |        | T       | C      |
| E        | 2    | A     | <i>Bubo bubo</i>            | feathers | 10       |      | NO       | DK       |        | T       | C      |
| E        | 2    | A     | <i>Bubo bubo</i>            | live     | 4        |      | JP       | DE       |        | T       | C      |
| E        | 2    | A     | <i>Bubo bubo</i>            | live     | 1        |      | JP       | GB       |        | E       | C      |
| E        | 2    | A     | <i>Bubo bubo</i>            | live     | 4        |      | PL       | NL       |        | Z       | C      |
| E        | 2    | A     | <i>Bubo bubo</i>            | live     | 3        |      | SG       | GB       |        | Z       | C      |
| E        | 2    | A     | <i>Bubo bubo</i>            | live     | 4        |      | US       | GB       |        | P       | C      |
| E        | 2    | A     | <i>Bubo bubo</i>            | skins    | 4        |      | NO       | DK       |        | T       | C      |
| E        | 2    | B     | <i>Bubo virginianus</i>     | bodies   | 3        |      | US       | GB       |        | US      | W      |
| E        | 2    | B     | <i>Bubo virginianus</i>     | live     | 2        |      | PL       | GB       |        | Z       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                       | Term      | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | A     | <i>Nyctea scandiaca</i>     | bodies    | 1        |      | NO       | DK       |        | T       | O      |
| E        | 2    | A     | <i>Nyctea scandiaca</i>     | bodies    | 5        |      | NO       | DK       | T      | C       | C      |
| E        | 2    | A     | <i>Nyctea scandiaca</i>     | eggshells | 2        |      | NO       | DK       | T      | C       | C      |
| E        | 2    | A     | <i>Nyctea scandiaca</i>     | live      | 2        |      | CY       | GB       | T      | C       | C      |
| E        | 2    | A     | <i>Nyctea scandiaca</i>     | live      | 2        |      | JP       | GB       | T      | C       | C      |
| E        | 2    | A     | <i>Nyctea scandiaca</i>     | live      | 5        |      | JP       | GB       | B      | C       | C      |
| E        | 2    | A     | <i>Nyctea scandiaca</i>     | skins     | 1        |      | NO       | DK       | T      | C       | C      |
| E        | 2    | B     | <i>Otus leucotis</i>        | bodies    | 2        |      | ZA       | NL       | ZA     | E       | W      |
| E        | 2    | B     | <i>Otus leucotis</i>        | live      | 2        |      | JP       | DE       | T      | C       | C      |
| E        | 2    | B     | <i>Otus leucotis</i>        | live      | 2        |      | SG       | GB       | Z      | C       | C      |
| E        | 2    | A     | <i>Otus scops</i>           | bodies    | 1        |      | US       | GB       | XX     | P       | O      |
| E        | 2    | A     | <i>Otus scops</i>           | live      | 2        |      | CH       | DE       | T      | D       | C      |
| E        | 2    | A     | <i>Otus scops</i>           | live      | 2        |      | IR       | GB       | DE     | T       | C      |
| E        | 2    | A     | <i>Strix aluco</i>          | bodies    | 4        |      | NO       | DK       | T      | T       | O      |
| E        | 2    | A     | <i>Strix aluco</i>          | bodies    | 5        |      | NO       | DK       | T      | T       | W      |
| E        | 2    | A     | <i>Strix aluco</i>          | live      | 6        |      | CA       | GB       | Z      | C       | C      |
| E        | 2    | A     | <i>Strix nebulosa</i>       | bodies    | 1        |      | NO       | SE       | E      | C       | C      |
| E        | 2    | A     | <i>Strix nebulosa</i>       | live      | 1        |      | HR       | BE       | T      | C       | C      |
| E        | 2    | A     | <i>Strix nebulosa</i>       | live      | 1        |      | PL       | BE       | T      | C       | C      |
| E        | 2    | A     | <i>Strix nebulosa</i>       | live      | 2        |      | SG       | DE       | Z      | C       | C      |
| E        | 2    | B     | <i>Strix rufipes</i>        | live      | 4        |      | CA       | DE       | T      | T       | C      |
| E        | 2    | B     | <i>Strix rufipes</i>        | live      | 2        |      | SG       | GB       | Z      | C       | C      |
| E        | 2    | A     | <i>Strix uralensis</i>      | live      | 2        |      | CA       | GB       | RU     | B       | F      |
| E        | 2    | A     | <i>Strix uralensis</i>      | live      | 2        |      | SG       | GB       | RU     | B       | C      |
| E        | 2    | B     | <i>Strix varia</i>          | bodies    | 5        |      | US       | GB       | US     | E       | W      |
| E        | 2    | B     | <i>Strix woodfordii</i>     | bodies    | 1        |      | ZA       | NL       | ZA     | E       | W      |
| E        | 2    | A     | <i>Surnia ulula</i>         | live      | 1        |      | CH       | NL       | Z      | Z       | C      |
| E        | 2    | A     | <i>Surnia ulula</i>         | live      | 1        |      | CZ       | DE       | Z      | Z       | C      |
| E        | 2    | A     | <i>Surnia ulula</i>         | live      | 1        |      | EE       | DE       | Z      | Z       | C      |
| E        | 2    | B     | <i>Aceros comatus</i>       | live      | 1        |      | PH       | NL       | SG     | T       | O      |
| E        | 2    | B     | <i>Buceros hydrocorax</i>   | live      | 1        |      | SG       | NL       | FR     | Z       | C      |
| E        | 2    | B     | <i>Buceros hydrocorax</i>   | live      | 5        |      | SG       | NL       | XX     | Z       | O      |
| E        | 2    | B     | <i>Pteroglossus aracari</i> | live      | 2        |      | CY       | GR       | XX     | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                        | Term     | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Pteroglossus aracari</i>  | live     | 10       |      | CZ       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Pteroglossus aracari</i>  | live     | 10       |      | DO       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Pteroglossus aracari</i>  | live     | 2        |      | ID       | DE       | SR     | T       | W      |
| E        | 2    | B     | <i>Pteroglossus aracari</i>  | live     | 2        |      | MT       | BE       | SR     | T       | W      |
| E        | 2    | B     | <i>Pteroglossus aracari</i>  | live     | 4        |      | MU       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Pteroglossus viridis</i>  | live     | 2        |      | ID       | DE       | SR     | T       | W      |
| E        | 2    | B     | <i>Pteroglossus viridis</i>  | live     | 4        |      | IL       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Ramphastos sulfuratus</i> | bodies   | 1        |      | NO       | DK       | XX     | T       | C      |
| E        | 2    | B     | <i>Ramphastos sulfuratus</i> | feathers | 20       |      | NO       | DK       | TT     | C       |        |
| E        | 2    | B     | <i>Ramphastos sulfuratus</i> | live     | 8        |      | CH       | BE       | GY     | T       | W      |
| E        | 2    | B     | <i>Ramphastos sulfuratus</i> | live     | 1        |      | CH       | NL       | NI     | T       | W      |
| E        | 2    | B     | <i>Ramphastos sulfuratus</i> | live     | 2        |      | DO       | NL       | NI     | T       | W      |
| E        | 2    | B     | <i>Ramphastos sulfuratus</i> | live     | 2        |      | ID       | DE       | NI     | T       | W      |
| E        | 2    | B     | <i>Ramphastos sulfuratus</i> | live     | 8        |      | IL       | NL       | NI     | T       | W      |
| E        | 2    | B     | <i>Ramphastos sulfuratus</i> | live     | 2        |      | JP       | NL       | NI     | T       | W      |
| E        | 2    | B     | <i>Ramphastos sulfuratus</i> | live     | 6        |      | MU       | NL       | NI     | T       | W      |
| E        | 2    | B     | <i>Ramphastos sulfuratus</i> | live     | 2        |      | PL       | BE       | GY     | T       | W      |
| E        | 2    | B     | <i>Ramphastos sulfuratus</i> | live     | 7        |      | TH       | NL       | NI     | T       | R      |
| E        | 2    | B     | <i>Ramphastos toco</i>       | live     | 10       |      | CH       | BE       | GY     | T       | W      |
| E        | 2    | B     | <i>Ramphastos toco</i>       | live     | 1        |      | CZ       | NL       | Z      | C       |        |
| E        | 2    | B     | <i>Ramphastos toco</i>       | live     | 1        |      | CZ       | NL       | XX     | Z       | O      |
| E        | 2    | B     | <i>Ramphastos toco</i>       | live     | 2        |      | ID       | DE       | GY     | T       | W      |
| E        | 2    | B     | <i>Ramphastos tucanus</i>    | live     | 1        |      | BD       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Ramphastos tucanus</i>    | live     | 1        |      | BH       | GB       | GY     | T       | W      |
| E        | 2    | B     | <i>Ramphastos tucanus</i>    | live     | 6        |      | CH       | BE       | GY     | T       | W      |
| E        | 2    | B     | <i>Ramphastos tucanus</i>    | live     | 4        |      | CH       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Ramphastos tucanus</i>    | live     | 8        |      | CZ       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Ramphastos tucanus</i>    | live     | 5        |      | DO       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Ramphastos tucanus</i>    | live     | 4        |      | EG       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Ramphastos tucanus</i>    | live     | 2        |      | ID       | DE       | SR     | T       | W      |
| E        | 2    | B     | <i>Ramphastos tucanus</i>    | live     | 6        |      | MU       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Ramphastos tucanus</i>    | live     | 6        |      | TH       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Ramphastos tucanus</i>    | live     | 2        |      | UZ       | NL       | SR     | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                        | Term   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|--------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Ramphastos tucanus</i>    | live   | 2        |      | YU       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Ramphastos vitellinus</i> | live   | 1        |      | AR       | BE       | SR     | T       | W      |
| E        | 2    | B     | <i>Ramphastos vitellinus</i> | live   | 6        |      | CH       | BE       | GY     | T       | W      |
| E        | 2    | B     | <i>Ramphastos vitellinus</i> | live   | 5        |      | CZ       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Ramphastos vitellinus</i> | live   | 7        |      | DO       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Ramphastos vitellinus</i> | live   | 2        |      | ID       | DE       | SR     | T       | W      |
| E        | 2    | B     | <i>Ramphastos vitellinus</i> | live   | 4        |      | LK       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Ramphastos vitellinus</i> | live   | 2        |      | MT       | BE       | GY     | T       | W      |
| E        | 2    | B     | <i>Ramphastos vitellinus</i> | live   | 1        |      | MT       | BE       | SR     | T       | W      |
| E        | 2    | B     | <i>Ramphastos vitellinus</i> | live   | 6        |      | MU       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Ramphastos vitellinus</i> | live   | 6        |      | TH       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Ramphastos vitellinus</i> | live   | 2        |      | TR       | DE       | SR     | T       | W      |
| E        | 2    | B     | <i>Ramphastos vitellinus</i> | live   | 2        |      | UZ       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Cephalopterus ornatus</i> | bodies | 1        |      | US       | GB       | XX     | P       | O      |
| E        | 2    | B     | <i>Rupicola peruviana</i>    | bodies | 2        |      | NO       | DK       |        | T       | O      |
| E        | 2    | B     | <i>Rupicola rupicola</i>     | bodies | 1        |      | NO       | DK       |        | T       | O      |
| E        | 2    | B     | <i>Leiothrix lutea</i>       | live   | 150      |      | AR       | ES       | CN     | T       | C      |
| E        | 2    | B     | <i>Leiothrix lutea</i>       | live   | 370      |      | AR       | ES       | CN     | T       | O      |
| E        | 2    | B     | <i>Leiothrix lutea</i>       | live   | 530      |      | AR       | ES       | MY     | T       | O      |
| E        | 2    | B     | <i>Leiothrix lutea</i>       | live   | 200      |      | CA       | DE       | CN     | T       | W      |
| E        | 2    | B     | <i>Leiothrix lutea</i>       | live   | 200      |      | CA       | FR       | CN     | T       | W      |
| E        | 2    | B     | <i>Leiothrix lutea</i>       | live   | 75       |      | CA       | NL       | CN     | T       | W      |
| E        | 2    | B     | <i>Leiothrix lutea</i>       | live   | 20       |      | CH       | DE       | CN     | T       | W      |
| E        | 2    | B     | <i>Leiothrix lutea</i>       | live   | 110      |      | CH       | NL       | CN     | T       | W      |
| E        | 2    | B     | <i>Leiothrix lutea</i>       | live   | 100      |      | CL       | ES       | CN     | T       | W      |
| E        | 2    | B     | <i>Leiothrix lutea</i>       | live   | 180      |      | CL       | ES       | CN     | T       | O      |
| E        | 2    | B     | <i>Leiothrix lutea</i>       | live   | 60       |      | CY       | NL       | CN     | T       | W      |
| E        | 2    | B     | <i>Leiothrix lutea</i>       | live   | 10       |      | MU       | NL       | CN     | T       | O      |
| E        | 2    | B     | <i>Leiothrix lutea</i>       | live   | 10       |      | US       | ES       | MY     | T       | O      |
| E        | 2    | B     | <i>Leiothrix lutea</i>       | live   | 200      |      | ZA       | DE       | CN     | T       | W      |
| E        | 2    | B     | <i>Amandava formosa</i>      | bodies | 1        |      | NO       | DK       | XX     | T       | U      |
| E        | 2    | B     | <i>Padda oryzivora</i>       | live   | 70       |      | AN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Padda oryzivora</i>       | live   | 40       |      | AO       | PT       | NL     | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                         | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Padda oryzivora</i>        | live | 24       |      | BR       | NL       |        | P       | C      |
| E        | 2    | B     | <i>Padda oryzivora</i>        | live | 56       |      | BR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Padda oryzivora</i>        | live | 80       |      | CA       | FR       | NL     | T       | W      |
| E        | 2    | B     | <i>Padda oryzivora</i>        | live | 980      |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Padda oryzivora</i>        | live | 30       |      | CH       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Padda oryzivora</i>        | live | 50       |      | CH       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Padda oryzivora</i>        | live | 1        |      | CH       | NL       | CH     | T       | C      |
| E        | 2    | B     | <i>Padda oryzivora</i>        | live | 80       |      | CR       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Padda oryzivora</i>        | live | 270      |      | GT       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Padda oryzivora</i>        | live | 30       |      | HN       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Padda oryzivora</i>        | live | 80       |      | IL       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Padda oryzivora</i>        | live | 17       |      | JP       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Padda oryzivora</i>        | live | 426      |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Padda oryzivora</i>        | live | 20       |      | KW       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Padda oryzivora</i>        | live | 170      |      | MU       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Padda oryzivora</i>        | live | 622      |      | MX       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Padda oryzivora</i>        | live | 44       |      | PA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Padda oryzivora</i>        | live | 20       |      | PK       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Padda oryzivora</i>        | live | 50       |      | SV       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Padda oryzivora</i>        | live | 224      |      | TH       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Padda oryzivora</i>        | live | 2124     |      | TW       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Poephila cincta cincta</i> | live | 10       |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Poephila cincta cincta</i> | live | 78       |      | NZ       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Poephila cincta cincta</i> | live | 2        |      | PK       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Poephila cincta cincta</i> | live | 4        |      | TT       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Gracula religiosa</i>      | live | 10       |      | AN       | NL       | VN     | T       | W      |
| E        | 2    | B     | <i>Gracula religiosa</i>      | live | 25       |      | AR       | BE       | VN     | T       | W      |
| E        | 2    | B     | <i>Gracula religiosa</i>      | live | 12       |      | AR       | ES       | MY     | T       | O      |
| E        | 2    | B     | <i>Gracula religiosa</i>      | live | 50       |      | AR       | ES       | MY     | T       | W      |
| E        | 2    | B     | <i>Gracula religiosa</i>      | live | 47       |      | BR       | ES       | MY     | T       | O      |
| E        | 2    | B     | <i>Gracula religiosa</i>      | live | 30       |      | CA       | NL       | MY     | T       | W      |
| E        | 2    | B     | <i>Gracula religiosa</i>      | live | 8        |      | CH       | NL       | MY     | T       | W      |
| E        | 2    | B     | <i>Gracula religiosa</i>      | live | 3        |      | CL       | ES       | MY     | T       | O      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                         | Term   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|--------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Gracula religiosa</i>      | live   | 6        |      | CY       | GB       | BE     | T       | C      |
| E        | 2    | B     | <i>Gracula religiosa</i>      | live   | 1        |      | CY       | GR       | XX     | P       | W      |
| E        | 2    | B     | <i>Gracula religiosa</i>      | live   | 10       |      | IL       | BE       | MY     | T       | W      |
| E        | 2    | B     | <i>Gracula religiosa</i>      | live   | 10       |      | IL       | BE       | VN     | T       | W      |
| E        | 2    | B     | <i>Gracula religiosa</i>      | live   | 10       |      | MT       | BE       | MY     | T       | W      |
| E        | 2    | B     | <i>Gracula religiosa</i>      | live   | 1        |      | MT       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Gracula religiosa</i>      | live   | 12       |      | MU       | NL       | MY     | T       | W      |
| E        | 2    | B     | <i>Gracula religiosa</i>      | live   | 54       |      | MY       | BE       | MY     | T       | W      |
| E        | 2    | B     | <i>Gracula religiosa</i>      | live   | 4        |      | NC       | FR       | MY     | T       | W      |
| E        | 2    | B     | <i>Gracula religiosa</i>      | live   | 50       |      | PL       | BE       | MY     | T       | W      |
| E        | 2    | B     | <i>Gracula religiosa</i>      | live   | 12       |      | PL       | BE       | VN     | T       | W      |
| E        | 2    | B     | <i>Gracula religiosa</i>      | live   | 3        |      | SN       | FR       | IN     | B       | O      |
| E        | 2    | B     | <i>Dermatemys mawii</i>       | live   | 1        |      | US       | NL       | GT     | Z       | O      |
| E        | 2    | B     | <i>Clemmys insculpta</i>      | live   | 3        |      | JP       | BE       | FR     | T       | C      |
| E        | 2    | B     | <i>Terrapene carolina</i>     | live   | 10       |      | US       | GB       | US     | N       | W      |
| E        | 2    | B     | <i>Testudinidae</i> spp.      | scales | 1        |      | CH       | FR       | XX     | T       | O      |
| E        | 2    | B     | <i>Testudinidae</i> spp.      | scales | 1        |      | JP       | FR       | XX     | Q       | O      |
| E        | 2    | B     | <i>Testudinidae</i> spp.      | scales | 1        |      | US       | BE       | XX     | P       | W      |
| E        | 2    | B     | <i>Testudinidae</i> spp.      | scales | 9        |      | US       | FR       | XX     | T       | O      |
| E        | 2    | B     | <i>Testudinidae</i> spp.      | shells | 1        |      | CH       | BE       | XX     | T       | W      |
| E        | 2    | B     | <i>Geochelone carbonaria</i>  | live   | 2        |      | CH       | DE       |        | T       | F      |
| E        | 2    | B     | <i>Geochelone carbonaria</i>  | live   | 3        |      | HU       | NL       |        | Z       | C      |
| E        | 2    | B     | <i>Geochelone carbonaria</i>  | live   | 25       |      | JP       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Geochelone carbonaria</i>  | live   | 2        |      | PL       | NL       |        | Z       | C      |
| E        | 2    | B     | <i>Geochelone carbonaria</i>  | live   | 5        |      | PL       | NL       | XX     | Z       | U      |
| E        | 2    | B     | <i>Geochelone carbonaria</i>  | live   | 1        |      | VE       | NL       |        | Z       | I      |
| E        | 2    | B     | <i>Geochelone carbonaria</i>  | live   | 1        |      | VE       | NL       |        | Z       | U      |
| E        | 2    | B     | <i>Geochelone denticulata</i> | live   | 2        |      | CH       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Geochelone denticulata</i> | live   | 15       |      | JP       | NL       | SR     | T       | W      |
| E        | 2    | B     | <i>Geochelone denticulata</i> | live   | 6        |      | PL       | NL       |        | Z       | C      |
| E        | 2    | B     | <i>Geochelone denticulata</i> | live   | 10       |      | PL       | NL       | XX     | Z       | I      |
| E        | 2    | B     | <i>Geochelone denticulata</i> | live   | 1        |      | VE       | NL       | XX     | Z       | U      |
| E        | 2    | B     | <i>Geochelone elegans</i>     | live   | 1        |      | CH       | DE       | ES     | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                         | Term   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|--------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Geochelone gigantea</i>    | live   | 10       |      | CZ       | NL       | MU     | T       | F      |
| E        | 2    | B     | <i>Geochelone gigantea</i>    | live   | 3        |      | MX       | IT       | SC     | Z       | C      |
| E        | 2    | B     | <i>Geochelone pardalis</i>    | live   | 20       |      | AN       | NL       | ZM     | T       | W      |
| E        | 2    | B     | <i>Geochelone pardalis</i>    | live   | 300      |      | JP       | NL       | ZM     | T       | W      |
| E        | 2    | B     | <i>Geochelone pardalis</i>    | live   | 1        |      | NO       | DK       | GM     | T       | W      |
| E        | 2    | B     | <i>Geochelone sulcata</i>     | live   | 39       |      | SN       | NL       |        | N       | C      |
| E        | 2    | B     | <i>Kinixys belliana</i>       | live   | 2        |      | HR       | DE       |        | P       | C      |
| E        | 2    | B     | <i>Kinixys belliana</i>       | live   | 2        |      | NO       | NL       |        | TG      | W      |
| E        | 2    | A     | <i>Malacochersus tornieri</i> | live   | 2        |      | ZA       | NL       |        | B       | C      |
| E        | 2    | B     | <i>Testudo spp.</i>           | live   | 1        |      | CH       | DE       |        | P       | C      |
| E        | 2    | A     | <i>Testudo graeca</i>         | live   | 2        |      | CY       | GB       |        | P       | C      |
| E        | 2    | A     | <i>Testudo graeca</i>         | live   | 2        |      | CY       | GB       | XX     | P       | U      |
| E        | 2    | A     | <i>Testudo graeca</i>         | live   | 1        |      | US       | GB       |        | P       | C      |
| E        | 2    | A     | <i>Testudo hermanni</i>       | live   | 1        |      | BM       | GB       |        | P       | U      |
| E        | 2    | A     | <i>Testudo hermanni</i>       | live   | 1        |      | BR       | DE       |        | P       | F      |
| E        | 2    | A     | <i>Testudo hermanni</i>       | live   | 2        |      | BR       | DE       |        | P       | C      |
| E        | 2    | A     | <i>Testudo hermanni</i>       | live   | 4        |      | CA       | DE       |        | P       | C      |
| E        | 2    | A     | <i>Testudo hermanni</i>       | live   | 1        |      | CA       | DE       | XX     | P       | U      |
| E        | 2    | A     | <i>Testudo hermanni</i>       | live   | 3        |      | CH       | DE       |        | P       | C      |
| E        | 2    | A     | <i>Testudo hermanni</i>       | live   | 1        |      | CY       | GB       | XX     | P       | U      |
| E        | 2    | A     | <i>Testudo hermanni</i>       | live   | 2        |      | CZ       | GB       | CZ     | P       | F      |
| E        | 2    | A     | <i>Testudo hermanni</i>       | live   | 5        |      | JP       | DE       |        | T       | F      |
| E        | 2    | A     | <i>Testudo hermanni</i>       | live   | 2        |      | MA       | BE       |        | P       | C      |
| E        | 2    | A     | <i>Testudo hermanni</i>       | live   | 2        |      | NO       | DK       | XX     | P       | O      |
| E        | 2    | A     | <i>Testudo hermanni</i>       | live   | 3        |      | NO       | NL       |        | T       | C      |
| E        | 2    | A     | <i>Testudo hermanni</i>       | live   | 1        |      | NO       | SE       |        | T       | C      |
| E        | 2    | A     | <i>Testudo hermanni</i>       | live   | 3        |      | NO       | SE       | DE     | T       | C      |
| E        | 2    | A     | <i>Testudo hermanni</i>       | live   | 1        |      | US       | AT       |        | T       | D      |
| E        | 2    | A     | <i>Testudo hermanni</i>       | live   | 1        |      | US       | SE       | XX     | P       | U      |
| E        | 2    | A     | <i>Testudo hermanni</i>       | live   | 1        |      | US       | SE       | XX     | P       | O      |
| E        | 2    | B     | <i>Testudo horsfieldii</i>    | scales | 1        |      | US       | FR       | XX     | P       | U      |
| E        | 2    | B     | <i>Testudo horsfieldii</i>    | live   | 1        |      | CA       | DE       | XX     | P       | O      |
| E        | 2    | B     | <i>Testudo horsfieldii</i>    | live   | 1        |      | CH       | DE       | XX     | P       | O      |
| E        | 2    | B     | <i>Testudo horsfieldii</i>    | live   | 1        |      | CH       | DK       |        | P       | O      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                             | Term  | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------------|-------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Testudo horsfieldii</i>        | live  | 1        |      | US       | DE       | RU     | P       | O      |
| E        | 2    | B     | <i>Testudo horsfieldii</i>        | live  | 2        |      | US       | FI       |        | P       | U      |
| E        | 2    | A     | <i>Testudo marginata</i>          | live  | 1        |      | JP       | DE       |        | T       | C      |
| E        | 2    | A     | <i>Testudo marginata</i>          | live  | 1        |      | JP       | DE       |        | T       | F      |
| E        | 2    | A     | <i>Testudo marginata</i>          | live  | 3        |      | PL       | GB       |        | B       | F      |
| E        | 2    | A     | <i>Testudo marginata</i>          | live  | 5        |      | US       | DE       |        | T       | C      |
| E        | 2    | A     | <i>Testudo marginata</i>          | live  | 10       |      | US       | DE       |        | T       | F      |
| E        | 2    | B     | <i>Podocnemis unifilis</i>        | live  | 3        |      | PL       | NL       | XX     | Z       | I      |
| E        | 2    | B     | <i>Alligator spp.</i>             | skins | 2        |      | US       | GB       | XX     | P       | O      |
| E        | 2    | B     | <i>Alligator mississippiensis</i> | live  | 1        |      | JP       | ES       | US     | T       | C      |
| E        | 2    | B     | <i>Alligator mississippiensis</i> | skins | 20       |      | AR       | IT       | US     | T       | R      |
| E        | 2    | B     | <i>Alligator mississippiensis</i> | skins | 2        |      | CA       | FR       | US     | T       | C      |
| E        | 2    | B     | <i>Alligator mississippiensis</i> | skins | 3        |      | CH       | AT       | US     | T       | C      |
| E        | 2    | B     | <i>Alligator mississippiensis</i> | skins | 3        |      | CH       | FR       | IL     | T       | C      |
| E        | 2    | B     | <i>Alligator mississippiensis</i> | skins | 34       |      | CH       | FR       | US     | T       | W      |
| E        | 2    | B     | <i>Alligator mississippiensis</i> | skins | 11005    |      | CH       | FR       | US     | T       | C      |
| E        | 2    | B     | <i>Alligator mississippiensis</i> | skins | 310      |      | CH       | IT       | US     | T       | F      |
| E        | 2    | B     | <i>Alligator mississippiensis</i> | skins | 918      |      | CH       | IT       | US     | T       | R      |
| E        | 2    | B     | <i>Alligator mississippiensis</i> | skins | 1611     |      | CH       | IT       | US     | T       | W      |
| E        | 2    | B     | <i>Alligator mississippiensis</i> | skins | 2973     |      | CH       | IT       | US     | T       | C      |
| E        | 2    | B     | <i>Alligator mississippiensis</i> | skins | 72       |      | CN       | FR       | US     | T       | C      |
| E        | 2    | B     | <i>Alligator mississippiensis</i> | skins | 1        |      | CN       | IT       | US     | T       | W      |
| E        | 2    | B     | <i>Alligator mississippiensis</i> | skins | 5        |      | HK       | FR       | IL     | T       | C      |
| E        | 2    | B     | <i>Alligator mississippiensis</i> | skins | 8        |      | HK       | FR       | US     | T       | W      |
| E        | 2    | B     | <i>Alligator mississippiensis</i> | skins | 57       |      | HK       | FR       | US     | T       | C      |
| E        | 2    | B     | <i>Alligator mississippiensis</i> | skins | 4        |      | HK       | IT       | US     | T       | C      |
| E        | 2    | B     | <i>Alligator mississippiensis</i> | skins | 1        |      | IL       | FR       | IL     | T       | C      |
| E        | 2    | B     | <i>Alligator mississippiensis</i> | skins | 26       |      | JP       | IT       | US     | T       | W      |
| E        | 2    | B     | <i>Alligator mississippiensis</i> | skins | 912      |      | JP       | IT       | US     | T       | C      |
| E        | 2    | B     | <i>Alligator mississippiensis</i> | skins | 18 kg    |      | JP       | IT       | US     | T       | W      |
| E        | 2    | B     | <i>Alligator mississippiensis</i> | skins | 3        |      | KR       | IT       | US     | T       | C      |
| E        | 2    | B     | <i>Alligator mississippiensis</i> | skins | 2552     |      | MU       | FR       | US     | T       | C      |
| E        | 2    | B     | <i>Alligator mississippiensis</i> | skins | 370      |      | MU       | IT       | US     | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                      | Term        | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------|-------------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | Alligator mississippiensis | skins       | 138      |      | MX       | IT       | US     | T       | C      |
| E        | 2    | B     | Alligator mississippiensis | skins       | 160      |      | MX       | IT       | US     | T       | W      |
| E        | 2    | B     | Alligator mississippiensis | skins       | 4        |      | NO       | FR       | US     | T       | C      |
| E        | 2    | B     | Alligator mississippiensis | skins       | 158      |      | SG       | AT       | US     | T       | C      |
| E        | 2    | B     | Alligator mississippiensis | skins       | 29       |      | SG       | DE       | US     | T       | C      |
| E        | 2    | B     | Alligator mississippiensis | skins       | 70       |      | SG       | FR       | US     | T       | C      |
| E        | 2    | B     | Alligator mississippiensis | skins       | 27       |      | SG       | IT       | US     | T       | W      |
| E        | 2    | B     | Alligator mississippiensis | skins       | 125      |      | SG       | IT       | US     | T       | C      |
| E        | 2    | B     | Alligator mississippiensis | skins       | 1        |      | SI       | FR       | US     | T       | C      |
| E        | 2    | B     | Alligator mississippiensis | skins       | 50       |      | US       | ES       | US     | T       | C      |
| E        | 2    | B     | Alligator mississippiensis | skins       | 15       |      | US       | FR       | US     | Q       | C      |
| E        | 2    | B     | Alligator mississippiensis | skins       | 15       |      | US       | FR       | US     | Q       | W      |
| E        | 2    | B     | Alligator mississippiensis | skins       | 618      |      | US       | FR       | US     | T       | W      |
| E        | 2    | B     | Alligator mississippiensis | skins       | 7707     |      | US       | FR       | US     | T       | C      |
| E        | 2    | B     | Alligator mississippiensis | skins       | 12       |      | US       | GB       | US     | T       | W      |
| E        | 2    | B     | Alligator mississippiensis | skins       | 1        |      | US       | GB       | XX     | P       | O      |
| E        | 2    | B     | Alligator mississippiensis | skins       | 3        |      | US       | GB       | XX     | T       | O      |
| E        | 2    | B     | Alligator mississippiensis | skins       | 940      |      | US       | IT       | US     | T       | R      |
| E        | 2    | B     | Alligator mississippiensis | skins       | 1704     |      | US       | IT       | US     | T       | F      |
| E        | 2    | B     | Alligator mississippiensis | skins       | 2036     |      | US       | IT       | US     | T       | C      |
| E        | 2    | B     | Alligator mississippiensis | skins       | 3716     |      | US       | IT       | US     | T       | W      |
| E        | 2    | B     | Alligator mississippiensis | skins       | 96       |      | ZA       | DE       | US     | T       | C      |
| E        | 2    | B     | Alligator mississippiensis | skins       | 3        |      | ZA       | FR       | US     | T       | C      |
| E        | 2    | B     | Alligator mississippiensis | skins       | 132      |      | ZA       | FR       | US     | T       | W      |
| E        | 2    | B     | Alligator mississippiensis | skins       | 30       |      | ZA       | IT       | US     | T       | C      |
| E        | 2    | B     | Alligator mississippiensis | skins       | 40       |      | ZA       | IT       | US     | T       | R      |
| E        | 2    | B     | Alligator mississippiensis | skins       | 140      |      | ZA       | IT       | US     | T       | W      |
| E        | 2    | B     | Alligator mississippiensis | skin pieces | 15       |      | AR       | IT       | US     | T       | C      |
| E        | 2    | B     | Alligator mississippiensis | skin pieces | 15       |      | BR       | IT       | US     | T       | C      |
| E        | 2    | B     | Alligator mississippiensis | skin pieces | 16       |      | CH       | IT       | US     | T       | W      |
| E        | 2    | B     | Alligator mississippiensis | skin pieces | 30       |      | CH       | IT       | US     | T       | C      |
| E        | 2    | B     | Alligator mississippiensis | skin pieces | 27 kg    |      | HK       | DE       | US     | T       | C      |
| E        | 2    | B     | Alligator mississippiensis | skin pieces | 28       |      | JP       | IT       | US     | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                        | Term        | Quantity   | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|-------------|------------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | Alligator mississippiensis   | skin pieces | 33         |      | JP       | IT       | US     | T       | W      |
| E        | 2    | B     | Alligator mississippiensis   | skin pieces | 10         |      | MU       | FR       | US     | T       | C      |
| E        | 2    | B     | Alligator mississippiensis   | skin pieces | 15         |      | SG       | IT       | US     | T       | C      |
| E        | 2    | B     | Alligator mississippiensis   | skin pieces | 27         |      | TH       | IT       | US     | T       | C      |
| E        | 2    | B     | Alligator mississippiensis   | skin pieces | 3          |      | US       | GB       | XX     | T       | O      |
| E        | 2    | B     | Alligator mississippiensis   | skin pieces | 681        |      | US       | IT       | US     | T       | C      |
| E        | 2    | B     | Alligator mississippiensis   | skin pieces | 974        |      | US       | IT       | US     | T       | R      |
| E        | 2    | B     | Alligator mississippiensis   | skin pieces | 9221       |      | US       | IT       | US     | T       | W      |
| E        | 2    | B     | Caiman crocodilus            | live        | 6          |      | PL       | NL       | XX     | Z       | I      |
| E        | 2    | B     | Caiman crocodilus            | live        | 6          |      | TR       | NL       | -      | Z       | C      |
| E        | 2    | B     | Caiman crocodilus            | live        | 5          |      | UA       | NL       | XX     | Z       | I      |
| E        | 2    | B     | Caiman crocodilus            | skins       | 6          |      | US       | IT       | VE     | T       | C      |
| E        | 2    | B     | Caiman crocodilus crocodilus | live        | 25         |      | CZ       | ES       | VE     | T       | W      |
| E        | 2    | B     | Caiman crocodilus crocodilus | live        | 27         |      | RU       | ES       | -      | T       | A      |
| E        | 2    | B     | Caiman crocodilus crocodilus | skins       | 240        |      | BR       | ES       | VE     | T       | W      |
| E        | 2    | B     | Caiman crocodilus crocodilus | skins       | 1802 sides |      | CH       | IT       | VE     | T       | W      |
| E        | 2    | B     | Caiman crocodilus crocodilus | skins       | 13 sides   |      | HK       | IT       | VE     | T       | W      |
| E        | 2    | B     | Caiman crocodilus crocodilus | skins       | 10 sides   |      | JP       | ES       | CO     | T       | C      |
| E        | 2    | B     | Caiman crocodilus crocodilus | skins       | 4          |      | JP       | IT       | VE     | T       | W      |
| E        | 2    | B     | Caiman crocodilus crocodilus | skins       | 500 sides  |      | KR       | IT       | VE     | T       | W      |
| E        | 2    | B     | Caiman crocodilus crocodilus | skins       | 36 sides   |      | MX       | IT       | VE     | T       | W      |
| E        | 2    | B     | Caiman crocodilus crocodilus | skins       | 35 sides   |      | OM       | IT       | VE     | T       | W      |
| E        | 2    | B     | Caiman crocodilus crocodilus | skins       | 180        |      | US       | ES       | VE     | T       | W      |
| E        | 2    | B     | Caiman crocodilus crocodilus | skins       | 7 sides    |      | US       | FR       | VE     | Q       | W      |
| E        | 2    | B     | Caiman crocodilus crocodilus | skins       | 5 sides    |      | US       | IT       | VE     | T       | W      |
| E        | 2    | B     | Caiman crocodilus crocodilus | skins       | 28 sides   |      | ZA       | IT       | CO     | T       | C      |
| E        | 2    | B     | Caiman crocodilus crocodilus | skin pieces | 10         |      | HK       | IT       | VE     | T       | W      |
| E        | 2    | B     | Caiman crocodilus crocodilus | skin pieces | 160        |      | JP       | ES       | CO     | T       | C      |
| E        | 2    | B     | Caiman crocodilus crocodilus | skin pieces | 456        |      | US       | IT       | VE     | T       | W      |
| E        | 2    | B     | Caiman crocodilus crocodilus | tails       | 730        |      | PA       | IT       | VE     | T       | W      |
| E        | 2    | B     | Caiman crocodilus fuscus     | live        | 10         |      | CH       | GB       | CO     | T       | C      |
| E        | 2    | B     | Caiman crocodilus fuscus     | skins       | 56         |      | CH       | ES       | -      | T       | C      |
| E        | 2    | B     | Caiman crocodilus fuscus     | skins       | 117        |      | CH       | FR       | CO     | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                    | Term        | Quantity | Unit  | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------|-------------|----------|-------|----------|----------|--------|---------|--------|
| E        | 2    | B     | Caiman crocodilus fuscus | skins       | 785      | sides | CH       | FR       | CO     | Q       | C      |
| E        | 2    | B     | Caiman crocodilus fuscus | skins       | 4858     | sides | CH       | FR       | CO     | T       | C      |
| E        | 2    | B     | Caiman crocodilus fuscus | skins       | 9408     | sides | CH       | IT       | CO     | T       | C      |
| E        | 2    | B     | Caiman crocodilus fuscus | skins       | 14       |       | CN       | FR       | CO     | T       | C      |
| E        | 2    | B     | Caiman crocodilus fuscus | skins       | 560      | sides | CN       | FR       | CO     | T       | C      |
| E        | 2    | B     | Caiman crocodilus fuscus | skins       | 425      | sides | CO       | IT       | CO     | T       | C      |
| E        | 2    | B     | Caiman crocodilus fuscus | skins       | 11       | sides | HK       | FR       | CO     | T       | C      |
| E        | 2    | B     | Caiman crocodilus fuscus | skins       | 1        | sides | HK       | IT       | CO     | T       | C      |
| E        | 2    | B     | Caiman crocodilus fuscus | skins       | 1        | kg    | JP       | IT       | CO     | T       | C      |
| E        | 2    | B     | Caiman crocodilus fuscus | skins       | < 1      | m2    | JP       | IT       | CO     | T       | C      |
| E        | 2    | B     | Caiman crocodilus fuscus | skins       | 50       | sides | KR       | IT       | CO     | T       | C      |
| E        | 2    | B     | Caiman crocodilus fuscus | skins       | 425      | sides | KR       | IT       | NI     | T       | C      |
| E        | 2    | B     | Caiman crocodilus fuscus | skins       | 147      |       | LK       | IT       | CO     | T       | C      |
| E        | 2    | B     | Caiman crocodilus fuscus | skins       | 32       |       | MT       | IT       | CO     | T       | C      |
| E        | 2    | B     | Caiman crocodilus fuscus | skins       | 6013     | sides | MU       | FR       | CO     | T       | C      |
| E        | 2    | B     | Caiman crocodilus fuscus | skins       | 150      | sides | MU       | IT       | CO     | T       | C      |
| E        | 2    | B     | Caiman crocodilus fuscus | skins       | 6        | sides | SG       | FR       | CO     | T       | C      |
| E        | 2    | B     | Caiman crocodilus fuscus | skins       | 77       |       | SG       | IT       | CO     | T       | C      |
| E        | 2    | B     | Caiman crocodilus fuscus | skins       | 9        | sides | US       | ES       | CO     | T       | C      |
| E        | 2    | B     | Caiman crocodilus fuscus | skins       | 2        | sides | US       | FR       | CO     | Q       | C      |
| E        | 2    | B     | Caiman crocodilus fuscus | skins       | 149      |       | US       | IT       | CO     | T       | C      |
| E        | 2    | B     | Caiman crocodilus fuscus | skins       | 24       | sides | US       | IT       | CO     | T       | C      |
| E        | 2    | B     | Caiman crocodilus fuscus | skins       | 4        | sides | US       | IT       | VE     | T       | W      |
| E        | 2    | B     | Caiman crocodilus fuscus | skin pieces | 8        |       | CH       | IT       | CO     | T       | C      |
| E        | 2    | B     | Caiman crocodilus fuscus | skin pieces | 35       |       | CN       | FR       | CO     | T       | C      |
| E        | 2    | B     | Caiman crocodilus fuscus | skin pieces | 24       | kg    | HK       | DE       | CO     | T       | C      |
| E        | 2    | B     | Caiman crocodilus fuscus | skin pieces | 44143    |       | MG       | FR       | CO     | T       | C      |
| E        | 2    | B     | Caiman crocodilus fuscus | skin pieces | 2950     |       | MG       | FR       | NI     | T       | C      |
| E        | 2    | B     | Caiman crocodilus fuscus | skin pieces | 5        |       | MT       | IT       | CO     | T       | C      |
| E        | 2    | B     | Caiman crocodilus fuscus | skin pieces | 414      |       | US       | IT       | CO     | T       | C      |
| E        | 2    | B     | Caiman crocodilus fuscus | skin pieces | 2        | kg    | US       | IT       | CO     | T       | C      |
| E        | 2    | B     | Caiman crocodilus fuscus | tails       | 7        |       | US       | IT       | CO     | T       | C      |
| E        | 2    | B     | Caiman yacare            | skins       | 27       | sides | HK       | IT       | BO     | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                       | Term  | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------|-------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | Caiman yacare               | skins | 734      |      | SG       | DE       | PY     | T       | O      |
| E        | 2    | B     | <i>Crocodylus niloticus</i> | meat  | 70 kg    |      | AE       | NL       | ZW     | T       | R      |
| E        | 2    | B     | <i>Crocodylus niloticus</i> | meat  | 60 kg    |      | BH       | NL       | ZW     | T       | R      |
| E        | 2    | B     | <i>Crocodylus niloticus</i> | meat  | 696 kg   |      | CH       | DE       | ZW     | T       | R      |
| E        | 2    | B     | <i>Crocodylus niloticus</i> | skins | 193      |      | CH       | FR       | MG     | T       | R      |
| E        | 2    | B     | <i>Crocodylus niloticus</i> | skins | 49       |      | CH       | FR       | ZW     | T       | C      |
| E        | 2    | B     | <i>Crocodylus niloticus</i> | skins | 235      |      | CH       | FR       | ZW     | T       | R      |
| E        | 2    | B     | <i>Crocodylus niloticus</i> | skins | 10       |      | CH       | IT       | ZA     | T       | C      |
| E        | 2    | B     | <i>Crocodylus niloticus</i> | skins | 4        |      | CN       | FR       | MG     | T       | C      |
| E        | 2    | B     | <i>Crocodylus niloticus</i> | skins | 4        |      | CN       | FR       | ZW     | T       | R      |
| E        | 2    | B     | <i>Crocodylus niloticus</i> | skins | 75       |      | HK       | FR       | MG     | T       | R      |
| E        | 2    | B     | <i>Crocodylus niloticus</i> | skins | 30       |      | HK       | FR       | ZM     | T       | R      |
| E        | 2    | B     | <i>Crocodylus niloticus</i> | skins | 2        |      | HK       | FR       | ZW     | T       | R      |
| E        | 2    | B     | <i>Crocodylus niloticus</i> | skins | 8        |      | HK       | FR       | ZW     | T       | C      |
| E        | 2    | B     | <i>Crocodylus niloticus</i> | skins | 92       |      | HK       | IT       | ZA     | T       | C      |
| E        | 2    | B     | <i>Crocodylus niloticus</i> | skins | 6        |      | HK       | IT       | ZW     | T       | R      |
| E        | 2    | B     | <i>Crocodylus niloticus</i> | skins | 44       |      | JP       | FR       | MG     | T       | C      |
| E        | 2    | B     | <i>Crocodylus niloticus</i> | skins | 90       |      | JP       | FR       | ZW     | T       | R      |
| E        | 2    | B     | <i>Crocodylus niloticus</i> | skins | 2 kg     |      | JP       | IT       | ZW     | T       | W      |
| E        | 2    | B     | <i>Crocodylus niloticus</i> | skins | 23       |      | KR       | IT       | MG     | T       | R      |
| E        | 2    | B     | <i>Crocodylus niloticus</i> | skins | 22       |      | KR       | IT       | ZW     | T       | R      |
| E        | 2    | B     | <i>Crocodylus niloticus</i> | skins | 100      |      | SG       | DE       | ZA     | T       | C      |
| E        | 2    | B     | <i>Crocodylus niloticus</i> | skins | 36       |      | SG       | DE       | ZW     | T       | R      |
| E        | 2    | B     | <i>Crocodylus niloticus</i> | skins | 53       |      | SG       | DE       | ZW     | T       | C      |
| E        | 2    | B     | <i>Crocodylus niloticus</i> | skins | 15       |      | SG       | IT       | ZW     | T       | C      |
| E        | 2    | B     | <i>Crocodylus niloticus</i> | skins | 27       |      | SG       | IT       | ZW     | T       | R      |
| E        | 2    | B     | <i>Crocodylus niloticus</i> | skins | 6        |      | TW       | IT       | ZA     | T       | C      |
| E        | 2    | B     | <i>Crocodylus niloticus</i> | skins | 100      |      | US       | FR       | ZA     | T       | C      |
| E        | 2    | B     | <i>Crocodylus niloticus</i> | skins | 1        |      | US       | FR       | ZW     | T       | C      |
| E        | 2    | B     | <i>Crocodylus niloticus</i> | skins | 1131     |      | US       | FR       | ZW     | T       | R      |
| E        | 2    | B     | <i>Crocodylus niloticus</i> | skins | 8        |      | US       | IT       | MZ     | T       | C      |
| E        | 2    | B     | <i>Crocodylus niloticus</i> | skins | 8        |      | US       | IT       | TZ     | T       | W      |
| E        | 2    | B     | <i>Crocodylus niloticus</i> | skins | 40       |      | ZA       | DE       | ZA     | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                                       | Term        | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---|-------------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Crocodylus niloticus</i>                 | skins       | 199      |      | ZW       | FR       | ZW     | T       | R      |
| E        | 2    | B     | <i>Crocodylus niloticus</i>                 | skins       | 368      |      | ZW       | FR       | ZW     | T       | C      |
| E        | 2    | B     | <i>Crocodylus niloticus</i>                 | skin pieces | 38 kg    |      | HK       | DE       | ZW     | T       | R      |
| E        | 2    | B     | <i>Crocodylus niloticus</i>                 | skin pieces | 3        |      | JP       | IT       | ZW     | T       | C      |
| E        | 2    | B     | <i>Crocodylus novaeguineae</i>              | skins       | 2        |      | US       | IT       | ID     | T       | W      |
| E        | 2    | B     | <i>Crocodylus novaeguineae novaeguineae</i> | skins       | 36       |      | PG       | FR       | PG     | T       | W      |
| E        | 2    | B     | <i>Crocodylus porosus</i>                   | skins       | 26       |      | AU       | FR       | AU     | T       | W      |
| E        | 2    | B     | <i>Crocodylus porosus</i>                   | skins       | 27       |      | AU       | FR       | AU     | T       | C      |
| E        | 2    | B     | <i>Crocodylus porosus</i>                   | skins       | 105      |      | AU       | FR       | AU     | T       | R      |
| E        | 2    | B     | <i>Crocodylus porosus</i>                   | skins       | 32       |      | CH       | IT       | AU     | T       | R      |
| E        | 2    | B     | <i>Crocodylus porosus</i>                   | skins       | 4        |      | CN       | FR       | AU     | T       | C      |
| E        | 2    | B     | <i>Crocodylus porosus</i>                   | skins       | 4        |      | HK       | FR       | AU     | T       | R      |
| E        | 2    | B     | <i>Crocodylus porosus</i>                   | skins       | 10       |      | HK       | FR       | AU     | T       | W      |
| E        | 2    | B     | <i>Crocodylus porosus</i>                   | skins       | 11       |      | HK       | FR       | PG     | T       | C      |
| E        | 2    | B     | <i>Crocodylus porosus</i>                   | skins       | 321      |      | ID       | FR       | ID     | T       | C      |
| E        | 2    | B     | <i>Crocodylus porosus</i>                   | skins       | 29       |      | JP       | FR       | PG     | T       | C      |
| E        | 2    | B     | <i>Crocodylus porosus</i>                   | skins       | 32       |      | JP       | FR       | PG     | T       | W      |
| E        | 2    | B     | <i>Crocodylus porosus</i>                   | skins       | 10       |      | KR       | IT       | AU     | T       | R      |
| E        | 2    | B     | <i>Crocodylus porosus</i>                   | skins       | 163      |      | PG       | FR       | PG     | T       | W      |
| E        | 2    | B     | <i>Crocodylus porosus</i>                   | skins       | 1        |      | US       | FR       | AU     | Q       | R      |
| E        | 2    | B     | <i>Crocodylus porosus</i>                   | skins       | 1        |      | US       | FR       | AU     | T       | C      |
| E        | 2    | B     | <i>Crocodylus porosus</i>                   | skins       | 3        |      | US       | FR       | AU     | T       | R      |
| E        | 2    | B     | <i>Crocodylus porosus</i>                   | skins       | 4        |      | US       | FR       | AU     | Q       | C      |
| E        | 2    | B     | <i>Crocodylus porosus</i>                   | skins       | 1        |      | US       | IT       | AU     | T       | R      |
| E        | 2    | B     | <i>Crocodylus porosus</i>                   | skin pieces | 13 kg    |      | HK       | DE       | PG     | T       | W      |
| E        | 2    | B     | <i>Phelsuma spp.</i>                        | live        | 4        |      | US       | DE       | T      | C       |        |
| E        | 2    | B     | <i>Phelsuma abbotti</i>                     | live        | 9        |      | US       | SE       | T      | C       |        |
| E        | 2    | B     | <i>Phelsuma andamanensis</i>                | live        | 9        |      | US       | SE       | T      | C       |        |
| E        | 2    | B     | <i>Phelsuma borbonica</i>                   | live        | 6        |      | US       | SE       | T      | C       |        |
| E        | 2    | A     | <i>Phelsuma guentheri</i>                   | live        | 1        |      | MU       | GB       | S      | C       |        |
| E        | 2    | A     | <i>Phelsuma guentheri</i>                   | live        | 1        |      | MU       | GB       | S      | W       |        |
| E        | 2    | A     | <i>Phelsuma guentheri</i>                   | live        | 2        |      | MU       | GB       | S      | F       |        |
| E        | 2    | A     | <i>Phelsuma guentheri</i>                   | live        | 3        |      | MU       | GB       | S      |         |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                          | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | A     | <i>Phelsuma guentheri</i>      | live | 1        |      | MU       | GB       | DE     | S       | C      |
| E        | 2    | A     | <i>Phelsuma guentheri</i>      | live | 1        |      | MU       | GB       | NL     | S       | C      |
| E        | 2    | B     | <i>Phelsuma guimbeaui</i>      | live | 21       |      | US       | SE       |        | T       | C      |
| E        | 2    | B     | <i>Phelsuma klemmeri</i>       | live | 2        |      | US       | SE       |        | T       | C      |
| E        | 2    | B     | <i>Phelsuma laticauda</i>      | live | 5        |      | US       | SE       |        | T       | C      |
| E        | 2    | B     | <i>Phelsuma leiogaster</i>     | live | 6        |      | US       | SE       |        | T       | C      |
| E        | 2    | B     | <i>Phelsuma modesta</i>        | live | 9        |      | US       | SE       |        | T       | C      |
| E        | 2    | B     | <i>Phelsuma mutabilis</i>      | live | 4        |      | US       | DE       |        | T       | C      |
| E        | 2    | B     | <i>Phelsuma nigristriata</i>   | live | 8        |      | US       | SE       |        | T       | C      |
| E        | 2    | B     | <i>Phelsuma ornata</i>         | live | 7        |      | US       | SE       |        | T       | C      |
| E        | 2    | B     | <i>Phelsuma robertmertensi</i> | live | 3        |      | US       | SE       |        | T       | C      |
| E        | 2    | B     | <i>Phelsuma standingi</i>      | live | 3        |      | US       | SE       |        | T       | C      |
| E        | 2    | B     | <i>Phelsuma sundbergi</i>      | live | 21       |      | US       | SE       |        | T       | C      |
| E        | 2    | B     | <i>Phelsuma v-nigra</i>        | live | 12       |      | US       | SE       |        | T       | C      |
| E        | 2    | B     | <i>Uromastyx acanthinurus</i>  | live | 20       |      | CH       | DE       |        | T       | F      |
| E        | 2    | B     | <i>Uromastyx acanthinurus</i>  | live | 26       |      | JP       | DE       |        | T       | C      |
| E        | 2    | B     | <i>Uromastyx acanthinurus</i>  | live | 50       |      | JP       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Uromastyx acanthinurus</i>  | live | 14       |      | US       | DE       |        | T       | C      |
| E        | 2    | B     | <i>Uromastyx acanthinurus</i>  | live | 4        |      | US       | DE       |        | GB      | C      |
| E        | 2    | B     | <i>Uromastyx acanthinurus</i>  | live | 10       |      | US       | DE       |        | SE      | C      |
| E        | 2    | B     | <i>Uromastyx acanthinurus</i>  | live | 210      |      | US       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Uromastyx acanthinurus</i>  | live | 210      |      | XX       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Uromastyx acanthinurus</i>  | live | 4        |      | ZA       | NL       |        | Z       | C      |
| E        | 2    | B     | <i>Chamaeleo calyptratus</i>   | live | 5        |      | AE       | NL       |        | Z       | C      |
| E        | 2    | B     | <i>Chamaeleo calyptratus</i>   | live | 42       |      | JP       | BE       |        | T       | C      |
| E        | 2    | B     | <i>Chamaeleo furcifer</i>      | live | 1        |      | BN       | NL       |        | MG      | W      |
| E        | 2    | B     | <i>Chamaeleo lateralis</i>     | live | 10       |      | BG       | DE       |        | MG      | W      |
| E        | 2    | B     | <i>Chamaeleo lateralis</i>     | live | 2        |      | CH       | DE       |        | B       | C      |
| E        | 2    | B     | <i>Chamaeleo melleri</i>       | live | 4        |      | SA       | NL       |        | TZ      | W      |
| E        | 2    | B     | <i>Chamaeleo oustaleti</i>     | live | 1        |      | BG       | DE       |        | MG      | T      |
| E        | 2    | B     | <i>Chamaeleo pardalis</i>      | live | 1        |      | BG       | DE       |        | MG      | W      |
| E        | 2    | B     | <i>Chamaeleo pardalis</i>      | live | 2        |      | CH       | DE       |        | B       | C      |
| E        | 2    | B     | <i>Chamaeleo quadricornis</i>  | live | 2        |      | CH       | DE       |        | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                       | Term        | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------|-------------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Chamaeleo verrucosus</i> | live        | 1        |      | BG       | DE       | MG     | T       | W      |
| E        | 2    | B     | <i>Iguana iguana</i>        | live        | 50       |      | BG       | DE       | SV     | T       | C      |
| E        | 2    | B     | <i>Iguana iguana</i>        | live        | 200      |      | CL       | ES       | SV     | T       | C      |
| E        | 2    | B     | <i>Iguana iguana</i>        | live        | 100      |      | CZ       | ES       | GT     | T       | W      |
| E        | 2    | B     | <i>Iguana iguana</i>        | live        | 1        |      | DO       | FR       | SV     | B       | C      |
| E        | 2    | B     | <i>Iguana iguana</i>        | live        | 2        |      | TN       | DE       | CO     | P       | C      |
| E        | 2    | B     | <i>Iguana iguana</i>        | live        | 3        |      | UA       | DE       | CO     | T       | C      |
| E        | 2    | B     | <i>Iguana iguana</i>        | live        | 1        |      | US       | DE       | US     | P       | F      |
| E        | 2    | B     | <i>Iguana iguana</i>        | live        | 2        |      | US       | DE       | XX     | P       | U      |
| E        | 2    | B     | <i>Iguana iguana</i>        | live        | 1        |      | US       | FI       |        | P       | C      |
| E        | 2    | B     | <i>Iguana iguana</i>        | live        | 1        |      | US       | FR       | US     | B       | F      |
| E        | 2    | B     | <i>Iguana iguana</i>        | live        | 1        |      | US       | NL       |        | P       | C      |
| E        | 2    | B     | <i>Cordylus warreni</i>     | live        | 13       |      | JP       | ES       |        | T       | C      |
| E        | 2    | B     | <i>Tupinambis spp.</i>      | skins       | 2016     |      | AR       | ES       | AR     | T       | W      |
| E        | 2    | B     | <i>Tupinambis spp.</i>      | skins       | 2388     |      | BR       | ES       | AR     | T       | W      |
| E        | 2    | B     | <i>Tupinambis spp.</i>      | skins       | 1        |      | CA       | ES       | AR     | T       | W      |
| E        | 2    | B     | <i>Tupinambis spp.</i>      | skins       | 6856     |      | CH       | ES       | AR     | T       | W      |
| E        | 2    | B     | <i>Tupinambis spp.</i>      | skins       | 6268     |      | CH       | ES       | PY     | T       | W      |
| E        | 2    | B     | <i>Tupinambis spp.</i>      | skins       | 1078     |      | HK       | ES       | PY     | T       | W      |
| E        | 2    | B     | <i>Tupinambis spp.</i>      | skins       | 2240     |      | JP       | IT       | PY     | T       | W      |
| E        | 2    | B     | <i>Tupinambis spp.</i>      | skins       | 3826     |      | MX       | ES       | AR     | T       | W      |
| E        | 2    | B     | <i>Tupinambis spp.</i>      | skins       | 5609     |      | MX       | ES       | PY     | T       | W      |
| E        | 2    | B     | <i>Tupinambis spp.</i>      | skins       | 3194     |      | US       | ES       | AR     | T       | W      |
| E        | 2    | B     | <i>Tupinambis spp.</i>      | skins       | 9136     |      | US       | ES       | PY     | T       | W      |
| E        | 2    | B     | <i>Tupinambis spp.</i>      | skins       | 2        |      | US       | IT       | AR     | T       | W      |
| E        | 2    | B     | <i>Tupinambis spp.</i>      | skin pieces | 40       |      | US       | IT       | AR     | T       | W      |
| E        | 2    | B     | <i>Tupinambis rufescens</i> | skins       | 620      |      | CH       | AT       | PY     | T       | W      |
| E        | 2    | B     | <i>Tupinambis rufescens</i> | skins       | 52       |      | CH       | FR       | AR     | T       | W      |
| E        | 2    | B     | <i>Tupinambis rufescens</i> | skins       | 325      |      | CH       | IT       | AR     | T       | W      |
| E        | 2    | B     | <i>Tupinambis rufescens</i> | skins       | 1867     |      | CL       | IT       | AR     | T       | W      |
| E        | 2    | B     | <i>Tupinambis rufescens</i> | skins       | 25       |      | CN       | FR       | AR     | T       | W      |
| E        | 2    | B     | <i>Tupinambis rufescens</i> | skins       | 540      |      | JP       | IT       | AR     | T       | W      |
| E        | 2    | B     | <i>Tupinambis rufescens</i> | skins       | 2352     |      | LB       | IT       | AR     | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                           | Term        | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------------|-------------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Tupinambis rufescens</i>     | skins       | 13       |      | MT       | IT       | AR     | T       | W      |
| E        | 2    | B     | <i>Tupinambis rufescens</i>     | skins       | 2052     |      | MU       | FR       | AR     | T       | W      |
| E        | 2    | B     | <i>Tupinambis rufescens</i>     | skins       | 140      |      | OM       | IT       | AR     | T       | W      |
| E        | 2    | B     | <i>Tupinambis rufescens</i>     | skins       | 2223     |      | US       | IT       | AR     | T       | W      |
| E        | 2    | B     | <i>Tupinambis rufescens</i>     | skin pieces | 3        |      | MT       | IT       | AR     | T       | W      |
| E        | 2    | B     | <i>Tupinambis teguixin</i>      | live        | 1        |      | JP       | GB       | ES     | T       | C      |
| E        | 2    | B     | <i>Tupinambis teguixin</i>      | skins       | 20       |      | CA       | GB       | PY     | T       | W      |
| E        | 2    | B     | <i>Tupinambis teguixin</i>      | skins       | 1482     |      | CH       | AT       | AR     | T       | W      |
| E        | 2    | B     | <i>Tupinambis teguixin</i>      | skins       | 1205     |      | CH       | AT       | PY     | T       | W      |
| E        | 2    | B     | <i>Tupinambis teguixin</i>      | skins       | 1638     |      | CH       | IT       | AR     | T       | W      |
| E        | 2    | B     | <i>Tupinambis teguixin</i>      | skins       | 190      |      | CN       | FR       | AR     | T       | W      |
| E        | 2    | B     | <i>Tupinambis teguixin</i>      | skins       | 266      |      | CN       | FR       | PY     | T       | W      |
| E        | 2    | B     | <i>Tupinambis teguixin</i>      | skins       | 2        |      | HK       | GB       | AR     | T       | W      |
| E        | 2    | B     | <i>Tupinambis teguixin</i>      | skins       | 10       |      | HK       | IT       | AR     | T       | W      |
| E        | 2    | B     | <i>Tupinambis teguixin</i>      | skins       | 2        |      | HK       | IT       | PY     | T       | W      |
| E        | 2    | B     | <i>Tupinambis teguixin</i>      | skins       | 35       |      | HU       | IT       | PY     | T       | W      |
| E        | 2    | B     | <i>Tupinambis teguixin</i>      | skins       | 3788     |      | JP       | IT       | AR     | T       | W      |
| E        | 2    | B     | <i>Tupinambis teguixin</i>      | skins       | 1218     |      | LB       | IT       | AR     | T       | W      |
| E        | 2    | B     | <i>Tupinambis teguixin</i>      | skins       | 1970     |      | LB       | IT       | PY     | T       | W      |
| E        | 2    | B     | <i>Tupinambis teguixin</i>      | skins       | 3444     |      | MU       | FR       | AR     | T       | W      |
| E        | 2    | B     | <i>Tupinambis teguixin</i>      | skins       | 1460     |      | MU       | FR       | PY     | T       | W      |
| E        | 2    | B     | <i>Tupinambis teguixin</i>      | skins       | 1675     |      | MX       | ES       | AR     | T       | W      |
| E        | 2    | B     | <i>Tupinambis teguixin</i>      | skins       | 1478     |      | MX       | ES       | PY     | T       | W      |
| E        | 2    | B     | <i>Tupinambis teguixin</i>      | skins       | 60       |      | OM       | IT       | AR     | T       | W      |
| E        | 2    | B     | <i>Tupinambis teguixin</i>      | skins       | 6        |      | PY       | IT       | PY     | T       | W      |
| E        | 2    | B     | <i>Tupinambis teguixin</i>      | skins       | 505      |      | US       | IT       | AR     | T       | W      |
| E        | 2    | B     | <i>Tupinambis teguixin</i>      | skins       | 133      |      | ZA       | IT       | AR     | T       | W      |
| E        | 2    | B     | <i>Tupinambis teguixin</i>      | skin pieces | 10       |      | HK       | IT       | PY     | T       | W      |
| E        | 2    | B     | <i>Tupinambis teguixin</i>      | skin pieces | 300      |      | US       | IT       | AR     | T       | W      |
| E        | 2    | B     | <i>Shinisaurus crocodilurus</i> | live        | 5        |      | JP       | DE       | T      | C       |        |
| E        | 2    | B     | <i>Varanus acanthurus</i>       | live        | 7        |      | JP       | DE       | T      | C       |        |
| E        | 2    | B     | <i>Varanus acanthurus</i>       | live        | 8        |      | UA       | DE       | T      | C       |        |
| E        | 2    | B     | <i>Varanus exanthematicus</i>   | live        | 2        |      | BG       | DE       | GH     | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                     | Term  | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------|-------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Varanus glebopalma</i> | live  | 1        |      | US       | DE       | AU     | B       | W      |
| E        | 2    | B     | <i>Varanus mertensi</i>   | live  | 5        |      | JP       | DE       | T      | C       |        |
| E        | 2    | B     | <i>Varanus niloticus</i>  | skins | 10000    |      | CH       | ES       | CM     | T       | W      |
| E        | 2    | B     | <i>Varanus niloticus</i>  | skins | 10709    |      | CH       | ES       | ML     | T       | W      |
| E        | 2    | B     | <i>Varanus niloticus</i>  | skins | 100      |      | CH       | ES       | SD     | T       | W      |
| E        | 2    | B     | <i>Varanus niloticus</i>  | skins | 143      |      | CH       | FR       | CM     | T       | W      |
| E        | 2    | B     | <i>Varanus niloticus</i>  | skins | 794      |      | CH       | FR       | ML     | T       | W      |
| E        | 2    | B     | <i>Varanus niloticus</i>  | skins | 350      |      | CH       | FR       | TD     | T       | W      |
| E        | 2    | B     | <i>Varanus niloticus</i>  | skins | 60       |      | CH       | IT       | ML     | T       | W      |
| E        | 2    | B     | <i>Varanus niloticus</i>  | skins | 6671     |      | CN       | FR       | ML     | T       | W      |
| E        | 2    | B     | <i>Varanus niloticus</i>  | skins | 2233     |      | HK       | AT       | CM     | T       | W      |
| E        | 2    | B     | <i>Varanus niloticus</i>  | skins | 9306     |      | HK       | AT       | ML     | T       | W      |
| E        | 2    | B     | <i>Varanus niloticus</i>  | skins | 1802     |      | HK       | AT       | SD     | T       | W      |
| E        | 2    | B     | <i>Varanus niloticus</i>  | skins | 296      |      | HK       | ES       | ML     | T       | W      |
| E        | 2    | B     | <i>Varanus niloticus</i>  | skins | 508      |      | HK       | FR       | ML     | T       | W      |
| E        | 2    | B     | <i>Varanus niloticus</i>  | skins | 3        |      | HK       | IT       | ML     | T       | W      |
| E        | 2    | B     | <i>Varanus niloticus</i>  | skins | 604      |      | HK       | IT       | SD     | T       | W      |
| E        | 2    | B     | <i>Varanus niloticus</i>  | skins | 9        |      | HK       | IT       | TD     | T       | W      |
| E        | 2    | B     | <i>Varanus niloticus</i>  | skins | 50       |      | HU       | FR       | CM     | T       | W      |
| E        | 2    | B     | <i>Varanus niloticus</i>  | skins | 211      |      | HU       | IT       | SD     | T       | W      |
| E        | 2    | B     | <i>Varanus niloticus</i>  | skins | 11000    |      | JP       | GB       | SD     | T       | W      |
| E        | 2    | B     | <i>Varanus niloticus</i>  | skins | 2        |      | JP       | IT       | CM     | T       | W      |
| E        | 2    | B     | <i>Varanus niloticus</i>  | skins | 857      |      | KR       | IT       | CM     | T       | W      |
| E        | 2    | B     | <i>Varanus niloticus</i>  | skins | 11       |      | KR       | IT       | TD     | T       | W      |
| E        | 2    | B     | <i>Varanus niloticus</i>  | skins | 60       |      | MA       | FR       | CM     | T       | W      |
| E        | 2    | B     | <i>Varanus niloticus</i>  | skins | 6145     |      | MU       | FR       | CM     | T       | W      |
| E        | 2    | B     | <i>Varanus niloticus</i>  | skins | 82       |      | MU       | FR       | GN     | T       | W      |
| E        | 2    | B     | <i>Varanus niloticus</i>  | skins | 9112     |      | MU       | FR       | ML     | T       | W      |
| E        | 2    | B     | <i>Varanus niloticus</i>  | skins | 1490     |      | MU       | FR       | TD     | T       | W      |
| E        | 2    | B     | <i>Varanus niloticus</i>  | skins | 6700     |      | MX       | ES       | CM     | T       | W      |
| E        | 2    | B     | <i>Varanus niloticus</i>  | skins | 3177     |      | SG       | DE       | NG     | T       | O      |
| E        | 2    | B     | <i>Varanus niloticus</i>  | skins | 100      |      | US       | ES       | CM     | T       | W      |
| E        | 2    | B     | <i>Varanus niloticus</i>  | skins | 487      |      | US       | ES       | ML     | T       | W      |

European Community annual report to CITES 1998

|   | Exp/Imp. | App. | Annex | Taxon                    | Term        | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|---|----------|------|-------|--------------------------|-------------|----------|------|----------|----------|--------|---------|--------|
| E | 2        | B    |       | <i>Varanus niloticus</i> | skins       | 1285     |      | US       | FR       | CM     | T       | W      |
| E | 2        | B    |       | <i>Varanus niloticus</i> | skins       | 1645     |      | US       | FR       | ML     | T       | W      |
| E | 2        | B    |       | <i>Varanus niloticus</i> | skins       | 800      |      | US       | FR       | TD     | T       | W      |
| E | 2        | B    |       | <i>Varanus niloticus</i> | skins       | 368      |      | US       | FR       | ZW     | T       | C      |
| E | 2        | B    |       | <i>Varanus niloticus</i> | skins       | 20       |      | US       | GB       | CM     | T       | W      |
| E | 2        | B    |       | <i>Varanus niloticus</i> | skins       | 1        |      | US       | IT       | ML     | T       | W      |
| E | 2        | B    |       | <i>Varanus niloticus</i> | skins       | 42       |      | US       | IT       | SD     | T       | W      |
| E | 2        | B    |       | <i>Varanus niloticus</i> | skins       | 23       |      | ZA       | FR       | TD     | T       | W      |
| E | 2        | B    |       | <i>Varanus niloticus</i> | skin pieces | 10       |      | HK       | IT       | SD     | T       | W      |
| E | 2        | B    |       | <i>Varanus niloticus</i> | skin pieces | 41       |      | JP       | IT       | ML     | T       | W      |
| E | 2        | B    |       | <i>Varanus niloticus</i> | skin pieces | 35190    |      | MG       | FR       | CM     | T       | W      |
| E | 2        | B    |       | <i>Varanus niloticus</i> | skin pieces | 104040   |      | MG       | FR       | ML     | T       | W      |
| E | 2        | B    |       | <i>Varanus niloticus</i> | skin pieces | 10       |      | MU       | FR       | ML     | T       | W      |
| E | 2        | B    |       | <i>Varanus niloticus</i> | skin pieces | 210      |      | US       | FR       | CM     | T       | W      |
| E | 2        | B    |       | <i>Varanus niloticus</i> | skin pieces | 3        |      | US       | IT       | ML     | T       | W      |
| E | 2        | B    |       | <i>Varanus niloticus</i> | skin pieces | 450      |      | US       | IT       | SD     | T       | W      |
| E | 2        | B    |       | <i>Varanus salvator</i>  | live        | 4        |      | MC       | FR       | ID     | T       | W      |
| E | 2        | B    |       | <i>Varanus salvator</i>  | skins       | 200      |      | CA       | GB       | ID     | T       | W      |
| E | 2        | B    |       | <i>Varanus salvator</i>  | skins       | 622      |      | CN       | FR       | ID     | T       | W      |
| E | 2        | B    |       | <i>Varanus salvator</i>  | skins       | 1051     |      | HK       | AT       | ID     | T       | U      |
| E | 2        | B    |       | <i>Varanus salvator</i>  | skins       | 2845     |      | HK       | AT       | ID     | T       | W      |
| E | 2        | B    |       | <i>Varanus salvator</i>  | skins       | 480      |      | HK       | AT       | MY     | T       | W      |
| E | 2        | B    |       | <i>Varanus salvator</i>  | skins       | 1320     |      | HK       | AT       | TH     | T       | W      |
| E | 2        | B    |       | <i>Varanus salvator</i>  | skins       | 2083     |      | HK       | FR       | ID     | T       | W      |
| E | 2        | B    |       | <i>Varanus salvator</i>  | skins       | 6        |      | HK       | GB       | MY     | T       | W      |
| E | 2        | B    |       | <i>Varanus salvator</i>  | skins       | 40       |      | JP       | FR       | ID     | T       | W      |
| E | 2        | B    |       | <i>Varanus salvator</i>  | skins       | 159      |      | KR       | IT       | ID     | T       | W      |
| E | 2        | B    |       | <i>Varanus salvator</i>  | skins       | 60       |      | MA       | FR       | ID     | T       | W      |
| E | 2        | B    |       | <i>Varanus salvator</i>  | skins       | 152      |      | MU       | FR       | ID     | T       | W      |
| E | 2        | B    |       | <i>Varanus salvator</i>  | skins       | 15407    |      | MX       | ES       | TH     | T       | W      |
| E | 2        | B    |       | <i>Varanus salvator</i>  | skins       | 6        |      | US       | FR       | ID     | Q       | W      |
| E | 2        | B    |       | <i>Varanus salvator</i>  | skins       | 106      |      | US       | FR       | ID     | T       | W      |
| E | 2        | B    |       | <i>Varanus salvator</i>  | skins       | 7        |      | US       | IT       | MY     | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                            | Term        | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------------|-------------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Varanus salvator</i>          | skin pieces | 18740    |      | MG       | FR       | ID     | T       | W      |
| E        | 2    | B     | <i>Varanus salvator</i>          | skin pieces | 27       |      | TH       | IT       | ID     | T       | W      |
| E        | 2    | B     | <i>Varanus storri</i>            | live        | 3        |      | JP       | DE       |        | T       | C      |
| E        | 2    | B     | <i>Antaresia childreni</i>       | live        | 30       |      | JP       | DE       |        | T       | C      |
| E        | 2    | B     | <i>Antaresia perthensis</i>      | live        | 2        |      | US       | GB       | DE     | P       | C      |
| E        | 2    | B     | <i>Bothrocophias boa</i>         | live        | 4        |      | ID       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Liasis mackloti</i>           | live        | 1        |      | HR       | DE       |        | P       | C      |
| E        | 2    | B     | <i>Liasis mackloti</i>           | live        | 2        |      | HR       | DE       |        | P       | C      |
| E        | 2    | B     | <i>Liasis mackloti</i>           | live        | 2        |      | PL       | NL       |        | Z       | C      |
| E        | 2    | B     | <i>Liasis mackloti</i>           | live        | 1        |      | ZA       | NL       | XX     | Z       | U      |
| E        | 2    | B     | <i>Morelia amethistina</i>       | live        | 2        |      | CH       | DE       | ID     | T       | W      |
| E        | 2    | B     | <i>Morelia bredli</i>            | live        | 2        |      | CZ       | DE       |        | T       | C      |
| E        | 2    | B     | <i>Morelia bredli</i>            | live        | 2        |      | CZ       | DE       | US     | T       | C      |
| E        | 2    | B     | <i>Morelia bredli</i>            | live        | 3        |      | ID       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Morelia bredli</i>            | live        | 9        |      | JP       | DE       |        | T       | C      |
| E        | 2    | B     | <i>Morelia bredli</i>            | live        | 2        |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Morelia bredli</i>            | live        | 1        |      | US       | GB       |        | P       | C      |
| E        | 2    | B     | <i>Morelia bredli</i>            | live        | 1        |      | ZA       | NL       | XX     | Z       | U      |
| E        | 2    | B     | <i>Morelia spilota</i>           | live        | 5        |      | JP       | DE       |        | T       | C      |
| E        | 2    | B     | <i>Morelia viridis</i>           | live        | 37       |      | CH       | DE       |        | T       | C      |
| E        | 2    | B     | <i>Morelia viridis</i>           | live        | 2        |      | NO       | SE       | NL     | T       | C      |
| E        | 2    | B     | <i>Morelia viridis</i>           | live        | 1        |      | PL       | DK       | US     | Z       | C      |
| E        | 2    | B     | <i>Morelia viridis</i>           | live        | 12       |      | US       | NL       | DE     | T       | C      |
| E        | 2    | B     | <i>Python curtus</i>             | live        | 1        |      | BG       | DE       | ID     | T       | W      |
| E        | 2    | B     | <i>Python curtus</i>             | skins       | 2000     |      | US       | ES       | ID     | T       | W      |
| E        | 2    | B     | <i>Python molurus</i>            | live        | 1        |      | ZA       | NL       | XX     | Z       | U      |
| E        | 2    | B     | <i>Python molurus bivittatus</i> | live        | 1        |      | CH       | DE       |        | T       | C      |
| E        | 2    | B     | <i>Python molurus bivittatus</i> | live        | 1        |      | HR       | DE       | RU     | P       | C      |
| E        | 2    | B     | <i>Python molurus bivittatus</i> | live        | 1        |      | PL       | NL       | RU     | Q       | C      |
| E        | 2    | B     | <i>Python molurus bivittatus</i> | live        | 1        |      | RO       | FR       | US     | Q       | C      |
| E        | 2    | B     | <i>Python molurus bivittatus</i> | live        | 2        |      | RU       | FR       | RU     | Q       | C      |
| E        | 2    | B     | <i>Python molurus bivittatus</i> | live        | 3        |      | TN       | DE       |        | P       | C      |
| E        | 2    | B     | <i>Python molurus bivittatus</i> | live        | 2        |      | US       | DE       |        | P       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                            | Term        | Quantity          | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------------|-------------|-------------------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Python molurus bivittatus</i> | live        | 1                 |      | US       | GB       |        | P       | C      |
| E        | 2    | B     | <i>Python molurus bivittatus</i> | skins       | 10                |      | ZA       | IT       | VN     | T       | W      |
| E        | 2    | B     | <i>Python molurus bivittatus</i> | skin pieces | 184               |      | JP       | IT       | VN     | T       | W      |
| E        | 2    | B     | <i>Python molurus bivittatus</i> | skin pieces | 53                |      | TH       | IT       | TH     | T       | W      |
| E        | 2    | B     | <i>Python regius</i>             | live        | 2                 |      | CR       | AT       | TG     | Z       | R      |
| E        | 2    | B     | <i>Python regius</i>             | live        | 1                 |      | HR       | DE       | GH     | P       | W      |
| E        | 2    | B     | <i>Python regius</i>             | live        | 3                 |      | TR       | NL       |        | Z       | C      |
| E        | 2    | B     | <i>Python regius</i>             | live        | 2                 |      | US       | DE       | GH     | P       | W      |
| E        | 2    | B     | <i>Python regius</i>             | live        | 1                 |      | US       | NL       | GH     | P       | W      |
| E        | 2    | B     | <i>Python reticulatus</i>        | live        | 1                 |      | BR       | ES       | MY     | T       | W      |
| E        | 2    | B     | <i>Python reticulatus</i>        | live        | 1                 |      | HR       | DE       | ID     | P       | W      |
| E        | 2    | B     | <i>Python reticulatus</i>        | live        | 1                 |      | RO       | FR       | VN     | Q       | C      |
| E        | 2    | B     | <i>Python reticulatus</i>        | skins       | 14                |      | AR       | ES       | ID     | T       | W      |
| E        | 2    | B     | <i>Python reticulatus</i>        | skins       | 29                |      | BR       | IT       | MY     | T       | W      |
| E        | 2    | B     | <i>Python reticulatus</i>        | skins       | 6                 |      | CA       | ES       | ID     | T       | W      |
| E        | 2    | B     | <i>Python reticulatus</i>        | skins       | 4                 |      | CA       | ES       | MY     | T       | W      |
| E        | 2    | B     | <i>Python reticulatus</i>        | skins       | 31 m <sup>2</sup> |      | CA       | ES       | MY     | T       | W      |
| E        | 2    | B     | <i>Python reticulatus</i>        | skins       | 168               |      | CA       | GB       | ID     | T       | W      |
| E        | 2    | B     | <i>Python reticulatus</i>        | skins       | 373               |      | CH       | ES       | ID     | T       | W      |
| E        | 2    | B     | <i>Python reticulatus</i>        | skins       | 2959              |      | CH       | ES       | MY     | T       | W      |
| E        | 2    | B     | <i>Python reticulatus</i>        | skins       | 8                 |      | CN       | IT       | MY     | T       | W      |
| E        | 2    | B     | <i>Python reticulatus</i>        | skins       | 5                 |      | HK       | FR       | ID     | T       | W      |
| E        | 2    | B     | <i>Python reticulatus</i>        | skins       | 10                |      | HK       | GB       | ID     | T       | W      |
| E        | 2    | B     | <i>Python reticulatus</i>        | skins       | 7                 |      | HK       | IT       | MY     | T       | W      |
| E        | 2    | B     | <i>Python reticulatus</i>        | skins       | 18 m              |      | HK       | IT       | MY     | T       | W      |
| E        | 2    | B     | <i>Python reticulatus</i>        | skins       | 123               |      | HU       | FR       | ID     | T       | W      |
| E        | 2    | B     | <i>Python reticulatus</i>        | skins       | 32                |      | JP       | ES       | ID     | T       | W      |
| E        | 2    | B     | <i>Python reticulatus</i>        | skins       | 24                |      | JP       | FR       | ID     | T       | W      |
| E        | 2    | B     | <i>Python reticulatus</i>        | skins       | 610               |      | JP       | GB       | ID     | T       | W      |
| E        | 2    | B     | <i>Python reticulatus</i>        | skins       | 292               |      | JP       | IT       | ID     | T       | W      |
| E        | 2    | B     | <i>Python reticulatus</i>        | skins       | 789               |      | JP       | IT       | MY     | T       | W      |
| E        | 2    | B     | <i>Python reticulatus</i>        | skins       | 29                |      | KR       | IT       | MY     | T       | W      |
| E        | 2    | B     | <i>Python reticulatus</i>        | skins       | 62                |      | LK       | IT       | MY     | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                     | Term        | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------|-------------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Python reticulatus</i> | skins       | 497      |      | MX       | ES       | ID     | T       | W      |
| E        | 2    | B     | <i>Python reticulatus</i> | skins       | 147      |      | MY       | ES       | MY     | T       | W      |
| E        | 2    | B     | <i>Python reticulatus</i> | skins       | 2143     |      | MY       | IT       | MY     | T       | W      |
| E        | 2    | B     | <i>Python reticulatus</i> | skins       | 227      |      | SG       | ES       | MY     | T       | W      |
| E        | 2    | B     | <i>Python reticulatus</i> | skins       | 4730     |      | US       | ES       | ID     | T       | W      |
| E        | 2    | B     | <i>Python reticulatus</i> | skins       | 5095     |      | US       | ES       | MY     | T       | W      |
| E        | 2    | B     | <i>Python reticulatus</i> | skins       | 25       |      | US       | ES       | VN     | T       | W      |
| E        | 2    | B     | <i>Python reticulatus</i> | skins       | 48       |      | US       | IT       | ID     | T       | W      |
| E        | 2    | B     | <i>Python reticulatus</i> | skins       | 487      |      | US       | IT       | MY     | T       | W      |
| E        | 2    | B     | <i>Python reticulatus</i> | skins       | 3        |      | US       | IT       | VN     | T       | W      |
| E        | 2    | B     | <i>Python reticulatus</i> | skins       | 6        |      | US       | IT       | VN     | T       | C      |
| E        | 2    | B     | <i>Python reticulatus</i> | skin pieces | 20       |      | HK       | IT       | MY     | T       | W      |
| E        | 2    | B     | <i>Python reticulatus</i> | skin pieces | 6        |      | IN       | IT       | MY     | T       | W      |
| E        | 2    | B     | <i>Python reticulatus</i> | skin pieces | 4        |      | JP       | IT       | ID     | T       | W      |
| E        | 2    | B     | <i>Python reticulatus</i> | skin pieces | 20       |      | LK       | IT       | MY     | T       | W      |
| E        | 2    | B     | <i>Python reticulatus</i> | skin pieces | 24 pairs |      | US       | ES       | MY     | T       | W      |
| E        | 2    | B     | <i>Python reticulatus</i> | skin pieces | 300      |      | US       | IT       | ID     | T       | W      |
| E        | 2    | B     | <i>Python reticulatus</i> | skin pieces | 653 m    |      | US       | IT       | ID     | T       | W      |
| E        | 2    | B     | <i>Python reticulatus</i> | skin pieces | 308      |      | US       | IT       | MY     | T       | W      |
| E        | 2    | B     | <i>Python sebae</i>       | live        | 580      |      | CH       | ES       |        | T       | A      |
| E        | 2    | B     | <i>Python sebae</i>       | skins       | 2        |      | AU       | DE       | SD     | P       | W      |
| E        | 2    | B     | <i>Python sebae</i>       | skins       | 76       |      | CH       | ES       | CM     | T       | W      |
| E        | 2    | B     | <i>Python sebae</i>       | skins       | 779      |      | MX       | ES       | CM     | T       | W      |
| E        | 2    | B     | <i>Python sebae</i>       | skins       | 1        |      | NA       | BE       | NA     | P       | W      |
| E        | 2    | B     | <i>Python sebae</i>       | skin pieces | 28 pairs |      | JP       | ES       | CM     | T       | W      |
| E        | 2    | B     | <i>Boa constrictor</i>    | live        | 2        |      | AE       | GB       |        | P       | C      |
| E        | 2    | B     | <i>Boa constrictor</i>    | live        | 1        |      | BG       | DE       | GY     | T       | W      |
| E        | 2    | B     | <i>Boa constrictor</i>    | live        | 6        |      | CH       | DE       |        | T       | C      |
| E        | 2    | B     | <i>Boa constrictor</i>    | live        | 2        |      | CH       | NL       | CZ     | Q       | C      |
| E        | 2    | B     | <i>Boa constrictor</i>    | live        | 1        |      | RO       | FR       | CO     | Q       | C      |
| E        | 2    | B     | <i>Boa constrictor</i>    | live        | 2        |      | RU       | FR       | RU     | Q       | C      |
| E        | 2    | B     | <i>Boa constrictor</i>    | live        | 1        |      | US       | DE       |        | P       | C      |
| E        | 2    | B     | <i>Boa constrictor</i>    | live        | 3        |      | US       | FR       | US     | B       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                        | Term        | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|-------------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Boa constrictor</i>       | live        | 6        |      | US       | SE       |        | T       | C      |
| E        | 2    | B     | <i>Boa constrictor</i>       | live        | 1        |      | ZA       | NL       | XX     | Z       | U      |
| E        | 2    | B     | <i>Boa constrictor</i>       | skins       | 3        |      | AU       | DE       | BR     | P       | W      |
| E        | 2    | B     | <i>Calabaria reinhardtii</i> | live        | 1        |      | BG       | DE       | GH     | T       | W      |
| E        | 2    | B     | <i>Candoia carinata</i>      | live        | 13       |      | PL       | NL       |        | Z       | C      |
| E        | 2    | B     | <i>Corallus caninus</i>      | live        | 2        |      | CH       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Corallus caninus</i>      | live        | 6        |      | CR       | AT       | DE     | Z       | C      |
| E        | 2    | B     | <i>Corallus caninus</i>      | live        | 7        |      | US       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Epicrates cenchria</i>    | live        | 2        |      | CH       | DE       |        | T       | C      |
| E        | 2    | B     | <i>Epicrates cenchria</i>    | live        | 2        |      | CZ       | DE       |        | P       | C      |
| E        | 2    | B     | <i>Epicrates cenchria</i>    | live        | 1        |      | HR       | DE       | CZ     | P       | C      |
| E        | 2    | B     | <i>Epicrates cenchria</i>    | live        | 10       |      | JP       | DE       | CZ     | T       | C      |
| E        | 2    | B     | <i>Epicrates cenchria</i>    | live        | 50       |      | US       | DE       | CZ     | T       | C      |
| E        | 2    | B     | <i>Epicrates striatus</i>    | live        | 2        |      | CR       | AT       |        | Z       | C      |
| E        | 2    | B     | <i>Eunectes notaeus</i>      | live        | 1        |      | CH       | DE       | CZ     | T       | C      |
| E        | 2    | B     | <i>Eunectes notaeus</i>      | live        | 1        |      | UA       | DE       | CZ     | T       | C      |
| E        | 2    | B     | <i>Eunectes notaeus</i>      | live        | 6        |      | US       | DK       |        | T       | C      |
| E        | 2    | B     | <i>Eunectes notaeus</i>      | skins       | 876      |      | CH       | IT       | AR     | T       | W      |
| E        | 2    | B     | <i>Eunectes notaeus</i>      | skins       | 6        |      | HK       | IT       | AR     | T       | W      |
| E        | 2    | B     | <i>Eunectes notaeus</i>      | skins       | 538      |      | JP       | IT       | AR     | T       | W      |
| E        | 2    | B     | <i>Eunectes notaeus</i>      | skins       | 1173     |      | US       | IT       | AR     | T       | W      |
| E        | 2    | B     | <i>Eunectes notaeus</i>      | skin pieces | 1        |      | CH       | IT       | AR     | T       | W      |
| E        | 2    | B     | <i>Eunectes notaeus</i>      | skin pieces | 24       |      | HK       | IT       | AR     | T       | W      |
| E        | 2    | B     | <i>Eunectes notaeus</i>      | skin pieces | 810      |      | US       | IT       | AR     | T       | W      |
| E        | 2    | B     | <i>Ptyas mucosus</i>         | skins       | 10       |      | AE       | ES       | TH     | T       | W      |
| E        | 2    | B     | <i>Ptyas mucosus</i>         | skins       | 3        |      | CN       | IT       | ID     | T       | W      |
| E        | 2    | B     | <i>Ptyas mucosus</i>         | skins       | 62       |      | HU       | FR       | ID     | T       | W      |
| E        | 2    | B     | <i>Ptyas mucosus</i>         | skins       | 135      |      | JP       | IT       | MY     | T       | W      |
| E        | 2    | B     | <i>Ptyas mucosus</i>         | skins       | 1189     |      | MX       | ES       | ID     | T       | W      |
| E        | 2    | B     | <i>Ptyas mucosus</i>         | skins       | 430      |      | SI       | IT       | MY     | T       | W      |
| E        | 2    | B     | <i>Ptyas mucosus</i>         | skins       | 2000     |      | TR       | IT       | BD     | T       | W      |
| E        | 2    | B     | <i>Ptyas mucosus</i>         | skins       | 4        |      | US       | IT       | ID     | T       | W      |
| E        | 2    | B     | <i>Ptyas mucosus</i>         | skins       | 185      |      | US       | IT       | IN     | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                           | Term        | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------------|-------------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Ptyas mucosus</i>            | skins       | 102      |      | US       | IT       | MY     | T       | W      |
| E        | 2    | B     | <i>Ptyas mucosus</i>            | skins       | 225      |      | ZA       | IT       | BD     | T       | W      |
| E        | 2    | B     | <i>Ptyas mucosus</i>            | skins       | 3865     |      | ZA       | IT       | ID     | T       | W      |
| E        | 2    | B     | <i>Ptyas mucosus</i>            | skin pieces | 300      |      | US       | IT       | ID     | T       | W      |
| E        | 2    | B     | <i>Ptyas mucosus</i>            | skin pieces | 2        |      | US       | IT       | IN     | T       | W      |
| E        | 2    | B     | <i>Naja spp.</i>                | live        | 1        |      | HR       | DE       | XX     | P       | U      |
| E        | 2    | B     | <i>Naja naja</i>                | live        | 2        |      | HR       | DE       | P      | C       | C      |
| E        | 2    | B     | <i>Ambystoma mexicanum</i>      | live        | 12       |      | BN       | NL       | T      | C       | C      |
| E        | 2    | B     | <i>Dendrobates auratus</i>      | live        | 6        |      | BG       | GB       | B      | C       | C      |
| E        | 2    | B     | <i>Dendrobates auratus</i>      | live        | 43       |      | CA       | NL       | T      | C       | C      |
| E        | 2    | B     | <i>Dendrobates auratus</i>      | live        | 5        |      | HR       | NL       | XX     | Z       | I      |
| E        | 2    | B     | <i>Dendrobates auratus</i>      | live        | 6        |      | JP       | BE       | DE     | T       | C      |
| E        | 2    | B     | <i>Dendrobates auratus</i>      | live        | 30       |      | JP       | DE       | T      | T       | C      |
| E        | 2    | B     | <i>Dendrobates auratus</i>      | live        | 20       |      | JP       | NL       | T      | T       | C      |
| E        | 2    | B     | <i>Dendrobates auratus</i>      | live        | 7        |      | LV       | NL       | XX     | Z       | I      |
| E        | 2    | B     | <i>Dendrobates auratus</i>      | live        | 6        |      | PL       | DK       | Z      | C       | C      |
| E        | 2    | B     | <i>Dendrobates auratus</i>      | live        | 53       |      | US       | DE       | T      | T       | C      |
| E        | 2    | B     | <i>Dendrobates auratus</i>      | live        | 89       |      | US       | NL       | T      | T       | C      |
| E        | 2    | B     | <i>Dendrobates azureus</i>      | live        | 45       |      | CA       | NL       | T      | T       | C      |
| E        | 2    | B     | <i>Dendrobates azureus</i>      | live        | 60       |      | JP       | DE       | T      | T       | C      |
| E        | 2    | B     | <i>Dendrobates azureus</i>      | live        | 6        |      | PL       | DK       | Z      | C       | C      |
| E        | 2    | B     | <i>Dendrobates azureus</i>      | live        | 2        |      | US       | DE       | T      | T       | C      |
| E        | 2    | B     | <i>Dendrobates azureus</i>      | live        | 75       |      | US       | NL       | T      | T       | C      |
| E        | 2    | B     | <i>Dendrobates fantasticus</i>  | live        | 21       |      | CA       | DE       | T      | T       | C      |
| E        | 2    | B     | <i>Dendrobates fantasticus</i>  | live        | 8        |      | US       | DE       | T      | T       | C      |
| E        | 2    | B     | <i>Dendrobates galactonotus</i> | live        | 25       |      | CA       | DE       | T      | T       | C      |
| E        | 2    | B     | <i>Dendrobates galactonotus</i> | live        | 8        |      | HU       | DE       | T      | T       | C      |
| E        | 2    | B     | <i>Dendrobates galactonotus</i> | live        | 30       |      | JP       | DE       | T      | T       | C      |
| E        | 2    | B     | <i>Dendrobates galactonotus</i> | live        | 28       |      | US       | DE       | T      | T       | C      |
| E        | 2    | B     | <i>Dendrobates galactonotus</i> | live        | 60       |      | US       | NL       | T      | T       | C      |
| E        | 2    | B     | <i>Dendrobates histrionicus</i> | live        | 15       |      | JP       | BE       | EC     | T       | C      |
| E        | 2    | B     | <i>Dendrobates imitator</i>     | live        | 30       |      | CA       | DE       | T      | T       | C      |
| E        | 2    | B     | <i>Dendrobates imitator</i>     | live        | 11       |      | CA       | NL       | T      | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                       | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | Dendrobates imitator        | live | 6        |      | JP       | BE       | DE     | T       | C      |
| E        | 2    | B     | Dendrobates imitator        | live | 10       |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | Dendrobates imitator        | live | 39       |      | US       | NL       |        | T       | C      |
| E        | 2    | B     | Dendrobates leucomelas      | live | 10       |      | CA       | DE       |        | T       | C      |
| E        | 2    | B     | Dendrobates leucomelas      | live | 29       |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | Dendrobates leucomelas      | live | 20       |      | JP       | DE       |        | T       | C      |
| E        | 2    | B     | Dendrobates leucomelas      | live | 60       |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | Dendrobates leucomelas      | live | 175      |      | US       | NL       |        | T       | C      |
| E        | 2    | B     | Dendrobates leucomelas      | live | 26       |      | US       | SE       |        | T       | C      |
| E        | 2    | B     | Dendrobates quinquevittatus | live | 31       |      | CA       | DE       |        | T       | C      |
| E        | 2    | B     | Dendrobates quinquevittatus | live | 10       |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | Dendrobates quinquevittatus | live | 32       |      | JP       | DE       |        | T       | C      |
| E        | 2    | B     | Dendrobates quinquevittatus | live | 33       |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | Dendrobates quinquevittatus | live | 26       |      | US       | DE       |        | T       | C      |
| E        | 2    | B     | Dendrobates quinquevittatus | live | 124      |      | US       | NL       |        | T       | C      |
| E        | 2    | B     | Dendrobates reticulatus     | live | 4        |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | Dendrobates reticulatus     | live | 3        |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | Dendrobates tinctorius      | live | 120      |      | CA       | DE       |        | T       | C      |
| E        | 2    | B     | Dendrobates tinctorius      | live | 189      |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | Dendrobates tinctorius      | live | 20       |      | CA       | NL       | SR     | T       | W      |
| E        | 2    | B     | Dendrobates tinctorius      | live | 2        |      | JP       | BE       | NL     | T       | C      |
| E        | 2    | B     | Dendrobates tinctorius      | live | 95       |      | JP       | DE       |        | T       | C      |
| E        | 2    | B     | Dendrobates tinctorius      | live | 2        |      | JP       | DE       | SR     | T       | W      |
| E        | 2    | B     | Dendrobates tinctorius      | live | 73       |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | Dendrobates tinctorius      | live | 6        |      | PL       | DK       |        | Z       | C      |
| E        | 2    | B     | Dendrobates tinctorius      | live | 10       |      | SG       | NL       |        | Z       | C      |
| E        | 2    | B     | Dendrobates tinctorius      | live | 35       |      | US       | DE       |        | T       | C      |
| E        | 2    | B     | Dendrobates tinctorius      | live | 483      |      | US       | NL       |        | T       | C      |
| E        | 2    | B     | Dendrobates tinctorius      | live | 25       |      | US       | SE       |        | T       | C      |
| E        | 2    | B     | Dendrobates truncatus       | live | 10       |      | US       | NL       |        | T       | C      |
| E        | 2    | B     | Dendrobates variabilis      | live | 8        |      | CA       | DE       |        | T       | C      |
| E        | 2    | B     | Dendrobates variabilis      | live | 20       |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | Dendrobates variabilis      | live | 6        |      | JP       | BE       | DE     | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                       | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | Dendrobates variabilis      | live | 5        |      | JP       | DE       |        | T       | C      |
| E        | 2    | B     | Dendrobates variabilis      | live | 22       |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | Dendrobates variabilis      | live | 4        |      | US       | DE       |        | T       | C      |
| E        | 2    | B     | Dendrobates variabilis      | live | 40       |      | US       | NL       |        | T       | C      |
| E        | 2    | B     | Dendrobates ventrimaculatus | live | 25       |      | CA       | DE       |        | T       | C      |
| E        | 2    | B     | Dendrobates ventrimaculatus | live | 54       |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | Dendrobates ventrimaculatus | live | 20       |      | JP       | BE       |        | T       | C      |
| E        | 2    | B     | Dendrobates ventrimaculatus | live | 25       |      | JP       | DE       |        | T       | C      |
| E        | 2    | B     | Dendrobates ventrimaculatus | live | 27       |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | Dendrobates ventrimaculatus | live | 10       |      | SG       | NL       | Z      | C       |        |
| E        | 2    | B     | Dendrobates ventrimaculatus | live | 30       |      | US       | DE       | T      | C       |        |
| E        | 2    | B     | Epipedobates boulengeri     | live | 6        |      | JP       | BE       | EC     | T       | C      |
| E        | 2    | B     | Epipedobates tricolor       | live | 20       |      | CA       | NL       | T      | C       |        |
| E        | 2    | B     | Epipedobates tricolor       | live | 37       |      | JP       | BE       | EC     | T       | C      |
| E        | 2    | B     | Epipedobates tricolor       | live | 10       |      | SG       | NL       | Z      | C       |        |
| E        | 2    | B     | Phobobates bassleri         | live | 37       |      | US       | NL       | T      | C       |        |
| E        | 2    | B     | Phobobates bassleri         | live | 6        |      | CA       | DE       | T      | C       |        |
| E        | 2    | B     | Phobobates silverstonei     | live | 10       |      | JP       | BE       | DE     | T       | C      |
| E        | 2    | B     | Phobobates silverstonei     | live | 16       |      | CA       | DE       | T      | C       |        |
| E        | 2    | B     | Phobobates silverstonei     | live | 6        |      | HU       | DE       | T      | C       |        |
| E        | 2    | B     | Phobobates silverstonei     | live | 10       |      | US       | DE       | T      | C       |        |
| E        | 2    | B     | Phobobates silverstonei     | live | 35       |      | US       | NL       | T      | C       |        |
| E        | 2    | B     | Phobobates trivittatus      | live | 11       |      | JP       | BE       | DE     | T       | C      |
| E        | 2    | B     | Phylllobates aurotaenia     | live | 32       |      | CA       | DE       | T      | C       |        |
| E        | 2    | B     | Phylllobates aurotaenia     | live | 3        |      | CA       | NL       | T      | C       |        |
| E        | 2    | B     | Phylllobates aurotaenia     | live | 6        |      | JP       | DE       | T      | C       |        |
| E        | 2    | B     | Phylllobates bicolor        | live | 34       |      | CA       | DE       | T      | C       |        |
| E        | 2    | B     | Phylllobates bicolor        | live | 7        |      | JP       | BE       | DE     | T       | C      |
| E        | 2    | B     | Phylllobates bicolor        | live | 36       |      | JP       | DE       | T      | C       |        |
| E        | 2    | B     | Phylllobates bicolor        | live | 7        |      | JP       | NL       | T      | C       |        |
| E        | 2    | B     | Phylllobates bicolor        | live | 5        |      | US       | DE       | T      | C       |        |
| E        | 2    | B     | Phylllobates lugubris       | live | 18       |      | US       | NL       | T      | C       |        |
| E        | 2    | B     | Phylllobates lugubris       | live | 10       |      | JP       | NL       | T      | C       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                           | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Phyllobates lugubris</i>     | live | 10       |      | US       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Phyllobates terribilis</i>   | live | 74       |      | CA       | DE       |        | T       | C      |
| E        | 2    | B     | <i>Phyllobates terribilis</i>   | live | 6        |      | JP       | DE       |        | T       | C      |
| E        | 2    | B     | <i>Phyllobates vittatus</i>     | live | 20       |      | CA       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Phyllobates vittatus</i>     | live | 20       |      | JP       | DE       |        | T       | C      |
| E        | 2    | B     | <i>Phyllobates vittatus</i>     | live | 2        |      | JP       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Phyllobates vittatus</i>     | live | 14       |      | US       | NL       |        | T       | C      |
| E        | 2    | B     | <i>Hoplobatrachus tigerinus</i> | meat | 133081   | kg   | US       | BE       | VN     | T       | F      |
| E        | 2    | B     | <i>Acipenseriformes</i> spp.    | eggs | 7        | kg   | AE       | FR       | IR     | T       | O      |
| E        | 2    | B     | <i>Acipenseriformes</i> spp.    | eggs | 81       | kg   | BR       | FR       | IR     | T       | O      |
| E        | 2    | B     | <i>Acipenseriformes</i> spp.    | eggs | 5        | kg   | BR       | FR       | XX     | T       | O      |
| E        | 2    | B     | <i>Acipenseriformes</i> spp.    | eggs | 2        | kg   | BS       | FR       | IR     | T       | O      |
| E        | 2    | B     | <i>Acipenseriformes</i> spp.    | eggs | 1        | kg   | CZ       | DE       | RU     | T       | O      |
| E        | 2    | B     | <i>Acipenseriformes</i> spp.    | eggs | 8        | kg   | EC       | FR       | IR     | T       | O      |
| E        | 2    | B     | <i>Acipenseriformes</i> spp.    | eggs | 7        | kg   | HK       | DE       | IR     | T       | O      |
| E        | 2    | B     | <i>Acipenseriformes</i> spp.    | eggs | 4        | kg   | HK       | DE       | KZ     | T       | O      |
| E        | 2    | B     | <i>Acipenseriformes</i> spp.    | eggs | 6        | kg   | HK       | DE       | RU     | T       | O      |
| E        | 2    | B     | <i>Acipenseriformes</i> spp.    | eggs | 2158     | kg   | HK       | FR       | IR     | T       | O      |
| E        | 2    | B     | <i>Acipenseriformes</i> spp.    | eggs | 8        | kg   | ID       | FR       | IR     | T       | O      |
| E        | 2    | B     | <i>Acipenseriformes</i> spp.    | eggs | 15       | kg   | JO       | DE       | KZ     | T       | O      |
| E        | 2    | B     | <i>Acipenseriformes</i> spp.    | eggs | 1        | kg   | JO       | FR       | IR     | T       | O      |
| E        | 2    | B     | <i>Acipenseriformes</i> spp.    | eggs | 4        | kg   | JP       | FR       | IR     | T       | O      |
| E        | 2    | B     | <i>Acipenseriformes</i> spp.    | eggs | 36       | kg   | KR       | FR       | IR     | T       | O      |
| E        | 2    | B     | <i>Acipenseriformes</i> spp.    | eggs | 1        | kg   | LB       | FR       | IR     | T       | O      |
| E        | 2    | B     | <i>Acipenseriformes</i> spp.    | eggs | < 1      | kg   | MU       | FR       | IR     | T       | O      |
| E        | 2    | B     | <i>Acipenseriformes</i> spp.    | eggs | 5        | kg   | MX       | FR       | IR     | T       | O      |
| E        | 2    | B     | <i>Acipenseriformes</i> spp.    | eggs | 3        | kg   | MY       | FR       | IR     | T       | O      |
| E        | 2    | B     | <i>Acipenseriformes</i> spp.    | eggs | 21       | kg   | NO       | FR       | IR     | T       | O      |
| E        | 2    | B     | <i>Acipenseriformes</i> spp.    | eggs | 1        | kg   | PH       | FR       | IR     | T       | O      |
| E        | 2    | B     | <i>Acipenseriformes</i> spp.    | eggs | 26       | kg   | SA       | FR       | IR     | T       | O      |
| E        | 2    | B     | <i>Acipenseriformes</i> spp.    | eggs | 1042     | kg   | SG       | DE       | RU     | T       | O      |
| E        | 2    | B     | <i>Acipenseriformes</i> spp.    | eggs | 73       | kg   | SG       | FR       | IR     | T       | O      |
| E        | 2    | B     | <i>Acipenseriformes</i> spp.    | eggs | 18       | kg   | TH       | FR       | IR     | T       | O      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                     | Term    | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------|---------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | Acipenseriformes spp.     | eggs    | < 1 kg   |      | TN       | FR       | IR     | T       | O      |
| E        | 2    | B     | Acipenseriformes spp.     | eggs    | 62 kg    |      | TW       | FR       | IR     | T       | O      |
| E        | 2    | B     | Acipenseriformes spp.     | eggs    | 100 kg   |      | US       | DE       | RU     | T       | O      |
| E        | 2    | B     | Acipenseriformes spp.     | eggs    | 19 kg    |      | US       | FR       | RU     | T       | O      |
| E        | 2    | B     | Acipenseriformes spp.     | eggs    | 3 kg     |      | ZA       | FR       | IR     | T       | O      |
| E        | 2    | B     | Acipenser spp.            | eggs    | 2 kg     |      | AN       | FR       | IR     | T       | W      |
| E        | 2    | B     | Acipenser spp.            | eggs    | 16 kg    |      | BR       | FR       | IR     | T       | W      |
| E        | 2    | B     | Acipenser spp.            | eggs    | 6 kg     |      | BS       | FR       | IR     | T       | W      |
| E        | 2    | B     | Acipenser spp.            | eggs    | 168 kg   |      | CH       | FR       | IR     | T       | W      |
| E        | 2    | B     | Acipenser spp.            | eggs    | 3 kg     |      | CI       | FR       | IR     | T       | W      |
| E        | 2    | B     | Acipenser spp.            | eggs    | 700 kg   |      | HK       | FR       | IR     | T       | W      |
| E        | 2    | B     | Acipenser spp.            | eggs    | 39 kg    |      | JP       | FR       | IR     | T       | W      |
| E        | 2    | B     | Acipenser spp.            | eggs    | 5 kg     |      | KR       | FR       | IR     | T       | W      |
| E        | 2    | B     | Acipenser spp.            | eggs    | 1 kg     |      | MX       | FR       | IR     | T       | O      |
| E        | 2    | B     | Acipenser spp.            | eggs    | 2 kg     |      | MX       | FR       | IR     | T       | W      |
| E        | 2    | B     | Acipenser spp.            | eggs    | < 1 kg   |      | MY       | FR       | IR     | T       | W      |
| E        | 2    | B     | Acipenser spp.            | eggs    | 2 kg     |      | PH       | FR       | IR     | T       | W      |
| E        | 2    | B     | Acipenser spp.            | eggs    | 22 kg    |      | SG       | FR       | IR     | T       | W      |
| E        | 2    | B     | Acipenser spp.            | eggs    | 7 kg     |      | TH       | FR       | IR     | T       | W      |
| E        | 2    | B     | Acipenser spp.            | eggs    | 2 kg     |      | TW       | FR       | IR     | T       | W      |
| E        | 2    | B     | Acipenser spp.            | eggs    | < 1 kg   |      | ZA       | FR       | IR     | T       | O      |
| E        | 2    | B     | Acipenser spp.            | extract | 70 kg    |      | CH       | FR       | IR     | T       | O      |
| E        | 2    | B     | Acipenser baerii          | eggs    | 100 kg   |      | GA       | FR       |        | T       | C      |
| E        | 2    | B     | Acipenser baerii          | eggs    | < 1 kg   |      | JP       | FR       |        | T       | C      |
| E        | 2    | B     | Acipenser baerii          | eggs    | 50 kg    |      | MA       | FR       |        | T       | C      |
| E        | 2    | B     | Acipenser baerii          | eggs    | 130 kg   |      | US       | FR       |        | T       | C      |
| E        | 2    | B     | Acipenser baerii          | live    | 150000   |      | CN       | FR       |        | T       | C      |
| E        | 2    | B     | Acipenser baerii          | live    | 5000     |      | HK       | FR       |        | T       | C      |
| E        | 2    | B     | Acipenser baerii          | live    | 5000     |      | MA       | FR       |        | T       | C      |
| E        | 2    | B     | Acipenser baerii          | live    | 200      |      | PL       | DE       |        | T       | F      |
| E        | 2    | B     | Acipenser baerii          | live    | 550      |      | XX       | GB       | HU     | T       | C      |
| E        | 2    | B     | Acipenser baerii          | meat    | 83 kg    |      | CH       | FR       |        | T       | O      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs    | 1 kg     |      | AD       | FR       | IR     | T       | O      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                     | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 10 kg    |      | AD       | FR       | IR     | T       | W      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 2 kg     |      | AR       | DE       | KZ     | T       | O      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 220 kg   |      | AR       | DE       | RU     | T       | O      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 60 kg    |      | AU       | DE       | RU     | T       | O      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 63 kg    |      | BB       | DE       | RU     | T       | O      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | < 1 kg   |      | BB       | GB       | IR     | T       | W      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | < 1 kg   |      | BG       | GB       | IR     | T       | W      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 150 kg   |      | BH       | GB       | IR     | T       | W      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 1 kg     |      | BN       | NL       | IR     | T       | W      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 160 kg   |      | BR       | DE       | RU     | T       | O      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 46 kg    |      | BR       | DK       | IR     | T       | O      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 200 kg   |      | BR       | DK       | IR     | T       | W      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 268 kg   |      | BR       | DK       | XX     | T       | W      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 2 kg     |      | BR       | FR       | IR     | T       | W      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 1 kg     |      | BR       | GB       | IR     | T       | W      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 38 kg    |      | CA       | BE       | RU     | T       | O      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 11 kg    |      | CA       | BE       | TR     | T       | O      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 16 kg    |      | CA       | DE       | KZ     | T       | W      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 20 kg    |      | CA       | DE       | KZ     | T       | O      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 14 kg    |      | CA       | DE       | RU     | T       | O      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 6 kg     |      | CA       | FR       | AZ     | T       | O      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 7 kg     |      | CA       | FR       | KZ     | T       | W      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 10 kg    |      | CA       | FR       | KZ     | T       | O      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 4 kg     |      | CA       | FR       | RU     | T       | O      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 391 kg   |      | CH       | DE       | IR     | T       | O      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 786 kg   |      | CH       | DE       | IR     | T       | W      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 70 kg    |      | CH       | DE       | KZ     | T       | W      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 8 kg     |      | CH       | DE       | RU     | T       | W      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 303 kg   |      | CH       | DK       | IR     | T       | W      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 83 kg    |      | CH       | FR       | IR     | T       | W      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 153 kg   |      | CH       | FR       | IR     | T       | O      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 4 kg     |      | CI       | FR       | IR     | T       | W      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 60 kg    |      | CL       | DE       | RU     | T       | O      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                     | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 50 kg    |      | CL       | DK       | RU     | T       | W      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 2 kg     |      | CM       | FR       | KZ     | T       | O      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 300 g    |      | CZ       | DE       | IR     | T       | O      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 682 g    |      | CZ       | DE       | RU     | T       | W      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 6 kg     |      | CZ       | DE       | RU     | T       | O      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 1 kg     |      | EG       | GB       | IR     | T       | W      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 37 kg    |      | ET       | DE       | RU     | T       | W      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 104 kg   |      | ET       | DE       | RU     | T       | O      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 51 kg    |      | HK       | DE       | AZ     | T       | O      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 42 kg    |      | HK       | DE       | IR     | T       | O      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 23 kg    |      | HK       | DE       | KZ     | T       | O      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 66 kg    |      | HK       | DE       | RU     | T       | O      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 2 kg     |      | HK       | FR       | KZ     | T       | W      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 1 kg     |      | HK       | GB       | IR     | T       | W      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 15 kg    |      | JP       | DE       | AZ     | T       | O      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 25 kg    |      | JP       | DE       | KZ     | T       | O      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 374 kg   |      | JP       | DE       | RU     | T       | O      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 60 kg    |      | JP       | GB       | IR     | T       | W      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 14 kg    |      | JP       | GB       | XX     | T       | W      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 3 kg     |      | KR       | DE       | KZ     | T       | W      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 25 kg    |      | KR       | DE       | RU     | T       | O      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | < 1 kg   |      | KW       | GB       | IR     | T       | W      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | < 1 kg   |      | LB       | GB       | IR     | T       | W      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 28 kg    |      | MC       | DE       | RU     | T       | O      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 336 g    |      | MT       | DE       | RU     | T       | O      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 1 kg     |      | MX       | FR       | KZ     | T       | W      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 1 kg     |      | NG       | GB       | IR     | T       | W      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 5 kg     |      | NO       | DE       | IR     | T       | O      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 4 kg     |      | NO       | DE       | RU     | T       | O      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 60 kg    |      | NZ       | DE       | RU     | T       | O      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 1 kg     |      | PH       | GB       | RU     | T       | W      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 184 kg   |      | PL       | DE       | RU     | T       | O      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 958 kg   |      | RU       | FI       | RU     | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                     | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 63 kg    |      | SA       | DE       | RU     | T       | O      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 11 kg    |      | SA       | DK       | IR     | T       | O      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 3 kg     |      | SA       | FR       | IR     | T       | O      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | < 1 kg   |      | SA       | GB       | IR     | T       | W      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 5 kg     |      | SG       | DE       | KZ     | T       | O      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 5 kg     |      | SG       | DE       | RU     | T       | O      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 1 kg     |      | SG       | GB       | IR     | T       | W      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | < 1 kg   |      | SN       | FR       | RU     | T       | O      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 360 g    |      | TR       | BE       | RU     | T       | O      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 10 kg    |      | TR       | DE       | RU     | T       | O      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | < 1 kg   |      | TR       | GB       | IR     | T       | W      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 40 kg    |      | TW       | DE       | RU     | T       | O      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | < 1 kg   |      | TW       | FR       | IR     | T       | O      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 153 kg   |      | US       | BE       | RU     | T       | O      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 261 kg   |      | US       | DE       | KZ     | T       | O      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 829 kg   |      | US       | DE       | KZ     | T       | W      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 2114 kg  |      | US       | DE       | RU     | T       | O      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 10 kg    |      | US       | DK       | RU     | T       | O      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 155 kg   |      | US       | FR       | KZ     | T       | W      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 1 kg     |      | US       | GB       | IR     | T       | W      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | < 1 kg   |      | XF       | GB       | IR     | T       | W      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 50 kg    |      | XX       | GB       | IR     | T       | W      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 50 kg    |      | XX       | GB       | KZ     | T       | W      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 8 kg     |      | ZA       | DE       | RU     | T       | O      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 80       |      | ZA       | GB       | IR     | T       | W      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 243 kg   |      | ZA       | GB       | IR     | T       | W      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 75 kg    |      | ZA       | GB       | KZ     | T       | W      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 77 kg    |      | ZA       | GB       | RU     | T       | W      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 250      |      | ZA       | GB       | XX     | T       | W      |
| E        | 2    | B     | Acipenser gueldenstaedtii | eggs | 150 kg   |      | ZA       | GB       | XX     | T       | W      |
| E        | 2    | B     | Acipenser gueldenstaedtii | live | 335      |      | XX       | GB       | HU     | T       | C      |
| E        | 2    | B     | Acipenser nudiventris     | eggs | 22 kg    |      | CH       | DE       | RU     | T       | O      |
| E        | 2    | B     | Acipenser nudiventris     | eggs | 108 kg   |      | JP       | DE       | KZ     | T       | O      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                        | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Acipenser nudiventris</i> | eggs | 6 kg     |      | NO       | DE       | RU     | T       | O      |
| E        | 2    | B     | <i>Acipenser nudiventris</i> | eggs | 465 kg   |      | US       | DE       | KZ     | T       | O      |
| E        | 2    | B     | <i>Acipenser persicus</i>    | eggs | 21 kg    |      | AD       | FR       | IR     | T       | W      |
| E        | 2    | B     | <i>Acipenser persicus</i>    | eggs | 10 kg    |      | AR       | DE       | IR     | T       | O      |
| E        | 2    | B     | <i>Acipenser persicus</i>    | eggs | 4 kg     |      | BR       | FR       | IR     | T       | O      |
| E        | 2    | B     | <i>Acipenser persicus</i>    | eggs | 151 kg   |      | CH       | FR       | IR     | T       | W      |
| E        | 2    | B     | <i>Acipenser persicus</i>    | eggs | 8 kg     |      | CI       | FR       | IR     | T       | W      |
| E        | 2    | B     | <i>Acipenser persicus</i>    | eggs | 2 kg     |      | CM       | FR       | IR     | T       | W      |
| E        | 2    | B     | <i>Acipenser persicus</i>    | eggs | 1 kg     |      | CY       | FR       | IR     | T       | W      |
| E        | 2    | B     | <i>Acipenser persicus</i>    | eggs | 2 kg     |      | GA       | FR       | IR     | T       | W      |
| E        | 2    | B     | <i>Acipenser persicus</i>    | eggs | 2 kg     |      | HK       | FR       | IR     | T       | O      |
| E        | 2    | B     | <i>Acipenser persicus</i>    | eggs | 23 kg    |      | HK       | FR       | IR     | T       | W      |
| E        | 2    | B     | <i>Acipenser persicus</i>    | eggs | 2 kg     |      | LB       | FR       | IR     | T       | W      |
| E        | 2    | B     | <i>Acipenser persicus</i>    | eggs | 2 kg     |      | LC       | FR       | IR     | T       | W      |
| E        | 2    | B     | <i>Acipenser persicus</i>    | eggs | 3 kg     |      | MC       | FR       | IR     | T       | W      |
| E        | 2    | B     | <i>Acipenser persicus</i>    | eggs | 3 kg     |      | MX       | FR       | IR     | T       | O      |
| E        | 2    | B     | <i>Acipenser persicus</i>    | eggs | 15 kg    |      | MX       | FR       | IR     | T       | W      |
| E        | 2    | B     | <i>Acipenser persicus</i>    | eggs | 3 kg     |      | NC       | FR       | IR     | T       | W      |
| E        | 2    | B     | <i>Acipenser persicus</i>    | eggs | 2 kg     |      | SA       | FR       | IR     | T       | W      |
| E        | 2    | B     | <i>Acipenser persicus</i>    | eggs | 659 kg   |      | SG       | DE       | IR     | T       | O      |
| E        | 2    | B     | <i>Acipenser persicus</i>    | eggs | < 1 kg   |      | SG       | FR       | IR     | T       | W      |
| E        | 2    | B     | <i>Acipenser persicus</i>    | eggs | 10 kg    |      | SG       | FR       | IR     | T       | W      |
| E        | 2    | B     | <i>Acipenser persicus</i>    | eggs | < 1 kg   |      | SN       | FR       | IR     | T       | W      |
| E        | 2    | B     | <i>Acipenser persicus</i>    | eggs | < 1 kg   |      | ZA       | FR       | IR     | T       | W      |
| E        | 2    | B     | <i>Acipenser ruthenus</i>    | live | 300      |      | JP       | GB       | HU     | T       | F      |
| E        | 2    | B     | <i>Acipenser schrenckii</i>  | eggs | 15 kg    |      | ZA       | DE       | CN     | T       | O      |
| E        | 2    | B     | <i>Acipenser stellatus</i>   | eggs | 7 kg     |      | AD       | DE       | KZ     | T       | W      |
| E        | 2    | B     | <i>Acipenser stellatus</i>   | eggs | 42 kg    |      | AD       | DE       | RU     | T       | W      |
| E        | 2    | B     | <i>Acipenser stellatus</i>   | eggs | 2 kg     |      | AD       | FR       | IR     | T       | O      |
| E        | 2    | B     | <i>Acipenser stellatus</i>   | eggs | 16 kg    |      | AD       | FR       | IR     | T       | W      |
| E        | 2    | B     | <i>Acipenser stellatus</i>   | eggs | 5 kg     |      | AE       | DE       | XX     | T       | O      |
| E        | 2    | B     | <i>Acipenser stellatus</i>   | eggs | 2 kg     |      | AN       | FR       | IR     | T       | W      |
| E        | 2    | B     | <i>Acipenser stellatus</i>   | eggs | 1 kg     |      | AO       | FR       | IR     | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon               | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | Acipenser stellatus | eggs | 2 kg     |      | AR       | DE       | KZ     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 20 kg    |      | AR       | DE       | RU     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 3 kg     |      | AR       | FR       | IR     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 4 kg     |      | AR       | FR       | KZ     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 2 kg     |      | AR       | GB       | IR     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 140 kg   |      | AU       | DE       | RU     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | < 1 kg   |      | BB       | GB       | IR     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 11 kg    |      | BH       | GB       | AZ     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 43 kg    |      | BH       | GB       | AZ     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | < 1 kg   |      | BH       | GB       | IR     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 90 kg    |      | BR       | DE       | KZ     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 120 kg   |      | BR       | DE       | RU     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 65 kg    |      | BR       | DK       | RU     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 4 kg     |      | BR       | FR       | IR     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 10 kg    |      | BR       | FR       | IR     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 2 kg     |      | BS       | FR       | IR     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 85 kg    |      | BS       | FR       | IR     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 67 kg    |      | CA       | BE       | RU     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 11 kg    |      | CA       | DE       | KZ     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 19 kg    |      | CA       | DE       | KZ     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 1 kg     |      | CA       | DE       | RU     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 106 kg   |      | CA       | DE       | RU     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 9 kg     |      | CA       | FR       | AZ     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 1 kg     |      | CA       | FR       | IR     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 7 kg     |      | CA       | FR       | KZ     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 10 kg    |      | CA       | FR       | KZ     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 10 kg    |      | CA       | FR       | RU     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 3 kg     |      | CG       | FR       | IR     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 147 kg   |      | CH       | DE       | IR     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 508 kg   |      | CH       | DE       | IR     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 30 kg    |      | CH       | DE       | KZ     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 97 kg    |      | CH       | DE       | KZ     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 65 kg    |      | CH       | DE       | RU     | T       | O      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon               | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | Acipenser stellatus | eggs | 89 kg    |      | CH       | DE       | RU     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 1586 kg  |      | CH       | DK       | IR     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 1930 kg  |      | CH       | DK       | IR     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 262 kg   |      | CH       | DK       | RU     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 270 kg   |      | CH       | DK       | RU     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 153 kg   |      | CH       | FR       | IR     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 155 kg   |      | CH       | FR       | IR     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 2 kg     |      | CH       | FR       | KZ     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | < 1 kg   |      | CH       | GB       | IR     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 8 kg     |      | CI       | FR       | IR     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 252 kg   |      | CI       | FR       | IR     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 87 kg    |      | CL       | DE       | IR     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 30 kg    |      | CL       | DE       | RU     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 4 kg     |      | CM       | FR       | IR     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 2 kg     |      | CM       | FR       | KZ     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | < 1 kg   |      | CN       | GB       | IR     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 8 kg     |      | CO       | DE       | XX     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 22 kg    |      | CY       | DE       | KZ     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 2 kg     |      | CY       | FR       | KZ     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 780 g    |      | CZ       | DE       | IR     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 672 g    |      | CZ       | DE       | RU     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 1 kg     |      | CZ       | DE       | RU     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 5 kg     |      | CZ       | DE       | RU     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | < 1 kg   |      | EG       | GB       | IR     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 7 kg     |      | GA       | FR       | IR     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 1 kg     |      | GA       | FR       | KZ     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 8 kg     |      | HK       | DE       | IR     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 25 kg    |      | HK       | DE       | KZ     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 157 kg   |      | HK       | DE       | RU     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 11 kg    |      | HK       | FR       | IR     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 13 kg    |      | HK       | FR       | IR     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 5 kg     |      | HK       | FR       | KZ     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 19 kg    |      | HK       | FR       | KZ     | T       | O      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon               | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | Acipenser stellatus | eggs | 1 kg     |      | HK       | GB       | IR     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 6 kg     |      | HR       | DE       | KZ     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 4 kg     |      | HR       | DE       | RU     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 1 kg     |      | HT       | FR       | IR     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 2 kg     |      | ID       | FR       | IR     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 11       |      | ID       | NL       | IR     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 2        |      | ID       | NL       | RU     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 200 g    |      | IN       | DE       | KZ     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 10 kg    |      | IN       | DE       | XX     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | < 1 kg   |      | IN       | FR       | IR     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | < 1 kg   |      | IN       | FR       | KZ     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 2 kg     |      | IS       | GB       | IR     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 5 kg     |      | JO       | DE       | KZ     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 25 kg    |      | JP       | DE       | AZ     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 268 kg   |      | JP       | DE       | KZ     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 727 kg   |      | JP       | DE       | RU     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 2990 kg  |      | JP       | DE       | RU     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 2 kg     |      | JP       | DK       | IR     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 1 kg     |      | JP       | FR       | IR     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 49 kg    |      | JP       | FR       | IR     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 4 kg     |      | JP       | FR       | KZ     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 129 kg   |      | JP       | GB       | IR     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 575 kg   |      | JP       | GB       | XX     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 700      |      | JP       | NL       | RU     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 5 kg     |      | JP       | NL       | RU     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 20 kg    |      | KR       | DE       | KZ     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 25 kg    |      | KR       | DE       | KZ     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 204 g    |      | KR       | DE       | RU     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 68 kg    |      | KR       | DE       | RU     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 100 kg   |      | KR       | FR       | IR     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 131 kg   |      | KW       | DE       | RU     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 4 kg     |      | LB       | FR       | IR     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 22 kg    |      | LB       | FR       | IR     | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp: | App. | Annex | Taxon               | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | Acipenser stellatus | eggs | 2        | kg   | LC       | FR       | IR     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 1        | kg   | LI       | FR       | KZ     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 21       | kg   | MA       | DK       | RU     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 7        | kg   | MC       | FR       | IR     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 1        | kg   | MR       | FR       | IR     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 336      | g    | MT       | DE       | RU     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 7        | kg   | MU       | DE       | RU     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 27       | kg   | MU       | DK       | IR     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 3        | kg   | MU       | FR       | IR     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 10       | kg   | MX       | DE       | XX     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 11       | kg   | MX       | FR       | IR     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 36       | kg   | MX       | FR       | IR     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 5        | kg   | MX       | FR       | KZ     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 1        | kg   | MX       | GB       | IR     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 150      | kg   | MY       | DE       | AZ     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 85       | g    | MY       | DE       | IR     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 20       | kg   | MY       | DE       | RU     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 1        | kg   | MY       | FR       | IR     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 12       | kg   | NC       | FR       | IR     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 21       | kg   | NO       | DE       | IR     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 24       | kg   | NO       | DE       | KZ     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 50       | kg   | NO       | DE       | KZ     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 9        | kg   | NO       | DE       | RU     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 27       | kg   | NO       | DE       | RU     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 3        | kg   | NO       | DK       | IR     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 60       | kg   | NZ       | DE       | RU     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 8        | kg   | OM       | GB       | AZ     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 20       | kg   | OM       | GB       | AZ     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 2        | kg   | PE       | DE       | KZ     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 100      | kg   | PH       | DE       | KZ     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 59       | kg   | PH       | GB       | XX     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 5        | kg   | PL       | DE       | KZ     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 56       | kg   | PL       | DE       | RU     | T       | O      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon               | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | Acipenser stellatus | eggs | 4 kg     |      | QA       | GB       | AZ     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 51 kg    |      | QA       | GB       | AZ     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 8 kg     |      | RU       | DE       | RU     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 50 kg    |      | RU       | FI       | RU     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 115 kg   |      | SA       | DE       | KZ     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 735 kg   |      | SA       | DE       | RU     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 3 kg     |      | SA       | DK       | IR     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 15 kg    |      | SA       | FR       | IR     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 2 kg     |      | SA       | FR       | KZ     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 1 kg     |      | SA       | GB       | IR     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 13 kg    |      | SG       | DE       | AZ     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 8 kg     |      | SG       | DE       | IR     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 87 kg    |      | SG       | DE       | KZ     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 169 kg   |      | SG       | DE       | KZ     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 66 kg    |      | SG       | DE       | RU     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 9 kg     |      | SG       | FR       | IR     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 34 kg    |      | SG       | FR       | IR     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 3 kg     |      | SG       | FR       | KZ     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 8 kg     |      | SN       | FR       | IR     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 73 kg    |      | SN       | FR       | IR     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | < 1 kg   |      | SN       | FR       | KZ     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 7 kg     |      | SY       | DE       | KZ     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 256 g    |      | TH       | DE       | IR     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 256 g    |      | TH       | DE       | KZ     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 363 kg   |      | TH       | DE       | KZ     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 15 kg    |      | TH       | DK       | IR     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | < 1 kg   |      | TH       | FR       | IR     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 2 kg     |      | TH       | FR       | IR     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 5 kg     |      | TN       | FR       | IR     | T       | W      |
| E        | 2    | B     | Acipenser stellatus | eggs | 360 g    |      | TR       | BE       | RU     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 18 kg    |      | TR       | DE       | KZ     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 40 kg    |      | TW       | DE       | RU     | T       | O      |
| E        | 2    | B     | Acipenser stellatus | eggs | 1 kg     |      | TW       | FR       | IR     | T       | O      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                      | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Acipenser stellatus</i> | eggs | 17 kg    |      | TW       | FR       | IR     | T       | W      |
| E        | 2    | B     | <i>Acipenser stellatus</i> | eggs | < 1 kg   |      | TW       | FR       | RU     | T       | O      |
| E        | 2    | B     | <i>Acipenser stellatus</i> | eggs | 153 kg   |      | US       | BE       | RU     | T       | O      |
| E        | 2    | B     | <i>Acipenser stellatus</i> | eggs | 420 kg   |      | US       | DE       | KZ     | T       | W      |
| E        | 2    | B     | <i>Acipenser stellatus</i> | eggs | 708 kg   |      | US       | DE       | KZ     | T       | O      |
| E        | 2    | B     | <i>Acipenser stellatus</i> | eggs | 2711 kg  |      | US       | DE       | RU     | T       | O      |
| E        | 2    | B     | <i>Acipenser stellatus</i> | eggs | 59 kg    |      | US       | DE       | XX     | T       | O      |
| E        | 2    | B     | <i>Acipenser stellatus</i> | eggs | 2 kg     |      | US       | DK       | RU     | T       | O      |
| E        | 2    | B     | <i>Acipenser stellatus</i> | eggs | 20 kg    |      | US       | FR       | KZ     | T       | W      |
| E        | 2    | B     | <i>Acipenser stellatus</i> | eggs | 134 kg   |      | US       | FR       | KZ     | T       | O      |
| E        | 2    | B     | <i>Acipenser stellatus</i> | eggs | 14 kg    |      | UY       | DE       | KZ     | T       | O      |
| E        | 2    | B     | <i>Acipenser stellatus</i> | eggs | 2 kg     |      | UY       | FR       | IR     | T       | W      |
| E        | 2    | B     | <i>Acipenser stellatus</i> | eggs | < 1 kg   |      | VN       | FR       | IR     | T       | W      |
| E        | 2    | B     | <i>Acipenser stellatus</i> | eggs | 6 kg     |      | XX       | GB       | AZ     | T       | W      |
| E        | 2    | B     | <i>Acipenser stellatus</i> | eggs | 682 g    |      | ZA       | DE       | RU     | T       | W      |
| E        | 2    | B     | <i>Acipenser stellatus</i> | eggs | 1 kg     |      | ZA       | DE       | RU     | T       | W      |
| E        | 2    | B     | <i>Acipenser stellatus</i> | eggs | 41 kg    |      | ZA       | DE       | RU     | T       | O      |
| E        | 2    | B     | <i>Acipenser stellatus</i> | eggs | 17 kg    |      | ZA       | DE       | XX     | T       | O      |
| E        | 2    | B     | <i>Acipenser stellatus</i> | eggs | < 1 kg   |      | ZA       | FR       | IR     | T       | W      |
| E        | 2    | B     | <i>Acipenser stellatus</i> | eggs | 1 kg     |      | ZA       | FR       | IR     | T       | O      |
| E        | 2    | B     | <i>Acipenser stellatus</i> | eggs | 1 kg     |      | ZA       | FR       | KZ     | T       | O      |
| E        | 2    | B     | <i>Acipenser stellatus</i> | eggs | 60 kg    |      | ZA       | GB       | KZ     | T       | W      |
| E        | 2    | B     | <i>Acipenser stellatus</i> | eggs | 1 kg     |      | ZA       | NL       | IR     | T       | W      |
| E        | 2    | B     | <i>Acipenser stellatus</i> | meat | < 1 kg   |      | LB       | FR       | IR     | T       | W      |
| E        | 2    | B     | <i>Huso huso</i>           | eggs | 6 kg     |      | AD       | DE       | RU     | T       | W      |
| E        | 2    | B     | <i>Huso huso</i>           | eggs | 2 kg     |      | AN       | FR       | IR     | T       | W      |
| E        | 2    | B     | <i>Huso huso</i>           | eggs | < 1 kg   |      | AZ       | GB       | IR     | T       | W      |
| E        | 2    | B     | <i>Huso huso</i>           | eggs | < 1 kg   |      | BM       | GB       | IR     | T       | W      |
| E        | 2    | B     | <i>Huso huso</i>           | eggs | 1 kg     |      | BN       | NL       | IR     | T       | O      |
| E        | 2    | B     | <i>Huso huso</i>           | eggs | 10 kg    |      | BR       | DK       | RU     | T       | W      |
| E        | 2    | B     | <i>Huso huso</i>           | eggs | 21 kg    |      | BR       | DK       | RU     | T       | O      |
| E        | 2    | B     | <i>Huso huso</i>           | eggs | 1 kg     |      | BR       | FR       | IR     | T       | O      |
| E        | 2    | B     | <i>Huso huso</i>           | eggs | < 1 kg   |      | BR       | GB       | IR     | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon     | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | Huso huso | eggs | 6 kg     |      | BS       | FR       | IR     | T       | W      |
| E        | 2    | B     | Huso huso | eggs | 1 kg     |      | BS       | FR       | KZ     | T       | O      |
| E        | 2    | B     | Huso huso | eggs | 18 kg    |      | CA       | BE       | RU     | T       | O      |
| E        | 2    | B     | Huso huso | eggs | 9 kg     |      | CA       | BE       | TR     | T       | O      |
| E        | 2    | B     | Huso huso | eggs | 336 g    |      | CA       | DE       | RU     | T       | O      |
| E        | 2    | B     | Huso huso | eggs | 9 kg     |      | CA       | DE       | RU     | T       | O      |
| E        | 2    | B     | Huso huso | eggs | 19 kg    |      | CA       | FR       | BG     | T       | O      |
| E        | 2    | B     | Huso huso | eggs | 3 kg     |      | CA       | FR       | IR     | T       | O      |
| E        | 2    | B     | Huso huso | eggs | 2 kg     |      | CA       | FR       | KZ     | T       | W      |
| E        | 2    | B     | Huso huso | eggs | 4 kg     |      | CA       | FR       | KZ     | T       | O      |
| E        | 2    | B     | Huso huso | eggs | 106 kg   |      | CH       | DE       | AZ     | T       | O      |
| E        | 2    | B     | Huso huso | eggs | 27 kg    |      | CH       | DE       | IR     | T       | W      |
| E        | 2    | B     | Huso huso | eggs | 27 kg    |      | CH       | DE       | KZ     | T       | W      |
| E        | 2    | B     | Huso huso | eggs | 3 kg     |      | CH       | DE       | RU     | T       | W      |
| E        | 2    | B     | Huso huso | eggs | 21 kg    |      | CH       | FR       | IR     | T       | W      |
| E        | 2    | B     | Huso huso | eggs | 4 kg     |      | CI       | FR       | BG     | T       | O      |
| E        | 2    | B     | Huso huso | eggs | 3 kg     |      | CI       | FR       | IR     | T       | W      |
| E        | 2    | B     | Huso huso | eggs | < 1 kg   |      | CY       | FR       | KZ     | T       | W      |
| E        | 2    | B     | Huso huso | eggs | 300 g    |      | CZ       | DE       | IR     | T       | O      |
| E        | 2    | B     | Huso huso | eggs | 5 kg     |      | CZ       | DE       | RU     | T       | O      |
| E        | 2    | B     | Huso huso | eggs | 1 kg     |      | EG       | GB       | IR     | T       | W      |
| E        | 2    | B     | Huso huso | eggs | 2 kg     |      | HK       | DE       | IR     | T       | O      |
| E        | 2    | B     | Huso huso | eggs | 12 kg    |      | HK       | DE       | KZ     | T       | O      |
| E        | 2    | B     | Huso huso | eggs | 11 kg    |      | HK       | DE       | RU     | T       | O      |
| E        | 2    | B     | Huso huso | eggs | 5 kg     |      | HK       | FR       | IR     | T       | O      |
| E        | 2    | B     | Huso huso | eggs | 9 kg     |      | HK       | FR       | IR     | T       | W      |
| E        | 2    | B     | Huso huso | eggs | 8 kg     |      | HK       | FR       | KZ     | T       | W      |
| E        | 2    | B     | Huso huso | eggs | 11 kg    |      | HK       | FR       | KZ     | T       | W      |
| E        | 2    | B     | Huso huso | eggs | 2 kg     |      | HK       | GB       | IR     | T       | W      |
| E        | 2    | B     | Huso huso | eggs | 600 g    |      | HR       | DE       | IR     | T       | O      |
| E        | 2    | B     | Huso huso | eggs | 2 kg     |      | HR       | DE       | RU     | T       | O      |
| E        | 2    | B     | Huso huso | eggs | 16       |      | ID       | NL       | IR     | T       | W      |
| E        | 2    | B     | Huso huso | eggs | 2 kg     |      | IS       | GB       | IR     | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon     | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | Huso huso | eggs | 1 kg     |      | JO       | GB       | IR     | T       | W      |
| E        | 2    | B     | Huso huso | eggs | 4 kg     |      | JP       | DE       | KZ     | T       | O      |
| E        | 2    | B     | Huso huso | eggs | 13 kg    |      | JP       | DE       | KZ     | T       | W      |
| E        | 2    | B     | Huso huso | eggs | 34 kg    |      | JP       | DE       | RU     | T       | O      |
| E        | 2    | B     | Huso huso | eggs | < 1 kg   |      | JP       | FR       | IR     | T       | W      |
| E        | 2    | B     | Huso huso | eggs | 2 kg     |      | JP       | GB       | IR     | T       | W      |
| E        | 2    | B     | Huso huso | eggs | 3 kg     |      | KR       | DE       | KZ     | T       | O      |
| E        | 2    | B     | Huso huso | eggs | 7 kg     |      | KR       | DE       | KZ     | T       | W      |
| E        | 2    | B     | Huso huso | eggs | 15 kg    |      | KR       | DE       | RU     | T       | O      |
| E        | 2    | B     | Huso huso | eggs | 1 kg     |      | KR       | FR       | IR     | T       | W      |
| E        | 2    | B     | Huso huso | eggs | 2 kg     |      | LB       | FR       | KZ     | T       | W      |
| E        | 2    | B     | Huso huso | eggs | < 1 kg   |      | LB       | GB       | IR     | T       | W      |
| E        | 2    | B     | Huso huso | eggs | 336 g    |      | MT       | DE       | RU     | T       | O      |
| E        | 2    | B     | Huso huso | eggs | 6 kg     |      | MX       | FR       | IR     | T       | O      |
| E        | 2    | B     | Huso huso | eggs | 13 kg    |      | MX       | FR       | IR     | T       | W      |
| E        | 2    | B     | Huso huso | eggs | 1 kg     |      | MX       | FR       | KZ     | T       | W      |
| E        | 2    | B     | Huso huso | eggs | 3 kg     |      | MX       | FR       | KZ     | T       | O      |
| E        | 2    | B     | Huso huso | eggs | 2 kg     |      | NC       | FR       | KZ     | T       | W      |
| E        | 2    | B     | Huso huso | eggs | < 1 kg   |      | NG       | GB       | IR     | T       | W      |
| E        | 2    | B     | Huso huso | eggs | 2 kg     |      | NO       | DE       | KZ     | T       | W      |
| E        | 2    | B     | Huso huso | eggs | 6 kg     |      | NO       | DE       | RU     | T       | O      |
| E        | 2    | B     | Huso huso | eggs | 28 kg    |      | OM       | FR       | IR     | T       | W      |
| E        | 2    | B     | Huso huso | eggs | 13 kg    |      | OM       | FR       | KZ     | T       | O      |
| E        | 2    | B     | Huso huso | eggs | 42 kg    |      | OM       | FR       | KZ     | T       | W      |
| E        | 2    | B     | Huso huso | eggs | 1 kg     |      | PH       | FR       | IR     | T       | W      |
| E        | 2    | B     | Huso huso | eggs | 1 kg     |      | QA       | GB       | IR     | T       | W      |
| E        | 2    | B     | Huso huso | eggs | 183 kg   |      | RU       | FI       | RU     | T       | W      |
| E        | 2    | B     | Huso huso | eggs | 12 kg    |      | SA       | DK       | IR     | T       | W      |
| E        | 2    | B     | Huso huso | eggs | 30 kg    |      | SA       | DK       | RU     | T       | O      |
| E        | 2    | B     | Huso huso | eggs | 3 kg     |      | SA       | FR       | IR     | T       | O      |
| E        | 2    | B     | Huso huso | eggs | < 1 kg   |      | SA       | FR       | KZ     | T       | O      |
| E        | 2    | B     | Huso huso | eggs | 8 kg     |      | SA       | FR       | KZ     | T       | W      |
| E        | 2    | B     | Huso huso | eggs | 1 kg     |      | SA       | GB       | IR     | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                            | Term   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------------|--------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Huso huso</i>                 | eggs   | 10       | kg   | SG       | DE       | KZ     | T       | O      |
| E        | 2    | B     | <i>Huso huso</i>                 | eggs   | < 1      | kg   | SG       | FR       | IR     | T       | O      |
| E        | 2    | B     | <i>Huso huso</i>                 | eggs   | 2        | kg   | SG       | FR       | IR     | T       | W      |
| E        | 2    | B     | <i>Huso huso</i>                 | eggs   | 2        | kg   | SG       | FR       | KZ     | T       | O      |
| E        | 2    | B     | <i>Huso huso</i>                 | eggs   | < 1      | kg   | SG       | GB       | IR     | T       | W      |
| E        | 2    | B     | <i>Huso huso</i>                 | eggs   | < 1      | kg   | SN       | FR       | IR     | T       | W      |
| E        | 2    | B     | <i>Huso huso</i>                 | eggs   | 1        | kg   | TH       | FR       | IR     | T       | W      |
| E        | 2    | B     | <i>Huso huso</i>                 | eggs   | 360      | g    | TR       | BE       | RU     | T       | O      |
| E        | 2    | B     | <i>Huso huso</i>                 | eggs   | < 1      | kg   | TR       | GB       | IR     | T       | W      |
| E        | 2    | B     | <i>Huso huso</i>                 | eggs   | 104      | kg   | TW       | DK       | IR     | T       | W      |
| E        | 2    | B     | <i>Huso huso</i>                 | eggs   | < 1      | kg   | TW       | FR       | IR     | T       | O      |
| E        | 2    | B     | <i>Huso huso</i>                 | eggs   | 3        | kg   | TW       | FR       | IR     | T       | W      |
| E        | 2    | B     | <i>Huso huso</i>                 | eggs   | 110      | kg   | US       | DE       | KZ     | T       | O      |
| E        | 2    | B     | <i>Huso huso</i>                 | eggs   | 602      | kg   | US       | DE       | KZ     | T       | W      |
| E        | 2    | B     | <i>Huso huso</i>                 | eggs   | 3        | kg   | US       | DE       | RU     | T       | W      |
| E        | 2    | B     | <i>Huso huso</i>                 | eggs   | 137      | kg   | US       | DE       | RU     | T       | O      |
| E        | 2    | B     | <i>Huso huso</i>                 | eggs   | < 1      | kg   | US       | FR       | BG     | T       | O      |
| E        | 2    | B     | <i>Huso huso</i>                 | eggs   | 554      | kg   | US       | FR       | KZ     | T       | W      |
| E        | 2    | B     | <i>Huso huso</i>                 | eggs   | < 1      | kg   | US       | GB       | IR     | T       | W      |
| E        | 2    | B     | <i>Huso huso</i>                 | eggs   | 23       | kg   | ZA       | DE       | RU     | T       | O      |
| E        | 2    | B     | <i>Huso huso</i>                 | eggs   | 1        | kg   | ZA       | FR       | IR     | T       | W      |
| E        | 2    | B     | <i>Huso huso</i>                 | eggs   | < 1      | kg   | ZA       | FR       | KZ     | T       | W      |
| E        | 2    | B     | <i>Huso huso</i>                 | eggs   | 1        | kg   | ZA       | FR       | KZ     | T       | O      |
| E        | 2    | B     | <i>Ornithoptera chimaera</i>     | bodies | 19       |      | CH       | DE       | PG     | T       | R      |
| E        | 2    | B     | <i>Ornithoptera chimaera</i>     | bodies | 4        |      | RU       | FR       | PG     | T       | R      |
| E        | 2    | B     | <i>Ornithoptera goliath</i>      | bodies | 67       |      | CH       | DE       | PG     | T       | R      |
| E        | 2    | B     | <i>Ornithoptera goliath</i>      | bodies | 2        |      | KR       | FR       | ID     | T       | R      |
| E        | 2    | B     | <i>Ornithoptera meridionalis</i> | bodies | 8        |      | CH       | DE       | PG     | T       | R      |
| E        | 2    | B     | <i>Ornithoptera meridionalis</i> | bodies | 12       |      | JP       | DE       | PG     | T       | R      |
| E        | 2    | B     | <i>Ornithoptera meridionalis</i> | bodies | 2        |      | US       | DE       | PG     | T       | R      |
| E        | 2    | B     | <i>Ornithoptera paradisea</i>    | bodies | 1        |      | CH       | DE       | ID     | T       | R      |
| E        | 2    | B     | <i>Ornithoptera paradisea</i>    | bodies | 2        |      | CH       | DE       | PG     | T       | R      |
| E        | 2    | B     | <i>Ornithoptera priamus</i>      | bodies | 5        |      | CH       | DE       | PG     | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                                   | Term   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---|--------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Ornithoptera priamus</i>             | bodies | 32       |      | CH       | DE       | PG     | T       | R      |
| E        | 2    | B     | <i>Ornithoptera priamus</i>             | bodies | 20       |      | JP       | DE       | PG     | T       | R      |
| E        | 2    | B     | <i>Ornithoptera priamus</i>             | bodies | 4        |      | KR       | FR       | ID     | T       | R      |
| E        | 2    | B     | <i>Ornithoptera priamus</i>             | bodies | 20       |      | PL       | FR       | ID     | T       | C      |
| E        | 2    | B     | <i>Ornithoptera priamus poseidon</i>    | bodies | 10       |      | PL       | FR       | PG     | T       | C      |
| E        | 2    | B     | <i>Ornithoptera rothschildi</i>         | bodies | 5        |      | CH       | DE       | ID     | T       | R      |
| E        | 2    | B     | <i>Ornithoptera rothschildi</i>         | bodies | 2        |      | JP       | FR       | ID     | T       | C      |
| E        | 2    | B     | <i>Ornithoptera tithonus</i>            | bodies | 3        |      | CH       | DE       | ID     | T       | R      |
| E        | 2    | B     | <i>Ornithoptera tithonus</i>            | bodies | 12       |      | JP       | FR       | ID     | T       | C      |
| E        | 2    | B     | <i>Ornithoptera victoriae epiphanes</i> | bodies | 11       |      | RU       | FR       | SB     | T       | R      |
| E        | 2    | B     | <i>Ornithoptera victoriae reginae</i>   | bodies | 8        |      | RU       | FR       | SB     | T       | R      |
| E        | 2    | B     | <i>Troides oblongomaculatus</i>         | bodies | 4        |      | KR       | FR       | ID     | T       | R      |
| E        | 2    | B     | <i>Troides oblongomaculatus</i>         | bodies | 13       |      | PL       | FR       | ID     | T       | C      |
| E        | 2    | B     | <i>Brachypelma spp.</i>                 | live   | 5        |      | NO       | DE       |        | T       | C      |
| E        | 2    | B     | <i>Brachypelma albopilosum</i>          | live   | 1        |      | HR       | DE       | XX     | P       | O      |
| E        | 2    | B     | <i>Brachypelma albopilosum</i>          | live   | 5        |      | JP       | DE       |        | T       | C      |
| E        | 2    | B     | <i>Brachypelma angustum</i>             | live   | 5        |      | JP       | DE       |        | T       | C      |
| E        | 2    | B     | <i>Brachypelma angustum</i>             | live   | 1        |      | NO       | DE       |        | T       | C      |
| E        | 2    | B     | <i>Brachypelma auratum</i>              | live   | 1        |      | HR       | DE       | XX     | P       | O      |
| E        | 2    | B     | <i>Brachypelma auratum</i>              | live   | 6        |      | NO       | DE       | AT     | T       | C      |
| E        | 2    | B     | <i>Brachypelma baumgarteni</i>          | live   | 13       |      | US       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Brachypelma boehmei</i>              | live   | 3        |      | NO       | DE       |        | T       | C      |
| E        | 2    | B     | <i>Brachypelma boehmei</i>              | live   | 1000     |      | US       | FR       |        | T       | C      |
| E        | 2    | B     | <i>Brachypelma emilia</i>               | live   | 1        |      | HR       | DE       |        | P       | C      |
| E        | 2    | B     | <i>Brachypelma emilia</i>               | live   | 2        |      | JP       | DE       | MX     | T       | O      |
| E        | 2    | B     | <i>Brachypelma emilia</i>               | live   | 5        |      | NO       | DE       | MX     | T       | O      |
| E        | 2    | B     | <i>Brachypelma smithi</i>               | live   | 12       |      | CA       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Brachypelma smithi</i>               | live   | 18       |      | NZ       | GB       |        | B       | F      |
| E        | 2    | B     | <i>Brachypelma smithi</i>               | live   | 400      |      | US       | FR       |        | T       | C      |
| E        | 2    | B     | <i>Brachypelma vagans</i>               | live   | 1        |      | NO       | DE       |        | T       | C      |
| E        | 2    | B     | <i>Brachypelmides klaasi</i>            | live   | 6        |      | US       | GB       |        | T       | C      |
| E        | 2    | B     | <i>Pandinus imperator</i>               | bodies | 3        |      | RU       | FR       | CI     | S       | O      |
| E        | 2    | B     | <i>Pandinus imperator</i>               | live   | 10       |      | BG       | DE       | GH     | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                       | Term    | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------|---------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Pandinus imperator</i>   | live    | 3        |      | HR       | DE       | GH     | P       | W      |
| E        | 2    | B     | <i>Pandinus imperator</i>   | live    | 1        |      | HR       | DE       | XX     | P       | O      |
| E        | 2    | B     | <i>Pandinus imperator</i>   | live    | 2        |      | MC       | FR       | TG     | T       | W      |
| E        | 2    | B     | <i>Hirudo medicinalis</i>   | extract | 1099     | g    | CH       | FR       | TR     | M       | W      |
| E        | 2    | B     | <i>Hirudo medicinalis</i>   | live    | 8010     |      | CH       | DE       | TR     | T       | W      |
| E        | 2    | B     | <i>Hirudo medicinalis</i>   | live    | 209      |      | HK       | GB       |        | T       | F      |
| E        | 2    | B     | <i>Hirudo medicinalis</i>   | live    | 60       |      | IS       | GB       |        | T       | F      |
| E        | 2    | B     | <i>Hirudo medicinalis</i>   | live    | 1650     |      | JP       | GB       |        | T       | F      |
| E        | 2    | B     | <i>Hirudo medicinalis</i>   | live    | 3220     |      | KR       | GB       |        | T       | F      |
| E        | 2    | B     | <i>Hirudo medicinalis</i>   | live    | 660      |      | MX       | DE       | TR     | T       | W      |
| E        | 2    | B     | <i>Hirudo medicinalis</i>   | live    | 60       |      | NO       | GB       |        | T       | F      |
| E        | 2    | B     | <i>Hirudo medicinalis</i>   | live    | 2760     |      | US       | DE       | TR     | T       | W      |
| E        | 2    | B     | <i>Hirudo medicinalis</i>   | live    | 77365    |      | US       | FR       |        | T       | C      |
| E        | 2    | B     | <i>Hirudo medicinalis</i>   | live    | 143      |      | ZA       | GB       |        | T       | F      |
| E        | 2    | B     | <i>Tridacnidae</i> spp.     | live    | 40       |      | CZ       | DE       | EG     | T       | W      |
| E        | 2    | B     | <i>Tridacnidae</i> spp.     | shells  | 1        |      | US       | FR       | XX     | T       | O      |
| E        | 2    | B     | <i>Tridacnidae</i> spp.     | shells  | 3        |      | US       | FR       | XX     | T       | O      |
| E        | 2    | B     | <i>Hippopus hippopus</i>    | shells  | 18       |      | AE       | BE       | PH     | T       | O      |
| E        | 2    | B     | <i>Hippopus hippopus</i>    | shells  | 6        |      | CH       | BE       | PH     | T       | O      |
| E        | 2    | B     | <i>Hippopus porcellanus</i> | shells  | 1        |      | CZ       | DE       | XX     | L       | I      |
| E        | 2    | B     | <i>Hippopus porcellanus</i> | shells  | 72       |      | AE       | BE       | PH     | T       | O      |
| E        | 2    | B     | <i>Tridacna crocea</i>      | shells  | 6        |      | CH       | BE       | PH     | T       | O      |
| E        | 2    | B     | <i>Tridacna crocea</i>      | live    | 60       |      | CH       | FR       | VN     | T       | W      |
| E        | 2    | B     | <i>Tridacna gigas</i>       | shells  | 144      |      | PL       | DE       | PH     | T       | W      |
| E        | 2    | B     | <i>Tridacna maxima</i>      | shells  | 5        |      | CH       | ES       | PH     | E       | W      |
| E        | 2    | B     | <i>Tridacna squamosa</i>    | live    | 20       |      | CZ       | DE       | EG     | T       | W      |
| E        | 2    | B     | <i>Tridacna squamosa</i>    | shells  | 42       |      | AE       | BE       | PH     | T       | O      |
| E        | 2    | B     | <i>Strombus gigas</i>       | shells  | 10       |      | CH       | ES       | PH     | E       | W      |
| E        | 2    | B     | <i>Strombus gigas</i>       | shells  | 3        |      | CZ       | DE       | XX     | L       | I      |
| E        | 2    | B     | <i>Strombus gigas</i>       | shells  | 103      |      | HR       | IT       | HT     | T       | W      |
| E        | 2    | B     | <i>Strombus gigas</i>       | shells  | 550      |      | HR       | IT       | HT     | T       | U      |
| E        | 2    | B     | <i>Strombus gigas</i>       | shells  | 20       |      | HU       | ES       | HT     | T       | W      |
| E        | 2    | B     | <i>Strombus gigas</i>       | shells  | 150      |      | NO       | ES       | HT     | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                         | Term       | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|------------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Strombus gigas</i>         | shells     | 12       |      | US       | IT       | HT     | T       | W      |
| E        | 2    | B     | <i>Strombus gigas</i>         | shells     | 450      |      | YU       | IT       | HT     | T       | U      |
| E        | 2    | B     | <i>Antipatharia</i> spp.      | raw corals | 23       |      | NC       | FR       | NC     | T       | W      |
| E        | 2    | B     | <i>Cirripathes anguina</i>    | raw corals | 70       |      | NC       | FR       | TW     | T       | W      |
| E        | 2    | B     | <i>Cirripathes anguina</i>    | raw corals | 123      |      | NC       | PF       | TW     | T       | W      |
| E        | 2    | B     | <i>Cirripathes anguina</i>    | raw corals | 6100     |      | TW       | PF       | TW     | T       | W      |
| E        | 2    | B     | <i>Scleractinia</i> spp.      | carvings   | 3        |      | QA       | GB       |        | T       | O      |
| E        | 2    | B     | <i>Scleractinia</i> spp.      | raw corals | 2        |      | AU       | DE       | BR     | P       | W      |
| E        | 2    | B     | <i>Scleractinia</i> spp.      | raw corals | 2        |      | AU       | FR       | XX     | S       | O      |
| E        | 2    | B     | <i>Scleractinia</i> spp.      | raw corals | 7        |      | CH       | GB       | XX     | T       | O      |
| E        | 2    | B     | <i>Scleractinia</i> spp.      | raw corals | 2        |      | CZ       | DE       | XX     | L       | I      |
| E        | 2    | B     | <i>Scleractinia</i> spp.      | raw corals | 15       |      | NC       | FR       | NC     | T       | W      |
| E        | 2    | B     | <i>Scleractinia</i> spp.      | raw corals | 11       |      | US       | FR       | PH     | T       | W      |
| E        | 2    | B     | <i>Scleractinia</i> spp.      | raw corals | 3        |      | US       | GB       | XX     | T       | O      |
| E        | 2    | B     | <i>Pocillopora</i> spp.       | raw corals | 100 kg   |      | CH       | ES       | PH     | E       | W      |
| E        | 2    | B     | <i>Pocillopora</i> spp.       | raw corals | 50       |      | HR       | IT       | MZ     | T       | W      |
| E        | 2    | B     | <i>Pocillopora damicornis</i> | raw corals | 11       |      | AE       | BE       | PH     | T       | O      |
| E        | 2    | B     | <i>Pocillopora verrucosa</i>  | raw corals | 48       |      | AE       | BE       | PH     | T       | O      |
| E        | 2    | B     | <i>Acropora</i> spp.          | raw corals | 26       |      | AE       | BE       | PH     | T       | O      |
| E        | 2    | B     | <i>Acropora</i> spp.          | live       | 20       |      | NO       | DK       | ID     | T       | W      |
| E        | 2    | B     | <i>Acropora cervicornis</i>   | raw corals | 6        |      | AE       | BE       | PH     | T       | O      |
| E        | 2    | B     | <i>Acropora cytherea</i>      | raw corals | 300 kg   |      | CH       | ES       | PH     | E       | W      |
| E        | 2    | B     | <i>Acropora florida</i>       | raw corals | 27       |      | AE       | BE       | PH     | T       | O      |
| E        | 2    | B     | <i>Acropora humilis</i>       | raw corals | 200 kg   |      | CH       | ES       | PH     | E       | W      |
| E        | 2    | B     | <i>Acropora nobilis</i>       | raw corals | 100 kg   |      | CH       | ES       | PH     | E       | W      |
| E        | 2    | B     | <i>Pavona cactus</i>          | raw corals | 2        |      | AE       | BE       | PH     | T       | O      |
| E        | 2    | B     | <i>Ctenactis echinata</i>     | raw corals | 8        |      | AE       | BE       | PH     | T       | O      |
| E        | 2    | B     | <i>Fungia fungites</i>        | raw corals | 23       |      | AE       | BE       | PH     | T       | O      |
| E        | 2    | B     | <i>Merulina ampliata</i>      | raw corals | 4        |      | AE       | BE       | PH     | T       | O      |
| E        | 2    | B     | <i>Lobophyllia</i> spp.       | raw corals | 6        |      | AE       | BE       | PH     | T       | O      |
| E        | 2    | B     | <i>Heliopora</i> spp.         | raw corals | 31       |      | AE       | BE       | PH     | T       | O      |
| E        | 2    | B     | <i>Heliopora coerulea</i>     | raw corals | 100 kg   |      | CH       | ES       | PH     | E       | W      |
| E        | 2    | B     | <i>Heliopora coerulea</i>     | raw corals | 3        |      | US       | FR       | XX     | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                              | Term       | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------------|------------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Tubipora musica</i>             | raw corals | 20       |      | AE       | BE       | PH     | T       | O      |
| E        | 2    | B     | <i>Tubipora musica</i>             | raw corals | 50 kg    |      | CH       | ES       | PH     | E       | W      |
| E        | 2    | B     | <i>Pachypodium bispinosum</i>      | live       | 10       |      | CH       | NL       | ZA     | T       | W      |
| E        | 2    | B     | <i>Pachypodium lamerei</i>         | live       | 2        |      | MC       | FR       | XX     | Q       | U      |
| E        | 2    | B     | <i>Pachypodium rosulatum</i>       | live       | 2        |      | MC       | FR       | XX     | Q       | U      |
| E        | 2    | B     | <i>Carnegiea gigantea</i>          | live       | 5        |      | CN       | NL       | US     | T       | W      |
| E        | 2    | B     | <i>Cereus hildmannianus</i>        | live       | 1        |      | US       | GB       |        | P       | U      |
| E        | 2    | B     | <i>Echinopsis backebergii</i>      | live       | 1        |      | US       | GB       |        | P       | U      |
| E        | 2    | B     | <i>Echinopsis chiloensis</i>       | stems      | 174      |      | CH       | DE       | CL     | T       | W      |
| E        | 2    | B     | <i>Echinopsis lageniformis</i>     | live       | 1        |      | US       | GB       |        | P       | U      |
| E        | 2    | B     | <i>Epiphyllum spp.</i>             | live       | 1        |      | US       | GB       |        | P       | U      |
| E        | 2    | B     | <i>Epostoa lanata</i>              | live       | 1        |      | US       | GB       |        | P       | U      |
| E        | 2    | B     | <i>Eulychnia acida</i>             | stems      | 93       |      | CH       | DE       | CL     | T       | W      |
| E        | 2    | B     | <i>Ferocactus cylindraceus</i>     | live       | 2        |      | CN       | NL       | US     | T       | W      |
| E        | 2    | B     | <i>Ferocactus wislizeni</i>        | live       | 2        |      | CN       | NL       | US     | T       | W      |
| E        | 2    | B     | <i>Mammillaria microhelia</i>      | live       | 1        |      | US       | GB       |        | P       | U      |
| E        | 2    | B     | <i>Melocactus intortus</i>         | live       | 1        |      | US       | GB       |        | P       | U      |
| E        | 2    | B     | <i>Myrtillocactus geometrizans</i> | live       | 3        |      | US       | GB       |        | P       | U      |
| E        | 2    | B     | <i>Opuntia microdasys</i>          | live       | 1        |      | US       | GB       |        | P       | U      |
| E        | 2    | B     | <i>Pachycereus schottii</i>        | live       | 2        |      | US       | GB       |        | P       | U      |
| E        | 2    | B     | <i>Pilosocereus leucocephalus</i>  | live       | 1        |      | US       | GB       |        | P       | U      |
| E        | 2    | B     | <i>Schlumbergera truncata</i>      | live       | 1        |      | US       | GB       |        | P       | U      |
| E        | 2    | B     | <i>Selenicereus grandiflorus</i>   | live       | 1        |      | US       | GB       |        | P       | U      |
| E        | 2    | B     | <i>Cycas revoluta</i>              | live       | 18       |      | ET       | IT       | PY     | T       | O      |
| E        | 2    | B     | <i>Dicksonia antarctica</i>        | live       | 10       |      | CH       | FR       | AU     | T       | W      |
| E        | 2    | B     | <i>Dicksonia antarctica</i>        | live       | 41       |      | CH       | NL       | AU     | T       | W      |
| E        | 2    | B     | <i>Dicksonia antarctica</i>        | live       | 60       |      | KW       | NL       | AU     | T       | W      |
| E        | 2    | B     | <i>Alluaudia ascendens</i>         | live       | 2        |      | MC       | FR       | XX     | Q       | U      |
| E        | 2    | B     | <i>Alluaudia comosa</i>            | live       | 2        |      | MC       | FR       | XX     | Q       | U      |
| E        | 2    | B     | <i>Alluaudia procera</i>           | live       | 1        |      | MC       | FR       | XX     | Q       | U      |
| E        | 2    | B     | <i>Didierea madagascariensis</i>   | live       | 2        |      | MC       | FR       | XX     | Q       | U      |
| E        | 2    | B     | <i>Pericopsis elata</i>            | sawn wood  | 40 m3    |      | CH       | BE       | XX     | T       | W      |
| E        | 2    | B     | <i>Pericopsis elata</i>            | sawn wood  | 7 m3     |      | CY       | BE       | XX     | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                   | Term         | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------|--------------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Pericopsis elata</i> | sawn wood    | 27       | m3   | EG       | BE       | XX     | T       | W      |
| E        | 2    | B     | <i>Aloe</i> spp.        | extract      | 1710     | kg   | AR       | DE       | ZA     | T       | W      |
| E        | 2    | B     | <i>Aloe</i> spp.        | extract      | 300      | kg   | CL       | DE       | ZA     | T       | W      |
| E        | 2    | B     | <i>Aloe</i> spp.        | extract      | 6600     | kg   | US       | DE       | ZA     | T       | W      |
| E        | 2    | B     | <i>Aloe ferox</i>       | dried plants | 50       | kg   | CL       | BE       | XX     | T       | W      |
| E        | 2    | B     | <i>Aloe ferox</i>       | extract      | 69       | kg   | AR       | DE       | ZA     | T       | U      |
| E        | 2    | B     | <i>Aloe ferox</i>       | extract      | 2628     | kg   | AR       | DE       | ZA     | T       | W      |
| E        | 2    | B     | <i>Aloe ferox</i>       | extract      | 593      | kg   | BR       | DE       | ZA     | T       | W      |
| E        | 2    | B     | <i>Aloe ferox</i>       | extract      | 490      | kg   | BR       | IT       | ZA     | T       | W      |
| E        | 2    | B     | <i>Aloe ferox</i>       | extract      | 800      | kg   | CA       | DE       | ZA     | T       | W      |
| E        | 2    | B     | <i>Aloe ferox</i>       | extract      | 500      | kg   | CH       | DE       | ZA     | T       | W      |
| E        | 2    | B     | <i>Aloe ferox</i>       | extract      | 52       | kg   | CI       | IT       | ZA     | T       | W      |
| E        | 2    | B     | <i>Aloe ferox</i>       | extract      | 1524     | kg   | CL       | DE       | ZA     | T       | W      |
| E        | 2    | B     | <i>Aloe ferox</i>       | extract      | 502      | kg   | DO       | DE       | ZA     | T       | W      |
| E        | 2    | B     | <i>Aloe ferox</i>       | extract      | 20       | kg   | GT       | DE       | ZA     | T       | U      |
| E        | 2    | B     | <i>Aloe ferox</i>       | extract      | 150      | kg   | GT       | DE       | ZA     | T       | W      |
| E        | 2    | B     | <i>Aloe ferox</i>       | extract      | 25       | kg   | HN       | DE       | ZA     | T       | W      |
| E        | 2    | B     | <i>Aloe ferox</i>       | extract      | 33       | kg   | HU       | DE       | ZA     | T       | W      |
| E        | 2    | B     | <i>Aloe ferox</i>       | extract      | 100      | kg   | IL       | DE       | ZA     | T       | W      |
| E        | 2    | B     | <i>Aloe ferox</i>       | extract      | 80       | kg   | JP       | FR       | ZA     | T       | W      |
| E        | 2    | B     | <i>Aloe ferox</i>       | extract      | 3475     | kg   | KR       | DE       | ZA     | T       | W      |
| E        | 2    | B     | <i>Aloe ferox</i>       | extract      | 2030     | kg   | KR       | IT       | ZA     | T       | W      |
| E        | 2    | B     | <i>Aloe ferox</i>       | extract      | 100      | kg   | MX       | DE       | ZA     | T       | U      |
| E        | 2    | B     | <i>Aloe ferox</i>       | extract      | 2783     | kg   | MX       | DE       | ZA     | T       | W      |
| E        | 2    | B     | <i>Aloe ferox</i>       | extract      | 50       | kg   | NG       | DE       | ZA     | T       | W      |
| E        | 2    | B     | <i>Aloe ferox</i>       | extract      | 200      | kg   | NI       | DE       | ZA     | T       | W      |
| E        | 2    | B     | <i>Aloe ferox</i>       | extract      | 28       |      | PL       | DE       | ZA     | T       | W      |
| E        | 2    | B     | <i>Aloe ferox</i>       | extract      | 13991    | kg   | PL       | DE       | ZA     | T       | W      |
| E        | 2    | B     | <i>Aloe ferox</i>       | extract      | 976      | kg   | TR       | DE       | ZA     | T       | W      |
| E        | 2    | B     | <i>Aloe ferox</i>       | extract      | 5136     | kg   | US       | DE       | ZA     | T       | U      |
| E        | 2    | B     | <i>Aloe ferox</i>       | extract      | 21710    | kg   | US       | DE       | ZA     | T       | W      |
| E        | 2    | B     | <i>Aloe vaombe</i>      | live         | 1        |      | MC       | FR       | XX     | Q       | U      |
| E        | 2    | B     | <i>Nepenthes</i> spp.   | dried plants | 2        |      | BN       | DE       | BN     | S       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                        | Term         | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|--------------|----------|------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Nepenthes</i> spp.        | dried plants | 2        |      | BN       | DE       | BN     | S       | W      |
| E        | 2    | B     | <i>Nepenthes ampullaria</i>  | dried plants | 1        |      | BN       | DE       | BN     | S       | W      |
| E        | 2    | B     | <i>Nepenthes bicalcarata</i> | dried plants | 6        |      | BN       | DE       | BN     | S       | W      |
| E        | 2    | B     | <i>Nepenthes gracilis</i>    | dried plants | 7        |      | BN       | DE       | BN     | S       | W      |
| E        | 2    | B     | <i>Nepenthes mirabilis</i>   | dried plants | 1        |      | BN       | DE       | BN     | S       | W      |
| E        | 2    | B     | <i>Nepenthes rafflesiana</i> | dried plants | 4        |      | BN       | DE       | BN     | S       | W      |
| E        | 2    | B     | <i>Phalaenopsis fasciata</i> | live         | 1        |      | NO       | BE       |        | T       | W      |
| E        | 2    | B     | <i>Prunus africana</i>       | extract      | 217 kg   |      | AR       | FR       | MG     | T       | W      |
| E        | 2    | B     | <i>Prunus africana</i>       | extract      | 16 kg    |      | AR       | FR       | XF     | T       | W      |
| E        | 2    | B     | <i>Prunus africana</i>       | extract      | 6 kg     |      | AR       | FR       | CD     | T       | W      |
| E        | 2    | B     | <i>Prunus africana</i>       | extract      | 54 kg    |      | BR       | FR       | CM     | T       | W      |
| E        | 2    | B     | <i>Prunus africana</i>       | extract      | 50 kg    |      | BR       | FR       | MG     | T       | W      |
| E        | 2    | B     | <i>Prunus africana</i>       | extract      | 3 kg     |      | CA       | FR       | CM     | T       | W      |
| E        | 2    | B     | <i>Prunus africana</i>       | extract      | 120 kg   |      | CA       | FR       | MG     | T       | W      |
| E        | 2    | B     | <i>Prunus africana</i>       | extract      | 50 kg    |      | CA       | FR       | XF     | T       | W      |
| E        | 2    | B     | <i>Prunus africana</i>       | extract      | 125 kg   |      | CH       | ES       | GN     | T       | W      |
| E        | 2    | B     | <i>Prunus africana</i>       | extract      | 50 kg    |      | CH       | ES       | GQ     | T       | W      |
| E        | 2    | B     | <i>Prunus africana</i>       | extract      | 49 kg    |      | CH       | FR       | CM     | T       | W      |
| E        | 2    | B     | <i>Prunus africana</i>       | extract      | 280 kg   |      | CH       | FR       | MG     | T       | W      |
| E        | 2    | B     | <i>Prunus africana</i>       | extract      | 2 kg     |      | CL       | FR       | MG     | T       | W      |
| E        | 2    | B     | <i>Prunus africana</i>       | extract      | 200 kg   |      | EG       | FR       | MG     | T       | W      |
| E        | 2    | B     | <i>Prunus africana</i>       | extract      | < 1 kg   |      | ID       | FR       | MG     | T       | W      |
| E        | 2    | B     | <i>Prunus africana</i>       | extract      | < 1 kg   |      | IN       | FR       | MG     | T       | W      |
| E        | 2    | B     | <i>Prunus africana</i>       | extract      | 2 kg     |      | IN       | FR       | XF     | T       | W      |
| E        | 2    | B     | <i>Prunus africana</i>       | extract      | < 1 kg   |      | JP       | FR       | MG     | T       | W      |
| E        | 2    | B     | <i>Prunus africana</i>       | extract      | < 1 kg   |      | KR       | FR       | MG     | T       | W      |
| E        | 2    | B     | <i>Prunus africana</i>       | extract      | 20 kg    |      | MG       | FR       | MG     | T       | W      |
| E        | 2    | B     | <i>Prunus africana</i>       | extract      | 15 kg    |      | MX       | FR       | CM     | T       | W      |
| E        | 2    | B     | <i>Prunus africana</i>       | extract      | 10 kg    |      | PE       | IT       | MG     | T       | W      |
| E        | 2    | B     | <i>Prunus africana</i>       | extract      | 424 kg   |      | SI       | IT       | MG     | T       | W      |
| E        | 2    | B     | <i>Prunus africana</i>       | extract      | 3 kg     |      | TH       | FR       | MG     | T       | W      |
| E        | 2    | B     | <i>Prunus africana</i>       | extract      | 2 kg     |      | TH       | FR       | XF     | T       | W      |
| E        | 2    | B     | <i>Prunus africana</i>       | extract      | 425 kg   |      | US       | FR       | CM     | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                   | Term          | Quantity   | Unit           | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------|---------------|------------|----------------|----------|----------|--------|---------|--------|
| E        | 2    | B     | <i>Prunus africana</i>  | extract       | 1796       | kg             | US       | FR       | MG     | T       | W      |
| E        | 2    | B     | <i>Prunus africana</i>  | extract       | 15         | kg             | UY       | FR       | CM     | T       | W      |
| E        | 2    | B     | <i>Prunus africana</i>  | extract       | 25         | kg             | UY       | FR       | MG     | T       | W      |
| E        | 2    | B     | <i>Prunus africana</i>  | extract       | 10         | kg             | UY       | FR       | XF     | T       | W      |
| E        | 2    | B     | <i>Prunus africana</i>  | extract       | < 1        | kg             | VE       | FR       | MG     | T       | W      |
| E        | 2    | B     | <i>Prunus africana</i>  | sawn wood     | 30         | m <sup>3</sup> | IN       | BE       | XX     | T       | W      |
| E        | 2    | B     | <i>Prunus africana</i>  | timber pieces | 1          |                | ZA       | NL       | ZA     | E       | W      |
| E        | 3    | C     | <i>Mustela sibirica</i> | hair          | 9808       |                | AR       | DE       | CN     | T       | W      |
| E        | 3    | C     | <i>Mustela sibirica</i> | hair          | 971        |                | AU       | DE       | CN     | T       | W      |
| E        | 3    | C     | <i>Mustela sibirica</i> | hair          | 168        |                | BG       | DE       | CN     | T       | W      |
| E        | 3    | C     | <i>Mustela sibirica</i> | hair          | 1476       |                | BO       | DE       | CN     | T       | W      |
| E        | 3    | C     | <i>Mustela sibirica</i> | hair          | 654        |                | CA       | DE       | CN     | T       | W      |
| E        | 3    | C     | <i>Mustela sibirica</i> | hair          | 204        |                | CH       | DE       | CN     | T       | W      |
| E        | 3    | C     | <i>Mustela sibirica</i> | hair          | 80088      |                | CO       | DE       | CN     | T       | W      |
| E        | 3    | C     | <i>Mustela sibirica</i> | hair          | 432        |                | CZ       | DE       | CN     | T       | W      |
| E        | 3    | C     | <i>Mustela sibirica</i> | hair          | 2844       |                | IL       | DE       | CN     | T       | W      |
| E        | 3    | C     | <i>Mustela sibirica</i> | hair          | 384        |                | JP       | DE       | CN     | T       | W      |
| E        | 3    | C     | <i>Mustela sibirica</i> | hair          | 20 kg      |                | JP       | DE       | CN     | T       | W      |
| E        | 3    | C     | <i>Mustela sibirica</i> | hair          | 36 kg      |                | LK       | DE       | CN     | T       | W      |
| E        | 3    | C     | <i>Mustela sibirica</i> | hair          | 1020       |                | MX       | DE       | CN     | T       | W      |
| E        | 3    | C     | <i>Mustela sibirica</i> | hair          | 480        |                | NZ       | DE       | CN     | T       | W      |
| E        | 3    | C     | <i>Mustela sibirica</i> | hair          | 1296       |                | PE       | DE       | CN     | T       | W      |
| E        | 3    | C     | <i>Mustela sibirica</i> | hair          | 252        |                | PL       | DE       | CN     | T       | W      |
| E        | 3    | C     | <i>Mustela sibirica</i> | hair          | 180        |                | RU       | DE       | CN     | T       | W      |
| E        | 3    | C     | <i>Mustela sibirica</i> | hair          | 408        |                | SV       | DE       | CN     | T       | W      |
| E        | 3    | C     | <i>Mustela sibirica</i> | hair          | 60         |                | TN       | DE       | CN     | T       | W      |
| E        | 3    | C     | <i>Mustela sibirica</i> | hair          | 179164     |                | US       | DE       | CN     | T       | W      |
| E        | 3    | C     | <i>Mustela sibirica</i> | hair          | 318 g      |                | US       | DE       | CN     | T       | W      |
| E        | 3    | C     | <i>Mustela sibirica</i> | hair          | 2 kg       |                | US       | DE       | CN     | T       | W      |
| E        | 3    | C     | <i>Mustela sibirica</i> | hair          | 1788       |                | US       | FR       | CN     | T       | W      |
| E        | 3    | C     | <i>Mustela sibirica</i> | hair          | 1311 items |                | US       | IE       | CN     | T       | W      |
| E        | 3    | C     | <i>Mustela sibirica</i> | hair          | 9432       |                | VE       | DE       | CN     | T       | W      |
| E        | 3    | C     | <i>Mustela sibirica</i> | hair          | 48         |                | ZA       | DE       | CN     | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                           | Term     | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| E        | 3    | C     | <i>Mustela sibirica</i>         | live     | 2        |      | PL       | DE       | Z      | C       |        |
| E        | 3    | C     | <i>Mustela sibirica</i>         | plates   | 214      |      | CH       | DE       | CN     | T       | W      |
| E        | 3    | C     | <i>Mustela sibirica</i>         | plates   | 108      |      | CZ       | DE       | CN     | T       | W      |
| E        | 3    | C     | <i>Mustela sibirica</i>         | plates   | 167      |      | JP       | DE       | CN     | T       | W      |
| E        | 3    | C     | <i>Mustela sibirica</i>         | plates   | 79       |      | KR       | DE       | CN     | T       | W      |
| E        | 3    | C     | <i>Mustela sibirica</i>         | plates   | 105      |      | RU       | DE       | CN     | T       | W      |
| E        | 3    | C     | <i>Mustela sibirica</i>         | plates   | 333      |      | SI       | DE       | CN     | T       | W      |
| E        | 3    | C     | <i>Mustela sibirica</i>         | plates   | 20       |      | TR       | DE       | CN     | T       | W      |
| E        | 3    | C     | <i>Arctictis binturong</i>      | live     | 3        |      | CZ       | FR       | Z      | C       |        |
| E        | 3    | C     | <i>Arctictis binturong</i>      | live     | 1        |      | JP       | DE       | XX     | Z       | O      |
| E        | 3    | C     | <i>Civettictis civetta</i>      | extract  | 1 kg     |      | JP       | FR       | ET     | T       | W      |
| E        | 3    | B     | <i>Odobenus rosmarus</i>        | skulls   | 1        |      | US       | GB       | GL     | P       | W      |
| E        | 3    | B     | <i>Odobenus rosmarus</i>        | teeth    | 1        |      | JP       | DE       | XX     | T       | O      |
| E        | 3    | B     | <i>Odobenus rosmarus</i>        | tusks    | 2        |      | CA       | DE       | CA     | P       | O      |
| E        | 3    | B     | <i>Odobenus rosmarus</i>        | tusks    | 1        |      | TH       | DK       | GL     | P       | W      |
| E        | 3    | C     | <i>Antilope cervicapra</i>      | live     | 4        |      | MY       | FR       | Z      | C       |        |
| E        | 3    | C     | <i>Antilope cervicapra</i>      | live     | 2        |      | PL       | DK       | Z      | C       |        |
| E        | 3    | C     | <i>Tragelaphus eurycerus</i>    | live     | 1        |      | ZA       | DE       | Z      | C       |        |
| E        | 3    | C     | <i>Tragelaphus spekii</i>       | trophies | 1        |      | KN       | DE       | BW     | P       | W      |
| E        | 3    | A     | <i>Bubulcus ibis</i>            | live     | 5        |      | PL       | BE       | B      | C       |        |
| E        | 3    | A     | <i>Bubulcus ibis</i>            | live     | 22       |      | TR       | NL       | Z      | C       |        |
| E        | 3    | A     | <i>Egretta garzetta</i>         | feathers | 2        |      | JP       | FR       | XX     | Q       | O      |
| E        | 3    | C     | <i>Leptoptilos crumeniferus</i> | live     | 1        |      | IL       | DE       | TZ     | Z       | W      |
| E        | 3    | C     | <i>Leptoptilos crumeniferus</i> | live     | 1        |      | PL       | GB       | TZ     | Z       | W      |
| E        | 3    | C     | <i>Leptoptilos crumeniferus</i> | live     | 1        |      | SA       | NL       | TZ     | T       | W      |
| E        | 3    | C     | <i>Leptoptilos crumeniferus</i> | live     | 8        |      | US       | GB       | TZ     | T       | W      |
| E        | 3    | C     | <i>Threskiornis aethiopicus</i> | live     | 6        |      | IR       | BE       | B      | C       |        |
| E        | 3    | C     | <i>Threskiornis aethiopicus</i> | live     | 6        |      | LT       | DE       | Z      | C       |        |
| E        | 3    | C     | <i>Threskiornis aethiopicus</i> | live     | 6        |      | NC       | DE       | T      | C       |        |
| E        | 3    | C     | <i>Threskiornis aethiopicus</i> | live     | 10       |      | PL       | DE       | Z      | C       |        |
| E        | 3    | C     | <i>Alopochen aegyptiacus</i>    | live     | 8        |      | BS       | NL       | T      | C       |        |
| E        | 3    | C     | <i>Alopochen aegyptiacus</i>    | live     | 2        |      | PK       | NL       | T      | C       |        |
| E        | 3    | C     | <i>Alopochen aegyptiacus</i>    | live     | 10       |      | YU       | NL       | T      | C       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                   | Term   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------|--------|----------|------|----------|----------|--------|---------|--------|
| E        | 3    | C     | <i>Anas acuta</i>       | live   | 12       |      | AE       | GB       |        | B       | C      |
| E        | 3    | C     | <i>Anas acuta</i>       | live   | 10       |      | HK       | GB       |        | T       | C      |
| E        | 3    | C     | <i>Anas acuta</i>       | live   | 16       |      | JP       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Anas acuta</i>       | live   | 50       |      | MT       | GB       |        | B       | C      |
| E        | 3    | C     | <i>Anas acuta</i>       | live   | 40       |      | YU       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Anas capensis</i>    | live   | 2        |      | MA       | ES       | NL     | T       | C      |
| E        | 3    | C     | <i>Anas capensis</i>    | live   | 22       |      | YU       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Anas clypeata</i>    | live   | 4        |      | AN       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Anas clypeata</i>    | live   | 10       |      | HK       | GB       |        | T       | C      |
| E        | 3    | C     | <i>Anas clypeata</i>    | live   | 16       |      | JP       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Anas clypeata</i>    | live   | 1        |      | MT       | GB       |        | B       | C      |
| E        | 3    | C     | <i>Anas clypeata</i>    | skins  | 2        |      | MT       | GB       |        | P       | W      |
| E        | 3    | C     | <i>Anas clypeata</i>    | skins  | 3        |      | MT       | GB       |        | H       | W      |
| E        | 3    | C     | <i>Anas crecca</i>      | bodies | 134      |      | CH       | GB       |        | T       | W      |
| E        | 3    | C     | <i>Anas crecca</i>      | bodies | 51       |      | XX       | GB       |        | T       | W      |
| E        | 3    | C     | <i>Anas crecca</i>      | live   | 21       |      | JP       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Anas crecca</i>      | live   | 4        |      | MA       | ES       | NL     | T       | C      |
| E        | 3    | C     | <i>Anas crecca</i>      | live   | 4        |      | MT       | GB       |        | B       | C      |
| E        | 3    | C     | <i>Anas crecca</i>      | live   | 44       |      | US       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Anas crecca</i>      | live   | 48       |      | YU       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Anas crecca</i>      | live   | 11       |      | ZA       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Anas crecca</i>      | skins  | 4        |      | MT       | GB       |        | P       | W      |
| E        | 3    | C     | <i>Anas crecca</i>      | skins  | 54       |      | MT       | GB       |        | H       | W      |
| E        | 3    | C     | <i>Anas penelope</i>    | live   | 10       |      | HK       | GB       |        | T       | C      |
| E        | 3    | C     | <i>Anas penelope</i>    | live   | 14       |      | JP       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Anas penelope</i>    | live   | 41       |      | MT       | GB       |        | B       | C      |
| E        | 3    | C     | <i>Anas penelope</i>    | live   | 50       |      | YU       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Anas penelope</i>    | skins  | 4        |      | MT       | GB       |        | P       | W      |
| E        | 3    | C     | <i>Anas penelope</i>    | skins  | 50       |      | MT       | GB       |        | H       | W      |
| E        | 3    | A     | <i>Anas querquedula</i> | live   | 6        |      | HK       | GB       |        | T       | C      |
| E        | 3    | A     | <i>Anas querquedula</i> | live   | 40       |      | MT       | GB       |        | B       | C      |
| E        | 3    | A     | <i>Anas querquedula</i> | live   | 40       |      | YU       | NL       |        | T       | C      |
| E        | 3    | A     | <i>Anas querquedula</i> | live   | 2        |      | ZA       | NL       |        | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                          | Term     | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| E        | 3    | A     | <i>Aythya nyroca</i>           | live     | 6        |      | MT       | GB       |        | B       | C      |
| E        | 3    | A     | <i>Aythya nyroca</i>           | live     | 20       |      | YU       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Cairina moschata</i>        | feathers | 248      | bags | US       | FR       |        | T       | C      |
| E        | 3    | C     | <i>Cairina moschata</i>        | live     | 2        |      | ZA       | GB       |        | T       | C      |
| E        | 3    | C     | <i>Dendrocygna autumnalis</i>  | live     | 30       |      | YU       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Dendrocygna autumnalis</i>  | live     | 1        |      | ZA       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Dendrocygna bicolor</i>     | live     | 2        |      | MT       | GB       |        | B       | C      |
| E        | 3    | C     | <i>Dendrocygna bicolor</i>     | live     | 30       |      | YU       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Dendrocygna viduata</i>     | live     | 2        |      | MT       | GB       |        | B       | C      |
| E        | 3    | C     | <i>Dendrocygna viduata</i>     | live     | 9        |      | NC       | DE       |        | T       | C      |
| E        | 3    | C     | <i>Dendrocygna viduata</i>     | live     | 4        |      | TH       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Dendrocygna viduata</i>     | live     | 4        |      | ZA       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Nettapus auritus</i>        | live     | 4        |      | BS       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Nettapus auritus</i>        | live     | 10       |      | CA       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Nettapus auritus</i>        | live     | 22       |      | JP       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Nettapus auritus</i>        | live     | 12       |      | YU       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Plectropterus gambensis</i> | live     | 2        |      | TH       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Plectropterus gambensis</i> | live     | 10       |      | YU       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Sarcoramphus papa</i>       | live     | 1        |      | JP       | NL       |        | T       | C      |
| E        | 3    | B     | <i>Pauxi pauxi</i>             | live     | 1        |      | TR       | BE       |        | T       | C      |
| E        | 3    | B     | <i>Lophura erythrophthalma</i> | live     | 2        |      | BS       | NL       |        | T       | C      |
| E        | 3    | B     | <i>Lophura ignita</i>          | live     | 16       |      | AR       | NL       |        | T       | C      |
| E        | 3    | B     | <i>Lophura ignita</i>          | live     | 2        |      | BS       | NL       |        | T       | C      |
| E        | 3    | B     | <i>Lophura ignita</i>          | live     | 2        |      | CH       | DE       |        | T       | C      |
| E        | 3    | B     | <i>Lophura ignita</i>          | live     | 3        |      | CN       | NL       |        | T       | C      |
| E        | 3    | B     | <i>Lophura ignita</i>          | live     | 3        |      | MU       | NL       |        | T       | C      |
| E        | 3    | B     | <i>Lophura ignita</i>          | live     | 3        |      | PH       | NL       |        | T       | C      |
| E        | 3    | B     | <i>Lophura ignita</i>          | live     | 16       |      | PK       | NL       |        | T       | C      |
| E        | 3    | B     | <i>Lophura ignita</i>          | live     | 2        |      | PL       | DE       |        | Z       | C      |
| E        | 3    | B     | <i>Lophura ignita</i>          | live     | 6        |      | TR       | NL       |        | T       | C      |
| E        | 3    | B     | <i>Lophura ignita</i>          | live     | 16       |      | TW       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Polyplectron inopinatum</i> | live     | 2        |      | JP       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Polyplectron inopinatum</i> | live     | 2        |      | MX       | ES       |        | B       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                          | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 3    | C     | <i>Polyplectron inopinatum</i> | live | 2        |      | MY       | GB       |        | B       | C      |
| E        | 3    | C     | <i>Polyplectron inopinatum</i> | live | 10       |      | TW       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Rollulus rouloul</i>        | live | 4        |      | BS       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Rollulus rouloul</i>        | live | 6        |      | CZ       | NL       |        | Z       | C      |
| E        | 3    | C     | <i>Rollulus rouloul</i>        | live | 40       |      | JP       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Rollulus rouloul</i>        | live | 7        |      | PL       | BE       |        | T       | C      |
| E        | 3    | C     | <i>Rollulus rouloul</i>        | live | 76       |      | TW       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Tragopan satyra</i>         | live | 3        |      | AE       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Tragopan satyra</i>         | live | 4        |      | BH       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Tragopan satyra</i>         | live | 2        |      | BS       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Tragopan satyra</i>         | live | 1        |      | CH       | NL       |        | Z       | C      |
| E        | 3    | C     | <i>Tragopan satyra</i>         | live | 9        |      | JP       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Tragopan satyra</i>         | live | 2        |      | KR       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Tragopan satyra</i>         | live | 3        |      | MU       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Tragopan satyra</i>         | live | 2        |      | MX       | ES       |        | B       | C      |
| E        | 3    | C     | <i>Tragopan satyra</i>         | live | 2        |      | OM       | GB       |        | B       | F      |
| E        | 3    | C     | <i>Tragopan satyra</i>         | live | 2        |      | PK       | GB       |        | B       | C      |
| E        | 3    | C     | <i>Tragopan satyra</i>         | live | 1        |      | PK       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Tragopan satyra</i>         | live | 1        |      | PL       | NL       |        | Z       | C      |
| E        | 3    | C     | <i>Tragopan satyra</i>         | live | 2        |      | ZA       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Oena capensis</i>           | live | 20       |      | AN       | NL       |        | SN      | W      |
| E        | 3    | C     | <i>Oena capensis</i>           | live | 25       |      | BR       | ES       | GN     | T       | W      |
| E        | 3    | C     | <i>Oena capensis</i>           | live | 44       |      | BR       | ES       | SN     | T       | W      |
| E        | 3    | C     | <i>Oena capensis</i>           | live | 270      |      | CA       | NL       | SN     | T       | W      |
| E        | 3    | C     | <i>Oena capensis</i>           | live | 20       |      | CL       | ES       | SN     | T       | W      |
| E        | 3    | C     | <i>Oena capensis</i>           | live | 60       |      | JP       | ES       | SN     | T       | W      |
| E        | 3    | C     | <i>Oena capensis</i>           | live | 40       |      | MT       | BE       | ML     | T       | W      |
| E        | 3    | C     | <i>Oena capensis</i>           | live | 20       |      | MU       | NL       | ML     | T       | W      |
| E        | 3    | C     | <i>Oena capensis</i>           | live | 100      |      | MX       | BE       | ML     | T       | W      |
| E        | 3    | C     | <i>Oena capensis</i>           | live | 50       |      | MX       | BE       | SN     | T       | W      |
| E        | 3    | C     | <i>Oena capensis</i>           | live | 25       |      | SN       | ES       | SN     | T       | W      |
| E        | 3    | C     | <i>Turtur afer</i>             | live | 40       |      | AN       | NL       | SN     | T       | W      |
| E        | 3    | C     | <i>Turtur afer</i>             | live | 100      |      | CA       | NL       | SN     | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                      | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 3    | C     | <i>Turtur tympanistria</i> | live | 20       |      | BR       | ES       | GN     | T       | W      |
| E        | 3    | C     | <i>Turtur tympanistria</i> | live | 60       |      | CA       | NL       | GN     | T       | W      |
| E        | 3    | C     | <i>Psittacula krameri</i>  | live | 21       |      | AE       | BE       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i>  | live | 237      |      | AE       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i>  | live | 223      |      | AN       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i>  | live | 6        |      | AO       | PT       | NL     | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i>  | live | 10       |      | AR       | ES       | NL     | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i>  | live | 8        |      | AR       | ES       | PK     | T       | W      |
| E        | 3    | C     | <i>Psittacula krameri</i>  | live | 4        |      | AR       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i>  | live | 232      |      | AW       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i>  | live | 18       |      | BH       | BE       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i>  | live | 10       |      | BR       | DE       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i>  | live | 53       |      | BR       | ES       | ML     | T       | W      |
| E        | 3    | C     | <i>Psittacula krameri</i>  | live | 179      |      | BR       | ES       | PK     | T       | W      |
| E        | 3    | C     | <i>Psittacula krameri</i>  | live | 99       |      | BR       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i>  | live | 34       |      | BS       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i>  | live | 10       |      | CA       | DE       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i>  | live | 302      |      | CA       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i>  | live | 150      |      | CA       | NL       | GN     | T       | W      |
| E        | 3    | C     | <i>Psittacula krameri</i>  | live | 150      |      | CA       | NL       | PK     | T       | W      |
| E        | 3    | C     | <i>Psittacula krameri</i>  | live | 45       |      | CH       | ES       | PK     | T       | W      |
| E        | 3    | C     | <i>Psittacula krameri</i>  | live | 30       |      | CH       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i>  | live | 4        |      | CL       | ES       | NL     | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i>  | live | 10       |      | CL       | ES       | PK     | T       | W      |
| E        | 3    | C     | <i>Psittacula krameri</i>  | live | 24       |      | CL       | ES       | SN     | T       | W      |
| E        | 3    | C     | <i>Psittacula krameri</i>  | live | 31       |      | CL       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i>  | live | 20       |      | CN       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i>  | live | 22       |      | CO       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i>  | live | 42       |      | CR       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i>  | live | 20       |      | CU       | ES       | NL     | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i>  | live | 71       |      | CY       | GB       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i>  | live | 75       |      | CY       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i>  | live | 12       |      | DO       | NL       |        | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                     | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 3    | C     | <i>Psittacula krameri</i> | live | 104      |      | EG       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i> | live | 24       |      | GT       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i> | live | 8        |      | HN       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i> | live | 40       |      | IL       | BE       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i> | live | 71       |      | IL       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i> | live | 6        |      | IS       | GB       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i> | live | 25       |      | JO       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i> | live | 24       |      | JP       | BE       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i> | live | 64       |      | JP       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i> | live | 24       |      | KR       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i> | live | 5        |      | KW       | BE       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i> | live | 140      |      | KW       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i> | live | 2        |      | LK       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i> | live | 10       |      | ML       | ES       | PK     | T       | W      |
| E        | 3    | C     | <i>Psittacula krameri</i> | live | 46       |      | MT       | BE       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i> | live | 4        |      | MT       | GB       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i> | live | 44       |      | MU       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i> | live | 4        |      | MV       | BE       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i> | live | 4        |      | MV       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i> | live | 58       |      | MX       | BE       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i> | live | 70       |      | MX       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i> | live | 4        |      | MY       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i> | live | 95       |      | NA       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i> | live | 2        |      | NI       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i> | live | 42       |      | PA       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i> | live | 34       |      | PH       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i> | live | 703      |      | PK       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i> | live | 40       |      | PL       | BE       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i> | live | 28       |      | QA       | BE       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i> | live | 26       |      | QA       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i> | live | 2        |      | RU       | ES       | NL     | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i> | live | 25       |      | RU       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i> | live | 146      |      | SA       | NL       |        | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                       | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 3    | C     | <i>Psittacula krameri</i>   | live | 18       |      | SG       | GB       |        | P       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i>   | live | 40       |      | SG       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i>   | live | 25       |      | SI       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i>   | live | 14       |      | SV       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i>   | live | 12       |      | TH       | BE       |        | P       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i>   | live | 416      |      | TH       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i>   | live | 1        |      | TR       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i>   | live | 20       |      | TT       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i>   | live | 253      |      | TW       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i>   | live | 5        |      | US       | BE       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i>   | live | 18       |      | US       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i>   | live | 48       |      | VE       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i>   | live | 48       |      | YU       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i>   | live | 220      |      | ZA       | BE       |        | T       | C      |
| E        | 3    | C     | <i>Psittacula krameri</i>   | live | 573      |      | ZA       | NL       |        | T       | C      |
| E        | 3    | B     | <i>Corythaeola cristata</i> | live | 4        |      | US       | GB       | SL     | B       | W      |
| E        | 3    | B     | <i>Musophaga violacea</i>   | live | 2        |      | AR       | BE       | GN     | T       | W      |
| E        | 3    | B     | <i>Musophaga violacea</i>   | live | 12       |      | AR       | ES       | GN     | T       | W      |
| E        | 3    | B     | <i>Musophaga violacea</i>   | live | 4        |      | AR       | ES       | ML     | T       | W      |
| E        | 3    | B     | <i>Musophaga violacea</i>   | live | 4        |      | BR       | ES       | ML     | T       | W      |
| E        | 3    | B     | <i>Musophaga violacea</i>   | live | 6        |      | DO       | NL       | GN     | T       | W      |
| E        | 3    | B     | <i>Musophaga violacea</i>   | live | 4        |      | ID       | DE       | GN     | T       | W      |
| E        | 3    | B     | <i>Musophaga violacea</i>   | live | 2        |      | IL       | BE       | GN     | T       | W      |
| E        | 3    | B     | <i>Musophaga violacea</i>   | live | 24       |      | MX       | BE       | GN     | T       | W      |
| E        | 3    | B     | <i>Musophaga violacea</i>   | live | 4        |      | YU       | NL       | GN     | T       | W      |
| E        | 3    | C     | <i>Serinus leucopygius</i>  | live | 50       |      | BR       | ES       | ML     | T       | W      |
| E        | 3    | C     | <i>Serinus leucopygius</i>  | live | 50       |      | BR       | ES       | SN     | T       | W      |
| E        | 3    | C     | <i>Serinus leucopygius</i>  | live | 300      |      | CA       | NL       | ML     | T       | W      |
| E        | 3    | C     | <i>Serinus leucopygius</i>  | live | 900      |      | CA       | NL       | SN     | T       | W      |
| E        | 3    | C     | <i>Serinus leucopygius</i>  | live | 420      |      | CN       | NL       | ML     | T       | W      |
| E        | 3    | C     | <i>Serinus leucopygius</i>  | live | 1700     |      | CN       | NL       | SN     | T       | W      |
| E        | 3    | C     | <i>Serinus leucopygius</i>  | live | 400      |      | ID       | NL       | ML     | T       | W      |
| E        | 3    | C     | <i>Serinus leucopygius</i>  | live | 600      |      | ID       | NL       | SN     | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                      | Term   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------|--------|----------|------|----------|----------|--------|---------|--------|
| E        | 3    | C     | <i>Serinus leucopygius</i> | live   | 350      |      | JP       | NL       | ML     | T       | W      |
| E        | 3    | C     | <i>Serinus leucopygius</i> | live   | 30       |      | MT       | BE       | ML     | T       | W      |
| E        | 3    | C     | <i>Serinus leucopygius</i> | live   | 100      |      | MU       | NL       | ML     | T       | W      |
| E        | 3    | C     | <i>Serinus leucopygius</i> | live   | 200      |      | MY       | BE       | ML     | T       | W      |
| E        | 3    | C     | <i>Serinus leucopygius</i> | live   | 300      |      | MY       | NL       | SN     | T       | W      |
| E        | 3    | C     | <i>Serinus leucopygius</i> | live   | 50       |      | RU       | ES       | ML     | T       | W      |
| E        | 3    | C     | <i>Serinus leucopygius</i> | live   | 800      |      | TW       | BE       | ML     | T       | W      |
| E        | 3    | C     | <i>Serinus leucopygius</i> | live   | 500      |      | TW       | NL       | GN     | T       | W      |
| E        | 3    | C     | <i>Serinus leucopygius</i> | live   | 200      |      | TW       | NL       | ML     | T       | W      |
| E        | 3    | C     | <i>Serinus leucopygius</i> | live   | 2200     |      | TW       | NL       | SN     | T       | W      |
| E        | 3    | C     | <i>Serinus leucopygius</i> | live   | 2        |      | ZA       | NL       | ML     | T       | W      |
| E        | 3    | C     | <i>Serinus mozambicus</i>  | bodies | 1        |      | NO       | DK       | XX     | T       | U      |
| E        | 3    | C     | <i>Serinus mozambicus</i>  | live   | 80       |      | AR       | ES       | ML     | T       | W      |
| E        | 3    | C     | <i>Serinus mozambicus</i>  | live   | 60       |      | AR       | ES       | SN     | T       | W      |
| E        | 3    | C     | <i>Serinus mozambicus</i>  | live   | 250      |      | BR       | DE       | SN     | T       | W      |
| E        | 3    | C     | <i>Serinus mozambicus</i>  | live   | 100      |      | BR       | ES       | GN     | T       | W      |
| E        | 3    | C     | <i>Serinus mozambicus</i>  | live   | 300      |      | BR       | ES       | NZ     | T       | W      |
| E        | 3    | C     | <i>Serinus mozambicus</i>  | live   | 40       |      | BR       | ES       | SN     | T       | W      |
| E        | 3    | C     | <i>Serinus mozambicus</i>  | live   | 675      |      | CA       | DE       | GN     | T       | W      |
| E        | 3    | C     | <i>Serinus mozambicus</i>  | live   | 200      |      | CA       | ES       | ML     | T       | W      |
| E        | 3    | C     | <i>Serinus mozambicus</i>  | live   | 150      |      | CA       | FR       | ML     | T       | W      |
| E        | 3    | C     | <i>Serinus mozambicus</i>  | live   | 800      |      | CA       | FR       | SN     | T       | W      |
| E        | 3    | C     | <i>Serinus mozambicus</i>  | live   | 1060     |      | CA       | NL       | GN     | T       | W      |
| E        | 3    | C     | <i>Serinus mozambicus</i>  | live   | 575      |      | CA       | NL       | ML     | T       | W      |
| E        | 3    | C     | <i>Serinus mozambicus</i>  | live   | 1550     |      | CA       | NL       | SN     | T       | W      |
| E        | 3    | C     | <i>Serinus mozambicus</i>  | live   | 20       |      | CL       | ES       | SN     | T       | W      |
| E        | 3    | C     | <i>Serinus mozambicus</i>  | live   | 750      |      | CN       | NL       | ML     | T       | W      |
| E        | 3    | C     | <i>Serinus mozambicus</i>  | live   | 1450     |      | CN       | NL       | SN     | T       | W      |
| E        | 3    | C     | <i>Serinus mozambicus</i>  | live   | 40       |      | CY       | BE       | GN     | T       | W      |
| E        | 3    | C     | <i>Serinus mozambicus</i>  | live   | 150      |      | CY       | BE       | ML     | T       | W      |
| E        | 3    | C     | <i>Serinus mozambicus</i>  | live   | 400      |      | ID       | NL       | GN     | T       | W      |
| E        | 3    | C     | <i>Serinus mozambicus</i>  | live   | 600      |      | ID       | NL       | SN     | T       | W      |
| E        | 3    | C     | <i>Serinus mozambicus</i>  | live   | 200      |      | IL       | BE       | ML     | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                     | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 3    | C     | <i>Serinus mozambicus</i> | live | 400      |      | JP       | BE       | ML     | T       | W      |
| E        | 3    | C     | <i>Serinus mozambicus</i> | live | 670      |      | JP       | NL       | ML     | T       | W      |
| E        | 3    | C     | <i>Serinus mozambicus</i> | live | 40       |      | MO       | ES       | ML     | T       | W      |
| E        | 3    | C     | <i>Serinus mozambicus</i> | live | 800      |      | MT       | BE       | GN     | T       | W      |
| E        | 3    | C     | <i>Serinus mozambicus</i> | live | 500      |      | MT       | BE       | ML     | T       | W      |
| E        | 3    | C     | <i>Serinus mozambicus</i> | live | 894      |      | MT       | GB       | T      | C       |        |
| E        | 3    | C     | <i>Serinus mozambicus</i> | live | 300      |      | MT       | GB       | GN     | T       | W      |
| E        | 3    | C     | <i>Serinus mozambicus</i> | live | 130      |      | MU       | NL       | ML     | T       | W      |
| E        | 3    | C     | <i>Serinus mozambicus</i> | live | 10       |      | MV       | BE       | GN     | T       | W      |
| E        | 3    | C     | <i>Serinus mozambicus</i> | live | 200      |      | MY       | BE       | ML     | T       | W      |
| E        | 3    | C     | <i>Serinus mozambicus</i> | live | 270      |      | MY       | NL       | SN     | T       | W      |
| E        | 3    | C     | <i>Serinus mozambicus</i> | live | 20       |      | NZ       | GB       | T      | C       |        |
| E        | 3    | C     | <i>Serinus mozambicus</i> | live | 50       |      | RU       | ES       | SN     | T       | W      |
| E        | 3    | C     | <i>Serinus mozambicus</i> | live | 3300     |      | TW       | BE       | ML     | T       | W      |
| E        | 3    | C     | <i>Serinus mozambicus</i> | live | 1200     |      | TW       | NL       | GN     | T       | W      |
| E        | 3    | C     | <i>Serinus mozambicus</i> | live | 800      |      | TW       | NL       | ML     | T       | W      |
| E        | 3    | C     | <i>Serinus mozambicus</i> | live | 2580     |      | TW       | NL       | SN     | T       | W      |
| E        | 3    | C     | <i>Serinus mozambicus</i> | live | 150      |      | TW       | NL       | TZ     | T       | W      |
| E        | 3    | C     | <i>Serinus mozambicus</i> | live | 2        |      | ZA       | NL       | GN     | T       | W      |
| E        | 3    | C     | <i>Amadina fasciata</i>   | live | 70       |      | AR       | ES       | ML     | T       | W      |
| E        | 3    | C     | <i>Amadina fasciata</i>   | live | 20       |      | AR       | ES       | SN     | T       | W      |
| E        | 3    | C     | <i>Amadina fasciata</i>   | live | 180      |      | BR       | ES       | ML     | T       | W      |
| E        | 3    | C     | <i>Amadina fasciata</i>   | live | 320      |      | BR       | ES       | SN     | T       | W      |
| E        | 3    | C     | <i>Amadina fasciata</i>   | live | 100      |      | CA       | DE       | SN     | T       | W      |
| E        | 3    | C     | <i>Amadina fasciata</i>   | live | 50       |      | CA       | ES       | ML     | T       | W      |
| E        | 3    | C     | <i>Amadina fasciata</i>   | live | 400      |      | CA       | FR       | SN     | T       | W      |
| E        | 3    | C     | <i>Amadina fasciata</i>   | live | 500      |      | CA       | NL       | ML     | T       | W      |
| E        | 3    | C     | <i>Amadina fasciata</i>   | live | 730      |      | CA       | NL       | SN     | T       | W      |
| E        | 3    | C     | <i>Amadina fasciata</i>   | live | 40       |      | CL       | ES       | SN     | T       | W      |
| E        | 3    | C     | <i>Amadina fasciata</i>   | live | 40       |      | CY       | DE       | SN     | T       | W      |
| E        | 3    | C     | <i>Amadina fasciata</i>   | live | 50       |      | CY       | NL       | ML     | T       | W      |
| E        | 3    | C     | <i>Amadina fasciata</i>   | live | 28       |      | GT       | NL       | T      | C       |        |
| E        | 3    | C     | <i>Amadina fasciata</i>   | live | 400      |      | IL       | BE       | ML     | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                        | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 3    | C     | <i>Amadina fasciata</i>      | live | 250      |      | JP       | BE       | ML     | T       | W      |
| E        | 3    | C     | <i>Amadina fasciata</i>      | live | 550      |      | JP       | NL       | ML     | T       | W      |
| E        | 3    | C     | <i>Amadina fasciata</i>      | live | 40       |      | MT       | BE       | ML     | T       | W      |
| E        | 3    | C     | <i>Amadina fasciata</i>      | live | 62       |      | MU       | NL       | ML     | T       | W      |
| E        | 3    | C     | <i>Amadina fasciata</i>      | live | 40       |      | MV       | BE       | TZ     | T       | W      |
| E        | 3    | C     | <i>Amadina fasciata</i>      | live | 50       |      | NZ       | GB       |        | T       | C      |
| E        | 3    | C     | <i>Amadina fasciata</i>      | live | 100      |      | TW       | BE       | ML     | T       | W      |
| E        | 3    | C     | <i>Amadina fasciata</i>      | live | 80       |      | ZA       | ES       | ML     | T       | W      |
| E        | 3    | C     | <i>Amadina fasciata</i>      | live | 20       |      | AR       | ES       | ML     | T       | W      |
| E        | 3    | C     | <i>Amandava subflava</i>     | live | 200      |      | BR       | ES       | GN     | T       | W      |
| E        | 3    | C     | <i>Amandava subflava</i>     | live | 54       |      | BR       | ES       | ML     | T       | W      |
| E        | 3    | C     | <i>Amandava subflava</i>     | live | 300      |      | CA       | DE       | GN     | T       | W      |
| E        | 3    | C     | <i>Amandava subflava</i>     | live | 300      |      | CA       | FR       | SN     | T       | W      |
| E        | 3    | C     | <i>Amandava subflava</i>     | live | 1085     |      | CA       | NL       | GN     | T       | W      |
| E        | 3    | C     | <i>Amandava subflava</i>     | live | 230      |      | CA       | NL       | ML     | T       | W      |
| E        | 3    | C     | <i>Amandava subflava</i>     | live | 650      |      | CA       | NL       | SN     | T       | W      |
| E        | 3    | C     | <i>Amandava subflava</i>     | live | 200      |      | IL       | BE       | ML     | T       | W      |
| E        | 3    | C     | <i>Amandava subflava</i>     | live | 40       |      | IS       | GB       |        | T       | C      |
| E        | 3    | C     | <i>Amandava subflava</i>     | live | 100      |      | JP       | BE       | GN     | T       | W      |
| E        | 3    | C     | <i>Amandava subflava</i>     | live | 100      |      | JP       | NL       | ML     | T       | W      |
| E        | 3    | C     | <i>Amandava subflava</i>     | live | 40       |      | ML       | ES       | ML     | T       | W      |
| E        | 3    | C     | <i>Amandava subflava</i>     | live | 20       |      | MT       | GB       |        | T       | C      |
| E        | 3    | C     | <i>Amandava subflava</i>     | live | 50       |      | MU       | NL       | ML     | T       | W      |
| E        | 3    | C     | <i>Amandava subflava</i>     | live | 30       |      | MV       | BE       | GN     | T       | W      |
| E        | 3    | C     | <i>Amandava subflava</i>     | live | 9        |      | NZ       | GB       |        | T       | C      |
| E        | 3    | C     | <i>Amandava subflava</i>     | live | 2        |      | ZA       | NL       | ML     | T       | W      |
| E        | 3    | C     | <i>Estrilda astrild</i>      | live | 1195     |      | CA       | NL       | GN     | T       | W      |
| E        | 3    | C     | <i>Estrilda astrild</i>      | live | 80       |      | CA       | NL       | TZ     | T       | W      |
| E        | 3    | C     | <i>Estrilda astrild</i>      | live | 20       |      | CY       | BE       | GN     | T       | W      |
| E        | 3    | C     | <i>Estrilda astrild</i>      | live | 30       |      | MV       | BE       | GN     | T       | W      |
| E        | 3    | C     | <i>Estrilda caerulescens</i> | live | 11       |      | AN       | NL       | SN     | T       | W      |
| E        | 3    | C     | <i>Estrilda caerulescens</i> | live | 80       |      | BR       | ES       | GN     | T       | W      |
| E        | 3    | C     | <i>Estrilda caerulescens</i> | live | 500      |      | CA       | FR       | ML     | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                        | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 3    | C     | <i>Estrilda caerulescens</i> | live | 300      |      | CA       | NL       | GN     | T       | W      |
| E        | 3    | C     | <i>Estrilda caerulescens</i> | live | 850      |      | CA       | NL       | ML     | T       | W      |
| E        | 3    | C     | <i>Estrilda caerulescens</i> | live | 275      |      | CA       | NL       | SN     | T       | W      |
| E        | 3    | C     | <i>Estrilda caerulescens</i> | live | 50       |      | CY       | NL       | ML     | T       | W      |
| E        | 3    | C     | <i>Estrilda caerulescens</i> | live | 53       |      | IL       | BE       | ML     | T       | W      |
| E        | 3    | C     | <i>Estrilda caerulescens</i> | live | 280      |      | JP       | BE       | GN     | T       | W      |
| E        | 3    | C     | <i>Estrilda caerulescens</i> | live | 50       |      | JP       | BE       | ML     | T       | W      |
| E        | 3    | C     | <i>Estrilda caerulescens</i> | live | 550      |      | JP       | NL       | ML     | T       | W      |
| E        | 3    | C     | <i>Estrilda caerulescens</i> | live | 50       |      | MU       | NL       | ML     | T       | W      |
| E        | 3    | C     | <i>Estrilda caerulescens</i> | live | 50       |      | MU       | NL       | MU     | T       | W      |
| E        | 3    | C     | <i>Estrilda caerulescens</i> | live | 30       |      | MV       | BE       | GN     | T       | W      |
| E        | 3    | C     | <i>Estrilda caerulescens</i> | live | 50       |      | NZ       | GB       |        | T       | C      |
| E        | 3    | C     | <i>Estrilda caerulescens</i> | live | 30       |      | US       | ES       | ML     | T       | W      |
| E        | 3    | C     | <i>Estrilda caerulescens</i> | live | 75       |      | XX       | GB       |        | T       | C      |
| E        | 3    | C     | <i>Estrilda melpoda</i>      | live | 60       |      | BR       | ES       | SN     | T       | W      |
| E        | 3    | C     | <i>Estrilda melpoda</i>      | live | 200      |      | CA       | DE       | GN     | T       | W      |
| E        | 3    | C     | <i>Estrilda melpoda</i>      | live | 60       |      | CA       | ES       | ML     | T       | W      |
| E        | 3    | C     | <i>Estrilda melpoda</i>      | live | 300      |      | CA       | FR       | ML     | T       | W      |
| E        | 3    | C     | <i>Estrilda melpoda</i>      | live | 700      |      | CA       | NL       | GN     | T       | W      |
| E        | 3    | C     | <i>Estrilda melpoda</i>      | live | 715      |      | CA       | NL       | ML     | T       | W      |
| E        | 3    | C     | <i>Estrilda melpoda</i>      | live | 275      |      | CA       | NL       | SN     | T       | W      |
| E        | 3    | C     | <i>Estrilda melpoda</i>      | live | 20       |      | CL       | ES       | GN     | T       | W      |
| E        | 3    | C     | <i>Estrilda melpoda</i>      | live | 10       |      | CL       | ES       | SN     | T       | W      |
| E        | 3    | C     | <i>Estrilda melpoda</i>      | live | 150      |      | IL       | BE       | ML     | T       | W      |
| E        | 3    | C     | <i>Estrilda melpoda</i>      | live | 900      |      | JP       | BE       | ML     | T       | W      |
| E        | 3    | C     | <i>Estrilda melpoda</i>      | live | 650      |      | JP       | NL       | ML     | T       | W      |
| E        | 3    | C     | <i>Estrilda melpoda</i>      | live | 40       |      | MO       | ES       | ML     | T       | W      |
| E        | 3    | C     | <i>Estrilda melpoda</i>      | live | 90       |      | MT       | BE       | ML     | T       | W      |
| E        | 3    | C     | <i>Estrilda melpoda</i>      | live | 20       |      | MT       | GB       |        | T       | C      |
| E        | 3    | C     | <i>Estrilda melpoda</i>      | live | 30       |      | MU       | NL       | ML     | T       | W      |
| E        | 3    | C     | <i>Estrilda melpoda</i>      | live | 30       |      | MV       | BE       | GN     | T       | W      |
| E        | 3    | C     | <i>Estrilda melpoda</i>      | live | 1        |      | RU       | ES       | SN     | T       | W      |
| E        | 3    | C     | <i>Estrilda melpoda</i>      | live | 200      |      | TW       | BE       | ML     | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                         | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 3    | C     | <i>Estrilda troglodytes</i>   | live | 200      |      | CA       | DE       | SN     | T       | W      |
| E        | 3    | C     | <i>Estrilda troglodytes</i>   | live | 1000     |      | CA       | FR       | ML     | T       | W      |
| E        | 3    | C     | <i>Estrilda troglodytes</i>   | live | 450      |      | CA       | NL       | GN     | T       | W      |
| E        | 3    | C     | <i>Estrilda troglodytes</i>   | live | 850      |      | CA       | NL       | ML     | T       | W      |
| E        | 3    | C     | <i>Estrilda troglodytes</i>   | live | 143      |      | CA       | NL       | SN     | T       | W      |
| E        | 3    | C     | <i>Estrilda troglodytes</i>   | live | 200      |      | IL       | BE       | ML     | T       | W      |
| E        | 3    | C     | <i>Estrilda troglodytes</i>   | live | 40       |      | IS       | GB       |        | T       | C      |
| E        | 3    | C     | <i>Estrilda troglodytes</i>   | live | 700      |      | JP       | BE       | ML     | T       | W      |
| E        | 3    | C     | <i>Estrilda troglodytes</i>   | live | 700      |      | JP       | NL       | ML     | T       | W      |
| E        | 3    | C     | <i>Estrilda troglodytes</i>   | live | 140      |      | MT       | BE       | ML     | T       | W      |
| E        | 3    | C     | <i>Estrilda troglodytes</i>   | live | 10       |      | MU       | NL       | ML     | T       | W      |
| E        | 3    | C     | <i>Estrilda troglodytes</i>   | live | 30       |      | MV       | BE       | GN     | T       | W      |
| E        | 3    | C     | <i>Estrilda troglodytes</i>   | live | 600      |      | TW       | BE       | ML     | T       | W      |
| E        | 3    | C     | <i>Lagonosticta rubricata</i> | live | 80       |      | BR       | ES       | GN     | T       | W      |
| E        | 3    | C     | <i>Lagonosticta rubricata</i> | live | 100      |      | CA       | DE       | TZ     | T       | W      |
| E        | 3    | C     | <i>Lagonosticta rubricata</i> | live | 130      |      | CA       | NL       | GN     | T       | W      |
| E        | 3    | C     | <i>Lagonosticta rubricata</i> | live | 20       |      | CY       | DE       | TZ     | T       | W      |
| E        | 3    | C     | <i>Lagonosticta rubricata</i> | live | 8        |      | GT       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Lagonosticta rubricata</i> | live | 150      |      | JP       | NL       | TZ     | T       | W      |
| E        | 3    | C     | <i>Lagonosticta rubricata</i> | live | 40       |      | MV       | BE       | GN     | T       | W      |
| E        | 3    | C     | <i>Lagonosticta senegala</i>  | live | 10       |      | AN       | NL       | SN     | T       | W      |
| E        | 3    | C     | <i>Lagonosticta senegala</i>  | live | 50       |      | BR       | ES       | SN     | T       | W      |
| E        | 3    | C     | <i>Lagonosticta senegala</i>  | live | 100      |      | CA       | NL       | GN     | T       | W      |
| E        | 3    | C     | <i>Lagonosticta senegala</i>  | live | 1035     |      | CA       | NL       | ML     | T       | W      |
| E        | 3    | C     | <i>Lagonosticta senegala</i>  | live | 605      |      | CA       | NL       | SN     | T       | W      |
| E        | 3    | C     | <i>Lagonosticta senegala</i>  | live | 30       |      | CY       | BE       | GN     | T       | W      |
| E        | 3    | C     | <i>Lagonosticta senegala</i>  | live | 200      |      | IL       | BE       | ML     | T       | W      |
| E        | 3    | C     | <i>Lagonosticta senegala</i>  | live | 100      |      | JP       | BE       | GN     | T       | W      |
| E        | 3    | C     | <i>Lagonosticta senegala</i>  | live | 450      |      | JP       | NL       | ML     | T       | W      |
| E        | 3    | C     | <i>Lagonosticta senegala</i>  | live | 50       |      | MT       | BE       | ML     | T       | W      |
| E        | 3    | C     | <i>Lagonosticta senegala</i>  | live | 40       |      | NZ       | GB       |        | T       | C      |
| E        | 3    | C     | <i>Lagonosticta senegala</i>  | live | 2        |      | ZA       | NL       | ML     | T       | W      |
| E        | 3    | C     | <i>Lagonosticta vinacea</i>   | live | 58       |      | CA       | NL       | GN     | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                         | Term   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|--------|----------|------|----------|----------|--------|---------|--------|
| E        | 3    | C     | <i>Lagonosticta vinacea</i>   | live   | 50       |      | CA       | NL       | ML     | T       | W      |
| E        | 3    | C     | <i>Lagonosticta vinacea</i>   | live   | 20       |      | MV       | BE       | GN     | T       | W      |
| E        | 3    | C     | <i>Lonchura bicolor</i>       | live   | 240      |      | BR       | ES       | GN     | T       | W      |
| E        | 3    | C     | <i>Lonchura bicolor</i>       | live   | 750      |      | CA       | NL       | GN     | T       | W      |
| E        | 3    | C     | <i>Lonchura bicolor</i>       | live   | 10       |      | PL       | BE       | GN     | T       | W      |
| E        | 3    | C     | <i>Lonchura cantans</i>       | live   | 400      |      | CA       | NL       | ML     | T       | W      |
| E        | 3    | C     | <i>Lonchura cantans</i>       | live   | 455      |      | CA       | NL       | SN     | T       | W      |
| E        | 3    | C     | <i>Lonchura cucullata</i>     | live   | 100      |      | CA       | NL       | CA     | T       | W      |
| E        | 3    | C     | <i>Lonchura cucullata</i>     | live   | 300      |      | CA       | NL       | ML     | T       | W      |
| E        | 3    | C     | <i>Lonchura cucullata</i>     | live   | 400      |      | CA       | NL       | SN     | T       | W      |
| E        | 3    | C     | <i>Lonchura cucullata</i>     | live   | 235      |      | CA       | NL       | TZ     | T       | W      |
| E        | 3    | C     | <i>Lonchura cucullata</i>     | live   | 104      |      | IL       | BE       | ML     | T       | W      |
| E        | 3    | C     | <i>Lonchura cucullata</i>     | live   | 10       |      | MV       | BE       | TZ     | T       | W      |
| E        | 3    | C     | <i>Lonchura fringilloides</i> | live   | 295      |      | CA       | NL       | GN     | T       | W      |
| E        | 3    | C     | <i>Lonchura fringilloides</i> | live   | 50       |      | JP       | BE       | GN     | T       | W      |
| E        | 3    | C     | <i>Lonchura malabarica</i>    | live   | 300      |      | CA       | FR       | SN     | T       | W      |
| E        | 3    | C     | <i>Lonchura malabarica</i>    | live   | 100      |      | IL       | BE       | ML     | T       | W      |
| E        | 3    | C     | <i>Lonchura malabarica</i>    | live   | 100      |      | MT       | BE       | ML     | T       | W      |
| E        | 3    | C     | <i>Mandingoa nitidula</i>     | live   | 10       |      | AN       | NL       | GN     | T       | W      |
| E        | 3    | C     | <i>Mandingoa nitidula</i>     | live   | 30       |      | AR       | ES       | GN     | T       | W      |
| E        | 3    | C     | <i>Mandingoa nitidula</i>     | live   | 70       |      | BR       | ES       | GN     | T       | W      |
| E        | 3    | C     | <i>Mandingoa nitidula</i>     | live   | 739      |      | CA       | NL       | GN     | T       | W      |
| E        | 3    | C     | <i>Mandingoa nitidula</i>     | live   | 40       |      | CY       | BE       | GN     | T       | W      |
| E        | 3    | C     | <i>Mandingoa nitidula</i>     | live   | 10       |      | MV       | BE       | GN     | T       | W      |
| E        | 3    | C     | <i>Nesocharis capistrata</i>  | bodies | 1        |      | NO       | DK       | XX     | T       | U      |
| E        | 3    | C     | <i>Nesocharis capistrata</i>  | live   | 12       |      | CA       | NL       | GN     | T       | W      |
| E        | 3    | C     | <i>Nigrita bicolor</i>        | bodies | 1        |      | NO       | DK       | TT     | U       | W      |
| E        | 3    | C     | <i>Ortygospiza atricollis</i> | live   | 50       |      | CA       | NL       | BW     | T       | W      |
| E        | 3    | C     | <i>Ortygospiza atricollis</i> | live   | 200      |      | CA       | NL       | GN     | T       | W      |
| E        | 3    | C     | <i>Ortygospiza atricollis</i> | live   | 105      |      | CA       | NL       | ML     | T       | W      |
| E        | 3    | C     | <i>Ortygospiza atricollis</i> | live   | 20       |      | CY       | DE       | TZ     | T       | W      |
| E        | 3    | C     | <i>Ortygospiza atricollis</i> | live   | 20       |      | MV       | BE       | GN     | T       | W      |
| E        | 3    | C     | <i>Ortygospiza atricollis</i> | live   | 60       |      | NZ       | GB       |        | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                        | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 3    | C     | <i>Pyrenestes ostrinus</i>   | live | 30       |      | CA       | NL       | GN     | T       | W      |
| E        | 3    | C     | <i>Pyrenestes ostrinus</i>   | live | 12       |      | MT       | BE       | GN     | T       | W      |
| E        | 3    | C     | <i>Pytilia hypogrammica</i>  | live | 20       |      | AR       | ES       | ML     | T       | W      |
| E        | 3    | C     | <i>Pytilia hypogrammica</i>  | live | 200      |      | BR       | ES       | GN     | T       | W      |
| E        | 3    | C     | <i>Pytilia hypogrammica</i>  | live | 50       |      | BR       | ES       | ML     | T       | W      |
| E        | 3    | C     | <i>Pytilia hypogrammica</i>  | live | 860      |      | CA       | NL       | GN     | T       | W      |
| E        | 3    | C     | <i>Pytilia phoenicoptera</i> | live | 40       |      | AR       | ES       | SN     | T       | W      |
| E        | 3    | C     | <i>Pytilia phoenicoptera</i> | live | 50       |      | BR       | ES       | GN     | T       | W      |
| E        | 3    | C     | <i>Pytilia phoenicoptera</i> | live | 468      |      | CA       | NL       | GN     | T       | W      |
| E        | 3    | C     | <i>Pytilia phoenicoptera</i> | live | 250      |      | CA       | NL       | SN     | T       | W      |
| E        | 3    | C     | <i>Pytilia phoenicoptera</i> | live | 24       |      | MV       | BE       | GN     | T       | W      |
| E        | 3    | C     | <i>Spermophaga haematina</i> | live | 35       |      | BR       | ES       | GN     | T       | W      |
| E        | 3    | C     | <i>Spermophaga haematina</i> | live | 50       |      | CA       | FR       | ML     | T       | W      |
| E        | 3    | C     | <i>Spermophaga haematina</i> | live | 60       |      | CA       | NL       | GN     | T       | W      |
| E        | 3    | C     | <i>Spermophaga haematina</i> | live | 20       |      | CY       | DE       | GN     | T       | W      |
| E        | 3    | C     | <i>Uraeginthus bengalus</i>  | live | 30       |      | AE       | ES       | ML     | T       | W      |
| E        | 3    | C     | <i>Uraeginthus bengalus</i>  | live | 10       |      | AN       | NL       | SN     | T       | W      |
| E        | 3    | C     | <i>Uraeginthus bengalus</i>  | live | 40       |      | AR       | ES       | ML     | T       | W      |
| E        | 3    | C     | <i>Uraeginthus bengalus</i>  | live | 70       |      | AR       | ES       | SN     | T       | W      |
| E        | 3    | C     | <i>Uraeginthus bengalus</i>  | live | 100      |      | BR       | DE       | TZ     | T       | W      |
| E        | 3    | C     | <i>Uraeginthus bengalus</i>  | live | 50       |      | BR       | ES       | SN     | T       | W      |
| E        | 3    | C     | <i>Uraeginthus bengalus</i>  | live | 165      |      | CA       | DE       | GN     | T       | W      |
| E        | 3    | C     | <i>Uraeginthus bengalus</i>  | live | 250      |      | CA       | FR       | ML     | T       | W      |
| E        | 3    | C     | <i>Uraeginthus bengalus</i>  | live | 800      |      | CA       | FR       | SN     | T       | W      |
| E        | 3    | C     | <i>Uraeginthus bengalus</i>  | live | 945      |      | CA       | NL       | GN     | T       | W      |
| E        | 3    | C     | <i>Uraeginthus bengalus</i>  | live | 550      |      | CA       | NL       | ML     | T       | W      |
| E        | 3    | C     | <i>Uraeginthus bengalus</i>  | live | 650      |      | CA       | NL       | SN     | T       | W      |
| E        | 3    | C     | <i>Uraeginthus bengalus</i>  | live | 10       |      | CL       | ES       | SN     | T       | W      |
| E        | 3    | C     | <i>Uraeginthus bengalus</i>  | live | 20       |      | CY       | DE       | TZ     | T       | W      |
| E        | 3    | C     | <i>Uraeginthus bengalus</i>  | live | 20       |      | CY       | GB       | T      | C       | W      |
| E        | 3    | C     | <i>Uraeginthus bengalus</i>  | live | 500      |      | JP       | BE       | GN     | T       | W      |
| E        | 3    | C     | <i>Uraeginthus bengalus</i>  | live | 450      |      | JP       | BE       | ML     | T       | W      |
| E        | 3    | C     | <i>Uraeginthus bengalus</i>  | live | 150      |      | JP       | NL       | ML     | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                         | Term     | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| E        | 3    | C     | <i>Uraeginthus bengalus</i>   | live     | 150      |      | JP       | NL       | TZ     | T       | W      |
| E        | 3    | C     | <i>Uraeginthus bengalus</i>   | live     | 40       |      | MO       | ES       | ML     | T       | W      |
| E        | 3    | C     | <i>Uraeginthus bengalus</i>   | live     | 26       |      | MT       | BE       | GN     | T       | W      |
| E        | 3    | C     | <i>Uraeginthus bengalus</i>   | live     | 80       |      | MT       | BE       | ML     | T       | W      |
| E        | 3    | C     | <i>Uraeginthus bengalus</i>   | live     | 60       |      | MV       | BE       | GN     | T       | W      |
| E        | 3    | C     | <i>Uraeginthus bengalus</i>   | live     | 100      |      | RU       | ES       | SN     | T       | W      |
| E        | 3    | C     | <i>Uraeginthus bengalus</i>   | live     | 2        |      | ZA       | NL       | GN     | T       | W      |
| E        | 3    | C     | <i>Uraeginthus bengalus</i>   | live     | 30       |      | AR       | ES       | GN     | T       | W      |
| E        | 3    | C     | <i>Euplectes afer</i>         | live     | 40       |      | BR       | ES       | GN     | T       | W      |
| E        | 3    | C     | <i>Euplectes afer</i>         | live     | 60       |      | CA       | NL       | GN     | T       | W      |
| E        | 3    | C     | <i>Euplectes afer</i>         | live     | 600      |      | CA       | NL       | SN     | T       | W      |
| E        | 3    | C     | <i>Euplectes afer</i>         | live     | 50       |      | IL       | BE       | ML     | T       | W      |
| E        | 3    | C     | <i>Euplectes afer</i>         | live     | 150      |      | NO       | ES       | ML     | T       | W      |
| E        | 3    | C     | <i>Euplectes afer</i>         | live     | 200      |      | TW       | BE       | GN     | T       | W      |
| E        | 3    | C     | <i>Euplectes franciscanus</i> | feathers | 10       |      | CA       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Euplectes franciscanus</i> | live     | 110      |      | AR       | ES       | ML     | T       | W      |
| E        | 3    | C     | <i>Euplectes franciscanus</i> | live     | 40       |      | BR       | ES       | GN     | T       | W      |
| E        | 3    | C     | <i>Euplectes franciscanus</i> | live     | 400      |      | CA       | NL       | SN     | T       | W      |
| E        | 3    | C     | <i>Euplectes franciscanus</i> | live     | 220      |      | CA       | NL       | TZ     | T       | W      |
| E        | 3    | C     | <i>Euplectes franciscanus</i> | live     | 40       |      | CL       | ES       | ML     | T       | W      |
| E        | 3    | C     | <i>Euplectes franciscanus</i> | live     | 180      |      | IL       | BE       | ML     | T       | W      |
| E        | 3    | C     | <i>Euplectes franciscanus</i> | live     | 60       |      | MT       | BE       | ML     | T       | W      |
| E        | 3    | C     | <i>Euplectes franciscanus</i> | live     | 10       |      | MT       | GB       |        | T       | C      |
| E        | 3    | C     | <i>Euplectes franciscanus</i> | live     | 30       |      | PL       | BE       | ML     | T       | W      |
| E        | 3    | C     | <i>Euplectes hordeaceus</i>   | live     | 70       |      | AR       | ES       | GN     | T       | W      |
| E        | 3    | C     | <i>Euplectes hordeaceus</i>   | live     | 120      |      | BR       | ES       | GN     | T       | W      |
| E        | 3    | C     | <i>Euplectes hordeaceus</i>   | live     | 150      |      | CA       | ES       | SN     | T       | W      |
| E        | 3    | C     | <i>Euplectes hordeaceus</i>   | live     | 495      |      | CA       | NL       | GN     | T       | W      |
| E        | 3    | C     | <i>Euplectes hordeaceus</i>   | live     | 60       |      | CL       | ES       | GN     | T       | W      |
| E        | 3    | C     | <i>Euplectes hordeaceus</i>   | live     | 60       |      | CY       | DE       | GN     | T       | W      |
| E        | 3    | C     | <i>Euplectes hordeaceus</i>   | live     | 200      |      | TW       | BE       | ML     | T       | W      |
| E        | 3    | C     | <i>Euplectes macrourus</i>    | live     | 300      |      | CA       | NL       | GN     | T       | W      |
| E        | 3    | C     | <i>Ploceus cucullatus</i>     | live     | 20       |      | AR       | ES       | ML     | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                         | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E        | 3    | C     | <i>Ploceus cucullatus</i>     | live | 250      |      | CA       | NL       | SN     | T       | W      |
| E        | 3    | C     | <i>Ploceus cucullatus</i>     | live | 50       |      | CA       | NL       | TZ     | T       | W      |
| E        | 3    | C     | <i>Ploceus melanocephalus</i> | live | 50       |      | CA       | NL       | SN     | T       | W      |
| E        | 3    | C     | <i>Vidua chalybeata</i>       | live | 220      |      | CA       | NL       | GN     | T       | W      |
| E        | 3    | C     | <i>Vidua chalybeata</i>       | live | 150      |      | CA       | NL       | ML     | T       | W      |
| E        | 3    | C     | <i>Vidua chalybeata</i>       | live | 285      |      | CA       | NL       | SN     | T       | W      |
| E        | 3    | C     | <i>Vidua chalybeata</i>       | live | 50       |      | IL       | BE       | GN     | T       | W      |
| E        | 3    | C     | <i>Vidua chalybeata</i>       | live | 132      |      | IL       | BE       | ML     | T       | W      |
| E        | 3    | C     | <i>Vidua chalybeata</i>       | live | 50       |      | JP       | BE       | GN     | T       | W      |
| E        | 3    | C     | <i>Vidua macroura</i>         | live | 30       |      | AR       | ES       | ML     | T       | W      |
| E        | 3    | C     | <i>Vidua macroura</i>         | live | 40       |      | BR       | ES       | ML     | T       | W      |
| E        | 3    | C     | <i>Vidua macroura</i>         | live | 260      |      | CA       | NL       | GN     | T       | W      |
| E        | 3    | C     | <i>Vidua macroura</i>         | live | 430      |      | CA       | NL       | ML     | T       | W      |
| E        | 3    | C     | <i>Vidua macroura</i>         | live | 168      |      | CA       | NL       | SN     | T       | W      |
| E        | 3    | C     | <i>Vidua macroura</i>         | live | 60       |      | CA       | NL       | TZ     | T       | W      |
| E        | 3    | C     | <i>Vidua macroura</i>         | live | 20       |      | CL       | ES       | ML     | T       | W      |
| E        | 3    | C     | <i>Vidua macroura</i>         | live | 20       |      | CY       | DE       | SN     | T       | W      |
| E        | 3    | C     | <i>Vidua macroura</i>         | live | 50       |      | IL       | BE       | GN     | T       | W      |
| E        | 3    | C     | <i>Vidua macroura</i>         | live | 150      |      | IL       | BE       | ML     | T       | W      |
| E        | 3    | C     | <i>Vidua macroura</i>         | live | 250      |      | JP       | BE       | ML     | T       | W      |
| E        | 3    | C     | <i>Vidua macroura</i>         | live | 120      |      | TW       | NL       | GN     | T       | W      |
| E        | 3    | C     | <i>Vidua macroura</i>         | live | 100      |      | TW       | NL       | ML     | T       | W      |
| E        | 3    | C     | <i>Vidua macroura</i>         | live | 50       |      | TW       | NL       | SN     | T       | W      |
| E        | 3    | C     | <i>Vidua paradisaea</i>       | live | 30       |      | AR       | ES       | ML     | T       | W      |
| E        | 3    | C     | <i>Vidua paradisaea</i>       | live | 100      |      | BR       | ES       | ML     | T       | W      |
| E        | 3    | C     | <i>Vidua paradisaea</i>       | live | 100      |      | CA       | NL       | GN     | T       | W      |
| E        | 3    | C     | <i>Vidua paradisaea</i>       | live | 390      |      | CA       | NL       | SN     | T       | W      |
| E        | 3    | C     | <i>Vidua paradisaea</i>       | live | 10       |      | CY       | BE       | ML     | T       | W      |
| E        | 3    | C     | <i>Vidua paradisaea</i>       | live | 80       |      | IL       | BE       | ML     | T       | W      |
| E        | 3    | C     | <i>Vidua paradisaea</i>       | live | 60       |      | ML       | ES       | ML     | T       | W      |
| E        | 3    | C     | <i>Vidua paradisaea</i>       | live | 20       |      | PL       | BE       | ML     | T       | W      |
| E        | 3    | C     | <i>Vidua paradisaea</i>       | live | 300      |      | TW       | BE       | ML     | T       | W      |
| E        | 3    | C     | <i>Vidua paradisaea</i>       | live | 200      |      | TW       | NL       | GN     | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                            | Term          | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------------|---------------|----------|------|----------|----------|--------|---------|--------|
| E        | 3    | C     | <i>Vidua paradisaea</i>          | live          | 200      |      | TW       | NL       | SN     | T       | W      |
| E        | 3    | C     | <i>Pelomedusa subrufa</i>        | live          | 16       |      | PL       | NL       | XX     | Z       | I      |
| E        | 3    | C     | <i>Pelomedusa subrufa</i>        | live          | 5        |      | UA       | NL       | XX     | Z       | I      |
| E        | 3    | C     | <i>Pelusios gabonensis</i>       | live          | 10       |      | PL       | NL       |        | Z       | C      |
| E        | 3    | C     | <i>Pelusios gabonensis</i>       | live          | 3        |      | US       | FR       | GA     | B       | C      |
| E        | 3    | C     | <i>Agkistrodon bilineatus</i>    | live          | 12       |      | US       | DE       |        | T       | C      |
| E        | 3    | C     | <i>Bothrops asper</i>            | live          | 4        |      | US       | DE       |        | T       | C      |
| E        | 3    | C     | <i>Vipera russellii</i>          | live          | 1        |      | CH       | NL       |        | T       | C      |
| E        | 3    | C     | <i>Swietenia macrophylla</i>     | timber pieces | 21       |      | NO       | DK       | BR     | T       | W      |
| E        | 3    | C     | <i>Swietenia macrophylla</i>     | timber        | 77 m3    |      | NO       | DK       | BR     | T       | W      |
| E        | 3    | C     | <i>Swietenia macrophylla</i>     | veneer        | 3 m3     |      | NO       | DK       | BR     | T       | W      |
| I        | 1    | A     | <i>Eulemur fulvus</i>            | specimens     | 25       |      | DE       | MG       |        | M       | W      |
| I        | 1    | A     | <i>Hapalemur griseus</i>         | specimens     | 50 g     |      | FR       | MG       |        | S       | W      |
| I        | 1    | A     | <i>Hapalemur griseus</i>         | specimens     | 50 ml    |      | FR       | MG       |        | S       | W      |
| I        | 1    | A     | <i>Lemur catta</i>               | live          | 3        |      | AT       | CH       |        | Z       | F      |
| I        | 1    | A     | <i>Lemur catta</i>               | live          | 1        |      | DK       | CZ       |        | Z       | C      |
| I        | 1    | A     | <i>Varecia variegata</i>         | live          | 1        |      | FR       | CH       |        | Z       | C      |
| I        | 1    | A     | <i>Lepilemur septentrionalis</i> | specimens     | 50 g     |      | FR       | MG       |        | S       | W      |
| I        | 1    | A     | <i>Lepilemur septentrionalis</i> | specimens     | 50 ml    |      | FR       | MG       |        | S       | W      |
| I        | 1    | A     | <i>Cheirogaleus medius</i>       | specimens     | 48       |      | DE       | MG       |        | M       | W      |
| I        | 1    | A     | <i>Microcebus murinus</i>        | specimens     | 40       |      | DE       | MG       |        | M       | W      |
| I        | 1    | A     | <i>Propithecus verreauxi</i>     | specimens     | 25       |      | DE       | MG       |        | M       | W      |
| I        | 1    | A     | <i>Callimico goeldii</i>         | live          | 1        |      | DE       | CH       |        | Z       | C      |
| I        | 1    | A     | <i>Callimico goeldii</i>         | live          | 1        |      | GB       | CH       |        | Z       | C      |
| I        | 1    | A     | <i>Callimico goeldii</i>         | live          | 1        |      | IE       | CH       |        | Z       | C      |
| I        | 1    | A     | <i>Brachyteles arachnoides</i>   | live          | 1        |      | AT       | XX       |        | I       | C      |
| I        | 1    | A     | <i>Mandrillus sphinx</i>         | live          | 4        |      | ES       | AU       |        | Z       | C      |
| I        | 1    | A     | <i>Mandrillus sphinx</i>         | skin pieces   | 1        |      | BE       | US       | CD     | P       | O      |
| I        | 1    | A     | <i>Pygathrix nemaeus</i>         | specimens     | 150 ml   |      | FR       | VN       |        | S       | W      |
| I        | 1    | A     | <i>Hylobates concolor</i>        | specimens     | 50 ml    |      | FR       | VN       |        | S       | W      |
| I        | 1    | A     | <i>Hylobates lar</i>             | specimens     | 1        |      | DK       | US       |        | S       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                         | Term                   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|------------------------|----------|------|----------|----------|--------|---------|--------|
|          | 1    | A     | <i>Hylobates syndactylus</i>  | live                   | 1        |      | FR       | CH       |        | Z       | C      |
|          | 1    | A     | <i>Gorilla gorilla</i>        | live                   | 2        |      | FR       | CZ       | CM     | Z       | O      |
|          | 1    | A     | <i>Pan paniscus</i>           | live                   | 6        |      | NL       | CD       |        | B       | W      |
|          | 1    | A     | <i>Pan troglodytes</i>        | live                   | 2        |      | DE       | US       |        | Q       | C      |
|          | 1    | A     | <i>Pan troglodytes</i>        | live                   | 1        |      | ES       | GQ       | XX     | Q       | I      |
|          | 1    | A     | <i>Pan troglodytes</i>        | live                   | 4        |      | FR       | PL       | FR     | Q       | C      |
|          | 1    | A     | <i>Pan troglodytes</i>        | live                   | 1        |      | GR       | US       |        | P       | C      |
|          | 1    | A     | <i>Pongo pygmaeus</i>         | specimens              | 88       |      | NL       | AU       | ID     | S       | W      |
|          | 1    | A     | <i>Pongo pygmaeus abelii</i>  | live                   | 1        |      | ES       | HK       | DE     | Q       | C      |
|          | 1    | A     | <i>Priodontes maximus</i>     | claws                  | 1        |      | DE       | VE       | XX     | Q       | W      |
|          | 1    | A     | <i>Priodontes maximus</i>     | small leather products | 1        |      | NL       | BR       |        | I       |        |
|          | 1    | A     | <i>Chinchilla spp.</i>        | live                   | 45       |      | AT       | SI       |        | I       |        |
|          | 1    | A     | <i>Chinchilla spp.</i>        | skins                  | 234      |      | AT       | SI       |        | I       |        |
|          | 1    | A     | <i>Cetacea spp.</i>           | carvings               | 72       |      | FR       | CA       |        | T       | O      |
|          | 1    | A     | <i>Cetacea spp.</i>           | carvings               | 3        |      | GB       | NZ       |        | Q       | O      |
|          | 1    | A     | <i>Physeter catodon</i>       | carvings               | 1        |      | GB       | FJ       |        | P       | O      |
|          | 1    | A     | <i>Physeter catodon</i>       | carvings               | 1        |      | GB       | NZ       |        | Q       | O      |
|          | 1    | A     | <i>Physeter catodon</i>       | carvings               | 1        |      | GB       | ZA       |        | T       | O      |
|          | 1    | A     | <i>Physeter catodon</i>       | ivory pieces           | 104      |      | DK       | XX       |        | T       | I      |
|          | 1    | A     | <i>Physeter catodon</i>       | teeth                  | 16       |      | DK       | GL       |        | P       | I      |
|          | 1    | A     | <i>Physeter catodon</i>       | teeth                  | 2        |      | GB       | XX       |        | I       |        |
|          | 1    | A     | <i>Sousa chinensis</i>        | skulls                 | 1        |      | NL       | CN       |        | S       | W      |
|          | 1    | A     | <i>Balaenoptera spp.</i>      | bones                  | 2        |      | DK       | QA       |        | P       | I      |
|          | 1    | A     | <i>Balaenoptera physalus</i>  | specimens              | 21       |      | DK       | US       |        | S       | W      |
|          | 1    | A     | <i>Balaenoptera physalus</i>  | specimens              | 80       |      | DK       | US       | IT     | S       | W      |
|          | 1    | A     | <i>Balaenoptera physalus</i>  | specimens              | 80       |      | DK       | US       | MX     | S       | W      |
|          | 1    | A     | <i>Megaptera novaeangliae</i> | specimens              | 434      |      | DK       | US       |        | S       | W      |
|          | 1    | A     | <i>Megaptera novaeangliae</i> | specimens              | 265      |      | DK       | US       | MX     | S       | W      |
|          | 1    | A     | <i>Balaena mysticetus</i>     | bones                  | 2        |      | DK       | CA       |        | Q       | O      |
|          | 1    | A     | <i>Canis lupus</i>            | skins                  | 1        |      | AT       | RU       |        | I       |        |
|          | 1    | A     | <i>Speothos venaticus</i>     | live                   | 1        |      | DE       | EE       | CZ     | Z       | C      |
|          | 1    | A     | <i>Speothos venaticus</i>     | live                   | 2        |      | ES       | HU       | DE     | Z       | C      |
|          | 1    | A     | <i>Ailurus fulgens</i>        | live                   | 1        |      | BE       | CZ       |        | B       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex                  | Taxon | Term     | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|------------------------|-------|----------|----------|------|----------|----------|--------|---------|--------|
| 1        | A    | Ailurus fulgens        |       | live     | 1        |      | ES       | NO       |        | Z       | C      |
| 1        | A    | Ailurus fulgens        |       | live     | 1        |      | FR       | CH       |        | Z       | C      |
| 1        | A    | Ailurus fulgens        |       | live     | 1        |      | IT       | CH       |        | T       | C      |
| 1        | A    | Ailurus fulgens        |       | live     | 1        |      | NL       | NO       |        | Z       | C      |
| 1        | A    | Helarctos malayanus    |       | live     | 1        |      | FR       | MY       |        | Z       | W      |
| 1        | A    | Tremarcots ornatus     |       | live     | 1        |      | ES       | CH       |        | Z       | C      |
| 1        | A    | Lutra lutra            |       | live     | 1        |      | AT       | CH       |        | Z       | C      |
| 1        | A    | Lutra lutra            |       | live     | 1        |      | AT       | CZ       |        | I       | C      |
| 1        | A    | Lutra lutra            |       | live     | 1        |      | DE       | HU       |        | Z       | F      |
| 1        | A    | Lutra lutra            |       | live     | 1        |      | NL       | CZ       |        | B       | W      |
| 1        | A    | Pteronura brasiliensis |       | skins    | 1        |      | DE       | VE       | XX     | Q       | W      |
| 1        | A    | Acinonyx jubatus       |       | live     | 1        |      | FR       | CH       | ZA     | Z       | C      |
| 1        | A    | Acinonyx jubatus       |       | live     | 1        |      | FR       | CH       |        | Z       | C      |
| 1        | A    | Acinonyx jubatus       |       | live     | 6        |      | PT       | ZA       |        | Z       | C      |
| 1        | A    | Acinonyx jubatus       |       | skins    | 24       |      | DE       | NA       |        | H       | W      |
| 1        | A    | Acinonyx jubatus       |       | skins    | 2        |      | DE       | ZW       |        | H       | W      |
| 1        | A    | Acinonyx jubatus       |       | skins    | 1        |      | ES       | NA       |        | H       | W      |
| 1        | A    | Acinonyx jubatus       |       | skins    | 1        |      | ES       | ZW       |        | H       | W      |
| 1        | A    | Acinonyx jubatus       |       | skins    | 1        |      | GB       | XX       |        | I       | W      |
| 1        | A    | Acinonyx jubatus       |       | skulls   | 24       |      | DE       | NA       |        | H       | W      |
| 1        | A    | Acinonyx jubatus       |       | skulls   | 3        |      | DE       | ZW       |        | H       | W      |
| 1        | A    | Acinonyx jubatus       |       | skulls   | 1        |      | ES       | NA       |        | H       | W      |
| 1        | A    | Acinonyx jubatus       |       | skulls   | 1        |      | ES       | ZW       |        | H       | W      |
| 1        | A    | Acinonyx jubatus       |       | trophies | 3        |      | AT       | NA       |        | H       | W      |
| 1        | A    | Acinonyx jubatus       |       | trophies | 5        |      | AT       | NA       |        | P       | W      |
| 1        | A    | Acinonyx jubatus       |       | trophies | 2        |      | AT       | ZA       | NA     | H       | W      |
| 1        | A    | Acinonyx jubatus       |       | trophies | 1        |      | AT       | ZW       |        | H       | W      |
| 1        | A    | Acinonyx jubatus       |       | trophies | 1        |      | BE       | NA       |        | H       | W      |
| 1        | A    | Acinonyx jubatus       |       | trophies | 7        |      | DE       | NA       |        | H       | W      |
| 1        | A    | Acinonyx jubatus       |       | trophies | 1        |      | DE       | ZW       |        | H       | W      |
| 1        | A    | Acinonyx jubatus       |       | trophies | 1        |      | DK       | NA       |        | H       | W      |
| 1        | A    | Acinonyx jubatus       |       | trophies | 1        |      | DK       | ZW       |        | H       | W      |
| 1        | A    | Acinonyx jubatus       |       | trophies | 1        |      | FR       | NA       |        | H       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex               | Taxon | Term                   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|---------------------|-------|------------------------|----------|------|----------|----------|--------|---------|--------|
| 1        | A    | Acinonyx jubatus    |       | trophies               | 2        |      | FR       | ZW       | H      | W       |        |
| 1        | A    | Acinonyx jubatus    |       | trophies               | 1        |      | IT       | NA       | H      | W       |        |
| 1        | A    | Catopuma temminckii |       | live                   | 1        |      | NL       | AU       | Z      | C       |        |
| 1        | A    | Catopuma temminckii |       | live                   | 1        |      | NL       | US       | Z      | F       |        |
| 1        | A    | Felis nigripes      |       | hair                   | 9 g      |      | DE       | ZA       | S      | W       |        |
| 1        | A    | Felis nigripes      |       | live                   | 1        |      | DE       | US       | Z      | F       |        |
| 1        | A    | Felis nigripes      |       | live                   | 2        |      | DE       | ZA       | Z      | C       |        |
| 1        | A    | Felis nigripes      |       | specimens              | 19       |      | DE       | ZA       | S      | W       |        |
| 1        | A    | Leopardus spp.      |       | skins                  | 1        |      | FR       | PG       | P      | O       |        |
| 1        | A    | Leopardus pardalis  |       | live                   | 1        |      | FR       | CZ       | Z      | C       |        |
| 1        | A    | Leopardus pardalis  |       | live                   | 1        |      | NL       | CH       | T      | C       |        |
| 1        | A    | Leopardus pardalis  |       | small leather products | 3        |      | GB       | XX       | I      |         |        |
| 1        | A    | Leopardus pardalis  |       | skins                  | 1        |      | DE       | VE       | XX     | Q       | W      |
| 1        | A    | Leopardus pardalis  |       | skins                  | 1        |      | DE       | VE       | XX     | Q       | W      |
| 1        | A    | Leopardus wiedii    |       | live                   | 1        |      | GB       | HN       | B      | W       |        |
| 1        | A    | Oncifelis geoffroyi |       | garments               | 1        |      | GB       | XX       | I      | O       |        |
| 1        | A    | Panthera hybrid     |       | live                   | 1        |      | ES       | TR       | ES     | Q       |        |
| 1        | A    | Panthera onca       |       | bodies                 | 1        |      | DE       | CZ       | P      | C       |        |
| 1        | A    | Panthera onca       |       | skins                  | 1        |      | AT       | BO       | I      | W       |        |
| 1        | A    | Panthera pardus     |       | bodies                 | 1        |      | BE       | US       | T      | W       |        |
| 1        | A    | Panthera pardus     |       | bodies                 | 1        |      | NL       | ZA       | H      | W       |        |
| 1        | A    | Panthera pardus     |       | claws                  | 18       |      | DE       | ZW       | H      | W       |        |
| 1        | A    | Panthera pardus     |       | claws                  | 2        |      | ES       | ZW       | H      | W       |        |
| 1        | A    | Panthera pardus     |       | derivatives            | 7        |      | GB       | CN       | I      | W       |        |
| 1        | A    | Panthera pardus     |       | garments               | 1        |      | DE       | NA       | H      | W       |        |
| 1        | A    | Panthera pardus     |       | garments               | 3        |      | GB       | XX       | I      | C       |        |
| 1        | A    | Panthera pardus     |       | live                   | 3        |      | DE       | CH       | GB     | Q       |        |
| 1        | A    | Panthera pardus     |       | live                   | 1        |      | DE       | CZ       | Z      | C       |        |
| 1        | A    | Panthera pardus     |       | live                   | 2        |      | DE       | LT       | Z      | C       |        |
| 1        | A    | Panthera pardus     |       | live                   | 1        |      | DE       | RU       | Q      | C       |        |
| 1        | A    | Panthera pardus     |       | live                   | 2        |      | FR       | PL       | Z      | C       |        |
| 1        | A    | Panthera pardus     |       | skins                  | 1        |      | DE       | BW       | H      | W       |        |
| 1        | A    | Panthera pardus     |       | skins                  | 24       |      | DE       | NA       | H      | W       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon           | Term        | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------|-------------|----------|------|----------|----------|--------|---------|--------|
|          | 1    | A     | Panthera pardus | skins       | 9        |      | DE       | TZ       | H      | W       |        |
|          | 1    | A     | Panthera pardus | skins       | 5        |      | DE       | ZA       | H      | W       |        |
|          | 1    | A     | Panthera pardus | skins       | 3        |      | DE       | ZM       | H      | W       |        |
|          | 1    | A     | Panthera pardus | skins       | 37       |      | DE       | ZW       | H      | W       |        |
|          | 1    | A     | Panthera pardus | skins       | 4        |      | DK       | BW       | P      | W       |        |
|          | 1    | A     | Panthera pardus | skins       | 3        |      | DK       | TZ       | H      | W       |        |
|          | 1    | A     | Panthera pardus | skins       | 1        |      | DK       | ZA       | ZW     | H       | W      |
|          | 1    | A     | Panthera pardus | skins       | 1        |      | ES       | AR       | XX     | I       |        |
|          | 1    | A     | Panthera pardus | skins       | 2        |      | ES       | BW       | H      | W       |        |
|          | 1    | A     | Panthera pardus | skins       | 5        |      | ES       | MZ       | H      | W       |        |
|          | 1    | A     | Panthera pardus | skins       | 2        |      | ES       | NA       | H      | W       |        |
|          | 1    | A     | Panthera pardus | skins       | 28       |      | ES       | TZ       | H      | W       |        |
|          | 1    | A     | Panthera pardus | skins       | 1        |      | ES       | ZA       | H      | W       |        |
|          | 1    | A     | Panthera pardus | skins       | 1        |      | ES       | ZA       | TZ     | H       | W      |
|          | 1    | A     | Panthera pardus | skins       | 8        |      | ES       | ZM       | H      | W       |        |
|          | 1    | A     | Panthera pardus | skins       | 26       |      | ES       | ZW       | H      | W       |        |
|          | 1    | A     | Panthera pardus | skins       | 3 kg     |      | FR       | CH       | XX     | P       | O      |
|          | 1    | A     | Panthera pardus | skins       | 1        |      | FR       | GA       | P      | W       |        |
|          | 1    | A     | Panthera pardus | skins       | 1        |      | FR       | ZA       | ZW     | H       | W      |
|          | 1    | A     | Panthera pardus | skins       | 1        |      | FR       | ZW       | H      | P       | W      |
|          | 1    | A     | Panthera pardus | skins       | 1        |      | GB       | NG       | I      |         |        |
|          | 1    | A     | Panthera pardus | skins       | 1        |      | GB       | OM       | I      |         |        |
|          | 1    | A     | Panthera pardus | skins       | 1        |      | GB       | PK       | I      |         |        |
|          | 1    | A     | Panthera pardus | skins       | 1        |      | GB       | XX       | I      |         |        |
|          | 1    | A     | Panthera pardus | skins       | 1        |      | GB       | ZA       | I      |         |        |
|          | 1    | A     | Panthera pardus | skins       | 1        |      | IT       | ZM       | P      | W       |        |
|          | 1    | A     | Panthera pardus | skins       | 1        |      | NL       | ZM       | H      | W       |        |
|          | 1    | A     | Panthera pardus | skins       | 4        |      | PT       | XX       | I      |         |        |
|          | 1    | A     | Panthera pardus | skins       | 1        |      | PT       | ZW       | H      | W       |        |
|          | 1    | A     | Panthera pardus | skin pieces | 1        |      | DE       | NA       | H      | W       |        |
|          | 1    | A     | Panthera pardus | skulls      | 1        |      | DE       | BW       | H      | W       |        |
|          | 1    | A     | Panthera pardus | skulls      | 25       |      | DE       | NA       | H      | W       |        |
|          | 1    | A     | Panthera pardus | skulls      | 9        |      | DE       | TZ       | H      | W       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex           | Taxon | Term     | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-----------------|-------|----------|----------|------|----------|----------|--------|---------|--------|
| 1        | A    | Panthera pardus |       | skulls   | 6        |      | DE       | ZA       |        | H       | W      |
| 1        | A    | Panthera pardus |       | skulls   | 2        |      | DE       | ZM       |        | H       | W      |
| 1        | A    | Panthera pardus |       | skulls   | 35       |      | DE       | ZW       |        | H       | W      |
| 1        | A    | Panthera pardus |       | skulls   | 1        |      | DK       | ZA       | ZW     | H       | W      |
| 1        | A    | Panthera pardus |       | skulls   | 2        |      | ES       | BW       |        | H       | W      |
| 1        | A    | Panthera pardus |       | skulls   | 5        |      | ES       | MZ       |        | H       | W      |
| 1        | A    | Panthera pardus |       | skulls   | 1        |      | ES       | NA       |        | H       | W      |
| 1        | A    | Panthera pardus |       | skulls   | 26       |      | ES       | TZ       |        | H       | W      |
| 1        | A    | Panthera pardus |       | skulls   | 1        |      | ES       | ZA       |        | H       | W      |
| 1        | A    | Panthera pardus |       | skulls   | 1        |      | ES       | ZA       | TZ     | H       | W      |
| 1        | A    | Panthera pardus |       | skulls   | 8        |      | ES       | ZM       |        | H       | W      |
| 1        | A    | Panthera pardus |       | skulls   | 21       |      | ES       | ZW       |        | H       | W      |
| 1        | A    | Panthera pardus |       | trophies | 3        |      | AT       | NA       |        | H       | W      |
| 1        | A    | Panthera pardus |       | trophies | 8        |      | AT       | NA       |        | P       | W      |
| 1        | A    | Panthera pardus |       | trophies | 1        |      | AT       | TZ       |        | H       | W      |
| 1        | A    | Panthera pardus |       | trophies | 6        |      | AT       | TZ       |        | P       | W      |
| 1        | A    | Panthera pardus |       | trophies | 1        |      | AT       | ZA       |        | P       | W      |
| 1        | A    | Panthera pardus |       | trophies | 1        |      | AT       | ZA       | BW     | H       | W      |
| 1        | A    | Panthera pardus |       | trophies | 1        |      | AT       | ZA       | MZ     | H       | W      |
| 1        | A    | Panthera pardus |       | trophies | 5        |      | AT       | ZW       |        | H       | W      |
| 1        | A    | Panthera pardus |       | trophies | 6        |      | AT       | ZW       |        | P       | W      |
| 1        | A    | Panthera pardus |       | trophies | 2        |      | AT       | ZW       | TZ     | H       | W      |
| 1        | A    | Panthera pardus |       | trophies | 1        |      | BE       | BW       |        | H       | W      |
| 1        | A    | Panthera pardus |       | trophies | 4        |      | BE       | TZ       |        | H       | W      |
| 1        | A    | Panthera pardus |       | trophies | 3        |      | BE       | ZW       |        | H       | W      |
| 1        | A    | Panthera pardus |       | trophies | 6        |      | DE       | NA       |        | H       | W      |
| 1        | A    | Panthera pardus |       | trophies | 1        |      | DE       | ZA       |        | H       | W      |
| 1        | A    | Panthera pardus |       | trophies | 2        |      | DE       | ZW       |        | H       | W      |
| 1        | A    | Panthera pardus |       | trophies | 1        |      | DK       | TZ       |        | H       | W      |
| 1        | A    | Panthera pardus |       | trophies | 4        |      | DK       | ZW       |        | H       | W      |
| 1        | A    | Panthera pardus |       | trophies | 1        |      | ES       | ZM       |        | H       | W      |
| 1        | A    | Panthera pardus |       | trophies | 2        |      | FI       | ZW       |        | H       | W      |
| 1        | A    | Panthera pardus |       | trophies | 14       |      | FR       | CF       |        | H       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                  | Term        | Quantity  | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------|-------------|-----------|------|----------|----------|--------|---------|--------|
|          | 1    | A     | <i>Panthera pardus</i> | trophies    | 1         |      | FR       | GA       |        | P       | W      |
|          | 1    | A     | <i>Panthera pardus</i> | trophies    | 1         |      | FR       | JP       | XX     | P       | O      |
|          | 1    | A     | <i>Panthera pardus</i> | trophies    | 1         |      | FR       | NA       |        | H       | W      |
|          | 1    | A     | <i>Panthera pardus</i> | trophies    | 48        |      | FR       | TZ       |        | H       | W      |
|          | 1    | A     | <i>Panthera pardus</i> | trophies    | 3         |      | FR       | ZA       |        | H       | W      |
|          | 1    | A     | <i>Panthera pardus</i> | trophies    | 1         |      | FR       | ZA       | ZW     | H       | W      |
|          | 1    | A     | <i>Panthera pardus</i> | trophies    | 3         |      | FR       | ZM       |        | H       | W      |
|          | 1    | A     | <i>Panthera pardus</i> | trophies    | 11        |      | FR       | ZW       |        | H       | W      |
|          | 1    | A     | <i>Panthera pardus</i> | trophies    | 1         |      | GB       | ZM       |        | H       | W      |
|          | 1    | A     | <i>Panthera pardus</i> | trophies    | 1         |      | GB       | ZM       |        | P       | W      |
|          | 1    | A     | <i>Panthera pardus</i> | trophies    | 1         |      | GB       | ZW       |        | H       | W      |
|          | 1    | A     | <i>Panthera pardus</i> | trophies    | 1         |      | GB       | ZW       |        | P       | W      |
|          | 1    | A     | <i>Panthera pardus</i> | trophies    | 3         |      | IT       | NA       |        | H       | W      |
|          | 1    | A     | <i>Panthera pardus</i> | trophies    | 1         |      | IT       | TZ       |        | P       | W      |
|          | 1    | A     | <i>Panthera pardus</i> | trophies    | 6         |      | IT       | TZ       |        | H       | W      |
|          | 1    | A     | <i>Panthera pardus</i> | trophies    | 2         |      | IT       | ZA       | TZ     | H       | W      |
|          | 1    | A     | <i>Panthera pardus</i> | trophies    | 2         |      | IT       | ZA       | ZW     | H       | W      |
|          | 1    | A     | <i>Panthera pardus</i> | trophies    | 1         |      | IT       | ZW       |        | P       | W      |
|          | 1    | A     | <i>Panthera pardus</i> | trophies    | 2         |      | IT       | ZW       |        | H       | W      |
|          | 1    | A     | <i>Panthera pardus</i> | trophies    | 1         |      | PT       | TZ       |        | H       | W      |
|          | 1    | A     | <i>Panthera pardus</i> | trophies    | 1         |      | SE       | TZ       | E      | O       |        |
|          | 1    | A     | <i>Panthera pardus</i> | trophies    | 1         |      | SE       | ZA       |        | H       | W      |
|          | 1    | A     | <i>Panthera pardus</i> | trophies    | 1         |      | SE       | ZA       | ZW     | H       | W      |
|          | 1    | A     | <i>Panthera pardus</i> | trophies    | 1         |      | SE       | ZM       |        | H       | W      |
|          | 1    | A     | <i>Panthera tigris</i> | claws       | 1         |      | DK       | SG       |        | P       | I      |
|          | 1    | A     | <i>Panthera tigris</i> | derivatives | 5         |      | GB       | CH       |        |         |        |
|          | 1    | A     | <i>Panthera tigris</i> | derivatives | 1         |      | GB       | MU       |        |         |        |
|          | 1    | A     | <i>Panthera tigris</i> | derivatives | 20        |      | GB       | MY       |        |         |        |
|          | 1    | A     | <i>Panthera tigris</i> | derivatives | 430       |      | GB       | US       |        |         |        |
|          | 1    | A     | <i>Panthera tigris</i> | derivatives | 25        |      | GB       | XX       |        |         |        |
|          | 1    | A     | <i>Panthera tigris</i> | derivatives | 400       |      | NL       | CN       |        |         |        |
|          | 1    | A     | <i>Panthera tigris</i> | derivatives | 59 bags   |      | NL       | CN       |        |         |        |
|          | 1    | A     | <i>Panthera tigris</i> | derivatives | 2 bottles |      | NL       | CN       |        |         |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                           | Term        | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------------|-------------|----------|------|----------|----------|--------|---------|--------|
|          | 1    | A     | <i>Panthera tigris</i>          | derivatives | 1        |      | NL       | VN       |        |         | I      |
|          | 1    | A     | <i>Panthera tigris</i>          | live        | 1        |      | AT       | CH       | FR     | Q       | C      |
|          | 1    | A     | <i>Panthera tigris</i>          | live        | 7        |      | AT       | CH       | GB     | Q       | C      |
|          | 1    | A     | <i>Panthera tigris</i>          | live        | 1        |      | DE       | CH       | JP     | Q       | C      |
|          | 1    | A     | <i>Panthera tigris</i>          | live        | 4        |      | DE       | CH       | US     | Q       | C      |
|          | 1    | A     | <i>Panthera tigris</i>          | live        | 1        |      | DE       | CZ       | DE     | Z       | C      |
|          | 1    | A     | <i>Panthera tigris</i>          | live        | 2        |      | ES       | TR       | ES     | Q       | C      |
|          | 1    | A     | <i>Panthera tigris</i>          | live        | 1        |      | ES       | TR       | PT     | Q       | C      |
|          | 1    | A     | <i>Panthera tigris</i>          | live        | 15       |      | ES       | US       |        | Q       | C      |
|          | 1    | A     | <i>Panthera tigris</i>          | live        | 4        |      | IT       | CH       |        | Q       | C      |
|          | 1    | A     | <i>Panthera tigris</i>          | live        | 1        |      | IT       | CH       | DD     | Q       | C      |
|          | 1    | A     | <i>Panthera tigris</i>          | live        | 3        |      | IT       | CH       | IT     | Q       | C      |
|          | 1    | A     | <i>Panthera tigris</i>          | live        | 2        |      | IT       | CH       | US     | Q       | C      |
|          | 1    | A     | <i>Panthera tigris</i>          | live        | 4        |      | IT       | SI       | FR     | Q       | C      |
|          | 1    | A     | <i>Panthera tigris</i>          | live        | 1        |      | IT       | SI       | IT     | Q       | C      |
|          | 1    | A     | <i>Panthera tigris</i>          | live        | 4        |      | NL       | PL       |        | Q       | C      |
|          | 1    | A     | <i>Panthera tigris</i>          | skins       | 3        |      | DE       | VE       | XX     | Q       | W      |
|          | 1    | A     | <i>Panthera tigris</i>          | skins       | 1        |      | FR       | PG       | XX     | P       | O      |
|          | 1    | A     | <i>Panthera tigris</i>          | skins       | 3        |      | PT       | XX       |        |         | I      |
|          | 1    | A     | <i>Panthera tigris</i>          | specimens   | 40       |      | DK       | US       |        | S       | C      |
|          | 1    | A     | <i>Panthera tigris altaica</i>  | live        | 1        |      | DE       | RU       |        | Z       | C      |
|          | 1    | A     | <i>Panthera tigris altaica</i>  | live        | 1        |      | DE       | RU       |        | Z       | F      |
|          | 1    | A     | <i>Panthera tigris altaica</i>  | live        | 2        |      | FR       | HU       |        | Q       | C      |
|          | 1    | A     | <i>Panthera tigris altaica</i>  | live        | 1        |      | FR       | RU       |        | Z       | F      |
|          | 1    | A     | <i>Panthera tigris altaica</i>  | live        | 1        |      | GB       | RU       |        | B       | F      |
|          | 1    | A     | <i>Panthera tigris altaica</i>  | live        | 2        |      | NL       | PL       |        | Q       | C      |
|          | 1    | A     | <i>Panthera tigris sumatrae</i> | live        | 1        |      | FR       | CZ       | NL     | Z       | C      |
|          | 1    | A     | <i>Panthera tigris tigris</i>   | live        | 8        |      | FR       | HU       |        | Q       | C      |
|          | 1    | A     | <i>Uncia uncia</i>              | live        | 1        |      | DE       | CH       |        | Z       | C      |
|          | 1    | A     | <i>Uncia uncia</i>              | live        | 1        |      | ES       | PL       |        | Z       | C      |
|          | 1    | A     | <i>Uncia uncia</i>              | live        | 2        |      | FR       | CH       |        | Z       | C      |
|          | 1    | A     | <i>Uncia uncia</i>              | live        | 1        |      | SE       | EE       |        | Z       | F      |
|          | 1    | A     | Proboscidea spp.                | carvings    | 10       |      | FR       | CH       | XX     | E       | O      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon             | Term           | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------|----------------|----------|------|----------|----------|--------|---------|--------|
| 1        | A    |       | Proboscidea spp.  | carvings       | 1        |      | FR       | US       | XX     | P       | O      |
| 1        | A    |       | Elephantidae spp. | carvings       | 1        |      | BE       | CH       | XX     | T       | W      |
| 1        | A    |       | Elephantidae spp. | carvings       | 2        |      | BE       | US       | XX     | T       | O      |
| 1        | A    |       | Elephantidae spp. | carvings       | 3        |      | FR       | CH       |        | P       | O      |
| 1        | A    |       | Elephantidae spp. | carvings       | 11       |      | FR       | CH       | XX     | P       | O      |
| 1        | A    |       | Elephantidae spp. | carvings       | 17       |      | FR       | LB       | XX     | P       | O      |
| 1        | A    |       | Elephantidae spp. | carvings       | 34       |      | FR       | LB       | XX     | Q       | O      |
| 1        | A    |       | Elephantidae spp. | carvings       | 2        |      | FR       | US       | XX     | P       | O      |
| 1        | A    |       | Elephantidae spp. | carvings       | 41       |      | NL       | CA       | XX     | P       | O      |
| 1        | A    |       | Elephantidae spp. | carvings       | 17       |      | NL       | CH       | XX     | T       | O      |
| 1        | A    |       | Elephantidae spp. | carvings       | 8        |      | NL       | US       | XX     | T       | O      |
| 1        | A    |       | Elephantidae spp. | carvings       | 64       |      | SE       | JP       | XX     | E       | O      |
| 1        | A    |       | Elephantidae spp. | ivory carvings | 2        |      | AT       | XX       |        | I       |        |
| 1        | A    |       | Elephantidae spp. | ivory carvings | 2        |      | AT       | ZA       |        | I       |        |
| 1        | A    |       | Elephantidae spp. | ivory carvings | 3        |      | DE       | CH       | XX     | E       | O      |
| 1        | A    |       | Elephantidae spp. | ivory carvings | 3        |      | DE       | CH       | XX     | T       | O      |
| 1        | A    |       | Elephantidae spp. | ivory carvings | 1        |      | DE       | RU       | VN     | P       | O      |
| 1        | A    |       | Elephantidae spp. | ivory carvings | 1        |      | DE       | US       | XX     | T       | O      |
| 1        | A    |       | Elephantidae spp. | ivory carvings | 3        |      | DE       | US       | XX     | E       | O      |
| 1        | A    |       | Elephantidae spp. | ivory carvings | 3        |      | GB       | AU       |        | I       |        |
| 1        | A    |       | Elephantidae spp. | ivory carvings | 1        |      | GB       | CA       |        | I       |        |
| 1        | A    |       | Elephantidae spp. | ivory carvings | 18       |      | GB       | CI       |        | I       |        |
| 1        | A    |       | Elephantidae spp. | ivory carvings | 6        |      | GB       | EG       |        | I       |        |
| 1        | A    |       | Elephantidae spp. | ivory carvings | 13       |      | GB       | GH       |        | I       |        |
| 1        | A    |       | Elephantidae spp. | ivory carvings | 89       |      | GB       | HK       |        | I       |        |
| 1        | A    |       | Elephantidae spp. | ivory carvings | 5        |      | GB       | IN       |        | I       |        |
| 1        | A    |       | Elephantidae spp. | ivory carvings | 8        |      | GB       | MW       |        | I       |        |
| 1        | A    |       | Elephantidae spp. | ivory carvings | 2        |      | GB       | SG       |        | I       |        |
| 1        | A    |       | Elephantidae spp. | ivory carvings | 7        |      | GB       | US       |        | I       |        |
| 1        | A    |       | Elephantidae spp. | ivory carvings | 1 sets   |      | GB       | US       |        | I       |        |
| 1        | A    |       | Elephantidae spp. | ivory carvings | 72       |      | GB       | XX       |        | I       |        |
| 1        | A    |       | Elephantidae spp. | ivory carvings | 2        |      | GB       | ZA       |        | I       |        |
| 1        | A    |       | Elephantidae spp. | ivory carvings | 94 g     |      | NL       | BH       |        | I       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon             | Term                   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------|------------------------|----------|------|----------|----------|--------|---------|--------|
| 1        | A    |       | Elephantidae spp. | ivory carvings         | 3        |      | NL       | CI       |        |         | I      |
| 1        | A    |       | Elephantidae spp. | ivory carvings         | 87       |      | NL       | CN       |        |         | I      |
| 1        | A    |       | Elephantidae spp. | ivory carvings         | 47       |      | NL       | GH       |        |         | I      |
| 1        | A    |       | Elephantidae spp. | ivory carvings         | 12       |      | NL       | HK       |        |         | I      |
| 1        | A    |       | Elephantidae spp. | ivory carvings         | 1        |      | NL       | IL       |        |         | I      |
| 1        | A    |       | Elephantidae spp. | ivory carvings         | 1        |      | NL       | IN       |        |         | I      |
| 1        | A    |       | Elephantidae spp. | ivory carvings         | 2        |      | NL       | JP       |        |         | I      |
| 1        | A    |       | Elephantidae spp. | ivory carvings         | 4        |      | NL       | KE       |        |         | I      |
| 1        | A    |       | Elephantidae spp. | ivory carvings         | 2        |      | NL       | MY       |        |         | I      |
| 1        | A    |       | Elephantidae spp. | ivory carvings         | 8        |      | NL       | NG       |        |         | I      |
| 1        | A    |       | Elephantidae spp. | ivory carvings         | 992      | g    | NL       | NG       |        |         | I      |
| 1        | A    |       | Elephantidae spp. | ivory carvings         | 1        |      | NL       | SG       |        |         | I      |
| 1        | A    |       | Elephantidae spp. | ivory carvings         | 8        |      | NL       | TG       |        |         | I      |
| 1        | A    |       | Elephantidae spp. | ivory carvings         | 5        |      | NL       | TH       |        |         | I      |
| 1        | A    |       | Elephantidae spp. | ivory carvings         | 71       |      | NL       | XX       |        |         | I      |
| 1        | A    |       | Elephantidae spp. | ivory carvings         | 20       |      | NL       | ZA       |        |         | I      |
| 1        | A    |       | Elephantidae spp. | ivory carvings         | 2        |      | NL       | ZM       |        |         | I      |
| 1        | A    |       | Elephantidae spp. | ivory carvings         | 33       |      | NL       | ZW       |        |         | I      |
| 1        | A    |       | Elephantidae spp. | ivory pieces           | 1        |      | GB       | GH       |        |         | I      |
| 1        | A    |       | Elephantidae spp. | ivory pieces           | 4        |      | GB       | KE       |        |         | I      |
| 1        | A    |       | Elephantidae spp. | ivory pieces           | < 1 kg   |      | GB       | KE       |        |         | I      |
| 1        | A    |       | Elephantidae spp. | ivory pieces           | 18       |      | GB       | MZ       |        |         | I      |
| 1        | A    |       | Elephantidae spp. | ivory pieces           | 1        |      | GB       | XX       |        |         | I      |
| 1        | A    |       | Elephantidae spp. | ivory pieces           | < 1 kg   |      | GB       | XX       |        |         | I      |
| 1        | A    |       | Elephantidae spp. | ivory pieces           | 78       |      | GB       | ZM       |        |         | I      |
| 1        | A    |       | Elephantidae spp. | ivory pieces           | 1        |      | NL       | CH       | XX     | Q       | O      |
| 1        | A    |       | Elephantidae spp. | ivory pieces           | 1        |      | NL       | JP       | XX     | E       | U      |
| 1        | A    |       | Elephantidae spp. | ivory pieces           | 1        |      | NL       | MC       | XX     | Q       | U      |
| 1        | A    |       | Elephantidae spp. | ivory pieces           | 130      |      | PT       | BR       |        | E       | O      |
| 1        | A    |       | Elephantidae spp. | ivory pieces           | 110      |      | PT       | XX       |        |         | I      |
| 1        | A    |       | Elephantidae spp. | ivory pieces           | 1        |      | SE       | CH       | XX     | T       | F      |
| 1        | A    |       | Elephantidae spp. | ivory pieces           | 124      | kg   | SE       | RU       |        | E       | O      |
| 1        | A    |       | Elephantidae spp. | small.leather products | 5        |      | GB       | TH       |        |         | I      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon             | Term                   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------|------------------------|----------|------|----------|----------|--------|---------|--------|
| 1        | A    |       | Elephantidae spp. | small leather products | 5        |      | GB       | XX       |        |         | I      |
| 1        | A    |       | Elephantidae spp. | small leather products | 11       |      | NL       | TH       |        |         | I      |
| 1        | A    |       | Elephantidae spp. | small leather products | 1        |      | NL       | ZA       |        |         | I      |
| 1        | A    |       | Elephantidae spp. | sets of piano keys     | 2        |      | DE       | CH       | XX     | T       | O      |
| 1        | A    |       | Elephantidae spp. | sets of piano keys     | 5        |      | DE       | CH       | XX     | P       | O      |
| 1        | A    |       | Elephantidae spp. | skins                  | 11       |      | PT       | XX       |        |         | I      |
| 1        | A    |       | Elephantidae spp. | teeth                  | 2        |      | NL       | CI       |        |         | I      |
| 1        | A    |       | Elephantidae spp. | teeth                  | 3        |      | NL       | KE       |        |         | I      |
| 1        | A    |       | Elephantidae spp. | teeth                  | 1        |      | NL       | NG       |        |         | I      |
| 1        | A    |       | Elephantidae spp. | teeth                  | 2        |      | NL       | ZA       |        |         | I      |
| 1        | A    |       | Elephantidae spp. | tusks                  | 8        |      | FR       | LB       | XX     | P       | O      |
| 1        | A    |       | Elephantidae spp. | tusks                  | 1        |      | GB       | CG       |        |         | I      |
| 1        | A    |       | Elephantidae spp. | tusks                  | 3        |      | GB       | GA       |        |         | I      |
| 1        | A    |       | Elephantidae spp. | tusks                  | 4        |      | GB       | NG       |        |         | I      |
| 1        | A    |       | Elephantidae spp. | tusks                  | 13       |      | GB       | XX       |        |         | I      |
| 1        | A    |       | Elephantidae spp. | tusks                  | 4        |      | PT       | XX       |        |         | I      |
| 1        | A    |       | Elephas maximus   | carvings               | 4        |      | FR       | MX       | MN     | Q       | O      |
| 1        | A    |       | Elephas maximus   | carvings               | 32       |      | GB       | CA       | XX     | P       | O      |
| 1        | A    |       | Elephas maximus   | carvings               | 1        |      | GB       | CH       | XX     | P       | O      |
| 1        | A    |       | Elephas maximus   | carvings               | 1        |      | GB       | CH       | XX     | T       | O      |
| 1        | A    |       | Elephas maximus   | carvings               | 16       |      | GB       | RU       | XX     | Q       | O      |
| 1        | A    |       | Elephas maximus   | carvings               | 32       |      | GB       | US       | XX     | T       | O      |
| 1        | A    |       | Elephas maximus   | ivory carvings         | 2        |      | DE       | CH       | XX     | T       | O      |
| 1        | A    |       | Elephas maximus   | ivory carvings         | 22       |      | DE       | JP       | XX     | Q       | O      |
| 1        | A    |       | Elephas maximus   | ivory carvings         | 2        |      | DE       | US       | XX     | P       | O      |
| 1        | A    |       | Elephas maximus   | ivory carvings         | 3        |      | DE       | US       | XX     | Q       | O      |
| 1        | A    |       | Elephas maximus   | live                   | 5        |      | AT       | CH       |        | Q       | O      |
| 1        | A    |       | Elephas maximus   | live                   | 2        |      | DE       | MY       |        | Z       | W      |
| 1        | A    |       | Elephas maximus   | live                   | 1        |      | ES       | HK       | XX     | Q       | O      |
| 1        | A    |       | Elephas maximus   | live                   | 1        |      | GB       | IN       |        | B       | F      |
| 1        | A    |       | Elephas maximus   | live                   | 6        |      | IT       | SI       | XX     | Q       | O      |
| 1        | A    |       | Elephas maximus   | live                   | 2        |      | NL       | SG       | MY     | Z       | W      |
| 1        | A    |       | Loxodonta spp.    | ivory carvings         | 1        |      | DK       | IN       |        | P       | I      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                     | Term     | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------|----------|----------|------|----------|----------|--------|---------|--------|
|          | 1    | A     | <i>Loxodonta africana</i> | bodies   | 9        |      | IT       | CH       | KE     | P       | O      |
|          | 1    | A     | <i>Loxodonta africana</i> | carvings | 100      |      | BE       | US       | XX     | T       | O      |
|          | 1    | A     | <i>Loxodonta africana</i> | carvings | 10       |      | BE       | US       | CD     | T       | O      |
|          | 1    | A     | <i>Loxodonta africana</i> | carvings | 1        |      | ES       | CH       | TG     | E       | O      |
|          | 1    | A     | <i>Loxodonta africana</i> | carvings | 3,5 kg   |      | ES       | CI       |        | I       |        |
|          | 1    | A     | <i>Loxodonta africana</i> | carvings | 3        |      | ES       | CI       | XX     | I       |        |
|          | 1    | A     | <i>Loxodonta africana</i> | carvings | 300 g    |      | ES       | CI       | XX     | I       |        |
|          | 1    | A     | <i>Loxodonta africana</i> | carvings | 1        |      | ES       | US       | XX     | P       | W      |
|          | 1    | A     | <i>Loxodonta africana</i> | carvings | 4        |      | ES       | XX       |        | I       |        |
|          | 1    | A     | <i>Loxodonta africana</i> | carvings | 121      |      | ES       | CD       | XX     | I       |        |
|          | 1    | A     | <i>Loxodonta africana</i> | carvings | 1        |      | FR       | CH       | XX     | Q       | O      |
|          | 1    | A     | <i>Loxodonta africana</i> | carvings | 11       |      | FR       | CM       |        | P       | O      |
|          | 1    | A     | <i>Loxodonta africana</i> | carvings | 11       |      | FR       | GA       |        | P       | O      |
|          | 1    | A     | <i>Loxodonta africana</i> | carvings | 9        |      | FR       | PG       | XX     | P       | O      |
|          | 1    | A     | <i>Loxodonta africana</i> | carvings | 11       |      | FR       | SN       |        | P       | O      |
|          | 1    | A     | <i>Loxodonta africana</i> | carvings | 2        |      | FR       | US       |        | P       | O      |
|          | 1    | A     | <i>Loxodonta africana</i> | carvings | 9        |      | GB       | AR       | XX     | T       | O      |
|          | 1    | A     | <i>Loxodonta africana</i> | carvings | 1        |      | GB       | AU       | XX     | T       | O      |
|          | 1    | A     | <i>Loxodonta africana</i> | carvings | 3        |      | GB       | CH       | XX     | Q       | O      |
|          | 1    | A     | <i>Loxodonta africana</i> | carvings | 905      |      | GB       | CH       | XX     | T       | O      |
|          | 1    | A     | <i>Loxodonta africana</i> | carvings | 10       |      | GB       | IL       | XX     | Q       | O      |
|          | 1    | A     | <i>Loxodonta africana</i> | carvings | 7        |      | GB       | IN       | XX     | Q       | O      |
|          | 1    | A     | <i>Loxodonta africana</i> | carvings | 1        |      | GB       | RU       | XX     | E       | O      |
|          | 1    | A     | <i>Loxodonta africana</i> | carvings | 29       |      | GB       | RU       | XX     | Q       | O      |
|          | 1    | A     | <i>Loxodonta africana</i> | carvings | 1        |      | GB       | TH       | XX     | T       | O      |
|          | 1    | A     | <i>Loxodonta africana</i> | carvings | 4        |      | GB       | US       | XX     | P       | O      |
|          | 1    | A     | <i>Loxodonta africana</i> | carvings | 541      |      | GB       | US       | XX     | T       | O      |
|          | 1    | A     | <i>Loxodonta africana</i> | carvings | 64       |      | GB       | ZA       | XX     | T       | O      |
|          | 1    | A     | <i>Loxodonta africana</i> | carvings | 21       |      | NL       | CH       | XX     | T       | O      |
|          | 1    | A     | <i>Loxodonta africana</i> | carvings | 1        |      | SE       | ZA       |        | P       | W      |
|          | 1    | A     | <i>Loxodonta africana</i> | ears     | 2        |      | DK       | ZA       | ZW     | H       | W      |
|          | 1    | A     | <i>Loxodonta africana</i> | feet     | 1        |      | DE       | NA       |        | H       | W      |
|          | 1    | A     | <i>Loxodonta africana</i> | feet     | 4        |      | DK       | ZA       | ZW     | H       | W      |

European Community annual report to CITES 1998

Exp/Imp. App. Annex Taxon

|  |   |   | Term               | Quantity               | Unit   | Importer | Exporter | Origin | Purpose | Source |
|--|---|---|--------------------|------------------------|--------|----------|----------|--------|---------|--------|
|  | 1 | A | Loxodonta africana |                        |        |          |          |        |         |        |
|  | 1 | A | Loxodonta africana | ivory carvings         | 1      | AT       | JP       |        | E       | O      |
|  | 1 | A | Loxodonta africana | ivory carvings         | 5      | AT       | JP       | Q      | U       |        |
|  | 1 | A | Loxodonta africana | ivory carvings         | 1      | AT       | KW       | UA     | E       | O      |
|  | 1 | A | Loxodonta africana | ivory carvings         | 1      | AT       | RO       |        | P       | O      |
|  | 1 | A | Loxodonta africana | ivory carvings         | 10     | AT       | US       |        | T       | O      |
|  | 1 | A | Loxodonta africana | ivory carvings         | 56     | AT       | XX       |        | I       |        |
|  | 1 | A | Loxodonta africana | ivory carvings         | 104    | DE       | CH       | XX     | T       | O      |
|  | 1 | A | Loxodonta africana | ivory carvings         | 1      | DE       | CM       |        | P       | O      |
|  | 1 | A | Loxodonta africana | ivory carvings         | 2      | DE       | HR       | XX     | P       | O      |
|  | 1 | A | Loxodonta africana | ivory carvings         | 4 kg   | DE       | MW       |        | P       | W      |
|  | 1 | A | Loxodonta africana | ivory carvings         | 1      | DE       | US       | XX     | T       | O      |
|  | 1 | A | Loxodonta africana | ivory carvings         | 6      | DK       | BJ       |        | P       | I      |
|  | 1 | A | Loxodonta africana | ivory carvings         | 2      | DK       | SD       |        | P       | I      |
|  | 1 | A | Loxodonta africana | ivory carvings         | 4      | DK       | ZW       |        | P       | I      |
|  | 1 | A | Loxodonta africana | ivory carvings         | 4      | IE       | US       | XX     | P       | O      |
|  | 1 | A | Loxodonta africana | ivory pieces           | 2      | AT       | XX       |        | I       |        |
|  | 1 | A | Loxodonta africana | ivory pieces           | 382    | DK       | XX       |        | T       | I      |
|  | 1 | A | Loxodonta africana | ivory pieces           | 6      | NL       | US       | XX     | Q       | O      |
|  | 1 | A | Loxodonta africana | ivory pieces           | 21     | PT       | AO       |        | I       |        |
|  | 1 | A | Loxodonta africana | ivory pieces           | 8      | PT       | ST       |        | I       |        |
|  | 1 | A | Loxodonta africana | ivory pieces           | 4      | PT       | ZA       |        | I       |        |
|  | 1 | A | Loxodonta africana | live                   | 2      | FR       | CZ       | KE     | Z       | O      |
|  | 1 | A | Loxodonta africana | live                   | 2      | GB       | IL       |        | B       | C      |
|  | 1 | A | Loxodonta africana | live                   | 1      | IT       | SI       | ZA     | Q       | W      |
|  | 1 | A | Loxodonta africana | live                   | 1      | NL       | PL       | ZA     | Q       | W      |
|  | 1 | A | Loxodonta africana | live                   | 3      | NL       | PL       | ZW     | Q       | W      |
|  | 1 | A | Loxodonta africana | small leather products | 12 kg  | ES       | CD       | XX     |         | I      |
|  | 1 | A | Loxodonta africana | sets of piano keys     | 1      | DE       | CH       | XX     | P       | O      |
|  | 1 | A | Loxodonta africana | skin pieces            | 7      | DK       | ZA       | ZW     | H       | W      |
|  | 1 | A | Loxodonta africana | specimens              | 212    | DE       | ZA       |        | S       | W      |
|  | 1 | A | Loxodonta africana | specimens              | 200 ml | DE       | ZA       |        | S       | W      |
|  | 1 | A | Loxodonta africana | tails                  | 1      | DK       | ZA       | ZW     | H       | W      |
|  | 1 | A | Loxodonta africana | trophyes               | 1      | AT       | ZW       |        | P       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex              | Taxon    | Term  | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|--------------------|----------|-------|----------|------|----------|----------|--------|---------|--------|
| 1        | A    | Loxodonta africana | trophies | 3     |          |      | BE       | ZA       | H      | W       |        |
| 1        | A    | Loxodonta africana | trophies | 2     |          |      | BE       | ZW       | H      | W       |        |
| 1        | A    | Loxodonta africana | trophies | 8     |          |      | DE       | NA       | H      | W       |        |
| 1        | A    | Loxodonta africana | trophies | 18    |          |      | DE       | ZW       | H      | W       |        |
| 1        | A    | Loxodonta africana | trophies | 1     |          |      | DK       | ZW       | H      | W       |        |
| 1        | A    | Loxodonta africana | trophies | 9     |          |      | ES       | CM       | H      | W       |        |
| 1        | A    | Loxodonta africana | trophies | 5     |          |      | ES       | TZ       | H      | W       |        |
| 1        | A    | Loxodonta africana | trophies | 1     |          |      | ES       | ZA       | H      | W       |        |
| 1        | A    | Loxodonta africana | trophies | 3     |          |      | FR       | TZ       | H      | W       |        |
| 1        | A    | Loxodonta africana | trophies | 1     |          |      | IT       | TZ       | H      | W       |        |
| 1        | A    | Loxodonta africana | tusks    | 1     |          |      | AT       | ZW       | P      | W       |        |
| 1        | A    | Loxodonta africana | tusks    | 1     |          |      | BE       | US       | XX     | T       | O      |
| 1        | A    | Loxodonta africana | tusks    | 2     |          |      | DE       | ZW       | H      | W       |        |
| 1        | A    | Loxodonta africana | tusks    | 12 kg |          |      | DK       | AE       | P      | I       |        |
| 1        | A    | Loxodonta africana | tusks    | 2     |          |      | DK       | ZA       | ZW     | H       | W      |
| 1        | A    | Loxodonta africana | tusks    | 3     |          |      | ES       | CI       | XX     | I       |        |
| 1        | A    | Loxodonta africana | tusks    | 2     |          |      | ES       | CM       | H      | W       |        |
| 1        | A    | Loxodonta africana | tusks    | 4     |          |      | ES       | NG       | XX     | I       |        |
| 1        | A    | Loxodonta africana | tusks    | 1     |          |      | ES       | SN       | XX     | I       |        |
| 1        | A    | Loxodonta africana | tusks    | 5     |          |      | ES       | XX       | I      | I       |        |
| 1        | A    | Loxodonta africana | tusks    | 5     |          |      | ES       | CD       | XX     | I       |        |
| 1        | A    | Loxodonta africana | tusks    | 2     |          |      | FI       | CD       | H      | W       |        |
| 1        | A    | Loxodonta africana | tusks    | 2     |          |      | FR       | CG       | P      | O       |        |
| 1        | A    | Loxodonta africana | tusks    | 4     |          |      | FR       | CG       | P      | W       |        |
| 1        | A    | Loxodonta africana | tusks    | 2     |          |      | FR       | CM       | H      | W       |        |
| 1        | A    | Loxodonta africana | tusks    | 6     |          |      | FR       | GA       | P      | O       |        |
| 1        | A    | Loxodonta africana | tusks    | 1     |          |      | FR       | GA       | CF     | P       |        |
| 1        | A    | Loxodonta africana | tusks    | 10    |          |      | FR       | TZ       | H      | W       |        |
| 1        | A    | Loxodonta africana | tusks    | 1     |          |      | GB       | NZ       | XX     | P       | O      |
| 1        | A    | Loxodonta africana | tusks    | 4     |          |      | PT       | AO       | I      | I       |        |
| 1        | A    | Loxodonta africana | tusks    | 2     |          |      | PT       | GA       | I      | I       |        |
| 1        | A    | Dugong dugon       | bodies   | 1     |          |      | PT       | MZ       | E      | W       |        |
| 1        | A    | Equus grevyi       | skins    | 2     |          |      | IT       | CH       | KE     | P       | O      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                       | Term      | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| 1        | A    |       | <i>Equus przewalskii</i>    | live      | 2        |      | DE       | CZ       |        | Z       | C      |
| 1        | A    |       | <i>Equus przewalskii</i>    | live      | 1        |      | DE       | PL       |        | Z       | C      |
| 1        | A    |       | <i>Tapirus indicus</i>      | live      | 2        |      | DK       | US       |        | Z       | C      |
| 1        | A    |       | <i>Tapirus indicus</i>      | live      | 1        |      | GB       | US       |        | B       | F      |
| 1        | A    |       | Rhinocerotidae spp.         | carvings  | 1        |      | FR       | CH       |        | P       | O      |
| 1        | A    |       | Rhinocerotidae spp.         | carvings  | 1        |      | FR       | CH       | XX     | Q       | O      |
| 1        | A    |       | Rhinocerotidae spp.         | carvings  | 1        |      | GB       | CH       | XX     | T       | O      |
| 1        | A    |       | <i>Ceratotherium simum</i>  | carvings  | 1        |      | NL       | CH       | XX     | Q       | O      |
| 1        | A    |       | <i>Diceros bicornis</i>     | live      | 1        |      | IT       | SI       | XX     | Q       | O      |
| 1        | A    |       | <i>Diceros bicornis</i>     | bodies    | 1        |      | IT       | CH       | KE     | P       | O      |
| 1        | A    |       | <i>Rhinoceros spp.</i>      | specimens | 3        |      | GB       | ZW       |        | S       | W      |
| 1        | A    |       | <i>Rhinoceros sondaicus</i> | horns     | 3        |      | GB       | US       |        | I       | O      |
| 1        | A    |       | <i>Rhinoceros unicornis</i> | carvings  | 5        |      | GB       | US       | XX     | T       | O      |
| 1        | A    |       | <i>Rhinoceros unicornis</i> | carvings  | 1        |      | GB       | IL       | XX     | Q       | O      |
| 1        | A    |       | <i>Cervus duvaucelii</i>    | carvings  | 6        |      | GB       | US       | XX     | T       | O      |
| 1        | A    |       | <i>Pudu spp.</i>            | live      | 1        |      | GB       | CH       |        | B       | C      |
| 1        | A    |       | <i>Addax nasomaculatus</i>  | horns     | 1        |      | GB       | IL       |        | I       | C      |
| 1        | A    |       | <i>Addax nasomaculatus</i>  | feet      | 4        |      | ES       | US       |        | H       | C      |
| 1        | A    |       | <i>Addax nasomaculatus</i>  | skins     | 1        |      | ES       | US       |        | H       | C      |
| 1        | A    |       | <i>Addax nasomaculatus</i>  | trophies  | 2        |      | BE       | US       |        | H       | C      |
| 1        | A    |       | <i>Capra falconeri</i>      | trophies  | 1        |      | IT       | ZA       |        | H       | C      |
| 1        | A    |       | <i>Oryx dammah</i>          | live      | 1        |      | FR       | RU       |        | Z       | C      |
| 1        | A    |       | <i>Oryx dammah</i>          | skins     | 1        |      | ES       | US       |        | H       | F      |
| 1        | A    |       | <i>Oryx dammah</i>          | skulls    | 1        |      | ES       | ZA       |        | H       | W      |
| 1        | A    |       | <i>Oryx dammah</i>          | trophies  | 2        |      | BE       | US       |        | H       | C      |
| 1        | A    |       | <i>Oryx dammah</i>          | trophies  | 1        |      | DK       | ZA       |        | H       | R      |
| 1        | A    |       | <i>Oryx dammah</i>          | trophies  | 1        |      | FR       | US       |        | H       | C      |
| 1        | A    |       | <i>Oryx leucoryx</i>        | trophies  | 1        |      | IT       | ZA       |        | H       | W      |
| 1        | A    |       | <i>Oryx leucoryx</i>        | live      | 1        |      | FR       | CH       |        | Z       | C      |
| 1        | A    |       | <i>Pantholops hodgsonii</i> | live      | 1        |      | NL       | CH       |        | Z       | C      |
| 1        | A    |       | <i>Pantholops hodgsonii</i> | garments  | 2        |      | FR       | IL       | XX     | L       | I      |
| 1        | A    |       | <i>Pantholops hodgsonii</i> | garments  | 1        |      | FR       | LK       | XX     | L       | I      |
| 1        | A    |       | <i>Pantholops hodgsonii</i> | skins     | 30       |      | FR       | CN       |        | L       | I      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                           | Term      | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| 1        | A    |       | <i>Struthio camelus</i>         | feathers  | 3        |      | FI       | RU       | SN     | Q       | O      |
| 1        | A    |       | <i>Spheniscus humboldti</i>     | live      | 4        |      | ES       | CZ       | Z      | C       |        |
| 1        | A    |       | <i>Jabiru mycteria</i>          | skeletons | 1        |      | SE       | PY       | S      | W       |        |
| 1        | A    |       | <i>Falconiformes spp.</i>       | feathers  | 3        |      | DE       | VE       | XX     | Q       | W      |
| 1        | A    |       | <i>Haliaeetus albicilla</i>     | live      | 2        |      | BE       | KZ       | Z      | C       |        |
| 1        | A    |       | <i>Haliaeetus albicilla</i>     | live      | 12       |      | GB       | NO       | N      | W       |        |
| 1        | A    |       | <i>Haliaeetus leucocephalus</i> | live      | 1        |      | AT       | CZ       | T      | C       |        |
| 1        | A    |       | <i>Haliaeetus leucocephalus</i> | live      | 1        |      | DE       | CA       | Z      | C       |        |
| 1        | A    |       | <i>Haliaeetus leucocephalus</i> | live      | 5        |      | GB       | CA       | B      | C       |        |
| 1        | A    |       | <i>Falco hybrid</i>             | live      | 1        |      | AT       | CZ       | B      | C       |        |
| 1        | A    |       | <i>Falco hybrid</i>             | live      | 3        |      | AT       | SK       | AT     | P       | F      |
| 1        | A    |       | <i>Falco hybrid</i>             | live      | 2        |      | BE       | CZ       | P      | C       |        |
| 1        | A    |       | <i>Falco hybrid</i>             | live      | 1        |      | DE       | SK       | DE     | P       | C      |
| 1        | A    |       | <i>Falco hybrid</i>             | live      | 1        |      | DK       | AE       | DK     | B       | C      |
| 1        | A    |       | <i>Falco hybrid</i>             | live      | 2        |      | FR       | HU       | FR     | B       | C      |
| 1        | A    |       | <i>Falco hybrid</i>             | live      | 1        |      | FR       | US       | B      | F       |        |
| 1        | A    |       | <i>Falco peregrinus</i>         | eggs      | 10       |      | DK       | GL       | S      | W       |        |
| 1        | A    |       | <i>Falco peregrinus</i>         | live      | 1        |      | AT       | CZ       | P      | C       |        |
| 1        | A    |       | <i>Falco peregrinus</i>         | live      | 1        |      | AT       | CZ       | T      | D       |        |
| 1        | A    |       | <i>Falco peregrinus</i>         | live      | 1        |      | AT       | CZ       | AT     | P       | D      |
| 1        | A    |       | <i>Falco peregrinus</i>         | live      | 2        |      | AT       | CZ       | AT     | P       | C      |
| 1        | A    |       | <i>Falco peregrinus</i>         | live      | 1        |      | AT       | CZ       | DE     | P       | C      |
| 1        | A    |       | <i>Falco peregrinus</i>         | live      | 1        |      | AT       | HU       | AT     | P       | D      |
| 1        | A    |       | <i>Falco peregrinus</i>         | live      | 3        |      | AT       | HU       | GB     | T       | C      |
| 1        | A    |       | <i>Falco peregrinus</i>         | live      | 1        |      | AT       | SK       | AT     | P       | C      |
| 1        | A    |       | <i>Falco peregrinus</i>         | live      | 2        |      | AT       | SK       | AT     | P       | D      |
| 1        | A    |       | <i>Falco peregrinus</i>         | live      | 2        |      | DE       | AE       | AT     | T       | D      |
| 1        | A    |       | <i>Falco peregrinus</i>         | live      | 2        |      | DE       | AE       | DE     | T       | D      |
| 1        | A    |       | <i>Falco peregrinus</i>         | live      | 4        |      | DE       | CA       | T      | D       |        |
| 1        | A    |       | <i>Falco peregrinus</i>         | live      | 2        |      | DE       | US       | B      | C       |        |
| 1        | A    |       | <i>Falco peregrinus</i>         | live      | 2        |      | DE       | US       | P      | F       |        |
| 1        | A    |       | <i>Falco peregrinus</i>         | live      | 1        |      | ES       | CA       | T      | C       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex                       | Taxon | Term      | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-----------------------------|-------|-----------|----------|------|----------|----------|--------|---------|--------|
| 1        | A    | Falco peregrinus            |       | live      | 1        |      | ES       | CA       |        | T       | D      |
| 1        | A    | Falco peregrinus            |       | live      | 2        |      | GB       | CA       |        | T       | C      |
| 1        | A    | Falco peregrinus            |       | live      | 2        |      | GB       | ZA       |        | T       | C      |
| 1        | A    | Falco peregrinus            |       | live      | 1        |      | IT       | PL       | DE     | P       | C      |
| 1        | A    | Falco peregrinus            |       | live      | 7        |      | NL       | CA       |        | T       | C      |
| 1        | A    | Falco peregrinus            |       | shells    | 200      |      | DK       | GL       |        | S       | W      |
| 1        | A    | Falco peregrinus            |       | specimens | 49       |      | DE       | LK       |        | S       | W      |
| 1        | A    | Falco peregrinus            |       | specimens | 6        |      | GB       | AE       |        | S       | C      |
| 1        | A    | Falco peregrinus pealei     |       | live      | 1        |      | AT       | CA       |        | P       | C      |
| 1        | A    | Falco peregrinus pealei     |       | live      | 1        |      | AT       | HU       | AT     | P       | D      |
| 1        | A    | Falco peregrinus pealei     |       | live      | 2        |      | AT       | PL       |        | I       | D      |
| 1        | A    | Falco peregrinus peregrinus |       | live      | 1        |      | FR       | HU       | AT     | B       | D      |
| 1        | A    | Falco peregrinus peregrinus |       | live      | 2        |      | NL       | CA       |        | T       | D      |
| 1        | A    | Falco peregrinus peregrinus |       | live      | 1        |      | NL       | CZ       | GB     | T       | C      |
| 1        | A    | Falco peregrinus peregrinus |       | live      | 3        |      | NL       | CZ       | NL     | T       | C      |
| 1        | A    | Falco peregrinus peregrinus |       | live      | 1        |      | NL       | IL       | NL     | T       | C      |
| 1        | A    | Falco rusticulus            |       | live      | 10       |      | DE       | AE       | DE     | T       | D      |
| 1        | A    | Falco rusticulus            |       | live      | 1        |      | DE       | CA       |        | P       | C      |
| 1        | A    | Falco rusticulus            |       | live      | 14       |      | DE       | CA       |        | T       | D      |
| 1        | A    | Falco rusticulus            |       | live      | 1        |      | DE       | CZ       |        | P       | C      |
| 1        | A    | Falco rusticulus            |       | live      | 4        |      | DE       | US       |        | P       | F      |
| 1        | A    | Falco rusticulus            |       | live      | 1        |      | ES       | CA       |        | T       | C      |
| 1        | A    | Falco rusticulus            |       | live      | 1        |      | ES       | US       | B      | D       |        |
| 1        | A    | Falco rusticulus            |       | live      | 1        |      | ES       | US       |        | T       | D      |
| 1        | A    | Falco rusticulus            |       | live      | 4        |      | FR       | US       | B      | B       | F      |
| 1        | A    | Falco rusticulus            |       | live      | 1        |      | GB       | AE       | GB     | B       | C      |
| 1        | A    | Falco rusticulus            |       | live      | 1        |      | GB       | CA       |        | T       | C      |
| 1        | A    | Falco rusticulus            |       | live      | 1        |      | GB       | SA       | CA     | P       | F      |
| 1        | A    | Falco rusticulus            |       | live      | 1        |      | GB       | US       |        | B       | F      |
| 1        | A    | Falco rusticulus            |       | live      | 9        |      | GB       | US       | B      | T       | C      |
| 1        | A    | Falco rusticulus            |       | live      | 2        |      | NL       | CA       | B      | B       | C      |
| 1        | A    | Pipile jacutinga            |       | live      | 4        |      | BE       | BR       |        | T       | C      |
| 1        | A    | Crossoptilon crossoptilon   |       | live      | 8        |      | BE       | US       | B      | B       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex                      | Taxon | Term      | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|----------------------------|-------|-----------|----------|------|----------|----------|--------|---------|--------|
| 1        | A    | Rheinardia ocellata        |       | live      | 2        |      | DE       | VN       |        | B       | F      |
| 1        | A    | Tragopan caboti            |       | live      | 1        |      | DE       | US       |        | Z       | C      |
| 1        | A    | Tragopan caboti            |       | live      | 13       |      | NL       | CA       |        | T       | D      |
| 1        | A    | Grus japonensis            |       | live      | 10       |      | BE       | CN       |        | T       | C      |
| 1        | A    | Grus japonensis            |       | live      | 4        |      | NL       | RU       |        | B       | C      |
| 1        | A    | Grus japonensis            |       | live      | 4        |      | NL       | RU       |        | T       | C      |
| 1        | A    | Grus leucogeranus          |       | eggs      | 2        |      | DE       | US       |        | N       | F      |
| 1        | A    | Grus leucogeranus          |       | live      | 3        |      | BE       | RU       |        | B       | C      |
| 1        | A    | Rhynochetos jubatus        |       | live      | 1        |      | DE       | NC       |        | Z       | C      |
| 1        | A    | Chlamydotis undulata       |       | specimens | 6        |      | GB       | AE       |        | S       | C      |
| 1        | A    | Caloenas nicobarica        |       | live      | 20       |      | ES       | PH       |        | B       | C      |
| 1        | A    | Caloenas nicobarica        |       | live      | 12       |      | NL       | SG       |        | T       | C      |
| 1        | A    | Caloenas nicobarica        |       | live      | 24       |      | NL       | SG       |        | B       | C      |
| 1        | A    | Amazona barbadensis        |       | live      | 2        |      | GB       | CA       |        | T       | C      |
| 1        | A    | Amazona barbadensis        |       | live      | 1        |      | GB       | US       |        | B       | F      |
| 1        | A    | Amazona barbadensis        |       | live      | 1        |      | PT       | VE       |        | I       | O      |
| 1        | A    | Amazona brasiliensis       |       | live      | 1        |      | FR       | SG       | XX     | B       | O      |
| 1        | A    | Amazona leucocephala       |       | live      | 2        |      | BE       | CH       |        | P       | C      |
| 1        | A    | Amazona leucocephala       |       | live      | 4        |      | SE       | NO       |        | T       | C      |
| 1        | A    | Amazona vinacea            |       | live      | 1        |      | FR       | CH       |        | B       | C      |
| 1        | A    | Amazona vinacea            |       | live      | 1        |      | NL       | CH       |        | T       | C      |
| 1        | A    | Amazona vinacea            |       | live      | 11       |      | NL       | ZA       |        | T       | C      |
| 1        | A    | Anodorhynchus hyacinthinus |       | live      | 2        |      | DE       | MT       |        | P       | F      |
| 1        | A    | Anodorhynchus hyacinthinus |       | live      | 1        |      | DE       | PH       |        | Z       | C      |
| 1        | A    | Anodorhynchus hyacinthinus |       | live      | 6        |      | DE       | PH       |        | P       | C      |
| 1        | A    | Anodorhynchus hyacinthinus |       | live      | 2        |      | FR       | CH       |        | Z       | C      |
| 1        | A    | Anodorhynchus hyacinthinus |       | live      | 1        |      | GB       | BH       |        | P       | F      |
| 1        | A    | Anodorhynchus hyacinthinus |       | live      | 1        |      | GB       | CA       |        | B       | C      |
| 1        | A    | Anodorhynchus hyacinthinus |       | live      | 2        |      | GB       | CA       |        | PY      | B      |
| 1        | A    | Anodorhynchus hyacinthinus |       | live      | 6        |      | GB       | PH       |        | B       | C      |
| 1        | A    | Anodorhynchus hyacinthinus |       | live      | 8        |      | GB       | XX       |        | I       | I      |
| 1        | A    | Anodorhynchus hyacinthinus |       | live      | 2        |      | NL       | CA       |        | T       | C      |
| 1        | A    | Anodorhynchus hyacinthinus |       | live      | 4        |      | PT       | BR       |        | I       | I      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                      | Term     | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------|----------|----------|------|----------|----------|--------|---------|--------|
|          | 1    | A     | <i>Anodorhynchus leari</i> | live     | 3        |      | GB       | XX       |        |         | I      |
|          | 1    | A     | <i>Ara ambiguа</i>         | live     | 2        |      | DE       | PH       |        | P       | C      |
|          | 1    | A     | <i>Ara ambigua</i>         | live     | 8        |      | NL       | ZA       |        | T       | C      |
|          | 1    | A     | <i>Ara glaucogularis</i>   | live     | 3        |      | DE       | PH       |        | P       | C      |
|          | 1    | A     | <i>Ara glaucogularis</i>   | live     | 3        |      | GB       | ZA       |        | T       | D      |
|          | 1    | A     | <i>Ara glaucogularis</i>   | live     | 7        |      | NL       | US       |        | T       | C      |
|          | 1    | A     | <i>Ara macao</i>           | feathers | 1        |      | DE       | VE       | XX     | Q       | W      |
|          | 1    | A     | <i>Ara macao</i>           | feathers | 14       |      | NL       | BR       |        |         | I      |
|          | 1    | A     | <i>Ara macao</i>           | live     | 4        |      | BE       | AN       |        | T       | C      |
|          | 1    | A     | <i>Ara macao</i>           | live     | 2        |      | DE       | PH       |        | P       | C      |
|          | 1    | A     | <i>Ara macao</i>           | live     | 4        |      | ES       | PH       |        | B       | C      |
|          | 1    | A     | <i>Ara macao</i>           | live     | 3        |      | ES       | ZA       |        | T       | C      |
|          | 1    | A     | <i>Ara macao</i>           | live     | 1        |      | GR       | US       |        | P       | F      |
|          | 1    | A     | <i>Ara macao</i>           | live     | 2        |      | NL       | AN       |        | T       | C      |
|          | 1    | A     | <i>Ara macao</i>           | live     | 9        |      | NL       | US       |        | T       | C      |
|          | 1    | A     | <i>Ara maracana</i>        | live     | 2        |      | DE       | PH       |        | P       | C      |
|          | 1    | A     | <i>Ara maracana</i>        | live     | 2        |      | GB       | XX       |        |         | I      |
|          | 1    | A     | <i>Ara militaris</i>       | live     | 1        |      | BE       | NO       | XX     | Q       | W      |
|          | 1    | A     | <i>Ara militaris</i>       | live     | 5        |      | GB       | XX       |        |         | I      |
|          | 1    | A     | <i>Ara militaris</i>       | live     | 2        |      | NL       | AN       |        | T       | C      |
|          | 1    | A     | <i>Ara militaris</i>       | live     | 2        |      | NL       | US       |        | T       | C      |
|          | 1    | A     | <i>Ara rubrogenys</i>      | live     | 2        |      | DE       | MT       |        | P       | F      |
|          | 1    | A     | <i>Ara rubrogenys</i>      | live     | 2        |      | DE       | PH       |        | P       | C      |
|          | 1    | A     | <i>Aratinga guarouba</i>   | live     | 3        |      | DE       | PH       |        | T       | D      |
|          | 1    | A     | <i>Aratinga guarouba</i>   | live     | 7        |      | DE       | PH       |        | T       | C      |
|          | 1    | A     | <i>Aratinga guarouba</i>   | live     | 2        |      | GB       | PH       |        | B       | C      |
|          | 1    | A     | <i>Aratinga guarouba</i>   | live     | 1        |      | GB       | XX       |        |         | I      |
|          | 1    | A     | <i>Aratinga guarouba</i>   | live     | 2        |      | GB       | ZA       |        | T       | D      |
|          | 1    | A     | <i>Cacatua goffini</i>     | live     | 1        |      | DE       | US       |        | P       | F      |
|          | 1    | A     | <i>Cacatua goffini</i>     | live     | 1        |      | GB       | BM       |        | P       | C      |
|          | 1    | A     | <i>Cacatua goffini</i>     | live     | 2        |      | GB       | US       |        | P       | F      |
|          | 1    | A     | <i>Cacatua goffini</i>     | live     | 1        |      | GB       | US       | ID     | P       | W      |
|          | 1    | A     | <i>Cacatua goffini</i>     | live     | 4        |      | GB       | XX       |        |         | I      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex                          | Taxon | Term     | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|--------------------------------|-------|----------|----------|------|----------|----------|--------|---------|--------|
| 1        | A    | Cacatua haematuropygia         |       | live     | 1        |      | DE       | PH       |        | P       | W      |
| 1        | A    | Cacatua haematuropygia         |       | live     | 4        |      | DE       | PH       |        | P       | C      |
| 1        | A    | Cacatua haematuropygia         |       | live     | 1        |      | FR       | CA       | PH     | Z       | U      |
| 1        | A    | Cacatua haematuropygia         |       | live     | 13       |      | GB       | XX       |        | I       |        |
| 1        | A    | Cacatua haematuropygia         |       | live     | 4        |      | NL       | PH       |        | T       | C      |
| 1        | A    | Cacatua moluccensis            |       | live     | 2        |      | DE       | CH       |        | P       | C      |
| 1        | A    | Cacatua moluccensis            |       | live     | 1        |      | DK       | NO       | DK     | T       | F      |
| 1        | A    | Cacatua moluccensis            |       | live     | 1        |      | ES       | US       |        | P       | F      |
| 1        | A    | Cacatua moluccensis            |       | live     | 1        |      | FR       | PH       |        | B       | C      |
| 1        | A    | Cacatua moluccensis            |       | live     | 1        |      | GB       | AE       | GB     | P       | C      |
| 1        | A    | Cacatua moluccensis            |       | live     | 1        |      | GB       | US       |        | P       | F      |
| 1        | A    | Cacatua moluccensis            |       | live     | 7        |      | NL       | CA       |        | T       | C      |
| 1        | A    | Cacatua moluccensis            |       | live     | 11       |      | NL       | SG       |        | T       | C      |
| 1        | A    | Cyclopsitta diophthalma coxeni |       | live     | 4        |      | NL       | ID       |        | T       | C      |
| 1        | A    | Cyclopsitta diophthalma coxeni |       | live     | 12       |      | NL       | SG       | ID     | T       | W      |
| 1        | A    | Eos histrio                    |       | live     | 10       |      | NL       | SG       |        | B       | C      |
| 1        | A    | Eos histrio                    |       | live     | 12       |      | NL       | SG       |        | T       | C      |
| 1        | A    | Probosciger aterrimus          |       | live     | 3        |      | DE       | PH       |        | P       | C      |
| 1        | A    | Probosciger aterrimus          |       | live     | 1        |      | FR       | PH       |        | B       | C      |
| 1        | A    | Probosciger aterrimus          |       | live     | 1        |      | GB       | CZ       |        | B       | U      |
| 1        | A    | Probosciger aterrimus          |       | live     | 10       |      | GB       | XX       |        | I       |        |
| 1        | A    | Probosciger aterrimus          |       | live     | 2        |      | GB       | ZA       |        | T       | C      |
| 1        | A    | Rhynchositta pachyrhyncha      |       | live     | 1        |      | GB       | XX       |        | I       | C      |
| 1        | A    | Buceros bicornis               |       | live     | 1        |      | FR       | CZ       | BE     | Z       | C      |
| 1        | A    | Geochelone nigra               |       | carvings | 1        |      | AT       | JP       | XX     | Q       | U      |
| 1        | A    | Geochelone radiata             |       | live     | 1        |      | NL       | MR       |        | I       |        |
| 1        | A    | Testudo kleinmanni             |       | bodies   | 7        |      | GB       | AU       |        | I       |        |
| 1        | A    | Testudo kleinmanni             |       | live     | 1        |      | GB       | EG       |        | I       |        |
| 1        | A    | Testudo kleinmanni             |       | live     | 1        |      | GB       | XX       |        | I       |        |
| 1        | A    | Cheloniidae spp.               |       | bodies   | 20       |      | PT       | MZ       |        | E       | W      |
| 1        | A    | Cheloniidae spp.               |       | bodies   | 4        |      | PT       | XX       |        | I       |        |
| 1        | A    | Cheloniidae spp.               |       | carvings | 4        |      | DE       | CH       | XX     | T       | O      |
| 1        | A    | Cheloniidae spp.               |       | carvings | 8        |      | GB       | CH       | FJ     | T       | O      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon            | Term        | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------|-------------|----------|------|----------|----------|--------|---------|--------|
|          | 1    | A     | Cheloniidae spp. | carvings    | 3        |      | GB       | CH       | XX     | T       | O      |
|          | 1    | A     | Cheloniidae spp. | carvings    | 1        |      | GB       | IN       | XX     | Q       | O      |
|          | 1    | A     | Cheloniidae spp. | carvings    | 2        |      | GB       | RU       | XX     | Q       | O      |
|          | 1    | A     | Cheloniidae spp. | carvings    | 2        |      | GB       | US       | XX     | T       | O      |
|          | 1    | A     | Cheloniidae spp. | carvings    | 1        |      | NL       | JP       | XX     | E       | O      |
|          | 1    | A     | Cheloniidae spp. | derivatives | 84       |      | NL       | CN       |        |         | I      |
|          | 1    | A     | Cheloniidae spp. | derivatives | 32 bags  |      | NL       | CN       |        |         | I      |
|          | 1    | A     | Cheloniidae spp. | scales      | 1        |      | DE       | CH       | XX     | T       | O      |
|          | 1    | A     | Cheloniidae spp. | scales      | 1        |      | DE       | US       | XX     | P       | O      |
|          | 1    | A     | Cheloniidae spp. | scales      | 1        |      | FR       | CH       |        | P       | O      |
|          | 1    | A     | Cheloniidae spp. | scales      | 1        |      | FR       | CH       | PG     | P       | O      |
|          | 1    | A     | Cheloniidae spp. | scales      | 1        |      | FR       | CH       | XX     | P       | O      |
|          | 1    | A     | Cheloniidae spp. | scales      | 3        |      | FR       | CH       | XX     | E       | O      |
|          | 1    | A     | Cheloniidae spp. | scales      | 4        |      | FR       | CH       | XX     | T       | O      |
|          | 1    | A     | Cheloniidae spp. | scales      | 1        |      | FR       | US       | XX     | T       | O      |
|          | 1    | A     | Cheloniidae spp. | scales      | 4        |      | FR       | US       | XX     | P       | O      |
|          | 1    | A     | Cheloniidae spp. | shells      | 1        |      | ES       | HT       | XX     |         | I      |
|          | 1    | A     | Cheloniidae spp. | shells      | 1        |      | GB       | ET       |        |         | I      |
|          | 1    | A     | Cheloniidae spp. | shells      | 2        |      | GB       | PE       |        |         | I      |
|          | 1    | A     | Cheloniidae spp. | shells      | 1        |      | GB       | ZA       |        |         | I      |
|          | 1    | A     | Cheloniidae spp. | shells      | 8        |      | IT       | CH       | XX     | E       | O      |
|          | 1    | A     | Cheloniidae spp. | shells      | 1        |      | NL       | SY       |        |         | I      |
|          | 1    | A     | Cheloniidae spp. | shells      | 3        |      | PT       | AO       |        |         | I      |
|          | 1    | A     | Cheloniidae spp. | shells      | 1        |      | PT       | MZ       |        |         | I      |
|          | 1    | A     | Cheloniidae spp. | shells      | 1        |      | PT       | ST       |        |         | I      |
|          | 1    | A     | Cheloniidae spp. | shells      | 1        |      | PT       | VE       |        |         | I      |
|          | 1    | A     | Cheloniidae spp. | shells      | 17       |      | PT       | XX       |        |         | I      |
|          | 1    | A     | Cheloniidae spp. | skulls      | 4        |      | GB       | XX       |        |         | I      |
|          | 1    | A     | Caretta caretta  | bodies      | 1        |      | NL       | UA       |        |         | I      |
|          | 1    | A     | Caretta caretta  | shells      | 1        |      | ES       | CM       | XX     |         | I      |
|          | 1    | A     | Caretta caretta  | trophies    | 1        |      | NL       | AW       | XX     | P       | O      |
|          | 1    | A     | Caretta caretta  | unspecified | 1        |      | NL       | ID       |        |         | I      |
|          | 1    | A     | Chelonia spp.    | shells      | 1        |      | ES       | XX       |        |         | I      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex                          | Taxon                  | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|--------------------------------|------------------------|------|----------|------|----------|----------|--------|---------|--------|
| 1        | A    | Chelonia mydas                 | bodies                 | 1    |          |      | ES       | CU       |        | P       | O      |
| 1        | A    | Chelonia mydas                 | bodies                 | 1    |          |      | GB       | CN       |        | I       |        |
| 1        | A    | Chelonia mydas                 | bodies                 | 1    |          |      | GB       | MU       |        | I       |        |
| 1        | A    | Chelonia mydas                 | shells                 | 1    |          |      | ES       | NC       | XX     | I       |        |
| 1        | A    | Chelonia mydas                 | shells                 | 1    |          |      | GB       | XX       |        | I       |        |
| 1        | A    | Chelonia mydas                 | specimens              | 30   |          |      | FR       | ZZ       |        | S       | W      |
| 1        | A    | Eretmochelys imbricata         | bodies                 | 1    |          |      | ES       | AR       | XX     | I       |        |
| 1        | A    | Eretmochelys imbricata         | bodies                 | 2    |          |      | ES       | CU       | XX     | I       |        |
| 1        | A    | Eretmochelys imbricata         | bodies                 | 1    |          |      | ES       | DO       | XX     | I       |        |
| 1        | A    | Eretmochelys imbricata         | bodies                 | 1    |          |      | ES       | GN       | XX     | I       |        |
| 1        | A    | Eretmochelys imbricata         | bodies                 | 1    |          |      | ES       | ID       | XX     | I       |        |
| 1        | A    | Eretmochelys imbricata         | carvings               | 1    |          |      | ES       | CU       | XX     | I       |        |
| 1        | A    | Eretmochelys imbricata         | carvings               | 1    |          |      | GB       | CH       | XX     | T       | O      |
| 1        | A    | Eretmochelys imbricata         | carvings               | 2    |          |      | GB       | US       | XX     | T       | O      |
| 1        | A    | Eretmochelys imbricata         | carvings               | 3    |          |      | NL       | CH       | XX     | T       | O      |
| 1        | A    | Eretmochelys imbricata         | carvings               | 1    |          |      | NL       | US       | XX     | Q       | O      |
| 1        | A    | Eretmochelys imbricata         | scales                 | 4    |          |      | FR       | JP       | XX     | Q       | O      |
| 1        | A    | Eretmochelys imbricata         | shells                 | 2    |          |      | GB       | SB       |        | I       |        |
| 1        | A    | Eretmochelys imbricata         | shells                 | 1    |          |      | GB       | US       | XX     | T       | O      |
| 1        | A    | Lepidochelys olivacea          | shells                 | 1    |          |      | ES       | AR       | XX     | I       |        |
| 1        | A    | Alligator sinensis             | live                   | 1    |          |      | DK       | CN       |        | T       | C      |
| 1        | A    | Alligator sinensis             | skulls                 | 1    |          |      | DK       | CN       |        | T       | C      |
| 1        | A    | Caiman crocodilus apaporiensis | live                   | 1    |          |      | GB       | XX       |        | I       |        |
| 1        | A    | Crocodylus cataphractus        | large leather products | 1    |          |      | AT       | MU       |        | I       |        |
| 1        | A    | Crocodylus cataphractus        | large leather products | 2    |          |      | AT       | NG       |        | I       |        |
| 1        | A    | Crocodylus cataphractus        | small leather products | 1    |          |      | AT       | NG       |        | I       |        |
| 1        | A    | Crocodylus moreletii           | skins                  | 120  |          |      | FR       | MX       |        | T       | C      |
| 1        | A    | Crocodylus niloticus           | small leather products | 6    |          |      | IT       | JP       | XX     | E       | O      |
| 1        | A    | Crocodylus niloticus           | skulls                 | 1    |          |      | NL       | GM       |        | I       |        |
| 1        | A    | Crocodylus porosus             | live                   | 3    |          |      | FR       | TH       |        | Z       | D      |
| 1        | A    | Crocodylus porosus             | small leather products | 2    |          |      | GB       | CH       | AU     | T       | R      |
| 1        | A    | Crocodylus siamensis           | bodies                 | 1    |          |      | FR       | TH       |        | P       | D      |
| 1        | A    | Crocodylus siamensis           | live                   | 45   |          |      | ES       | TH       |        | T       | D      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                               | Term                   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------------|------------------------|----------|------|----------|----------|--------|---------|--------|
|          | 1    | A     | <i>Osteolaemus tetraspis</i>        | bodies                 | 1        |      | ES       | CD       | XX     |         | I      |
|          | 1    | A     | <i>Osteolaemus tetraspis</i>        | live                   | 2        |      | GB       | ZA       |        |         | I      |
|          | 1    | A     | <i>Osteolaemus tetraspis</i>        | large leather products | 2        |      | AT       | NG       |        |         | I      |
|          | 1    | A     | <i>Brachylophus fasciatus</i>       | live                   | 1        |      | NL       | AU       |        | Z       | C      |
|          | 1    | A     | <i>Cyclura cornuta</i>              | live                   | 6        |      | GB       | US       |        | B       | F      |
|          | 1    | A     | <i>Cyclura nubila</i>               | live                   | 1        |      | AT       | CH       | AT     | B       | D      |
|          | 1    | A     | <i>Cyclura nubila</i>               | live                   | 3        |      | GB       | US       |        | B       | F      |
|          | 1    | A     | <i>Cyclura rileyi</i>               | live                   | 1        |      | AT       | CH       | AT     | B       | D      |
|          | 1    | A     | <i>Varanus komodoensis</i>          | live                   | 2        |      | FR       | ID       |        | Z       | C      |
|          | 1    | A     | <i>Varanus komodoensis</i>          | live                   | 2        |      | PT       | ID       |        | Z       | C      |
|          | 1    | A     | <i>Acrantophis madagascariensis</i> | live                   | 2        |      | SE       | NO       |        | P       | C      |
|          | 1    | A     | <i>Latimeria chalumnae</i>          | bodies                 | 1        |      | PT       | MZ       |        | E       | W      |
|          | 1    | A     | <i>Acipenser sturio</i>             | eggs                   | 10 kg    |      | AT       | RU       |        | T       | I      |
|          | 1    | A     | <i>Scleropages formosus</i>         | live                   | 3        |      | GB       | SG       |        | T       | D      |
|          | 1    | A     | <i>Scleropages formosus</i>         | live                   | 6        |      | IT       | MY       |        | T       | C      |
|          | 1    | A     | <i>Agave parviflora</i>             | live                   | 1        |      | DE       | MC       | DE     | T       | A      |
|          | 1    | A     | <i>Pachypodium ambongense</i>       | live                   | 3000     |      | NL       | ZA       |        | T       | A      |
|          | 1    | A     | <i>Pachypodium baronii</i>          | live                   | 117      |      | DE       | CH       |        | T       | A      |
|          | 1    | A     | <i>Pachypodium baronii</i>          | live                   | 90       |      | GB       | CH       |        | T       | A      |
|          | 1    | A     | <i>Pachypodium baronii</i>          | live                   | 3000     |      | NL       | ZA       |        | T       | A      |
|          | 1    | A     | <i>Pachypodium decaryi</i>          | live                   | 3000     |      | NL       | ZA       |        | T       | A      |
|          | 1    | A     | <i>Ariocarpus spp.</i>              | seeds                  | 520      |      | IT       | US       |        | P       | A      |
|          | 1    | A     | <i>Ariocarpus agavooides</i>        | live                   | 100      |      | DE       | CZ       |        | T       | A      |
|          | 1    | A     | <i>Ariocarpus agavooides</i>        | live                   | 13       |      | DE       | ZA       |        | T       | A      |
|          | 1    | A     | <i>Ariocarpus agavooides</i>        | seeds                  | 5        |      | DE       | US       |        | B       | D      |
|          | 1    | A     | <i>Ariocarpus agavooides</i>        | seeds                  | 30       |      | DE       | US       |        | T       | D      |
|          | 1    | A     | <i>Ariocarpus agavooides</i>        | seeds                  | 5        |      | GB       | US       |        | P       | A      |
|          | 1    | A     | <i>Ariocarpus fissuratus</i>        | live                   | 100      |      | DE       | CZ       |        | T       | A      |
|          | 1    | A     | <i>Ariocarpus fissuratus</i>        | live                   | 100      |      | DE       | CZ       |        | T       | D      |
|          | 1    | A     | <i>Ariocarpus fissuratus</i>        | live                   | 5        |      | DE       | ZA       |        | T       | A      |
|          | 1    | A     | <i>Ariocarpus fissuratus</i>        | live                   | 3        |      | GB       | MT       |        | P       | D      |
|          | 1    | A     | <i>Ariocarpus fissuratus</i>        | live                   | 3        |      | NL       | CZ       |        | T       | D      |
|          | 1    | A     | <i>Ariocarpus fissuratus</i>        | seeds                  | 40       |      | DE       | US       |        | P       | D      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon   | Term  | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---|-------|----------|------|----------|----------|--------|---------|--------|
| 1        | A    |       | <i>Ariocarpus fissuratus</i>                    | seeds | 120      |      | DE       | US       |        | B       | D      |
| 1        | A    |       | <i>Ariocarpus fissuratus</i>                    | seeds | 360      |      | DE       | US       |        | T       | D      |
| 1        | A    |       | <i>Ariocarpus fissuratus</i>                    | seeds | 10       |      | GB       | US       |        | P       | A      |
| 1        | A    |       | <i>Ariocarpus kotschoubeyanus</i>               | live  | 250      |      | DE       | CZ       |        | T       | A      |
| 1        | A    |       | <i>Ariocarpus kotschoubeyanus</i>               | live  | 10       |      | DE       | ZA       |        | T       | A      |
| 1        | A    |       | <i>Ariocarpus kotschoubeyanus</i>               | live  | 1        |      | IT       | US       |        | P       | A      |
| 1        | A    |       | <i>Ariocarpus kotschoubeyanus</i>               | live  | 6        |      | NL       | CZ       |        | T       | D      |
| 1        | A    |       | <i>Ariocarpus kotschoubeyanus</i>               | seeds | 140      |      | DE       | US       |        | B       | D      |
| 1        | A    |       | <i>Ariocarpus kotschoubeyanus</i>               | seeds | 320      |      | DE       | US       |        | T       | D      |
| 1        | A    |       | <i>Ariocarpus kotschoubeyanus</i>               | seeds | 30       |      | GB       | US       |        | P       | A      |
| 1        | A    |       | <i>Ariocarpus kotschoubeyanus</i>               | seeds | 100      |      | DE       | CZ       |        | T       | A      |
| 1        | A    |       | <i>Ariocarpus retusus</i>                       | live  | 400      |      | DE       | CZ       |        | T       | D      |
| 1        | A    |       | <i>Ariocarpus retusus</i>                       | live  | 57       |      | DE       | ZA       |        | T       | A      |
| 1        | A    |       | <i>Ariocarpus retusus</i>                       | live  | 8        |      | GB       | MT       |        | P       | D      |
| 1        | A    |       | <i>Ariocarpus retusus</i>                       | live  | 6        |      | NL       | CZ       |        | T       | D      |
| 1        | A    |       | <i>Ariocarpus retusus</i>                       | seeds | 90       |      | DE       | US       |        | P       | D      |
| 1        | A    |       | <i>Ariocarpus retusus</i>                       | seeds | 100      |      | DE       | US       |        | B       | D      |
| 1        | A    |       | <i>Ariocarpus retusus</i>                       | seeds | 1400     |      | DE       | US       |        | T       | D      |
| 1        | A    |       | <i>Ariocarpus retusus</i>                       | seeds | 50       |      | GB       | US       |        | P       | A      |
| 1        | A    |       | <i>Ariocarpus retusus</i> ssp. <i>trigonous</i> | live  | 145      |      | DE       | CZ       |        | T       | A      |
| 1        | A    |       | <i>Ariocarpus retusus</i> ssp. <i>trigonous</i> | live  | 5        |      | DE       | ZA       |        | T       | A      |
| 1        | A    |       | <i>Ariocarpus retusus</i> ssp. <i>trigonous</i> | seeds | 20       |      | DE       | US       |        | B       | D      |
| 1        | A    |       | <i>Ariocarpus retusus</i> ssp. <i>trigonous</i> | seeds | 140      |      | DE       | US       |        | T       | D      |
| 1        | A    |       | <i>Ariocarpus retusus</i> ssp. <i>trigonous</i> | seeds | 30       |      | GB       | US       |        | P       | A      |
| 1        | A    |       | <i>Astrophytum asterias</i>                     | live  | 3        |      | DE       | MC       | DE     | T       | D      |
| 1        | A    |       | <i>Astrophytum asterias</i>                     | live  | 36       |      | DE       | US       |        | T       | D      |
| 1        | A    |       | <i>Astrophytum asterias</i>                     | live  | 6        |      | IT       | MT       |        | P       | A      |
| 1        | A    |       | <i>Astrophytum asterias</i>                     | live  | 3        |      | NL       | CZ       |        | T       | D      |
| 1        | A    |       | <i>Astrophytum asterias</i>                     | seeds | 40       |      | DE       | US       |        | T       | D      |
| 1        | A    |       | <i>Astrophytum asterias</i>                     | seeds | 220      |      | DE       | US       |        | B       | D      |
| 1        | A    |       | <i>Astrophytum asterias</i>                     | seeds | 10       |      | IT       | MT       |        | P       | A      |
| 1        | A    |       | <i>Astrophytum asterias</i>                     | seeds | 120      |      | IT       | US       |        | P       | A      |
| 1        | A    |       | <i>Aztekium ritteri</i>                         | live  | 4        |      | DE       | MC       | DE     | T       | D      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon   | Term  | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---|-------|----------|------|----------|----------|--------|---------|--------|
|          | 1    | A     | <i>Coryphantha werdermannii</i>                   | live  | 60       |      | DE       | CZ       |        | T       | A      |
|          | 1    | A     | <i>Discocactus spp.</i>                           | live  | 2        |      | IT       | MT       |        | P       | A      |
|          | 1    | A     | <i>Discocactus spp.</i>                           | seeds | 200      |      | IT       | US       |        | P       | A      |
|          | 1    | A     | <i>Discocactus bahiensis</i>                      | live  | 4        |      | DE       | MC       | DE     | T       | D      |
|          | 1    | A     | <i>Discocactus heptacanthus ssp. catingicola</i>  | live  | 4        |      | DE       | MC       | DE     | T       | D      |
|          | 1    | A     | <i>Discocactus heptacanthus ssp. heptacanthus</i> | live  | 4        |      | DE       | MC       | DE     | T       | D      |
|          | 1    | A     | <i>Discocactus heptacanthus ssp. heptacanthus</i> | live  | 4        |      | DE       | MC       | DE     | T       | D      |
|          | 1    | A     | <i>Discocactus heptacanthus ssp. heptacanthus</i> | live  | 4        |      | DE       | MC       | DE     | T       | D      |
|          | 1    | A     | <i>Discocactus heptacanthus ssp. magnimammus</i>  | seeds | 100      |      | DE       | US       |        | B       | D      |
|          | 1    | A     | <i>Discocactus horstii</i>                        | seeds | 10       |      | GB       | US       |        | B       | D      |
|          | 1    | A     | <i>Discocactus placentiformis</i>                 | live  | 8        |      | DE       | MC       | DE     | T       | D      |
|          | 1    | A     | <i>Discocactus placentiformis</i>                 | live  | 50       |      | DE       | US       |        | T       | D      |
|          | 1    | A     | <i>Discocactus zehntneri</i>                      | live  | 7        |      | DE       | MC       | DE     | T       | D      |
|          | 1    | A     | <i>Discocactus zehntneri ssp. boomianus</i>       | live  | 250      |      | DE       | US       |        | T       | D      |
|          | 1    | A     | <i>Discocactus zehntneri ssp. boomianus</i>       | live  | 10       |      | GB       | US       |        | B       | D      |
|          | 1    | A     | <i>Discocactus zehntneri ssp. boomianus</i>       | seeds | 20       |      | DE       | US       |        | B       | D      |
|          | 1    | A     | <i>Echinocereus ferreirianus</i>                  | seeds | 10       |      | IT       | US       |        | P       | A      |
|          | 1    | A     | <i>Echinocereus ferreirianus spp. lindsayi</i>    | live  | 50       |      | DE       | CZ       |        | T       | A      |
|          | 1    | A     | <i>Echinocereus ferreirianus spp. lindsayi</i>    | live  | 6        |      | DE       | MC       | DE     | T       | D      |
|          | 1    | A     | <i>Echinocereus schmollii</i>                     | live  | 9        |      | GB       | US       |        | P       | A      |
|          | 1    | A     | <i>Echinocereus schmollii</i>                     | seeds | 1000     |      | DE       | US       |        | T       | D      |
|          | 1    | A     | <i>Echinocereus schmollii</i>                     | seeds | 100      |      | IT       | US       |        | P       | A      |
|          | 1    | A     | <i>Escobaria minima</i>                           | live  | 2        |      | DE       | MC       | DE     | T       | D      |
|          | 1    | A     | <i>Escobaria sneedii</i>                          | live  | 6        |      | DE       | MC       | DE     | T       | D      |
|          | 1    | A     | <i>Escobaria sneedii</i>                          | seeds | 20       |      | DE       | US       |        | B       | D      |
|          | 1    | A     | <i>Mammillaria pectinifera</i>                    | live  | 50       |      | DE       | CZ       |        | T       | A      |
|          | 1    | A     | <i>Mammillaria pectinifera</i>                    | live  | 3        |      | DE       | MC       | DE     | T       | D      |
|          | 1    | A     | <i>Mammillaria pectinifera</i>                    | live  | 3        |      | NL       | CZ       |        | T       | D      |
|          | 1    | A     | <i>Mammillaria pectinifera</i>                    | seeds | 20       |      | DE       | US       |        | B       | D      |
|          | 1    | A     | <i>Mammillaria solisioides</i>                    | live  | 30       |      | DE       | CZ       |        | T       | A      |
|          | 1    | A     | <i>Mammillaria solisioides</i>                    | live  | 1        |      | DE       | MC       | DE     | T       | D      |
|          | 1    | A     | <i>Mammillaria solisioides</i>                    | live  | 144      |      | DE       | US       |        | T       | D      |
|          | 1    | A     | <i>Obregonia denegrii</i>                         | live  | 140      |      | DE       | CZ       |        | T       | A      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon  | Term  | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--|-------|----------|------|----------|----------|--------|---------|--------|
| 1        | A    |       | <i>Obregonia denegrii</i>                              | live  | 200      |      | DE       | CZ       |        | T       | D      |
| 1        | A    |       | <i>Obregonia denegrii</i>                              | seeds | 20       |      | DE       | US       |        | B       | D      |
| 1        | A    |       | <i>Obregonia denegrii</i>                              | seeds | 110      |      | IT       | US       |        | P       | A      |
| 1        | A    |       | <i>Pediocactus spp.</i>                                | seeds | 65       |      | IT       | US       |        | P       | A      |
| 1        | A    |       | <i>Pediocactus bradyi</i>                              | seeds | 20       |      | DE       | US       |        | T       | D      |
| 1        | A    |       | <i>Pediocactus bradyi</i> ssp. <i>despainii</i>        | live  | 10       |      | DE       | CZ       |        | T       | A      |
| 1        | A    |       | <i>Pediocactus bradyi</i> ssp. <i>winkleri</i>         | live  | 10       |      | DE       | CZ       |        | T       | A      |
| 1        | A    |       | <i>Pediocactus knowltonii</i>                          | live  | 10       |      | DE       | CZ       |        | T       | A      |
| 1        | A    |       | <i>Pediocactus paradinei</i>                           | live  | 10       |      | DE       | CZ       |        | T       | A      |
| 1        | A    |       | <i>Pediocactus paradinei</i>                           | seeds | 10       |      | DE       | US       |        | B       | D      |
| 1        | A    |       | <i>Pediocactus peeblesianus</i>                        | live  | 90       |      | DE       | CZ       |        | T       | A      |
| 1        | A    |       | <i>Pediocactus peeblesianus</i>                        | live  | 6        |      | DE       | MC       | DE     | T       | D      |
| 1        | A    |       | <i>Pediocactus sileri</i>                              | live  | 20       |      | DE       | CZ       |        | T       | A      |
| 1        | A    |       | <i>Pelecyphora aselliformis</i>                        | live  | 3        |      | NL       | CZ       |        | T       | D      |
| 1        | A    |       | <i>Pelecyphora aselliformis</i>                        | seeds | 10       |      | DE       | US       |        | B       | D      |
| 1        | A    |       | <i>Pelecyphora strobiliformis</i>                      | live  | 1        |      | IT       | US       |        | P       | A      |
| 1        | A    |       | <i>Pelecyphora strobiliformis</i>                      | live  | 3        |      | NL       | CZ       |        | T       | D      |
| 1        | A    |       | <i>Pelecyphora strobiliformis</i>                      | seeds | 10       |      | DE       | US       |        | T       | D      |
| 1        | A    |       | <i>Pelecyphora strobiliformis</i>                      | seeds | 30       |      | DE       | US       |        | B       | D      |
| 1        | A    |       | <i>Pelecyphora strobiliformis</i>                      | seeds | 100      |      | IT       | US       |        | P       | A      |
| 1        | A    |       | <i>Sclerocactus brevihamatus</i>                       | seeds | 10       |      | DE       | US       |        | B       | D      |
| 1        | A    |       | <i>Sclerocactus brevihamatus</i>                       | seeds | 20       |      | DE       | US       |        | T       | D      |
| 1        | A    |       | <i>Sclerocactus brevihamatus</i>                       | seeds | 20       |      | IT       | US       |        | P       | A      |
| 1        | A    |       | <i>Sclerocactus brevihamatus</i> ssp. <i>tobuschii</i> | seeds | 20       |      | DE       | US       |        | B       | D      |
| 1        | A    |       | <i>Sclerocactus brevihamatus</i> ssp. <i>tobuschii</i> | seeds | 1000     |      | DE       | US       |        | T       | D      |
| 1        | A    |       | <i>Sclerocactus erectocentrus</i>                      | live  | 6        |      | DE       | MC       | DE     | T       | D      |
| 1        | A    |       | <i>Sclerocactus glaucus</i>                            | seeds | 10       |      | GB       | US       |        | B       | D      |
| 1        | A    |       | <i>Sclerocactus mariposensis</i>                       | seeds | 10       |      | DE       | US       |        | B       | D      |
| 1        | A    |       | <i>Sclerocactus papyracanthus</i>                      | live  | 90       |      | DE       | CZ       |        | T       | A      |
| 1        | A    |       | <i>Sclerocactus papyracanthus</i>                      | live  | 3        |      | DE       | MC       | DE     | T       | D      |
| 1        | A    |       | <i>Sclerocactus papyracanthus</i>                      | seeds | 40       |      | DE       | US       |        | B       | D      |
| 1        | A    |       | <i>Sclerocactus warnockii</i>                          | live  | 4        |      | DE       | MC       | DE     | T       | D      |
| 1        | A    |       | <i>Sclerocactus warnockii</i>                          | seeds | 1000     |      | DE       | US       |        | T       | D      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon   | Term  | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---|-------|----------|------|----------|----------|--------|---------|--------|
|          | 1    | A     | <i>Strombocactus disciformis</i>                              | live  | 100      |      | DE       | CZ       |        | T       | A      |
|          | 1    | A     | <i>Strombocactus disciformis</i>                              | seeds | 220      |      | DE       | US       |        | B       | D      |
|          | 1    | A     | <i>Turbinicarpus</i> spp.                                     | seeds | 550      |      | IT       | US       |        | P       | A      |
|          | 1    | A     | <i>Turbinicarpus gielsdorfianus</i>                           | live  | 4        |      | DE       | MC       | DE     | T       | D      |
|          | 1    | A     | <i>Turbinicarpus gielsdorfianus</i>                           | live  | 288      |      | DE       | US       |        | T       | D      |
|          | 1    | A     | <i>Turbinicarpus hoferi</i>                                   | live  | 100      |      | DE       | CZ       |        | T       | A      |
|          | 1    | A     | <i>Turbinicarpus hoferi</i>                                   | seeds | 100      |      | GB       | US       |        | E       | D      |
|          | 1    | A     | <i>Turbinicarpus horripilus</i>                               | live  | 4        |      | DE       | MC       | DE     | T       | D      |
|          | 1    | A     | <i>Turbinicarpus jauernigii</i>                               | live  | 250      |      | DE       | CZ       |        | T       | A      |
|          | 1    | A     | <i>Turbinicarpus knuthianus</i>                               | live  | 4        |      | DE       | MC       | DE     | T       | D      |
|          | 1    | A     | <i>Turbinicarpus laui</i>                                     | live  | 100      |      | DE       | CZ       |        | T       | A      |
|          | 1    | A     | <i>Turbinicarpus laui</i>                                     | seeds | 100      |      | GB       | US       |        | E       | D      |
|          | 1    | A     | <i>Turbinicarpus lophophoroides</i>                           | live  | 1        |      | IT       | US       |        | P       | A      |
|          | 1    | A     | <i>Turbinicarpus lophophoroides</i>                           | seeds | 100      |      | GB       | US       |        | E       | D      |
|          | 1    | A     | <i>Turbinicarpus pseudomacrochele</i>                         | live  | 90       |      | DE       | CZ       |        | T       | A      |
|          | 1    | A     | <i>Turbinicarpus pseudomacrochele</i>                         | live  | 100      |      | DE       | CZ       |        | T       | A      |
|          | 1    | A     | <i>Turbinicarpus pseudomacrochele</i>                         | live  | 5        |      | DE       | MC       | DE     | T       | D      |
|          | 1    | A     | <i>Turbinicarpus pseudomacrochele</i>                         | live  | 7        |      | DE       | MC       | DE     | T       | D      |
|          | 1    | A     | <i>Turbinicarpus pseudomacrochele</i>                         | seeds | 10       |      | DE       | US       |        | B       | D      |
|          | 1    | A     | <i>Turbinicarpus pseudomacrochele</i>                         | seeds | 100      |      | GB       | US       |        | E       | D      |
|          | 1    | A     | <i>Turbinicarpus pseudopectinatus</i>                         | live  | 5        |      | DE       | MC       | DE     | T       | D      |
|          | 1    | A     | <i>Turbinicarpus pseudopectinatus</i>                         | seeds | 20       |      | DE       | US       |        | B       | D      |
|          | 1    | A     | <i>Turbinicarpus pseudopectinatus</i>                         | seeds | 100      |      | GB       | US       |        | E       | D      |
|          | 1    | A     | <i>Turbinicarpus roseiflorus</i>                              | live  | 30       |      | DE       | CZ       |        | T       | A      |
|          | 1    | A     | <i>Turbinicarpus roseiflorus</i>                              | live  | 3        |      | DE       | MC       | DE     | T       | D      |
|          | 1    | A     | <i>Turbinicarpus schmiedickeanus</i>                          | live  | 70       |      | DE       | CZ       |        | T       | A      |
|          | 1    | A     | <i>Turbinicarpus schmiedickeanus</i>                          | live  | 4        |      | DE       | MC       | DE     | T       | D      |
|          | 1    | A     | <i>Turbinicarpus schmiedickeanus</i>                          | seeds | 100      |      | GB       | US       |        | E       | D      |
|          | 1    | A     | <i>Turbinicarpus schmiedickeanus</i> ssp. <i>flaviflorus</i>  | live  | 3        |      | DE       | MC       | DE     | T       | D      |
|          | 1    | A     | <i>Turbinicarpus schmiedickeanus</i> ssp. <i>flaviflorus</i>  | seeds | 5040     |      | DE       | US       |        | T       | D      |
|          | 1    | A     | <i>Turbinicarpus schmiedickeanus</i> ssp. <i>flaviflorus</i>  | seeds | 100      |      | GB       | US       |        | E       | D      |
|          | 1    | A     | <i>Turbinicarpus schmiedickeanus</i> ssp. <i>gracilis</i>     | seeds | 200      |      | GB       | US       |        | E       | D      |
|          | 1    | A     | <i>Turbinicarpus schmiedickeanus</i> ssp. <i>klinkerianus</i> | live  | 200      |      | DE       | CZ       |        | T       | D      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon   | Term          | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---|---------------|----------|------|----------|----------|--------|---------|--------|
|          | 1    | A     | <i>Turbinicarpus schmiedickeanus</i> ssp. <i>klinkerianus</i> | live          | 3        |      | DE       | MC       | DE     | T       | D      |
|          | 1    | A     | <i>Turbinicarpus schmiedickeanus</i> ssp. <i>klinkerianus</i> | seeds         | 100      |      | GB       | US       | E      |         | D      |
|          | 1    | A     | <i>Turbinicarpus schmiedickeanus</i> ssp. <i>macrochele</i>   | seeds         | 100      |      | GB       | US       | E      |         | D      |
|          | 1    | A     | <i>Turbinicarpus schmiedickeanus</i> ssp. <i>schwarzii</i>    | live          | 4        |      | DE       | MC       | DE     | T       | D      |
|          | 1    | A     | <i>Turbinicarpus schmiedickeanus</i> ssp. <i>schwarzii</i>    | seeds         | 100      |      | GB       | US       | E      |         | D      |
|          | 1    | A     | <i>Turbinicarpus subterraneus</i>                             | live          | 200      |      | DE       | CZ       | T      |         | D      |
|          | 1    | A     | <i>Turbinicarpus swobodae</i>                                 | live          | 2        |      | DE       | MC       | DE     | T       | D      |
|          | 1    | A     | <i>Turbinicarpus swobodae</i>                                 | seeds         | 100      |      | GB       | US       | E      |         | D      |
|          | 1    | A     | <i>Turbinicarpus valdezianus</i>                              | live          | 7        |      | DE       | MC       | DE     | T       | D      |
|          | 1    | A     | <i>Turbinicarpus valdezianus</i>                              | live          | 3        |      | NL       | CZ       | T      |         | D      |
|          | 1    | A     | <i>Turbinicarpus valdezianus</i>                              | seeds         | 100      |      | GB       | US       | E      |         | D      |
|          | 1    | A     | <i>Turbinicarpus viereckii</i>                                | live          | 4        |      | DE       | MC       | DE     | T       | D      |
|          | 1    | A     | <i>Uebelmannia buiningii</i>                                  | live          | 200      |      | DE       | US       | T      |         | D      |
|          | 1    | A     | <i>Uebelmannia gummifera</i>                                  | seeds         | 110      |      | DE       | US       | B      |         | D      |
|          | 1    | A     | <i>Uebelmannia pectinifera</i>                                | live          | 2        |      | DE       | MC       | DE     | T       | D      |
|          | 1    | A     | <i>Uebelmannia pectinifera</i>                                | live          | 208      |      | DE       | US       | T      |         | D      |
|          | 1    | A     | <i>Uebelmannia pectinifera</i>                                | seeds         | 200      |      | DE       | US       | B      |         | D      |
|          | 1    | A     | <i>Uebelmannia pectinifera</i> ssp. <i>flavispina</i>         | seeds         | 100      |      | DE       | US       | B      |         | D      |
|          | 1    | A     | <i>Saussurea</i> spp.   | roots         | 43 kg    |      | GB       | CN       | I      |         |        |
|          | 1    | A     | <i>Saussurea costus</i>                                       | derivatives   | 54       |      | GB       | TH       | I      |         |        |
|          | 1    | A     | <i>Saussurea costus</i>                                       | derivatives   | 1        |      | GB       | XX       | I      |         |        |
|          | 1    | A     | <i>Saussurea costus</i>                                       | derivatives   | 192      |      | NL       | CN       | I      |         |        |
|          | 1    | A     | <i>Saussurea costus</i>                                       | extract       | 5000 kg  |      | FR       | IN       | T      | A       |        |
|          | 1    | A     | <i>Saussurea costus</i>                                       | roots         | 50       |      | AT       | CN       | T      | A       |        |
|          | 1    | A     | <i>Saussurea costus</i>                                       | roots         | 5000 kg  |      | FR       | IN       | T      | A       |        |
|          | 1    | A     | <i>Fitzroya cupressoides</i>                                  | live          | 10       |      | NL       | AU       | G      | A       |        |
|          | 1    | A     | <i>Fitzroya cupressoides</i>                                  | timber pieces | 3        |      | ES       | AR       | S      | W       |        |
|          | 1    | A     | <i>Fitzroya cupressoides</i>                                  | timber pieces | 2        |      | ES       | CL       | S      | W       |        |
|          | 1    | A     | <i>Pilgerodendron uviferum</i>                                | live          | 10       |      | NL       | AU       | G      | A       |        |
|          | 1    | A     | <i>Pilgerodendron uviferum</i>                                | timber pieces | 3        |      | ES       | AR       | S      | W       |        |
|          | 1    | A     | <i>Pilgerodendron uviferum</i>                                | timber pieces | 3        |      | ES       | CL       | S      | W       |        |
|          | 1    | A     | <i>Euphorbia capsaintemariensis</i>                           | live          | 40       |      | GB       | US       | B      | D       |        |
|          | 1    | A     | <i>Euphorbia cylindrifolia</i>                                | live          | 115      |      | DE       | US       | T      | A       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex                            | Taxon | Term     | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|----------------------------------|-------|----------|----------|------|----------|----------|--------|---------|--------|
| 1        | A    | Euphorbia cylindrifolia          |       | live     | 2        |      | IT       | ZA       |        | P       | A      |
| 1        | A    | Euphorbia decaryi                |       | live     | 219      |      | DE       | US       |        | T       | D      |
| 1        | A    | Euphorbia decaryi                |       | live     | 3        |      | DE       | ZA       |        | T       | A      |
| 1        | A    | Euphorbia decaryi                |       | live     | 30       |      | GB       | US       |        | B       | D      |
| 1        | A    | Fouquieria fasciculata           |       | live     | 2        |      | DE       | MC       | DE     | T       | A      |
| 1        | A    | Fouquieria purpusii              |       | live     | 1        |      | BE       | US       |        | P       | I      |
| 1        | A    | Dalbergia nigra                  |       | carvings | 3        |      | GB       | CH       | XX     | T       | O      |
| 1        | A    | Dalbergia nigra                  |       | carvings | 1        |      | GB       | US       | XX     | P       | O      |
| 1        | A    | Aloe bellatula                   |       | live     | 4        |      | DE       | MC       | DE     | T       | D      |
| 1        | A    | Aloe compressa var. rugosquamosa |       | live     | 7        |      | GB       | US       |        | P       | A      |
| 1        | A    | Aloe descoingsii                 |       | live     | 3        |      | DE       | MC       | DE     | T       | D      |
| 1        | A    | Aloe descoingsii                 |       | live     | 50       |      | GB       | CH       |        | T       | A      |
| 1        | A    | Aloe fragilis                    |       | live     | 3        |      | DE       | MC       | DE     | T       | D      |
| 1        | A    | Aloe fragilis                    |       | live     | 5        |      | GB       | US       |        | T       | A      |
| 1        | A    | Aloe laeta                       |       | live     | 20       |      | DE       | US       |        | T       | A      |
| 1        | A    | Aloe laeta                       |       | live     | 9        |      | GB       | US       |        | P       | A      |
| 1        | A    | Aloe parvula                     |       | live     | 2        |      | DE       | MC       | DE     | T       | D      |
| 1        | A    | Aloe rauhii                      |       | live     | 3        |      | DE       | MC       | DE     | T       | D      |
| 1        | A    | Aloe suzannae                    |       | live     | 1        |      | FR       | MC       | XX     | Q       | U      |
| 1        | A    | Cattleya trianaei                |       | live     | 23       |      | DE       | BR       |        | T       | A      |
| 1        | A    | Cattleya trianaei                |       | live     | 2        |      | DE       | CO       |        | T       | A      |
| 1        | A    | Cattleya trianaei                |       | live     | 2        |      | DE       | EC       |        | T       | A      |
| 1        | A    | Cattleya trianaei                |       | live     | 6        |      | GB       | BR       |        | T       | A      |
| 1        | A    | Dendrobium cruentum              |       | live     | 120      |      | DE       | TH       |        | T       | A      |
| 1        | A    | Dendrobium cruentum              |       | live     | 20       |      | GB       | TH       |        | T       | D      |
| 1        | A    | Laelia jongheana                 |       | live     | 13       |      | DE       | BR       |        | T       | A      |
| 1        | A    | Laelia jongheana                 |       | live     | 5        |      | FR       | BR       |        | B       | A      |
| 1        | A    | Laelia jongheana                 |       | live     | 3        |      | GB       | NZ       |        | T       | A      |
| 1        | A    | Laelia jongheana                 |       | live     | 5        |      | GB       | NZ       |        | T       | D      |
| 1        | A    | Laelia lobata                    |       | live     | 2        |      | DE       | BR       |        | T       | A      |
| 1        | A    | Laelia lobata                    |       | live     | 2        |      | GB       | BR       |        | P       | A      |
| 1        | A    | Paphiopedilum spp.               |       | live     | 1        |      | BE       | TH       |        | P       | I      |
| 1        | A    | Paphiopedilum spp.               |       | live     | 16       |      | BE       | TH       |        | T       | I      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex                        | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|------------------------------|-------|------|----------|------|----------|----------|--------|---------|--------|
| 1        | A    | Paphiopedilum spp.           | live  | 2    |          |      | DE       | US       |        | T       | A      |
| 1        | A    | Paphiopedilum spp.           | live  | 35   |          |      | GB       | AU       |        | T       | A      |
| 1        | A    | Paphiopedilum spp.           | live  | 10   |          |      | GB       | NZ       |        | T       | A      |
| 1        | A    | Paphiopedilum spp.           | live  | 200  |          |      | GB       | TW       |        | T       | A      |
| 1        | A    | Paphiopedilum spp.           | live  | 4    |          |      | GB       | US       |        | P       | A      |
| 1        | A    | Paphiopedilum spp.           | live  | 75   |          |      | GB       | US       |        | T       | D      |
| 1        | A    | Paphiopedilum spp.           | live  | 817  |          |      | GB       | US       |        | T       | A      |
| 1        | A    | Paphiopedilum acmodontum     | live  | 1    |          |      | GB       | AU       |        | T       | A      |
| 1        | A    | Paphiopedilum acmodontum     | live  | 5    |          |      | GB       | NZ       |        | T       | A      |
| 1        | A    | Paphiopedilum acmodontum     | live  | 5    |          |      | GB       | NZ       |        | T       | D      |
| 1        | A    | Paphiopedilum appletonianum  | live  | 4    |          |      | GB       | AU       |        | T       | A      |
| 1        | A    | Paphiopedilum argus          | live  | 2    |          |      | GB       | AU       |        | T       | A      |
| 1        | A    | Paphiopedilum argus          | live  | 5    |          |      | GB       | NZ       |        | T       | A      |
| 1        | A    | Paphiopedilum argus          | live  | 5    |          |      | GB       | NZ       |        | T       | D      |
| 1        | A    | Paphiopedilum barbatum       | live  | 1    |          |      | GB       | AU       |        | T       | A      |
| 1        | A    | Paphiopedilum barbigerum     | live  | 5    |          |      | GB       | AU       |        | T       | A      |
| 1        | A    | Paphiopedilum bellatulum     | live  | 4    |          |      | GB       | AU       |        | T       | A      |
| 1        | A    | Paphiopedilum bellatulum     | live  | 5    |          |      | GB       | NZ       |        | T       | A      |
| 1        | A    | Paphiopedilum callosum       | live  | 2    |          |      | GB       | AU       |        | T       | A      |
| 1        | A    | Paphiopedilum callosum       | live  | 5    |          |      | GB       | NZ       |        | T       | A      |
| 1        | A    | Paphiopedilum callosum       | live  | 5    |          |      | GB       | NZ       |        | T       | D      |
| 1        | A    | Paphiopedilum charlesworthii | live  | 3    |          |      | BE       | TH       |        | T       | A      |
| 1        | A    | Paphiopedilum ciliolare      | live  | 5    |          |      | GB       | NZ       |        | T       | A      |
| 1        | A    | Paphiopedilum ciliolare      | live  | 5    |          |      | GB       | NZ       |        | T       | D      |
| 1        | A    | Paphiopedilum concolor       | live  | 1    |          |      | BE       | TH       |        | T       | I      |
| 1        | A    | Paphiopedilum concolor       | live  | 5    |          |      | BE       | TH       |        | T       | A      |
| 1        | A    | Paphiopedilum concolor       | live  | 2    |          |      | DE       | TH       |        | T       | A      |
| 1        | A    | Paphiopedilum concolor       | live  | 2    |          |      | GB       | AU       |        | T       | A      |
| 1        | A    | Paphiopedilum delenatii      | live  | 5    |          |      | GB       | NZ       |        | T       | A      |
| 1        | A    | Paphiopedilum delenatii      | live  | 5    |          |      | GB       | NZ       |        | T       | D      |
| 1        | A    | Paphiopedilum delenatii      | live  | 100  |          |      | NL       | US       |        | T       | A      |
| 1        | A    | Paphiopedilum dianthum       | live  | 4    |          |      | GB       | AU       |        | T       | A      |
| 1        | A    | Paphiopedilum dianthum       | live  | 5    |          |      | GB       | NZ       |        | T       | A      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon   | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---|------|----------|------|----------|----------|--------|---------|--------|
|          | 1    | A     | <i>Paphiopedilum dianthum</i>                               | live | 5        |      | GB       | NZ       |        | T       | D      |
|          | 1    | A     | <i>Paphiopedilum druryi</i>                                 | live | 3        |      | GB       | NZ       |        | T       | A      |
|          | 1    | A     | <i>Paphiopedilum druryi</i>                                 | live | 3        |      | GB       | NZ       |        | T       | D      |
|          | 1    | A     | <i>Paphiopedilum fairrieanum</i>                            | live | 12       |      | GB       | AU       |        | T       | A      |
|          | 1    | A     | <i>Paphiopedilum fairrieanum</i>                            | live | 10       |      | GB       | US       |        | T       | A      |
|          | 1    | A     | <i>Paphiopedilum fowliei</i>                                | live | 1        |      | GB       | AU       |        | T       | A      |
|          | 1    | A     | <i>Paphiopedilum glanduliferum</i>                          | live | 10       |      | GB       | NZ       |        | T       | D      |
|          | 1    | A     | <i>Paphiopedilum glanduliferum</i>                          | live | 100      |      | NL       | US       |        | T       | A      |
|          | 1    | A     | <i>Paphiopedilum glaucophyllum</i>                          | live | 4        |      | GB       | AU       |        | T       | A      |
|          | 1    | A     | <i>Paphiopedilum glaucophyllum</i>                          | live | 100      |      | NL       | US       |        | T       | A      |
|          | 1    | A     | <i>Paphiopedilum glaucophyllum</i> var. <i>moquetteanum</i> | live | 4        |      | GB       | AU       |        | T       | A      |
|          | 1    | A     | <i>Paphiopedilum godefroyae</i>                             | live | 5        |      | BE       | TH       |        | T       | A      |
|          | 1    | A     | <i>Paphiopedilum godefroyae</i>                             | live | 1        |      | DE       | TH       |        | T       | A      |
|          | 1    | A     | <i>Paphiopedilum gratrixianum</i>                           | live | 1        |      | FR       | TH       |        | B       | A      |
|          | 1    | A     | <i>Paphiopedilum gratrixianum</i>                           | live | 3        |      | GB       | AU       |        | T       | A      |
|          | 1    | A     | <i>Paphiopedilum gratrixianum</i>                           | live | 3        |      | GB       | NZ       |        | T       | A      |
|          | 1    | A     | <i>Paphiopedilum gratrixianum</i>                           | live | 3        |      | GB       | NZ       |        | T       | D      |
|          | 1    | A     | <i>Paphiopedilum haynaldianum</i>                           | live | 7        |      | GB       | AU       |        | T       | A      |
|          | 1    | A     | <i>Paphiopedilum henryanum</i>                              | live | 2        |      | GB       | AU       |        | T       | A      |
|          | 1    | A     | <i>Paphiopedilum henryanum</i>                              | live | 5        |      | GB       | NZ       |        | T       | A      |
|          | 1    | A     | <i>Paphiopedilum henryanum</i>                              | live | 5        |      | GB       | NZ       |        | T       | D      |
|          | 1    | A     | <i>Paphiopedilum hirsutissimum</i>                          | live | 1        |      | GB       | AU       |        | T       | A      |
|          | 1    | A     | <i>Paphiopedilum hirsutissimum</i>                          | live | 5        |      | GB       | NZ       |        | T       | A      |
|          | 1    | A     | <i>Paphiopedilum hirsutissimum</i>                          | live | 5        |      | GB       | NZ       |        | T       | D      |
|          | 1    | A     | <i>Paphiopedilum hirsutissimum</i>                          | live | 3        |      | GB       | US       |        | T       | A      |
|          | 1    | A     | <i>Paphiopedilum hirsutissimum</i> var. <i>esquirolei</i>   | live | 4        |      | GB       | AU       |        | T       | A      |
|          | 1    | A     | <i>Paphiopedilum hookerae</i>                               | live | 5        |      | GB       | NZ       |        | T       | A      |
|          | 1    | A     | <i>Paphiopedilum hookerae</i>                               | live | 5        |      | GB       | NZ       |        | T       | D      |
|          | 1    | A     | <i>Paphiopedilum hookerae</i>                               | live | 4        |      | GB       | US       |        | T       | A      |
|          | 1    | A     | <i>Paphiopedilum hookerae</i> var. <i>volonteanum</i>       | live | 10       |      | GB       | NZ       |        | T       | D      |
|          | 1    | A     | <i>Paphiopedilum insigne</i>                                | live | 1        |      | GB       | AU       |        | T       | A      |
|          | 1    | A     | <i>Paphiopedilum javanicum</i> var. <i>virens</i>           | live | 1        |      | GB       | AU       |        | T       | A      |
|          | 1    | A     | <i>Paphiopedilum javanicum</i> var. <i>virens</i>           | live | 6        |      | GB       | NZ       |        | T       | D      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon   | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---|------|----------|------|----------|----------|--------|---------|--------|
| 1        | 1    | A     | <i>Paphiopedilum kolopakingii</i>                         | live | 3        |      | GB       | NZ       |        | T       | A      |
| 1        | A    |       | <i>Paphiopedilum kolopakingii</i>                         | live | 13       |      | GB       | NZ       |        | T       | D      |
| 1        | A    |       | <i>Paphiopedilum liemianum</i>                            | live | 2        |      | GB       | AU       |        | T       | A      |
| 1        | A    |       | <i>Paphiopedilum lowii</i>                                | live | 4        |      | GB       | AU       |        | T       | A      |
| 1        | A    |       | <i>Paphiopedilum lowii</i>                                | live | 5        |      | GB       | NZ       |        | T       | A      |
| 1        | A    |       | <i>Paphiopedilum lowii</i>                                | live | 5        |      | GB       | NZ       |        | T       | D      |
| 1        | A    |       | <i>Paphiopedilum malipoense</i>                           | live | 2        |      | GB       | NZ       |        | T       | A      |
| 1        | A    |       | <i>Paphiopedilum malipoense</i>                           | live | 2        |      | GB       | NZ       |        | T       | D      |
| 1        | A    |       | <i>Paphiopedilum malipoense</i>                           | live | 10       |      | GB       | US       |        | T       | A      |
| 1        | A    |       | <i>Paphiopedilum micranthum</i>                           | live | 10       |      | BE       | TH       |        | T       | I      |
| 1        | A    |       | <i>Paphiopedilum micranthum</i>                           | live | 5        |      | GB       | NZ       |        | T       | A      |
| 1        | A    |       | <i>Paphiopedilum mohrianum</i>                            | live | 2        |      | GB       | AU       |        | T       | A      |
| 1        | A    |       | <i>Paphiopedilum niveum</i>                               | live | 1        |      | GB       | AU       |        | T       | A      |
| 1        | A    |       | <i>Paphiopedilum niveum</i>                               | live | 5        |      | GB       | NZ       |        | T       | D      |
| 1        | A    |       | <i>Paphiopedilum parishii</i>                             | live | 10       |      | GB       | NZ       |        | T       | D      |
| 1        | A    |       | <i>Paphiopedilum philippinense</i>                        | live | 2        |      | GB       | AU       |        | T       | A      |
| 1        | A    |       | <i>Paphiopedilum philippinense</i> var. <i>roebelenii</i> | live | 1        |      | GB       | AU       |        | T       | A      |
| 1        | A    |       | <i>Paphiopedilum primulinum</i>                           | live | 2        |      | GB       | AU       |        | T       | A      |
| 1        | A    |       | <i>Paphiopedilum primulinum</i> var. <i>purpurascens</i>  | live | 4        |      | GB       | AU       |        | T       | A      |
| 1        | A    |       | <i>Paphiopedilum randsii</i>                              | live | 1        |      | GB       | US       |        | P       | D      |
| 1        | A    |       | <i>Paphiopedilum rothschildianum</i>                      | live | 4        |      | GB       | NZ       |        | T       | D      |
| 1        | A    |       | <i>Paphiopedilum rothschildianum</i>                      | live | 5        |      | GB       | US       |        | T       | A      |
| 1        | A    |       | <i>Paphiopedilum sanderianum</i>                          | live | 10       |      | GB       | NZ       |        | T       | D      |
| 1        | A    |       | <i>Paphiopedilum spicerianum</i>                          | live | 1        |      | GB       | AU       |        | T       | A      |
| 1        | A    |       | <i>Paphiopedilum sukhakulii</i>                           | live | 7        |      | GB       | AU       |        | T       | A      |
| 1        | A    |       | <i>Paphiopedilum sukhakulii</i>                           | live | 5        |      | GB       | NZ       |        | T       | D      |
| 1        | A    |       | <i>Paphiopedilum supardii</i>                             | live | 10       |      | GB       | NZ       |        | T       | D      |
| 1        | A    |       | <i>Paphiopedilum superbriens</i>                          | live | 3        |      | GB       | AU       |        | T       | A      |
| 1        | A    |       | <i>Paphiopedilum superbriens</i>                          | live | 5        |      | GB       | US       |        | T       | A      |
| 1        | A    |       | <i>Paphiopedilum superbriens</i> var. <i>curtisii</i>     | live | 5        |      | GB       | NZ       |        | T       | A      |
| 1        | A    |       | <i>Paphiopedilum superbriens</i> var. <i>curtisii</i>     | live | 5        |      | GB       | NZ       |        | T       | D      |
| 1        | A    |       | <i>Paphiopedilum tonsum</i>                               | live | 5        |      | GB       | AU       |        | T       | A      |
| 1        | A    |       | <i>Paphiopedilum tonsum</i>                               | live | 12       |      | GB       | NZ       |        | T       | D      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                                | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| 1        | A    |       | <i>Paphiopedilum urbanianum</i>      | live | 3        |      | GB       | AU       |        | T       | A      |
| 1        | A    |       | <i>Paphiopedilum venustum</i>        | live | 6        |      | GB       | NZ       |        | T       | D      |
| 1        | A    |       | <i>Paphiopedilum venustum</i>        | live | 9        |      | GB       | US       |        | T       | A      |
| 1        | A    |       | <i>Paphiopedilum victoria-mariae</i> | live | 2        |      | GB       | AU       |        | T       | A      |
| 1        | A    |       | <i>Paphiopedilum victoria-regina</i> | live | 1        |      | NL       | US       |        | T       | A      |
| 1        | A    |       | <i>Paphiopedilum villosum</i>        | live | 6        |      | GB       | AU       |        | T       | A      |
| 1        | A    |       | <i>Paphiopedilum villosum</i>        | live | 6        |      | GB       | NZ       |        | T       | A      |
| 1        | A    |       | <i>Paphiopedilum wardii</i>          | live | 3        |      | GB       | AU       |        | T       | D      |
| 1        | A    |       | <i>Paphiopedilum wardii</i>          | live | 6        |      | GB       | NZ       |        | T       | A      |
| 1        | A    |       | <i>Peristeria elata</i>              | live | 6        |      | GB       | NZ       |        | T       | D      |
| 1        | A    |       | <i>Phragmipedium spp.</i>            | live | 4        |      | DE       | EC       |        | P       | A      |
| 1        | A    |       | <i>Phragmipedium spp.</i>            | live | 31       |      | DE       | EC       |        | T       | A      |
| 1        | A    |       | <i>Phragmipedium spp.</i>            | live | 20       |      | DE       | US       |        | T       | A      |
| 1        | A    |       | <i>Phragmipedium besseae</i>         | live | 172      |      | GB       | US       |        | T       | A      |
| 1        | A    |       | <i>Phragmipedium besseae</i>         | live | 1        |      | DE       | CO       |        | T       | A      |
| 1        | A    |       | <i>Phragmipedium besseae</i>         | live | 26       |      | DE       | EC       |        | T       | A      |
| 1        | A    |       | <i>Phragmipedium besseae</i>         | live | 10       |      | ES       | EC       |        | E       | A      |
| 1        | A    |       | <i>Phragmipedium besseae</i>         | live | 10       |      | GB       | NZ       |        | T       | D      |
| 1        | A    |       | <i>Phragmipedium caudatum</i>        | live | 35       |      | GB       | US       |        | T       | A      |
| 1        | A    |       | <i>Phragmipedium caudatum</i>        | live | 4        |      | DE       | EC       |        | P       | A      |
| 1        | A    |       | <i>Phragmipedium caudatum</i>        | live | 40       |      | DE       | EC       |        | T       | A      |
| 1        | A    |       | <i>Phragmipedium caudatum</i>        | live | 13       |      | ES       | EC       |        | E       | A      |
| 1        | A    |       | <i>Phragmipedium caudatum</i>        | live | 10       |      | GB       | US       |        | T       | A      |
| 1        | A    |       | <i>Phragmipedium hirtzii</i>         | live | 13       |      | DE       | EC       |        | T       | A      |
| 1        | A    |       | <i>Phragmipedium lindenii</i>        | live | 13       |      | DE       | EC       |        | T       | A      |
| 1        | A    |       | <i>Phragmipedium lindenii</i>        | live | 10       |      | ES       | EC       |        | E       | A      |
| 1        | A    |       | <i>Phragmipedium longifolium</i>     | live | 6        |      | DE       | EC       |        | T       | A      |
| 1        | A    |       | <i>Phragmipedium longifolium</i>     | live | 2        |      | ES       | EC       |        | E       | A      |
| 1        | A    |       | <i>Phragmipedium pearcei</i>         | live | 4        |      | DE       | EC       |        | T       | A      |
| 1        | A    |       | <i>Phragmipedium schlimii</i>        | live | 15       |      | GB       | US       |        | T       | A      |
| 1        | A    |       | <i>Phragmipedium wallisii</i>        | live | 10       |      | GB       | NZ       |        | T       | D      |
| 1        | A    |       | <i>Phragmipedium wallisii</i>        | live | 20       |      | GB       | US       |        | T       | A      |
| 1        | A    |       | <i>Renanthera imschootiana</i>       | live | 50       |      | DE       | TH       |        | T       | A      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                                    | Term          | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--|---------------|----------|------|----------|----------|--------|---------|--------|
| 1        | A    |       | <i>Renanthera imschootiana</i>           | live          | 100      |      | NL       | TH       |        | T       | A      |
| 1        | A    |       | <i>Vanda coerulea</i>                    | live          | 10       |      | GB       | NZ       |        | T       | D      |
| 1        | A    |       | <i>Vanda coerulea</i>                    | live          | 2        |      | GB       | TH       |        | P       | A      |
| 1        | A    |       | <i>Vanda coerulea</i>                    | live          | 20       |      | GB       | TH       |        | T       | A      |
| 1        | A    |       | <i>Podocarpus parlatorei</i>             | timber pieces | 3        |      | ES       | AR       |        | S       | W      |
| 1        | A    |       | <i>Stangeria eriopus</i>                 | live          | 1        |      | ES       | ZA       |        | T       | A      |
| 1        | A    |       | <i>Ceratozamia mexicana</i>              | live          | 2        |      | ES       | US       |        | T       | A      |
| 1        | A    |       | <i>Ceratozamia mexicana</i>              | live          | 4        |      | PT       | US       |        | T       | D      |
| 1        | A    |       | <i>Ceratozamia norstogii</i>             | live          | 10       |      | GB       | AU       |        | P       | A      |
| 1        | A    |       | <i>Encephalartos spp.</i>                | live          | 1        |      | DE       | ZA       |        | T       | A      |
| 1        | A    |       | <i>Encephalartos spp.</i>                | live          | 6        |      | ES       | ZA       |        | T       | A      |
| 1        | A    |       | <i>Encephalartos spp.</i>                | live          | 52       |      | ES       | ZA       | XX     | T       | I      |
| 1        | A    |       | <i>Encephalartos spp.</i>                | live          | 13       |      | NL       | ZA       |        | T       | A      |
| 1        | A    |       | <i>Encephalartos hybrid</i>              | live          | 28       |      | FR       | ZA       |        | T       | D      |
| 1        | A    |       | <i>Encephalartos aemulans</i>            | live          | 3        |      | ES       | ZA       |        | T       | A      |
| 1        | A    |       | <i>Encephalartos aemulans</i>            | live          | 5        |      | FR       | ZA       |        | T       | D      |
| 1        | A    |       | <i>Encephalartos altensteinii</i>        | live          | 2        |      | ES       | ZA       |        | T       | A      |
| 1        | A    |       | <i>Encephalartos altensteinii</i>        | live          | 5        |      | FR       | ZA       |        | T       | D      |
| 1        | A    |       | <i>Encephalartos altensteinii</i>        | live          | 1        |      | GB       | ZA       |        | P       | A      |
| 1        | A    |       | <i>Encephalartos arenarius</i>           | live          | 2        |      | DE       | ZA       |        | T       | A      |
| 1        | A    |       | <i>Encephalartos arenarius</i>           | live          | 8        |      | FR       | ZA       |        | T       | D      |
| 1        | A    |       | <i>Encephalartos caffer</i>              | live          | 5        |      | FR       | ZA       |        | T       | D      |
| 1        | A    |       | <i>Encephalartos cerinus</i>             | live          | 4        |      | FR       | ZA       |        | T       | D      |
| 1        | A    |       | <i>Encephalartos cycadifolius</i>        | live          | 1        |      | DE       | ZA       |        | T       | A      |
| 1        | A    |       | <i>Encephalartos cycadifolius</i>        | live          | 3        |      | ES       | ZA       |        | T       | A      |
| 1        | A    |       | <i>Encephalartos cycadifolius</i>        | live          | 5        |      | FR       | ZA       |        | T       | D      |
| 1        | A    |       | <i>Encephalartos dolomiticus</i>         | live          | 1        |      | DE       | ZA       |        | T       | A      |
| 1        | A    |       | <i>Encephalartos dyerianus</i>           | live          | 2        |      | DE       | ZA       |        | T       | A      |
| 1        | A    |       | <i>Encephalartos eugene-maraisii</i>     | live          | 4        |      | DE       | ZA       |        | T       | A      |
| 1        | A    |       | <i>Encephalartos eugene-maraisii</i>     | live          | 1        |      | ES       | ZA       |        | T       | A      |
| 1        | A    |       | <i>Encephalartos eugene-maraisii</i>     | live          | 5        |      | FR       | ZA       |        | T       | D      |
| 1        | A    |       | <i>Encephalartos ferox</i>               | live          | 1        |      | GB       | ZA       |        | P       | A      |
| 1        | A    |       | <i>Encephalartos friderici-guillelmi</i> | live          | 2        |      | DE       | ZA       |        | T       | A      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                                    | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--|------|----------|------|----------|----------|--------|---------|--------|
| 1        | A    |       | <i>Encephalartos friderici-guilielmi</i> | live | 3        |      | ES       | ZA       |        | T       | A      |
| 1        | A    |       | <i>Encephalartos friderici-guilielmi</i> | live | 5        |      | FR       | ZA       |        | T       | D      |
| 1        | A    |       | <i>Encephalartos friderici-guilielmi</i> | live | 1        |      | GB       | ZA       |        | P       | A      |
| 1        | A    |       | <i>Encephalartos ghellinckii</i>         | live | 4        |      | DE       | ZA       |        | T       | A      |
| 1        | A    |       | <i>Encephalartos ghellinckii</i>         | live | 3        |      | ES       | ZA       |        | T       | A      |
| 1        | A    |       | <i>Encephalartos ghellinckii</i>         | live | 5        |      | FR       | ZA       |        | T       | D      |
| 1        | A    |       | <i>Encephalartos gratus</i>              | live | 4        |      | ES       | ZA       |        | T       | A      |
| 1        | A    |       | <i>Encephalartos gratus</i>              | live | 10       |      | FR       | ZA       |        | T       | D      |
| 1        | A    |       | <i>Encephalartos heenanii</i>            | live | 1        |      | DE       | ZA       |        | T       | A      |
| 1        | A    |       | <i>Encephalartos hildebrandtii</i>       | live | 6        |      | ES       | ZA       |        | T       | A      |
| 1        | A    |       | <i>Encephalartos horridus</i>            | live | 1        |      | DE       | ZA       |        | T       | A      |
| 1        | A    |       | <i>Encephalartos horridus</i>            | live | 3        |      | ES       | ZA       |        | T       | A      |
| 1        | A    |       | <i>Encephalartos horridus</i>            | live | 1        |      | GB       | ZA       |        | P       | A      |
| 1        | A    |       | <i>Encephalartos inopinus</i>            | live | 2        |      | DE       | ZA       |        | T       | A      |
| 1        | A    |       | <i>Encephalartos kisambo</i>             | live | 4        |      | ES       | ZA       |        | T       | A      |
| 1        | A    |       | <i>Encephalartos laevifolius</i>         | live | 4        |      | DE       | ZA       |        | T       | A      |
| 1        | A    |       | <i>Encephalartos laevifolius</i>         | live | 2        |      | ES       | ZA       |        | T       | A      |
| 1        | A    |       | <i>Encephalartos lanatus</i>             | live | 2        |      | DE       | ZA       |        | T       | A      |
| 1        | A    |       | <i>Encephalartos lanatus</i>             | live | 6        |      | ES       | ZA       |        | T       | A      |
| 1        | A    |       | <i>Encephalartos lanatus</i>             | live | 1        |      | GB       | ZA       |        | P       | A      |
| 1        | A    |       | <i>Encephalartos latifrons</i>           | live | 2        |      | DE       | ZA       |        | T       | A      |
| 1        | A    |       | <i>Encephalartos lebomboensis</i>        | live | 2        |      | ES       | ZA       |        | T       | A      |
| 1        | A    |       | <i>Encephalartos lebomboensis</i>        | live | 1        |      | GB       | AU       |        | P       | A      |
| 1        | A    |       | <i>Encephalartos lehmannii</i>           | live | 3        |      | ES       | ZA       |        | T       | A      |
| 1        | A    |       | <i>Encephalartos lehmannii</i>           | live | 2        |      | FR       | ZA       |        | T       | D      |
| 1        | A    |       | <i>Encephalartos lehmannii</i>           | live | 1        |      | GB       | ZA       |        | P       | A      |
| 1        | A    |       | <i>Encephalartos longifolius</i>         | live | 2        |      | ES       | ZA       |        | T       | A      |
| 1        | A    |       | <i>Encephalartos longifolius</i>         | live | 10       |      | FR       | ZA       |        | T       | D      |
| 1        | A    |       | <i>Encephalartos longifolius</i>         | live | 1        |      | GB       | ZA       |        | P       | A      |
| 1        | A    |       | <i>Encephalartos manikensis</i>          | live | 2        |      | ES       | ZA       |        | T       | A      |
| 1        | A    |       | <i>Encephalartos middelburgensis</i>     | live | 2        |      | DE       | ZA       |        | T       | A      |
| 1        | A    |       | <i>Encephalartos middelburgensis</i>     | live | 1        |      | ES       | ZA       |        | T       | A      |
| 1        | A    |       | <i>Encephalartos middelburgensis</i>     | live | 5        |      | FR       | ZA       |        | T       | D      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                                | Term  | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------------|-------|----------|------|----------|----------|--------|---------|--------|
| 1        | A    |       | <i>Encephalartos natalensis</i>      | live  | 2        |      | ES       | ZA       |        | T       | A      |
| 1        | A    |       | <i>Encephalartos natalensis</i>      | live  | 5        |      | FR       | ZA       |        | T       | D      |
| 1        | A    |       | <i>Encephalartos natalensis</i>      | live  | 1        |      | GB       | ZA       |        | P       | A      |
| 1        | A    |       | <i>Encephalartos ngoyanus</i>        | live  | 2        |      | DE       | ZA       |        | T       | A      |
| 1        | A    |       | <i>Encephalartos ngoyanus</i>        | live  | 2        |      | ES       | ZA       |        | T       | A      |
| 1        | A    |       | <i>Encephalartos ngoyanus</i>        | live  | 10       |      | FR       | ZA       |        | T       | D      |
| 1        | A    |       | <i>Encephalartos paucidentatus</i>   | live  | 1        |      | DE       | ZA       |        | T       | A      |
| 1        | A    |       | <i>Encephalartos paucidentatus</i>   | live  | 2        |      | ES       | ZA       |        | T       | A      |
| 1        | A    |       | <i>Encephalartos paucidentatus</i>   | live  | 5        |      | FR       | ZA       |        | T       | D      |
| 1        | A    |       | <i>Encephalartos princeps</i>        | live  | 1        |      | GB       | ZA       |        | P       | A      |
| 1        | A    |       | <i>Encephalartos sclavoi</i>         | live  | 1        |      | ES       | ZA       |        | T       | A      |
| 1        | A    |       | <i>Encephalartos sentica</i>         | live  | 2        |      | ES       | ZA       |        | T       | A      |
| 1        | A    |       | <i>Encephalartos septentrionalis</i> | live  | 5        |      | GB       | AU       |        | P       | A      |
| 1        | A    |       | <i>Encephalartos transvenosus</i>    | live  | 2        |      | ES       | ZA       |        | T       | A      |
| 1        | A    |       | <i>Encephalartos transvenosus</i>    | live  | 5        |      | FR       | ZA       |        | T       | D      |
| 1        | A    |       | <i>Encephalartos trispinosus</i>     | live  | 2        |      | ES       | ZA       |        | T       | A      |
| 1        | A    |       | <i>Encephalartos trispinosus</i>     | live  | 5        |      | GB       | AU       |        | P       | A      |
| 1        | A    |       | <i>Encephalartos trispinosus</i>     | live  | 1        |      | GB       | ZA       |        | P       | A      |
| 1        | A    |       | <i>Encephalartos umbeluziensis</i>   | live  | 2        |      | ES       | ZA       |        | T       | A      |
| 1        | A    |       | <i>Encephalartos umbeluziensis</i>   | live  | 5        |      | FR       | ZA       |        | T       | D      |
| 1        | A    |       | <i>Encephalartos villosus</i>        | live  | 2        |      | ES       | ZA       |        | T       | A      |
| 1        | A    |       | <i>Encephalartos villosus</i>        | live  | 7        |      | GB       | AU       |        | P       | A      |
| 1        | A    |       | <i>Encephalartos villosus</i>        | live  | 1        |      | GB       | ZA       |        | P       | A      |
| 2        | B    |       | <i>Phalanger orientalis</i>          | live  | 18       |      | DE       | SB       |        | T       | W      |
| 2        | B    |       | <i>Phalanger orientalis</i>          | live  | 30       |      | NL       | SB       |        | T       | W      |
| 2        | B    |       | <i>Pteropus niger</i>                | live  | 7        |      | FR       | MU       |        | Z       | W      |
| 2        | B    |       | <i>Pteropus rufus</i>                | live  | 50       |      | BE       | MG       |        | T       | W      |
| 2        | B    |       | <i>Pteropus rufus</i>                | live  | 2        |      | ES       | MG       |        | T       | W      |
| 2        | B    |       | <i>Primates spp.</i>                 | heads | 1        |      | NL       | TG       |        | I       |        |
| 2        | B    |       | <i>Primates spp.</i>                 | live  | 1        |      | ES       | MA       | XX     | I       |        |
| 2        | B    |       | <i>Primates spp.</i>                 | live  | 1        |      | NL       | PE       |        | I       |        |
| 2        | B    |       | <i>Primates spp.</i>                 | live  | 1        |      | PT       | AO       |        | I       |        |
| 2        | B    |       | <i>Primates spp.</i>                 | live  | 6        |      | PT       | XX       |        | I       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex                | Taxon | Term        | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|----------------------|-------|-------------|----------|------|----------|----------|--------|---------|--------|
| 2        | B    | Primates spp.        |       | skulls      | 1        |      | NL       | CI       |        |         | I      |
| 2        | B    | Primates spp.        |       | skulls      | 1        |      | NL       | MW       |        |         | I      |
| 2        | B    | Primates spp.        |       | skulls      | 5        |      | NL       | PH       |        |         | I      |
| 2        | B    | Primates spp.        |       | specimens   | 64       |      | NL       | KE       |        | S       | C      |
| 2        | B    | Primates spp.        |       | tails       | 3        |      | DE       | VE       | XX     | Q       | W      |
| 2        | B    | Primates spp.        |       | trophies    | 34       |      | NL       | ZW       |        | H       | I      |
| 2        | B    | Primates spp.        |       | unspecified | 1        |      | NL       | CD       |        |         | I      |
| 2        | B    | Tupaia belangeri     |       | live        | 40       |      | ES       | CN       |        | T       | C      |
| 2        | B    | Galago spp.          |       | specimens   | 8        |      | DE       | US       |        | S       | F      |
| 2        | B    | Galago alleni        |       | trophies    | 1        |      | IT       | CH       |        | P       | O      |
| 2        | B    | Galago moholi        |       | hair        | 15       |      | GB       | ZA       |        | S       | W      |
| 2        | B    | Galago moholi        |       | specimens   | 90       |      | GB       | ZA       |        | S       | W      |
| 2        | B    | Galago senegalensis  |       | bodies      | 1        |      | NL       | ZA       |        | E       | W      |
| 2        | B    | Callithrix geoffroyi |       | live        | 1        |      | DE       | CH       |        | B       | C      |
| 2        | B    | Callithrix jacchus   |       | live        | 100      |      | DE       | ZA       |        | S       | C      |
| 2        | B    | Callithrix jacchus   |       | live        | 60       |      | FR       | BR       |        | M       | C      |
| 2        | B    | Callithrix jacchus   |       | live        | 30       |      | FR       | CH       |        | M       | C      |
| 2        | B    | Callithrix jacchus   |       | live        | 24       |      | GB       | ZA       |        | T       | C      |
| 2        | B    | Callithrix pygmaea   |       | live        | 1        |      | DE       | PL       | SE     | Z       | C      |
| 2        | B    | Callithrix pygmaea   |       | live        | 5        |      | FR       | CH       |        | Z       | C      |
| 2        | B    | Callithrix pygmaea   |       | live        | 1        |      | NL       | CH       |        | Z       | C      |
| 2        | B    | Saguinus fuscicollis |       | live        | 2        |      | PT       | BR       |        | Z       | C      |
| 2        | B    | Saguinus imperator   |       | live        | 1        |      | FR       | CH       |        | Z       | C      |
| 2        | B    | Saguinus labiatus    |       | specimens   | 700 ml   |      | GB       | US       | XX     | S       | O      |
| 2        | B    | Saguinus midas       |       | live        | 14       |      | ES       | GY       |        | Z       | W      |
| 2        | B    | Saguinus midas       |       | live        | 10       |      | GB       | SR       |        | B       | W      |
| 2        | B    | Saguinus midas       |       | live        | 4        |      | PT       | BR       |        | Z       | C      |
| 2        | B    | Saguinus mystax      |       | live        | 2        |      | PT       | BR       |        | Z       | C      |
| 2        | B    | Alouatta seniculus   |       | skulls      | 3        |      | DE       | VE       | XX     | Q       | W      |
| 2        | B    | Aotus lemurinus      |       | live        | 1        |      | GB       | CH       |        | B       | C      |
| 2        | B    | Aotus trivirgatus    |       | live        | 1        |      | DE       | HU       | CA     | Z       | C      |
| 2        | B    | Cebus albifrons      |       | live        | 1        |      | FR       | US       |        | B       | F      |
| 2        | B    | Cebus apella         |       | live        | 1        |      | GB       | SR       | P      | W       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                           | Term      | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Cebus apella</i>             | specimens | 2        |      | DE       | BR       |        | S       | C      |
|          | 2    | B     | <i>Cebus capucinus</i>          | teeth     | 1        |      | DE       | VE       | XX     | Q       | W      |
|          | 2    | B     | <i>Saimiri boliviensis</i>      | live      | 59       |      | FR       | US       |        | Z       | F      |
|          | 2    | B     | <i>Saimiri boliviensis</i>      | live      | 6        |      | GB       | US       |        | M       | F      |
|          | 2    | B     | <i>Saimiri sciureus</i>         | live      | 40       |      | ES       | GY       |        | T       | W      |
|          | 2    | B     | <i>Saimiri sciureus</i>         | live      | 1        |      | FR       | CH       |        | S       | C      |
|          | 2    | B     | <i>Saimiri sciureus</i>         | live      | 3        |      | FR       | CH       | GY     | S       | W      |
|          | 2    | B     | <i>Saimiri sciureus</i>         | teeth     | 2        |      | DE       | VE       | XX     | Q       | W      |
|          | 2    | B     | <i>Cercocebus agilis</i>        | live      | 1        |      | NL       | LV       | XX     | Z       | I      |
|          | 2    | B     | <i>Cercopithecus spp.</i>       | live      | 1        |      | PT       | XX       |        | I       | I      |
|          | 2    | B     | <i>Cercopithecus ascanius</i>   | live      | 1        |      | GB       | IL       |        | B       | C      |
|          | 2    | B     | <i>Cercopithecus ascanius</i>   | live      | 1        |      | PT       | XX       |        | I       | I      |
|          | 2    | B     | <i>Cercopithecus cephush</i>    | live      | 1        |      | FR       | GA       |        | B       | W      |
|          | 2    | B     | <i>Cercopithecus mona</i>       | live      | 3        |      | ES       | GH       |        | T       | W      |
|          | 2    | B     | <i>Cercopithecus petaurista</i> | live      | 1        |      | DE       | LV       |        | Z       | U      |
|          | 2    | B     | <i>Cercopithecus petaurista</i> | live      | 3        |      | ES       | GH       |        | T       | W      |
|          | 2    | B     | <i>Cercopithecus petaurista</i> | live      | 1        |      | GB       | XX       |        | I       | I      |
|          | 2    | B     | <i>Cercopithecus petaurista</i> | live      | 1        |      | GR       | BG       |        | Q       | F      |
|          | 2    | B     | <i>Chlorocebus aethiops</i>     | cultures  | 5        |      | IT       | US       |        | S       | F      |
|          | 2    | B     | <i>Chlorocebus aethiops</i>     | live      | 504      |      | BE       | BB       |        | M       | W      |
|          | 2    | B     | <i>Chlorocebus aethiops</i>     | live      | 54       |      | FR       | BB       |        | M       | W      |
|          | 2    | B     | <i>Chlorocebus aethiops</i>     | live      | 8        |      | FR       | CA       | BB     | M       | W      |
|          | 2    | B     | <i>Chlorocebus aethiops</i>     | live      | 15       |      | FR       | KN       |        | M       | C      |
|          | 2    | B     | <i>Chlorocebus aethiops</i>     | live      | 1        |      | FR       | RU       |        | Q       | C      |
|          | 2    | B     | <i>Chlorocebus aethiops</i>     | live      | 24       |      | IT       | BB       |        | S       | W      |
|          | 2    | B     | <i>Chlorocebus aethiops</i>     | live      | 20       |      | IT       | US       |        | S       | C      |
|          | 2    | B     | <i>Chlorocebus aethiops</i>     | live      | 3        |      | PT       | XX       |        | I       | I      |
|          | 2    | B     | <i>Chlorocebus aethiops</i>     | skins     | 3        |      | ES       | ZW       |        | H       | W      |
|          | 2    | B     | <i>Chlorocebus aethiops</i>     | skins     | 1        |      | FR       | ZA       |        | H       | W      |
|          | 2    | B     | <i>Chlorocebus aethiops</i>     | skulls    | 1        |      | DE       | ZA       |        | H       | W      |
|          | 2    | B     | <i>Chlorocebus aethiops</i>     | skulls    | 12       |      | ES       | ZW       |        | H       | W      |
|          | 2    | B     | <i>Chlorocebus aethiops</i>     | specimens | 1        |      | AT       | US       |        | M       | C      |
|          | 2    | B     | <i>Chlorocebus aethiops</i>     | specimens | 2        |      | AT       | US       |        | M       | F      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                | Term      | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------|-----------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | Chlorocebus aethiops | specimens | 192      |      | BE       | BB       | M      | W       |        |
|          | 2    | B     | Chlorocebus aethiops | specimens | 2        |      | BE       | US       | KN     | M       | W      |
|          | 2    | B     | Chlorocebus aethiops | specimens | 46       |      | BE       | US       | KN     | M       | C      |
|          | 2    | B     | Chlorocebus aethiops | specimens | 1        |      | DE       | CH       | US     | M       | O      |
|          | 2    | B     | Chlorocebus aethiops | specimens | 10 ml    |      | DE       | CH       | US     | M       | O      |
|          | 2    | B     | Chlorocebus aethiops | specimens | 2        |      | DE       | US       |        | S       | F      |
|          | 2    | B     | Chlorocebus aethiops | specimens | 8        |      | DE       | US       |        | M       | F      |
|          | 2    | B     | Chlorocebus aethiops | specimens | 1        |      | DK       | US       |        | M       | F      |
|          | 2    | B     | Chlorocebus aethiops | specimens | 1        |      | ES       | US       |        | S       | F      |
|          | 2    | B     | Chlorocebus aethiops | specimens | 9 kg     |      | FR       | US       |        | M       | F      |
|          | 2    | B     | Chlorocebus aethiops | specimens | 2        |      | GB       | XX       |        | I       | C      |
|          | 2    | B     | Chlorocebus aethiops | specimens | 1        |      | SE       | US       |        | S       | F      |
|          | 2    | B     | Chlorocebus aethiops | specimens | 1 flasks |      | SE       | US       |        | S       | F      |
|          | 2    | B     | Chlorocebus aethiops | trophies  | 4        |      | AT       | ZA       |        | P       | W      |
|          | 2    | B     | Chlorocebus aethiops | trophies  | 1        |      | AT       | ZW       |        | P       | W      |
|          | 2    | B     | Chlorocebus aethiops | trophies  | 7        |      | BE       | ZA       |        | H       | W      |
|          | 2    | B     | Chlorocebus aethiops | trophies  | 1        |      | DE       | ZA       |        | H       | W      |
|          | 2    | B     | Chlorocebus aethiops | trophies  | 2        |      | DK       | ZW       |        | H       | W      |
|          | 2    | B     | Chlorocebus aethiops | trophies  | 1        |      | FR       | ML       |        | H       | W      |
|          | 2    | B     | Colobus guereza      | trophies  | 1        |      | IT       | CH       | KE     | P       | O      |
|          | 2    | B     | Erythrocebus patas   | live      | 1        |      | GR       | BG       |        | Q       | F      |
|          | 2    | B     | Macaca spp.          | live      | 3        |      | ES       | MA       | XX     | I       | C      |
|          | 2    | B     | Macaca fascicularis  | live      | 270      |      | DE       | CN       |        | M       | C      |
|          | 2    | B     | Macaca fascicularis  | live      | 60       |      | DE       | IL       |        | M       | F      |
|          | 2    | B     | Macaca fascicularis  | live      | 75       |      | DE       | MU       |        | M       | F      |
|          | 2    | B     | Macaca fascicularis  | live      | 8        |      | DK       | CN       |        | M       | C      |
|          | 2    | B     | Macaca fascicularis  | live      | 7        |      | ES       | CH       | CN     | S       | C      |
|          | 2    | B     | Macaca fascicularis  | live      | 1        |      | ES       | CH       | DE     | S       | C      |
|          | 2    | B     | Macaca fascicularis  | live      | 16       |      | ES       | MU       |        | M       | F      |
|          | 2    | B     | Macaca fascicularis  | live      | 25       |      | ES       | MU       |        | M       | W      |
|          | 2    | B     | Macaca fascicularis  | live      | 450      |      | FR       | CN       |        | M       | C      |
|          | 2    | B     | Macaca fascicularis  | live      | 954      |      | FR       | MU       |        | M       | W      |
|          | 2    | B     | Macaca fascicularis  | live      | 1149     |      | FR       | MU       |        | M       | F      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon               | Term      | Quantity            | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------|-----------|---------------------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | Macaca fascicularis | live      | 364                 |      | FR       | PH       |        | M       | C      |
|          | 2    | B     | Macaca fascicularis | live      | 80                  |      | GB       | IL       |        | S       | F      |
|          | 2    | B     | Macaca fascicularis | live      | 94                  |      | GB       | IL       |        | M       | F      |
|          | 2    | B     | Macaca fascicularis | live      | 1878                |      | GB       | MU       |        | M       | F      |
|          | 2    | B     | Macaca fascicularis | live      | 144                 |      | GB       | PH       |        | S       | C      |
|          | 2    | B     | Macaca fascicularis | live      | 357                 |      | NL       | CN       |        | S       | C      |
|          | 2    | B     | Macaca fascicularis | live      | 156                 |      | NL       | VN       |        | S       | C      |
|          | 2    | B     | Macaca fascicularis | live      | 30                  |      | SE       | CN       |        | S       | C      |
|          | 2    | B     | Macaca fascicularis | live      | 10                  |      | SE       | IL       |        | S       | C      |
|          | 2    | B     | Macaca fascicularis | specimens | 2                   |      | BE       | US       |        | M       | C      |
|          | 2    | B     | Macaca fascicularis | specimens | 154                 |      | DE       | PH       |        | M       | C      |
|          | 2    | B     | Macaca fascicularis | specimens | 88 ml               |      | DE       | PH       |        | M       | C      |
|          | 2    | B     | Macaca fascicularis | specimens | 13 g                |      | FR       | CA       | ID     | M       | W      |
|          | 2    | B     | Macaca fascicularis | specimens | 20 g                |      | FR       | CA       | PH     | M       | W      |
|          | 2    | B     | Macaca fascicularis | specimens | 816 ml              |      | FR       | CH       | IL     | M       | F      |
|          | 2    | B     | Macaca fascicularis | specimens | 200 g               |      | FR       | MU       |        | M       | F      |
|          | 2    | B     | Macaca fascicularis | specimens | 16 ml               |      | FR       | US       | XX     | M       | W      |
|          | 2    | B     | Macaca fascicularis | specimens | 2730 ml             |      | GB       | MU       |        | M       | F      |
|          | 2    | B     | Macaca fascicularis | specimens | 270                 |      | GB       | US       | ID     | M       | C      |
|          | 2    | B     | Macaca fascicularis | specimens | 85 ml               |      | GB       | US       | MU     | S       | W      |
|          | 2    | B     | Macaca fascicularis | specimens | 1                   |      | GB       | XX       |        | I       | C      |
|          | 2    | B     | Macaca mulatta      | cloth     | 5985                |      | IT       | US       |        | M       | C      |
|          | 2    | B     | Macaca mulatta      | cloth     | 7410                |      | IT       | US       |        | S       | C      |
|          | 2    | B     | Macaca mulatta      | cloth     | 1200 m <sup>2</sup> |      | IT       | US       |        | S       | C      |
|          | 2    | B     | Macaca mulatta      | cloth     | 2000 m <sup>2</sup> |      | IT       | US       |        | M       | C      |
|          | 2    | B     | Macaca mulatta      | cultures  | 1                   |      | DK       | US       |        | S       | F      |
|          | 2    | B     | Macaca mulatta      | live      | 4                   |      | BE       | CN       |        | M       | C      |
|          | 2    | B     | Macaca mulatta      | live      | 4                   |      | BE       | CN       |        | M       | W      |
|          | 2    | B     | Macaca mulatta      | live      | 2                   |      | BE       | HU       |        | S       | C      |
|          | 2    | B     | Macaca mulatta      | live      | 3                   |      | BE       | HU       |        | M       | C      |
|          | 2    | B     | Macaca mulatta      | live      | 214                 |      | DE       | CN       |        | M       | C      |
|          | 2    | B     | Macaca mulatta      | live      | 10                  |      | DE       | US       |        | B       | C      |
|          | 2    | B     | Macaca mulatta      | live      | 59                  |      | DE       | US       |        | M       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon             | Term      | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| 2        | B    |       | Macaca mulatta    | live      | 1        |      | FR       | CH       |        | S       | C      |
| 2        | B    |       | Macaca mulatta    | live      | 5        |      | FR       | CH       |        | M       | C      |
| 2        | B    |       | Macaca mulatta    | live      | 1        |      | FR       | CH       | FR     | M       | C      |
| 2        | B    |       | Macaca mulatta    | live      | 1        |      | FR       | CH       | XX     | M       | U      |
| 2        | B    |       | Macaca mulatta    | live      | 18       |      | FR       | CH       | XX     | S       | C      |
| 2        | B    |       | Macaca mulatta    | live      | 120      |      | FR       | CN       |        | M       | C      |
| 2        | B    |       | Macaca mulatta    | live      | 1        |      | FR       | RO       |        | Q       | F      |
| 2        | B    |       | Macaca mulatta    | live      | 80       |      | FR       | US       |        | M       | C      |
| 2        | B    |       | Macaca mulatta    | live      | 160      |      | GB       | CN       |        | M       | C      |
| 2        | B    |       | Macaca mulatta    | live      | 2        |      | GR       | HU       |        | S       | C      |
| 2        | B    |       | Macaca mulatta    | live      | 1        |      | NL       | CN       |        | M       | C      |
| 2        | B    |       | Macaca mulatta    | live      | 50       |      | NL       | CN       |        | S       | C      |
| 2        | B    |       | Macaca mulatta    | live      | 68       |      | NL       | US       |        | S       | C      |
| 2        | B    |       | Macaca mulatta    | skulls    | 1        |      | DE       | VN       |        | S       | W      |
| 2        | B    |       | Macaca mulatta    | specimens | 1        |      | AT       | US       |        | M       | C      |
| 2        | B    |       | Macaca mulatta    | specimens | 1        |      | AT       | US       |        | M       | I      |
| 2        | B    |       | Macaca mulatta    | specimens | 95       |      | BE       | US       |        | M       | C      |
| 2        | B    |       | Macaca mulatta    | specimens | 2        |      | BE       | US       |        | M       | C      |
| 2        | B    |       | Macaca mulatta    | specimens | 4        |      | DE       | US       | KN     | M       | C      |
| 2        | B    |       | Macaca mulatta    | specimens | 382 kg   |      | DE       | US       |        | M       | C      |
| 2        | B    |       | Macaca mulatta    | specimens | 1180 ml  |      | DE       | US       |        | M       | C      |
| 2        | B    |       | Macaca mulatta    | specimens | 1530     |      | ES       | US       |        | T       | C      |
| 2        | B    |       | Macaca mulatta    | specimens | 1864     |      | ES       | US       |        | M       | C      |
| 2        | B    |       | Macaca mulatta    | specimens | 9        |      | FR       | CA       |        | T       | C      |
| 2        | B    |       | Macaca mulatta    | specimens | 274      |      | FR       | US       |        | S       | C      |
| 2        | B    |       | Macaca mulatta    | specimens | 304      |      | FR       | US       |        | M       | C      |
| 2        | B    |       | Macaca mulatta    | specimens | 60 ml    |      | FR       | US       |        | S       | C      |
| 2        | B    |       | Macaca mulatta    | specimens | 9680 ml  |      | GB       | US       |        | S       | C      |
| 2        | B    |       | Macaca mulatta    | specimens | 5        |      | GB       | XX       |        | I       | C      |
| 2        | B    |       | Macaca mulatta    | specimens | 25       |      | SE       | US       |        | S       | C      |
| 2        | B    |       | Macaca mulatta    | specimens | 1698     |      | SE       | US       |        | M       | C      |
| 2        | B    |       | Macaca nemestrina | live      | 10       |      | FR       | HU       |        | Q       | C      |
| 2        | B    |       | Macaca nemestrina | live      | 40       |      | FR       | MU       |        | M       | F      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                  | Term      | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | Macaca nemestrina      | live      | 9        |      | FR       | RU       |        | Q       | C      |
|          | 2    | B     | Macaca nemestrina      | live      | 1        |      | GR       | BG       |        | Q       | F      |
|          | 2    | B     | Macaca nemestrina      | specimens | 660      |      | DE       | US       |        | M       | F      |
|          | 2    | B     | Macaca nemestrina      | specimens | 2088 ml  |      | DE       | US       |        | M       | F      |
|          | 2    | B     | Macaca sinica          | specimens | 3381     |      | DE       | LK       |        | M       | W      |
|          | 2    | B     | Macaca sylvanus        | live      | 3        |      | ES       | MA       | XX     | I       | U      |
|          | 2    | B     | Macaca sylvanus        | live      | 2        |      | FR       | CH       | FR     | P       | U      |
|          | 2    | B     | Macaca sylvanus        | live      | 30       |      | FR       | MA       |        | Z       | C      |
|          | 2    | B     | Miopithecus talapoin   | live      | 10       |      | ES       | CM       |        | T       | W      |
|          | 2    | B     | Miopithecus talapoin   | live      | 2        |      | FR       | GA       |        | B       | W      |
|          | 2    | B     | Papio spp.             | tails     | 2        |      | GB       | GM       |        | I       | C      |
|          | 2    | B     | Papio hamadryas        | live      | 4        |      | FR       | RU       |        | Q       | C      |
|          | 2    | B     | Papio hamadryas        | skulls    | 1        |      | AT       | ZW       |        | I       | W      |
|          | 2    | B     | Papio hamadryas        | skulls    | 1        |      | ES       | ZM       |        | H       | W      |
|          | 2    | B     | Papio hamadryas        | trophies  | 1        |      | ES       | ZM       |        | H       | W      |
|          | 2    | B     | Papio hamadryas        | trophies  | 1        |      | FR       | CM       |        | H       | W      |
|          | 2    | B     | Papio hamadryas        | trophies  | 1        |      | SE       | ZA       |        | T       | W      |
|          | 2    | B     | Papio hamadryas anubis | bodies    | 18       |      | ES       | KE       |        | M       | W      |
|          | 2    | B     | Papio hamadryas anubis | live      | 46       |      | ES       | KE       |        | M       | W      |
|          | 2    | B     | Papio hamadryas anubis | live      | 1        |      | FR       | RU       |        | Q       | C      |
|          | 2    | B     | Papio hamadryas anubis | skins     | 1        |      | ES       | ET       |        | H       | W      |
|          | 2    | B     | Papio hamadryas anubis | skins     | 2        |      | ES       | TZ       |        | H       | W      |
|          | 2    | B     | Papio hamadryas anubis | skins     | 1        |      | PT       | TZ       |        | H       | W      |
|          | 2    | B     | Papio hamadryas anubis | skulls    | 1        |      | DE       | TZ       |        | H       | W      |
|          | 2    | B     | Papio hamadryas anubis | skulls    | 1        |      | ES       | ET       |        | H       | W      |
|          | 2    | B     | Papio hamadryas anubis | skulls    | 3        |      | ES       | TZ       |        | H       | W      |
|          | 2    | B     | Papio hamadryas anubis | skulls    | 1        |      | FR       | BF       |        | H       | W      |
|          | 2    | B     | Papio hamadryas anubis | skulls    | 5        |      | FR       | CF       |        | H       | W      |
|          | 2    | B     | Papio hamadryas anubis | skulls    | 3        |      | FR       | TZ       |        | H       | W      |
|          | 2    | B     | Papio hamadryas anubis | skulls    | 1        |      | PT       | TZ       |        | H       | W      |
|          | 2    | B     | Papio hamadryas anubis | trophies  | 2        |      | AT       | TZ       |        | H       | W      |
|          | 2    | B     | Papio hamadryas anubis | trophies  | 2        |      | AT       | TZ       |        | P       | W      |
|          | 2    | B     | Papio hamadryas anubis | trophies  | 1        |      | DK       | CM       |        | H       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                               | Term      | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Papio hamadryas anubis</i>       | trophies  | 1        |      | DK       | ZW       | H      | W       |        |
|          | 2    | B     | <i>Papio hamadryas anubis</i>       | trophies  | 2        |      | FR       | BF       | H      | W       |        |
|          | 2    | B     | <i>Papio hamadryas anubis</i>       | trophies  | 4        |      | FR       | BJ       | H      | W       |        |
|          | 2    | B     | <i>Papio hamadryas anubis</i>       | trophies  | 1        |      | FR       | CF       | H      | W       |        |
|          | 2    | B     | <i>Papio hamadryas anubis</i>       | trophies  | 1        |      | FR       | CM       | H      | W       |        |
|          | 2    | B     | <i>Papio hamadryas anubis</i>       | trophies  | 3        |      | FR       | TZ       | H      | W       |        |
|          | 2    | B     | <i>Papio hamadryas anubis</i>       | trophies  | 1        |      | IT       | CF       | H      | W       |        |
|          | 2    | B     | <i>Papio hamadryas anubis</i>       | trophies  | 1        |      | IT       | TZ       | H      | W       |        |
|          | 2    | B     | <i>Papio hamadryas anubis</i>       | trophies  | 2        |      | PT       | ZA       | TZ     | H       | W      |
|          | 2    | B     | <i>Papio hamadryas cynocephalus</i> | feet      | 4        |      | DE       | ZM       | H      | W       |        |
|          | 2    | B     | <i>Papio hamadryas cynocephalus</i> | skins     | 2        |      | DE       | ZM       | H      | W       |        |
|          | 2    | B     | <i>Papio hamadryas cynocephalus</i> | skulls    | 2        |      | DE       | ZM       | H      | W       |        |
|          | 2    | B     | <i>Papio hamadryas cynocephalus</i> | specimens | 50       |      | AT       | US       | M      | R       |        |
|          | 2    | B     | <i>Papio hamadryas papio</i>        | skulls    | 1        |      | PT       | ZA       | TZ     | H       | W      |
|          | 2    | B     | <i>Papio hamadryas ursinus</i>      | bodies    | 1        |      | ES       | NA       | H      | W       |        |
|          | 2    | B     | <i>Papio hamadryas ursinus</i>      | bones     | 40       |      | AT       | ZA       | M      | W       |        |
|          | 2    | B     | <i>Papio hamadryas ursinus</i>      | bones     | 3        |      | DE       | ZW       | S      | W       |        |
|          | 2    | B     | <i>Papio hamadryas ursinus</i>      | feet      | 4        |      | DE       | ZA       | H      | W       |        |
|          | 2    | B     | <i>Papio hamadryas ursinus</i>      | skins     | 1        |      | DE       | NA       | T      | W       |        |
|          | 2    | B     | <i>Papio hamadryas ursinus</i>      | skins     | 15       |      | DE       | NA       | H      | W       |        |
|          | 2    | B     | <i>Papio hamadryas ursinus</i>      | skins     | 1        |      | DE       | TZ       | H      | W       |        |
|          | 2    | B     | <i>Papio hamadryas ursinus</i>      | skins     | 1        |      | DE       | TZ       | H      | W       |        |
|          | 2    | B     | <i>Papio hamadryas ursinus</i>      | skins     | 2        |      | DE       | ZW       | H      | W       |        |
|          | 2    | B     | <i>Papio hamadryas ursinus</i>      | skins     | 3        |      | DE       | ZW       | S      | W       |        |
|          | 2    | B     | <i>Papio hamadryas ursinus</i>      | skins     | 1        |      | ES       | NA       | H      | W       |        |
|          | 2    | B     | <i>Papio hamadryas ursinus</i>      | skins     | 1        |      | ES       | ZA       | H      | W       |        |
|          | 2    | B     | <i>Papio hamadryas ursinus</i>      | skins     | 1        |      | ES       | ZM       | H      | W       |        |
|          | 2    | B     | <i>Papio hamadryas ursinus</i>      | skins     | 9        |      | ES       | ZW       | H      | W       |        |
|          | 2    | B     | <i>Papio hamadryas ursinus</i>      | skulls    | 2        |      | BE       | ZW       | H      | W       |        |
|          | 2    | B     | <i>Papio hamadryas ursinus</i>      | skulls    | 1        |      | DE       | BW       | H      | W       |        |
|          | 2    | B     | <i>Papio hamadryas ursinus</i>      | skulls    | 2        |      | DE       | NA       | T      | W       |        |
|          | 2    | B     | <i>Papio hamadryas ursinus</i>      | skulls    | 12       |      | DE       | NA       | H      | W       |        |
|          | 2    | B     | <i>Papio hamadryas ursinus</i>      | skulls    | 73       |      | DE       | NA       | H      | W       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                          | Term      | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Papio hamadryas ursinus</i> | skulls    | 1        |      | DE       | TZ       |        | H       | W      |
|          | 2    | B     | <i>Papio hamadryas ursinus</i> | skulls    | 2        |      | DE       | TZ       |        | H       | W      |
|          | 2    | B     | <i>Papio hamadryas ursinus</i> | skulls    | 2        |      | DE       | ZA       |        | H       | W      |
|          | 2    | B     | <i>Papio hamadryas ursinus</i> | skulls    | 2        |      | DE       | ZA       |        | T       | W      |
|          | 2    | B     | <i>Papio hamadryas ursinus</i> | skulls    | 4        |      | DE       | ZA       |        | H       | W      |
|          | 2    | B     | <i>Papio hamadryas ursinus</i> | skulls    | 3        |      | DE       | ZA       | ZM     | H       | W      |
|          | 2    | B     | <i>Papio hamadryas ursinus</i> | skulls    | 1        |      | DE       | ZA       | ZW     | H       | W      |
|          | 2    | B     | <i>Papio hamadryas ursinus</i> | skulls    | 1        |      | DE       | ZM       |        | H       | W      |
|          | 2    | B     | <i>Papio hamadryas ursinus</i> | skulls    | 2        |      | DE       | ZM       |        | H       | W      |
|          | 2    | B     | <i>Papio hamadryas ursinus</i> | skulls    | 3        |      | DE       | ZW       | S      | W       |        |
|          | 2    | B     | <i>Papio hamadryas ursinus</i> | skulls    | 4        |      | DE       | ZW       |        | H       | W      |
|          | 2    | B     | <i>Papio hamadryas ursinus</i> | skulls    | 27       |      | DE       | ZW       |        | H       | W      |
|          | 2    | B     | <i>Papio hamadryas ursinus</i> | skulls    | 4        |      | DK       | NA       |        | H       | W      |
|          | 2    | B     | <i>Papio hamadryas ursinus</i> | skulls    | 1        |      | DK       | ZA       |        | H       | W      |
|          | 2    | B     | <i>Papio hamadryas ursinus</i> | skulls    | 1        |      | DK       | ZA       | ZW     | H       | W      |
|          | 2    | B     | <i>Papio hamadryas ursinus</i> | skulls    | 7        |      | DK       | ZW       |        | H       | W      |
|          | 2    | B     | <i>Papio hamadryas ursinus</i> | skulls    | 5        |      | ES       | NA       |        | H       | W      |
|          | 2    | B     | <i>Papio hamadryas ursinus</i> | skulls    | 2        |      | ES       | ZA       |        | H       | W      |
|          | 2    | B     | <i>Papio hamadryas ursinus</i> | skulls    | 4        |      | ES       | ZM       |        | H       | W      |
|          | 2    | B     | <i>Papio hamadryas ursinus</i> | skulls    | 34       |      | ES       | ZW       |        | H       | W      |
|          | 2    | B     | <i>Papio hamadryas ursinus</i> | skulls    | 1        |      | FR       | ZA       |        | H       | W      |
|          | 2    | B     | <i>Papio hamadryas ursinus</i> | skulls    | 1        |      | FR       | ZW       |        | H       | W      |
|          | 2    | B     | <i>Papio hamadryas ursinus</i> | specimens | 2000     |      | AT       | ZA       | M      | W       |        |
|          | 2    | B     | <i>Papio hamadryas ursinus</i> | tails     | 1        |      | DE       | NA       |        | H       | W      |
|          | 2    | B     | <i>Papio hamadryas ursinus</i> | tails     | 1        |      | DE       | ZW       |        | H       | W      |
|          | 2    | B     | <i>Papio hamadryas ursinus</i> | teeth     | 34       |      | SE       | ZA       | T      | W       |        |
|          | 2    | B     | <i>Papio hamadryas ursinus</i> | teeth     | 8 sets   |      | SE       | ZA       | T      | W       |        |
|          | 2    | B     | <i>Papio hamadryas ursinus</i> | trophies  | 9        |      | AT       | NA       | H      | W       |        |
|          | 2    | B     | <i>Papio hamadryas ursinus</i> | trophies  | 14       |      | AT       | NA       | P      | W       |        |
|          | 2    | B     | <i>Papio hamadryas ursinus</i> | trophies  | 1        |      | AT       | ZA       | I      |         |        |
|          | 2    | B     | <i>Papio hamadryas ursinus</i> | trophies  | 1        |      | AT       | ZA       | P      | W       |        |
|          | 2    | B     | <i>Papio hamadryas ursinus</i> | trophies  | 6        |      | AT       | ZW       | H      | W       |        |
|          | 2    | B     | <i>Papio hamadryas ursinus</i> | trophies  | 8        |      | AT       | ZW       | P      | W       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex                    | Taxon     | Term     | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|--------------------------|-----------|----------|----------|------|----------|----------|--------|---------|--------|
| 2        | B    | Papio hamadryas ursinus  | trophies  | 2        |          |      | BE       | ZA       | H      | W       |        |
| 2        | B    | Papio hamadryas ursinus  | trophies  | 1        |          |      | BE       | ZW       | H      | W       |        |
| 2        | B    | Papio hamadryas ursinus  | trophies  | 1        |          |      | DE       | CM       | P      | W       |        |
| 2        | B    | Papio hamadryas ursinus  | trophies  | 2        |          |      | DE       | NA       | H      | W       |        |
| 2        | B    | Papio hamadryas ursinus  | trophies  | 7        |          |      | DE       | NA       | H      | W       |        |
| 2        | B    | Papio hamadryas ursinus  | trophies  | 1        |          |      | DE       | ZA       | ZW     | H       | W      |
| 2        | B    | Papio hamadryas ursinus  | trophies  | 2        |          |      | DE       | ZW       | H      | W       |        |
| 2        | B    | Papio hamadryas ursinus  | trophies  | 1        |          |      | DK       | NA       | H      | W       |        |
| 2        | B    | Papio hamadryas ursinus  | trophies  | 6        |          |      | DK       | ZW       | H      | W       |        |
| 2        | B    | Papio hamadryas ursinus  | trophies  | 3        |          |      | ES       | ZW       | H      | W       |        |
| 2        | B    | Papio hamadryas ursinus  | trophies  | 1        |          |      | GB       | ZW       | P      | W       |        |
| 2        | B    | Papio hamadryas ursinus  | trophies  | 3        |          |      | GB       | ZW       | H      | W       |        |
| 2        | B    | Papio hamadryas ursinus  | trophies  | 1        |          |      | IT       | NA       | H      | W       |        |
| 2        | B    | Papio hamadryas ursinus  | trophies  | 2        |          |      | IT       | ZA       | H      | W       |        |
| 2        | B    | Papio hamadryas ursinus  | trophies  | 1        |          |      | IT       | ZW       | H      | W       |        |
| 2        | B    | Presbytis comata         | live      | 8        |          |      | GB       | ID       | B      | F       |        |
| 2        | B    | Presbytis melalophos     | live      | 4        |          |      | GB       | ID       | B      | F       |        |
| 2        | B    | Trachypithecus cristatus | live      | 2        |          |      | DE       | SG       | ID     | Z       | C      |
| 2        | B    | Trachypithecus francoisi | specimens | 50 ml    |          |      | FR       | VN       | S      | W       |        |
| 2        | B    | Trachypithecus obscurus  | live      | 1        |          |      | GB       | HK       | XX     | B       | I      |
| 2        | B    | Myrmecophaga tridactyla  | skulls    | 1        |          |      | DE       | VE       | XX     | Q       | W      |
| 2        | B    | Manis tricuspidis        | live      | 2        |          |      | ES       | TG       | T      | W       |        |
| 2        | A    | Cetacea spp.             | bones     | 3        |          |      | GB       | FK       |        |         |        |
| 2        | A    | Cetacea spp.             | bones     | 4 pieces |          |      | GB       | NZ       |        |         |        |
| 2        | A    | Cetacea spp.             | bones     | 1        |          |      | GB       | US       |        |         |        |
| 2        | A    | Cetacea spp.             | bones     | 1        |          |      | GB       | XX       |        |         |        |
| 2        | A    | Cetacea spp.             | meat      | 6        |          |      | GB       | FO       |        |         |        |
| 2        | A    | Cetacea spp.             | teeth     | 8        |          |      | GB       | XX       |        |         |        |
| 2        | A    | Delphinapterus leucas    | meat      | 41 kg    |          |      | DK       | GL       | T      | W       |        |
| 2        | A    | Delphinapterus leucas    | meat      | 544 kg   |          |      | DK       | GL       | P      | W       |        |
| 2        | A    | Delphinapterus leucas    | specimens | 301      |          |      | DK       | US       | GL     | S       | W      |
| 2        | B    | Monodon monoceros        | carvings  | 6        |          |      | DK       | GL       | P      | W       |        |
| 2        | B    | Monodon monoceros        | carvings  | 102      |          |      | DK       | GL       | T      | W       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex                      | Taxon | Term      | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|----------------------------|-------|-----------|----------|------|----------|----------|--------|---------|--------|
| 2        | B    | Monodon monoceros          |       | carvings  | 3        |      | NL       | GL       |        | T       | W      |
| 2        | B    | Monodon monoceros          |       | meat      | 281      | kg   | DK       | GL       |        | T       | W      |
| 2        | B    | Monodon monoceros          |       | meat      | 1755     | kg   | DK       | GL       |        | P       | W      |
| 2        | B    | Monodon monoceros          |       | skulls    | 1        |      | DE       | CA       |        | E       | W      |
| 2        | B    | Monodon monoceros          |       | specimens | 88       |      | DK       | US       | GL     | S       | W      |
| 2        | B    | Monodon monoceros          |       | teeth     | 26       | kg   | DE       | GL       |        | T       | W      |
| 2        | B    | Monodon monoceros          |       | teeth     | 1        |      | DK       | GL       |        | E       | W      |
| 2        | B    | Monodon monoceros          |       | teeth     | 7        |      | DK       | GL       |        | T       | W      |
| 2        | B    | Monodon monoceros          |       | teeth     | 13       |      | DK       | GL       |        | P       | W      |
| 2        | B    | Monodon monoceros          |       | tusks     | 1        |      | DE       | CA       |        | E       | W      |
| 2        | B    | Monodon monoceros          |       | tusks     | 15       |      | DK       | GL       |        | P       | W      |
| 2        | B    | Monodon monoceros          |       | tusks     | 56       |      | DK       | GL       |        | T       | W      |
| 2        | B    | Monodon monoceros          |       | tusks     | 1        |      | FR       | CA       |        | P       | O      |
| 2        | A    | Globicephala melas         |       | meat      | 102      | kg   | DK       | GL       |        | T       | W      |
| 2        | A    | Globicephala melas         |       | meat      | 230      | kg   | DK       | GL       |        | P       | W      |
| 2        | A    | Globicephala melas         |       | specimens | 10       | kg   | DK       | FO       |        | S       | W      |
| 2        | A    | Globicephala melas         |       | specimens | 14       |      | DK       | GL       |        | S       | W      |
| 2        | A    | Tursiops truncatus         |       | live      | 1        |      | ES       | CH       | CU     | E       | W      |
| 2        | A    | Tursiops truncatus         |       | live      | 1        |      | ES       | CH       | US     | E       | W      |
| 2        | A    | Tursiops truncatus         |       | specimens | 400      | g    | DE       | RU       | GE     | S       | W      |
| 2        | A    | Tursiops truncatus         |       | specimens | 600      | g    | DE       | RU       | UA     | S       | W      |
| 2        | A    | Tursiops truncatus         |       | specimens | 51       |      | GB       | BS       |        | S       | W      |
| 2        | A    | Phocoena phocoena          |       | bodies    | 1        |      | DK       | XX       |        | S       | W      |
| 2        | A    | Phocoena phocoena          |       | specimens | 2        | kg   | DE       | RU       | BG     | S       | W      |
| 2        | A    | Phocoena phocoena          |       | specimens | 3        | kg   | DE       | RU       | GE     | S       | W      |
| 2        | A    | Phocoena phocoena          |       | specimens | 7        | kg   | DE       | RU       | UA     | S       | W      |
| 2        | A    | Balaenoptera acutorostrata |       | bones     | 1        |      | DK       | GL       |        | P       | W      |
| 2        | A    | Balaenoptera acutorostrata |       | bones     | 1        | sets | DK       | GL       |        | T       | W      |
| 2        | A    | Balaenoptera acutorostrata |       | meat      | 392      | kg   | DK       | GL       |        | T       | W      |
| 2        | A    | Balaenoptera acutorostrata |       | meat      | 2467     | kg   | DK       | GL       |        | P       | W      |
| 2        | A    | Balaenoptera acutorostrata |       | specimens | 4        |      | DK       | US       |        | S       | W      |
| 2        | B    | Canis lupus                |       | bodies    | 1        |      | FR       | CH       |        | E       | C      |
| 2        | B    | Canis lupus                |       | bodies    | 6        |      | IT       | CH       | IT     | E       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon       | Term     | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------|----------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | Canis lupus | bodies   | 1        |      | SE       | CA       |        | T       | W      |
|          | 2    | B     | Canis lupus | skins    | 2        |      | AT       | CA       |        | H       | W      |
|          | 2    | B     | Canis lupus | skins    | 3        |      | AT       | CA       |        | P       | W      |
|          | 2    | B     | Canis lupus | skins    | 1        |      | DE       | BY       |        | H       | W      |
|          | 2    | B     | Canis lupus | skins    | 5        |      | DE       | CA       |        | P       | W      |
|          | 2    | B     | Canis lupus | skins    | 18       |      | DE       | CA       |        | H       | W      |
|          | 2    | B     | Canis lupus | skins    | 1        |      | DE       | EE       |        | H       | W      |
|          | 2    | B     | Canis lupus | skins    | 1        |      | DE       | MN       |        | H       | W      |
|          | 2    | B     | Canis lupus | skins    | 7        |      | DE       | RO       |        | H       | W      |
|          | 2    | B     | Canis lupus | skins    | 8        |      | DE       | RU       |        | H       | W      |
|          | 2    | B     | Canis lupus | skins    | 31       |      | DE       | RU       | KZ     | H       | W      |
|          | 2    | B     | Canis lupus | skins    | 3        |      | DE       | US       |        | H       | W      |
|          | 2    | B     | Canis lupus | skins    | 12       |      | DK       | KZ       |        | H       | W      |
|          | 2    | B     | Canis lupus | skins    | 1        |      | DK       | MN       |        | H       | W      |
|          | 2    | B     | Canis lupus | skins    | 4        |      | ES       | CA       |        | H       | W      |
|          | 2    | B     | Canis lupus | skins    | 2        |      | FR       | CA       |        | P       | W      |
|          | 2    | B     | Canis lupus | skins    | 1        |      | GB       | TR       |        | I       | W      |
|          | 2    | B     | Canis lupus | skins    | 1        |      | IT       | CA       |        | P       | W      |
|          | 2    | B     | Canis lupus | skins    | 14       |      | NL       | CA       |        | T       | W      |
|          | 2    | B     | Canis lupus | skins    | 1        |      | SE       | CA       |        | P       | W      |
|          | 2    | B     | Canis lupus | skulls   | 2        |      | DE       | CA       |        | P       | W      |
|          | 2    | B     | Canis lupus | skulls   | 14       |      | DE       | CA       |        | H       | W      |
|          | 2    | B     | Canis lupus | skulls   | 1        |      | DE       | EE       |        | H       | W      |
|          | 2    | B     | Canis lupus | skulls   | 1        |      | DE       | MN       |        | H       | W      |
|          | 2    | B     | Canis lupus | skulls   | 7        |      | DE       | RO       |        | H       | W      |
|          | 2    | B     | Canis lupus | skulls   | 8        |      | DE       | RU       |        | H       | W      |
|          | 2    | B     | Canis lupus | skulls   | 30       |      | DE       | RU       | KZ     | H       | W      |
|          | 2    | B     | Canis lupus | skulls   | 1        |      | DE       | US       |        | H       | W      |
|          | 2    | B     | Canis lupus | skulls   | 12       |      | DK       | KZ       |        | H       | W      |
|          | 2    | B     | Canis lupus | skulls   | 1        |      | DK       | MN       |        | H       | W      |
|          | 2    | B     | Canis lupus | teeth    | 2        |      | SE       | US       | SE     | H       | W      |
|          | 2    | B     | Canis lupus | trophies | 1        |      | AT       | CA       |        | H       | W      |
|          | 2    | B     | Canis lupus | trophies | 1        |      | AT       | CA       |        | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                        | Term     | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| 1        | 2    | B     | <i>Canis lupus</i>           | trophies | 3        |      | AT       | CA       |        | P       | W      |
| 1        | 2    | B     | <i>Canis lupus</i>           | trophies | 1        |      | AT       | CH       | CA     | H       | W      |
| 1        | 2    | B     | <i>Canis lupus</i>           | trophies | 1        |      | AT       | CH       | RU     | H       | W      |
| 1        | 2    | B     | <i>Canis lupus</i>           | trophies | 1        |      | AT       | RO       |        | P       | W      |
| 1        | 2    | B     | <i>Canis lupus</i>           | trophies | 4        |      | AT       | RO       |        | H       | W      |
| 1        | 2    | B     | <i>Canis lupus</i>           | trophies | 1        |      | AT       | RU       |        | P       | W      |
| 1        | 2    | B     | <i>Canis lupus</i>           | trophies | 20       |      | AT       | RU       | KZ     | P       | W      |
| 1        | 2    | B     | <i>Canis lupus</i>           | trophies | 1        |      | BE       | BG       |        | H       | W      |
| 1        | 2    | B     | <i>Canis lupus</i>           | trophies | 1        |      | BE       | CA       |        | H       | W      |
| 1        | 2    | B     | <i>Canis lupus</i>           | trophies | 8        |      | BE       | RU       | KZ     | H       | W      |
| 1        | 2    | B     | <i>Canis lupus</i>           | trophies | 4        |      | BE       | US       |        | H       | W      |
| 1        | 2    | B     | <i>Canis lupus</i>           | trophies | 4        |      | DE       | CA       |        | P       | W      |
| 1        | 2    | B     | <i>Canis lupus</i>           | trophies | 8        |      | DE       | CA       |        | H       | W      |
| 1        | 2    | B     | <i>Canis lupus</i>           | trophies | 1        |      | FI       | RU       |        | H       | W      |
| 1        | 2    | B     | <i>Canis lupus</i>           | trophies | 2        |      | FR       | CA       |        | P       | W      |
| 1        | 2    | B     | <i>Canis lupus</i>           | trophies | 1        |      | FR       | KZ       |        | H       | W      |
| 1        | 2    | B     | <i>Canis lupus</i>           | trophies | 2        |      | FR       | TR       |        | P       | W      |
| 1        | 2    | B     | <i>Canis lupus</i>           | trophies | 1        |      | FR       | US       |        | H       | W      |
| 1        | 2    | B     | <i>Canis lupus</i>           | trophies | 2        |      | IT       | CA       |        | H       | W      |
| 1        | 2    | B     | <i>Canis lupus</i>           | trophies | 1        |      | SE       | CA       |        | H       | W      |
| 1        | 2    | B     | <i>Canis lupus</i>           | trophies | 1        |      | SE       | CA       |        | S       | W      |
| 1        | 2    | B     | <i>Canis lupus</i>           | trophies | 1        |      | SE       | CA       |        | T       | W      |
| 1        | 2    | B     | <i>Canis lupus</i>           | trophies | 1        |      | SE       | EE       |        | H       | W      |
| 1        | 2    | B     | <i>Chrysocyon brachyurus</i> | live     | 1        |      | IT       | CZ       |        | Z       | C      |
| 1        | 2    | B     | <i>Cuon alpinus</i>          | live     | 1        |      | DE       | RU       |        | Z       | C      |
| 1        | 2    | B     | <i>Pseudalopex culpaeus</i>  | skins    | 11       |      | DE       | AR       |        | T       | W      |
| 1        | 2    | B     | <i>Pseudalopex griseus</i>   | garments | 337      |      | DE       | AR       |        | T       | W      |
| 1        | 2    | B     | <i>Pseudalopex griseus</i>   | plates   | 21       |      | DE       | AR       |        | T       | W      |
| 1        | 2    | B     | <i>Pseudalopex griseus</i>   | plates   | 96       |      | IT       | CH       | AR     | T       | W      |
| 1        | 2    | B     | <i>Pseudalopex griseus</i>   | skins    | 48       |      | DE       | AR       |        | T       | W      |
| 1        | 2    | B     | <i>Pseudalopex griseus</i>   | skins    | 6084     |      | DE       | AR       |        | T       | W      |
| 1        | 2    | B     | <i>Pseudalopex griseus</i>   | skins    | 94 kg    |      | DE       | AR       |        | T       | W      |
| 1        | 2    | B     | <i>Pseudalopex griseus</i>   | skins    | 22 sides |      | DE       | AR       |        | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                      | Term        | Quantity   | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------|-------------|------------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Pseudalopex griseus</i> | skins       | 200        |      | DE       | AR       | CL     | T       | W      |
|          | 2    | B     | <i>Pseudalopex griseus</i> | skins       | 26         |      | DE       | CH       | AR     | T       | W      |
|          | 2    | B     | <i>Pseudalopex griseus</i> | skins       | 200        |      | ES       | CH       | AR     | T       | W      |
|          | 2    | B     | <i>Pseudalopex griseus</i> | skins       | 24         |      | FR       | AR       |        | P       | W      |
|          | 2    | B     | <i>Pseudalopex griseus</i> | skins       | 2450       |      | FR       | AR       |        | T       | W      |
|          | 2    | B     | <i>Pseudalopex griseus</i> | skins       | 8100       |      | IT       | AR       |        | T       | W      |
|          | 2    | B     | <i>Pseudalopex griseus</i> | trophies    | 1          |      | AT       | AR       |        | H       | W      |
|          | 2    | B     | <i>Vulpes zerda</i>        | live        | 5          |      | GB       | EG       |        | I       |        |
|          | 2    | B     | <i>Ursus spp.</i>          | bones       | 140        |      | AT       | HU       | RU     | P       | W      |
|          | 2    | B     | <i>Ursus spp.</i>          | claws       | 4          |      | NL       | US       |        | I       |        |
|          | 2    | B     | <i>Ursus spp.</i>          | derivatives | 1 bags     |      | GB       | CN       |        | I       |        |
|          | 2    | B     | <i>Ursus spp.</i>          | derivatives | 7          |      | GB       | XX       |        | I       |        |
|          | 2    | B     | <i>Ursus spp.</i>          | derivatives | 12 cartons |      | GB       | XX       |        | I       |        |
|          | 2    | B     | <i>Ursus spp.</i>          | derivatives | 3903       |      | NL       | CN       |        | I       |        |
|          | 2    | B     | <i>Ursus spp.</i>          | derivatives | 120        |      | NL       | HK       |        | I       |        |
|          | 2    | B     | <i>Ursus spp.</i>          | skins       | 4          |      | NL       | CA       |        | I       |        |
|          | 2    | B     | <i>Ursus spp.</i>          | teeth       | 1070       |      | AT       | HU       | RU     | P       | W      |
|          | 2    | B     | <i>Ursus spp.</i>          | teeth       | 3          |      | GB       | US       |        | I       |        |
|          | 2    | B     | <i>Ursus spp.</i>          | trophies    | 2          |      | NL       | CA       |        | I       |        |
|          | 2    | B     | <i>Ursus americanus</i>    | bodies      | 1          |      | DE       | CA       |        | T       | W      |
|          | 2    | B     | <i>Ursus americanus</i>    | bodies      | 4          |      | FR       | CA       |        | H       | W      |
|          | 2    | B     | <i>Ursus americanus</i>    | bodies      | 4          |      | GB       | US       |        | E       | W      |
|          | 2    | B     | <i>Ursus americanus</i>    | bodies      | 1          |      | SE       | NO       | XX     | P       | W      |
|          | 2    | B     | <i>Ursus americanus</i>    | bones       | 1 kg       |      | DE       | CA       |        | H       | W      |
|          | 2    | B     | <i>Ursus americanus</i>    | bones       | 1          |      | DK       | CA       |        | H       | W      |
|          | 2    | B     | <i>Ursus americanus</i>    | claws       | 5          |      | AT       | CA       |        | I       |        |
|          | 2    | B     | <i>Ursus americanus</i>    | claws       | 40         |      | DE       | CA       |        | H       | W      |
|          | 2    | B     | <i>Ursus americanus</i>    | claws       | 857        |      | DE       | CA       |        | T       | W      |
|          | 2    | B     | <i>Ursus americanus</i>    | claws       | 106        |      | DE       | US       |        | T       | W      |
|          | 2    | B     | <i>Ursus americanus</i>    | claws       | 7          |      | DK       | CA       |        | H       | W      |
|          | 2    | B     | <i>Ursus americanus</i>    | feet        | 8          |      | DE       | CA       |        | H       | W      |
|          | 2    | B     | <i>Ursus americanus</i>    | feet        | 2          |      | DE       | US       |        | P       | W      |
|          | 2    | B     | <i>Ursus americanus</i>    | garments    | 20         |      | FR       | CA       |        | P       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                   | Term        | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------|-------------|----------|------|----------|----------|--------|---------|--------|
| I        | 2    | B     | <i>Ursus americanus</i> | live        | 2        |      | DE       | CH       | XX     | Q       | O      |
| I        | 2    | B     | <i>Ursus americanus</i> | meat        | 40 kg    |      | DE       | CA       |        | H       | W      |
| I        | 2    | B     | <i>Ursus americanus</i> | skins       | 9        |      | DE       | CA       |        | P       | W      |
| I        | 2    | B     | <i>Ursus americanus</i> | skins       | 17       |      | DE       | CA       |        | H       | W      |
| I        | 2    | B     | <i>Ursus americanus</i> | skins       | 99       |      | DE       | CA       |        | T       | W      |
| I        | 2    | B     | <i>Ursus americanus</i> | skins       | 2        |      | DE       | US       |        | H       | W      |
| I        | 2    | B     | <i>Ursus americanus</i> | skins       | 3        |      | DE       | US       |        | P       | W      |
| I        | 2    | B     | <i>Ursus americanus</i> | skins       | 23       |      | DK       | CA       |        | H       | W      |
| I        | 2    | B     | <i>Ursus americanus</i> | skins       | 117      |      | DK       | CA       |        | T       | W      |
| I        | 2    | B     | <i>Ursus americanus</i> | skins       | 1        |      | DK       | KH       | CA     | H       | W      |
| I        | 2    | B     | <i>Ursus americanus</i> | skins       | 27       |      | ES       | CA       |        | H       | W      |
| I        | 2    | B     | <i>Ursus americanus</i> | skins       | 7        |      | ES       | US       |        | H       | W      |
| I        | 2    | B     | <i>Ursus americanus</i> | skins       | 4        |      | FR       | CA       |        | H       | W      |
| I        | 2    | B     | <i>Ursus americanus</i> | skins       | 8        |      | FR       | CA       |        | P       | W      |
| I        | 2    | B     | <i>Ursus americanus</i> | skins       | 29       |      | FR       | CA       |        | T       | W      |
| I        | 2    | B     | <i>Ursus americanus</i> | skins       | 76       |      | GB       | CA       |        | T       | W      |
| I        | 2    | B     | <i>Ursus americanus</i> | skins       | 1        |      | GB       | XX       |        | I       |        |
| I        | 2    | B     | <i>Ursus americanus</i> | skins       | 1        |      | IT       | CA       |        | H       | W      |
| I        | 2    | B     | <i>Ursus americanus</i> | skins       | 4        |      | IT       | CA       |        | P       | W      |
| I        | 2    | B     | <i>Ursus americanus</i> | skins       | 4        |      | SE       | CA       |        | P       | W      |
| I        | 2    | B     | <i>Ursus americanus</i> | skin pieces | 4        |      | DE       | CA       |        | T       | W      |
| I        | 2    | B     | <i>Ursus americanus</i> | skulls      | 9        |      | DE       | CA       |        | P       | W      |
| I        | 2    | B     | <i>Ursus americanus</i> | skulls      | 24       |      | DE       | CA       |        | T       | W      |
| I        | 2    | B     | <i>Ursus americanus</i> | skulls      | 88       |      | DE       | CA       |        | H       | W      |
| I        | 2    | B     | <i>Ursus americanus</i> | skulls      | 1        |      | DE       | US       |        | H       | W      |
| I        | 2    | B     | <i>Ursus americanus</i> | skulls      | 1        |      | DE       | US       |        | P       | W      |
| I        | 2    | B     | <i>Ursus americanus</i> | skulls      | 10       |      | DK       | CA       |        | H       | W      |
| I        | 2    | B     | <i>Ursus americanus</i> | skulls      | 19       |      | ES       | CA       |        | H       | W      |
| I        | 2    | B     | <i>Ursus americanus</i> | skulls      | 7        |      | ES       | US       |        | H       | W      |
| I        | 2    | B     | <i>Ursus americanus</i> | skulls      | 7        |      | FR       | CA       |        | T       | W      |
| I        | 2    | B     | <i>Ursus americanus</i> | skulls      | 1        |      | GB       | US       |        | P       | W      |
| I        | 2    | B     | <i>Ursus americanus</i> | teeth       | 20       |      | DE       | CA       |        | H       | W      |
| I        | 2    | B     | <i>Ursus americanus</i> | teeth       | 1        |      | DK       | CA       |        | P       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                   | Term     | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------|----------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Ursus americanus</i> | trophies | 1        |      | AT       | CA       |        | I       |        |
|          | 2    | B     | <i>Ursus americanus</i> | trophies | 3        |      | AT       | CA       |        | T       | W      |
|          | 2    | B     | <i>Ursus americanus</i> | trophies | 44       |      | AT       | CA       |        | H       | W      |
|          | 2    | B     | <i>Ursus americanus</i> | trophies | 52       |      | AT       | CA       |        | P       | W      |
|          | 2    | B     | <i>Ursus americanus</i> | trophies | 3        |      | AT       | US       |        | H       | W      |
|          | 2    | B     | <i>Ursus americanus</i> | trophies | 8        |      | AT       | US       |        | P       | W      |
|          | 2    | B     | <i>Ursus americanus</i> | trophies | 8        |      | BE       | CA       |        | H       | W      |
|          | 2    | B     | <i>Ursus americanus</i> | trophies | 5        |      | BE       | US       |        | H       | W      |
|          | 2    | B     | <i>Ursus americanus</i> | trophies | 57       |      | DE       | CA       |        | T       | W      |
|          | 2    | B     | <i>Ursus americanus</i> | trophies | 87       |      | DE       | CA       |        | P       | W      |
|          | 2    | B     | <i>Ursus americanus</i> | trophies | 249      |      | DE       | CA       |        | H       | W      |
|          | 2    | B     | <i>Ursus americanus</i> | trophies | 1        |      | DE       | US       |        | P       | W      |
|          | 2    | B     | <i>Ursus americanus</i> | trophies | 1        |      | DE       | US       |        | T       | W      |
|          | 2    | B     | <i>Ursus americanus</i> | trophies | 10       |      | DE       | US       |        | H       | W      |
|          | 2    | B     | <i>Ursus americanus</i> | trophies | 16       |      | DK       | CA       |        | H       | W      |
|          | 2    | B     | <i>Ursus americanus</i> | trophies | 6        |      | ES       | CA       |        | H       | W      |
|          | 2    | B     | <i>Ursus americanus</i> | trophies | 2        |      | FI       | CA       |        | H       | W      |
|          | 2    | B     | <i>Ursus americanus</i> | trophies | 2        |      | FR       | CA       |        | T       | W      |
|          | 2    | B     | <i>Ursus americanus</i> | trophies | 7        |      | FR       | CA       |        | P       | W      |
|          | 2    | B     | <i>Ursus americanus</i> | trophies | 8        |      | FR       | CA       |        | H       | W      |
|          | 2    | B     | <i>Ursus americanus</i> | trophies | 1        |      | FR       | US       | CA     | H       | W      |
|          | 2    | B     | <i>Ursus americanus</i> | trophies | 2        |      | IT       | CA       |        | P       | W      |
|          | 2    | B     | <i>Ursus americanus</i> | trophies | 18       |      | IT       | CA       |        | H       | W      |
|          | 2    | B     | <i>Ursus americanus</i> | trophies | 1        |      | NL       | CA       |        | P       | W      |
|          | 2    | B     | <i>Ursus americanus</i> | trophies | 50       |      | SE       | CA       |        | P       | W      |
|          | 2    | B     | <i>Ursus americanus</i> | trophies | 2        |      | SE       | US       |        | P       | W      |
|          | 2    | A     | <i>Ursus arctos</i>     | bodies   | 1        |      | SE       | CA       |        | P       | W      |
|          | 2    | A     | <i>Ursus arctos</i>     | claws    | 20       |      | DE       | CA       |        | P       | W      |
|          | 2    | A     | <i>Ursus arctos</i>     | claws    | 1        |      | DE       | US       |        | P       | W      |
|          | 2    | A     | <i>Ursus arctos</i>     | live     | 1        |      | AT       | HU       |        | E       | C      |
|          | 2    | A     | <i>Ursus arctos</i>     | live     | 1        |      | AT       | HU       |        | RO      | E      |
|          | 2    | A     | <i>Ursus arctos</i>     | live     | 5        |      | ES       | CZ       | RU     | Q       | C      |
|          | 2    | A     | <i>Ursus arctos</i>     | live     | 7        |      | FR       | CZ       |        | Q       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon        | Term   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------|--------|----------|------|----------|----------|--------|---------|--------|
| 1        | 2    | A     | Ursus arctos | live   | 9        |      | FR       | RU       | Q      | C       |        |
| 1        | 2    | A     | Ursus arctos | live   | 2        |      | GR       | CZ       | Q      | C       |        |
| 1        | 2    | A     | Ursus arctos | live   | 2        |      | SE       | EE       | Z      | W       |        |
| 1        | 2    | A     | Ursus arctos | meat   | 250      | kg   | FI       | EE       | H      | W       |        |
| 1        | 2    | A     | Ursus arctos | skins  | 2        |      | AT       | RO       | I      |         |        |
| 1        | 2    | A     | Ursus arctos | skins  | 1        |      | DE       | BG       | H      | W       |        |
| 1        | 2    | A     | Ursus arctos | skins  | 4        |      | DE       | CA       | P      | W       |        |
| 1        | 2    | A     | Ursus arctos | skins  | 17       |      | DE       | CA       | H      | W       |        |
| 1        | 2    | A     | Ursus arctos | skins  | 3        |      | DE       | EE       | H      | W       |        |
| 1        | 2    | A     | Ursus arctos | skins  | 37       |      | DE       | RO       | H      | W       |        |
| 1        | 2    | A     | Ursus arctos | skins  | 1        |      | DE       | RU       | P      | W       |        |
| 1        | 2    | A     | Ursus arctos | skins  | 27       |      | DE       | RU       | H      | W       |        |
| 1        | 2    | A     | Ursus arctos | skins  | 14       |      | DE       | US       | H      | W       |        |
| 1        | 2    | A     | Ursus arctos | skins  | 2        |      | DK       | EE       | H      | W       |        |
| 1        | 2    | A     | Ursus arctos | skins  | 3        |      | DK       | RU       | H      | W       |        |
| 1        | 2    | A     | Ursus arctos | skins  | 1        |      | DK       | US       | H      | W       |        |
| 1        | 2    | A     | Ursus arctos | skins  | 35       |      | ES       | RO       | H      | W       |        |
| 1        | 2    | A     | Ursus arctos | skins  | 3        |      | ES       | RU       | H      | W       |        |
| 1        | 2    | A     | Ursus arctos | skins  | 10       |      | ES       | US       | H      | W       |        |
| 1        | 2    | A     | Ursus arctos | skins  | 1        |      | GB       | US       | I      |         |        |
| 1        | 2    | A     | Ursus arctos | skins  | 1        |      | IT       | RO       | H      | W       |        |
| 1        | 2    | A     | Ursus arctos | skins  | 1        |      | IT       | RO       | P      | W       |        |
| 1        | 2    | A     | Ursus arctos | skins  | 1        |      | NL       | RU       | H      | W       |        |
| 1        | 2    | A     | Ursus arctos | skulls | 1        |      | AT       | RO       | I      |         |        |
| 1        | 2    | A     | Ursus arctos | skulls | 1        |      | DE       | BG       | H      | W       |        |
| 1        | 2    | A     | Ursus arctos | skulls | 2        |      | DE       | CA       | P      | W       |        |
| 1        | 2    | A     | Ursus arctos | skulls | 13       |      | DE       | CA       | H      | W       |        |
| 1        | 2    | A     | Ursus arctos | skulls | 3        |      | DE       | EE       | H      | W       |        |
| 1        | 2    | A     | Ursus arctos | skulls | 37       |      | DE       | RO       | H      | W       |        |
| 1        | 2    | A     | Ursus arctos | skulls | 1        |      | DE       | RU       | P      | W       |        |
| 1        | 2    | A     | Ursus arctos | skulls | 24       |      | DE       | RU       | H      | W       |        |
| 1        | 2    | A     | Ursus arctos | skulls | 12       |      | DE       | US       | H      | W       |        |
| 1        | 2    | A     | Ursus arctos | skulls | 2        |      | DK       | RU       | H      | W       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon               | Term     | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------|----------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | A     | <i>Ursus arctos</i> | skulls   | 1        |      | DK       | US       | H      | W       |        |
|          | 2    | A     | <i>Ursus arctos</i> | skulls   | 35       |      | ES       | RO       | H      | W       |        |
|          | 2    | A     | <i>Ursus arctos</i> | skulls   | 3        |      | ES       | RU       | H      | W       |        |
|          | 2    | A     | <i>Ursus arctos</i> | skulls   | 8        |      | ES       | US       | H      | W       |        |
|          | 2    | A     | <i>Ursus arctos</i> | skulls   | 1        |      | IT       | RO       | H      | W       |        |
|          | 2    | A     | <i>Ursus arctos</i> | skulls   | 1        |      | IT       | RO       | P      | W       |        |
|          | 2    | A     | <i>Ursus arctos</i> | teeth    | 70       |      | SE       | US       | SE     | S       | W      |
|          | 2    | A     | <i>Ursus arctos</i> | trophies | 1        |      | AT       | CA       | P      | W       |        |
|          | 2    | A     | <i>Ursus arctos</i> | trophies | 8        |      | AT       | CA       | H      | W       |        |
|          | 2    | A     | <i>Ursus arctos</i> | trophies | 1        |      | AT       | LI       | US     | H       | W      |
|          | 2    | A     | <i>Ursus arctos</i> | trophies | 2        |      | AT       | RO       | I      |         |        |
|          | 2    | A     | <i>Ursus arctos</i> | trophies | 3        |      | AT       | RO       | H      | W       |        |
|          | 2    | A     | <i>Ursus arctos</i> | trophies | 6        |      | AT       | RU       | P      | W       |        |
|          | 2    | A     | <i>Ursus arctos</i> | trophies | 8        |      | AT       | RU       | H      | W       |        |
|          | 2    | A     | <i>Ursus arctos</i> | trophies | 1        |      | AT       | SK       | I      |         |        |
|          | 2    | A     | <i>Ursus arctos</i> | trophies | 2        |      | AT       | US       | P      | W       |        |
|          | 2    | A     | <i>Ursus arctos</i> | trophies | 5        |      | AT       | US       | H      | W       |        |
|          | 2    | A     | <i>Ursus arctos</i> | trophies | 1        |      | BE       | CA       | H      | W       |        |
|          | 2    | A     | <i>Ursus arctos</i> | trophies | 7        |      | BE       | RO       | H      | W       |        |
|          | 2    | A     | <i>Ursus arctos</i> | trophies | 1        |      | DE       | BG       | H      | W       |        |
|          | 2    | A     | <i>Ursus arctos</i> | trophies | 5        |      | DE       | CA       | H      | W       |        |
|          | 2    | A     | <i>Ursus arctos</i> | trophies | 6        |      | DE       | CA       | P      | W       |        |
|          | 2    | A     | <i>Ursus arctos</i> | trophies | 1        |      | DE       | SK       | H      | W       |        |
|          | 2    | A     | <i>Ursus arctos</i> | trophies | 2        |      | DE       | US       | H      | W       |        |
|          | 2    | A     | <i>Ursus arctos</i> | trophies | 2        |      | DK       | EE       | H      | W       |        |
|          | 2    | A     | <i>Ursus arctos</i> | trophies | 1        |      | DK       | US       | H      | W       |        |
|          | 2    | A     | <i>Ursus arctos</i> | trophies | 2        |      | FI       | CA       | H      | W       |        |
|          | 2    | A     | <i>Ursus arctos</i> | trophies | 4        |      | FI       | EE       | H      | W       |        |
|          | 2    | A     | <i>Ursus arctos</i> | trophies | 7        |      | FI       | RU       | H      | W       |        |
|          | 2    | A     | <i>Ursus arctos</i> | trophies | 1        |      | FR       | CA       | H      | W       |        |
|          | 2    | A     | <i>Ursus arctos</i> | trophies | 1        |      | FR       | RO       | H      | W       |        |
|          | 2    | A     | <i>Ursus arctos</i> | trophies | 2        |      | FR       | RU       | H      | W       |        |
|          | 2    | A     | <i>Ursus arctos</i> | trophies | 2        |      | FR       | US       | H      | W       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                             | Term        | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------------|-------------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | A     | <i>Ursus arctos</i>               | trophies    | 1        |      | IT       | CA       | H      | W       |        |
|          | 2    | A     | <i>Ursus arctos</i>               | trophies    | 1        |      | IT       | RO       | H      | W       |        |
|          | 2    | A     | <i>Ursus arctos</i>               | trophies    | 4        |      | IT       | RU       | H      | W       |        |
|          | 2    | A     | <i>Ursus arctos</i>               | trophies    | 1        |      | IT       | US       | H      | W       |        |
|          | 2    | A     | <i>Ursus arctos</i>               | trophies    | 1        |      | IT       | US       | P      | W       |        |
|          | 2    | A     | <i>Ursus arctos</i>               | trophies    | 1        |      | IT       | US       | RU     | H       | W      |
|          | 2    | A     | <i>Ursus arctos</i>               | trophies    | 1        |      | NL       | CA       | P      | W       |        |
|          | 2    | A     | <i>Ursus arctos</i>               | trophies    | 2        |      | NL       | US       | H      | W       |        |
|          | 2    | A     | <i>Ursus arctos</i>               | trophies    | 1        |      | SE       | CA       | P      | W       |        |
|          | 2    | A     | <i>Ursus arctos</i>               | trophies    | 1        |      | SE       | RU       | H      | W       |        |
|          | 2    | A     | <i>Ursus arctos</i>               | trophies    | 4        |      | SE       | US       | H      | W       |        |
|          | 2    | A     | <i>Ursus arctos horribilis</i>    | trophies    | 2        |      | AT       | CA       | H      | W       |        |
|          | 2    | A     | <i>Ursus arctos horribilis</i>    | trophies    | 1        |      | BE       | CA       | H      | W       |        |
|          | 2    | A     | <i>Ursus arctos middendorffii</i> | trophies    | 2        |      | AT       | US       | H      | W       |        |
|          | 2    | B     | <i>Ursus maritimus</i>            | claws       | 3        |      | DK       | GL       | P      | W       |        |
|          | 2    | B     | <i>Ursus maritimus</i>            | skins       | 1        |      | DE       | CA       | P      | W       |        |
|          | 2    | B     | <i>Ursus maritimus</i>            | skins       | 10       |      | DE       | CA       | T      | W       |        |
|          | 2    | B     | <i>Ursus maritimus</i>            | skins       | 1        |      | DE       | GL       | T      | W       |        |
|          | 2    | B     | <i>Ursus maritimus</i>            | skins       | 9        |      | DK       | GL       | P      | W       |        |
|          | 2    | B     | <i>Ursus maritimus</i>            | skins       | 56       |      | DK       | GL       | T      | W       |        |
|          | 2    | B     | <i>Ursus maritimus</i>            | skins       | 4        |      | ES       | CA       | H      | W       |        |
|          | 2    | B     | <i>Ursus maritimus</i>            | skins       | 1        |      | FR       | CA       | H      | W       |        |
|          | 2    | B     | <i>Ursus maritimus</i>            | skins       | 1        |      | FR       | CA       | P      | W       |        |
|          | 2    | B     | <i>Ursus maritimus</i>            | skins       | 2        |      | FR       | CA       | T      | W       |        |
|          | 2    | B     | <i>Ursus maritimus</i>            | skins       | 1        |      | FR       | NO       | CA     | P       | W      |
|          | 2    | B     | <i>Ursus maritimus</i>            | skins       | 1        |      | GB       | US       | I      |         |        |
|          | 2    | B     | <i>Ursus maritimus</i>            | skins       | 1        |      | SE       | NO       | P      | W       |        |
|          | 2    | B     | <i>Ursus maritimus</i>            | skins       | 1        |      | SE       | NO       | CA     | P       | W      |
|          | 2    | B     | <i>Ursus maritimus</i>            | skin pieces | 1        |      | FR       | CA       | H      | W       |        |
|          | 2    | B     | <i>Ursus maritimus</i>            | skulls      | 1        |      | DK       | CA       | Q      | O       |        |
|          | 2    | B     | <i>Ursus maritimus</i>            | skulls      | 1        |      | DK       | GL       | E      | W       |        |
|          | 2    | B     | <i>Ursus maritimus</i>            | skulls      | 1        |      | DK       | GL       | P      | I       |        |
|          | 2    | B     | <i>Ursus maritimus</i>            | skulls      | 2        |      | DK       | GL       | T      | W       |        |

European Community annual report to CITES 1998

Exp/Imp. App. Annex Taxon

|  |   |   | Term                      | Quantity Unit | Importer | Exporter | Origin | Purpose | Source |
|--|---|---|---------------------------|---------------|----------|----------|--------|---------|--------|
|  | 2 | B | <i>Ursus maritimus</i>    |               |          |          |        |         |        |
|  | 2 | B | <i>Ursus maritimus</i>    |               |          |          |        |         |        |
|  | 2 | B | <i>Ursus maritimus</i>    |               |          |          |        |         |        |
|  | 2 | B | <i>Ursus maritimus</i>    |               |          |          |        |         |        |
|  | 2 | B | <i>Ursus maritimus</i>    |               |          |          |        |         |        |
|  | 2 | B | <i>Ursus maritimus</i>    |               |          |          |        |         |        |
|  | 2 | B | <i>Ursus maritimus</i>    |               |          |          |        |         |        |
|  | 2 | B | <i>Ursus maritimus</i>    |               |          |          |        |         |        |
|  | 2 | B | <i>Ursus maritimus</i>    |               |          |          |        |         |        |
|  | 2 | B | <i>Ursus maritimus</i>    |               |          |          |        |         |        |
|  | 2 | B | <i>Ursus maritimus</i>    |               |          |          |        |         |        |
|  | 2 | B | <i>Ursus maritimus</i>    |               |          |          |        |         |        |
|  | 2 | B | <i>Ursus maritimus</i>    |               |          |          |        |         |        |
|  | 2 | B | <i>Ursus maritimus</i>    |               |          |          |        |         |        |
|  | 2 | B | <i>Ursus maritimus</i>    |               |          |          |        |         |        |
|  | 2 | B | <i>Ursus maritimus</i>    |               |          |          |        |         |        |
|  | 2 | B | <i>Ursus maritimus</i>    |               |          |          |        |         |        |
|  | 2 | B | <i>Ursus maritimus</i>    |               |          |          |        |         |        |
|  | 2 | B | <i>Ursus maritimus</i>    |               |          |          |        |         |        |
|  | 2 | B | <i>Ursus maritimus</i>    |               |          |          |        |         |        |
|  | 2 | B | <i>Ursus maritimus</i>    |               |          |          |        |         |        |
|  | 2 | B | <i>Ursus maritimus</i>    |               |          |          |        |         |        |
|  | 2 | B | <i>Ursus maritimus</i>    |               |          |          |        |         |        |
|  | 2 | B | <i>Ursus maritimus</i>    |               |          |          |        |         |        |
|  | 2 | B | <i>Ursus maritimus</i>    |               |          |          |        |         |        |
|  | 2 | B | <i>Ursus maritimus</i>    |               |          |          |        |         |        |
|  | 2 | B | <i>Ursus maritimus</i>    |               |          |          |        |         |        |
|  | 2 | B | <i>Ursus maritimus</i>    |               |          |          |        |         |        |
|  | 2 | B | <i>Ursus maritimus</i>    |               |          |          |        |         |        |
|  | 2 | B | <i>Ursus maritimus</i>    |               |          |          |        |         |        |
|  | 2 | B | <i>Ursus maritimus</i>    |               |          |          |        |         |        |
|  | 2 | B | <i>Ursus maritimus</i>    |               |          |          |        |         |        |
|  | 2 | B | <i>Lontra canadensis</i>  |               |          |          |        |         |        |
|  | 2 | B | <i>Lontra canadensis</i>  |               |          |          |        |         |        |
|  | 2 | B | <i>Lontra canadensis</i>  |               |          |          |        |         |        |
|  | 2 | B | <i>Lontra canadensis</i>  |               |          |          |        |         |        |
|  | 2 | B | <i>Lontra canadensis</i>  |               |          |          |        |         |        |
|  | 2 | B | <i>Lontra canadensis</i>  |               |          |          |        |         |        |
|  | 2 | B | <i>Lontra canadensis</i>  |               |          |          |        |         |        |
|  | 2 | B | <i>Lontra canadensis</i>  |               |          |          |        |         |        |
|  | 2 | B | <i>Lontra canadensis</i>  |               |          |          |        |         |        |
|  | 2 | B | <i>Lontra canadensis</i>  |               |          |          |        |         |        |
|  | 2 | B | <i>Lontra canadensis</i>  |               |          |          |        |         |        |
|  | 2 | B | <i>Lontra canadensis</i>  |               |          |          |        |         |        |
|  | 2 | B | <i>Lontra canadensis</i>  |               |          |          |        |         |        |
|  | 2 | B | <i>Lontra canadensis</i>  |               |          |          |        |         |        |
|  | 2 | B | <i>Lontra canadensis</i>  |               |          |          |        |         |        |
|  | 2 | B | <i>Lontra canadensis</i>  |               |          |          |        |         |        |
|  | 2 | B | <i>Lontra canadensis</i>  |               |          |          |        |         |        |
|  | 2 | B | <i>Parahyaena brunnea</i> |               |          |          |        |         |        |
|  | 2 | B | <i>Parahyaena brunnea</i> |               |          |          |        |         |        |
|  | 2 | B | <i>Parahyaena brunnea</i> |               |          |          |        |         |        |
|  | 2 | B | <i>Felidae spp.</i>       |               |          |          |        |         |        |
|  | 2 | B | <i>Felidae spp.</i>       |               |          |          |        |         |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon           | Term        | Quantity  | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------|-------------|-----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | Felidae spp.    | derivatives | 20        |      | NL       | CL       |        |         |        |
|          | 2    | B     | Felidae spp.    | derivatives | 202       |      | NL       | CN       |        |         |        |
|          | 2    | B     | Felidae spp.    | derivatives | 39        |      | NL       | HK       |        |         |        |
|          | 2    | B     | Felidae spp.    | derivatives | 1 bottles |      | NL       | HK       |        |         |        |
|          | 2    | B     | Felidae spp.    | derivatives | 34        |      | NL       | JP       |        |         |        |
|          | 2    | B     | Felidae spp.    | derivatives | 2700      |      | NL       | TH       |        |         |        |
|          | 2    | B     | Felidae spp.    | derivatives | 101       |      | NL       | VN       |        |         |        |
|          | 2    | B     | Felidae spp.    | skins       | 1         |      | ES       | BO       | XX     |         |        |
|          | 2    | B     | Felidae spp.    | skins       | 1         |      | NL       | SR       |        |         |        |
|          | 2    | B     | Felidae spp.    | teeth       | 3         |      | NL       | KE       |        |         |        |
|          | 2    | B     | Felidae spp.    | teeth       | 1         |      | NL       | PE       |        |         |        |
|          | 2    | B     | Felidae spp.    | teeth       | 1         |      | NL       | SR       |        |         |        |
|          | 2    | B     | Felidae spp.    | teeth       | 3         |      | NL       | XX       |        |         |        |
|          | 2    | B     | Caracal caracal | bodies      | 1         |      | DK       | ZA       |        | H       | W      |
|          | 2    | B     | Caracal caracal | bodies      | 1         |      | FR       | ZA       |        | H       | W      |
|          | 2    | B     | Caracal caracal | skins       | 1         |      | AT       | NA       |        | P       | W      |
|          | 2    | B     | Caracal caracal | skins       | 1         |      | DE       | ET       |        | H       | W      |
|          | 2    | B     | Caracal caracal | skins       | 14        |      | DE       | NA       |        | H       | W      |
|          | 2    | B     | Caracal caracal | skins       | 2         |      | DE       | ZA       |        | T       | W      |
|          | 2    | B     | Caracal caracal | skins       | 3         |      | DE       | ZA       |        | H       | W      |
|          | 2    | B     | Caracal caracal | skins       | 1         |      | DE       | ZW       |        | H       | W      |
|          | 2    | B     | Caracal caracal | skins       | 1         |      | DK       | NA       |        | H       | W      |
|          | 2    | B     | Caracal caracal | skins       | 3         |      | ES       | NA       |        | H       | W      |
|          | 2    | B     | Caracal caracal | skins       | 9         |      | ES       | ZA       |        | H       | W      |
|          | 2    | B     | Caracal caracal | skins       | 1         |      | ES       | ZW       |        | H       | W      |
|          | 2    | B     | Caracal caracal | skins       | 1         |      | FR       | ZA       |        | P       | W      |
|          | 2    | B     | Caracal caracal | skins       | 2         |      | PT       | ZA       |        | H       | W      |
|          | 2    | B     | Caracal caracal | skulls      | 1         |      | DE       | ET       |        | H       | W      |
|          | 2    | B     | Caracal caracal | skulls      | 9         |      | DE       | NA       |        | H       | W      |
|          | 2    | B     | Caracal caracal | skulls      | 5         |      | DE       | ZA       |        | H       | W      |
|          | 2    | B     | Caracal caracal | skulls      | 1         |      | DE       | ZW       |        | H       | W      |
|          | 2    | B     | Caracal caracal | skulls      | 2         |      | DK       | NA       |        | H       | W      |
|          | 2    | B     | Caracal caracal | skulls      | 3         |      | ES       | NA       |        | H       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon            | Term     | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------|----------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | Caracal caracal  | skulls   | 3        |      | ES       | ZA       | H      | W       |        |
|          | 2    | B     | Caracal caracal  | skulls   | 1        |      | ES       | ZW       | H      | W       |        |
|          | 2    | B     | Caracal caracal  | skulls   | 1        |      | GB       | US       | ZA     | P       | W      |
|          | 2    | B     | Caracal caracal  | skulls   | 2        |      | PT       | ZA       | H      | W       |        |
|          | 2    | B     | Caracal caracal  | trophies | 1        |      | AT       | NA       | H      | W       |        |
|          | 2    | B     | Caracal caracal  | trophies | 1        |      | AT       | NA       | P      | W       |        |
|          | 2    | B     | Caracal caracal  | trophies | 1        |      | AT       | ZA       | H      | W       |        |
|          | 2    | B     | Caracal caracal  | trophies | 2        |      | BE       | NA       | H      | W       |        |
|          | 2    | B     | Caracal caracal  | trophies | 6        |      | DE       | NA       | H      | W       |        |
|          | 2    | B     | Caracal caracal  | trophies | 6        |      | DE       | ZA       | H      | W       |        |
|          | 2    | B     | Caracal caracal  | trophies | 1        |      | DK       | NA       | H      | W       |        |
|          | 2    | B     | Caracal caracal  | trophies | 1        |      | DK       | ZA       | H      | W       |        |
|          | 2    | B     | Caracal caracal  | trophies | 1        |      | FR       | ZA       | P      | W       |        |
|          | 2    | B     | Caracal caracal  | trophies | 1        |      | FR       | ZW       | H      | W       |        |
|          | 2    | B     | Caracal caracal  | trophies | 2        |      | IT       | NA       | H      | W       |        |
|          | 2    | B     | Caracal caracal  | trophies | 2        |      | IT       | ZW       | H      | W       |        |
|          | 2    | B     | Caracal caracal  | trophies | 1        |      | SE       | ZA       | P      | W       |        |
|          | 2    | B     | Felis margarita  | live     | 1        |      | GB       | US       | Z      | F       |        |
|          | 2    | A     | Felis silvestris | live     | 1        |      | DE       | AE       | B      | C       |        |
|          | 2    | A     | Felis silvestris | live     | 13       |      | DE       | CH       | N      | C       |        |
|          | 2    | A     | Felis silvestris | skins    | 6        |      | DE       | NA       | H      | W       |        |
|          | 2    | A     | Felis silvestris | skins    | 1        |      | DE       | ZA       | H      | W       |        |
|          | 2    | A     | Felis silvestris | skins    | 4        |      | ES       | ZA       | H      | W       |        |
|          | 2    | A     | Felis silvestris | skins    | 4        |      | ES       | ZW       | H      | W       |        |
|          | 2    | A     | Felis silvestris | skulls   | 3        |      | DE       | NA       | H      | W       |        |
|          | 2    | A     | Felis silvestris | skulls   | 4        |      | ES       | ZA       | H      | W       |        |
|          | 2    | A     | Felis silvestris | skulls   | 2        |      | ES       | ZW       | H      | W       |        |
|          | 2    | A     | Felis silvestris | trophies | 1        |      | AT       | NA       | P      | W       |        |
|          | 2    | A     | Felis silvestris | trophies | 1        |      | AT       | ZA       | P      | W       |        |
|          | 2    | A     | Felis silvestris | trophies | 1        |      | AT       | ZW       | P      | W       |        |
|          | 2    | A     | Felis silvestris | trophies | 2        |      | DE       | NA       | H      | W       |        |
|          | 2    | A     | Felis silvestris | trophies | 1        |      | FR       | TZ       | H      | W       |        |
|          | 2    | A     | Felis silvestris | trophies | 1        |      | FR       | ZA       | H      | W       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                     | Term     | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------|----------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | A     | <i>Felis silvestris</i>   | trophies | 1        |      | FR       | ZW       | H      | W       |        |
|          | 2    | A     | <i>Felis silvestris</i>   | trophies | 1        |      | IT       | NA       | H      | W       |        |
|          | 2    | B     | <i>Leptailurus serval</i> | live     | 2        |      | AT       | ZA       | B      | C       |        |
|          | 2    | B     | <i>Leptailurus serval</i> | live     | 6        |      | ES       | TG       | T      | W       |        |
|          | 2    | B     | <i>Leptailurus serval</i> | skins    | 1        |      | DE       | ET       | H      | W       |        |
|          | 2    | B     | <i>Leptailurus serval</i> | skins    | 1        |      | DE       | TZ       | H      | W       |        |
|          | 2    | B     | <i>Leptailurus serval</i> | skins    | 1        |      | DE       | ZW       | H      | W       |        |
|          | 2    | B     | <i>Leptailurus serval</i> | skins    | 2        |      | ES       | ET       | H      | W       |        |
|          | 2    | B     | <i>Leptailurus serval</i> | skins    | 5        |      | ES       | ZW       | H      | W       |        |
|          | 2    | B     | <i>Leptailurus serval</i> | skulls   | 1        |      | DE       | ET       | H      | W       |        |
|          | 2    | B     | <i>Leptailurus serval</i> | skulls   | 1        |      | DE       | TZ       | H      | W       |        |
|          | 2    | B     | <i>Leptailurus serval</i> | skulls   | 1        |      | DE       | ZW       | H      | W       |        |
|          | 2    | B     | <i>Leptailurus serval</i> | skulls   | 1        |      | ES       | ET       | H      | W       |        |
|          | 2    | B     | <i>Leptailurus serval</i> | skulls   | 1        |      | ES       | ZW       | H      | W       |        |
|          | 2    | B     | <i>Leptailurus serval</i> | skulls   | 6        |      | ES       | ZW       | H      | W       |        |
|          | 2    | B     | <i>Leptailurus serval</i> | trophies | 1        |      | AT       | ZW       | P      | W       |        |
|          | 2    | B     | <i>Leptailurus serval</i> | trophies | 1        |      | DE       | ZA       | H      | W       |        |
|          | 2    | B     | <i>Leptailurus serval</i> | trophies | 1        |      | ES       | ET       | XX     | I       |        |
|          | 2    | B     | <i>Leptailurus serval</i> | trophies | 1        |      | ES       | ZW       | H      | W       |        |
|          | 2    | B     | <i>Leptailurus serval</i> | trophies | 1        |      | FR       | TZ       | H      | W       |        |
|          | 2    | B     | <i>Leptailurus serval</i> | trophies | 2        |      | FR       | ZA       | H      | W       |        |
|          | 2    | B     | <i>Leptailurus serval</i> | trophies | 1        |      | IT       | TZ       | H      | W       |        |
|          | 2    | B     | <i>Lynx spp.</i>          | skins    | 1        |      | GB       | US       | I      | W       |        |
|          | 2    | B     | <i>Lynx canadensis</i>    | bodies   | 1        |      | SE       | CA       | P      | W       |        |
|          | 2    | B     | <i>Lynx canadensis</i>    | skins    | 18       |      | DE       | CA       | T      | W       |        |
|          | 2    | B     | <i>Lynx canadensis</i>    | skins    | 25       |      | ES       | CA       | T      | W       |        |
|          | 2    | B     | <i>Lynx canadensis</i>    | skins    | 2        |      | FR       | CA       | P      | W       |        |
|          | 2    | B     | <i>Lynx canadensis</i>    | skins    | 10       |      | FR       | CA       | T      | W       |        |
|          | 2    | B     | <i>Lynx canadensis</i>    | skins    | 1009     |      | GR       | CA       | T      | W       |        |
|          | 2    | B     | <i>Lynx canadensis</i>    | skins    | 1226     |      | IT       | CA       | T      | W       |        |
|          | 2    | B     | <i>Lynx canadensis</i>    | skins    | 18       |      | IT       | CA       | US     | T       | W      |
|          | 2    | B     | <i>Lynx canadensis</i>    | skins    | 42       |      | IT       | US       | CA     | T       | W      |
|          | 2    | B     | <i>Lynx canadensis</i>    | skulls   | 1        |      | DE       | CA       | P      | W       |        |
|          | 2    | B     | <i>Lynx canadensis</i>    | skulls   | 9        |      | DE       | CA       | T      | W       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex           | Taxon | Term     | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-----------------|-------|----------|----------|------|----------|----------|--------|---------|--------|
| 2        | B    | Lynx canadensis |       | skulls   | 1        |      | GB       | US       |        | P       | W      |
| 2        | B    | Lynx canadensis |       | trophies | 4        |      | AT       | CA       |        | P       | W      |
| 2        | B    | Lynx canadensis |       | trophies | 1        |      | DE       | CA       |        | H       | W      |
| 2        | B    | Lynx canadensis |       | trophies | 2        |      | DE       | CA       |        | P       | W      |
| 2        | B    | Lynx canadensis |       | trophies | 5        |      | DE       | CA       |        | T       | W      |
| 2        | B    | Lynx canadensis |       | trophies | 1        |      | FR       | CA       |        | T       | W      |
| 2        | A    | Lynx lynx       |       | bodies   | 1        |      | FI       | NO       |        | Q       | W      |
| 2        | A    | Lynx lynx       |       | bodies   | 1        |      | FR       | CH       |        | E       | C      |
| 2        | A    | Lynx lynx       |       | skins    | 1        |      | DE       | EE       |        | H       | W      |
| 2        | A    | Lynx lynx       |       | skins    | 1        |      | DE       | RU       |        | H       | W      |
| 2        | A    | Lynx lynx       |       | skulls   | 1        |      | DE       | EE       |        | H       | W      |
| 2        | A    | Lynx lynx       |       | skulls   | 1        |      | DE       | RU       |        | H       | W      |
| 2        | A    | Lynx lynx       |       | teeth    | 88       |      | SE       | US       | SE     | Q       | W      |
| 2        | A    | Lynx lynx       |       | trophies | 2        |      | AT       | EE       |        | P       | W      |
| 2        | A    | Lynx lynx lynx  |       | live     | 2        |      | PT       | CH       |        | Z       | C      |
| 2        | B    | Lynx rufus      |       | bodies   | 1        |      | GB       | XX       |        | I       |        |
| 2        | B    | Lynx rufus      |       | garments | 1        |      | DE       | US       |        | P       | W      |
| 2        | B    | Lynx rufus      |       | garments | 2        |      | DK       | US       |        | T       | W      |
| 2        | B    | Lynx rufus      |       | skins    | 12       |      | DE       | CA       |        | T       | W      |
| 2        | B    | Lynx rufus      |       | skins    | 1        |      | DE       | US       |        | P       | W      |
| 2        | B    | Lynx rufus      |       | skins    | 142      |      | DE       | US       |        | T       | W      |
| 2        | B    | Lynx rufus      |       | skins    | 116      |      | DK       | CA       |        | T       | W      |
| 2        | B    | Lynx rufus      |       | skins    | 1        |      | DK       | US       |        | T       | W      |
| 2        | B    | Lynx rufus      |       | skins    | 73       |      | ES       | CA       | US     | T       | W      |
| 2        | B    | Lynx rufus      |       | skins    | 29       |      | GR       | CA       |        | T       | W      |
| 2        | B    | Lynx rufus      |       | skins    | 14       |      | GR       | CA       | US     | T       | W      |
| 2        | B    | Lynx rufus      |       | skins    | 523      |      | IT       | CA       |        | T       | W      |
| 2        | B    | Lynx rufus      |       | skins    | 595      |      | IT       | CA       | US     | T       | W      |
| 2        | B    | Lynx rufus      |       | skins    | 1726     |      | IT       | US       |        | T       | W      |
| 2        | B    | Lynx rufus      |       | skulls   | 2        |      | DE       | CA       |        | T       | W      |
| 2        | B    | Lynx rufus      |       | skulls   | 1        |      | GB       | US       |        | P       | W      |
| 2        | B    | Lynx rufus      |       | trophies | 1        |      | AT       | CA       |        | P       | W      |
| 2        | B    | Lynx rufus      |       | trophies | 1        |      | AT       | US       | H      | W       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                   | Term     | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------|----------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Lynx rufus</i>       | trophies | 1        |      | IT       | CA       | H      | W       |        |
|          | 2    | B     | <i>Otocolobus manul</i> | live     | 1        |      | AT       | RU       | Z      | F       |        |
|          | 2    | B     | <i>Otocolobus manul</i> | live     | 2        |      | DE       | RU       | Z      | F       |        |
|          | 2    | B     | <i>Otocolobus manul</i> | live     | 1        |      | FI       | RU       | Z      | C       |        |
|          | 2    | B     | <i>Otocolobus manul</i> | live     | 1        |      | FR       | RU       | Z      | W       |        |
|          | 2    | B     | <i>Panthera leo</i>     | bodies   | 1        |      | ES       | ZA       | H      | W       |        |
|          | 2    | B     | <i>Panthera leo</i>     | bodies   | 3        |      | IT       | CH       | KE     | P       | O      |
|          | 2    | B     | <i>Panthera leo</i>     | claws    | 1        |      | AT       | NA       | I      |         |        |
|          | 2    | B     | <i>Panthera leo</i>     | claws    | 1        |      | AT       | ZA       | I      |         |        |
|          | 2    | B     | <i>Panthera leo</i>     | claws    | 16       |      | DE       | TZ       | H      | W       |        |
|          | 2    | B     | <i>Panthera leo</i>     | claws    | 2        |      | DE       | ZA       | H      | W       |        |
|          | 2    | B     | <i>Panthera leo</i>     | claws    | 18       |      | DE       | ZW       | H      | W       |        |
|          | 2    | B     | <i>Panthera leo</i>     | live     | 1        |      | DE       | CH       | Q      | C       |        |
|          | 2    | B     | <i>Panthera leo</i>     | live     | 1        |      | DE       | CH       | GB     | Q       | C      |
|          | 2    | B     | <i>Panthera leo</i>     | live     | 2        |      | ES       | TR       | ES     | Q       | O      |
|          | 2    | B     | <i>Panthera leo</i>     | live     | 2        |      | FR       | ZA       | Z      | C       |        |
|          | 2    | B     | <i>Panthera leo</i>     | live     | 1        |      | NL       | PL       | Q      | C       |        |
|          | 2    | B     | <i>Panthera leo</i>     | skins    | 1        |      | DE       | NA       | H      | W       |        |
|          | 2    | B     | <i>Panthera leo</i>     | skins    | 11       |      | DE       | TZ       | H      | W       |        |
|          | 2    | B     | <i>Panthera leo</i>     | skins    | 1        |      | DE       | ZA       | P      | W       |        |
|          | 2    | B     | <i>Panthera leo</i>     | skins    | 1        |      | DE       | ZA       | T      | W       |        |
|          | 2    | B     | <i>Panthera leo</i>     | skins    | 5        |      | DE       | ZA       | H      | W       |        |
|          | 2    | B     | <i>Panthera leo</i>     | skins    | 1        |      | DE       | ZA       | ZM     | H       | W      |
|          | 2    | B     | <i>Panthera leo</i>     | skins    | 1        |      | DE       | ZM       | H      | W       |        |
|          | 2    | B     | <i>Panthera leo</i>     | skins    | 13       |      | DE       | ZW       | H      | W       |        |
|          | 2    | B     | <i>Panthera leo</i>     | skins    | 2        |      | DK       | TZ       | H      | W       |        |
|          | 2    | B     | <i>Panthera leo</i>     | skins    | 1        |      | ES       | MZ       | H      | W       |        |
|          | 2    | B     | <i>Panthera leo</i>     | skins    | 22       |      | ES       | TZ       | H      | W       |        |
|          | 2    | B     | <i>Panthera leo</i>     | skins    | 7        |      | ES       | ZA       | H      | W       |        |
|          | 2    | B     | <i>Panthera leo</i>     | skins    | 6        |      | ES       | ZM       | H      | W       |        |
|          | 2    | B     | <i>Panthera leo</i>     | skins    | 12       |      | ES       | ZW       | H      | W       |        |
|          | 2    | B     | <i>Panthera leo</i>     | skins    | 1        |      | IT       | NA       | P      | W       |        |
|          | 2    | B     | <i>Panthera leo</i>     | skins    | 1        |      | IT       | ZW       | P      | W       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon               | Term        | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------|-------------|----------|------|----------|----------|--------|---------|--------|
| 1        | 2    | B     | <i>Panthera leo</i> | skins       | 1        |      | NL       | ZA       | ZM     | H       | W      |
| 1        | 2    | B     | <i>Panthera leo</i> | skins       | 1        |      | PT       | TZ       |        | H       | W      |
| 1        | 2    | B     | <i>Panthera leo</i> | skins       | 5        |      | PT       | ZA       |        | H       | W      |
| 1        | 2    | B     | <i>Panthera leo</i> | skin pieces | 1        |      | ES       | TZ       |        | H       | W      |
| 1        | 2    | B     | <i>Panthera leo</i> | skulls      | 1        |      | DE       | NA       |        | H       | W      |
| 1        | 2    | B     | <i>Panthera leo</i> | skulls      | 11       |      | DE       | TZ       |        | H       | W      |
| 1        | 2    | B     | <i>Panthera leo</i> | skulls      | 1        |      | DE       | ZA       |        | P       | W      |
| 1        | 2    | B     | <i>Panthera leo</i> | skulls      | 6        |      | DE       | ZA       |        | H       | W      |
| 1        | 2    | B     | <i>Panthera leo</i> | skulls      | 1        |      | DE       | ZA       | TZ     | H       | W      |
| 1        | 2    | B     | <i>Panthera leo</i> | skulls      | 1        |      | DE       | ZA       | ZM     | H       | W      |
| 1        | 2    | B     | <i>Panthera leo</i> | skulls      | 1        |      | DE       | ZM       |        | H       | W      |
| 1        | 2    | B     | <i>Panthera leo</i> | skulls      | 19       |      | DE       | ZW       |        | H       | W      |
| 1        | 2    | B     | <i>Panthera leo</i> | skulls      | 1        |      | DK       | TZ       |        | H       | W      |
| 1        | 2    | B     | <i>Panthera leo</i> | skulls      | 1        |      | ES       | MZ       |        | H       | W      |
| 1        | 2    | B     | <i>Panthera leo</i> | skulls      | 22       |      | ES       | TZ       |        | H       | W      |
| 1        | 2    | B     | <i>Panthera leo</i> | skulls      | 6        |      | ES       | ZA       |        | H       | W      |
| 1        | 2    | B     | <i>Panthera leo</i> | skulls      | 4        |      | ES       | ZM       |        | H       | W      |
| 1        | 2    | B     | <i>Panthera leo</i> | skulls      | 9        |      | ES       | ZW       |        | H       | W      |
| 1        | 2    | B     | <i>Panthera leo</i> | skulls      | 1        |      | IT       | ZW       |        | P       | W      |
| 1        | 2    | B     | <i>Panthera leo</i> | skulls      | 1        |      | PT       | TZ       |        | H       | W      |
| 1        | 2    | B     | <i>Panthera leo</i> | skulls      | 5        |      | PT       | ZA       |        | H       | W      |
| 1        | 2    | B     | <i>Panthera leo</i> | skulls      | 1        |      | SE       | ZW       |        | P       | W      |
| 1        | 2    | B     | <i>Panthera leo</i> | specimens   | 10       |      | DE       | ZA       |        | S       | W      |
| 1        | 2    | B     | <i>Panthera leo</i> | teeth       | 26       |      | ES       | MZ       |        | H       | W      |
| 1        | 2    | B     | <i>Panthera leo</i> | trophies    | 1        |      | AT       | BF       |        | P       | W      |
| 1        | 2    | B     | <i>Panthera leo</i> | trophies    | 2        |      | AT       | NA       |        | P       | W      |
| 1        | 2    | B     | <i>Panthera leo</i> | trophies    | 3        |      | AT       | TZ       |        | P       | W      |
| 1        | 2    | B     | <i>Panthera leo</i> | trophies    | 5        |      | AT       | TZ       |        | H       | W      |
| 1        | 2    | B     | <i>Panthera leo</i> | trophies    | 1        |      | AT       | ZA       |        | MZ      | W      |
| 1        | 2    | B     | <i>Panthera leo</i> | trophies    | 4        |      | AT       | ZW       |        | P       | W      |
| 1        | 2    | B     | <i>Panthera leo</i> | trophies    | 2        |      | BE       | TZ       |        | H       | W      |
| 1        | 2    | B     | <i>Panthera leo</i> | trophies    | 3        |      | BE       | ZA       |        | H       | W      |
| 1        | 2    | B     | <i>Panthera leo</i> | trophies    | 2        |      | BE       | ZW       |        | H       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                                     | Term     | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---|----------|----------|------|----------|----------|--------|---------|--------|
| 1        | 2    | B     | <i>Panthera leo</i>                       | trophies | 1        |      | DE       | CM       | H      | W       |        |
| 1        | 2    | B     | <i>Panthera leo</i>                       | trophies | 1        |      | DE       | TZ       | H      | W       |        |
| 1        | 2    | B     | <i>Panthera leo</i>                       | trophies | 2        |      | DE       | ZA       | H      | W       |        |
| 1        | 2    | B     | <i>Panthera leo</i>                       | trophies | 1        |      | DE       | ZA       | ZW     | H       | W      |
| 1        | 2    | B     | <i>Panthera leo</i>                       | trophies | 9        |      | DE       | ZW       | H      | W       |        |
| 1        | 2    | B     | <i>Panthera leo</i>                       | trophies | 3        |      | DK       | TZ       | H      | W       |        |
| 1        | 2    | B     | <i>Panthera leo</i>                       | trophies | 2        |      | DK       | ZM       | H      | W       |        |
| 1        | 2    | B     | <i>Panthera leo</i>                       | trophies | 10       |      | ES       | MZ       | H      | W       |        |
| 1        | 2    | B     | <i>Panthera leo</i>                       | trophies | 4        |      | ES       | TZ       | H      | W       |        |
| 1        | 2    | B     | <i>Panthera leo</i>                       | trophies | 1        |      | FI       | CD       | H      | W       |        |
| 1        | 2    | B     | <i>Panthera leo</i>                       | trophies | 11       |      | FR       | BF       | H      | W       |        |
| 1        | 2    | B     | <i>Panthera leo</i>                       | trophies | 3        |      | FR       | BJ       | H      | W       |        |
| 1        | 2    | B     | <i>Panthera leo</i>                       | trophies | 2        |      | FR       | CF       | H      | W       |        |
| 1        | 2    | B     | <i>Panthera leo</i>                       | trophies | 2        |      | FR       | CM       | H      | W       |        |
| 1        | 2    | B     | <i>Panthera leo</i>                       | trophies | 1        |      | FR       | TZ       | P      | W       |        |
| 1        | 2    | B     | <i>Panthera leo</i>                       | trophies | 25       |      | FR       | TZ       | H      | W       |        |
| 1        | 2    | B     | <i>Panthera leo</i>                       | trophies | 1        |      | FR       | ZA       | H      | W       |        |
| 1        | 2    | B     | <i>Panthera leo</i>                       | trophies | 1        |      | FR       | ZM       | H      | W       |        |
| 1        | 2    | B     | <i>Panthera leo</i>                       | trophies | 1        |      | FR       | ZW       | H      | W       |        |
| 1        | 2    | B     | <i>Panthera leo</i>                       | trophies | 1        |      | FR       | ZW       | P      | W       |        |
| 1        | 2    | B     | <i>Panthera leo</i>                       | trophies | 2        |      | IT       | TZ       | P      | W       |        |
| 1        | 2    | B     | <i>Panthera leo</i>                       | trophies | 7        |      | IT       | TZ       | H      | W       |        |
| 1        | 2    | B     | <i>Panthera leo</i>                       | trophies | 3        |      | IT       | ZA       | H      | W       |        |
| 1        | 2    | B     | <i>Panthera leo</i>                       | trophies | 1        |      | IT       | ZW       | H      | W       |        |
| 1        | 2    | B     | <i>Panthera leo</i>                       | trophies | 1        |      | SE       | ZW       | P      | W       |        |
| 1        | 2    | B     | <i>Panthera leo</i>                       | garments | 4        |      | IT       | CN       | T      | W       |        |
| 1        | 2    | B     | <i>Prionailurus bengalensis</i>           | live     | 1        |      | BE       | CA       | B      | C       |        |
| 1        | 2    | B     | <i>Prionailurus bengalensis</i>           | live     | 1        |      | DE       | PL       | Z      | C       |        |
| 1        | 2    | B     | <i>Prionailurus bengalensis</i>           | plates   | 2358     |      | GB       | CN       | T      | W       |        |
| 1        | 2    | B     | <i>Prionailurus bengalensis</i>           | plates   | 200      | m2   | IT       | CN       | T      | W       |        |
| 1        | 2    | B     | <i>Prionailurus bengalensis</i>           | skins    | 3000     |      | GB       | CN       | T      | W       |        |
| 1        | 2    | B     | <i>Prionailurus bengalensis</i>           | skins    | 200      |      | IT       | CN       | T      | W       |        |
| 1        | 2    | B     | <i>Prionailurus bengalensis chinensis</i> | plates   | 200      |      | IT       | CN       | T      | W       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                                     | Term      | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---|-----------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Prionailurus bengalensis chinensis</i> | skins     | 2800     |      | IT       | CN       |        | T       | W      |
|          | 2    | B     | <i>Prionailurus bengalensis chinensis</i> | skins     | 3250     |      | IT       | CN       |        | T       | W      |
|          | 2    | B     | <i>Puma concolor</i>                      | bodies    | 1        |      | DE       | CA       |        | T       | W      |
|          | 2    | B     | <i>Puma concolor</i>                      | live      | 1        |      | BE       | HK       | Q      | C       |        |
|          | 2    | B     | <i>Puma concolor</i>                      | skins     | 1        |      | DE       | CA       | P      | W       |        |
|          | 2    | B     | <i>Puma concolor</i>                      | skins     | 1        |      | DE       | CA       | T      | W       |        |
|          | 2    | B     | <i>Puma concolor</i>                      | skins     | 16       |      | DE       | CA       | T      | W       |        |
|          | 2    | B     | <i>Puma concolor</i>                      | skins     | 3        |      | ES       | CA       | H      | W       |        |
|          | 2    | B     | <i>Puma concolor</i>                      | skins     | 3        |      | ES       | CA       | P      | W       |        |
|          | 2    | B     | <i>Puma concolor</i>                      | skins     | 2        |      | FR       | CA       | T      | W       |        |
|          | 2    | B     | <i>Puma concolor</i>                      | skins     | 1        |      | SE       | US       | P      | W       |        |
|          | 2    | B     | <i>Puma concolor</i>                      | skulls    | 1        |      | DE       | CA       | H      | W       |        |
|          | 2    | B     | <i>Puma concolor</i>                      | skulls    | 17       |      | DE       | CA       | T      | W       |        |
|          | 2    | B     | <i>Puma concolor</i>                      | skulls    | 3        |      | ES       | CA       | H      | W       |        |
|          | 2    | B     | <i>Puma concolor</i>                      | skulls    | 3        |      | ES       | CA       | P      | W       |        |
|          | 2    | B     | <i>Puma concolor</i>                      | skulls    | 1        |      | GB       | US       | P      | W       |        |
|          | 2    | B     | <i>Puma concolor</i>                      | trophies  | 1        |      | AT       | AR       | H      | W       |        |
|          | 2    | B     | <i>Puma concolor</i>                      | trophies  | 1        |      | AT       | CA       | H      | W       |        |
|          | 2    | B     | <i>Puma concolor</i>                      | trophies  | 3        |      | AT       | CA       | P      | W       |        |
|          | 2    | B     | <i>Puma concolor</i>                      | trophies  | 25       |      | DE       | AR       | H      | W       |        |
|          | 2    | B     | <i>Puma concolor</i>                      | trophies  | 3        |      | DE       | CA       | P      | W       |        |
|          | 2    | B     | <i>Puma concolor</i>                      | trophies  | 3        |      | DE       | CA       | T      | W       |        |
|          | 2    | B     | <i>Puma concolor</i>                      | trophies  | 5        |      | DE       | CA       | H      | W       |        |
|          | 2    | B     | <i>Puma concolor</i>                      | trophies  | 2        |      | DE       | PE       | H      | W       |        |
|          | 2    | B     | <i>Puma concolor</i>                      | trophies  | 1        |      | DE       | US       | H      | W       |        |
|          | 2    | B     | <i>Puma concolor</i>                      | trophies  | 1        |      | ES       | AR       | H      | W       |        |
|          | 2    | B     | <i>Puma concolor</i>                      | trophies  | 2        |      | FR       | AR       | H      | W       |        |
|          | 2    | B     | <i>Puma concolor</i>                      | trophies  | 3        |      | IT       | CA       | H      | W       |        |
|          | 2    | B     | <i>Arctocephalus gazella</i>              | specimens | 1140     |      | GB       | FK       | S      | W       |        |
|          | 2    | B     | <i>Arctocephalus pusillus</i>             | live      | 1        |      | BE       | CA       | B      | C       |        |
|          | 2    | B     | <i>Arctocephalus pusillus</i>             | live      | 2        |      | DE       | ZA       | Z      | W       |        |
|          | 2    | B     | <i>Arctocephalus pusillus</i>             | live      | 3        |      | ES       | CH       | ZA     | T       | W      |
|          | 2    | B     | <i>Arctocephalus pusillus</i>             | live      | 2        |      | IT       | TR       | ZA     | Q       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                  | Term                   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------|------------------------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | Arctocephalus pusillus | live                   | 4        |      | IT       | ZA       | NA     | T       | W      |
|          | 2    | B     | Arctocephalus pusillus | skins                  | 2570     |      | DK       | NO       | NA     | T       | W      |
|          | 2    | B     | Arctocephalus pusillus | skins                  | 10       |      | IT       | JP       | NA     | T       | W      |
|          | 2    | B     | Arctocephalus pusillus | trophies               | 1        |      | DE       | NA       |        | H       | W      |
|          | 2    | B     | Loxodonta africana     | bones                  | 1        |      | DE       | ZW       |        | H       | W      |
|          | 2    | B     | Loxodonta africana     | ears                   | 8        |      | DE       | NA       |        | H       | W      |
|          | 2    | B     | Loxodonta africana     | ears                   | 19       |      | DE       | ZW       |        | H       | W      |
|          | 2    | B     | Loxodonta africana     | ears                   | 6        |      | PT       | ZW       |        | H       | W      |
|          | 2    | B     | Loxodonta africana     | feet                   | 4        |      | AT       | NA       |        | P       | W      |
|          | 2    | B     | Loxodonta africana     | feet                   | 2        |      | DE       | BW       |        | H       | W      |
|          | 2    | B     | Loxodonta africana     | feet                   | 24       |      | DE       | NA       |        | H       | W      |
|          | 2    | B     | Loxodonta africana     | feet                   | 1        |      | DE       | ZW       |        | P       | W      |
|          | 2    | B     | Loxodonta africana     | feet                   | 43       |      | DE       | ZW       |        | H       | W      |
|          | 2    | B     | Loxodonta africana     | feet                   | 2        |      | PT       | NA       |        | H       | W      |
|          | 2    | B     | Loxodonta africana     | feet                   | 12       |      | PT       | ZW       |        | H       | W      |
|          | 2    | B     | Loxodonta africana     | ivory pieces           | 8        |      | AT       | NA       |        | I       |        |
|          | 2    | B     | Loxodonta africana     | live                   | 4        |      | SE       | NO       | ZW     | H       | W      |
|          | 2    | B     | Loxodonta africana     | large leather products | 2        |      | DE       | NA       |        | H       | W      |
|          | 2    | B     | Loxodonta africana     | large leather products | 20       |      | DE       | ZW       |        | H       | W      |
|          | 2    | B     | Loxodonta africana     | large leather products | 6        |      | PT       | NA       |        | H       | W      |
|          | 2    | B     | Loxodonta africana     | small leather products | 5        |      | AT       | ZW       |        | P       | W      |
|          | 2    | B     | Loxodonta africana     | small leather products | 1        |      | DE       | NA       |        | H       | W      |
|          | 2    | B     | Loxodonta africana     | small leather products | 2        |      | DE       | ZW       |        | H       | W      |
|          | 2    | B     | Loxodonta africana     | small leather products | 2        |      | ES       | ZW       |        | H       | W      |
|          | 2    | B     | Loxodonta africana     | skins                  | 20       |      | DE       | NA       |        | H       | W      |
|          | 2    | B     | Loxodonta africana     | skins                  | 61       |      | DE       | ZW       |        | H       | W      |
|          | 2    | B     | Loxodonta africana     | skin pieces            | 54       |      | DE       | NA       |        | H       | W      |
|          | 2    | B     | Loxodonta africana     | skin pieces            | 27       |      | DE       | ZW       |        | H       | W      |
|          | 2    | B     | Loxodonta africana     | skin pieces            | 1        |      | ES       | ZW       |        | H       | W      |
|          | 2    | B     | Loxodonta africana     | skin pieces            | 2        |      | PT       | NA       |        | H       | W      |
|          | 2    | B     | Loxodonta africana     | skin pieces            | 9        |      | PT       | ZW       |        | H       | W      |
|          | 2    | B     | Loxodonta africana     | skulls                 | 1        |      | DE       | ZW       |        | H       | W      |
|          | 2    | B     | Loxodonta africana     | tails                  | 5        |      | DE       | NA       |        | H       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                     | Term     | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------|----------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Loxodonta africana</i> | tails    | 22       |      | DE       | ZW       | H      | W       |        |
|          | 2    | B     | <i>Loxodonta africana</i> | tails    | 2        |      | PT       | NA       | H      | W       |        |
|          | 2    | B     | <i>Loxodonta africana</i> | tails    | 3        |      | PT       | ZW       | H      | W       |        |
|          | 2    | B     | <i>Loxodonta africana</i> | teeth    | 7        |      | DE       | ZW       | H      | W       |        |
|          | 2    | B     | <i>Loxodonta africana</i> | teeth    | 2        |      | PT       | ZW       | H      | W       |        |
|          | 2    | B     | <i>Loxodonta africana</i> | trophies | 1        |      | AT       | NA       | P      | W       |        |
|          | 2    | B     | <i>Loxodonta africana</i> | trophies | 42       |      | DE       | NA       | H      | W       |        |
|          | 2    | B     | <i>Loxodonta africana</i> | trophies | 81       |      | DE       | ZW       | H      | W       |        |
|          | 2    | B     | <i>Loxodonta africana</i> | trophies | 5        |      | ES       | BW       | H      | W       |        |
|          | 2    | B     | <i>Loxodonta africana</i> | trophies | 2        |      | ES       | NA       | H      | W       |        |
|          | 2    | B     | <i>Loxodonta africana</i> | trophies | 50       |      | ES       | ZW       | H      | W       |        |
|          | 2    | B     | <i>Loxodonta africana</i> | trophies | 1        |      | FR       | NA       | H      | W       |        |
|          | 2    | B     | <i>Loxodonta africana</i> | trophies | 12       |      | FR       | ZW       | H      | W       |        |
|          | 2    | B     | <i>Loxodonta africana</i> | trophies | 3        |      | IT       | BW       | H      | W       |        |
|          | 2    | B     | <i>Loxodonta africana</i> | trophies | 1        |      | IT       | NA       | H      | W       |        |
|          | 2    | B     | <i>Loxodonta africana</i> | trophies | 39       |      | IT       | ZW       | H      | W       |        |
|          | 2    | B     | <i>Loxodonta africana</i> | trophies | 1        |      | PT       | NA       | H      | W       |        |
|          | 2    | B     | <i>Loxodonta africana</i> | trophies | 14       |      | PT       | ZW       | H      | W       |        |
|          | 2    | B     | <i>Loxodonta africana</i> | trophies | 175 kg   |      | SE       | ZW       | Q      | O       |        |
|          | 2    | B     | <i>Loxodonta africana</i> | tusks    | 8        |      | AT       | NA       | P      | W       |        |
|          | 2    | B     | <i>Loxodonta africana</i> | tusks    | 4        |      | AT       | ZW       | H      | W       |        |
|          | 2    | B     | <i>Loxodonta africana</i> | tusks    | 8        |      | AT       | ZW       | P      | W       |        |
|          | 2    | B     | <i>Loxodonta africana</i> | tusks    | 4        |      | DE       | BW       | H      | W       |        |
|          | 2    | B     | <i>Loxodonta africana</i> | tusks    | 41       |      | DE       | NA       | H      | W       |        |
|          | 2    | B     | <i>Loxodonta africana</i> | tusks    | 64       |      | DE       | ZW       | H      | W       |        |
|          | 2    | B     | <i>Loxodonta africana</i> | tusks    | 4        |      | ES       | BW       | H      | W       |        |
|          | 2    | B     | <i>Loxodonta africana</i> | tusks    | 10       |      | ES       | ZW       | H      | W       |        |
|          | 2    | B     | <i>Loxodonta africana</i> | tusks    | 6        |      | FR       | BW       | H      | W       |        |
|          | 2    | B     | <i>Loxodonta africana</i> | tusks    | 2        |      | FR       | NA       | H      | W       |        |
|          | 2    | B     | <i>Loxodonta africana</i> | tusks    | 22       |      | FR       | ZW       | H      | W       |        |
|          | 2    | B     | <i>Loxodonta africana</i> | tusks    | 1        |      | GB       | ZW       | I      |         |        |
|          | 2    | B     | <i>Loxodonta africana</i> | tusks    | < 1 kg   |      | IT       | ZW       | H      | W       |        |
|          | 2    | B     | <i>Loxodonta africana</i> | tusks    | 2        |      | PT       | MW       | P      | O       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                         | Term        | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|-------------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Loxodonta africana</i>     | tusks       | 6        |      | PT       | NA       |        | H       | W      |
|          | 2    | B     | <i>Loxodonta africana</i>     | tusks       | 6        |      | PT       | ZW       |        | H       | W      |
|          | 2    | B     | <i>Equus zebra</i>            | skins       | 1        |      | GB       | XX       |        | I       |        |
|          | 2    | B     | <i>Equus zebra hartmannae</i> | feet        | 1        |      | DE       | CH       | NA     | P       | U      |
|          | 2    | B     | <i>Equus zebra hartmannae</i> | feet        | 55       |      | DE       | NA       |        | H       | W      |
|          | 2    | B     | <i>Equus zebra hartmannae</i> | feet        | 4        |      | PT       | NA       |        | H       | W      |
|          | 2    | B     | <i>Equus zebra hartmannae</i> | live        | 1        |      | AT       | CZ       |        | P       | F      |
|          | 2    | B     | <i>Equus zebra hartmannae</i> | live        | 1        |      | AT       | CZ       | DE     | P       | F      |
|          | 2    | B     | <i>Equus zebra hartmannae</i> | skins       | 1        |      | DE       | CZ       |        | Z       | C      |
|          | 2    | B     | <i>Equus zebra hartmannae</i> | skins       | 1        |      | AT       | NA       |        | P       | W      |
|          | 2    | B     | <i>Equus zebra hartmannae</i> | skins       | 3        |      | AT       | NA       |        | H       | W      |
|          | 2    | B     | <i>Equus zebra hartmannae</i> | skins       | 1        |      | DE       | CH       | NA     | P       | U      |
|          | 2    | B     | <i>Equus zebra hartmannae</i> | skins       | 200      |      | DE       | NA       |        | H       | W      |
|          | 2    | B     | <i>Equus zebra hartmannae</i> | skins       | 1        |      | DE       | ZA       |        | H       | W      |
|          | 2    | B     | <i>Equus zebra hartmannae</i> | skins       | 3        |      | DE       | ZA       |        | P       | W      |
|          | 2    | B     | <i>Equus zebra hartmannae</i> | skins       | 3        |      | DE       | ZA       | NA     | P       | W      |
|          | 2    | B     | <i>Equus zebra hartmannae</i> | skins       | 11       |      | DK       | NA       |        | H       | W      |
|          | 2    | B     | <i>Equus zebra hartmannae</i> | skins       | 1        |      | ES       | NA       |        | P       | W      |
|          | 2    | B     | <i>Equus zebra hartmannae</i> | skins       | 17       |      | ES       | NA       |        | H       | W      |
|          | 2    | B     | <i>Equus zebra hartmannae</i> | skins       | 1        |      | ES       | ZA       |        | H       | C      |
|          | 2    | B     | <i>Equus zebra hartmannae</i> | skins       | 5        |      | ES       | ZA       |        | H       | W      |
|          | 2    | B     | <i>Equus zebra hartmannae</i> | skins       | 6        |      | FR       | NA       |        | P       | W      |
|          | 2    | B     | <i>Equus zebra hartmannae</i> | skins       | 12       |      | FR       | NA       |        | H       | W      |
|          | 2    | B     | <i>Equus zebra hartmannae</i> | skins       | 2        |      | FR       | ZA       |        | H       | W      |
|          | 2    | B     | <i>Equus zebra hartmannae</i> | skins       | 1        |      | FR       | ZA       | NA     | P       | W      |
|          | 2    | B     | <i>Equus zebra hartmannae</i> | skins       | 1        |      | GB       | XX       |        | I       |        |
|          | 2    | B     | <i>Equus zebra hartmannae</i> | skins       | 6        |      | IT       | NA       |        | T       | W      |
|          | 2    | B     | <i>Equus zebra hartmannae</i> | skins       | 2        |      | PT       | NA       |        | H       | W      |
|          | 2    | B     | <i>Equus zebra hartmannae</i> | skin pieces | 1        |      | FR       | NA       |        | H       | W      |
|          | 2    | B     | <i>Equus zebra hartmannae</i> | skulls      | 2        |      | DE       | NA       |        | H       | W      |
|          | 2    | B     | <i>Equus zebra hartmannae</i> | skulls      | 1        |      | ES       | NA       |        | H       | W      |
|          | 2    | B     | <i>Equus zebra hartmannae</i> | trophies    | 16       |      | AT       | NA       |        | H       | W      |
|          | 2    | B     | <i>Equus zebra hartmannae</i> | trophies    | 29       |      | AT       | NA       |        | P       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                            | Term     | Quantity   | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------------|----------|------------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Equus zebra hartmannae</i>    | trophies | 2          |      | BE       | NA       |        | H       | W      |
|          | 2    | B     | <i>Equus zebra hartmannae</i>    | trophies | 4          |      | DE       | NA       |        | H       | W      |
|          | 2    | B     | <i>Equus zebra hartmannae</i>    | trophies | 1          |      | DE       | ZA       |        | P       | W      |
|          | 2    | B     | <i>Equus zebra hartmannae</i>    | trophies | 5          |      | DK       | NA       |        | H       | W      |
|          | 2    | B     | <i>Equus zebra hartmannae</i>    | trophies | 4          |      | ES       | NA       |        | H       | W      |
|          | 2    | B     | <i>Equus zebra hartmannae</i>    | trophies | 4          |      | ES       | ZA       |        | H       | W      |
|          | 2    | B     | <i>Equus zebra hartmannae</i>    | trophies | 4          |      | FR       | NA       |        | H       | W      |
|          | 2    | B     | <i>Equus zebra hartmannae</i>    | trophies | 5          |      | FR       | NA       |        | P       | W      |
|          | 2    | B     | <i>Equus zebra hartmannae</i>    | trophies | 1          |      | FR       | ZA       |        | H       | W      |
|          | 2    | B     | <i>Equus zebra hartmannae</i>    | trophies | 23         |      | IT       | NA       |        | H       | W      |
|          | 2    | B     | <i>Equus zebra hartmannae</i>    | trophies | 4          |      | IT       | ZA       |        | H       | W      |
|          | 2    | B     | <i>Equus zebra hartmannae</i>    | trophies | 1          |      | IT       | ZA       | NA     | H       | W      |
|          | 2    | B     | <i>Tapirus terrestris</i>        | skins    | 3          |      | DE       | VE       | XX     | Q       | W      |
|          | 2    | B     | <i>Ceratotherium simum simum</i> | bones    | 2          |      | DE       | ZA       |        | H       | W      |
|          | 2    | B     | <i>Ceratotherium simum simum</i> | feet     | 4          |      | DE       | ZA       |        | H       | W      |
|          | 2    | B     | <i>Ceratotherium simum simum</i> | feet     | 2          |      | PT       | ZA       |        | H       | W      |
|          | 2    | B     | <i>Ceratotherium simum simum</i> | horns    | 2          |      | AT       | ZA       |        | P       | W      |
|          | 2    | B     | <i>Ceratotherium simum simum</i> | horns    | 4          |      | AT       | ZA       |        | H       | W      |
|          | 2    | B     | <i>Ceratotherium simum simum</i> | horns    | 2          |      | DE       | ZA       |        | H       | W      |
|          | 2    | B     | <i>Ceratotherium simum simum</i> | live     | 2          |      | DE       | ZA       |        | Z       | C      |
|          | 2    | B     | <i>Ceratotherium simum simum</i> | skins    | 1          |      | DE       | ZA       |        | H       | W      |
|          | 2    | B     | <i>Ceratotherium simum simum</i> | skins    | 4          |      | PT       | ZA       |        | H       | W      |
|          | 2    | B     | <i>Ceratotherium simum simum</i> | skulls   | 5          |      | PT       | ZA       |        | H       | W      |
|          | 2    | B     | <i>Ceratotherium simum simum</i> | trophies | 3          |      | AT       | ZA       |        | H       | W      |
|          | 2    | B     | <i>Ceratotherium simum simum</i> | trophies | 5          |      | ES       | ZA       |        | H       | W      |
|          | 2    | B     | <i>Ceratotherium simum simum</i> | trophies | 1          |      | IT       | ZA       |        | H       | W      |
|          | 2    | B     | <i>Ceratotherium simum simum</i> | trophies | 1          |      | SE       | ZA       |        | P       | W      |
|          | 2    | B     | <i>Pecari tajacu</i>             | garments | 10         |      | DE       | PE       |        | T       | W      |
|          | 2    | B     | <i>Pecari tajacu</i>             | garments | 1269 pairs |      | DE       | PE       |        | T       | W      |
|          | 2    | B     | <i>Pecari tajacu</i>             | skins    | 26926      |      | DE       | PE       |        | T       | W      |
|          | 2    | B     | <i>Pecari tajacu</i>             | skins    | 175        |      | ES       | AR       |        | T       | W      |
|          | 2    | B     | <i>Pecari tajacu</i>             | skins    | 200        |      | IT       | AR       |        | T       | W      |
|          | 2    | B     | <i>Pecari tajacu</i>             | skins    | 2701       |      | IT       | CH       | PE     | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                    | Term                   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------|------------------------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | Pecari tajacu            | skins                  | 19093    |      | IT       | PE       |        | T       | W      |
|          | 2    | B     | Tayassu spp.             | skins                  | 450      |      | DE       | PE       |        | T       | W      |
|          | 2    | B     | Tayassu pecari           | garments               | 420      |      | DE       | PE       |        | T       | W      |
|          | 2    | B     | Tayassu pecari           | garments               | 60 pairs |      | DE       | PE       |        | T       | W      |
|          | 2    | B     | Tayassu pecari           | skins                  | 9269     |      | DE       | PE       |        | T       | W      |
|          | 2    | B     | Tayassu pecari           | skins                  | 2320     |      | IT       | CH       | PE     | T       | W      |
|          | 2    | B     | Tayassu pecari           | skins                  | 7243     |      | IT       | PE       |        | T       | W      |
|          | 2    | B     | Tayassu pecari           | skulls                 | 5        |      | DE       | VE       | XX     | Q       | W      |
|          | 2    | B     | Hexaprotodon liberiensis | live                   | 1        |      | ES       | CH       |        | Z       | C      |
|          | 2    | B     | Hexaprotodon liberiensis | live                   | 1        |      | IT       | SI       | DD     | Q       | C      |
|          | 2    | B     | Hexaprotodon liberiensis | live                   | 1        |      | PT       | CZ       |        | Z       | C      |
|          | 2    | B     | Hippopotamus amphibius   | bodies                 | 1        |      | IT       | CH       | KE     | P       | O      |
|          | 2    | B     | Hippopotamus amphibius   | bones                  | 1        |      | DE       | ZW       |        | H       | W      |
|          | 2    | B     | Hippopotamus amphibius   | carvings               | 1        |      | DK       | SD       |        | P       | I      |
|          | 2    | B     | Hippopotamus amphibius   | carvings               | 78       |      | ES       | ZW       |        | T       | W      |
|          | 2    | B     | Hippopotamus amphibius   | feet                   | 2        |      | BE       | TZ       |        | H       | W      |
|          | 2    | B     | Hippopotamus amphibius   | feet                   | 4        |      | DE       | ZM       |        | H       | W      |
|          | 2    | B     | Hippopotamus amphibius   | feet                   | 17       |      | DE       | ZW       |        | H       | W      |
|          | 2    | B     | Hippopotamus amphibius   | feet                   | 4        |      | PT       | ZW       |        | H       | W      |
|          | 2    | B     | Hippopotamus amphibius   | live                   | 1        |      | DE       | CZ       |        | Z       | C      |
|          | 2    | B     | Hippopotamus amphibius   | live                   | 2        |      | DE       | PL       |        | Z       | C      |
|          | 2    | B     | Hippopotamus amphibius   | live                   | 1        |      | FR       | CZ       | DE     | Z       | C      |
|          | 2    | B     | Hippopotamus amphibius   | small leather products | 6        |      | ES       | TZ       |        | T       | W      |
|          | 2    | B     | Hippopotamus amphibius   | skins                  | 1        |      | BE       | TZ       |        | H       | W      |
|          | 2    | B     | Hippopotamus amphibius   | skins                  | 1        |      | BE       | ZW       |        | H       | W      |
|          | 2    | B     | Hippopotamus amphibius   | skins                  | 1        |      | DE       | ZM       |        | H       | W      |
|          | 2    | B     | Hippopotamus amphibius   | skins                  | 11       |      | DE       | ZW       |        | H       | W      |
|          | 2    | B     | Hippopotamus amphibius   | skins                  | 3        |      | FR       | TZ       |        | H       | W      |
|          | 2    | B     | Hippopotamus amphibius   | skins                  | 4        |      | FR       | ZW       |        | P       | W      |
|          | 2    | B     | Hippopotamus amphibius   | skins                  | 1        |      | GB       | ZW       | ZM     | T       | W      |
|          | 2    | B     | Hippopotamus amphibius   | skins                  | 4        |      | IT       | ZM       |        | P       | W      |
|          | 2    | B     | Hippopotamus amphibius   | skins                  | 1        |      | PT       | ZA       |        | H       | W      |
|          | 2    | B     | Hippopotamus amphibius   | skin pieces            | 14       |      | FR       | TZ       |        | H       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                  | Term        | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------|-------------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | Hippopotamus amphibius | skin pieces | 1        |      | FR       | ZM       |        | H       | W      |
|          | 2    | B     | Hippopotamus amphibius | skin pieces | 1        |      | NL       | ZW       |        | I       |        |
|          | 2    | B     | Hippopotamus amphibius | skin pieces | 4        |      | PT       | ZW       |        | H       | W      |
|          | 2    | B     | Hippopotamus amphibius | skulls      | 1        |      | DE       | TZ       |        | H       | W      |
|          | 2    | B     | Hippopotamus amphibius | skulls      | 1        |      | DE       | ZA       | ZM     | H       | W      |
|          | 2    | B     | Hippopotamus amphibius | skulls      | 1        |      | DE       | ZM       |        | H       | W      |
|          | 2    | B     | Hippopotamus amphibius | skulls      | 6        |      | DE       | ZW       |        | H       | W      |
|          | 2    | B     | Hippopotamus amphibius | skulls      | 1        |      | FR       | TZ       |        | H       | W      |
|          | 2    | B     | Hippopotamus amphibius | tails       | 2        |      | DE       | ZW       |        | H       | W      |
|          | 2    | B     | Hippopotamus amphibius | teeth       | 60       |      | AT       | TZ       |        | P       | W      |
|          | 2    | B     | Hippopotamus amphibius | teeth       | 72       |      | AT       | TZ       |        | H       | W      |
|          | 2    | B     | Hippopotamus amphibius | teeth       | 12       |      | AT       | XX       |        | I       |        |
|          | 2    | B     | Hippopotamus amphibius | teeth       | 12       |      | AT       | ZW       |        | H       | W      |
|          | 2    | B     | Hippopotamus amphibius | teeth       | 24       |      | AT       | ZW       |        | P       | W      |
|          | 2    | B     | Hippopotamus amphibius | teeth       | 262      |      | BE       | HK       | TZ     | T       | W      |
|          | 2    | B     | Hippopotamus amphibius | teeth       | 24       |      | BE       | TZ       |        | H       | W      |
|          | 2    | B     | Hippopotamus amphibius | teeth       | 12       |      | BE       | ZW       |        | H       | W      |
|          | 2    | B     | Hippopotamus amphibius | teeth       | 17       |      | DE       | HK       | TZ     | T       | W      |
|          | 2    | B     | Hippopotamus amphibius | teeth       | 1391     |      | DE       | HK       | ZA     | T       | W      |
|          | 2    | B     | Hippopotamus amphibius | teeth       | 72       |      | DE       | TZ       |        | H       | W      |
|          | 2    | B     | Hippopotamus amphibius | teeth       | 12       |      | DE       | ZA       | MZ     | H       | W      |
|          | 2    | B     | Hippopotamus amphibius | teeth       | 48       |      | DE       | ZM       |        | H       | W      |
|          | 2    | B     | Hippopotamus amphibius | teeth       | 134      |      | DE       | ZW       |        | H       | W      |
|          | 2    | B     | Hippopotamus amphibius | teeth       | 12       |      | DK       | TZ       |        | H       | W      |
|          | 2    | B     | Hippopotamus amphibius | teeth       | 200      |      | FR       | CN       | ZA     | T       | W      |
|          | 2    | B     | Hippopotamus amphibius | teeth       | 45       |      | FR       | CN       | CD     | T       | W      |
|          | 2    | B     | Hippopotamus amphibius | teeth       | 3        |      | FR       | GA       |        | P       | W      |
|          | 2    | B     | Hippopotamus amphibius | teeth       | 80       |      | FR       | HK       | TZ     | H       | W      |
|          | 2    | B     | Hippopotamus amphibius | teeth       | 1433     |      | FR       | HK       | TZ     | T       | W      |
|          | 2    | B     | Hippopotamus amphibius | teeth       | 12       |      | FR       | TZ       |        | T       | W      |
|          | 2    | B     | Hippopotamus amphibius | teeth       | 154      |      | FR       | TZ       |        | H       | W      |
|          | 2    | B     | Hippopotamus amphibius | teeth       | 12       |      | FR       | ZA       |        | H       | W      |
|          | 2    | B     | Hippopotamus amphibius | teeth       | 36       |      | FR       | ZM       |        | H       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                  | Term     | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------|----------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | Hippopotamus amphibius | teeth    | 1        |      | GB       | MW       |        |         |        |
|          | 2    | B     | Hippopotamus amphibius | teeth    | 1        |      | GB       | NG       |        |         |        |
|          | 2    | B     | Hippopotamus amphibius | teeth    | 1        |      | GB       | XX       |        |         |        |
|          | 2    | B     | Hippopotamus amphibius | teeth    | 1        |      | GB       | ZW       |        |         |        |
|          | 2    | B     | Hippopotamus amphibius | teeth    | 1492     |      | IT       | HK       | TZ     | T       | W      |
|          | 2    | B     | Hippopotamus amphibius | teeth    | 12       |      | IT       | HK       | CD     | T       | W      |
|          | 2    | B     | Hippopotamus amphibius | teeth    | 12       |      | IT       | TZ       |        | P       | W      |
|          | 2    | B     | Hippopotamus amphibius | teeth    | 4        |      | IT       | ZA       | TZ     | H       | W      |
|          | 2    | B     | Hippopotamus amphibius | teeth    | 12       |      | IT       | ZW       |        | T       | W      |
|          | 2    | B     | Hippopotamus amphibius | teeth    | 2        |      | NL       | ZA       |        | I       |        |
|          | 2    | B     | Hippopotamus amphibius | teeth    | 12       |      | NL       | ZA       | ZM     | H       | W      |
|          | 2    | B     | Hippopotamus amphibius | teeth    | 2        |      | PT       | XX       |        | I       |        |
|          | 2    | B     | Hippopotamus amphibius | teeth    | 4        |      | PT       | ZA       |        | H       | W      |
|          | 2    | B     | Hippopotamus amphibius | teeth    | 24       |      | PT       | ZW       |        | H       | W      |
|          | 2    | B     | Hippopotamus amphibius | teeth    | 12       |      | SE       | ZW       |        | P       | W      |
|          | 2    | B     | Hippopotamus amphibius | trophies | 5        |      | AT       | TZ       |        | P       | W      |
|          | 2    | B     | Hippopotamus amphibius | trophies | 1        |      | AT       | ZA       |        | H       | W      |
|          | 2    | B     | Hippopotamus amphibius | trophies | 12       |      | BE       | ZA       |        | H       | W      |
|          | 2    | B     | Hippopotamus amphibius | trophies | 1        |      | BE       | ZW       |        | H       | W      |
|          | 2    | B     | Hippopotamus amphibius | trophies | 1        |      | DE       | ZW       |        | H       | W      |
|          | 2    | B     | Hippopotamus amphibius | trophies | 8        |      | DK       | ZM       |        | H       | W      |
|          | 2    | B     | Hippopotamus amphibius | trophies | 1        |      | ES       | MZ       |        | H       | W      |
|          | 2    | B     | Hippopotamus amphibius | trophies | 26       |      | ES       | TZ       |        | H       | W      |
|          | 2    | B     | Hippopotamus amphibius | trophies | 1        |      | ES       | ZM       |        | T       | W      |
|          | 2    | B     | Hippopotamus amphibius | trophies | 17       |      | ES       | ZM       |        | H       | W      |
|          | 2    | B     | Hippopotamus amphibius | trophies | 1        |      | ES       | ZW       |        | H       | C      |
|          | 2    | B     | Hippopotamus amphibius | trophies | 10       |      | ES       | ZW       |        | H       | W      |
|          | 2    | B     | Hippopotamus amphibius | trophies | 2        |      | FR       | BJ       |        | H       | W      |
|          | 2    | B     | Hippopotamus amphibius | trophies | 1        |      | FR       | ML       |        | H       | W      |
|          | 2    | B     | Hippopotamus amphibius | trophies | 19       |      | FR       | TZ       |        | H       | W      |
|          | 2    | B     | Hippopotamus amphibius | trophies | 1        |      | FR       | ZM       |        | H       | W      |
|          | 2    | B     | Hippopotamus amphibius | trophies | 1        |      | FR       | ZW       |        | H       | W      |
|          | 2    | B     | Hippopotamus amphibius | trophies | 1        |      | FR       | ZW       |        | P       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                  | Term        | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------|-------------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | Hippopotamus amphibius | trophies    | 3        |      | IT       | TZ       |        | H       | W      |
|          | 2    | B     | Hippopotamus amphibius | trophies    | 1        |      | IT       | ZA       |        | H       | W      |
|          | 2    | B     | Hippopotamus amphibius | trophies    | 1        |      | IT       | ZW       |        | P       | W      |
|          | 2    | B     | Hippopotamus amphibius | trophies    | 1        |      | PT       | ZA       |        | H       | W      |
|          | 2    | B     | Hippopotamus amphibius | tusks       | 12       |      | DE       | ZA       | ZM     | H       | W      |
|          | 2    | B     | Hippopotamus amphibius | tusks       | 72       |      | DE       | ZM       |        | H       | W      |
|          | 2    | B     | Hippopotamus amphibius | tusks       | 25       |      | DE       | ZW       |        | H       | W      |
|          | 2    | B     | Hippopotamus amphibius | tusks       | 4        |      | ES       | TZ       |        | H       | W      |
|          | 2    | B     | Hippopotamus amphibius | tusks       | 12       |      | IT       | ZM       |        | P       | W      |
|          | 2    | B     | Lama guanicoe          | cloth       | 30       |      | DE       | AR       |        | T       | W      |
|          | 2    | B     | Lama guanicoe          | garments    | 106      |      | DE       | AR       |        | T       | W      |
|          | 2    | B     | Lama guanicoe          | garments    | 16       |      | FR       | AR       |        | T       | W      |
|          | 2    | B     | Lama guanicoe          | plates      | 90       |      | DE       | AR       |        | T       | W      |
|          | 2    | B     | Lama guanicoe          | plates      | 16 m2    |      | IT       | CH       | AR     | T       | W      |
|          | 2    | B     | Lama guanicoe          | skins       | 240      |      | FR       | AR       |        | T       | W      |
|          | 2    | B     | Vicugna vicugna        | cloth       | 27 kg    |      | IT       | CZ       | PE     | T       | W      |
|          | 2    | B     | Vicugna vicugna        | cloth       | 2 kg     |      | IT       | HK       | PE     | T       | W      |
|          | 2    | B     | Vicugna vicugna        | fibres      | 2050 kg  |      | IT       | PE       |        | T       | W      |
|          | 2    | B     | Vicugna vicugna        | garments    | 12       |      | IT       | PE       |        | P       | W      |
|          | 2    | B     | Moschus spp.           | derivatives | 1        |      | GB       | LT       |        | I       |        |
|          | 2    | B     | Moschus moschiferus    | musk        | 5 kg     |      | DE       | HK       | RU     | T       | W      |
|          | 2    | B     | Moschus moschiferus    | musk        | 5 kg     |      | DE       | RU       |        | T       | W      |
|          | 2    | B     | Moschus moschiferus    | musk        | 1 kg     |      | FR       | CH       | RU     |         | W      |
|          | 2    | B     | Moschus moschiferus    | musk        | 1 kg     |      | FR       | HK       | XX     | T       | W      |
|          | 2    | B     | Ammotragus lervia      | skins       | 1        |      | DE       | US       |        | P       | W      |
|          | 2    | B     | Ammotragus lervia      | skins       | 1        |      | ES       | US       |        | H       | F      |
|          | 2    | B     | Ammotragus lervia      | skins       | 1        |      | ES       | US       |        | H       | W      |
|          | 2    | B     | Ammotragus lervia      | skins       | 1        |      | ES       | ZA       |        | H       | W      |
|          | 2    | B     | Ammotragus lervia      | skins       | 2        |      | FR       | US       |        | P       | F      |
|          | 2    | B     | Ammotragus lervia      | skins       | 4        |      | FR       | US       |        | H       | C      |
|          | 2    | B     | Ammotragus lervia      | skulls      | 1        |      | DE       | US       |        | H       | W      |
|          | 2    | B     | Ammotragus lervia      | skulls      | 1        |      | ES       | US       |        | H       | F      |
|          | 2    | B     | Ammotragus lervia      | skulls      | 6        |      | ES       | ZA       |        | H       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                               | Term     | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------------|----------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Ammotragus lervia</i>            | skulls   | 2        |      | FR       | US       | H      | F       |        |
|          | 2    | B     | <i>Ammotragus lervia</i>            | skulls   | 3        |      | FR       | US       | P      | F       |        |
|          | 2    | B     | <i>Ammotragus lervia</i>            | trophies | 4        |      | AT       | US       | P      | F       |        |
|          | 2    | B     | <i>Ammotragus lervia</i>            | trophies | 1        |      | DE       | US       | H      | F       |        |
|          | 2    | B     | <i>Ammotragus lervia</i>            | trophies | 3        |      | DE       | US       | H      | W       |        |
|          | 2    | B     | <i>Ammotragus lervia</i>            | trophies | 5        |      | ES       | ZA       | H      | W       |        |
|          | 2    | B     | <i>Ammotragus lervia</i>            | trophies | 1        |      | FR       | US       | H      | F       |        |
|          | 2    | B     | <i>Ammotragus lervia</i>            | trophies | 2        |      | FR       | US       | H      | F       |        |
|          | 2    | B     | <i>Ammotragus lervia</i>            | trophies | 5        |      | FR       | US       | H      | C       |        |
|          | 2    | B     | <i>Ammotragus lervia</i>            | trophies | 1        |      | IT       | SD       | H      | W       |        |
|          | 2    | B     | <i>Ammotragus lervia</i>            | trophies | 1        |      | IT       | ZA       | H      | W       |        |
|          | 2    | B     | <i>Ammotragus lervia</i>            | trophies | 4        |      | SE       | US       | P      | F       |        |
|          | 2    | B     | <i>Bison bison athabascae</i>       | trophies | 1        |      | DE       | CA       | H      | W       |        |
|          | 2    | B     | <i>Cephalophus monticola</i>        | bodies   | 1        |      | DK       | ZA       | H      | W       |        |
|          | 2    | B     | <i>Cephalophus monticola</i>        | feet     | 4        |      | ES       | ZA       | H      | W       |        |
|          | 2    | B     | <i>Cephalophus monticola</i>        | live     | 4        |      | PT       | GN       | T      | W       |        |
|          | 2    | B     | <i>Cephalophus monticola</i>        | skins    | 2        |      | DE       | ZA       | H      | W       |        |
|          | 2    | B     | <i>Cephalophus monticola</i>        | skins    | 7        |      | ES       | ZA       | H      | W       |        |
|          | 2    | B     | <i>Cephalophus monticola</i>        | skins    | 1        |      | PT       | ZA       | H      | W       |        |
|          | 2    | B     | <i>Cephalophus monticola</i>        | skulls   | 3        |      | DE       | ZA       | H      | W       |        |
|          | 2    | B     | <i>Cephalophus monticola</i>        | skulls   | 7        |      | ES       | ZA       | H      | W       |        |
|          | 2    | B     | <i>Cephalophus monticola</i>        | skulls   | 1        |      | PT       | ZA       | H      | W       |        |
|          | 2    | B     | <i>Cephalophus monticola</i>        | trophies | 1        |      | DE       | ZA       | H      | W       |        |
|          | 2    | B     | <i>Cephalophus monticola</i>        | trophies | 3        |      | DK       | CM       | H      | W       |        |
|          | 2    | B     | <i>Cephalophus monticola</i>        | trophies | 4        |      | DK       | ZA       | H      | W       |        |
|          | 2    | B     | <i>Cephalophus monticola</i>        | trophies | 14       |      | FR       | CF       | H      | W       |        |
|          | 2    | B     | <i>Cephalophus monticola</i>        | trophies | 1        |      | IT       | CM       | H      | W       |        |
|          | 2    | B     | <i>Cephalophus monticola</i>        | trophies | 3        |      | IT       | ZA       | H      | W       |        |
|          | 2    | B     | <i>Cephalophus silvicultor</i>      | trophies | 3        |      | FR       | CF       | H      | W       |        |
|          | 2    | B     | <i>Damaliscus pygargus</i>          | trophies | 2        |      | BE       | ZA       | H      | W       |        |
|          | 2    | B     | <i>Damaliscus pygargus</i>          | trophies | 2        |      | DE       | ZA       | H      | W       |        |
|          | 2    | B     | <i>Damaliscus pygargus</i>          | trophies | 2        |      | PT       | ZA       | H      | W       |        |
|          | 2    | B     | <i>Damaliscus pygargus pygargus</i> | bodies   | 1        |      | DK       | ZA       | H      | W       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                        | Term        | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|-------------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | Damaliscus pygargus pygargus | horns       | 2        |      | ES       | ZA       |        | H       | W      |
|          | 2    | B     | Damaliscus pygargus pygargus | skins       | 1        |      | DE       | ZA       |        | H       | W      |
|          | 2    | B     | Damaliscus pygargus pygargus | skins       | 1        |      | DE       | ZA       |        | H       | W      |
|          | 2    | B     | Damaliscus pygargus pygargus | skins       | 10       |      | ES       | ZA       |        | H       | W      |
|          | 2    | B     | Damaliscus pygargus pygargus | skins       | 1        |      | IT       | ZA       |        | P       | W      |
|          | 2    | B     | Damaliscus pygargus pygargus | skins       | 1        |      | PT       | ZA       |        | H       | W      |
|          | 2    | B     | Damaliscus pygargus pygargus | skin pieces | 5        |      | ES       | ZA       |        | H       | W      |
|          | 2    | B     | Damaliscus pygargus pygargus | skulls      | 1        |      | DE       | ZA       |        | H       | W      |
|          | 2    | B     | Damaliscus pygargus pygargus | skulls      | 19       |      | ES       | ZA       |        | H       | W      |
|          | 2    | B     | Damaliscus pygargus pygargus | skulls      | 1        |      | PT       | ZA       |        | H       | W      |
|          | 2    | B     | Damaliscus pygargus pygargus | trophies    | 1        |      | AT       | ZA       |        | H       | W      |
|          | 2    | B     | Damaliscus pygargus pygargus | trophies    | 1        |      | DE       | ZA       |        | H       | W      |
|          | 2    | B     | Damaliscus pygargus pygargus | trophies    | 1        |      | DE       | ZA       |        | H       | W      |
|          | 2    | B     | Damaliscus pygargus pygargus | trophies    | 10       |      | ES       | ZA       |        | H       | W      |
|          | 2    | B     | Damaliscus pygargus pygargus | trophies    | 2        |      | FR       | ZA       |        | H       | W      |
|          | 2    | B     | Damaliscus pygargus pygargus | trophies    | 1        |      | IT       | CH       | KE     | P       | O      |
|          | 2    | B     | Damaliscus pygargus pygargus | trophies    | 2        |      | IT       | ZA       |        | P       | W      |
|          | 2    | B     | Damaliscus pygargus pygargus | trophies    | 5        |      | IT       | ZA       |        | H       | W      |
|          | 2    | B     | Damaliscus pygargus pygargus | trophies    | 1        |      | SE       | ZA       |        | P       | W      |
|          | 2    | B     | Kobus leche                  | bodies      | 3        |      | DK       | ZA       |        | H       | W      |
|          | 2    | B     | Kobus leche                  | horns       | 1        |      | DE       | ZA       |        | H       | W      |
|          | 2    | B     | Kobus leche                  | horns       | 1        |      | ES       | ZA       |        | H       | W      |
|          | 2    | B     | Kobus leche                  | live        | 4        |      | BE       | CZ       |        | T       | C      |
|          | 2    | B     | Kobus leche                  | skins       | 6        |      | DE       | BW       |        | H       | W      |
|          | 2    | B     | Kobus leche                  | skins       | 3        |      | DE       | ZA       |        | H       | W      |
|          | 2    | B     | Kobus leche                  | skins       | 1        |      | DE       | ZM       |        | H       | W      |
|          | 2    | B     | Kobus leche                  | skins       | 6        |      | ES       | BW       |        | H       | W      |
|          | 2    | B     | Kobus leche                  | skins       | 4        |      | ES       | ZA       |        | H       | W      |
|          | 2    | B     | Kobus leche                  | skins       | 2        |      | ES       | ZW       |        | H       | W      |
|          | 2    | B     | Kobus leche                  | skin pieces | 2        |      | ES       | ZW       |        | H       | W      |
|          | 2    | B     | Kobus leche                  | skin pieces | 1        |      | FR       | BW       |        | H       | W      |
|          | 2    | B     | Kobus leche                  | skulls      | 8        |      | DE       | BW       |        | H       | W      |
|          | 2    | B     | Kobus leche                  | skulls      | 2        |      | DE       | ZA       |        | H       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex                  | Taxon | Term     | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|------------------------|-------|----------|----------|------|----------|----------|--------|---------|--------|
| 2        | B    | Kobus leche            |       | skulls   | 2        |      | DE       | ZM       |        | H       | W      |
| 2        | B    | Kobus leche            |       | skulls   | 7        |      | ES       | BW       |        | H       | W      |
| 2        | B    | Kobus leche            |       | skulls   | 9        |      | ES       | ZA       |        | H       | W      |
| 2        | B    | Kobus leche            |       | skulls   | 2        |      | ES       | ZW       |        | H       | W      |
| 2        | B    | Kobus leche            |       | skulls   | 3        |      | FR       | BW       |        | H       | W      |
| 2        | B    | Kobus leche            |       | skulls   | 4        |      | FR       | ZM       |        | H       | W      |
| 2        | B    | Kobus leche            |       | trophies | 1        |      | BE       | ZA       |        | H       | W      |
| 2        | B    | Kobus leche            |       | trophies | 2        |      | DE       | ZA       |        | H       | W      |
| 2        | B    | Kobus leche            |       | trophies | 1        |      | DE       | ZA       | ZM     | H       | W      |
| 2        | B    | Kobus leche            |       | trophies | 2        |      | DK       | BW       |        | H       | W      |
| 2        | B    | Kobus leche            |       | trophies | 8        |      | DK       | ZM       |        | H       | W      |
| 2        | B    | Kobus leche            |       | trophies | 5        |      | ES       | ZA       |        | H       | W      |
| 2        | B    | Kobus leche            |       | trophies | 1        |      | FR       | BW       |        | H       | W      |
| 2        | B    | Kobus leche            |       | trophies | 3        |      | FR       | ZM       |        | H       | W      |
| 2        | B    | Kobus leche            |       | trophies | 5        |      | IT       | ZA       |        | H       | W      |
| 2        | B    | Kobus leche            |       | trophies | 1        |      | SE       | ZA       | P      | H       | W      |
| 2        | B    | Kobus leche kafuensis  |       | skins    | 1        |      | ES       | ZA       |        | H       | C      |
| 2        | B    | Kobus leche kafuensis  |       | skins    | 1        |      | ES       | ZA       |        | H       | W      |
| 2        | B    | Kobus leche kafuensis  |       | skins    | 8        |      | ES       | ZM       |        | H       | W      |
| 2        | B    | Kobus leche kafuensis  |       | skulls   | 6        |      | ES       | ZM       |        | H       | W      |
| 2        | B    | Kobus leche kafuensis  |       | skulls   | 1        |      | FR       | ZM       |        | H       | W      |
| 2        | B    | Kobus leche kafuensis  |       | skulls   | 2        |      | IT       | ZM       | P      | H       | W      |
| 2        | B    | Kobus leche kafuensis  |       | trophies | 2        |      | ES       | ZM       |        | H       | W      |
| 2        | B    | Kobus leche kafuensis  |       | trophies | 2        |      | FR       | ZM       |        | H       | W      |
| 2        | B    | Kobus leche kafuensis  |       | trophies | 1        |      | IT       | ZA       |        | H       | W      |
| 2        | B    | Kobus leche smithemani |       | skulls   | 1        |      | FR       | ZM       |        | H       | W      |
| 2        | B    | Kobus leche smithemani |       | trophies | 1        |      | FR       | ZM       |        | H       | W      |
| 2        | B    | Ovis ammon             |       | skins    | 1        |      | DE       | RU       | KZ     | H       | W      |
| 2        | B    | Ovis ammon             |       | skins    | 2        |      | ES       | RU       |        | H       | W      |
| 2        | B    | Ovis ammon             |       | skulls   | 1        |      | DE       | CH       | KZ     | P       | W      |
| 2        | B    | Ovis ammon             |       | skulls   | 1        |      | DE       | RU       | KZ     | H       | W      |
| 2        | B    | Ovis ammon             |       | skulls   | 2        |      | ES       | RU       |        | H       | W      |
| 2        | B    | Ovis ammon             |       | trophies | 1        |      | AT       | MN       |        | H       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                 | Term      | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------|-----------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | Ovis ammon            | trophies  | 3        |      | AT       | RU       | H      | W       |        |
|          | 2    | B     | Ovis ammon            | trophies  | 1        |      | AT       | RU       | KZ     | H       | W      |
|          | 2    | B     | Ovis ammon            | trophies  | 1        |      | DE       | CH       | MN     | P       | W      |
|          | 2    | B     | Ovis ammon            | trophies  | 1        |      | DK       | CN       | H      | W       |        |
|          | 2    | B     | Ovis ammon            | trophies  | 1        |      | DK       | KZ       | H      | W       |        |
|          | 2    | B     | Ovis ammon            | trophies  | 1        |      | DK       | MN       | H      | W       |        |
|          | 2    | B     | Ovis ammon            | trophies  | 1        |      | DK       | RU       | TJ     | H       | W      |
|          | 2    | B     | Ovis ammon            | skins     | 1        |      | ES       | KZ       | H      | W       |        |
|          | 2    | B     | Ovis ammon dalailamae | skins     | 1        |      | ES       | CN       | H      | W       |        |
|          | 2    | B     | Ovis ammon dalailamae | skulls    | 1        |      | ES       | CN       | H      | W       |        |
|          | 2    | B     | Ovis ammon karelini   | trophies  | 1        |      | DK       | CN       | H      | W       |        |
|          | 2    | B     | Ovis canadensis       | trophies  | 1        |      | DE       | US       | MX     | H       | W      |
|          | 2    | B     | Saiga tatarica        | bones     | 30       |      | GB       | KZ       | S      | W       |        |
|          | 2    | B     | Saiga tatarica        | horns     | 40 kg    |      | GB       | HK       | XX     | T       | O      |
|          | 2    | B     | Saiga tatarica        | horns     | 1        |      | NL       | US       | I      |         |        |
|          | 2    | B     | Saiga tatarica        | specimens | 6000 ml  |      | GB       | KZ       | S      | W       |        |
|          | 2    | B     | Saiga tatarica        | teeth     | 2000     |      | GB       | KZ       | S      | W       |        |
|          | 2    | B     | Saiga tatarica        | trophies  | 4        |      | AT       | RU       | KZ     | P       | W      |
|          | 2    | B     | Saiga tatarica        | trophies  | 2        |      | BE       | RU       | KZ     | H       | W      |
|          | 2    | B     | Saiga tatarica        | trophies  | 1        |      | FR       | KZ       | H      | W       |        |
|          | 2    | B     | Spheniscus demersus   | live      | 6        |      | NL       | ZA       | T      | C       |        |
|          | 2    | B     | Spheniscus demersus   | live      | 8        |      | PT       | ZA       | Z      | W       |        |
|          | 2    | A     | Ciconia nigra         | live      | 1        |      | AT       | SI       | Z      | C       |        |
|          | 2    | A     | Ciconia nigra         | live      | 2        |      | CZ       | NL       | Z      | C       |        |
|          | 2    | A     | Ciconia nigra         | live      | 1        |      | ES       | CZ       | N      | W       |        |
|          | 2    | A     | Ciconia nigra         | live      | 2        |      | ES       | CZ       | B      | F       |        |
|          | 2    | B     | Phoenicopterus minor  | bodies    | 1        |      | PT       | MZ       | E      | W       |        |
|          | 2    | B     | Phoenicopterus minor  | live      | 110      |      | DE       | TZ       | T      | W       |        |
|          | 2    | B     | Phoenicopterus minor  | live      | 20       |      | ES       | TZ       | T      | W       |        |
|          | 2    | B     | Phoenicopterus minor  | live      | 16       |      | GR       | TZ       | T      | W       |        |
|          | 2    | B     | Phoenicopterus minor  | live      | 800      |      | NL       | TZ       | T      | W       |        |
|          | 2    | A     | Phoenicopterus ruber  | live      | 60       |      | ES       | DO       | Z      | W       |        |
|          | 2    | A     | Phoenicopterus ruber  | live      | 10       |      | FR       | CU       | Z      | C       | R      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                              | Term      | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | A     | <i>Phoenicopterus ruber</i>        | live      | 25       |      | IT       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Phoenicopterus ruber roseus</i> | live      | 25       |      | DK       | CH       |        | Z       | C      |
|          | 2    | B     | <i>Phoenicopterus ruber roseus</i> | live      | 10       |      | DK       | EG       |        | Z       | C      |
|          | 2    | B     | <i>Phoenicopterus ruber roseus</i> | live      | 40       |      | IT       | EG       |        | B       | C      |
|          | 2    | B     | <i>Sarkidiornis melanotos</i>      | trophies  | 2        |      | IT       | ZW       |        | P       | W      |
|          | 2    | B     | <i>Falconiformes spp.</i>          | bodies    | 1        |      | DK       | LB       |        | P       | I      |
|          | 2    | B     | <i>Falconiformes spp.</i>          | live      | 3        |      | NL       | KW       |        | I       |        |
|          | 2    | B     | <i>Falconiformes spp.</i>          | live      | 1        |      | NL       | SY       |        | I       |        |
|          | 2    | A     | <i>Pandion haliaetus</i>           | skins     | 1        |      | GB       | US       |        | E       | W      |
|          | 2    | A     | <i>Pandion haliaetus</i>           | specimens | 10       |      | DE       | AU       |        | S       | W      |
|          | 2    | B     | <i>Accipitridae spp.</i>           | bodies    | 2        |      | GB       | PK       |        | I       |        |
|          | 2    | B     | <i>Accipiter cooperii</i>          | live      | 2        |      | IT       | CA       |        | P       | C      |
|          | 2    | A     | <i>Accipiter gentilis</i>          | live      | 1        |      | AT       | CZ       | AT     | P       | C      |
|          | 2    | A     | <i>Accipiter gentilis</i>          | live      | 2        |      | AT       | CZ       | AT     | P       | W      |
|          | 2    | A     | <i>Accipiter gentilis</i>          | live      | 1        |      | AT       | HU       | AT     | P       | C      |
|          | 2    | A     | <i>Accipiter gentilis</i>          | live      | 1        |      | AT       | HU       | AT     | P       | W      |
|          | 2    | A     | <i>Accipiter gentilis</i>          | live      | 3        |      | AT       | SK       | AT     | P       | W      |
|          | 2    | A     | <i>Accipiter gentilis</i>          | live      | 2        |      | NL       | CZ       | NL     | T       | C      |
|          | 2    | A     | <i>Accipiter gentilis</i>          | live      | 1        |      | NL       | IL       | NL     | T       | C      |
|          | 2    | B     | <i>Accipiter melanoleucus</i>      | live      | 2        |      | GB       | ZA       |        | B       | C      |
|          | 2    | B     | <i>Accipiter striatus</i>          | feet      | 1        |      | GB       | US       |        | E       | W      |
|          | 2    | B     | <i>Accipiter tachiro</i>           | live      | 2        |      | GB       | ZA       |        | B       | C      |
|          | 2    | A     | <i>Aquila chrysaetos</i>           | live      | 1        |      | AT       | CZ       |        | E       | C      |
|          | 2    | A     | <i>Aquila chrysaetos</i>           | live      | 1        |      | AT       | CZ       |        | P       | C      |
|          | 2    | A     | <i>Aquila chrysaetos</i>           | live      | 1        |      | AT       | CZ       |        | P       | F      |
|          | 2    | A     | <i>Aquila chrysaetos</i>           | live      | 1        |      | AT       | CZ       |        | P       | C      |
|          | 2    | A     | <i>Aquila chrysaetos</i>           | live      | 2        |      | AT       | CZ       | AT     | P       | D      |
|          | 2    | A     | <i>Aquila chrysaetos</i>           | live      | 1        |      | AT       | CZ       | AT     | P       | D      |
|          | 2    | A     | <i>Aquila chrysaetos</i>           | live      | 1        |      | AT       | CZ       | DE     | P       | D      |
|          | 2    | A     | <i>Aquila chrysaetos</i>           | live      | 1        |      | AT       | HU       | AT     | P       | C      |
|          | 2    | A     | <i>Aquila chrysaetos</i>           | live      | 3        |      | AT       | HU       | AT     | P       | D      |
|          | 2    | A     | <i>Aquila chrysaetos</i>           | live      | 1        |      | AT       | SK       | AT     | P       | C      |
|          | 2    | A     | <i>Aquila chrysaetos</i>           | live      | 3        |      | AT       | SK       | AT     | P       | D      |
|          | 2    | A     | <i>Aquila chrysaetos</i>           | live      | 1        |      | AT       | SK       | DE     | P       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                           | Term     | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------------|----------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | A     | <i>Aquila chrysaetos</i>        | live     | 1        |      | AT       | SK       | RU     | P       | C      |
|          | 2    | A     | <i>Aquila chrysaetos</i>        | live     | 1        |      | DE       | CA       |        | B       | C      |
|          | 2    | A     | <i>Aquila chrysaetos</i>        | live     | 1        |      | DK       | CA       | DE     | T       | C      |
|          | 2    | A     | <i>Aquila chrysaetos</i>        | live     | 2        |      | GB       | EE       |        | B       | F      |
|          | 2    | B     | <i>Aquila nipalensis</i>        | live     | 4        |      | BE       | RU       |        | T       | W      |
|          | 2    | B     | <i>Aquila nipalensis</i>        | live     | 2        |      | GB       | EE       |        | B       | C      |
|          | 2    | B     | <i>Aquila nipalensis</i>        | live     | 4        |      | GB       | EE       |        | B       | F      |
|          | 2    | B     | <i>Aquila nipalensis</i>        | live     | 10       |      | GB       | RU       |        | B       | W      |
|          | 2    | B     | <i>Aquila nipalensis</i>        | live     | 1        |      | NL       | HU       | Z      | C       |        |
|          | 2    | B     | <i>Aquila rapax</i>             | live     | 40       |      | FR       | ML       |        | T       | W      |
|          | 2    | B     | <i>Aquila rapax</i>             | live     | 1        |      | GB       | CM       |        | T       | W      |
|          | 2    | B     | <i>Aquila rapax</i>             | live     | 1        |      | GB       | JP       | GB     | E       | C      |
|          | 2    | B     | <i>Aquila rapax</i>             | live     | 3        |      | GB       | LV       |        | B       | F      |
|          | 2    | B     | <i>Aquila wahlbergi</i>         | live     | 1        |      | FR       | GN       |        | T       | W      |
|          | 2    | B     | <i>Buteo jamaicensis</i>        | live     | 1        |      | AT       | CZ       | AT     | P       | D      |
|          | 2    | B     | <i>Buteo jamaicensis</i>        | live     | 2        |      | AT       | SK       | AT     | P       | D      |
|          | 2    | B     | <i>Buteo jamaicensis</i>        | live     | 1        |      | BE       | CA       |        | P       | C      |
|          | 2    | B     | <i>Buteo jamaicensis</i>        | live     | 1        |      | FR       | CA       |        | B       | C      |
|          | 2    | B     | <i>Buteo jamaicensis</i>        | live     | 2        |      | NL       | CZ       | NL     | T       | C      |
|          | 2    | B     | <i>Buteo platypterus</i>        | feet     | 1        |      | GB       | US       |        | E       | W      |
|          | 2    | B     | <i>Buteo platypterus</i>        | live     | 6        |      | ES       | PE       |        | T       | W      |
|          | 2    | B     | <i>Buteo poecilochrous</i>      | live     | 3        |      | ES       | PE       |        | T       | W      |
|          | 2    | B     | <i>Buteo poecilochrous</i>      | live     | 1        |      | NL       | PE       |        | T       | W      |
|          | 2    | B     | <i>Buteo regalis</i>            | live     | 1        |      | IT       | CA       |        | P       | C      |
|          | 2    | A     | <i>Buteo rufinus</i>            | live     | 1        |      | AT       | CZ       |        | T       | C      |
|          | 2    | B     | <i>Buteo swainsoni</i>          | trophies | 1        |      | SE       | CA       |        | P       | W      |
|          | 2    | A     | <i>Circaetus gallicus</i>       | live     | 1        |      | ES       | MA       | XX     | I       |        |
|          | 2    | B     | <i>Geranoaetus melanoleucus</i> | live     | 12       |      | ES       | PE       |        | T       | W      |
|          | 2    | B     | <i>Geranoaetus melanoleucus</i> | live     | 2        |      | GB       | PL       | AR     | Z       | W      |
|          | 2    | B     | <i>Gypohierax angolensis</i>    | live     | 6        |      | FR       | GN       |        | T       | W      |
|          | 2    | B     | <i>Gyps africanus</i>           | live     | 2        |      | ES       | GN       |        | P       | C      |
|          | 2    | B     | <i>Gyps africanus</i>           | live     | 3        |      | GB       | CM       |        | T       | W      |
|          | 2    | B     | <i>Gyps coprotheres</i>         | skulls   | 1        |      | NL       | ZA       |        | E       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                           | Term   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------------|--------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | A     | <i>Gyps fulvus</i>              | live   | 1        |      | AT       | CH       |        | N       | W      |
|          | 2    | B     | <i>Gyps rueppellii</i>          | live   | 20       |      | FR       | GN       |        | T       | W      |
|          | 2    | A     | <i>Haliaeetus pelagicus</i>     | live   | 1        |      | DE       | RU       |        | Z       | F      |
|          | 2    | A     | <i>Haliaeetus pelagicus</i>     | live   | 1        |      | DE       | RU       |        | Z       | W      |
|          | 2    | A     | <i>Haliaeetus pelagicus</i>     | live   | 1        |      | DE       | RU       | KZ     | Z       | F      |
|          | 2    | A     | <i>Haliaeetus vocifer</i>       | bodies | 1        |      | NL       | ZA       |        | E       | W      |
|          | 2    | B     | <i>Hieraetus spilogaster</i>    | live   | 1        |      | GB       | ZA       |        | T       | W      |
|          | 2    | B     | <i>Melierax gabar</i>           | live   | 4        |      | GB       | ZA       |        | B       | C      |
|          | 2    | A     | <i>Milvus migrans</i>           | live   | 1        |      | NL       | SY       |        | I       |        |
|          | 2    | A     | <i>Milvus milvus</i>            | live   | 1        |      | NL       | CZ       |        | Z       | C      |
|          | 2    | B     | <i>Necrosyrtes monachus</i>     | live   | 50       |      | FR       | GN       |        | T       | W      |
|          | 2    | B     | <i>Necrosyrtes monachus</i>     | live   | 10       |      | FR       | ML       |        | T       | W      |
|          | 2    | A     | <i>Neophron percnopterus</i>    | live   | 1        |      | FR       | CH       | DE     | Z       | C      |
|          | 2    | A     | <i>Neophron percnopterus</i>    | live   | 1        |      | FR       | CH       | FR     | Z       | O      |
|          | 2    | B     | <i>Parabuteo unicinctus</i>     | live   | 1        |      | DE       | SG       |        | Z       | C      |
|          | 2    | B     | <i>Parabuteo unicinctus</i>     | live   | 2        |      | GB       | JP       | GB     | E       | C      |
|          | 2    | B     | <i>Parabuteo unicinctus</i>     | live   | 1        |      | NL       | CZ       | NL     | T       | C      |
|          | 2    | B     | <i>Parabuteo unicinctus</i>     | live   | 2        |      | NL       | IL       | BE     | T       | C      |
|          | 2    | B     | <i>Parabuteo unicinctus</i>     | live   | 1        |      | NL       | IL       | NL     | T       | C      |
|          | 2    | B     | <i>Parabuteo unicinctus</i>     | live   | 5        |      | NL       | PE       |        | T       | W      |
|          | 2    | A     | <i>Pernis apivorus</i>          | bodies | 1        |      | AT       | PL       |        | I       |        |
|          | 2    | B     | <i>Polyboroides</i> spp.        | skulls | 1        |      | GB       | XX       |        | T       | W      |
|          | 2    | B     | <i>Terathopius ecaudatus</i>    | live   | 7        |      | FR       | GN       |        | T       | W      |
|          | 2    | B     | <i>Terathopius ecaudatus</i>    | live   | 7        |      | GB       | CM       |        | Z       | O      |
|          | 2    | B     | <i>Torgos tracheliotus</i>      | live   | 1        |      | BE       | CZ       | XX     | P       | C      |
|          | 2    | B     | <i>Torgos tracheliotus</i>      | live   | 2        |      | ES       | GN       |        | T       | W      |
|          | 2    | B     | <i>Sagittarius serpentarius</i> | live   | 16       |      | GB       | TZ       |        | P       | C      |
|          | 2    | B     | <i>Falco hybrid</i>             | live   | 1        |      | BE       | AE       | DE     | T       | C      |
|          | 2    | A     | <i>Falco biarmicus</i>          | live   | 1        |      | AT       | HU       | AT     | P       | D      |
|          | 2    | A     | <i>Falco biarmicus</i>          | live   | 1        |      | DE       | AE       |        | B       | C      |
|          | 2    | A     | <i>Falco biarmicus</i>          | live   | 2        |      | GB       | JP       | GB     | E       | C      |
|          | 2    | A     | <i>Falco biarmicus</i>          | live   | 1        |      | GB       | ZA       |        | B       | C      |
|          | 2    | A     | <i>Falco cherrug</i>            | live   | 5        |      | DE       | AE       | DE     | T       | D      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                            | Term      | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | A     | <i>Falco cherrug</i>             | live      | 2        |      | DE       | CA       |        | B       | C      |
|          | 2    | A     | <i>Falco cherrug</i>             | live      | 1        |      | DE       | CZ       |        | P       | C      |
|          | 2    | A     | <i>Falco cherrug</i>             | live      | 2        |      | DE       | RU       |        | Z       | F      |
|          | 2    | A     | <i>Falco cherrug</i>             | live      | 1        |      | ES       | MA       | XX     | T       | I      |
|          | 2    | A     | <i>Falco cherrug</i>             | live      | 9        |      | GB       | RU       |        | T       | C      |
|          | 2    | A     | <i>Falco cherrug</i>             | live      | 1        |      | NL       | IL       | NL     | T       | C      |
|          | 2    | A     | <i>Falco cherrug</i>             | specimens | 6        |      | GB       | AE       | S      | S       | C      |
|          | 2    | A     | <i>Falco mexicanus</i>           | live      | 1        |      | ES       | CA       | T      | T       | C      |
|          | 2    | B     | <i>Falco newtoni</i>             | specimens | 3        |      | DE       | MG       | S      | W       |        |
|          | 2    | B     | <i>Falco sparverius</i>          | feet      | 1        |      | GB       | US       | E      | W       |        |
|          | 2    | B     | <i>Falco sparverius</i>          | live      | 1        |      | BE       | CA       | P      | C       |        |
|          | 2    | B     | <i>Falco sparverius</i>          | live      | 8        |      | DE       | CA       | B      | C       |        |
|          | 2    | B     | <i>Falco sparverius</i>          | live      | 5        |      | ES       | PE       | T      | W       |        |
|          | 2    | A     | <i>Falco tinnunculus</i>         | bodies    | 1        |      | SE       | NO       | P      | W       |        |
|          | 2    | A     | <i>Falco tinnunculus</i>         | live      | 2        |      | ES       | DZ       | XX     | I       |        |
|          | 2    | A     | <i>Falco tinnunculus</i>         | live      | 3        |      | ES       | MA       | XX     | I       |        |
|          | 2    | A     | <i>Falco tinnunculus</i>         | live      | 1        |      | GB       | JP       | GB     | E       | C      |
|          | 2    | B     | <i>Phalcoboenus megalopterus</i> | live      | 2        |      | ES       | PE       | T      | W       |        |
|          | 2    | B     | <i>Phalcoboenus megalopterus</i> | live      | 4        |      | NL       | PE       | T      | W       |        |
|          | 2    | B     | <i>Polyborus plancus</i>         | live      | 3        |      | ES       | PE       | T      | W       |        |
|          | 2    | B     | <i>Polyborus plancus</i>         | live      | 5        |      | NL       | PE       | T      | W       |        |
|          | 2    | B     | <i>Pavo muticus</i>              | live      | 3        |      | ES       | ID       | T      | C       |        |
|          | 2    | B     | <i>Pavo muticus</i>              | live      | 8        |      | GB       | TH       | B      | C       |        |
|          | 2    | B     | <i>Polyplectron bicalcaratum</i> | live      | 8        |      | GB       | TH       | B      | C       |        |
|          | 2    | B     | <i>Polyplectron malacense</i>    | live      | 3        |      | GB       | TH       | B      | C       |        |
|          | 2    | B     | <i>Balearica pavonina</i>        | live      | 25       |      | FR       | ML       | Z      | W       |        |
|          | 2    | B     | <i>Balearica pavonina</i>        | live      | 50       |      | FR       | ML       | T      | W       |        |
|          | 2    | B     | <i>Balearica pavonina</i>        | live      | 30       |      | NL       | ML       | T      | W       |        |
|          | 2    | B     | <i>Balearica pavonina</i>        | live      | 30       |      | PT       | ML       | T      | W       |        |
|          | 2    | B     | <i>Balearica regulorum</i>       | live      | 325      |      | NL       | TZ       | T      | W       |        |
|          | 2    | B     | <i>Grus antigone</i>             | live      | 1        |      | FR       | HU       | FR     | Z       | C      |
|          | 2    | B     | <i>Grus carunculatus</i>         | live      | 5        |      | AT       | ZM       | Z      | W       |        |
|          | 2    | B     | <i>Grus carunculatus</i>         | live      | 4        |      | NL       | US       | Z      | F       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                        | Term      | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Grus paradisea</i>        | bodies    | 1        |      | NL       | ZA       |        | E       | W      |
|          | 2    | B     | <i>Grus paradisea</i>        | feathers  | 10       |      | NL       | ZA       |        | E       | W      |
|          | 2    | B     | <i>Grus paradisea</i>        | live      | 10       |      | NL       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Grus rubicunda</i>        | live      | 3        |      | DE       | US       |        | Z       | F      |
|          | 2    | B     | <i>Grus virgo</i>            | live      | 1        |      | NL       | CZ       |        | Z       | C      |
|          | 2    | B     | <i>Grus virgo</i>            | live      | 196      |      | NL       | RU       |        | T       | W      |
|          | 2    | B     | <i>Grus virgo</i>            | live      | 252      |      | PT       | RU       |        | T       | W      |
|          | 2    | B     | <i>Ardeotis kori</i>         | live      | 8        |      | AT       | TZ       |        | Z       | W      |
|          | 2    | B     | <i>Ardeotis kori</i>         | live      | 1        |      | DE       | AE       |        | Z       | C      |
|          | 2    | B     | <i>Ardeotis kori</i>         | live      | 10       |      | NL       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Ardeotis kori</i>         | specimens | 6        |      | GB       | AE       |        | S       | C      |
|          | 2    | B     | <i>Eupodotis ruficrista</i>  | specimens | 6        |      | GB       | AE       |        | S       | C      |
|          | 2    | B     | <i>Neotis denhami</i>        | trophies  | 1        |      | FR       | ML       |        | H       | W      |
|          | 2    | B     | <i>Gallicolumba luzonica</i> | live      | 2        |      | DE       | CZ       |        | Z       | C      |
|          | 2    | B     | <i>Goura cristata</i>        | live      | 4        |      | NL       | PH       |        | T       | C      |
|          | 2    | B     | <i>Goura cristata</i>        | live      | 22       |      | NL       | SG       |        | T       | C      |
|          | 2    | B     | <i>Goura scheepmakeri</i>    | live      | 20       |      | NL       | PH       |        | T       | C      |
|          | 2    | B     | <i>Goura victoria</i>        | live      | 2        |      | ES       | SG       |        | T       | C      |
|          | 2    | B     | <i>Goura victoria</i>        | live      | 2        |      | GB       | PH       |        | B       | C      |
|          | 2    | B     | <i>Goura victoria</i>        | live      | 12       |      | NL       | PH       |        | T       | C      |
|          | 2    | B     | <i>Goura victoria</i>        | live      | 18       |      | NL       | SG       |        | T       | C      |
|          | 2    | B     | <i>Psittaciformes spp.</i>   | live      | 4        |      | GB       | XX       |        | I       |        |
|          | 2    | B     | <i>Psittaciformes spp.</i>   | live      | 3        |      | NL       | AN       |        | I       |        |
|          | 2    | B     | <i>Psittaciformes spp.</i>   | live      | 3        |      | NL       | BF       |        | I       |        |
|          | 2    | B     | <i>Psittaciformes spp.</i>   | live      | 2        |      | NL       | NG       |        | I       |        |
|          | 2    | B     | <i>Psittaciformes spp.</i>   | live      | 2        |      | NL       | TR       |        | I       |        |
|          | 2    | B     | <i>Psittacidae spp.</i>      | live      | 6        |      | GB       | BZ       |        | I       |        |
|          | 2    | B     | <i>Psittacidae spp.</i>      | live      | 9        |      | PT       | VE       |        | I       |        |
|          | 2    | B     | <i>Psittacidae spp.</i>      | live      | 14       |      | PT       | XX       |        | I       |        |
|          | 2    | B     | <i>Agapornis canus</i>       | live      | 500      |      | ES       | MG       |        | T       | W      |
|          | 2    | B     | <i>Agapornis canus</i>       | live      | 40       |      | ES       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Agapornis canus</i>       | live      | 550      |      | FR       | MG       |        | T       | W      |
|          | 2    | B     | <i>Agapornis canus</i>       | live      | 2500     |      | NL       | MG       |        | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                       | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------|------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Agapornis canus</i>      | live | 50       |      | PT       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Agapornis fischeri</i>   | live | 16       |      | AT       | SK       |        | T       | C      |
|          | 2    | B     | <i>Agapornis fischeri</i>   | live | 300      |      | ES       | BR       |        | T       | C      |
|          | 2    | B     | <i>Agapornis fischeri</i>   | live | 1500     |      | ES       | CN       |        | T       | C      |
|          | 2    | B     | <i>Agapornis fischeri</i>   | live | 1010     |      | ES       | CZ       |        | T       | C      |
|          | 2    | B     | <i>Agapornis fischeri</i>   | live | 550      |      | ES       | PK       |        | T       | C      |
|          | 2    | B     | <i>Agapornis fischeri</i>   | live | 500      |      | ES       | TW       |        | T       | C      |
|          | 2    | B     | <i>Agapornis fischeri</i>   | live | 5755     |      | ES       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Agapornis fischeri</i>   | live | 60       |      | FR       | CZ       |        | T       | C      |
|          | 2    | B     | <i>Agapornis fischeri</i>   | live | 80       |      | FR       | TW       |        | T       | C      |
|          | 2    | B     | <i>Agapornis fischeri</i>   | live | 4        |      | GB       | HK       |        | P       | F      |
|          | 2    | B     | <i>Agapornis fischeri</i>   | live | 2        |      | GB       | HK       | XX     | P       | U      |
|          | 2    | B     | <i>Agapornis fischeri</i>   | live | 1400     |      | GR       | CN       |        | T       | C      |
|          | 2    | B     | <i>Agapornis fischeri</i>   | live | 840      |      | GR       | TW       |        | T       | C      |
|          | 2    | B     | <i>Agapornis fischeri</i>   | live | 550      |      | GR       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Agapornis fischeri</i>   | live | 80       |      | IT       | TW       |        | T       | C      |
|          | 2    | B     | <i>Agapornis fischeri</i>   | live | 1        |      | NL       | CH       |        | T       | C      |
|          | 2    | B     | <i>Agapornis fischeri</i>   | live | 3000     |      | NL       | CN       |        | T       | C      |
|          | 2    | B     | <i>Agapornis fischeri</i>   | live | 150      |      | PT       | CZ       |        | T       | C      |
|          | 2    | B     | <i>Agapornis fischeri</i>   | live | 100      |      | PT       | PK       |        | T       | C      |
|          | 2    | B     | <i>Agapornis fischeri</i>   | live | 80       |      | PT       | ZA       |        | T       | W      |
|          | 2    | B     | <i>Agapornis fischeri</i>   | live | 2847     |      | PT       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Agapornis fischeri</i>   | live | 490      |      | PT       | ZW       |        | T       | C      |
|          | 2    | B     | <i>Agapornis lilianae</i>   | live | 4        |      | PT       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Agapornis nigrigenis</i> | live | 1625     |      | ES       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Agapornis nigrigenis</i> | live | 1        |      | GB       | ZA       |        | P       | C      |
|          | 2    | B     | <i>Agapornis nigrigenis</i> | live | 1        |      | NL       | CH       |        | T       | C      |
|          | 2    | B     | <i>Agapornis nigrigenis</i> | live | 225      |      | PT       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Agapornis personatus</i> | live | 34       |      | AT       | SK       |        | T       | C      |
|          | 2    | B     | <i>Agapornis personatus</i> | live | 300      |      | ES       | BR       |        | T       | C      |
|          | 2    | B     | <i>Agapornis personatus</i> | live | 1050     |      | ES       | CZ       |        | T       | C      |
|          | 2    | B     | <i>Agapornis personatus</i> | live | 4655     |      | ES       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Agapornis personatus</i> | live | 4        |      | FR       | CR       | NL     | B       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                        | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Agapornis personatus</i>  | live | 90       |      | FR       | CZ       |        | T       | C      |
|          | 2    | B     | <i>Agapornis personatus</i>  | live | 4        |      | GB       | US       |        | P       | F      |
|          | 2    | B     | <i>Agapornis personatus</i>  | live | 1550     |      | GR       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Agapornis personatus</i>  | live | 100      |      | IT       | TW       |        | T       | C      |
|          | 2    | B     | <i>Agapornis personatus</i>  | live | 8        |      | NL       | MT       |        | E       | C      |
|          | 2    | B     | <i>Agapornis personatus</i>  | live | 150      |      | PT       | CZ       |        | T       | C      |
|          | 2    | B     | <i>Agapornis personatus</i>  | live | 2        |      | PT       | MO       |        | T       | C      |
|          | 2    | B     | <i>Agapornis personatus</i>  | live | 80       |      | PT       | ZA       |        | T       | W      |
|          | 2    | B     | <i>Agapornis personatus</i>  | live | 6385     |      | PT       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Agapornis personatus</i>  | live | 80       |      | PT       | ZW       |        | T       | C      |
|          | 2    | B     | <i>Agapornis pullarius</i>   | live | 100      |      | BE       | TG       |        | T       | W      |
|          | 2    | B     | <i>Agapornis pullarius</i>   | live | 122      |      | DE       | CM       |        | T       | W      |
|          | 2    | B     | <i>Agapornis pullarius</i>   | live | 200      |      | ES       | GN       |        | T       | W      |
|          | 2    | B     | <i>Agapornis pullarius</i>   | live | 10       |      | ES       | TG       |        | T       | W      |
|          | 2    | B     | <i>Agapornis pullarius</i>   | live | 3        |      | FR       | GN       |        | B       | W      |
|          | 2    | B     | <i>Agapornis pullarius</i>   | live | 319      |      | FR       | TG       |        | T       | W      |
|          | 2    | B     | <i>Agapornis pullarius</i>   | live | 200      |      | NL       | TG       |        | T       | W      |
|          | 2    | B     | <i>Agapornis pullarius</i>   | live | 300      |      | NL       | CD       |        | T       | W      |
|          | 2    | B     | <i>Agapornis roseicollis</i> | live | 300      |      | ES       | BR       |        | T       | C      |
|          | 2    | B     | <i>Agapornis roseicollis</i> | live | 700      |      | ES       | CN       |        | T       | C      |
|          | 2    | B     | <i>Agapornis roseicollis</i> | live | 23680    |      | ES       | CU       |        | T       | C      |
|          | 2    | B     | <i>Agapornis roseicollis</i> | live | 1085     |      | ES       | CZ       |        | T       | C      |
|          | 2    | B     | <i>Agapornis roseicollis</i> | live | 2        |      | ES       | MX       | BE     | P       | C      |
|          | 2    | B     | <i>Agapornis roseicollis</i> | live | 4555     |      | ES       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Agapornis roseicollis</i> | live | 1        |      | FR       | AE       |        | B       | C      |
|          | 2    | B     | <i>Agapornis roseicollis</i> | live | 18       |      | FR       | CA       |        | B       | C      |
|          | 2    | B     | <i>Agapornis roseicollis</i> | live | 90       |      | FR       | CZ       |        | T       | C      |
|          | 2    | B     | <i>Agapornis roseicollis</i> | live | 40       |      | FR       | TW       |        | T       | C      |
|          | 2    | B     | <i>Agapornis roseicollis</i> | live | 1        |      | GB       | CA       |        | P       | C      |
|          | 2    | B     | <i>Agapornis roseicollis</i> | live | 1        |      | GB       | US       |        | P       | C      |
|          | 2    | B     | <i>Agapornis roseicollis</i> | live | 1        |      | GB       | US       |        | P       | F      |
|          | 2    | B     | <i>Agapornis roseicollis</i> | live | 1900     |      | GR       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Agapornis roseicollis</i> | live | 80       |      | IT       | TW       |        | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                         | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Agapornis roseicollis</i>  | live | 15       |      | NL       | CH       |        | T       | C      |
|          | 2    | B     | <i>Agapornis roseicollis</i>  | live | 500      |      | NL       | CN       |        | T       | C      |
|          | 2    | B     | <i>Agapornis roseicollis</i>  | live | 2000     |      | NL       | CU       |        | T       | C      |
|          | 2    | B     | <i>Agapornis roseicollis</i>  | live | 2        |      | NL       | MT       |        | E       | C      |
|          | 2    | B     | <i>Agapornis roseicollis</i>  | live | 2        |      | NL       | SI       |        | T       | C      |
|          | 2    | B     | <i>Agapornis roseicollis</i>  | live | 1        |      | NL       | US       |        | T       | F      |
|          | 2    | B     | <i>Agapornis roseicollis</i>  | live | 1        |      | NL       | US       | NL     | T       | C      |
|          | 2    | B     | <i>Agapornis roseicollis</i>  | live | 1000     |      | PT       | CU       |        | T       | C      |
|          | 2    | B     | <i>Agapornis roseicollis</i>  | live | 250      |      | PT       | CZ       |        | T       | C      |
|          | 2    | B     | <i>Agapornis roseicollis</i>  | live | 2        |      | PT       | MO       |        | T       | C      |
|          | 2    | B     | <i>Agapornis roseicollis</i>  | live | 300      |      | PT       | ZA       |        | T       | W      |
|          | 2    | B     | <i>Agapornis roseicollis</i>  | live | 7550     |      | PT       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Agapornis roseicollis</i>  | live | 630      |      | PT       | ZW       |        | T       | C      |
|          | 2    | B     | <i>Agapornis taranta</i>      | live | 22       |      | ES       | CH       |        | T       | C      |
|          | 2    | B     | <i>Agapornis taranta</i>      | live | 2        |      | NL       | CH       |        | T       | C      |
|          | 2    | B     | <i>Alisterus amboinensis</i>  | live | 12       |      | DE       | ID       |        | B       | C      |
|          | 2    | B     | <i>Alisterus amboinensis</i>  | live | 12       |      | DE       | ID       |        | T       | F      |
|          | 2    | B     | <i>Alisterus amboinensis</i>  | live | 33       |      | DE       | ID       |        | T       | W      |
|          | 2    | B     | <i>Alisterus amboinensis</i>  | live | 67       |      | DE       | ID       |        | T       | C      |
|          | 2    | B     | <i>Alisterus amboinensis</i>  | live | 20       |      | DE       | PH       |        | T       | C      |
|          | 2    | B     | <i>Alisterus amboinensis</i>  | live | 10       |      | ES       | ID       |        | B       | F      |
|          | 2    | B     | <i>Alisterus amboinensis</i>  | live | 40       |      | ES       | ID       |        | T       | W      |
|          | 2    | B     | <i>Alisterus amboinensis</i>  | live | 1        |      | GB       | ID       |        | T       | W      |
|          | 2    | B     | <i>Alisterus amboinensis</i>  | live | 12       |      | NL       | ID       |        | T       | C      |
|          | 2    | B     | <i>Alisterus amboinensis</i>  | live | 4        |      | NL       | SG       |        | T       | C      |
|          | 2    | B     | <i>Alisterus amboinensis</i>  | live | 4        |      | PT       | ID       |        | T       | W      |
|          | 2    | B     | <i>Alisterus chloropterus</i> | live | 2        |      | DE       | ID       |        | T       | F      |
|          | 2    | B     | <i>Alisterus chloropterus</i> | live | 4        |      | DE       | ID       |        | T       | C      |
|          | 2    | B     | <i>Alisterus chloropterus</i> | live | 6        |      | DE       | ID       |        | B       | C      |
|          | 2    | B     | <i>Alisterus chloropterus</i> | live | 90       |      | DE       | ID       |        | T       | W      |
|          | 2    | B     | <i>Alisterus chloropterus</i> | live | 5        |      | ES       | ID       |        | B       | F      |
|          | 2    | B     | <i>Alisterus chloropterus</i> | live | 25       |      | ES       | ID       |        | T       | W      |
|          | 2    | B     | <i>Alisterus chloropterus</i> | live | 73       |      | ES       | ID       |        | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex                  | Taxon     | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|------------------------|-----------|------|----------|------|----------|----------|--------|---------|--------|
| 2        | B    | Alisterus chloropterus | live      |      | 18       |      | GB       | ID       |        | T       | W      |
| 2        | B    | Alisterus chloropterus | live      |      | 20       |      | NL       | SG       | ID     | T       | W      |
| 2        | B    | Alisterus scapularis   | live      |      | 155      |      | NL       | ID       |        |         | I      |
| 2        | B    | Amazona spp.           | live      |      | 1        |      | GB       | CY       |        |         | I      |
| 2        | B    | Amazona spp.           | live      |      | 5        |      | PT       | BR       |        |         | I      |
| 2        | B    | Amazona aestiva        | live      |      | 60       |      | DE       | AR       |        | T       | W      |
| 2        | B    | Amazona aestiva        | live      |      | 1        |      | DE       | CH       | XX     | P       | U      |
| 2        | B    | Amazona aestiva        | live      |      | 2        |      | DE       | CZ       |        | P       | C      |
| 2        | B    | Amazona aestiva        | live      |      | 1        |      | DE       | PY       |        | P       | W      |
| 2        | B    | Amazona aestiva        | live      |      | 1        |      | DE       | US       |        | P       | C      |
| 2        | B    | Amazona aestiva        | live      |      | 1        |      | DE       | US       | XX     | P       | W      |
| 2        | B    | Amazona aestiva        | live      |      | 2        |      | DE       | ZA       |        | P       | C      |
| 2        | B    | Amazona aestiva        | live      |      | 376      |      | ES       | AR       |        | T       | W      |
| 2        | B    | Amazona aestiva        | live      |      | 2        |      | ES       | PY       |        | P       | W      |
| 2        | B    | Amazona aestiva        | live      |      | 1        |      | FR       | AR       |        | B       | W      |
| 2        | B    | Amazona aestiva        | live      |      | 1        |      | FR       | CA       |        | B       | C      |
| 2        | B    | Amazona aestiva        | live      |      | 30       |      | FR       | ZA       |        | T       | C      |
| 2        | B    | Amazona aestiva        | live      |      | 120      |      | GB       | AR       |        | T       | W      |
| 2        | B    | Amazona aestiva        | live      |      | 1        |      | GB       | US       |        | P       | F      |
| 2        | B    | Amazona aestiva        | live      |      | 1        |      | IT       | US       | AR     | P       | W      |
| 2        | B    | Amazona aestiva        | live      |      | 1        |      | NL       | CA       |        | T       | C      |
| 2        | B    | Amazona aestiva        | live      |      | 1        |      | NL       | CH       | NL     | T       | C      |
| 2        | B    | Amazona aestiva        | live      |      | 1        |      | NL       | TR       | NL     | T       | C      |
| 2        | B    | Amazona aestiva        | live      |      | 1        |      | NL       | ZW       | NL     | P       | C      |
| 2        | B    | Amazona aestiva        | live      |      | 1        |      | NL       | ZW       | NL     | T       | C      |
| 2        | B    | Amazona aestiva        | live      |      | 23       |      | PT       | AR       |        | T       | W      |
| 2        | B    | Amazona aestiva        | live      |      | 1        |      | PT       | ZA       |        | P       | C      |
| 2        | B    | Amazona aestiva        | live      |      | 1        |      | SE       | AU       | XX     | P       | W      |
| 2        | B    | Amazona aestiva        | live      |      | 1        |      | SE       | CH       | SE     | P       | O      |
| 2        | B    | Amazona aestiva        | skeletons |      | 1        |      | SE       | PY       | S      |         | W      |
| 2        | B    | Amazona agilis         | live      |      | 2        |      | GB       | GY       |        |         | I      |
| 2        | B    | Amazona agilis         | live      |      | 1        |      | NL       | US       |        | T       | F      |
| 2        | B    | Amazona albifrons      | live      |      | 120      |      | BE       | NI       |        | T       | R      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                       | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------|------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Amazona albifrons</i>    | live | 65       |      | DE       | NI       |        | T       | R      |
|          | 2    | B     | <i>Amazona albifrons</i>    | live | 289      |      | ES       | NI       |        | T       | R      |
|          | 2    | B     | <i>Amazona albifrons</i>    | live | 30       |      | GB       | NI       |        | T       | R      |
|          | 2    | B     | <i>Amazona albifrons</i>    | live | 56       |      | GR       | NI       |        | T       | R      |
|          | 2    | B     | <i>Amazona albifrons</i>    | live | 221      |      | NL       | NI       |        | T       | W      |
|          | 2    | B     | <i>Amazona albifrons</i>    | live | 615      |      | NL       | NI       |        | T       | R      |
|          | 2    | B     | <i>Amazona albifrons</i>    | live | 136      |      | PT       | NI       |        | T       | R      |
|          | 2    | B     | <i>Amazona albifrons</i>    | live | 1        |      | SE       | CH       | NL     | P       | C      |
|          | 2    | B     | <i>Amazona amazonica</i>    | live | 107      |      | BE       | GY       | T      | Q       | W      |
|          | 2    | B     | <i>Amazona amazonica</i>    | live | 1        |      | BE       | NO       | XX     |         | W      |
|          | 2    | B     | <i>Amazona amazonica</i>    | live | 529      |      | BE       | SR       | T      |         | W      |
|          | 2    | B     | <i>Amazona amazonica</i>    | live | 90       |      | DE       | GY       | T      |         | W      |
|          | 2    | B     | <i>Amazona amazonica</i>    | live | 281      |      | DE       | SR       | T      |         | W      |
|          | 2    | B     | <i>Amazona amazonica</i>    | live | 1528     |      | ES       | GY       | T      |         | W      |
|          | 2    | B     | <i>Amazona amazonica</i>    | live | 777      |      | ES       | SR       | T      |         | W      |
|          | 2    | B     | <i>Amazona amazonica</i>    | live | 457      |      | GB       | GY       | T      |         | W      |
|          | 2    | B     | <i>Amazona amazonica</i>    | live | 1        |      | GB       | XX       | I      |         |        |
|          | 2    | B     | <i>Amazona amazonica</i>    | live | 95       |      | GR       | GY       | T      |         | W      |
|          | 2    | B     | <i>Amazona amazonica</i>    | live | 80       |      | GR       | SR       | T      |         | W      |
|          | 2    | B     | <i>Amazona amazonica</i>    | live | 776      |      | NL       | GY       | T      |         | W      |
|          | 2    | B     | <i>Amazona amazonica</i>    | live | 2988     |      | NL       | SR       | T      |         | W      |
|          | 2    | B     | <i>Amazona amazonica</i>    | live | 2        |      | NL       | ZW       | NL     | P       | C      |
|          | 2    | B     | <i>Amazona amazonica</i>    | live | 2        |      | NL       | ZW       | NL     | T       | C      |
|          | 2    | B     | <i>Amazona amazonica</i>    | live | 1        |      | PT       | BR       | I      |         |        |
|          | 2    | B     | <i>Amazona amazonica</i>    | live | 196      |      | PT       | GY       | T      |         | W      |
|          | 2    | B     | <i>Amazona amazonica</i>    | live | 180      |      | PT       | SR       | T      |         | W      |
|          | 2    | B     | <i>Amazona europalliata</i> | live | 48       |      | BE       | NI       | T      |         | R      |
|          | 2    | B     | <i>Amazona europalliata</i> | live | 10       |      | DE       | NI       | T      |         | R      |
|          | 2    | B     | <i>Amazona europalliata</i> | live | 5        |      | DE       | PH       | T      |         | C      |
|          | 2    | B     | <i>Amazona europalliata</i> | live | 1        |      | DE       | US       | P      |         | F      |
|          | 2    | B     | <i>Amazona europalliata</i> | live | 145      |      | ES       | NI       | T      |         | R      |
|          | 2    | B     | <i>Amazona europalliata</i> | live | 1        |      | ES       | US       | T      |         | F      |
|          | 2    | B     | <i>Amazona europalliata</i> | live | 1        |      | FR       | ZA       | US     | B       | F      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                       | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------|------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Amazona europalliata</i> | live | 10       |      | GB       | NI       |        | T       | R      |
|          | 2    | B     | <i>Amazona europalliata</i> | live | 5        |      | GR       | NI       |        | T       | R      |
|          | 2    | B     | <i>Amazona europalliata</i> | live | 145      |      | NL       | NI       |        | T       | R      |
|          | 2    | B     | <i>Amazona europalliata</i> | live | 171      |      | NL       | NI       |        | T       | W      |
|          | 2    | B     | <i>Amazona europalliata</i> | live | 1        |      | NL       | US       |        | T       | F      |
|          | 2    | B     | <i>Amazona europalliata</i> | live | 95       |      | PT       | NI       |        | T       | R      |
|          | 2    | B     | <i>Amazona autumnalis</i>   | live | 229      |      | BE       | NI       |        | T       | R      |
|          | 2    | B     | <i>Amazona autumnalis</i>   | live | 50       |      | DE       | NI       |        | T       | R      |
|          | 2    | B     | <i>Amazona autumnalis</i>   | live | 1        |      | DE       | PA       |        | P       | W      |
|          | 2    | B     | <i>Amazona autumnalis</i>   | live | 4        |      | DE       | PH       |        | T       | C      |
|          | 2    | B     | <i>Amazona autumnalis</i>   | live | 1        |      | DE       | US       |        | P       | F      |
|          | 2    | B     | <i>Amazona autumnalis</i>   | live | 1        |      | DE       | US       | PA     | P       | W      |
|          | 2    | B     | <i>Amazona autumnalis</i>   | live | 580      |      | ES       | NI       |        | T       | R      |
|          | 2    | B     | <i>Amazona autumnalis</i>   | live | 2        |      | FR       | KM       | XX     | B       | O      |
|          | 2    | B     | <i>Amazona autumnalis</i>   | live | 25       |      | FR       | NI       |        | T       | R      |
|          | 2    | B     | <i>Amazona autumnalis</i>   | live | 10       |      | FR       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Amazona autumnalis</i>   | live | 50       |      | GB       | NI       |        | T       | R      |
|          | 2    | B     | <i>Amazona autumnalis</i>   | live | 1        |      | GB       | US       |        | B       | F      |
|          | 2    | B     | <i>Amazona autumnalis</i>   | live | 20       |      | GR       | NI       |        | T       | R      |
|          | 2    | B     | <i>Amazona autumnalis</i>   | live | 666      |      | NL       | NI       |        | T       | W      |
|          | 2    | B     | <i>Amazona autumnalis</i>   | live | 945      |      | NL       | NI       |        | T       | R      |
|          | 2    | B     | <i>Amazona autumnalis</i>   | live | 2        |      | NL       | US       |        | T       | F      |
|          | 2    | B     | <i>Amazona autumnalis</i>   | live | 225      |      | PT       | NI       |        | T       | R      |
|          | 2    | B     | <i>Amazona collaria</i>     | live | 1        |      | NL       | CA       |        | T       | C      |
|          | 2    | B     | <i>Amazona collaria</i>     | live | 1        |      | NL       | CH       |        | T       | C      |
|          | 2    | B     | <i>Amazona collaria</i>     | live | 4        |      | NL       | US       |        | T       | F      |
|          | 2    | B     | <i>Amazona dufresniana</i>  | live | 4        |      | BE       | SR       |        | T       | W      |
|          | 2    | B     | <i>Amazona dufresniana</i>  | live | 1        |      | DE       | CH       | FI     | P       | C      |
|          | 2    | B     | <i>Amazona dufresniana</i>  | live | 10       |      | ES       | SR       |        | T       | W      |
|          | 2    | B     | <i>Amazona dufresniana</i>  | live | 4        |      | GR       | SR       |        | T       | W      |
|          | 2    | B     | <i>Amazona dufresniana</i>  | live | 42       |      | NL       | SR       |        | T       | W      |
|          | 2    | B     | <i>Amazona dufresniana</i>  | live | 6        |      | PT       | SR       |        | T       | W      |
|          | 2    | B     | <i>Amazona farinosa</i>     | live | 25       |      | BE       | NI       |        | T       | R      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex                | Taxon | Term     | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|----------------------|-------|----------|----------|------|----------|----------|--------|---------|--------|
| 2        | B    | Amazona farinosa     |       | live     | 1        |      | BE       | NO       | NI     | Q       | R      |
| 2        | B    | Amazona farinosa     |       | live     | 1        |      | BE       | NO       | XX     | Q       | W      |
| 2        | B    | Amazona farinosa     |       | live     | 22       |      | BE       | SR       |        | T       | W      |
| 2        | B    | Amazona farinosa     |       | live     | 25       |      | DE       | NI       |        | T       | R      |
| 2        | B    | Amazona farinosa     |       | live     | 1        |      | DE       | PA       |        | P       | W      |
| 2        | B    | Amazona farinosa     |       | live     | 15       |      | DE       | SR       |        | T       | W      |
| 2        | B    | Amazona farinosa     |       | live     | 119      |      | ES       | GY       |        | T       | W      |
| 2        | B    | Amazona farinosa     |       | live     | 200      |      | ES       | NI       |        | T       | R      |
| 2        | B    | Amazona farinosa     |       | live     | 54       |      | ES       | SR       |        | T       | W      |
| 2        | B    | Amazona farinosa     |       | live     | 20       |      | GB       | NI       |        | T       | R      |
| 2        | B    | Amazona farinosa     |       | live     | 38       |      | GR       | GY       |        | T       | W      |
| 2        | B    | Amazona farinosa     |       | live     | 19       |      | GR       | SR       |        | T       | W      |
| 2        | B    | Amáazona farinosa    |       | live     | 60       |      | NL       | GY       |        | T       | W      |
| 2        | B    | Amazona farinosa     |       | live     | 154      |      | NL       | NI       |        | T       | W      |
| 2        | B    | Amazona farinosa     |       | live     | 205      |      | NL       | NI       |        | T       | R      |
| 2        | B    | Amazona farinosa     |       | live     | 262      |      | NL       | SR       |        | T       | W      |
| 2        | B    | Amazona farinosa     |       | live     | 15       |      | PT       | GY       |        | T       | W      |
| 2        | B    | Amazona farinosa     |       | live     | 70       |      | PT       | NI       |        | T       | R      |
| 2        | B    | Amazona farinosa     |       | live     | 12       |      | PT       | SR       |        | T       | W      |
| 2        | B    | Amazona festiva      |       | live     | 2        |      | DE       | CH       |        | P       | C      |
| 2        | B    | Amazona festiva      |       | live     | 6        |      | DE       | CH       |        | P       | C      |
| 2        | B    | Amazona festiva      |       | live     | 6        |      | DE       | PH       |        | T       | C      |
| 2        | B    | Amazona festiva      |       | live     | 2        |      | GB       | US       |        | B       | F      |
| 2        | B    | Amazona festiva      |       | live     | 4        |      | GB       | US       |        | T       | C      |
| 2        | B    | Amazona festiva      |       | live     | 2        |      | IT       | CH       |        | P       | C      |
| 2        | B    | Amazona finschi      |       | live     | 2        |      | AT       | CH       |        | P       | C      |
| 2        | B    | Amazona finschi      |       | live     | 1        |      | DE       | MX       |        | P       | W      |
| 2        | B    | Amazona finschi      |       | live     | 3        |      | FR       | CA       |        | B       | C      |
| 2        | B    | Amazona finschi      |       | live     | 2        |      | GB       | US       |        | B       | F      |
| 2        | B    | Amazona finschi      |       | live     | 12       |      | NL       | US       |        | T       | F      |
| 2        | B    | Amazona finschi      |       | live     | 9        |      | PT       | US       |        | T       | F      |
| 2        | B    | Amazona ochrocephala |       | feathers | 2        |      | DE       | VE       | XX     | Q       | W      |
| 2        | B    | Amazona ochrocephala |       | live     | 12       |      | BE       | GY       |        | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------|------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | Amazona ochrocephala | live | 1        |      | BE       | NO       | XX     | Q       | W      |
|          | 2    | B     | Amazona ochrocephala | live | 20       |      | BE       | SR       | T      | W       |        |
|          | 2    | B     | Amazona ochrocephala | live | 1        |      | DE       | AE       | XX     | P       | U      |
|          | 2    | B     | Amazona ochrocephala | live | 10       |      | DE       | GY       | T      | W       |        |
|          | 2    | B     | Amazona ochrocephala | live | 1        |      | DE       | OM       | VE     | P       | W      |
|          | 2    | B     | Amazona ochrocephala | live | 1        |      | DE       | PA       | P      | W       |        |
|          | 2    | B     | Amazona ochrocephala | live | 19       |      | DE       | PH       | T      | C       |        |
|          | 2    | B     | Amazona ochrocephala | live | 16       |      | DE       | SR       | T      | W       |        |
|          | 2    | B     | Amazona ochrocephala | live | 2        |      | DE       | US       | PA     | P       | W      |
|          | 2    | B     | Amazona ochrocephala | live | 141      |      | ES       | GY       | T      | W       |        |
|          | 2    | B     | Amazona ochrocephala | live | 71       |      | ES       | SR       | T      | W       |        |
|          | 2    | B     | Amazona ochrocephala | live | 1        |      | ES       | US       | P      | F       |        |
|          | 2    | B     | Amazona ochrocephala | live | 2        |      | ES       | US       | T      | F       |        |
|          | 2    | B     | Amazona ochrocephala | live | 9        |      | FR       | CA       | XX     | B       |        |
|          | 2    | B     | Amazona ochrocephala | live | 1        |      | FR       | US       | B      | F       |        |
|          | 2    | B     | Amazona ochrocephala | live | 93       |      | GB       | GY       | T      | W       |        |
|          | 2    | B     | Amazona ochrocephala | live | 1        |      | GB       | IL       | US     | P       | C      |
|          | 2    | B     | Amazona ochrocephala | live | 1        |      | GB       | PA       | XX     | P       | U      |
|          | 2    | B     | Amazona ochrocephala | live | 1        |      | GB       | PL       | NL     | P       | C      |
|          | 2    | B     | Amazona ochrocephala | live | 1        |      | GB       | US       | P      | F       |        |
|          | 2    | B     | Amazona ochrocephala | live | 1        |      | GB       | US       | PA     | P       | W      |
|          | 2    | B     | Amazona ochrocephala | live | 18       |      | GR       | GY       | T      | W       |        |
|          | 2    | B     | Amazona ochrocephala | live | 22       |      | GR       | SR       | T      | P       |        |
|          | 2    | B     | Amazona ochrocephala | live | 1        |      | IT       | US       | P      | C       |        |
|          | 2    | B     | Amazona ochrocephala | live | 12       |      | IT       | US       | T      | F       |        |
|          | 2    | B     | Amazona ochrocephala | live | 1        |      | NL       | AN       | I      | I       |        |
|          | 2    | B     | Amazona ochrocephala | live | 3        |      | NL       | AN       | VE     | P       |        |
|          | 2    | B     | Amazona ochrocephala | live | 1        |      | NL       | AW       | NL     | P       | C      |
|          | 2    | B     | Amazona ochrocephala | live | 1        |      | NL       | AW       | SR     | P       | W      |
|          | 2    | B     | Amazona ochrocephala | live | 2        |      | NL       | CH       | T      | C       |        |
|          | 2    | B     | Amazona ochrocephala | live | 100      |      | NL       | GY       | T      | W       |        |
|          | 2    | B     | Amazona ochrocephala | live | 308      |      | NL       | SR       | T      | W       |        |
|          | 2    | B     | Amazona ochrocephala | live | 1        |      | NL       | US       | P      | O       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                            | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------------|------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Amazona ochrocephala</i>      | live |          | 1    | NL       | US       |        | T       | O      |
|          | 2    | B     | <i>Amazona ochrocephala</i>      | live |          | 2    | NL       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Amazona ochrocephala</i>      | live |          | 3    | PT       | BR       |        | I       |        |
|          | 2    | B     | <i>Amazona ochrocephala</i>      | live |          | 26   | PT       | GY       |        | T       | W      |
|          | 2    | B     | <i>Amazona ochrocephala</i>      | live |          | 15   | PT       | SR       |        | T       | W      |
|          | 2    | B     | <i>Amazona ochrocephala</i>      | live |          | 4    | PT       | US       |        | T       | F      |
|          | 2    | B     | <i>Amazona ochrocephala</i>      | live |          | 2    | PT       | VE       |        | I       |        |
|          | 2    | B     | <i>Amazona ochrocephala</i>      | live |          | 2    | PT       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Amazona oratrix</i>           | live |          | 1    | DE       | US       |        | P       | F      |
|          | 2    | B     | <i>Amazona oratrix</i>           | live |          | 4    | NL       | US       |        | T       | F      |
|          | 2    | B     | <i>Amazona rhodocorytha</i>      | live |          | 2    | DE       | SR       |        | T       | W      |
|          | 2    | B     | <i>Amazona ventralis</i>         | live |          | 2    | DE       | US       |        | T       | F      |
|          | 2    | B     | <i>Amazona xantholora</i>        | live |          | 4    | NL       | US       |        | T       | F      |
|          | 2    | B     | <i>Amazona xanthops</i>          | live |          | 2    | DE       | PH       |        | T       | C      |
|          | 2    | B     | <i>Amazona xanthops</i>          | live |          | 1    | FR       | CA       |        | B       | F      |
|          | 2    | B     | <i>Amazona xanthops</i>          | live |          | 4    | GB       | US       |        | T       | C      |
|          | 2    | B     | <i>Amazona xanthops</i>          | live |          | 2    | IT       | CH       |        | P       | C      |
|          | 2    | B     | <i>Aprosmictus spp.</i>          | live |          | 30   | DE       | ID       |        | T       | C      |
|          | 2    | B     | <i>Aprosmictus erythropterus</i> | live |          | 6    | DE       | ID       |        | T       | W      |
|          | 2    | B     | <i>Aprosmictus erythropterus</i> | live |          | 2    | DE       | PH       |        | T       | C      |
|          | 2    | B     | <i>Aprosmictus erythropterus</i> | live |          | 10   | GR       | ID       |        | T       | W      |
|          | 2    | B     | <i>Aprosmictus erythropterus</i> | live |          | 2    | NL       | CH       |        | T       | C      |
|          | 2    | B     | <i>Aprosmictus erythropterus</i> | live |          | 32   | NL       | SG       |        | T       | C      |
|          | 2    | B     | <i>Aprosmictus jonquillaceus</i> | live |          | 14   | DE       | ID       |        | T       | C      |
|          | 2    | B     | <i>Ara ararauna</i>              | live |          | 1    | AT       | CH       |        | P       | C      |
|          | 2    | B     | <i>Ara ararauna</i>              | live |          | 2    | BE       | AN       |        | T       | C      |
|          | 2    | B     | <i>Ara ararauna</i>              | live |          | 15   | BE       | GY       |        | T       | W      |
|          | 2    | B     | <i>Ara ararauna</i>              | live |          | 2    | BE       | NO       | XX     | Q       | W      |
|          | 2    | B     | <i>Ara ararauna</i>              | live |          | 49   | BE       | SR       |        | T       | W      |
|          | 2    | B     | <i>Ara ararauna</i>              | live |          | 6    | DE       | GY       |        | T       | W      |
|          | 2    | B     | <i>Ara ararauna</i>              | live |          | 67   | DE       | PH       |        | T       | C      |
|          | 2    | B     | <i>Ara ararauna</i>              | live |          | 18   | DE       | SR       |        | T       | W      |
|          | 2    | B     | <i>Ara ararauna</i>              | live |          | 1    | DE       | TR       | US     | P       | F      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                   | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------|------|----------|------|----------|----------|--------|---------|--------|
| 1        | 2    | B     | <i>Ara ararauna</i>     | live | 1        |      | DE       | US       |        | P       | F      |
| 1        | 2    | B     | <i>Ara ararauna</i>     | live | 96       |      | ES       | GY       |        | T       | W      |
| 1        | 2    | B     | <i>Ara ararauna</i>     | live | 7        |      | ES       | PH       |        | T       | C      |
| 1        | 2    | B     | <i>Ara ararauna</i>     | live | 71       |      | ES       | SR       |        | T       | W      |
| 1        | 2    | B     | <i>Ara ararauna</i>     | live | 3        |      | ES       | US       |        | Q       | F      |
| 1        | 2    | B     | <i>Ara ararauna</i>     | live | 3        |      | ES       | ZA       |        | T       | C      |
| 1        | 2    | B     | <i>Ara ararauna</i>     | live | 2        |      | FI       | NO       | FI     | P       | C      |
| 1        | 2    | B     | <i>Ara ararauna</i>     | live | 1        |      | FR       | CA       | US     | B       | U      |
| 1        | 2    | B     | <i>Ara ararauna</i>     | live | 1        |      | FR       | RU       |        | Q       | C      |
| 1        | 2    | B     | <i>Ara ararauna</i>     | live | 1        |      | GB       | AE       | GB     | P       | C      |
| 1        | 2    | B     | <i>Ara ararauna</i>     | live | 20       |      | GB       | GY       |        | T       | W      |
| 1        | 2    | B     | <i>Ara ararauna</i>     | live | 13       |      | GR       | GY       |        | T       | W      |
| 1        | 2    | B     | <i>Ara ararauna</i>     | live | 27       |      | GR       | SR       |        | T       | W      |
| 1        | 2    | B     | <i>Ara ararauna</i>     | live | 1        |      | IT       | MA       | IT     | Q       | C      |
| 1        | 2    | B     | <i>Ara ararauna</i>     | live | 4        |      | NL       | CA       |        | T       | C      |
| 1        | 2    | B     | <i>Ara ararauna</i>     | live | 94       |      | NL       | GY       |        | T       | W      |
| 1        | 2    | B     | <i>Ara ararauna</i>     | live | 366      |      | NL       | SR       |        | T       | W      |
| 1        | 2    | B     | <i>Ara ararauna</i>     | live | 10       |      | NL       | US       |        | T       | F      |
| 1        | 2    | B     | <i>Ara ararauna</i>     | live | 5        |      | PT       | GY       |        | T       | W      |
| 1        | 2    | B     | <i>Ara ararauna</i>     | live | 6        |      | PT       | SR       |        | T       | W      |
| 1        | 2    | B     | <i>Ara ararauna</i>     | live | 2        |      | SE       | NO       |        | Z       | C      |
| 1        | 2    | B     | <i>Ara ararauna</i>     | live | 1        |      | SE       | SA       |        | P       | C      |
| 1        | 2    | B     | <i>Ara auricollis</i>   | live | 10       |      | DE       | PH       |        | T       | C      |
| 1        | 2    | B     | <i>Ara chloropterus</i> | live | 20       |      | BE       | GY       |        | T       | W      |
| 1        | 2    | B     | <i>Ara chloropterus</i> | live | 2        |      | BE       | NO       | GY     | Q       | W      |
| 1        | 2    | B     | <i>Ara chloropterus</i> | live | 19       |      | BE       | SR       |        | T       | W      |
| 1        | 2    | B     | <i>Ara chloropterus</i> | live | 6        |      | DE       | GY       |        | T       | W      |
| 1        | 2    | B     | <i>Ara chloropterus</i> | live | 4        |      | DE       | PH       |        | T       | C      |
| 1        | 2    | B     | <i>Ara chloropterus</i> | live | 8        |      | DE       | SR       |        | T       | W      |
| 1        | 2    | B     | <i>Ara chloropterus</i> | live | 121      |      | ES       | GY       |        | T       | W      |
| 1        | 2    | B     | <i>Ara chloropterus</i> | live | 30       |      | ES       | SR       |        | T       | W      |
| 1        | 2    | B     | <i>Ara chloropterus</i> | live | 1        |      | ES       | US       |        | T       | F      |
| 1        | 2    | B     | <i>Ara chloropterus</i> | live | 2        |      | ES       | ZA       |        | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                   | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------|------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Ara chloropterus</i> | live | 1        |      | FR       | CA       |        | B       | C      |
|          | 2    | B     | <i>Ara chloropterus</i> | live | 1        |      | FR       | RU       |        | Q       | U      |
|          | 2    | B     | <i>Ara chloropterus</i> | live | 2        |      | FR       | ZA       |        | B       | C      |
|          | 2    | B     | <i>Ara chloropterus</i> | live | 26       |      | GB       | GY       |        | T       | W      |
|          | 2    | B     | <i>Ara chloropterus</i> | live | 1        |      | GB       | US       |        | P       | F      |
|          | 2    | B     | <i>Ara chloropterus</i> | live | 13       |      | GR       | GY       |        | T       | W      |
|          | 2    | B     | <i>Ara chloropterus</i> | live | 7        |      | GR       | SR       |        | T       | W      |
|          | 2    | B     | <i>Ara chloropterus</i> | live | 126      |      | NL       | GY       |        | T       | W      |
|          | 2    | B     | <i>Ara chloropterus</i> | live | 168      |      | NL       | SR       |        | T       | W      |
|          | 2    | B     | <i>Ara chloropterus</i> | live | 5        |      | PT       | GY       |        | T       | W      |
|          | 2    | B     | <i>Ara chloropterus</i> | live | 1        |      | PT       | QA       |        | P       | C      |
|          | 2    | B     | <i>Ara chloropterus</i> | live | 4        |      | PT       | VE       |        | I       | C      |
|          | 2    | B     | <i>Ara chloropterus</i> | live | 2        |      | SE       | NO       |        | Z       | C      |
|          | 2    | B     | <i>Ara couloni</i>      | live | 4        |      | PT       | BR       |        | I       | C      |
|          | 2    | B     | <i>Ara manilata</i>     | live | 2        |      | DE       | PH       |        | T       | C      |
|          | 2    | B     | <i>Ara manilata</i>     | live | 17       |      | ES       | SR       |        | T       | W      |
|          | 2    | B     | <i>Ara manilata</i>     | live | 86       |      | GB       | GY       |        | T       | W      |
|          | 2    | B     | <i>Ara manilata</i>     | live | 15       |      | GR       | GY       |        | T       | W      |
|          | 2    | B     | <i>Ara manilata</i>     | live | 12       |      | NL       | GY       |        | T       | W      |
|          | 2    | B     | <i>Ara manilata</i>     | live | 70       |      | NL       | SR       |        | T       | W      |
|          | 2    | B     | <i>Ara manilata</i>     | live | 15       |      | PT       | SR       |        | T       | W      |
|          | 2    | B     | <i>Ara nobilis</i>      | live | 10       |      | DE       | GY       |        | T       | W      |
|          | 2    | B     | <i>Ara nobilis</i>      | live | 14       |      | DE       | PH       |        | T       | C      |
|          | 2    | B     | <i>Ara nobilis</i>      | live | 50       |      | ES       | GY       |        | T       | W      |
|          | 2    | B     | <i>Ara nobilis</i>      | live | 3        |      | ES       | SR       |        | T       | W      |
|          | 2    | B     | <i>Ara nobilis</i>      | live | 1        |      | FR       | US       |        | P       | C      |
|          | 2    | B     | <i>Ara nobilis</i>      | live | 100      |      | GB       | GY       |        | T       | W      |
|          | 2    | B     | <i>Ara nobilis</i>      | live | 1        |      | GB       | US       |        | P       | F      |
|          | 2    | B     | <i>Ara nobilis</i>      | live | 15       |      | GR       | GY       |        | T       | W      |
|          | 2    | B     | <i>Ara nobilis</i>      | live | 15       |      | NL       | GY       |        | T       | W      |
|          | 2    | B     | <i>Ara nobilis</i>      | live | 64       |      | NL       | SR       |        | T       | W      |
|          | 2    | B     | <i>Ara nobilis</i>      | live | 2        |      | PT       | ZW       |        | T       | C      |
|          | 2    | B     | <i>Ara severa</i>       | live | 6        |      | BE       | SR       |        | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                        | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Ara severa</i>            | live | 6        |      | DE       | PH       |        | T       | C      |
|          | 2    | B     | <i>Ara severa</i>            | live | 16       |      | ES       | SR       |        | T       | W      |
|          | 2    | B     | <i>Ara severa</i>            | live | 11       |      | GR       | SR       |        | T       | W      |
|          | 2    | B     | <i>Ara severa</i>            | live | 82       |      | NL       | SR       |        | T       | W      |
|          | 2    | B     | <i>Ara severa</i>            | live | 6        |      | PT       | SR       |        | T       | W      |
|          | 2    | B     | <i>Aratinga acuticaudata</i> | live | 1        |      | DE       | US       |        | P       | F      |
|          | 2    | B     | <i>Aratinga acuticaudata</i> | live | 1321     |      | ES       | AR       |        | T       | W      |
|          | 2    | B     | <i>Aratinga acuticaudata</i> | live | 105      |      | FR       | AR       |        | T       | W      |
|          | 2    | B     | <i>Aratinga acuticaudata</i> | live | 1        |      | GB       | US       |        | P       | F      |
|          | 2    | B     | <i>Aratinga acuticaudata</i> | live | 80       |      | GR       | AR       |        | T       | W      |
|          | 2    | B     | <i>Aratinga acuticaudata</i> | live | 384      |      | PT       | AR       |        | T       | W      |
|          | 2    | B     | <i>Aratinga aurea</i>        | live | 9        |      | ES       | SR       |        | T       | W      |
|          | 2    | B     | <i>Aratinga aurea</i>        | live | 10       |      | ES       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Aratinga aurea</i>        | live | 10       |      | GB       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Aratinga aurea</i>        | live | 18       |      | NL       | SR       |        | T       | W      |
|          | 2    | B     | <i>Aratinga aurea</i>        | live | 5        |      | PT       | SR       |        | T       | W      |
|          | 2    | B     | <i>Aratinga aurea</i>        | live | 36       |      | PT       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Aratinga auricapilla</i>  | live | 3        |      | DE       | PH       |        | T       | C      |
|          | 2    | B     | <i>Aratinga auricapilla</i>  | live | 15       |      | PT       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Aratinga canicularis</i>  | live | 30       |      | DE       | NI       |        | T       | R      |
|          | 2    | B     | <i>Aratinga canicularis</i>  | live | 10       |      | DE       | PH       |        | T       | C      |
|          | 2    | B     | <i>Aratinga canicularis</i>  | live | 93       |      | ES       | NI       |        | T       | R      |
|          | 2    | B     | <i>Aratinga canicularis</i>  | live | 45       |      | GR       | NI       |        | T       | R      |
|          | 2    | B     | <i>Aratinga canicularis</i>  | live | 50       |      | NL       | NI       |        | T       | W      |
|          | 2    | B     | <i>Aratinga canicularis</i>  | live | 289      |      | NL       | NI       |        | T       | R      |
|          | 2    | B     | <i>Aratinga canicularis</i>  | live | 90       |      | PT       | NI       |        | T       | R      |
|          | 2    | B     | <i>Aratinga canicularis</i>  | live | 6        |      | PT       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Aratinga erythrogenys</i> | live | 4        |      | DE       | PH       |        | T       | C      |
|          | 2    | B     | <i>Aratinga erythrogenys</i> | live | 4        |      | DE       | US       | XX     | P       | W      |
|          | 2    | B     | <i>Aratinga erythrogenys</i> | live | 20       |      | PT       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Aratinga erythrogenys</i> | live | 1        |      | SE       | US       |        | P       | F      |
|          | 2    | B     | <i>Aratinga finschi</i>      | live | 39       |      | ES       | NI       |        | T       | R      |
|          | 2    | B     | <i>Aratinga finschi</i>      | live | 30       |      | GR       | NI       |        | T       | R      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                          | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Aratinga finschi</i>        | live | 14       |      | NL       | NI       |        | T       | R      |
|          | 2    | B     | <i>Aratinga holochlora</i>     | live | 30       |      | DE       | NI       |        | T       | R      |
|          | 2    | B     | <i>Aratinga holochlora</i>     | live | 62       |      | ES       | NI       |        | T       | R      |
|          | 2    | B     | <i>Aratinga holochlora</i>     | live | 10       |      | ES       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Aratinga holochlora</i>     | live | 40       |      | GR       | NI       |        | T       | R      |
|          | 2    | B     | <i>Aratinga holochlora</i>     | live | 23       |      | NL       | NI       |        | T       | R      |
|          | 2    | B     | <i>Aratinga holochlora</i>     | live | 43       |      | PT       | NI       |        | T       | R      |
|          | 2    | B     | <i>Aratinga holochlora</i>     | live | 10       |      | PT       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Aratinga jandaya</i>        | live | 4        |      | DE       | PH       |        | T       | C      |
|          | 2    | B     | <i>Aratinga jandaya</i>        | live | 1        |      | DE       | US       |        | P       | F      |
|          | 2    | B     | <i>Aratinga jandaya</i>        | live | 134      |      | ES       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Aratinga jandaya</i>        | live | 1        |      | GB       | US       |        | P       | F      |
|          | 2    | B     | <i>Aratinga jandaya</i>        | live | 70       |      | NL       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Aratinga jandaya</i>        | live | 108      |      | PT       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Aratinga jandaya</i>        | live | 10       |      | PT       | ZW       |        | T       | C      |
|          | 2    | B     | <i>Aratinga leucophthalmus</i> | live | 52       |      | ES       | SR       |        | T       | W      |
|          | 2    | B     | <i>Aratinga leucophthalmus</i> | live | 53       |      | NL       | SR       |        | T       | W      |
|          | 2    | B     | <i>Aratinga mitrata</i>        | live | 1        |      | DE       | US       |        | P       | F      |
|          | 2    | B     | <i>Aratinga mitrata</i>        | live | 1        |      | ES       | PE       |        | P       | W      |
|          | 2    | B     | <i>Aratinga nana</i>           | live | 20       |      | GR       | NI       |        | T       | R      |
|          | 2    | B     | <i>Aratinga nana</i>           | live | 18       |      | NL       | NI       |        | T       | R      |
|          | 2    | B     | <i>Aratinga nana</i>           | live | 23       |      | PT       | NI       |        | T       | R      |
|          | 2    | B     | <i>Aratinga nana astec</i>     | live | 10       |      | ES       | NI       |        | T       | R      |
|          | 2    | B     | <i>Aratinga pertinax</i>       | live | 90       |      | BE       | SR       |        | T       | W      |
|          | 2    | B     | <i>Aratinga pertinax</i>       | live | 37       |      | DE       | SR       |        | T       | W      |
|          | 2    | B     | <i>Aratinga pertinax</i>       | live | 18       |      | ES       | GY       |        | T       | W      |
|          | 2    | B     | <i>Aratinga pertinax</i>       | live | 139      |      | ES       | SR       |        | T       | W      |
|          | 2    | B     | <i>Aratinga pertinax</i>       | live | 2        |      | GB       | VE       |        | I       | F      |
|          | 2    | B     | <i>Aratinga pertinax</i>       | live | 2        |      | NL       | AN       |        | T       | C      |
|          | 2    | B     | <i>Aratinga pertinax</i>       | live | 27       |      | NL       | AN       |        | T       | W      |
|          | 2    | B     | <i>Aratinga pertinax</i>       | live | 230      |      | NL       | SR       |        | T       | W      |
|          | 2    | B     | <i>Aratinga pertinax</i>       | live | 60       |      | PT       | SR       |        | T       | W      |
|          | 2    | B     | <i>Aratinga solstitialis</i>   | live | 2        |      | DE       | CZ       |        | Z       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                          | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Aratinga solstitialis</i>   | live | 44       |      | DE       | PH       |        | T       | C      |
|          | 2    | B     | <i>Aratinga solstitialis</i>   | live | 176      |      | ES       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Aratinga solstitialis</i>   | live | 20       |      | NL       | SG       |        | T       | C      |
|          | 2    | B     | <i>Aratinga solstitialis</i>   | live | 100      |      | NL       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Aratinga solstitialis</i>   | live | 52       |      | PT       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Aratinga solstitialis</i>   | live | 11       |      | PT       | ZW       |        | T       | C      |
|          | 2    | B     | <i>Aratinga wagleri</i>        | live | 20       |      | PT       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Aratinga weddellii</i>      | live | 10       |      | ES       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Aratinga weddellii</i>      | live | 12       |      | NL       | PE       |        | T       | W      |
|          | 2    | B     | <i>Aratinga weddellii</i>      | live | 1        |      | NL       | US       |        | T       | F      |
|          | 2    | B     | <i>Bolborhynchus lineola</i>   | live | 4        |      | NL       | CH       |        | T       | C      |
|          | 2    | B     | <i>Brotogeris chrysopterus</i> | live | 51       |      | BE       | SR       |        | T       | W      |
|          | 2    | B     | <i>Brotogeris chrysopterus</i> | live | 15       |      | DE       | SR       |        | T       | W      |
|          | 2    | B     | <i>Brotogeris chrysopterus</i> | live | 55       |      | ES       | SR       |        | T       | W      |
|          | 2    | B     | <i>Brotogeris chrysopterus</i> | live | 42       |      | NL       | SR       |        | T       | W      |
|          | 2    | B     | <i>Brotogeris cyanoptera</i>   | live | 88       |      | NL       | PE       |        | T       | W      |
|          | 2    | B     | <i>Brotogeris jugularis</i>    | live | 35       |      | BE       | NI       |        | T       | W      |
|          | 2    | B     | <i>Brotogeris jugularis</i>    | live | 30       |      | DE       | NI       |        | T       | R      |
|          | 2    | B     | <i>Brotogeris jugularis</i>    | live | 43       |      | ES       | NI       |        | T       | R      |
|          | 2    | B     | <i>Brotogeris jugularis</i>    | live | 75       |      | GR       | NI       |        | T       | R      |
|          | 2    | B     | <i>Brotogeris jugularis</i>    | live | 35       |      | NL       | NI       |        | T       | W      |
|          | 2    | B     | <i>Brotogeris jugularis</i>    | live | 60       |      | NL       | NI       |        | T       | R      |
|          | 2    | B     | <i>Brotogeris jugularis</i>    | live | 24       |      | PT       | NI       |        | T       | R      |
|          | 2    | B     | <i>Brotogeris pyrrhopterus</i> | live | 1        |      | NL       | US       |        | T       | F      |
|          | 2    | B     | <i>Brotogeris sanctithomae</i> | live | 78       |      | NL       | PE       |        | T       | W      |
|          | 2    | B     | <i>Brotogeris versicolurus</i> | live | 208      |      | NL       | PE       |        | T       | W      |
|          | 2    | B     | <i>Cacatua alba</i>            | live | 1        |      | AT       | CH       |        | P       | C      |
|          | 2    | B     | <i>Cacatua alba</i>            | live | 1        |      | BE       | NO       | XX     | Q       | W      |
|          | 2    | B     | <i>Cacatua alba</i>            | live | 1        |      | DE       | CH       |        | P       | C      |
|          | 2    | B     | <i>Cacatua alba</i>            | live | 2        |      | DE       | ID       |        | P       | F      |
|          | 2    | B     | <i>Cacatua alba</i>            | live | 17       |      | DE       | ID       |        | T       | C      |
|          | 2    | B     | <i>Cacatua alba</i>            | live | 92       |      | DE       | ID       |        | T       | W      |
|          | 2    | B     | <i>Cacatua alba</i>            | live | 64       |      | DE       | PH       |        | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                    | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------|------|----------|------|----------|----------|--------|---------|--------|
| 1        | 2    | B     | <i>Cacatua alba</i>      | live | 10       |      | DE       | SG       | ID     | T       | W      |
| 1        | 2    | B     | <i>Cacatua alba</i>      | live | 3        |      | DE       | US       |        | P       | F      |
| 1        | 2    | B     | <i>Cacatua alba</i>      | live | 115      |      | ES       | ID       |        | TT      | C      |
| 1        | 2    | B     | <i>Cacatua alba</i>      | live | 116      |      | ES       | ID       |        | TT      | W      |
| 1        | 2    | B     | <i>Cacatua alba</i>      | live | 25       |      | ES       | MY       | ID     | T       | W      |
| 1        | 2    | B     | <i>Cacatua alba</i>      | live | 2        |      | ES       | ZA       |        | T       | C      |
| 1        | 2    | B     | <i>Cacatua alba</i>      | live | 2        |      | FR       | CA       | US     | B       | U      |
| 1        | 2    | B     | <i>Cacatua alba</i>      | live | 5        |      | FR       | CF       |        | T       | C      |
| 1        | 2    | B     | <i>Cacatua alba</i>      | live | 8        |      | FR       | ID       |        | T       | C      |
| 1        | 2    | B     | <i>Cacatua alba</i>      | live | 8        |      | FR       | ID       |        | TT      | F      |
| 1        | 2    | B     | <i>Cacatua alba</i>      | live | 15       |      | FR       | ID       |        | T       | W      |
| 1        | 2    | B     | <i>Cacatua alba</i>      | live | 1        |      | FR       | US       | XX     | B       | W      |
| 1        | 2    | B     | <i>Cacatua alba</i>      | live | 21       |      | FR       | ZA       |        | TT      | C      |
| 1        | 2    | B     | <i>Cacatua alba</i>      | live | 45       |      | GB       | ID       |        | T       | W      |
| 1        | 2    | B     | <i>Cacatua alba</i>      | live | 63       |      | GB       | SG       |        | I       | W      |
| 1        | 2    | B     | <i>Cacatua alba</i>      | live | 2        |      | GB       | US       |        | P       | F      |
| 1        | 2    | B     | <i>Cacatua alba</i>      | live | 20       |      | GR       | ID       |        | T       | W      |
| 1        | 2    | B     | <i>Cacatua alba</i>      | live | 46       |      | GR       | ZA       |        | T       | C      |
| 1        | 2    | B     | <i>Cacatua alba</i>      | live | 40       |      | IT       | ID       |        | T       | W      |
| 1        | 2    | B     | <i>Cacatua alba</i>      | live | 74       |      | NL       | SG       |        | TT      | C      |
| 1        | 2    | B     | <i>Cacatua alba</i>      | live | 365      |      | NL       | SG       | ID     | T       | W      |
| 1        | 2    | B     | <i>Cacatua alba</i>      | live | 1        |      | NL       | US       |        | T       | C      |
| 1        | 2    | B     | <i>Cacatua alba</i>      | live | 1        |      | NL       | US       |        | T       | F      |
| 1        | 2    | B     | <i>Cacatua alba</i>      | live | 2        |      | PT       | ID       |        | T       | W      |
| 1        | 2    | B     | <i>Cacatua alba</i>      | live | 1        |      | SE       | US       |        | P       | F      |
| 1        | 2    | B     | <i>Cacatua ducorpsii</i> | live | 3        |      | DE       | PH       |        | T       | C      |
| 1        | 2    | B     | <i>Cacatua ducorpsii</i> | live | 10       |      | GR       | MY       |        | T       | W      |
| 1        | 2    | B     | <i>Cacatua ducorpsii</i> | live | 20       |      | GR       | MY       | SB     | T       | W      |
| 1        | 2    | B     | <i>Cacatua ducorpsii</i> | live | 10       |      | NL       | SG       |        | T       | C      |
| 1        | 2    | B     | <i>Cacatua galerita</i>  | live | 12       |      | BE       | NZ       |        | T       | W      |
| 1        | 2    | B     | <i>Cacatua galerita</i>  | live | 8        |      | DE       | ID       |        | T       | C      |
| 1        | 2    | B     | <i>Cacatua galerita</i>  | live | 25       |      | DE       | PH       |        | T       | C      |
| 1        | 2    | B     | <i>Cacatua galerita</i>  | live | 2        |      | ES       | CZ       | ID     | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex                     | Taxon | Term      | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|---------------------------|-------|-----------|----------|------|----------|----------|--------|---------|--------|
| 2        | B    | Cacatua galerita          |       | live      | 4        |      | ES       | NZ       |        | T       | C      |
| 2        | B    | Cacatua galerita          |       | live      | 22       |      | ES       | NZ       |        | T       | W      |
| 2        | B    | Cacatua galerita          |       | live      | 4        |      | ES       | SG       |        | T       | C      |
| 2        | B    | Cacatua galerita          |       | live      | 12       |      | FR       | NZ       |        | T       | W      |
| 2        | B    | Cacatua galerita          |       | live      | 20       |      | FR       | ZA       |        | T       | C      |
| 2        | B    | Cacatua galerita          |       | live      | 1        |      | GB       | AU       |        | P       | C      |
| 2        | B    | Cacatua galerita          |       | live      | 6        |      | GB       | NZ       |        | T       | C      |
| 2        | B    | Cacatua galerita          |       | live      | 26       |      | GB       | NZ       |        | T       | W      |
| 2        | B    | Cacatua galerita          |       | live      | 1        |      | GB       | US       |        | Q       | F      |
| 2        | B    | Cacatua galerita          |       | live      | 10       |      | GR       | ZA       |        | T       | C      |
| 2        | B    | Cacatua galerita          |       | live      | 6        |      | NL       | NZ       |        | T       | C      |
| 2        | B    | Cacatua galerita          |       | live      | 58       |      | NL       | NZ       |        | T       | W      |
| 2        | B    | Cacatua galerita          |       | live      | 85       |      | NL       | SG       |        | T       | C      |
| 2        | B    | Cacatua galerita          |       | live      | 2        |      | NL       | ZA       |        | T       | C      |
| 2        | B    | Cacatua galerita          |       | live      | 2        |      | PT       | ZA       |        | T       | C      |
| 2        | B    | Cacatua galerita          |       | specimens | 10       |      | DE       | AU       |        | S       | C      |
| 2        | B    | Cacatua galerita          |       | specimens | 10       |      | DE       | AU       |        | S       | W      |
| 2        | B    | Cacatua galerita eleonora |       | live      | 113      |      | ES       | ID       |        | T       | C      |
| 2        | B    | Cacatua galerita eleonora |       | live      | 2        |      | FR       | ID       |        | T       | C      |
| 2        | B    | Cacatua galerita eleonora |       | live      | 2        |      | FR       | ID       |        | T       | F      |
| 2        | B    | Cacatua galerita eleonora |       | live      | 8        |      | FR       | ID       |        | B       | C      |
| 2        | B    | Cacatua leadbeateri       |       | live      | 2        |      | FR       | NZ       |        | T       | C      |
| 2        | B    | Cacatua leadbeateri       |       | live      | 4        |      | GB       | NZ       |        | T       | C      |
| 2        | B    | Cacatua leadbeateri       |       | live      | 10       |      | GB       | NZ       |        | P       | C      |
| 2        | B    | Cacatua leadbeateri       |       | live      | 3        |      | GB       | XX       |        | I       |        |
| 2        | B    | Cacatua leadbeateri       |       | live      | 13       |      | NL       | NZ       |        | T       | C      |
| 2        | B    | Cacatua leadbeateri       |       | live      | 14       |      | NL       | ZA       |        | T       | C      |
| 2        | B    | Cacatua pastinator        |       | live      | 1        |      | DE       | PH       |        | T       | C      |
| 2        | B    | Cacatua sanguinea         |       | live      | 20       |      | ES       | ID       |        | T       | W      |
| 2        | B    | Cacatua sanguinea         |       | live      | 1        |      | GB       | AU       |        | P       | C      |
| 2        | B    | Cacatua sanguinea         |       | live      | 10       |      | GR       | ID       |        | T       | W      |
| 2        | B    | Cacatua sanguinea         |       | live      | 4        |      | PT       | ZA       |        | T       | C      |
| 2        | B    | Cacatua sanguinea         |       | live      | 1        |      | SE       | KE       | AU     | P       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                           | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| 1        | 2    | B     | <i>Cacatua sulphurea</i>        | live | 1        |      | BE       | NO       | XX     | Q       | W      |
| 1        | 2    | B     | <i>Cacatua sulphurea</i>        | live | 30       |      | DE       | ID       |        | T       | C      |
| 1        | 2    | B     | <i>Cacatua sulphurea</i>        | live | 21       |      | DE       | PH       |        | T       | C      |
| 1        | 2    | B     | <i>Cacatua sulphurea</i>        | live | 1        |      | DE       | TR       |        | P       | C      |
| 1        | 2    | B     | <i>Cacatua sulphurea</i>        | live | 19       |      | ES       | ID       |        | T       | C      |
| 1        | 2    | B     | <i>Cacatua sulphurea</i>        | live | 4        |      | ES       | SG       |        | T       | C      |
| 1        | 2    | B     | <i>Cacatua sulphurea</i>        | live | 4        |      | ES       | SG       |        | T       | C      |
| 1        | 2    | B     | <i>Cacatua sulphurea</i>        | live | 1        |      | ES       | US       |        | T       | F      |
| 1        | 2    | B     | <i>Cacatua sulphurea</i>        | live | 8        |      | FR       | ID       |        | B       | C      |
| 1        | 2    | B     | <i>Cacatua sulphurea</i>        | live | 10       |      | FR       | ID       |        | T       | C      |
| 1        | 2    | B     | <i>Cacatua sulphurea</i>        | live | 15       |      | FR       | ZA       |        | T       | C      |
| 1        | 2    | B     | <i>Cacatua sulphurea</i>        | live | 3        |      | GB       | SG       |        | I       |        |
| 1        | 2    | B     | <i>Cacatua sulphurea</i>        | live | 10       |      | GB       | SG       |        | I       |        |
| 1        | 2    | B     | <i>Cacatua sulphurea</i>        | live | 4        |      | GB       | XX       |        | I       |        |
| 1        | 2    | B     | <i>Cacatua sulphurea</i>        | live | 1        |      | GB       | ZA       |        | P       | C      |
| 1        | 2    | B     | <i>Cacatua sulphurea</i>        | live | 53       |      | GR       | ZA       |        | T       | C      |
| 1        | 2    | B     | <i>Cacatua sulphurea</i>        | live | 24       |      | IT       | SG       | ID     | T       | W      |
| 1        | 2    | B     | <i>Cacatua sulphurea</i>        | live | 5        |      | NL       | CA       |        | T       | C      |
| 1        | 2    | B     | <i>Cacatua sulphurea</i>        | live | 69       |      | NL       | SG       |        | T       | C      |
| 1        | 2    | B     | <i>Cacatua sulphurea</i>        | live | 1        |      | NL       | US       | NL     | T       | C      |
| 1        | 2    | B     | <i>Cacatua sulphurea</i>        | live | 9        |      | NL       | ZA       |        | T       | C      |
| 1        | 2    | B     | <i>Cacatua sulphurea</i>        | live | 1        |      | SE       | US       | SE     | P       | F      |
| 1        | 2    | B     | <i>Cacatua tenuirostris</i>     | live | 3        |      | BE       | NZ       |        | T       | C      |
| 1        | 2    | B     | <i>Cacatua tenuirostris</i>     | live | 2        |      | GB       | NZ       |        | P       | C      |
| 1        | 2    | B     | <i>Cacatua tenuirostris</i>     | live | 6        |      | GB       | NZ       |        | T       | C      |
| 1        | 2    | B     | <i>Cacatua tenuirostris</i>     | live | 8        |      | NL       | NZ       |        | T       | C      |
| 1        | 2    | B     | <i>Callocephalon fimbriatum</i> | live | 2        |      | DE       | PH       |        | T       | C      |
| 1        | 2    | B     | <i>Callocephalon fimbriatum</i> | live | 2        |      | NL       | NZ       |        | T       | C      |
| 1        | 2    | B     | <i>Calyptorhynchus banksii</i>  | live | 1        |      | BE       | AU       |        | Z       | C      |
| 1        | 2    | B     | <i>Calyptorhynchus banksii</i>  | live | 1        |      | DE       | CH       |        | P       | C      |
| 1        | 2    | B     | <i>Calyptorhynchus banksii</i>  | live | 1        |      | DE       | CH       | GB     | P       | C      |
| 1        | 2    | B     | <i>Calyptorhynchus banksii</i>  | live | 1        |      | DE       | PH       |        | P       | C      |
| 1        | 2    | B     | <i>Calyptorhynchus banksii</i>  | live | 1        |      | DE       | PH       |        | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                           | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------------|------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Calyptorhynchus banksii</i>  | live | 2        |      | DE       | PH       |        | T       | C      |
|          | 2    | B     | <i>Calyptorhynchus baudinii</i> | live | 4        |      | DE       | PH       |        | T       | C      |
|          | 2    | B     | <i>Calyptorhynchus funereus</i> | live | 2        |      | DE       | PH       |        | T       | C      |
|          | 2    | B     | <i>Chalcopsitta atra</i>        | live | 51       |      | ES       | ID       |        | T       | W      |
|          | 2    | B     | <i>Chalcopsitta atra</i>        | live | 10       |      | GR       | MY       |        | T       | W      |
|          | 2    | B     | <i>Chalcopsitta atra</i>        | live | 40       |      | NL       | SG       | ID     | T       | W      |
|          | 2    | B     | <i>Chalcopsitta atra</i>        | live | 6        |      | PT       | ID       |        | T       | W      |
|          | 2    | B     | <i>Chalcopsitta cardinalis</i>  | live | 14       |      | GR       | MY       |        | T       | W      |
|          | 2    | B     | <i>Chalcopsitta cardinalis</i>  | live | 45       |      | NL       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Chalcopsitta cardinalis</i>  | live | 4        |      | PT       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Chalcopsitta duivenbodei</i> | live | 3        |      | DE       | ID       |        | T       | W      |
|          | 2    | B     | <i>Chalcopsitta duivenbodei</i> | live | 173      |      | ES       | ID       |        | T       | W      |
|          | 2    | B     | <i>Chalcopsitta duivenbodei</i> | live | 5        |      | GR       | ID       |        | T       | W      |
|          | 2    | B     | <i>Chalcopsitta duivenbodei</i> | live | 117      |      | NL       | SG       | ID     | T       | W      |
|          | 2    | B     | <i>Chalcopsitta duivenbodei</i> | live | 7        |      | PT       | ID       |        | T       | W      |
|          | 2    | B     | <i>Chalcopsitta sintillata</i>  | live | 3        |      | DE       | ID       |        | T       | W      |
|          | 2    | B     | <i>Chalcopsitta sintillata</i>  | live | 140      |      | ES       | ID       |        | T       | W      |
|          | 2    | B     | <i>Chalcopsitta sintillata</i>  | live | 10       |      | GR       | ID       |        | T       | W      |
|          | 2    | B     | <i>Chalcopsitta sintillata</i>  | live | 50       |      | NL       | SG       | ID     | T       | W      |
|          | 2    | B     | <i>Chalcopsitta sintillata</i>  | live | 7        |      | PT       | ID       |        | T       | W      |
|          | 2    | B     | <i>Charmosyna josefinae</i>     | live | 3        |      | DE       | ID       |        | T       | W      |
|          | 2    | B     | <i>Charmosyna multistriata</i>  | live | 30       |      | ES       | ID       |        | T       | W      |
|          | 2    | B     | <i>Charmosyna multistriata</i>  | live | 15       |      | PT       | ID       |        | T       | W      |
|          | 2    | B     | <i>Charmosyna papou</i>         | live | 164      |      | ES       | ID       |        | T       | W      |
|          | 2    | B     | <i>Charmosyna papou</i>         | live | 20       |      | GR       | ID       |        | T       | W      |
|          | 2    | B     | <i>Charmosyna papou</i>         | live | 173      |      | NL       | SG       | ID     | T       | W      |
|          | 2    | B     | <i>Charmosyna placensis</i>     | live | 300      |      | ES       | ID       |        | T       | W      |
|          | 2    | B     | <i>Charmosyna placensis</i>     | live | 22       |      | GR       | ID       |        | T       | W      |
|          | 2    | B     | <i>Charmosyna placensis</i>     | live | 55       |      | NL       | SG       | ID     | T       | W      |
|          | 2    | B     | <i>Charmosyna pulchella</i>     | live | 38       |      | ES       | ID       |        | T       | W      |
|          | 2    | B     | <i>Charmosyna pulchella</i>     | live | 16       |      | GR       | ID       |        | T       | W      |
|          | 2    | B     | <i>Charmosyna pulchella</i>     | live | 17       |      | NL       | SG       | ID     | T       | W      |
|          | 2    | B     | <i>Charmosyna pulchella</i>     | live | 2        |      | PT       | ID       |        | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                             | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------------|------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Coracopsis nigra</i>           | live | 1        |      | FR       | MG       |        | B       | W      |
|          | 2    | B     | <i>Coracopsis nigra</i>           | live | 10       |      | FR       | MG       |        | T       | W      |
|          | 2    | B     | <i>Coracopsis nigra</i>           | live | 45       |      | NL       | MG       |        | T       | W      |
|          | 2    | B     | <i>Coracopsis vasa</i>            | live | 2        |      | PT       | ZW       |        | T       | C      |
|          | 2    | B     | <i>Cyanoliseus patagonus</i>      | live | 2        |      | BE       | NO       | GB     | Q       | C      |
|          | 2    | B     | <i>Cyanoliseus patagonus</i>      | live | 6930     |      | ES       | AR       |        | T       | W      |
|          | 2    | B     | <i>Cyanoliseus patagonus</i>      | live | 130      |      | FR       | AR       |        | T       | W      |
|          | 2    | B     | <i>Cyanoliseus patagonus</i>      | live | 70       |      | GR       | AR       |        | T       | W      |
|          | 2    | B     | <i>Cyanoliseus patagonus</i>      | live | 500      |      | PT       | AR       |        | T       | W      |
|          | 2    | B     | <i>Cyclopsitta spp.</i>           | live | 2        |      | AT       | TR       |        | I       |        |
|          | 2    | B     | <i>Cyclopsitta spp.</i>           | live | 10       |      | DE       | ID       |        | T       | C      |
|          | 2    | B     | <i>Cyclopsitta spp.</i>           | live | 16       |      | DE       | ID       |        | T       | C      |
|          | 2    | B     | <i>Cyclopsitta diophthalma</i>    | live | 10       |      | ES       | ID       |        | T       | C      |
|          | 2    | B     | <i>Cyclopsitta diophthalma</i>    | live | 110      |      | ES       | ID       |        | T       | W      |
|          | 2    | B     | <i>Cyclopsitta diophthalma</i>    | live | 6        |      | FR       | ID       |        | B       | C      |
|          | 2    | B     | <i>Cyclopsitta diophthalma</i>    | live | 12       |      | GR       | ID       |        | T       | W      |
|          | 2    | B     | <i>Cyclopsitta diophthalma</i>    | live | 10       |      | NL       | SG       |        | T       | C      |
|          | 2    | B     | <i>Cyclopsitta diophthalma</i>    | live | 35       |      | NL       | SG       | ID     | T       | W      |
|          | 2    | B     | <i>Cyclopsitta gulielmitertii</i> | live | 10       |      | DE       | ID       |        | T       | C      |
|          | 2    | B     | <i>Cyclopsitta gulielmitertii</i> | live | 10       |      | ES       | ID       |        | B       | F      |
|          | 2    | B     | <i>Deroptyus accipitrinus</i>     | live | 83       |      | ES       | ID       |        | T       | W      |
|          | 2    | B     | <i>Deroptyus accipitrinus</i>     | live | 8        |      | BE       | SR       |        | T       | W      |
|          | 2    | B     | <i>Deroptyus accipitrinus</i>     | live | 4        |      | DE       | PH       |        | T       | C      |
|          | 2    | B     | <i>Deroptyus accipitrinus</i>     | live | 6        |      | DE       | SR       |        | T       | W      |
|          | 2    | B     | <i>Deroptyus accipitrinus</i>     | live | 27       |      | ES       | SR       |        | T       | W      |
|          | 2    | B     | <i>Deroptyus accipitrinus</i>     | live | 2        |      | GB       | XX       |        | I       |        |
|          | 2    | B     | <i>Deroptyus accipitrinus</i>     | live | 5        |      | GR       | SR       |        | T       | W      |
|          | 2    | B     | <i>Deroptyus accipitrinus</i>     | live | 112      |      | NL       | SR       |        | T       | W      |
|          | 2    | B     | <i>Eclectus spp.</i>              | live | 4        |      | DE       | ID       |        | T       | C      |
|          | 2    | B     | <i>Eclectus roratus</i>           | live | 1        |      | AT       | SI       |        | I       |        |
|          | 2    | B     | <i>Eclectus roratus</i>           | live | 30       |      | BE       | US       |        | T       | F      |
|          | 2    | B     | <i>Eclectus roratus</i>           | live | 2        |      | DE       | ID       |        | P       | F      |
|          | 2    | B     | <i>Eclectus roratus</i>           | live | 4        |      | DE       | ID       |        | T       | F      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                         | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Eclectus roratus</i>       | live | 43       |      | DE       | ID       |        | T       | C      |
|          | 2    | B     | <i>Eclectus roratus</i>       | live | 9        |      | DE       | PH       |        | T       | C      |
|          | 2    | B     | <i>Eclectus roratus</i>       | live | 1        |      | DE       | US       |        | P       | F      |
|          | 2    | B     | <i>Eclectus roratus</i>       | live | 121      |      | ES       | ID       |        | T       | C      |
|          | 2    | B     | <i>Eclectus roratus</i>       | live | 20       |      | ES       | SG       |        | T       | C      |
|          | 2    | B     | <i>Eclectus roratus</i>       | live | 1        |      | ES       | US       |        | Q       | F      |
|          | 2    | B     | <i>Eclectus roratus</i>       | live | 6        |      | ES       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Eclectus roratus</i>       | live | 8        |      | ES       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Eclectus roratus</i>       | live | 12       |      | ES       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Eclectus roratus</i>       | live | 20       |      | FR       | ID       |        | B       | C      |
|          | 2    | B     | <i>Eclectus roratus</i>       | live | 1        |      | FR       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Eclectus roratus</i>       | live | 1        |      | GB       | JP       | SE     | P       | C      |
|          | 2    | B     | <i>Eclectus roratus</i>       | live | 1        |      | GB       | SA       |        | P       | C      |
|          | 2    | B     | <i>Eclectus roratus</i>       | live | 8        |      | GB       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Eclectus roratus</i>       | live | 4        |      | GR       | MY       |        | T       | W      |
|          | 2    | B     | <i>Eclectus roratus</i>       | live | 58       |      | NL       | SG       |        | T       | C      |
|          | 2    | B     | <i>Eclectus roratus</i>       | live | 2        |      | NL       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Eclectus roratus</i>       | live | 6        |      | PT       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Eclectus roratus</i>       | live | 10       |      | PT       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Eclectus roratus</i>       | live | 65       |      | PT       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Eclectus roratus</i>       | live | 6        |      | PT       | ZW       |        | T       | C      |
|          | 2    | B     | <i>Eolophus roseicapillus</i> | live | 2        |      | BE       | AU       |        | P       | C      |
|          | 2    | B     | <i>Eolophus roseicapillus</i> | live | 8        |      | DE       | PH       |        | T       | C      |
|          | 2    | B     | <i>Eolophus roseicapillus</i> | live | 16       |      | ES       | NZ       |        | T       | C      |
|          | 2    | B     | <i>Eolophus roseicapillus</i> | live | 6        |      | ES       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Eolophus roseicapillus</i> | live | 3        |      | FR       | CA       | GB     | B       | U      |
|          | 2    | B     | <i>Eolophus roseicapillus</i> | live | 8        |      | FR       | NZ       |        | T       | C      |
|          | 2    | B     | <i>Eolophus roseicapillus</i> | live | 6        |      | FR       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Eolophus roseicapillus</i> | live | 2        |      | GB       | AU       |        | P       | C      |
|          | 2    | B     | <i>Eolophus roseicapillus</i> | live | 10       |      | GB       | CZ       | NZ     | B       | C      |
|          | 2    | B     | <i>Eolophus roseicapillus</i> | live | 14       |      | GB       | NZ       |        | P       | C      |
|          | 2    | B     | <i>Eolophus roseicapillus</i> | live | 6        |      | GB       | XX       |        | P       | I      |
|          | 2    | B     | <i>Eolophus roseicapillus</i> | live | 1        |      | GB       | ZA       |        | P       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex                  | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|------------------------|-------|------|----------|------|----------|----------|--------|---------|--------|
| 2        | B    | Eolophus roseicapillus |       | live | 2        |      | GR       | AU       |        | P       | C      |
| 2        | B    | Eolophus roseicapillus |       | live | 26       |      | NL       | NZ       |        | T       | C      |
| 2        | B    | Eolophus roseicapillus |       | live | 6        |      | PT       | ZA       |        | T       | C      |
| 2        | B    | Eos bornea             |       | live | 20       |      | DE       | ID       |        | T       | W      |
| 2        | B    | Eos bornea             |       | live | 746      |      | ES       | ID       |        | T       | W      |
| 2        | B    | Eos bornea             |       | live | 20       |      | ES       | SG       |        | T       | C      |
| 2        | B    | Eos bornea             |       | live | 25       |      | ES       | SG       | ID     | T       | W      |
| 2        | B    | Eos bornea             |       | live | 190      |      | ES       | ZA       |        | T       | C      |
| 2        | B    | Eos bornea             |       | live | 15       |      | FR       | ZA       |        | T       | C      |
| 2        | B    | Eos bornea             |       | live | 11       |      | GB       | ID       |        | T       | W      |
| 2        | B    | Eos bornea             |       | live | 110      |      | GR       | ID       |        | T       | W      |
| 2        | B    | Eos bornea             |       | live | 80       |      | IT       | ID       |        | T       | W      |
| 2        | B    | Eos bornea             |       | live | 436      |      | NL       | SG       | ID     | T       | W      |
| 2        | B    | Eos bornea             |       | live | 22       |      | PT       | ID       |        | T       | W      |
| 2        | B    | Eos bornea             |       | live | 35       |      | PT       | ZA       |        | T       | C      |
| 2        | B    | Eos reticulata         |       | live | 1        |      | ES       | CZ       |        | Z       | F      |
| 2        | B    | Eos reticulata         |       | live | 4        |      | PT       | ZA       |        | T       | C      |
| 2        | B    | Eos squamata           |       | live | 5        |      | ES       | ID       |        | T       | W      |
| 2        | B    | Eos squamata           |       | live | 128      |      | ES       | ID       |        | T       | W      |
| 2        | B    | Eos squamata           |       | live | 15       |      | GB       | ID       |        | T       | W      |
| 2        | B    | Eos squamata           |       | live | 20       |      | GR       | ID       |        | T       | W      |
| 2        | B    | Eos squamata           |       | live | 25       |      | IT       | ID       |        | T       | W      |
| 2        | B    | Eos squamata           |       | live | 10       |      | NL       | SG       |        | T       | C      |
| 2        | B    | Eos squamata           |       | live | 140      |      | NL       | SG       | ID     | T       | W      |
| 2        | B    | Eos squamata           |       | live | 4        |      | NL       | ZA       |        | T       | C      |
| 2        | B    | Eos squamata           |       | live | 15       |      | PT       | ID       |        | T       | W      |
| 2        | B    | Eos squamata           |       | live | 6        |      | PT       | ZA       |        | T       | C      |
| 2        | B    | Forpus coelestis       |       | live | 40       |      | ES       | PE       |        | T       | W      |
| 2        | B    | Forpus coelestis       |       | live | 12       |      | NL       | CH       |        | T       | C      |
| 2        | B    | Forpus coelestis       |       | live | 12       |      | NL       | US       |        | T       | C      |
| 2        | B    | Forpus cyanopygius     |       | live | 29       |      | NL       | US       |        | T       | F      |
| 2        | B    | Forpus passerinus      |       | live | 380      |      | ES       | SR       |        | T       | W      |
| 2        | B    | Geoffroyus geoffroyi   |       | live | 1        |      | DE       | ID       |        | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                          | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Loriculus aurantiifrons</i> | live | 6        |      | PT       | ID       |        | T       | W      |
|          | 2    | B     | <i>Loriculus galgulus</i>      | live | 288      |      | ES       | ID       |        | T       | W      |
|          | 2    | B     | <i>Loriculus galgulus</i>      | live | 12       |      | GB       | ID       |        | T       | W      |
|          | 2    | B     | <i>Loriculus galgulus</i>      | live | 100      |      | GB       | MY       |        | T       | W      |
|          | 2    | B     | <i>Loriculus galgulus</i>      | live | 40       |      | GR       | ID       |        | T       | W      |
|          | 2    | B     | <i>Loriculus galgulus</i>      | live | 70       |      | GR       | MY       |        | T       | W      |
|          | 2    | B     | <i>Loriculus galgulus</i>      | live | 300      |      | NL       | MY       |        | T       | W      |
|          | 2    | B     | <i>Loriculus galgulus</i>      | live | 295      |      | NL       | SG       | MY     | T       | W      |
|          | 2    | B     | <i>Loriculus pusillus</i>      | live | 10       |      | DE       | ID       |        | T       | C      |
|          | 2    | B     | <i>Loriculus pusillus</i>      | live | 35       |      | ES       | ID       |        | T       | W      |
|          | 2    | B     | <i>Loriculus stigmatus</i>     | live | 30       |      | DE       | ID       |        | T       | W      |
|          | 2    | B     | <i>Loriculus stigmatus</i>     | live | 194      |      | ES       | ID       |        | T       | W      |
|          | 2    | B     | <i>Loriculus stigmatus</i>     | live | 12       |      | GB       | ID       |        | T       | W      |
|          | 2    | B     | <i>Loriculus stigmatus</i>     | live | 20       |      | GR       | ID       |        | T       | W      |
|          | 2    | B     | <i>Lorius chlorocercus</i>     | live | 95       |      | ES       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Lorius chlorocercus</i>     | live | 10       |      | FR       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Lorius chlorocercus</i>     | live | 14       |      | GR       | MY       |        | T       | W      |
|          | 2    | B     | <i>Lorius chlorocercus</i>     | live | 17       |      | NL       | SG       |        | T       | C      |
|          | 2    | B     | <i>Lorius chlorocercus</i>     | live | 115      |      | NL       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Lorius chlorocercus</i>     | live | 4        |      | PT       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Lorius chlorocercus</i>     | live | 2        |      | PT       | ZW       |        | T       | C      |
|          | 2    | B     | <i>Lorius domicella</i>        | live | 10       |      | ES       | ID       |        | T       | C      |
|          | 2    | B     | <i>Lorius domicella</i>        | live | 2        |      | NL       | SG       |        | T       | C      |
|          | 2    | B     | <i>Lorius domicella</i>        | live | 6        |      | NL       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Lorius garrulus</i>         | live | 89       |      | ES       | ID       |        | T       | C      |
|          | 2    | B     | <i>Lorius garrulus</i>         | live | 10       |      | ES       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Lorius garrulus</i>         | live | 15       |      | FR       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Lorius garrulus</i>         | live | 30       |      | GR       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Lorius garrulus</i>         | live | 82       |      | NL       | SG       |        | T       | C      |
|          | 2    | B     | <i>Lorius garrulus</i>         | live | 18       |      | PT       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Lorius garrulus</i>         | live | 4        |      | PT       | ZW       |        | T       | C      |
|          | 2    | B     | <i>Lorius lory</i>             | live | 30       |      | ES       | ID       |        | T       | C      |
|          | 2    | B     | <i>Lorius lory</i>             | live | 50       |      | ES       | ZA       |        | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                               | Term      | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Lorius lory</i>                  | live      | 30       |      | NL       | SG       |        | T       | C      |
|          | 2    | B     | <i>Lorius lory</i>                  | live      | 4        |      | PT       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Myiopsitta monachus</i>          | live      | 1        |      | BE       | US       |        | P       | C      |
|          | 2    | B     | <i>Myiopsitta monachus</i>          | live      | 2        |      | DE       | US       |        | P       | F      |
|          | 2    | B     | <i>Myiopsitta monachus</i>          | live      | 4200     |      | ES       | AR       |        | T       | W      |
|          | 2    | B     | <i>Myiopsitta monachus</i>          | live      | 8300     |      | ES       | UY       |        | T       | W      |
|          | 2    | B     | <i>Myiopsitta monachus</i>          | live      | 760      |      | FR       | AR       |        | T       | W      |
|          | 2    | B     | <i>Myiopsitta monachus</i>          | live      | 1        |      | FR       | CA       |        | B       | C      |
|          | 2    | B     | <i>Myiopsitta monachus</i>          | live      | 1        |      | FR       | US       |        | B       | F      |
|          | 2    | B     | <i>Myiopsitta monachus</i>          | live      | 150      |      | GR       | AR       |        | T       | W      |
|          | 2    | B     | <i>Myiopsitta monachus</i>          | live      | 400      |      | PT       | AR       |        | T       | W      |
|          | 2    | B     | <i>Nandayus nenday</i>              | live      | 3        |      | DE       | US       |        | P       | F      |
|          | 2    | B     | <i>Nandayus nenday</i>              | live      | 1        |      | DE       | US       | XX     | P       | W      |
|          | 2    | B     | <i>Nandayus nenday</i>              | live      | 2350     |      | ES       | AR       |        | T       | W      |
|          | 2    | B     | <i>Nandayus nenday</i>              | live      | 260      |      | FR       | AR       |        | T       | W      |
|          | 2    | B     | <i>Nandayus nenday</i>              | live      | 2        |      | FR       | CA       |        | B       | C      |
|          | 2    | B     | <i>Nandayus nenday</i>              | live      | 130      |      | GR       | AR       |        | T       | W      |
|          | 2    | B     | <i>Nandayus nenday</i>              | live      | 150      |      | PT       | AR       |        | T       | W      |
|          | 2    | B     | <i>Nandayus nenday</i>              | live      | 6        |      | PT       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Nandayus nenday</i>              | live      | 20       |      | PT       | ZW       |        | T       | C      |
|          | 2    | B     | <i>Nandayus nenday</i>              | skeletons | 1        |      | SE       | PY       |        | S       | W      |
|          | 2    | B     | <i>Neophema chrysostoma</i>         | live      | 2        |      | NL       | CH       |        | T       | C      |
|          | 2    | B     | <i>Neophema elegans</i>             | live      | 4        |      | ES       | CZ       |        | T       | C      |
|          | 2    | B     | <i>Neophema elegans</i>             | live      | 6        |      | NL       | CH       |        | T       | C      |
|          | 2    | B     | <i>Neophema pulchella</i>           | live      | 4        |      | ES       | CZ       |        | T       | C      |
|          | 2    | B     | <i>Neophema pulchella</i>           | live      | 50       |      | PT       | ZA       |        | T       | W      |
|          | 2    | B     | <i>Neophema pulchella</i>           | live      | 235      |      | PT       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Neophema splendida</i>           | live      | 28       |      | ES       | CZ       |        | T       | C      |
|          | 2    | B     | <i>Neopsephotus bourkii</i>         | live      | 13       |      | ES       | CZ       |        | T       | C      |
|          | 2    | B     | <i>Neopsephotus bourkii</i>         | live      | 1        |      | NL       | CH       |        | T       | C      |
|          | 2    | B     | <i>Neopsephotus bourkii</i>         | live      | 282      |      | PT       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Neopsittacus musschenbroekii</i> | live      | 205      |      | ES       | ID       |        | T       | W      |
|          | 2    | B     | <i>Neopsittacus musschenbroekii</i> | live      | 12       |      | GB       | ID       |        | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                               | Term     | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------------|----------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Neopsittacus musschenbroekii</i> | live     | 12       |      | GR       | ID       |        | T       | W      |
|          | 2    | B     | <i>Neopsittacus musschenbroekii</i> | live     | 10       |      | PT       | ID       |        | T       | W      |
|          | 2    | B     | <i>Nestor notabilis</i>             | live     | 1        |      | GB       | XX       |        | I       |        |
|          | 2    | B     | <i>Northiella haematogaster</i>     | live     | 20       |      | IN       | NL       |        | T       | C      |
|          | 2    | B     | <i>Oreopsittacus arfaki</i>         | live     | 20       |      | DE       | ID       |        | T       | W      |
|          | 2    | B     | <i>Oreopsittacus arfaki</i>         | live     | 187      |      | ES       | ID       |        | T       | W      |
|          | 2    | B     | <i>Oreopsittacus arfaki</i>         | live     | 24       |      | GR       | ID       |        | T       | W      |
|          | 2    | B     | <i>Pionites leucogaster</i>         | live     | 6        |      | ES       | US       |        | T       | F      |
|          | 2    | B     | <i>Pionites leucogaster</i>         | live     | 10       |      | NL       | CA       |        | T       | C      |
|          | 2    | B     | <i>Pionites leucogaster</i>         | live     | 2        |      | NL       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Pionites melanocephala</i>       | feathers | 1        |      | DE       | VE       | XX     | Q       | W      |
|          | 2    | B     | <i>Pionites melanocephala</i>       | live     | 160      |      | BE       | SR       |        | T       | W      |
|          | 2    | B     | <i>Pionites melanocephala</i>       | live     | 10       |      | DE       | GY       |        | T       | W      |
|          | 2    | B     | <i>Pionites melanocephala</i>       | live     | 57       |      | DE       | SR       |        | T       | W      |
|          | 2    | B     | <i>Pionites melanocephala</i>       | live     | 85       |      | ES       | GY       |        | T       | W      |
|          | 2    | B     | <i>Pionites melanocephala</i>       | live     | 123      |      | ES       | SR       |        | T       | W      |
|          | 2    | B     | <i>Pionites melanocephala</i>       | live     | 1        |      | FR       | US       |        | B       | F      |
|          | 2    | B     | <i>Pionites melanocephala</i>       | live     | 80       |      | GB       | GY       |        | T       | W      |
|          | 2    | B     | <i>Pionites melanocephala</i>       | live     | 10       |      | GR       | GY       |        | T       | W      |
|          | 2    | B     | <i>Pionites melanocephala</i>       | live     | 10       |      | GR       | SR       |        | T       | W      |
|          | 2    | B     | <i>Pionites melanocephala</i>       | live     | 38       |      | NL       | GY       |        | T       | W      |
|          | 2    | B     | <i>Pionites melanocephala</i>       | live     | 624      |      | NL       | SR       |        | T       | W      |
|          | 2    | B     | <i>Pionites melanocephala</i>       | live     | 40       |      | PT       | SR       |        | T       | W      |
|          | 2    | B     | <i>Pionus fuscus</i>                | live     | 63       |      | BE       | SR       |        | T       | W      |
|          | 2    | B     | <i>Pionus fuscus</i>                | live     | 5        |      | DE       | PH       |        | T       | C      |
|          | 2    | B     | <i>Pionus fuscus</i>                | live     | 26       |      | DE       | SR       |        | T       | W      |
|          | 2    | B     | <i>Pionus fuscus</i>                | live     | 105      |      | ES       | SR       |        | T       | W      |
|          | 2    | B     | <i>Pionus fuscus</i>                | live     | 58       |      | GR       | SR       |        | T       | W      |
|          | 2    | B     | <i>Pionus fuscus</i>                | live     | 362      |      | NL       | SR       |        | T       | W      |
|          | 2    | B     | <i>Pionus fuscus</i>                | live     | 15       |      | PT       | SR       |        | T       | W      |
|          | 2    | B     | <i>Pionus maximiliani</i>           | live     | 200      |      | DE       | AR       |        | T       | W      |
|          | 2    | B     | <i>Pionus maximiliani</i>           | live     | 1        |      | DE       | PH       |        | T       | C      |
|          | 2    | B     | <i>Pionus maximiliani</i>           | live     | 1        |      | DE       | US       |        | P       | F      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                       | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------|------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Pionus maximiliani</i>   | live | 960      |      | ES       | AR       |        | T       | W      |
|          | 2    | B     | <i>Pionus maximiliani</i>   | live | 35       |      | FR       | AR       |        | T       | W      |
|          | 2    | B     | <i>Pionus maximiliani</i>   | live | 80       |      | GR       | AR       |        | T       | W      |
|          | 2    | B     | <i>Pionus maximiliani</i>   | live | 60       |      | PT       | AR       |        | T       | W      |
|          | 2    | B     | <i>Pionus menstruus</i>     | live | 120      |      | BE       | SR       |        | T       | W      |
|          | 2    | B     | <i>Pionus menstruus</i>     | live | 10       |      | DE       | GY       |        | T       | W      |
|          | 2    | B     | <i>Pionus menstruus</i>     | live | 65       |      | DE       | SR       |        | T       | W      |
|          | 2    | B     | <i>Pionus menstruus</i>     | live | 126      |      | ES       | GY       |        | T       | W      |
|          | 2    | B     | <i>Pionus menstruus</i>     | live | 141      |      | ES       | SR       |        | T       | W      |
|          | 2    | B     | <i>Pionus menstruus</i>     | live | 84       |      | GB       | GY       |        | T       | W      |
|          | 2    | B     | <i>Pionus menstruus</i>     | live | 10       |      | GR       | GY       |        | T       | W      |
|          | 2    | B     | <i>Pionus menstruus</i>     | live | 10       |      | GR       | SR       |        | T       | W      |
|          | 2    | B     | <i>Pionus menstruus</i>     | live | 48       |      | NL       | GY       |        | T       | W      |
|          | 2    | B     | <i>Pionus menstruus</i>     | live | 557      |      | NL       | SR       |        | T       | W      |
|          | 2    | B     | <i>Pionus menstruus</i>     | live | 6        |      | NL       | XX       |        | I       |        |
|          | 2    | B     | <i>Pionus menstruus</i>     | live | 30       |      | PT       | GY       |        | T       | W      |
|          | 2    | B     | <i>Pionus menstruus</i>     | live | 30       |      | PT       | SR       |        | T       | W      |
|          | 2    | B     | <i>Pionus senilis</i>       | live | 21       |      | BE       | NI       |        | T       | R      |
|          | 2    | B     | <i>Pionus senilis</i>       | live | 35       |      | DE       | NI       |        | T       | R      |
|          | 2    | B     | <i>Pionus senilis</i>       | live | 4        |      | DE       | PH       |        | T       | C      |
|          | 2    | B     | <i>Pionus senilis</i>       | live | 37       |      | ES       | NI       |        | T       | R      |
|          | 2    | B     | <i>Pionus senilis</i>       | live | 10       |      | GR       | NI       |        | T       | R      |
|          | 2    | B     | <i>Pionus senilis</i>       | live | 129      |      | NL       | NI       |        | T       | W      |
|          | 2    | B     | <i>Pionus senilis</i>       | live | 132      |      | NL       | NI       |        | T       | R      |
|          | 2    | B     | <i>Pionus senilis</i>       | live | 70       |      | PT       | NI       |        | T       | R      |
|          | 2    | B     | <i>Platycercus adscitus</i> | live | 290      |      | ES       | CZ       |        | T       | C      |
|          | 2    | B     | <i>Platycercus adscitus</i> | live | 20       |      | FR       | CZ       |        | T       | C      |
|          | 2    | B     | <i>Platycercus adscitus</i> | live | 10       |      | PT       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Platycercus barnardi</i> | live | 1        |      | NL       | CH       |        | T       | C      |
|          | 2    | B     | <i>Platycercus elegans</i>  | live | 75       |      | ES       | CZ       |        | T       | C      |
|          | 2    | B     | <i>Platycercus elegans</i>  | live | 10       |      | FR       | CZ       |        | T       | C      |
|          | 2    | B     | <i>Platycercus elegans</i>  | live | 2        |      | NL       | CH       |        | T       | C      |
|          | 2    | B     | <i>Platycercus elegans</i>  | live | 1        |      | NL       | MT       | E      | C       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                            | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------------|------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Platycercus eximius</i>       | live | 19       |      | AT       | SK       |        | T       | C      |
|          | 2    | B     | <i>Platycercus eximius</i>       | live | 1        |      | BE       | NO       | GB     | Q       | C      |
|          | 2    | B     | <i>Platycercus eximius</i>       | live | 994      |      | ES       | CZ       |        | T       | C      |
|          | 2    | B     | <i>Platycercus eximius</i>       | live | 10       |      | ES       | NZ       |        | T       | W      |
|          | 2    | B     | <i>Platycercus eximius</i>       | live | 200      |      | ES       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Platycercus eximius</i>       | live | 70       |      | FR       | CZ       |        | T       | C      |
|          | 2    | B     | <i>Platycercus eximius</i>       | live | 3        |      | NL       | CH       |        | T       | C      |
|          | 2    | B     | <i>Platycercus eximius</i>       | live | 100      |      | PT       | CZ       |        | T       | C      |
|          | 2    | B     | <i>Platycercus eximius</i>       | live | 60       |      | PT       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Platycercus icterotis</i>     | live | 10       |      | ES       | CZ       |        | T       | C      |
|          | 2    | B     | <i>Platycercus icterotis</i>     | live | 1        |      | NL       | CH       |        | T       | C      |
|          | 2    | B     | <i>Platycercus zonarius</i>      | live | 8        |      | FR       | CZ       |        | T       | C      |
|          | 2    | B     | <i>Platycercus zonarius</i>      | live | 2        |      | NL       | CH       |        | T       | C      |
|          | 2    | B     | <i>Poicephalus cryptoxanthus</i> | live | 30       |      | DE       | PH       |        | T       | C      |
|          | 2    | B     | <i>Poicephalus cryptoxanthus</i> | live | 50       |      | NL       | MZ       |        | T       | W      |
|          | 2    | B     | <i>Poicephalus cryptoxanthus</i> | live | 2        |      | PT       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Poicephalus cryptoxanthus</i> | live | 10       |      | PT       | ZW       |        | T       | C      |
|          | 2    | B     | <i>Poicephalus gulielmi</i>      | live | 1        |      | BE       | NO       | XX     | Q       | W      |
|          | 2    | B     | <i>Poicephalus gulielmi</i>      | live | 250      |      | BE       | CD       |        | T       | W      |
|          | 2    | B     | <i>Poicephalus gulielmi</i>      | live | 100      |      | DE       | CD       |        | T       | W      |
|          | 2    | B     | <i>Poicephalus gulielmi</i>      | live | 50       |      | ES       | CM       |        | T       | W      |
|          | 2    | B     | <i>Poicephalus gulielmi</i>      | live | 50       |      | FR       | CD       |        | T       | W      |
|          | 2    | B     | <i>Poicephalus gulielmi</i>      | live | 60       |      | NL       | CM       |        | T       | W      |
|          | 2    | B     | <i>Poicephalus gulielmi</i>      | live | 15       |      | NL       | TG       |        | T       | W      |
|          | 2    | B     | <i>Poicephalus gulielmi</i>      | live | 40       |      | NL       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Poicephalus gulielmi</i>      | live | 34       |      | NL       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Poicephalus gulielmi</i>      | live | 787      |      | NL       | CD       |        | T       | W      |
|          | 2    | B     | <i>Poicephalus gulielmi</i>      | live | 4        |      | PT       | ZW       |        | T       | C      |
|          | 2    | B     | <i>Poicephalus meyeri</i>        | live | 18       |      | DE       | PH       |        | T       | C      |
|          | 2    | B     | <i>Poicephalus meyeri</i>        | live | 230      |      | DE       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Poicephalus meyeri</i>        | live | 2        |      | DE       | US       |        | P       | F      |
|          | 2    | B     | <i>Poicephalus meyeri</i>        | live | 147      |      | GB       | ZW       |        | T       | C      |
|          | 2    | B     | <i>Poicephalus meyeri</i>        | live | 1        |      | NL       | CH       |        | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                          | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Poicephalus meyeri</i>      | live | 4        |      | PT       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Poicephalus meyeri</i>      | live | 22       |      | PT       | ZW       |        | T       | C      |
|          | 2    | B     | <i>Poicephalus robustus</i>    | live | 15       |      | BE       | ML       |        | T       | W      |
|          | 2    | B     | <i>Poicephalus robustus</i>    | live | 42       |      | DE       | BI       |        | T       | W      |
|          | 2    | B     | <i>Poicephalus robustus</i>    | live | 2        |      | DE       | PH       |        | T       | C      |
|          | 2    | B     | <i>Poicephalus robustus</i>    | live | 104      |      | GB       | ZW       |        | T       | C      |
|          | 2    | B     | <i>Poicephalus robustus</i>    | live | 150      |      | NL       | BI       |        | T       | W      |
|          | 2    | B     | <i>Poicephalus robustus</i>    | live | 25       |      | NL       | GN       |        | T       | W      |
|          | 2    | B     | <i>Poicephalus robustus</i>    | live | 12       |      | NL       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Poicephalus rueppellii</i>  | live | 2        |      | DE       | PH       |        | T       | C      |
|          | 2    | B     | <i>Poicephalus rueppellii</i>  | live | 11       |      | DE       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Poicephalus rueppellii</i>  | live | 186      |      | NL       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Poicephalus rueppellii</i>  | live | 30       |      | PT       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Poicephalus rufiventris</i> | live | 9        |      | DE       | PH       |        | T       | C      |
|          | 2    | B     | <i>Poicephalus rufiventris</i> | live | 21       |      | DE       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Poicephalus rufiventris</i> | live | 7        |      | DE       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Poicephalus rufiventris</i> | live | 1        |      | GB       | US       |        | P       | F      |
|          | 2    | B     | <i>Poicephalus rufiventris</i> | live | 5        |      | NL       | SG       |        | T       | C      |
|          | 2    | B     | <i>Poicephalus rufiventris</i> | live | 10       |      | NL       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Poicephalus rufiventris</i> | live | 4        |      | PT       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Poicephalus senegalus</i>   | live | 796      |      | BE       | GN       |        | T       | W      |
|          | 2    | B     | <i>Poicephalus senegalus</i>   | live | 436      |      | BE       | ML       | SN     | T       | W      |
|          | 2    | B     | <i>Poicephalus senegalus</i>   | live | 1        |      | DE       | CA       |        | P       | F      |
|          | 2    | B     | <i>Poicephalus senegalus</i>   | live | 87       |      | DE       | CM       |        | T       | W      |
|          | 2    | B     | <i>Poicephalus senegalus</i>   | live | 900      |      | DE       | GN       |        | T       | W      |
|          | 2    | B     | <i>Poicephalus senegalus</i>   | live | 450      |      | DE       | ML       | SN     | T       | W      |
|          | 2    | B     | <i>Poicephalus senegalus</i>   | live | 5        |      | DE       | PH       |        | T       | C      |
|          | 2    | B     | <i>Poicephalus senegalus</i>   | live | 800      |      | DE       | SN       |        | T       | W      |
|          | 2    | B     | <i>Poicephalus senegalus</i>   | live | 14200    |      | ES       | GN       |        | T       | W      |
|          | 2    | B     | <i>Poicephalus senegalus</i>   | live | 4900     |      | ES       | SN       |        | T       | W      |
|          | 2    | B     | <i>Poicephalus senegalus</i>   | live | 8        |      | FR       | BF       | B      | W       |        |
|          | 2    | B     | <i>Poicephalus senegalus</i>   | live | 1        |      | FR       | CG       | CI     | B       | W      |
|          | 2    | B     | <i>Poicephalus senegalus</i>   | live | 4        |      | FR       | GN       | B      | W       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                         | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Poicephalus senegalus</i>  | live | 2300     |      | FR       | GN       |        | T       | W      |
|          | 2    | B     | <i>Poicephalus senegalus</i>  | live | 600      |      | FR       | ML       | GN     | T       | W      |
|          | 2    | B     | <i>Poicephalus senegalus</i>  | live | 1        |      | FR       | SN       |        | B       | O      |
|          | 2    | B     | <i>Poicephalus senegalus</i>  | live | 24       |      | FR       | SN       |        | B       | W      |
|          | 2    | B     | <i>Poicephalus senegalus</i>  | live | 1150     |      | FR       | SN       |        | T       | W      |
|          | 2    | B     | <i>Poicephalus senegalus</i>  | live | 1        |      | FR       | SN       | XX     | B       | O      |
|          | 2    | B     | <i>Poicephalus senegalus</i>  | live | 75       |      | FR       | TG       |        | T       | W      |
|          | 2    | B     | <i>Poicephalus senegalus</i>  | live | 1        |      | FR       | US       |        | B       | F      |
|          | 2    | B     | <i>Poicephalus senegalus</i>  | live | 2233     |      | GB       | GN       |        | T       | W      |
|          | 2    | B     | <i>Poicephalus senegalus</i>  | live | 1        |      | GB       | ZA       |        | P       | C      |
|          | 2    | B     | <i>Poicephalus senegalus</i>  | live | 200      |      | GR       | SN       |        | T       | W      |
|          | 2    | B     | <i>Poicephalus senegalus</i>  | live | 4685     |      | NL       | GN       |        | T       | W      |
|          | 2    | B     | <i>Poicephalus senegalus</i>  | live | 175      |      | NL       | TG       |        | T       | W      |
|          | 2    | B     | <i>Poicephalus senegalus</i>  | live | 2        |      | NL       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Poicephalus senegalus</i>  | live | 1500     |      | PT       | GN       |        | T       | W      |
|          | 2    | B     | <i>Poicephalus senegalus</i>  | live | 2940     |      | PT       | SN       |        | T       | W      |
|          | 2    | B     | <i>Poicephalus senegalus</i>  | live | 2        |      | PT       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Polytelis alexandrae</i>   | live | 40       |      | ES       | CZ       |        | T       | C      |
|          | 2    | B     | <i>Polytelis anthopeplus</i>  | live | 100      |      | ES       | CZ       |        | T       | C      |
|          | 2    | B     | <i>Polytelis anthopeplus</i>  | live | 10       |      | FR       | CZ       |        | T       | C      |
|          | 2    | B     | <i>Polytelis swainsonii</i>   | live | 30       |      | ES       | CZ       |        | T       | C      |
|          | 2    | B     | <i>Polytelis swainsonii</i>   | live | 10       |      | FR       | CZ       |        | T       | C      |
|          | 2    | B     | <i>Polytelis swainsonii</i>   | live | 15       |      | PT       | CZ       |        | T       | C      |
|          | 2    | B     | <i>Prioniturus mada</i>       | live | 4        |      | ES       | ID       |        | B       | F      |
|          | 2    | B     | <i>Prioniturus platurus</i>   | live | 80       |      | ES       | ID       |        | T       | W      |
|          | 2    | B     | <i>Prioniturus platurus</i>   | live | 24       |      | GR       | ID       |        | T       | W      |
|          | 2    | B     | <i>Prioniturus platurus</i>   | live | 10       |      | NL       | SG       | ID     | T       | W      |
|          | 2    | B     | <i>Prosoparia tabuensis</i>   | live | 8        |      | DE       | TO       |        | B       | C      |
|          | 2    | B     | <i>Psephotus haematonotus</i> | live | 610      |      | ES       | CZ       |        | T       | C      |
|          | 2    | B     | <i>Psephotus haematonotus</i> | live | 6        |      | FR       | CA       | XX     | B       | C      |
|          | 2    | B     | <i>Psephotus haematonotus</i> | live | 60       |      | FR       | CZ       |        | T       | C      |
|          | 2    | B     | <i>Psephotus haematonotus</i> | live | 80       |      | PT       | CZ       |        | T       | C      |
|          | 2    | B     | <i>Psephotus haematonotus</i> | live | 265      |      | PT       | ZA       |        | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                          | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Pseudeos fuscata</i>        | live | 277      |      | ES       | ID       |        | T       | W      |
|          | 2    | B     | <i>Pseudeos fuscata</i>        | live | 15       |      | GR       | ID       |        | T       | W      |
|          | 2    | B     | <i>Pseudeos fuscata</i>        | live | 50       |      | IT       | ID       |        | T       | W      |
|          | 2    | B     | <i>Pseudeos fuscata</i>        | live | 95       |      | NL       | SG       | ID     | T       | W      |
|          | 2    | B     | <i>Pseudeos fuscata</i>        | live | 12       |      | PT       | ID       |        | T       | W      |
|          | 2    | B     | <i>Pseudeos fuscata</i>        | live | 26       |      | PT       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Pseudeos fuscata</i>        | live | 2        |      | PT       | ZW       |        | T       | C      |
|          | 2    | B     | <i>Psittacula alexandri</i>    | live | 18       |      | PT       | ZW       |        | T       | C      |
|          | 2    | B     | <i>Psittacula columbooides</i> | live | 2        |      | BE       | ZA       |        | P       | C      |
|          | 2    | B     | <i>Psittacula cyanocephala</i> | live | 4        |      | BE       | US       |        | P       | C      |
|          | 2    | B     | <i>Psittacula cyanocephala</i> | live | 4        |      | DE       | PH       |        | T       | C      |
|          | 2    | B     | <i>Psittacula cyanocephala</i> | live | 2        |      | DE       | US       |        | P       | F      |
|          | 2    | B     | <i>Psittacula cyanocephala</i> | live | 3        |      | NL       | CH       |        | T       | C      |
|          | 2    | B     | <i>Psittacula cyanocephala</i> | live | 12       |      | PT       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Psittacula cyanocephala</i> | live | 14       |      | PT       | ZW       |        | T       | C      |
|          | 2    | B     | <i>Psittacula derbiana</i>     | live | 2        |      | DE       | PH       |        | T       | C      |
|          | 2    | B     | <i>Psittacula derbiana</i>     | live | 1        |      | PT       | MO       |        | T       | C      |
|          | 2    | B     | <i>Psittacula derbiana</i>     | live | 2        |      | PT       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Psittacula derbiana</i>     | live | 2        |      | PT       | ZW       |        | T       | C      |
|          | 2    | B     | <i>Psittacula eupatria</i>     | live | 2        |      | DE       | PH       |        | T       | C      |
|          | 2    | B     | <i>Psittacula eupatria</i>     | live | 45       |      | ES       | CZ       |        | T       | C      |
|          | 2    | B     | <i>Psittacula eupatria</i>     | live | 1        |      | ES       | US       |        | P       | F      |
|          | 2    | B     | <i>Psittacula eupatria</i>     | live | 2        |      | GB       | AE       |        | P       | U      |
|          | 2    | B     | <i>Psittacula eupatria</i>     | live | 1        |      | GB       | AE       | XX     | P       | U      |
|          | 2    | B     | <i>Psittacula eupatria</i>     | live | 1        |      | GB       | BD       | XX     | P       | U      |
|          | 2    | B     | <i>Psittacula eupatria</i>     | live | 1        |      | GB       | IR       |        | I       | C      |
|          | 2    | B     | <i>Psittacula eupatria</i>     | live | 2        |      | NL       | IN       |        | T       | C      |
|          | 2    | B     | <i>Psittacula eupatria</i>     | live | 4        |      | PT       | ZW       |        | T       | C      |
|          | 2    | B     | <i>Psittacula himalayana</i>   | live | 10       |      | DE       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Psittacula himalayana</i>   | live | 11       |      | NL       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Psittacula longicauda</i>   | live | 45       |      | DE       | SG       | MY     | T       | W      |
|          | 2    | B     | <i>Psittacula longicauda</i>   | live | 10       |      | ES       | ID       |        | T       | W      |
|          | 2    | B     | <i>Psittacula longicauda</i>   | live | 300      |      | GB       | MY       |        | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                                | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------------|------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Psittacula longicauda</i>         | live | 50       |      | GR       | MY       |        | T       | W      |
|          | 2    | B     | <i>Psittacula longicauda</i>         | live | 45       |      | NL       | MY       |        | T       | W      |
|          | 2    | B     | <i>Psittacula longicauda</i>         | live | 189      |      | NL       | SG       | MY     | T       | W      |
|          | 2    | B     | <i>Psittacula roseata</i>            | live | 2        |      | AT       | AL       |        | P       | C      |
|          | 2    | B     | <i>Psittacula roseata</i>            | live | 1        |      | AT       | HU       |        | I       |        |
|          | 2    | B     | <i>Psittaculirostris desmarestii</i> | live | 6        |      | DE       | ID       |        | T       | W      |
|          | 2    | B     | <i>Psittaculirostris desmarestii</i> | live | 19       |      | DE       | ID       |        | T       | C      |
|          | 2    | B     | <i>Psittaculirostris desmarestii</i> | live | 1        |      | DE       | PH       |        | T       | C      |
|          | 2    | B     | <i>Psittaculirostris desmarestii</i> | live | 84       |      | ES       | ID       |        | T       | C      |
|          | 2    | B     | <i>Psittaculirostris desmarestii</i> | live | 14       |      | FR       | ID       |        | B       | C      |
|          | 2    | B     | <i>Psittaculirostris desmarestii</i> | live | 60       |      | GR       | ID       |        | T       | W      |
|          | 2    | B     | <i>Psittaculirostris desmarestii</i> | live | 4        |      | NL       | ID       |        | T       | C      |
|          | 2    | B     | <i>Psittaculirostris desmarestii</i> | live | 54       |      | NL       | SG       |        | T       | C      |
|          | 2    | B     | <i>Psittaculirostris edwardsii</i>   | live | 9        |      | DE       | ID       |        | T       | C      |
|          | 2    | B     | <i>Psittaculirostris edwardsii</i>   | live | 4        |      | NL       | ID       |        | T       | C      |
|          | 2    | B     | <i>Psittaculirostris edwardsii</i>   | live | 64       |      | NL       | SG       |        | T       | C      |
|          | 2    | B     | <i>Psittaculirostris salvadorii</i>  | live | 24       |      | DE       | ID       |        | T       | C      |
|          | 2    | B     | <i>Psittaculirostris salvadorii</i>  | live | 6        |      | ES       | ID       |        | T       | W      |
|          | 2    | B     | <i>Psittaculirostris salvadorii</i>  | live | 18       |      | ES       | ID       |        | T       | C      |
|          | 2    | B     | <i>Psittaculirostris salvadorii</i>  | live | 40       |      | GR       | ID       |        | T       | W      |
|          | 2    | B     | <i>Psittaculirostris salvadorii</i>  | live | 6        |      | NL       | ID       |        | T       | C      |
|          | 2    | B     | <i>Psittaculirostris salvadorii</i>  | live | 4        |      | NL       | SG       |        | T       | C      |
|          | 2    | B     | <i>Psittacus erithacus</i>           | live | 1        |      | AT       | CZ       | UA     | P       | O      |
|          | 2    | B     | <i>Psittacus erithacus</i>           | live | 2        |      | AT       | MA       | TG     | P       | W      |
|          | 2    | B     | <i>Psittacus erithacus</i>           | live | 1        |      | AT       | TR       |        | P       | U      |
|          | 2    | B     | <i>Psittacus erithacus</i>           | live | 1        |      | BE       | BD       | CD     | P       | C      |
|          | 2    | B     | <i>Psittacus erithacus</i>           | live | 100      |      | BE       | CM       |        | T       | W      |
|          | 2    | B     | <i>Psittacus erithacus</i>           | live | 1        |      | BE       | NO       | XX     | Q       | W      |
|          | 2    | B     | <i>Psittacus erithacus</i>           | live | 2011     |      | BE       | CD       |        | T       | W      |
|          | 2    | B     | <i>Psittacus erithacus</i>           | live | 1        |      | DE       | AE       | XX     | P       | W      |
|          | 2    | B     | <i>Psittacus erithacus</i>           | live | 2        |      | DE       | CM       |        | P       | W      |
|          | 2    | B     | <i>Psittacus erithacus</i>           | live | 100      |      | DE       | CM       |        | T       | W      |
|          | 2    | B     | <i>Psittacus erithacus</i>           | live | 1        |      | DE       | EG       | CM     | P       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                      | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------|------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Psittacus erithacus</i> | live | 1        |      | DE       | LB       |        | P       | C      |
|          | 2    | B     | <i>Psittacus erithacus</i> | live | 1        |      | DE       | NG       |        | P       | W      |
|          | 2    | B     | <i>Psittacus erithacus</i> | live | 119      |      | DE       | PH       |        | T       | C      |
|          | 2    | B     | <i>Psittacus erithacus</i> | live | 1        |      | DE       | SA       |        | P       | U      |
|          | 2    | B     | <i>Psittacus erithacus</i> | live | 1        |      | DE       | SA       | XX     | P       | U      |
|          | 2    | B     | <i>Psittacus erithacus</i> | live | 1        |      | DE       | SG       | ZA     | P       | C      |
|          | 2    | B     | <i>Psittacus erithacus</i> | live | 1        |      | DE       | TG       |        | P       | W      |
|          | 2    | B     | <i>Psittacus erithacus</i> | live | 4        |      | DE       | TR       |        | P       | C      |
|          | 2    | B     | <i>Psittacus erithacus</i> | live | 4        |      | DE       | US       |        | P       | F      |
|          | 2    | B     | <i>Psittacus erithacus</i> | live | 1        |      | DE       | ZA       |        | P       | C      |
|          | 2    | B     | <i>Psittacus erithacus</i> | live | 2        |      | DE       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Psittacus erithacus</i> | live | 450      |      | DE       | CD       |        | T       | W      |
|          | 2    | B     | <i>Psittacus erithacus</i> | live | 3        |      | DK       | NO       | XX     | P       | O      |
|          | 2    | B     | <i>Psittacus erithacus</i> | live | 1        |      | ES       | CH       |        | P       | C      |
|          | 2    | B     | <i>Psittacus erithacus</i> | live | 1        |      | ES       | CH       | CM     | P       | W      |
|          | 2    | B     | <i>Psittacus erithacus</i> | live | 4050     |      | ES       | CM       |        | T       | W      |
|          | 2    | B     | <i>Psittacus erithacus</i> | live | 404      |      | ES       | CZ       | CD     | T       | W      |
|          | 2    | B     | <i>Psittacus erithacus</i> | live | 1        |      | ES       | GQ       |        | P       | W      |
|          | 2    | B     | <i>Psittacus erithacus</i> | live | 1        |      | ES       | MX       | CM     | P       | W      |
|          | 2    | B     | <i>Psittacus erithacus</i> | live | 30       |      | ES       | US       |        | T       | F      |
|          | 2    | B     | <i>Psittacus erithacus</i> | live | 26       |      | ES       | XX       |        | I       | C      |
|          | 2    | B     | <i>Psittacus erithacus</i> | live | 373      |      | ES       | ZA       |        | T       | W      |
|          | 2    | B     | <i>Psittacus erithacus</i> | live | 4175     |      | ES       | CD       |        | T       | W      |
|          | 2    | B     | <i>Psittacus erithacus</i> | live | 1        |      | FR       | BF       | GA     | B       | W      |
|          | 2    | B     | <i>Psittacus erithacus</i> | live | 1        |      | FR       | CA       | XX     | B       | U      |
|          | 2    | B     | <i>Psittacus erithacus</i> | live | 8        |      | FR       | CA       | XX     | B       |        |
|          | 2    | B     | <i>Psittacus erithacus</i> | live | 16       |      | FR       | CF       |        | B       | W      |
|          | 2    | B     | <i>Psittacus erithacus</i> | live | 20       |      | FR       | CF       |        | T       | C      |
|          | 2    | B     | <i>Psittacus erithacus</i> | live | 1        |      | FR       | CG       |        | B       | W      |
|          | 2    | B     | <i>Psittacus erithacus</i> | live | 1        |      | FR       | CG       | CD     | B       | W      |
|          | 2    | B     | <i>Psittacus erithacus</i> | live | 1        |      | FR       | CI       |        | B       | W      |
|          | 2    | B     | <i>Psittacus erithacus</i> | live | 13       |      | FR       | CI       |        | B       | W      |
|          | 2    | B     | <i>Psittacus erithacus</i> | live | 8        |      | FR       | CM       |        | B       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon               | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------|------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | Psittacus erithacus | live | 900      |      | FR       | CM       | T      | W       |        |
|          | 2    | B     | Psittacus erithacus | live | 1        |      | FR       | CM       | GA     | B       | W      |
|          | 2    | B     | Psittacus erithacus | live | 1        |      | FR       | DJ       | FR     | B       | C      |
|          | 2    | B     | Psittacus erithacus | live | 1        |      | FR       | DZ       | GA     | B       | O      |
|          | 2    | B     | Psittacus erithacus | live | 31       |      | FR       | GA       | B      | W       |        |
|          | 2    | B     | Psittacus erithacus | live | 1        |      | FR       | GH       | CI     | B       | W      |
|          | 2    | B     | Psittacus erithacus | live | 1        |      | FR       | IN       | CM     | B       | W      |
|          | 2    | B     | Psittacus erithacus | live | 1        |      | FR       | LB       | XX     | B       | U      |
|          | 2    | B     | Psittacus erithacus | live | 1        |      | FR       | NC       | GA     | B       | W      |
|          | 2    | B     | Psittacus erithacus | live | 1        |      | FR       | PL       | CM     | B       | W      |
|          | 2    | B     | Psittacus erithacus | live | 1        |      | FR       | TG       | B      | W       |        |
|          | 2    | B     | Psittacus erithacus | live | 3        |      | FR       | US       | B      | F       |        |
|          | 2    | B     | Psittacus erithacus | live | 1        |      | FR       | US       | CG     | B       | W      |
|          | 2    | B     | Psittacus erithacus | live | 1        |      | FR       | ZA       | B      | C       |        |
|          | 2    | B     | Psittacus erithacus | live | 125      |      | FR       | ZA       | T      | C       |        |
|          | 2    | B     | Psittacus erithacus | live | 1        |      | FR       | ZA       | XX     | B       | W      |
|          | 2    | B     | Psittacus erithacus | live | 2        |      | FR       | CD       | B      | W       |        |
|          | 2    | B     | Psittacus erithacus | live | 1        |      | GB       | AE       | P      | U       |        |
|          | 2    | B     | Psittacus erithacus | live | 2        |      | GB       | AE       | P      | F       |        |
|          | 2    | B     | Psittacus erithacus | live | 410      |      | GB       | CM       | T      | W       |        |
|          | 2    | B     | Psittacus erithacus | live | 41       |      | GB       | GN       | T      | W       |        |
|          | 2    | B     | Psittacus erithacus | live | 3        |      | GB       | IN       | I      |         |        |
|          | 2    | B     | Psittacus erithacus | live | 1        |      | GB       | KE       | P      | W       |        |
|          | 2    | B     | Psittacus erithacus | live | 1        |      | GB       | KW       | GH     | P       | U      |
|          | 2    | B     | Psittacus erithacus | live | 1        |      | GB       | NA       | AO     | P       | U      |
|          | 2    | B     | Psittacus erithacus | live | 2        |      | GB       | NG       | P      | W       |        |
|          | 2    | B     | Psittacus erithacus | live | 1        |      | GB       | OM       | XF     | P       | C      |
|          | 2    | B     | Psittacus erithacus | live | 1        |      | GB       | PL       | NL     | P       | C      |
|          | 2    | B     | Psittacus erithacus | live | 1        |      | GB       | SN       | I      |         |        |
|          | 2    | B     | Psittacus erithacus | live | 1        |      | GB       | TR       | I      |         |        |
|          | 2    | B     | Psittacus erithacus | live | 1        |      | GB       | TR       | P      | C       |        |
|          | 2    | B     | Psittacus erithacus | live | 1        |      | GB       | US       | I      |         |        |
|          | 2    | B     | Psittacus erithacus | live | 1        |      | GB       | US       | P      | F       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                             | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------------|------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Psittacus erithacus</i>        | live | 2        |      | GB       | XX       |        |         | I      |
|          | 2    | B     | <i>Psittacus erithacus</i>        | live | 2        |      | GB       | ZA       |        |         | I      |
|          | 2    | B     | <i>Psittacus erithacus</i>        | live | 5        |      | GB       | ZA       |        | P       | C      |
|          | 2    | B     | <i>Psittacus erithacus</i>        | live | 40       |      | GB       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Psittacus erithacus</i>        | live | 1        |      | GR       | TG       |        | P       | W      |
|          | 2    | B     | <i>Psittacus erithacus</i>        | live | 173      |      | GR       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Psittacus erithacus</i>        | live | 1        |      | NL       | AN       |        | T       | C      |
|          | 2    | B     | <i>Psittacus erithacus</i>        | live | 1        |      | NL       | AN       | GA     | T       | W      |
|          | 2    | B     | <i>Psittacus erithacus</i>        | live | 100      |      | NL       | CM       |        | T       | W      |
|          | 2    | B     | <i>Psittacus erithacus</i>        | live | 2        |      | NL       | LA       |        | I       | C      |
|          | 2    | B     | <i>Psittacus erithacus</i>        | live | 2        |      | NL       | OM       |        | T       | C      |
|          | 2    | B     | <i>Psittacus erithacus</i>        | live | 1        |      | NL       | SA       |        | T       | C      |
|          | 2    | B     | <i>Psittacus erithacus</i>        | live | 185      |      | NL       | SG       | CD     | T       | W      |
|          | 2    | B     | <i>Psittacus erithacus</i>        | live | 1        |      | NL       | TR       | NL     | T       | C      |
|          | 2    | B     | <i>Psittacus erithacus</i>        | live | 2        |      | NL       | US       |        | T       | F      |
|          | 2    | B     | <i>Psittacus erithacus</i>        | live | 43       |      | NL       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Psittacus erithacus</i>        | live | 100      |      | NL       | ZA       | CG     | T       | W      |
|          | 2    | B     | <i>Psittacus erithacus</i>        | live | 2900     |      | NL       | CD       |        | T       | W      |
|          | 2    | B     | <i>Psittacus erithacus</i>        | live | 1        |      | NL       | ZW       | NL     | P       | C      |
|          | 2    | B     | <i>Psittacus erithacus</i>        | live | 1        |      | NL       | ZW       | NL     | T       | C      |
|          | 2    | B     | <i>Psittacus erithacus</i>        | live | 32       |      | PT       | AO       |        | I       |        |
|          | 2    | B     | <i>Psittacus erithacus</i>        | live | 1        |      | PT       | CM       |        | P       | W      |
|          | 2    | B     | <i>Psittacus erithacus</i>        | live | 47       |      | PT       | XX       |        | I       |        |
|          | 2    | B     | <i>Psittacus erithacus</i>        | live | 1        |      | PT       | ZA       |        | P       | C      |
|          | 2    | B     | <i>Psittacus erithacus</i>        | live | 305      |      | PT       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Psittacus erithacus</i>        | live | 1        |      | SE       | JP       | NG     | P       | U      |
|          | 2    | B     | <i>Psittacus erithacus</i>        | live | 1        |      | SE       | US       |        | P       | F      |
|          | 2    | B     | <i>Psittacus erithacus timneh</i> | live | 400      |      | DE       | GN       |        | T       | W      |
|          | 2    | B     | <i>Psittacus erithacus timneh</i> | live | 400      |      | DE       | GN       | SL     | T       | W      |
|          | 2    | B     | <i>Psittacus erithacus timneh</i> | live | 1        |      | ES       | CH       |        | T       | C      |
|          | 2    | B     | <i>Psittacus erithacus timneh</i> | live | 50       |      | ES       | GN       |        | T       | W      |
|          | 2    | B     | <i>Psittacus erithacus timneh</i> | live | 139      |      | ES       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Psittacus erithacus timneh</i> | live | 1        |      | FR       | CA       | US     | B       | O      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                             | Term      | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Psittacus erithacus timneh</i> | live      | 2        |      | FR       | CI       |        | B       | W      |
|          | 2    | B     | <i>Psittacus erithacus timneh</i> | live      | 68       |      | FR       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Psittacus erithacus timneh</i> | live      | 2        |      | GB       | ZA       |        | P       | C      |
|          | 2    | B     | <i>Psittacus erithacus timneh</i> | live      | 21       |      | NL       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Psittacus erithacus timneh</i> | live      | 20       |      | PT       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Psitteuteles iris</i>          | live      | 6        |      | NL       | SG       |        | T       | C      |
|          | 2    | B     | <i>Psittinus cyanurus</i>         | live      | 220      |      | GB       | MY       |        | T       | W      |
|          | 2    | B     | <i>Psittinus cyanurus</i>         | live      | 40       |      | GR       | MY       |        | T       | W      |
|          | 2    | B     | <i>Psittinus cyanurus</i>         | live      | 60       |      | NL       | SG       | MY     | T       | W      |
|          | 2    | B     | <i>Psittrichas fulgidus</i>       | live      | 2        |      | DE       | PH       |        | T       | C      |
|          | 2    | B     | <i>Pyrrhura frontalis</i>         | live      | 1        |      | GB       | ZA       |        | P       | C      |
|          | 2    | B     | <i>Pyrrhura frontalis</i>         | live      | 4        |      | NL       | CH       |        | T       | C      |
|          | 2    | B     | <i>Pyrrhura hoffmanni</i>         | live      | 18       |      | NL       | US       |        | T       | F      |
|          | 2    | B     | <i>Pyrrhura melanura</i>          | live      | 1        |      | GB       | ZA       |        | P       | F      |
|          | 2    | B     | <i>Pyrrhura molinae</i>           | live      | 1        |      | AT       | US       |        | T       | F      |
|          | 2    | B     | <i>Pyrrhura molinae</i>           | live      | 8        |      | BE       | US       |        | T       | F      |
|          | 2    | B     | <i>Pyrrhura molinae</i>           | live      | 40       |      | ES       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Pyrrhura molinae</i>           | live      | 20       |      | NL       | US       |        | T       | F      |
|          | 2    | B     | <i>Pyrrhura molinae</i>           | live      | 20       |      | PT       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Pyrrhura molinae</i>           | specimens | 1        |      | DK       | BO       |        | S       | W      |
|          | 2    | B     | <i>Pyrrhura picta</i>             | live      | 9        |      | DE       | SR       |        | T       | W      |
|          | 2    | B     | <i>Pyrrhura picta</i>             | live      | 17       |      | ES       | SR       |        | T       | C      |
|          | 2    | B     | <i>Pyrrhura picta</i>             | live      | 16       |      | NL       | AN       |        | T       | W      |
|          | 2    | B     | <i>Pyrrhura picta</i>             | live      | 58       |      | NL       | SR       |        | T       | C      |
|          | 2    | B     | <i>Pyrrhura picta</i>             | live      | 35       |      | PT       | SR       |        | T       | W      |
|          | 2    | B     | <i>Pyrrhura rhodogaster</i>       | live      | 13       |      | DE       | PH       |        | T       | C      |
|          | 2    | B     | <i>Tanygnathus lucionensis</i>    | live      | 7        |      | DE       | PH       |        | T       | C      |
|          | 2    | B     | <i>Tanygnathus lucionensis</i>    | live      | 21       |      | ES       | ID       |        | T       | W      |
|          | 2    | B     | <i>Tanygnathus megalorynchos</i>  | live      | 4        |      | DE       | ID       |        | T       | C      |
|          | 2    | B     | <i>Tanygnathus megalorynchos</i>  | live      | 8        |      | NL       | SG       |        | T       | C      |
|          | 2    | B     | <i>Tanygnathus sumatranus</i>     | live      | 3        |      | DE       | PH       |        | T       | W      |
|          | 2    | B     | <i>Trichoglossus flavoviridis</i> | live      | 10       |      | DE       | ID       |        | T       | W      |
|          | 2    | B     | <i>Trichoglossus flavoviridis</i> | live      | 65       |      | ES       | ID       |        | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                             | Term     | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------------|----------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Trichoglossus flavoviridis</i> | live     | 22       |      | GR       | ID       |        | T       | W      |
|          | 2    | B     | <i>Trichoglossus flavoviridis</i> | live     | 5        |      | PT       | ID       |        | T       | W      |
|          | 2    | B     | <i>Trichoglossus flavoviridis</i> | live     | 4        |      | PT       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Trichoglossus haematodus</i>   | live     | 20       |      | DE       | ID       |        | T       | W      |
|          | 2    | B     | <i>Trichoglossus haematodus</i>   | live     | 1        |      | DE       | PH       |        | T       | C      |
|          | 2    | B     | <i>Trichoglossus haematodus</i>   | live     | 1        |      | DE       | US       |        | P       | F      |
|          | 2    | B     | <i>Trichoglossus haematodus</i>   | live     | 2        |      | DK       | NZ       | XX     | P       | U      |
|          | 2    | B     | <i>Trichoglossus haematodus</i>   | live     | 2        |      | ES       | CA       |        | P       | C      |
|          | 2    | B     | <i>Trichoglossus haematodus</i>   | live     | 2        |      | ES       | CA       | US     | P       | C      |
|          | 2    | B     | <i>Trichoglossus haematodus</i>   | live     | 10       |      | ES       | ID       |        | T       | C      |
|          | 2    | B     | <i>Trichoglossus haematodus</i>   | live     | 881      |      | ES       | ID       |        | T       | W      |
|          | 2    | B     | <i>Trichoglossus haematodus</i>   | live     | 65       |      | ES       | SG       | ID     | T       | W      |
|          | 2    | B     | <i>Trichoglossus haematodus</i>   | live     | 260      |      | ES       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Trichoglossus haematodus</i>   | live     | 1        |      | FR       | US       |        | B       | F      |
|          | 2    | B     | <i>Trichoglossus haematodus</i>   | live     | 15       |      | FR       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Trichoglossus haematodus</i>   | live     | 55       |      | GB       | ID       |        | T       | W      |
|          | 2    | B     | <i>Trichoglossus haematodus</i>   | live     | 130      |      | GR       | ID       |        | T       | W      |
|          | 2    | B     | <i>Trichoglossus haematodus</i>   | live     | 150      |      | IT       | ID       |        | T       | W      |
|          | 2    | B     | <i>Trichoglossus haematodus</i>   | live     | 2        |      | NL       | CZ       |        | Z       | F      |
|          | 2    | B     | <i>Trichoglossus haematodus</i>   | live     | 519      |      | NL       | SG       | ID     | T       | W      |
|          | 2    | B     | <i>Trichoglossus haematodus</i>   | live     | 101      |      | NL       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Trichoglossus haematodus</i>   | live     | 22       |      | PT       | ID       |        | T       | W      |
|          | 2    | B     | <i>Trichoglossus haematodus</i>   | live     | 108      |      | PT       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Trichoglossus haematodus</i>   | live     | 4        |      | PT       | ZW       |        | T       | C      |
|          | 2    | B     | <i>Trichoglossus ornatus</i>      | live     | 10       |      | NL       | SG       |        | T       | C      |
|          | 2    | A     | <i>Vini australis</i>             | live     | 3        |      | GB       | US       |        | B       | F      |
|          | 2    | B     | <i>Musophaga porphyreolopha</i>   | bodies   | 1        |      | NL       | ZA       |        | E       | W      |
|          | 2    | B     | <i>Musophaga porphyreolopha</i>   | feathers | 2        |      | NL       | ZA       |        | T       | W      |
|          | 2    | B     | <i>Musophaga porphyreolopha</i>   | live     | 6        |      | GB       | XX       |        | I       | W      |
|          | 2    | B     | <i>Musophaga porphyreolopha</i>   | live     | 180      |      | NL       | MZ       |        | T       | W      |
|          | 2    | B     | <i>Tauraco erythrophlophus</i>    | live     | 4        |      | AT       | HU       |        | Z       | F      |
|          | 2    | B     | <i>Tauraco hartlaubi</i>          | live     | 30       |      | DE       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Tauraco hartlaubi</i>          | live     | 40       |      | ES       | TZ       |        | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                          | Term      | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Tauraco hartlaubi</i>       | live      | 62       |      | FR       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Tauraco hartlaubi</i>       | live      | 65       |      | NL       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Tauraco leucolophus</i>     | live      | 4        |      | FR       | US       |        | B       | F      |
|          | 2    | B     | <i>Tauraco livingstonii</i>    | live      | 20       |      | DE       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Tauraco livingstonii</i>    | live      | 40       |      | ES       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Tauraco livingstonii</i>    | live      | 60       |      | NL       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Tauraco persa</i>           | live      | 80       |      | BE       | GH       |        | T       | W      |
|          | 2    | B     | <i>Tauraco persa</i>           | live      | 25       |      | BE       | TG       |        | T       | W      |
|          | 2    | B     | <i>Tauraco persa</i>           | live      | 5        |      | DE       | TG       |        | T       | W      |
|          | 2    | B     | <i>Tauraco persa</i>           | live      | 65       |      | ES       | GN       |        | T       | W      |
|          | 2    | B     | <i>Tauraco persa</i>           | live      | 4        |      | ES       | TG       |        | T       | W      |
|          | 2    | B     | <i>Tauraco persa</i>           | live      | 60       |      | FR       | GN       |        | T       | W      |
|          | 2    | B     | <i>Tauraco persa</i>           | live      | 25       |      | GB       | GH       |        | I       |        |
|          | 2    | B     | <i>Tauraco persa</i>           | live      | 8        |      | GR       | GW       |        | T       | W      |
|          | 2    | B     | <i>Tauraco persa</i>           | live      | 10       |      | IT       | GH       |        | T       | W      |
|          | 2    | B     | <i>Tauraco persa</i>           | live      | 20       |      | NL       | GH       |        | T       | W      |
|          | 2    | B     | <i>Tauraco persa</i>           | live      | 194      |      | NL       | GN       |        | T       | W      |
|          | 2    | B     | <i>Tauraco persa</i>           | live      | 130      |      | NL       | TG       |        | T       | W      |
|          | 2    | B     | <i>Asio clamator</i>           | live      | 6        |      | ES       | PE       |        | T       | W      |
|          | 2    | A     | <i>Asio flammeus</i>           | live      | 3        |      | AT       | RU       |        | Z       | F      |
|          | 2    | A     | <i>Athene noctua</i>           | bodies    | 1        |      | DE       | CH       | XX     | T       | O      |
|          | 2    | A     | <i>Bubo bubo</i>               | live      | 1        |      | GB       | JP       | GB     | E       | C      |
|          | 2    | A     | <i>Bubo bubo</i>               | trophies  | 1        |      | IT       | CH       | IT     | P       | O      |
|          | 2    | B     | <i>Bubo virginianus</i>        | bodies    | 3        |      | GB       | US       | E      | T       | W      |
|          | 2    | B     | <i>Bubo virginianus</i>        | live      | 7        |      | ES       | PE       | T      | P       | W      |
|          | 2    | B     | <i>Bubo virginianus</i>        | trophies  | 2        |      | SE       | CA       | P      | Z       | W      |
|          | 2    | B     | <i>Glaucidium brasilianum</i>  | live      | 3        |      | ES       | CZ       | Z      | F       |        |
|          | 2    | B     | <i>Glaucidium brasilianum</i>  | live      | 7        |      | ES       | PE       | T      | T       | W      |
|          | 2    | B     | <i>Glaucidium brasilianum</i>  | live      | 3        |      | NL       | PE       | T      | T       | W      |
|          | 2    | B     | <i>Glaucidium brasilianum</i>  | skeletons | 1        |      | SE       | PY       | S      | W       |        |
|          | 2    | B     | <i>Glaucidium californicum</i> | live      | 5        |      | DE       | CA       | B      | C       |        |
|          | 2    | A     | <i>Glaucidium passerinum</i>   | live      | 1        |      | DE       | CZ       | Z      | C       |        |
|          | 2    | A     | <i>Nyctea scandiaca</i>        | live      | 2        |      | ES       | CH       | Z      | C       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                             | Term      | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Otus leucotis</i>              | bodies    | 2        |      | NL       | ZA       | E      | W       |        |
|          | 2    | A     | <i>Otus scops</i>                 | live      | 2        |      | GB       | IR       | DE     | T       | C      |
|          | 2    | B     | <i>Pulsatrix perspicillata</i>    | live      | 1        |      | IT       | CA       | P      | C       |        |
|          | 2    | B     | <i>Speotyto cunicularia</i>       | live      | 3        |      | ES       | PE       | T      | W       |        |
|          | 2    | A     | <i>Strix aluco</i>                | live      | 1        |      | AT       | HR       |        | I       |        |
|          | 2    | A     | <i>Strix uralensis</i>            | live      | 6        |      | AT       | RU       | Z      | F       |        |
|          | 2    | A     | <i>Strix uralensis</i>            | live      | 1        |      | DE       | CZ       | Z      | C       |        |
|          | 2    | A     | <i>Strix uralensis</i>            | live      | 1        |      | FR       | CH       | Z      | C       |        |
|          | 2    | A     | <i>Strix uralensis</i>            | live      | 1        |      | FR       | CZ       | Z      | F       |        |
|          | 2    | A     | <i>Strix uralensis</i>            | live      | 8        |      | GB       | RU       | B      | C       |        |
|          | 2    | B     | <i>Strix varia</i>                | bodies    | 5        |      | GB       | US       | E      | W       |        |
|          | 2    | B     | <i>Strix varia</i>                | live      | 2        |      | IT       | CA       | P      | C       |        |
|          | 2    | B     | <i>Strix woodfordii</i>           | bodies    | 1        |      | NL       | ZA       | E      | W       |        |
|          | 2    | B     | <i>Strix woodfordii</i>           | live      | 2        |      | NL       | ZA       | T      | C       |        |
|          | 2    | B     | <i>Aglaeactis cupripennis</i>     | live      | 6        |      | NL       | PE       | T      | W       |        |
|          | 2    | B     | <i>Aglaeactis pamela</i>          | specimens | 5        |      | DK       | BO       | S      | W       |        |
|          | 2    | B     | <i>Aglaiocercus kingi</i>         | specimens | 3        |      | DK       | BO       | S      | W       |        |
|          | 2    | B     | <i>Amazilia amazilia</i>          | live      | 10       |      | NL       | PE       | T      | W       |        |
|          | 2    | B     | <i>Chalcostigma ruficeps</i>      | specimens | 4        |      | DK       | BO       | S      | W       |        |
|          | 2    | B     | <i>Chlorostilbon spp.</i>         | specimens | 2        |      | DK       | BO       | S      | W       |        |
|          | 2    | B     | <i>Chlorostilbon aureoventris</i> | skeletons | 1        |      | SE       | PY       | S      | W       |        |
|          | 2    | B     | <i>Coeligena iris</i>             | live      | 5        |      | NL       | PE       | T      | W       |        |
|          | 2    | B     | <i>Coeligena torquata</i>         | live      | 6        |      | NL       | PE       | T      | W       |        |
|          | 2    | B     | <i>Coeligena violifer</i>         | specimens | 1        |      | DK       | BO       | S      | W       |        |
|          | 2    | B     | <i>Colibri coruscans</i>          | specimens | 1        |      | DK       | BO       | S      | W       |        |
|          | 2    | B     | <i>Colibri thalassinus</i>        | specimens | 5        |      | DK       | BO       | S      | W       |        |
|          | 2    | B     | <i>Damophila julie</i>            | live      | 6        |      | NL       | PE       | T      | W       |        |
|          | 2    | B     | <i>Eriocnemis glaucopoides</i>    | specimens | 3        |      | DK       | BO       | S      | W       |        |
|          | 2    | B     | <i>Heliangelus viola</i>          | live      | 5        |      | NL       | PE       | T      | W       |        |
|          | 2    | B     | <i>Lesbia nuna</i>                | live      | 20       |      | NL       | PE       | T      | W       |        |
|          | 2    | B     | <i>Metallura tyrianthina</i>      | specimens | 4        |      | DK       | BO       | S      | W       |        |
|          | 2    | B     | <i>Oreotrochilus estella</i>      | live      | 9        |      | NL       | PE       | T      | W       |        |
|          | 2    | B     | <i>Oreotrochilus melanogaster</i> | live      | 6        |      | NL       | PE       | T      | W       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                          | Term      | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Polyonymus caroli</i>       | live      | 33       |      | NL       | PE       |        | T       | W      |
|          | 2    | B     | <i>Pterophanes cyanopterus</i> | specimens | 1        |      | DK       | BO       |        | S       | W      |
|          | 2    | B     | <i>Rhodopis vesper</i>         | live      | 10       |      | NL       | PE       |        | T       | W      |
|          | 2    | B     | <i>Aceros cassidix</i>         | live      | 1        |      | ES       | US       |        | T       | F      |
|          | 2    | B     | <i>Aceros plicatus</i>         | live      | 12       |      | BE       | SB       |        | T       | C      |
|          | 2    | B     | <i>Aceros plicatus</i>         | live      | 38       |      | DE       | SB       |        | T       | W      |
|          | 2    | B     | <i>Aceros plicatus</i>         | live      | 1        |      | NL       | CZ       | XX     | Z       | W      |
|          | 2    | B     | <i>Aceros plicatus</i>         | live      | 33       |      | NL       | SB       |        | T       | W      |
|          | 2    | B     | <i>Aceros undulatus</i>        | live      | 2        |      | ES       | ID       |        | T       | C      |
|          | 2    | B     | <i>Pteroglossus aracari</i>    | live      | 9        |      | DE       | GY       |        | T       | W      |
|          | 2    | B     | <i>Pteroglossus aracari</i>    | live      | 4        |      | DE       | SR       |        | T       | W      |
|          | 2    | B     | <i>Pteroglossus aracari</i>    | live      | 29       |      | ES       | GY       |        | T       | W      |
|          | 2    | B     | <i>Pteroglossus aracari</i>    | live      | 13       |      | ES       | SR       |        | T       | W      |
|          | 2    | B     | <i>Pteroglossus aracari</i>    | live      | 11       |      | GB       | GY       |        | T       | W      |
|          | 2    | B     | <i>Pteroglossus aracari</i>    | live      | 105      |      | NL       | SR       |        | T       | W      |
|          | 2    | B     | <i>Pteroglossus aracari</i>    | live      | 3        |      | PT       | GY       |        | T       | W      |
|          | 2    | B     | <i>Pteroglossus viridis</i>    | live      | 5        |      | DE       | SR       |        | T       | W      |
|          | 2    | B     | <i>Pteroglossus viridis</i>    | live      | 6        |      | ES       | GY       |        | T       | W      |
|          | 2    | B     | <i>Pteroglossus viridis</i>    | live      | 13       |      | ES       | SR       |        | T       | W      |
|          | 2    | B     | <i>Pteroglossus viridis</i>    | live      | 4        |      | GB       | GY       |        | T       | W      |
|          | 2    | B     | <i>Pteroglossus viridis</i>    | live      | 77       |      | NL       | SR       |        | T       | W      |
|          | 2    | B     | <i>Pteroglossus viridis</i>    | live      | 3        |      | PT       | GY       |        | T       | W      |
|          | 2    | B     | <i>Ramphastos sulfuratus</i>   | live      | 6        |      | DE       | NI       |        | T       | R      |
|          | 2    | B     | <i>Ramphastos sulfuratus</i>   | live      | 38       |      | ES       | NI       |        | T       | R      |
|          | 2    | B     | <i>Ramphastos sulfuratus</i>   | live      | 12       |      | GB       | NI       |        | T       | R      |
|          | 2    | B     | <i>Ramphastos sulfuratus</i>   | live      | 13       |      | GR       | NI       |        | T       | R      |
|          | 2    | B     | <i>Ramphastos sulfuratus</i>   | live      | 89       |      | NL       | NI       |        | T       | R      |
|          | 2    | B     | <i>Ramphastos sulfuratus</i>   | live      | 108      |      | NL       | NI       |        | T       | W      |
|          | 2    | B     | <i>Ramphastos sulfuratus</i>   | live      | 21       |      | PT       | NI       |        | T       | R      |
|          | 2    | B     | <i>Ramphastos toco</i>         | live      | 4        |      | DE       | GY       |        | T       | W      |
|          | 2    | B     | <i>Ramphastos toco</i>         | live      | 17       |      | ES       | GY       |        | T       | W      |
|          | 2    | B     | <i>Ramphastos toco</i>         | live      | 18       |      | GB       | GY       |        | T       | W      |
|          | 2    | B     | <i>Ramphastos toco</i>         | live      | 2        |      | GR       | GY       |        | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                        | Term     | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|----------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Ramphastos toco</i>       | live     | 16       |      | NL       | AR       |        | T       | C      |
|          | 2    | B     | <i>Ramphastos toco</i>       | live     | 47       |      | NL       | GY       |        | T       | W      |
|          | 2    | B     | <i>Ramphastos toco</i>       | live     | 3        |      | PT       | GY       |        | T       | W      |
|          | 2    | B     | <i>Ramphastos tucanus</i>    | live     | 5        |      | DE       | SR       |        | T       | W      |
|          | 2    | B     | <i>Ramphastos tucanus</i>    | live     | 15       |      | ES       | GY       |        | T       | W      |
|          | 2    | B     | <i>Ramphastos tucanus</i>    | live     | 11       |      | ES       | SR       |        | T       | W      |
|          | 2    | B     | <i>Ramphastos tucanus</i>    | live     | 6        |      | GB       | GY       |        | T       | W      |
|          | 2    | B     | <i>Ramphastos tucanus</i>    | live     | 4        |      | GR       | SR       |        | T       | W      |
|          | 2    | B     | <i>Ramphastos tucanus</i>    | live     | 3        |      | NL       | GY       |        | T       | W      |
|          | 2    | B     | <i>Ramphastos tucanus</i>    | live     | 167      |      | NL       | SR       |        | T       | W      |
|          | 2    | B     | <i>Ramphastos tucanus</i>    | live     | 3        |      | PT       | GY       |        | T       | W      |
|          | 2    | B     | <i>Ramphastos vitellinus</i> | feathers | 2        |      | DE       | VE       | XX     | Q       | W      |
|          | 2    | B     | <i>Ramphastos vitellinus</i> | live     | 2        |      | DE       | SR       |        | T       | W      |
|          | 2    | B     | <i>Ramphastos vitellinus</i> | live     | 12       |      | ES       | GY       |        | T       | W      |
|          | 2    | B     | <i>Ramphastos vitellinus</i> | live     | 17       |      | ES       | SR       |        | T       | W      |
|          | 2    | B     | <i>Ramphastos vitellinus</i> | live     | 6        |      | GB       | GY       |        | T       | W      |
|          | 2    | B     | <i>Ramphastos vitellinus</i> | live     | 13       |      | GR       | SR       |        | T       | W      |
|          | 2    | B     | <i>Ramphastos vitellinus</i> | live     | 2        |      | NL       | GY       |        | T       | W      |
|          | 2    | B     | <i>Ramphastos vitellinus</i> | live     | 188      |      | NL       | SR       |        | T       | W      |
|          | 2    | B     | <i>Ramphastos vitellinus</i> | live     | 3        |      | PT       | GY       |        | T       | W      |
|          | 2    | B     | <i>Rupicola rupicola</i>     | bodies   | 1        |      | DE       | VE       | XX     | Q       | W      |
|          | 2    | B     | <i>Rupicola rupicola</i>     | skins    | 1        |      | DE       | VE       | XX     | Q       | W      |
|          | 2    | B     | <i>Pycnonotus</i> spp.       | live     | 2        |      | DE       | KW       |        | T       | W      |
|          | 2    | B     | <i>Leiothrix</i> spp.        | live     | 2600     |      | DE       | CN       |        | T       | W      |
|          | 2    | B     | <i>Leiothrix argentauris</i> | live     | 1440     |      | BE       | CN       |        | T       | W      |
|          | 2    | B     | <i>Leiothrix argentauris</i> | live     | 300      |      | CN       | CN       |        | T       | W      |
|          | 2    | B     | <i>Leiothrix argentauris</i> | live     | 150      |      | DE       | CN       |        | T       | W      |
|          | 2    | B     | <i>Leiothrix argentauris</i> | live     | 200      |      | ES       | CN       |        | T       | W      |
|          | 2    | B     | <i>Leiothrix argentauris</i> | live     | 1300     |      | NL       | CN       |        | T       | W      |
|          | 2    | B     | <i>Leiothrix lutea</i>       | live     | 5100     |      | BE       | CN       |        | T       | W      |
|          | 2    | B     | <i>Leiothrix lutea</i>       | live     | 1200     |      | DE       | CN       |        | T       | W      |
|          | 2    | B     | <i>Leiothrix lutea</i>       | live     | 300      |      | ES       | CN       |        | T       | C      |
|          | 2    | B     | <i>Leiothrix lutea</i>       | live     | 7820     |      | ES       | CN       |        | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                    | Term      | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Leiothrix lutea</i>   | live      | 130      |      | ES       | MY       |        | T       | W      |
|          | 2    | B     | <i>Leiothrix lutea</i>   | live      | 130      |      | ES       | MY       | CN     | T       | W      |
|          | 2    | B     | <i>Leiothrix lutea</i>   | live      | 2000     |      | GR       | CN       |        | T       | W      |
|          | 2    | B     | <i>Leiothrix lutea</i>   | live      | 13950    |      | NL       | CN       |        | T       | W      |
|          | 2    | B     | <i>Leiothrix lutea</i>   | live      | 1000     |      | PT       | HK       |        | T       | W      |
|          | 2    | B     | <i>Leiothrix lutea</i>   | live      | 1        |      | PT       | MO       |        | T       | C      |
|          | 2    | B     | <i>Paroaria coronata</i> | skeletons | 2        |      | SE       | PY       |        | S       | W      |
|          | 2    | B     | <i>Tangara fastuosa</i>  | skins     | 2        |      | DE       | VE       | XX     | Q       | W      |
|          | 2    | B     | <i>Padda oryzivora</i>   | live      | 600      |      | ES       | CN       |        | T       | C      |
|          | 2    | B     | <i>Padda oryzivora</i>   | live      | 2000     |      | ES       | CU       |        | T       | C      |
|          | 2    | B     | <i>Padda oryzivora</i>   | live      | 170      |      | ES       | CZ       |        | T       | C      |
|          | 2    | B     | <i>Padda oryzivora</i>   | live      | 250      |      | ES       | ID       |        | T       | W      |
|          | 2    | B     | <i>Padda oryzivora</i>   | live      | 500      |      | ES       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Padda oryzivora</i>   | live      | 150      |      | FR       | CZ       |        | T       | C      |
|          | 2    | B     | <i>Padda oryzivora</i>   | live      | 1        |      | NL       | CH       |        | T       | C      |
|          | 2    | B     | <i>Padda oryzivora</i>   | live      | 1        |      | NL       | CN       |        | I       | C      |
|          | 2    | B     | <i>Padda oryzivora</i>   | live      | 3500     |      | NL       | CN       |        | T       | C      |
|          | 2    | B     | <i>Padda oryzivora</i>   | live      | 100      |      | PT       | CU       |        | T       | C      |
|          | 2    | B     | <i>Padda oryzivora</i>   | live      | 380      |      | PT       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Gracula religiosa</i> | bodies    | 18       |      | BE       | MY       |        | T       | W      |
|          | 2    | B     | <i>Gracula religiosa</i> | live      | 1106     |      | BE       | MY       |        | T       | W      |
|          | 2    | B     | <i>Gracula religiosa</i> | live      | 1610     |      | BE       | MY       | VN     | T       | W      |
|          | 2    | B     | <i>Gracula religiosa</i> | live      | 120      |      | BE       | MY       | XX     | T       | W      |
|          | 2    | B     | <i>Gracula religiosa</i> | live      | 974      |      | DE       | MY       |        | T       | W      |
|          | 2    | B     | <i>Gracula religiosa</i> | live      | 320      |      | DE       | MY       | VN     | T       | W      |
|          | 2    | B     | <i>Gracula religiosa</i> | live      | 64       |      | DE       | SG       | VN     | T       | W      |
|          | 2    | B     | <i>Gracula religiosa</i> | live      | 200      |      | ES       | CN       |        | T       | W      |
|          | 2    | B     | <i>Gracula religiosa</i> | live      | 560      |      | ES       | MY       |        | T       | W      |
|          | 2    | B     | <i>Gracula religiosa</i> | live      | 50       |      | ES       | PK       |        | T       | C      |
|          | 2    | B     | <i>Gracula religiosa</i> | live      | 50       |      | ES       | SG       | MY     | T       | W      |
|          | 2    | B     | <i>Gracula religiosa</i> | live      | 450      |      | ES       | VN       |        | T       | W      |
|          | 2    | B     | <i>Gracula religiosa</i> | live      | 60       |      | FR       | CN       |        | T       | W      |
|          | 2    | B     | <i>Gracula religiosa</i> | live      | 1        |      | FR       | SN       | ID     | B       | O      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                     | Term                   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------|------------------------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Gracula religiosa</i>  | live                   | 3        |      | FR       | SN       | IN     | B       | O      |
|          | 2    | B     | <i>Gracula religiosa</i>  | live                   | 1        |      | GB       | JP       | P      | C       |        |
|          | 2    | B     | <i>Gracula religiosa</i>  | live                   | 1        |      | GB       | JP       | P      | U       |        |
|          | 2    | B     | <i>Gracula religiosa</i>  | live                   | 185      |      | GR       | MY       | T      | W       |        |
|          | 2    | B     | <i>Gracula religiosa</i>  | live                   | 20       |      | IT       | ID       | T      | W       |        |
|          | 2    | B     | <i>Gracula religiosa</i>  | live                   | 460      |      | IT       | MY       | T      | W       |        |
|          | 2    | B     | <i>Gracula religiosa</i>  | live                   | 430      |      | IT       | MY       | VN     | T       | W      |
|          | 2    | B     | <i>Gracula religiosa</i>  | live                   | 1        |      | NL       | AN       | T      | C       |        |
|          | 2    | B     | <i>Gracula religiosa</i>  | live                   | 170      |      | NL       | MY       | T      | W       |        |
|          | 2    | B     | <i>Gracula religiosa</i>  | live                   | 695      |      | NL       | MY       | VN     | T       | W      |
|          | 2    | B     | <i>Gracula religiosa</i>  | live                   | 1        |      | NL       | QA       | VN     | T       | W      |
|          | 2    | B     | <i>Gracula religiosa</i>  | live                   | 120      |      | NL       | SG       | MY     | T       | W      |
|          | 2    | B     | <i>Gracula religiosa</i>  | live                   | 600      |      | NL       | VN       | T      | W       |        |
|          | 2    | B     | <i>Gracula religiosa</i>  | live                   | 20       |      | PT       | ID       | T      | W       |        |
|          | 2    | B     | <i>Gracula religiosa</i>  | live                   | 50       |      | PT       | PK       | T      | C       |        |
|          | 2    | B     | <i>Terrapene carolina</i> | live                   | 4        |      | DE       | US       | S      | F       |        |
|          | 2    | B     | <i>Terrapene ornata</i>   | live                   | 4        |      | DE       | CH       | P      | C       |        |
|          | 2    | B     | <i>Terrapene ornata</i>   | live                   | 1        |      | GB       | US       | P      | O       |        |
|          | 2    | B     | <i>Testudinidae</i> spp.  | bodies                 | 2        |      | AT       | MX       | I      |         |        |
|          | 2    | B     | <i>Testudinidae</i> spp.  | bodies                 | 1        |      | GB       | XX       | I      |         |        |
|          | 2    | B     | <i>Testudinidae</i> spp.  | eggs                   | 17       |      | NL       | SR       | I      |         |        |
|          | 2    | B     | <i>Testudinidae</i> spp.  | live                   | 2000     |      | AT       | US       | I      |         |        |
|          | 2    | B     | <i>Testudinidae</i> spp.  | live                   | 1        |      | GB       | AR       | I      |         |        |
|          | 2    | B     | <i>Testudinidae</i> spp.  | live                   | 2        |      | GB       | CN       | I      |         |        |
|          | 2    | B     | <i>Testudinidae</i> spp.  | live                   | 1        |      | GB       | MA       | I      |         |        |
|          | 2    | B     | <i>Testudinidae</i> spp.  | live                   | 2        |      | GB       | XX       | I      |         |        |
|          | 2    | B     | <i>Testudinidae</i> spp.  | live                   | 2        |      | NL       | CI       | I      |         |        |
|          | 2    | B     | <i>Testudinidae</i> spp.  | live                   | 1        |      | NL       | EG       | I      |         |        |
|          | 2    | B     | <i>Testudinidae</i> spp.  | live                   | 1        |      | NL       | LA       | I      |         |        |
|          | 2    | B     | <i>Testudinidae</i> spp.  | live                   | 3        |      | NL       | MA       | I      |         |        |
|          | 2    | B     | <i>Testudinidae</i> spp.  | live                   | 1        |      | NL       | TZ       | I      |         |        |
|          | 2    | B     | <i>Testudinidae</i> spp.  | live                   | 6        |      | NL       | ZM       | I      |         |        |
|          | 2    | B     | <i>Testudinidae</i> spp.  | small leather products | 2        |      | NL       | NE       | I      |         |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex                  | Taxon | Term        | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|------------------------|-------|-------------|----------|------|----------|----------|--------|---------|--------|
| 2        | B    | Testudinidae spp.      |       | shells      | 1        |      | GB       | DO       |        |         |        |
| 2        | B    | Testudinidae spp.      |       | shells      | 1        |      | GB       | FJ       |        |         |        |
| 2        | B    | Testudinidae spp.      |       | shells      | 1        |      | GB       | NG       |        |         |        |
| 2        | B    | Testudinidae spp.      |       | shells      | 12       |      | GB       | XX       |        |         |        |
| 2        | B    | Testudinidae spp.      |       | shells      | 1        |      | NL       | KE       |        |         |        |
| 2        | B    | Testudinidae spp.      |       | skin pieces | 6        |      | NL       | HK       |        |         |        |
| 2        | B    | Testudinidae spp.      |       | unspecified | 1        |      | NL       | CU       |        |         |        |
| 2        | B    | Testudinidae spp.      |       | unspecified | 1        |      | NL       | ID       |        |         |        |
| 2        | B    | Testudinidae spp.      |       | unspecified | 1        |      | NL       | IL       |        |         |        |
| 2        | B    | Testudinidae spp.      |       | unspecified | 1        |      | NL       | VE       |        |         |        |
| 2        | B    | Chersina angulata      |       | live        | 12       |      | DE       | ZA       |        | B       | C      |
| 2        | B    | Chersina angulata      |       | live        | 3        |      | FR       | ID       | ZA     | T       | C      |
| 2        | B    | Geochelone carbonaria  |       | live        | 71       |      | BE       | SR       |        | T       | W      |
| 2        | B    | Geochelone carbonaria  |       | live        | 65       |      | DE       | BR       |        | T       | C      |
| 2        | B    | Geochelone carbonaria  |       | live        | 4        |      | DE       | GY       |        | T       | W      |
| 2        | B    | Geochelone carbonaria  |       | live        | 3        |      | DK       | US       |        | T       | I      |
| 2        | B    | Geochelone carbonaria  |       | live        | 5        |      | DK       | US       | SR     | T       | W      |
| 2        | B    | Geochelone carbonaria  |       | live        | 55       |      | ES       | BR       |        | T       | C      |
| 2        | B    | Geochelone carbonaria  |       | live        | 21       |      | ES       | GY       |        | T       | W      |
| 2        | B    | Geochelone carbonaria  |       | live        | 102      |      | ES       | SR       |        | T       | W      |
| 2        | B    | Geochelone carbonaria  |       | live        | 6        |      | ES       | US       | SR     | T       | W      |
| 2        | B    | Geochelone carbonaria  |       | live        | 50       |      | ES       | VE       |        | T       | C      |
| 2        | B    | Geochelone carbonaria  |       | live        | 1        |      | FR       | CA       |        | B       | C      |
| 2        | B    | Geochelone carbonaria  |       | live        | 20       |      | GB       | GY       |        | T       | W      |
| 2        | B    | Geochelone carbonaria  |       | live        | 4        |      | IT       | US       | GY     | T       | W      |
| 2        | B    | Geochelone carbonaria  |       | live        | 206      |      | NL       | SR       |        | T       | F      |
| 2        | B    | Geochelone carbonaria  |       | live        | 211      |      | NL       | SR       |        | T       | W      |
| 2        | B    | Geochelone carbonaria  |       | live        | 20       |      | SE       | US       |        | T       | F      |
| 2        | B    | Geochelone denticulata |       | live        | 99       |      | BE       | SR       |        | T       | W      |
| 2        | B    | Geochelone denticulata |       | live        | 4        |      | DE       | GY       |        | T       | W      |
| 2        | B    | Geochelone denticulata |       | live        | 6        |      | DK       | US       | SR     | T       | W      |
| 2        | B    | Geochelone denticulata |       | live        | 106      |      | ES       | SR       |        | T       | W      |
| 2        | B    | Geochelone denticulata |       | live        | 6        |      | ES       | US       | SR     | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                         | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Geochelone denticulata</i> | live | 30       |      | GB       | GY       |        | T       | W      |
|          | 2    | B     | <i>Geochelone denticulata</i> | live | 2        |      | NL       | AN       |        | T       | C      |
|          | 2    | B     | <i>Geochelone denticulata</i> | live | 34       |      | NL       | PE       |        | I       | F      |
|          | 2    | B     | <i>Geochelone denticulata</i> | live | 12       |      | NL       | SR       |        | T       | W      |
|          | 2    | B     | <i>Geochelone denticulata</i> | live | 211      |      | NL       | SR       |        | T       | W      |
|          | 2    | B     | <i>Geochelone elegans</i>     | live | 3        |      | DE       | CH       |        | B       | C      |
|          | 2    | B     | <i>Geochelone elegans</i>     | live | 1        |      | FR       | AE       |        | B       | C      |
|          | 2    | B     | <i>Geochelone elegans</i>     | live | 6        |      | FR       | CH       |        | T       | C      |
|          | 2    | B     | <i>Geochelone elegans</i>     | live | 1        |      | FR       | OM       | IN     | B       | C      |
|          | 2    | B     | <i>Geochelone elegans</i>     | live | 6        |      | GB       | XX       |        | I       | F      |
|          | 2    | B     | <i>Geochelone gigantea</i>    | live | 4        |      | DE       | MU       |        | T       | C      |
|          | 2    | B     | <i>Geochelone gigantea</i>    | live | 10       |      | ES       | MU       |        | T       | C      |
|          | 2    | B     | <i>Geochelone gigantea</i>    | live | 3        |      | PT       | SC       |        | E       | F      |
|          | 2    | B     | <i>Geochelone pardalis</i>    | live | 350      |      | DK       | ZM       |        | T       | W      |
|          | 2    | B     | <i>Geochelone pardalis</i>    | live | 50       |      | ES       | US       |        | T       | F      |
|          | 2    | B     | <i>Geochelone pardalis</i>    | live | 20       |      | ES       | US       | ZM     | T       | W      |
|          | 2    | B     | <i>Geochelone pardalis</i>    | live | 4        |      | ES       | ZA       |        | Z       | C      |
|          | 2    | B     | <i>Geochelone pardalis</i>    | live | 1320     |      | ES       | ZM       |        | T       | W      |
|          | 2    | B     | <i>Geochelone pardalis</i>    | live | 200      |      | FR       | TZ       |        | T       | R      |
|          | 2    | B     | <i>Geochelone pardalis</i>    | live | 720      |      | FR       | ZM       |        | T       | W      |
|          | 2    | B     | <i>Geochelone pardalis</i>    | live | 1100     |      | GB       | ZM       |        | T       | W      |
|          | 2    | B     | <i>Geochelone pardalis</i>    | live | 1530     |      | NL       | ZM       |        | T       | W      |
|          | 2    | B     | <i>Geochelone pardalis</i>    | live | 12       |      | SE       | US       |        | T       | F      |
|          | 2    | B     | <i>Geochelone sulcata</i>     | live | 60       |      | BE       | CH       |        | T       | C      |
|          | 2    | B     | <i>Geochelone sulcata</i>     | live | 10       |      | BE       | US       |        | B       | C      |
|          | 2    | B     | <i>Geochelone sulcata</i>     | live | 40       |      | DE       | US       |        | T       | F      |
|          | 2    | B     | <i>Geochelone sulcata</i>     | live | 59       |      | ES       | US       |        | T       | F      |
|          | 2    | B     | <i>Geochelone sulcata</i>     | live | 75       |      | FR       | CH       |        | T       | C      |
|          | 2    | B     | <i>Geochelone sulcata</i>     | live | 300      |      | FR       | US       |        | T       | F      |
|          | 2    | B     | <i>Geochelone sulcata</i>     | live | 22       |      | GB       | GH       |        | T       | C      |
|          | 2    | B     | <i>Geochelone sulcata</i>     | live | 59       |      | GB       | GH       | ML     | T       | W      |
|          | 2    | B     | <i>Geochelone sulcata</i>     | live | 130      |      | GB       | SV       |        | T       | F      |
|          | 2    | B     | <i>Geochelone sulcata</i>     | live | 287      |      | GB       | US       |        | T       | F      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                        | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Geochelone sulcata</i>    | live | 1        |      | PT       | MA       |        | I       |        |
|          | 2    | B     | <i>Indotestudo elongata</i>  | live | 60       |      | ES       | MY       | T      | W       |        |
|          | 2    | B     | <i>Indotestudo elongata</i>  | live | 400      |      | FR       | CN       | T      | W       |        |
|          | 2    | B     | <i>Indotestudo elongata</i>  | live | 50       |      | GB       | XX       |        | I       |        |
|          | 2    | B     | <i>Indotestudo elongata</i>  | live | 25       |      | IT       | ID       | T      | W       |        |
|          | 2    | B     | <i>Indotestudo elongata</i>  | live | 99       |      | NL       | CN       | T      | C       |        |
|          | 2    | B     | <i>Indotestudo forstenii</i> | live | 42       |      | FR       | ID       | T      | W       |        |
|          | 2    | B     | <i>Kinixys belliana</i>      | live | 20       |      | AT       | TG       | T      | R       |        |
|          | 2    | B     | <i>Kinixys belliana</i>      | live | 30       |      | AT       | TG       | T      | W       |        |
|          | 2    | B     | <i>Kinixys belliana</i>      | live | 120      |      | BE       | TG       | T      | R       |        |
|          | 2    | B     | <i>Kinixys belliana</i>      | live | 345      |      | DE       | BJ       | BF     | T       | W      |
|          | 2    | B     | <i>Kinixys belliana</i>      | live | 196      |      | DE       | CM       | T      | W       |        |
|          | 2    | B     | <i>Kinixys belliana</i>      | live | 20       |      | DE       | GH       | T      | W       |        |
|          | 2    | B     | <i>Kinixys belliana</i>      | live | 280      |      | DE       | TG       | T      | W       |        |
|          | 2    | B     | <i>Kinixys belliana</i>      | live | 20       |      | DK       | ZM       | T      | W       |        |
|          | 2    | B     | <i>Kinixys belliana</i>      | live | 25       |      | ES       | CM       | T      | W       |        |
|          | 2    | B     | <i>Kinixys belliana</i>      | live | 35       |      | ES       | GH       | T      | W       |        |
|          | 2    | B     | <i>Kinixys belliana</i>      | live | 150      |      | ES       | TG       | T      | R       |        |
|          | 2    | B     | <i>Kinixys belliana</i>      | live | 525      |      | ES       | TG       | T      | W       |        |
|          | 2    | B     | <i>Kinixys belliana</i>      | live | 50       |      | ES       | ZM       | T      | W       |        |
|          | 2    | B     | <i>Kinixys belliana</i>      | live | 250      |      | FR       | BJ       | BF     | T       | W      |
|          | 2    | B     | <i>Kinixys belliana</i>      | live | 500      |      | FR       | BJ       | ML     | T       | W      |
|          | 2    | B     | <i>Kinixys belliana</i>      | live | 200      |      | FR       | MZ       | T      | W       |        |
|          | 2    | B     | <i>Kinixys belliana</i>      | live | 150      |      | FR       | TG       | T      | R       |        |
|          | 2    | B     | <i>Kinixys belliana</i>      | live | 6        |      | FR       | US       | MZ     | T       | W      |
|          | 2    | B     | <i>Kinixys belliana</i>      | live | 2        |      | GB       | CI       | I      | I       |        |
|          | 2    | B     | <i>Kinixys belliana</i>      | live | 13       |      | GB       | GH       | T      | W       |        |
|          | 2    | B     | <i>Kinixys belliana</i>      | live | 200      |      | GB       | ZM       | T      | W       |        |
|          | 2    | B     | <i>Kinixys belliana</i>      | live | 100      |      | IT       | ML       | T      | W       |        |
|          | 2    | B     | <i>Kinixys belliana</i>      | live | 25       |      | NL       | TG       | T      | R       |        |
|          | 2    | B     | <i>Kinixys belliana</i>      | live | 34       |      | NL       | TG       | T      | W       |        |
|          | 2    | B     | <i>Kinixys belliana</i>      | live | 200      |      | NL       | ZM       | T      | W       |        |
|          | 2    | B     | <i>Kinixys erosia</i>        | live | 5        |      | AT       | TG       | T      | R       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                         | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Kinixys erosa</i>          | live | 3        |      | BE       | TG       |        | T       | R      |
|          | 2    | B     | <i>Kinixys erosa</i>          | live | 10       |      | DE       | TG       |        | T       | W      |
|          | 2    | B     | <i>Kinixys erosa</i>          | live | 5        |      | FR       | GH       |        | T       | W      |
|          | 2    | B     | <i>Kinixys erosa</i>          | live | 30       |      | GB       | GH       |        | T       | W      |
|          | 2    | B     | <i>Kinixys homeana</i>        | live | 91       |      | BE       | TG       |        | T       | R      |
|          | 2    | B     | <i>Kinixys homeana</i>        | live | 200      |      | DE       | CM       |        | T       | W      |
|          | 2    | B     | <i>Kinixys homeana</i>        | live | 60       |      | DE       | GH       |        | T       | W      |
|          | 2    | B     | <i>Kinixys homeana</i>        | live | 50       |      | DE       | TG       |        | T       | W      |
|          | 2    | B     | <i>Kinixys homeana</i>        | live | 3        |      | ES       | GA       | XX     | I       |        |
|          | 2    | B     | <i>Kinixys homeana</i>        | live | 80       |      | ES       | GH       |        | T       | W      |
|          | 2    | B     | <i>Kinixys homeana</i>        | live | 100      |      | ES       | TG       |        | T       | R      |
|          | 2    | B     | <i>Kinixys homeana</i>        | live | 184      |      | ES       | TG       |        | T       | W      |
|          | 2    | B     | <i>Kinixys homeana</i>        | live | 20       |      | FR       | GH       |        | T       | W      |
|          | 2    | B     | <i>Kinixys homeana</i>        | live | 20       |      | FR       | TG       |        | T       | R      |
|          | 2    | B     | <i>Kinixys homeana</i>        | live | 150      |      | FR       | TG       |        | T       | W      |
|          | 2    | B     | <i>Kinixys homeana</i>        | live | 79       |      | GB       | GH       |        | T       | W      |
|          | 2    | B     | <i>Kinixys homeana</i>        | live | 25       |      | NL       | TG       |        | T       | R      |
|          | 2    | B     | <i>Kinixys homeana</i>        | live | 50       |      | NL       | TG       |        | T       | W      |
|          | 2    | A     | <i>Malacochersus tornieri</i> | live | 40       |      | GB       | XX       |        | I       |        |
|          | 2    | B     | <i>Manouria emys</i>          | live | 12       |      | FR       | ID       |        | T       | W      |
|          | 2    | B     | <i>Pyxis arachnoides</i>      | live | 1        |      | NL       | ZA       |        | I       |        |
|          | 2    | B     | <i>Testudo spp.</i>           | live | 1        |      | GB       | XX       |        | I       |        |
|          | 2    | A     | <i>Testudo graeca</i>         | live | 3        |      | AT       | HU       |        | I       |        |
|          | 2    | A     | <i>Testudo graeca</i>         | live | 2        |      | DE       | CH       |        | P       | C      |
|          | 2    | A     | <i>Testudo graeca</i>         | live | 650      |      | DE       | LB       |        | T       | C      |
|          | 2    | A     | <i>Testudo graeca</i>         | live | 5        |      | ES       | DZ       | XX     | I       |        |
|          | 2    | A     | <i>Testudo graeca</i>         | live | 17       |      | ES       | MA       | XX     | I       |        |
|          | 2    | A     | <i>Testudo graeca</i>         | live | 2        |      | GB       | BH       |        | P       | F      |
|          | 2    | A     | <i>Testudo graeca</i>         | live | 9        |      | GB       | LB       |        | I       |        |
|          | 2    | A     | <i>Testudo graeca</i>         | live | 2        |      | GB       | MA       |        | I       |        |
|          | 2    | A     | <i>Testudo graeca</i>         | live | 3        |      | GB       | XX       |        | I       |        |
|          | 2    | A     | <i>Testudo graeca</i>         | live | 1        |      | NL       | EG       |        | I       |        |
|          | 2    | A     | <i>Testudo graeca</i>         | live | 3        |      | NL       | MA       |        | I       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                      | Term   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------|--------|----------|------|----------|----------|--------|---------|--------|
| 1        | 2    | A     | <i>Testudo hermanni</i>    | live   | 5        |      | DE       | CH       |        | P       | C      |
| 1        | 2    | A     | <i>Testudo hermanni</i>    | live   | 100      |      | DE       | SI       |        | T       | C      |
| 1        | 2    | A     | <i>Testudo hermanni</i>    | live   | 2        |      | DK       | NO       | XX     | P       | O      |
| 1        | 2    | A     | <i>Testudo hermanni</i>    | live   | 1        |      | DK       | YU       |        | P       | I      |
| 1        | 2    | A     | <i>Testudo hermanni</i>    | live   | 2        |      | GB       | CZ       |        | P       | F      |
| 1        | 2    | A     | <i>Testudo hermanni</i>    | live   | 12       |      | GB       | XX       |        | P       | F      |
| 1        | 2    | A     | <i>Testudo hermanni</i>    | live   | 2        |      | IE       | CY       |        | P       | F      |
| 1        | 2    | A     | <i>Testudo hermanni</i>    | shells | 1        |      | GB       | MA       |        |         | I      |
| 1        | 2    | B     | <i>Testudo horsfieldii</i> | live   | 100      |      | AT       | UA       | TJ     | T       | W      |
| 1        | 2    | B     | <i>Testudo horsfieldii</i> | live   | 700      |      | BE       | RU       | TJ     | T       | W      |
| 1        | 2    | B     | <i>Testudo horsfieldii</i> | live   | 400      |      | BE       | RU       | UZ     | T       | W      |
| 1        | 2    | B     | <i>Testudo horsfieldii</i> | live   | 1        |      | DE       | CZ       | UZ     | P       | W      |
| 1        | 2    | B     | <i>Testudo horsfieldii</i> | live   | 400      |      | DE       | RU       | TJ     | T       | W      |
| 1        | 2    | B     | <i>Testudo horsfieldii</i> | live   | 1000     |      | DE       | UZ       |        | T       | W      |
| 1        | 2    | B     | <i>Testudo horsfieldii</i> | live   | 1        |      | DK       | CH       | DK     | P       | O      |
| 1        | 2    | B     | <i>Testudo horsfieldii</i> | live   | 1900     |      | ES       | RU       | TJ     | T       | W      |
| 1        | 2    | B     | <i>Testudo horsfieldii</i> | live   | 400      |      | FR       | RU       | TJ     | T       | W      |
| 1        | 2    | B     | <i>Testudo horsfieldii</i> | live   | 3000     |      | FR       | UZ       |        | T       | W      |
| 1        | 2    | B     | <i>Testudo horsfieldii</i> | live   | 16       |      | GB       | RU       | TJ     | T       | W      |
| 1        | 2    | B     | <i>Testudo horsfieldii</i> | live   | 730      |      | GB       | UA       | TJ     | T       | W      |
| 1        | 2    | B     | <i>Testudo horsfieldii</i> | live   | 200      |      | GB       | US       | UZ     | T       | W      |
| 1        | 2    | B     | <i>Testudo horsfieldii</i> | live   | 15       |      | GB       | UZ       |        |         | I      |
| 1        | 2    | B     | <i>Testudo horsfieldii</i> | live   | 2462     |      | GB       | UZ       |        | T       | W      |
| 1        | 2    | A     | <i>Testudo marginata</i>   | live   | 6        |      | DE       | CH       |        | P       | C      |
| 1        | 2    | A     | <i>Testudo marginata</i>   | live   | 3        |      | GB       | XX       |        |         | I      |
| 1        | 2    | B     | <i>Podocnemis spp.</i>     | live   | 29       |      | GB       | GY       |        |         | I      |
| 1        | 2    | B     | <i>Podocnemis expansa</i>  | scales | 4        |      | DE       | VE       | XX     | Q       | W      |
| 1        | 2    | B     | <i>Podocnemis unifilis</i> | live   | 8        |      | ES       | SR       |        | T       | W      |
| 1        | 2    | B     | <i>Crocodylia spp.</i>     | bodies | 1        |      | ES       | US       | XX     |         | I      |
| 1        | 2    | B     | <i>Crocodylia spp.</i>     | bodies | 2        |      | NL       | AN       |        |         | I      |
| 1        | 2    | B     | <i>Crocodylia spp.</i>     | bodies | 1        |      | NL       | GM       |        |         | I      |
| 1        | 2    | B     | <i>Crocodylia spp.</i>     | bodies | 1        |      | NL       | GT       |        |         | I      |
| 1        | 2    | B     | <i>Crocodylia spp.</i>     | bodies | 1        |      | NL       | NE       |        |         | I      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex                      | Taxon | Term                   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|----------------------------|-------|------------------------|----------|------|----------|----------|--------|---------|--------|
| 2        | B    | Crocodylia spp.            |       | bodies                 | 10       |      | NL       | US       |        |         |        |
| 2        | B    | Crocodylia spp.            |       | bones                  | 1        |      | NL       | ZW       |        |         |        |
| 2        | B    | Crocodylia spp.            |       | small leather products | 2        |      | NL       | CH       |        |         |        |
| 2        | B    | Crocodylia spp.            |       | small leather products | 1        |      | NL       | LA       |        |         |        |
| 2        | B    | Crocodylia spp.            |       | small leather products | 1        |      | NL       | LK       |        |         |        |
| 2        | B    | Crocodylia spp.            |       | small leather products | 1        |      | NL       | NE       |        |         |        |
| 2        | B    | Crocodylia spp.            |       | small leather products | 1        |      | NL       | NG       |        |         |        |
| 2        | B    | Crocodylia spp.            |       | small leather products | 2        |      | NL       | TH       |        |         |        |
| 2        | B    | Crocodylia spp.            |       | small leather products | 3        |      | NL       | TW       |        |         |        |
| 2        | B    | Crocodylia spp.            |       | small leather products | 19       |      | NL       | US       |        |         |        |
| 2        | B    | Crocodylia spp.            |       | small leather products | 4        |      | NL       | ZA       |        |         |        |
| 2        | B    | Crocodylia spp.            |       | meat                   | 4 kg     |      | NL       | HK       |        |         |        |
| 2        | B    | Crocodylia spp.            |       | meat                   | 1        |      | NL       | ZA       |        |         |        |
| 2        | B    | Crocodylia spp.            |       | skins                  | 1        |      | NL       | SR       |        |         |        |
| 2        | B    | Crocodylia spp.            |       | skulls                 | 2        |      | NL       | PG       |        |         |        |
| 2        | B    | Crocodylia spp.            |       | skulls                 | 1        |      | NL       | ZA       |        |         |        |
| 2        | B    | Crocodylia spp.            |       | teeth                  | 15       |      | DK       | VE       |        | P       |        |
| 2        | B    | Crocodylia spp.            |       | unspecified            | 1        |      | NL       | ID       |        |         |        |
| 2        | B    | Crocodylia spp.            |       | unspecified            | 2        |      | NL       | MX       |        |         |        |
| 2        | B    | Crocodylia spp.            |       | unspecified            | 7        |      | NL       | SR       |        |         |        |
| 2        | B    | Alligator spp.             |       | bodies                 | 4        |      | GB       | XX       |        |         |        |
| 2        | B    | Alligator spp.             |       | heads                  | 6        |      | GB       | US       |        |         |        |
| 2        | B    | Alligator spp.             |       | heads                  | 2        |      | GB       | XX       |        |         |        |
| 2        | B    | Alligator spp.             |       | small leather products | 67       |      | GB       | CH       |        |         |        |
| 2        | B    | Alligator spp.             |       | small leather products | 19       |      | GB       | XX       |        |         |        |
| 2        | B    | Alligator mississippiensis |       | carvings               | 389      |      | ES       | US       |        | T       | W      |
| 2        | B    | Alligator mississippiensis |       | carvings               | 397      |      | ES       | US       |        | T       | C      |
| 2        | B    | Alligator mississippiensis |       | heads                  | 4        |      | GB       | US       |        |         |        |
| 2        | B    | Alligator mississippiensis |       | live                   | 5        |      | GB       | CH       | US     | T       | C      |
| 2        | B    | Alligator mississippiensis |       | large leather products | 10       |      | BE       | US       |        | T       | C      |
| 2        | B    | Alligator mississippiensis |       | large leather products | 1        |      | DE       | US       |        | P       | C      |
| 2        | B    | Alligator mississippiensis |       | large leather products | 1        |      | DE       | US       |        | P       | W      |
| 2        | B    | Alligator mississippiensis |       | large leather products | 1 pairs  |      | DE       | US       |        | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                      | Term                   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------|------------------------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | Alligator mississippiensis | large leather products | 36       |      | FR       | US       |        | T       | C      |
|          | 2    | B     | Alligator mississippiensis | large leather products | 4        |      | IT       | US       |        | T       | W      |
|          | 2    | B     | Alligator mississippiensis | small leather products | 1        |      | DE       | US       |        | P       | C      |
|          | 2    | B     | Alligator mississippiensis | small leather products | 1        |      | DE       | US       |        | P       | W      |
|          | 2    | B     | Alligator mississippiensis | small leather products | 10       |      | DE       | US       |        | T       | W      |
|          | 2    | B     | Alligator mississippiensis | small leather products | 47       |      | DE       | US       |        | T       | C      |
|          | 2    | B     | Alligator mississippiensis | small leather products | 150011   |      | ES       | US       |        | T       | W      |
|          | 2    | B     | Alligator mississippiensis | small leather products | 14       |      | FR       | US       |        | T       | W      |
|          | 2    | B     | Alligator mississippiensis | small leather products | 2259     |      | FR       | US       |        | T       | C      |
|          | 2    | B     | Alligator mississippiensis | small leather products | 81       |      | GB       | CH       |        | I       |        |
|          | 2    | B     | Alligator mississippiensis | small leather products | 6        |      | GB       | US       |        | T       | W      |
|          | 2    | B     | Alligator mississippiensis | small leather products | 26       |      | GB       | US       |        | T       | C      |
|          | 2    | B     | Alligator mississippiensis | small leather products | 62       |      | IT       | US       |        | T       | W      |
|          | 2    | B     | Alligator mississippiensis | small leather products | 98       |      | IT       | US       |        | T       | C      |
|          | 2    | B     | Alligator mississippiensis | meat                   | 2267     | kg   | GB       | US       |        | T       | C      |
|          | 2    | B     | Alligator mississippiensis | shoes                  | 12       |      | IT       | US       |        | T       | W      |
|          | 2    | B     | Alligator mississippiensis | shoes                  | 13       |      | IT       | US       |        | T       | C      |
|          | 2    | B     | Alligator mississippiensis | skins                  | 1140     |      | AT       | CH       | US     | T       | C      |
|          | 2    | B     | Alligator mississippiensis | skins                  | 210      |      | AT       | SG       | US     | T       | C      |
|          | 2    | B     | Alligator mississippiensis | skins                  | 272      |      | DE       | CH       | US     | T       | C      |
|          | 2    | B     | Alligator mississippiensis | skins                  | 40 sides |      | DE       | CH       | US     | T       | C      |
|          | 2    | B     | Alligator mississippiensis | skins                  | 10       |      | DE       | SG       | US     | T       | W      |
|          | 2    | B     | Alligator mississippiensis | skins                  | 299      |      | DE       | SG       | US     | T       | C      |
|          | 2    | B     | Alligator mississippiensis | skins                  | 1        |      | ES       | PA       | US     | T       | C      |
|          | 2    | B     | Alligator mississippiensis | skins                  | 975      |      | FR       | CH       | US     | T       | R      |
|          | 2    | B     | Alligator mississippiensis | skins                  | 3691     |      | FR       | CH       | US     | T       | C      |
|          | 2    | B     | Alligator mississippiensis | skins                  | 2        |      | FR       | HK       | US     | T       | C      |
|          | 2    | B     | Alligator mississippiensis | skins                  | 10       |      | FR       | HK       | US     | T       | W      |
|          | 2    | B     | Alligator mississippiensis | skins                  | 401      |      | FR       | IL       | US     | T       | C      |
|          | 2    | B     | Alligator mississippiensis | skins                  | 736      |      | FR       | MU       | US     | T       | C      |
|          | 2    | B     | Alligator mississippiensis | skins                  | 23       |      | FR       | SG       | US     | T       | F      |
|          | 2    | B     | Alligator mississippiensis | skins                  | 1835     |      | FR       | SG       | US     | T       | W      |
|          | 2    | B     | Alligator mississippiensis | skins                  | 5506     |      | FR       | SG       | US     | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                      | Term                   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------|------------------------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | Alligator mississippiensis | skins                  | 5000     |      | FR       | US       |        | T       | F      |
|          | 2    | B     | Alligator mississippiensis | skins                  | 5269     |      | FR       | US       |        | T       | R      |
|          | 2    | B     | Alligator mississippiensis | skins                  | 24240    |      | FR       | US       |        | T       | W      |
|          | 2    | B     | Alligator mississippiensis | skins                  | 112878   |      | FR       | US       |        | T       | C      |
|          | 2    | B     | Alligator mississippiensis | skins                  | 158      |      | IT       | CH       | US     | T       | W      |
|          | 2    | B     | Alligator mississippiensis | skins                  | 331      |      | IT       | CH       | US     | T       | C      |
|          | 2    | B     | Alligator mississippiensis | skins                  | 500      |      | IT       | PA       | US     | T       | C      |
|          | 2    | B     | Alligator mississippiensis | skins                  | 542      |      | IT       | PA       | US     | T       | W      |
|          | 2    | B     | Alligator mississippiensis | skins                  | 25       |      | IT       | US       |        | T       | R      |
|          | 2    | B     | Alligator mississippiensis | skins                  | 6509     |      | IT       | US       |        | T       | W      |
|          | 2    | B     | Alligator mississippiensis | skins                  | 23899    |      | IT       | US       |        | T       | C      |
|          | 2    | B     | Alligator mississippiensis | skin pieces            | 300000   |      | ES       | US       |        | T       | W      |
|          | 2    | B     | Alligator mississippiensis | skin pieces            | 6        |      | FR       | CH       | US     | T       | C      |
|          | 2    | B     | Alligator mississippiensis | skin pieces            | 46       |      | IT       | US       |        | T       | W      |
|          | 2    | B     | Alligator mississippiensis | skulls                 | 5        |      | AT       | US       |        | I       |        |
|          | 2    | B     | Alligator mississippiensis | skulls                 | 1        |      | DE       | US       |        | P       | C      |
|          | 2    | B     | Alligator mississippiensis | skulls                 | 1        |      | DE       | US       |        | P       | W      |
|          | 2    | B     | Alligator mississippiensis | skulls                 | 5        |      | DE       | US       |        | P       | U      |
|          | 2    | B     | Alligator mississippiensis | skulls                 | 1        |      | GB       | US       |        | P       | W      |
|          | 2    | B     | Alligator mississippiensis | trophies               | 3        |      | DE       | US       |        | P       | U      |
|          | 2    | B     | Caiman spp.                | bodies                 | 5        |      | GB       | XX       |        | I       |        |
|          | 2    | B     | Caiman spp.                | heads                  | 1        |      | GB       | US       |        | I       |        |
|          | 2    | B     | Caiman spp.                | small leather products | 29       |      | GB       | CH       |        | I       |        |
|          | 2    | B     | Caiman crocodilus          | bodies                 | 1        |      | ES       | GT       | XX     | I       |        |
|          | 2    | B     | Caiman crocodilus          | bodies                 | 1        |      | ES       | PY       | XX     | I       |        |
|          | 2    | B     | Caiman crocodilus          | live                   | 59       |      | BE       | SR       |        | T       | W      |
|          | 2    | B     | Caiman crocodilus          | live                   | 68       |      | ES       | SR       |        | T       | W      |
|          | 2    | B     | Caiman crocodilus          | live                   | 275      |      | ES       | VE       |        | T       | C      |
|          | 2    | B     | Caiman crocodilus          | live                   | 1        |      | FR       | CA       |        | Z       | C      |
|          | 2    | B     | Caiman crocodilus          | live                   | 10       |      | FR       | SR       |        | T       | W      |
|          | 2    | B     | Caiman crocodilus          | live                   | 42       |      | NL       | PE       |        | I       |        |
|          | 2    | B     | Caiman crocodilus          | live                   | 45       |      | NL       | SR       |        | T       | W      |
|          | 2    | B     | Caiman crocodilus          | small leather products | 76       |      | GB       | CH       |        | I       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                        | Term        | Quantity | Unit  | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|-------------|----------|-------|----------|----------|--------|---------|--------|
|          | 2    | B     | Caiman crocodilus            | skins       | 596      | sides | IT       | VE       |        | T       | W      |
|          | 2    | B     | Caiman crocodilus            | skin pieces | 1        |       | NL       | CO       |        | I       |        |
|          | 2    | B     | Caiman crocodilus            | teeth       | 1        |       | DE       | VE       | XX     | Q       | W      |
|          | 2    | B     | Caiman crocodilus            | trophies    | 1        |       | DE       | US       | NI     | P       | W      |
|          | 2    | B     | Caiman crocodilus            | unspecified | 2        |       | NL       | US       |        | I       |        |
|          | 2    | B     | Caiman crocodilus crocodilus | live        | 50       |       | DE       | US       | VE     | T       | R      |
|          | 2    | B     | Caiman crocodilus crocodilus | live        | 50       |       | ES       | SR       |        | T       | W      |
|          | 2    | B     | Caiman crocodilus crocodilus | live        | 100      |       | ES       | US       | GY     | T       | W      |
|          | 2    | B     | Caiman crocodilus crocodilus | live        | 100      |       | ES       | US       | VE     | T       | R      |
|          | 2    | B     | Caiman crocodilus crocodilus | live        | 215      |       | ES       | VE       |        | T       | R      |
|          | 2    | B     | Caiman crocodilus crocodilus | live        | 25       |       | FR       | SR       |        | T       | W      |
|          | 2    | B     | Caiman crocodilus crocodilus | live        | 12       |       | FR       | US       | GY     | T       | W      |
|          | 2    | B     | Caiman crocodilus crocodilus | live        | 100      |       | GB       | GY       |        | T       | W      |
|          | 2    | B     | Caiman crocodilus crocodilus | live        | 102      |       | NL       | SR       |        | T       | W      |
|          | 2    | B     | Caiman crocodilus crocodilus | live        | 120      |       | NL       | US       | GY     | T       | W      |
|          | 2    | B     | Caiman crocodilus crocodilus | skins       | 1623     |       | BE       | CH       | AR     | T       | I      |
|          | 2    | B     | Caiman crocodilus crocodilus | skins       | 3967     | sides | BE       | CH       | AR     | T       | I      |
|          | 2    | B     | Caiman crocodilus crocodilus | skins       | 15634    | sides | DE       | VE       |        | T       | W      |
|          | 2    | B     | Caiman crocodilus crocodilus | skins       | 10       | sides | ES       | HK       | CO     | T       | C      |
|          | 2    | B     | Caiman crocodilus crocodilus | skins       | 12       |       | ES       | US       | CO     | T       | C      |
|          | 2    | B     | Caiman crocodilus crocodilus | skins       | 650      |       | ES       | VE       |        | T       | W      |
|          | 2    | B     | Caiman crocodilus crocodilus | skins       | 100      | kg    | ES       | VE       |        | T       | W      |
|          | 2    | B     | Caiman crocodilus crocodilus | skins       | 13460    | sides | ES       | VE       |        | T       | W      |
|          | 2    | B     | Caiman crocodilus crocodilus | skins       | 653      | sides | FR       | VE       |        | T       | W      |
|          | 2    | B     | Caiman crocodilus crocodilus | skins       | 3000     | sides | IT       | CH       | CO     | T       | C      |
|          | 2    | B     | Caiman crocodilus crocodilus | skins       | 3072     | sides | IT       | PA       | VE     | T       | W      |
|          | 2    | B     | Caiman crocodilus crocodilus | skins       | 2        | sides | IT       | US       | VE     | T       | W      |
|          | 2    | B     | Caiman crocodilus crocodilus | skins       | 1214     | sides | IT       | VE       |        | T       | C      |
|          | 2    | B     | Caiman crocodilus crocodilus | skins       | 18139    | sides | IT       | VE       |        | T       | W      |
|          | 2    | B     | Caiman crocodilus crocodilus | skin pieces | 200      | kg    | ES       | VE       |        | T       | W      |
|          | 2    | B     | Caiman crocodilus crocodilus | skin pieces | 52       |       | FR       | PA       | VE     | T       | W      |
|          | 2    | B     | Caiman crocodilus crocodilus | skin pieces | 150      |       | IT       | US       | VE     | T       | W      |
|          | 2    | B     | Caiman crocodilus crocodilus | tails       | 2100     |       | IT       | VE       |        | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                    | Term                   | Quantity    | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------|------------------------|-------------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | Caiman crocodilus fuscus | bodies                 | 1           |      | ES       | NI       |        | T       | W      |
|          | 2    | B     | Caiman crocodilus fuscus | live                   | 2           |      | DE       | CZ       |        | T       | F      |
|          | 2    | B     | Caiman crocodilus fuscus | live                   | 2           |      | GB       | CH       | CO     | T       | C      |
|          | 2    | B     | Caiman crocodilus fuscus | live                   | 100         |      | NL       | CH       | CO     | T       | C      |
|          | 2    | B     | Caiman crocodilus fuscus | small leather products | 626         |      | ES       | NI       |        | T       | W      |
|          | 2    | B     | Caiman crocodilus fuscus | small leather products | 17          |      | GB       | CH       |        | I       |        |
|          | 2    | B     | Caiman crocodilus fuscus | small leather products | 2800        |      | IT       | NI       |        | T       | W      |
|          | 2    | B     | Caiman crocodilus fuscus | skins                  | 269 sides   |      | DE       | CH       | CO     | T       | C      |
|          | 2    | B     | Caiman crocodilus fuscus | skins                  | 300         |      | DE       | CO       |        | T       | C      |
|          | 2    | B     | Caiman crocodilus fuscus | skins                  | 32200 sides |      | DE       | CO       |        | T       | C      |
|          | 2    | B     | Caiman crocodilus fuscus | skins                  | 1000 sides  |      | DE       | PA       | CO     | T       | C      |
|          | 2    | B     | Caiman crocodilus fuscus | skins                  | 8           |      | DE       | SG       | CO     | T       | C      |
|          | 2    | B     | Caiman crocodilus fuscus | skins                  | 1           |      | DE       | ZA       | CO     | P       | C      |
|          | 2    | B     | Caiman crocodilus fuscus | skins                  | 3250        |      | ES       | CO       |        | T       | C      |
|          | 2    | B     | Caiman crocodilus fuscus | skins                  | 3000 sides  |      | ES       | CO       |        | T       | C      |
|          | 2    | B     | Caiman crocodilus fuscus | skins                  | 936         |      | ES       | PA       | CO     | T       | C      |
|          | 2    | B     | Caiman crocodilus fuscus | skins                  | 17          |      | FR       | CH       | CO     | T       | C      |
|          | 2    | B     | Caiman crocodilus fuscus | skins                  | 49          |      | FR       | CH       | CO     | T       | W      |
|          | 2    | B     | Caiman crocodilus fuscus | skins                  | 26266 sides |      | FR       | CH       | CO     | T       | C      |
|          | 2    | B     | Caiman crocodilus fuscus | skins                  | 220 sides   |      | FR       | CH       | NI     | T       | W      |
|          | 2    | B     | Caiman crocodilus fuscus | skins                  | 8 sides     |      | FR       | CH       | VE     | T       | W      |
|          | 2    | B     | Caiman crocodilus fuscus | skins                  | 16800       |      | FR       | CO       |        | T       | C      |
|          | 2    | B     | Caiman crocodilus fuscus | skins                  | 38280 sides |      | FR       | CO       |        | T       | C      |
|          | 2    | B     | Caiman crocodilus fuscus | skins                  | 3           |      | FR       | MU       | CO     | T       | C      |
|          | 2    | B     | Caiman crocodilus fuscus | skins                  | 17 sides    |      | FR       | MU       | CO     | T       | C      |
|          | 2    | B     | Caiman crocodilus fuscus | skins                  | 5444 sides  |      | FR       | PA       |        | T       | C      |
|          | 2    | B     | Caiman crocodilus fuscus | skins                  | 1100 sides  |      | FR       | PA       | CO     | T       | C      |
|          | 2    | B     | Caiman crocodilus fuscus | skins                  | 681         |      | FR       | SG       | CO     | T       | C      |
|          | 2    | B     | Caiman crocodilus fuscus | skins                  | 306         |      | FR       | SG       | VE     | T       | W      |
|          | 2    | B     | Caiman crocodilus fuscus | skins                  | 5825        |      | FR       | US       | CO     | T       | C      |
|          | 2    | B     | Caiman crocodilus fuscus | skins                  | 15400 sides |      | IT       | CH       | CO     | T       | C      |
|          | 2    | B     | Caiman crocodilus fuscus | skins                  | 600         |      | IT       | CO       |        | T       | C      |
|          | 2    | B     | Caiman crocodilus fuscus | skins                  | 2500 sides  |      | IT       | CO       | B      | C       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                    | Term        | Quantity | Unit  | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------|-------------|----------|-------|----------|----------|--------|---------|--------|
|          | 2    | B     | Caiman crocodilus fuscus | skins       | 107550   | sides | IT       | CO       |        | T       | C      |
|          | 2    | B     | Caiman crocodilus fuscus | skins       | 4        |       | IT       | MX       | CO     | T       | C      |
|          | 2    | B     | Caiman crocodilus fuscus | skins       | 500      |       | IT       | NI       |        | T       | W      |
|          | 2    | B     | Caiman crocodilus fuscus | skins       | 1500     |       | IT       | PA       | CO     | T       | W      |
|          | 2    | B     | Caiman crocodilus fuscus | skins       | 7441     |       | IT       | PA       | CO     | T       | C      |
|          | 2    | B     | Caiman crocodilus fuscus | skins       | 4700     | sides | IT       | PA       | CO     | T       | C      |
|          | 2    | B     | Caiman crocodilus fuscus | skins       | 1000     |       | IT       | SG       | CO     | T       | C      |
|          | 2    | B     | Caiman crocodilus fuscus | skins       | 3405     |       | IT       | US       | CO     | T       | C      |
|          | 2    | B     | Caiman crocodilus fuscus | skins       | 2        | sides | IT       | US       | CO     | T       | W      |
|          | 2    | B     | Caiman crocodilus fuscus | skin pieces | 154      |       | DE       | PA       | CO     | T       | C      |
|          | 2    | B     | Caiman crocodilus fuscus | skin pieces | 3149     |       | ES       | PA       | CO     | T       | C      |
|          | 2    | B     | Caiman crocodilus fuscus | skin pieces | 2065     | pairs | ES       | PA       | CO     | T       | C      |
|          | 2    | B     | Caiman crocodilus fuscus | skin pieces | 2722     |       | FR       | US       | CO     | T       | C      |
|          | 2    | B     | Caiman crocodilus fuscus | skin pieces | 5000     |       | IT       | CO       |        | T       | C      |
|          | 2    | B     | Caiman crocodilus fuscus | skin pieces | 500      |       | IT       | PA       |        | T       | C      |
|          | 2    | B     | Caiman crocodilus fuscus | skin pieces | 3500     |       | IT       | PA       | CO     | T       | C      |
|          | 2    | B     | Caiman crocodilus fuscus | skin pieces | 224910   |       | IT       | US       | CO     | T       | C      |
|          | 2    | B     | Caiman crocodilus fuscus | tails       | 8600     |       | DE       | CO       |        | T       | C      |
|          | 2    | B     | Caiman crocodilus fuscus | tails       | 500      |       | DE       | PA       | CO     | T       | C      |
|          | 2    | B     | Caiman crocodilus fuscus | tails       | 2000     |       | ES       | SG       | CO     | T       | C      |
|          | 2    | B     | Caiman crocodilus fuscus | tails       | 11500    |       | FR       | CO       |        | T       | C      |
|          | 2    | B     | Caiman crocodilus fuscus | tails       | 2000     |       | IT       | CH       | CO     | T       | C      |
|          | 2    | B     | Caiman crocodilus fuscus | tails       | 500      |       | IT       | CO       |        | T       | W      |
|          | 2    | B     | Caiman crocodilus fuscus | tails       | 33881    |       | IT       | CO       |        | T       | C      |
|          | 2    | B     | Caiman crocodilus fuscus | tails       | 1179     |       | IT       | PA       | CO     | T       | C      |
|          | 2    | B     | Caiman crocodilus fuscus | tails       | 50       |       | IT       | US       | CO     | T       | W      |
|          | 2    | B     | Caiman crocodilus fuscus | tails       | 1980     |       | IT       | US       | CO     | T       | C      |
|          | 2    | B     | Caiman yacare            | skins       | 240      |       | ES       | BR       |        | T       | C      |
|          | 2    | B     | Caiman yacare            | skins       | 8690     | sides | ES       | PY       |        | T       | W      |
|          | 2    | B     | Caiman yacare            | skins       | 3514     | sides | IT       | BO       |        | T       | W      |
|          | 2    | B     | Caiman yacare            | skins       | 2        |       | IT       | BR       |        | P       | C      |
|          | 2    | B     | Caiman yacare            | skin pieces | 200      | kg    | ES       | PY       |        | T       | W      |
|          | 2    | B     | Caiman yacare            | skulls      | 1        |       | ES       | BR       | XX     | I       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex                   | Taxon | Term                   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------------------------|-------|------------------------|----------|------|----------|----------|--------|---------|--------|
| 2        | B    | Paleosuchus palpebrosus |       | live                   | 2        |      | DK       | US       | GY     | T       | W      |
| 2        | B    | Paleosuchus palpebrosus |       | live                   | 22       |      | GB       | GY       | T      |         | W      |
| 2        | B    | Crocodylidae spp.       |       | bodies                 | 5        |      | PT       | XX       |        |         |        |
| 2        | B    | Crocodylidae spp.       |       | large leather products | 2        |      | PT       | AO       |        |         |        |
| 2        | B    | Crocodylidae spp.       |       | small leather products | 1        |      | DK       | BJ       |        | P       |        |
| 2        | B    | Crocodylidae spp.       |       | small leather products | 1        |      | DK       | US       |        | P       |        |
| 2        | B    | Crocodylidae spp.       |       | skins                  | 1        |      | PT       | AO       |        |         |        |
| 2        | B    | Crocodylidae spp.       |       | skins                  | 2        |      | PT       | XX       |        |         |        |
| 2        | B    | Crocodylidae spp.       |       | skulls                 | 1        |      | DK       | MZ       |        | P       |        |
| 2        | B    | Crocodylidae spp.       |       | teeth                  | 6 kg     |      | DK       | ID       | T      |         |        |
| 2        | B    | Crocodylus spp.         |       | bodies                 | 2        |      | GB       | NG       |        |         |        |
| 2        | B    | Crocodylus spp.         |       | bodies                 | 2        |      | GB       | XX       |        |         |        |
| 2        | B    | Crocodylus spp.         |       | claws                  | 1        |      | GB       | ZW       |        |         |        |
| 2        | B    | Crocodylus spp.         |       | feet                   | 3        |      | GB       | AU       |        |         |        |
| 2        | B    | Crocodylus spp.         |       | heads                  | 1        |      | GB       | AU       |        |         |        |
| 2        | B    | Crocodylus spp.         |       | heads                  | 3        |      | GB       | XX       |        |         |        |
| 2        | B    | Crocodylus spp.         |       | heads                  | 2        |      | GB       | ZA       |        |         |        |
| 2        | B    | Crocodylus spp.         |       | small leather products | 1        |      | GB       | BH       |        |         |        |
| 2        | B    | Crocodylus spp.         |       | small leather products | 55       |      | GB       | CH       |        |         |        |
| 2        | B    | Crocodylus spp.         |       | small leather products | 6        |      | GB       | EC       |        |         |        |
| 2        | B    | Crocodylus spp.         |       | small leather products | 1        |      | GB       | ID       |        |         |        |
| 2        | B    | Crocodylus spp.         |       | small leather products | 3        |      | GB       | TH       |        |         |        |
| 2        | B    | Crocodylus spp.         |       | small leather products | 1        |      | GB       | TZ       |        |         |        |
| 2        | B    | Crocodylus spp.         |       | small leather products | 4        |      | GB       | US       |        |         |        |
| 2        | B    | Crocodylus spp.         |       | small leather products | 20       |      | GB       | XX       |        |         |        |
| 2        | B    | Crocodylus spp.         |       | small leather products | 3        |      | GB       | ZW       |        |         |        |
| 2        | B    | Crocodylus spp.         |       | skins                  | 15       |      | GB       | CO       |        |         |        |
| 2        | B    | Crocodylus spp.         |       | skins                  | 6        |      | GB       | NG       |        |         |        |
| 2        | B    | Crocodylus spp.         |       | skins                  | 1        |      | GB       | XX       |        |         |        |
| 2        | B    | Crocodylus spp.         |       | skulls                 | 1        |      | GB       | KE       |        |         |        |
| 2        | B    | Crocodylus spp.         |       | skulls                 | 1        |      | GB       | ZW       |        |         |        |
| 2        | B    | Crocodylus johnsoni     |       | bodies                 | 1        |      | DE       | AU       | T      | C       |        |
| 2        | B    | Crocodylus johnsoni     |       | bodies                 | 1        |      | DE       | AU       | T      | R       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                       | Term                   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------|------------------------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Crocodylus johnsoni</i>  | skins                  | 3        |      | DE       | AU       |        | P       | R      |
|          | 2    | B     | <i>Crocodylus niloticus</i> | bodies                 | 1        |      | FR       | ZW       |        | H       | W      |
|          | 2    | B     | <i>Crocodylus niloticus</i> | bodies                 | 2        |      | IT       | CH       | KE     | P       | O      |
|          | 2    | B     | <i>Crocodylus niloticus</i> | bodies                 | 1        |      | NL       | KE       |        | I       | I      |
|          | 2    | B     | <i>Crocodylus niloticus</i> | eggs                   | 60       |      | ES       | ZA       |        | Z       | C      |
|          | 2    | B     | <i>Crocodylus niloticus</i> | feet                   | 2        |      | ES       | TZ       |        | H       | W      |
|          | 2    | B     | <i>Crocodylus niloticus</i> | live                   | 102      |      | ES       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Crocodylus niloticus</i> | live                   | 102      |      | ES       | ZA       |        | Z       | C      |
|          | 2    | B     | <i>Crocodylus niloticus</i> | live                   | 150      |      | ES       | ZA       | NA     | Z       | D      |
|          | 2    | B     | <i>Crocodylus niloticus</i> | live                   | 200      |      | FR       | NA       |        | Z       | C      |
|          | 2    | B     | <i>Crocodylus niloticus</i> | small leather products | 2        |      | DE       | ZA       |        | P       | C      |
|          | 2    | B     | <i>Crocodylus niloticus</i> | small leather products | 3        |      | FR       | MG       |        | P       | R      |
|          | 2    | B     | <i>Crocodylus niloticus</i> | small leather products | 22       |      | FR       | MG       |        | T       | C      |
|          | 2    | B     | <i>Crocodylus niloticus</i> | small leather products | 50       |      | FR       | MG       |        | T       | R      |
|          | 2    | B     | <i>Crocodylus niloticus</i> | meat                   | 5015 kg  |      | DE       | ZA       | ZM     | T       | R      |
|          | 2    | B     | <i>Crocodylus niloticus</i> | meat                   | 26333 kg |      | DE       | ZW       |        | T       | R      |
|          | 2    | B     | <i>Crocodylus niloticus</i> | meat                   | 50 kg    |      | DK       | ZA       |        | T       | R      |
|          | 2    | B     | <i>Crocodylus niloticus</i> | meat                   | 4943 kg  |      | NL       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Crocodylus niloticus</i> | meat                   | 3320 kg  |      | NL       | ZW       |        | T       | R      |
|          | 2    | B     | <i>Crocodylus niloticus</i> | skins                  | 6        |      | AT       | CH       |        | ZW      | T      |
|          | 2    | B     | <i>Crocodylus niloticus</i> | skins                  | 99       |      | DE       | SG       | ZA     | T       | C      |
|          | 2    | B     | <i>Crocodylus niloticus</i> | skins                  | 92       |      | DE       | SG       | ZW     | T       | R      |
|          | 2    | B     | <i>Crocodylus niloticus</i> | skins                  | 103      |      | DE       | SG       | ZW     | T       | C      |
|          | 2    | B     | <i>Crocodylus niloticus</i> | skins                  | 1        |      | DE       | TZ       |        | P       | W      |
|          | 2    | B     | <i>Crocodylus niloticus</i> | skins                  | 13       |      | DE       | TZ       |        | H       | W      |
|          | 2    | B     | <i>Crocodylus niloticus</i> | skins                  | 1        |      | DE       | ZA       |        | H       | W      |
|          | 2    | B     | <i>Crocodylus niloticus</i> | skins                  | 40       |      | DE       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Crocodylus niloticus</i> | skins                  | 1        |      | DE       | ZW       |        | P       | W      |
|          | 2    | B     | <i>Crocodylus niloticus</i> | skins                  | 10       |      | DE       | ZW       |        | H       | W      |
|          | 2    | B     | <i>Crocodylus niloticus</i> | skins                  | 1        |      | DK       | ZA       | ZW     | H       | W      |
|          | 2    | B     | <i>Crocodylus niloticus</i> | skins                  | 1        |      | ES       | BW       |        | H       | W      |
|          | 2    | B     | <i>Crocodylus niloticus</i> | skins                  | 1        |      | ES       | MZ       |        | H       | W      |
|          | 2    | B     | <i>Crocodylus niloticus</i> | skins                  | 10       |      | ES       | TZ       |        | H       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                       | Term        | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------|-------------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Crocodylus niloticus</i> | skins       | 80       |      | ES       | ZM       | T      | R       |        |
|          | 2    | B     | <i>Crocodylus niloticus</i> | skins       | 4        |      | ES       | ZW       | H      | W       |        |
|          | 2    | B     | <i>Crocodylus niloticus</i> | skins       | 350      |      | FR       | BR       | T      | C       |        |
|          | 2    | B     | <i>Crocodylus niloticus</i> | skins       | 400      |      | FR       | KE       | T      | C       |        |
|          | 2    | B     | <i>Crocodylus niloticus</i> | skins       | 150      |      | FR       | MG       | T      | W       |        |
|          | 2    | B     | <i>Crocodylus niloticus</i> | skins       | 1006     |      | FR       | MG       | T      | R       |        |
|          | 2    | B     | <i>Crocodylus niloticus</i> | skins       | 1100     |      | FR       | MG       | T      | C       |        |
|          | 2    | B     | <i>Crocodylus niloticus</i> | skins       | 200      |      | FR       | MW       | T      | W       |        |
|          | 2    | B     | <i>Crocodylus niloticus</i> | skins       | 2        |      | FR       | MZ       | ZW     | H       | W      |
|          | 2    | B     | <i>Crocodylus niloticus</i> | skins       | 41       |      | FR       | SG       | ZW     | T       | C      |
|          | 2    | B     | <i>Crocodylus niloticus</i> | skins       | 257      |      | FR       | SG       | ZW     | T       | R      |
|          | 2    | B     | <i>Crocodylus niloticus</i> | skins       | 10       |      | FR       | TZ       | H      | W       |        |
|          | 2    | B     | <i>Crocodylus niloticus</i> | skins       | 596      |      | FR       | TZ       | T      | W       |        |
|          | 2    | B     | <i>Crocodylus niloticus</i> | skins       | 1100     |      | FR       | ZA       | T      | C       |        |
|          | 2    | B     | <i>Crocodylus niloticus</i> | skins       | 2        |      | FR       | ZW       | P      | W       |        |
|          | 2    | B     | <i>Crocodylus niloticus</i> | skins       | 369      |      | FR       | ZW       | T      | C       |        |
|          | 2    | B     | <i>Crocodylus niloticus</i> | skins       | 6091     |      | FR       | ZW       | T      | R       |        |
|          | 2    | B     | <i>Crocodylus niloticus</i> | skins       | 1        |      | GB       | ZW       | P      | W       |        |
|          | 2    | B     | <i>Crocodylus niloticus</i> | skins       | 1000     |      | IT       | MG       | T      | C       |        |
|          | 2    | B     | <i>Crocodylus niloticus</i> | skins       | 1700     |      | IT       | MG       | T      | R       |        |
|          | 2    | B     | <i>Crocodylus niloticus</i> | skins       | 2        |      | IT       | US       | MG     | T       | C      |
|          | 2    | B     | <i>Crocodylus niloticus</i> | skins       | 599      |      | IT       | US       | T      | C       |        |
|          | 2    | B     | <i>Crocodylus niloticus</i> | skins       | 27       |      | IT       | US       | ZW     | T       | C      |
|          | 2    | B     | <i>Crocodylus niloticus</i> | skins       | 1        |      | IT       | ZW       | H      | W       |        |
|          | 2    | B     | <i>Crocodylus niloticus</i> | skins       | 1536     |      | IT       | ZW       | T      | R       |        |
|          | 2    | B     | <i>Crocodylus niloticus</i> | skin pieces | 2        |      | DE       | ZW       | H      | W       |        |
|          | 2    | B     | <i>Crocodylus niloticus</i> | skin pieces | 40       |      | ES       | ZM       | T      | R       |        |
|          | 2    | B     | <i>Crocodylus niloticus</i> | skin pieces | 2        |      | ES       | ZW       | H      | W       |        |
|          | 2    | B     | <i>Crocodylus niloticus</i> | skin pieces | 1        |      | NL       | KE       | I      | I       |        |
|          | 2    | B     | <i>Crocodylus niloticus</i> | skulls      | 2        |      | AT       | ZA       | I      | I       |        |
|          | 2    | B     | <i>Crocodylus niloticus</i> | skulls      | 1        |      | DE       | TZ       | P      | W       |        |
|          | 2    | B     | <i>Crocodylus niloticus</i> | skulls      | 4        |      | DE       | TZ       | H      | W       |        |
|          | 2    | B     | <i>Crocodylus niloticus</i> | skulls      | 1        |      | DE       | ZA       | P      | D       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                          | Term     | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|----------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Crocodylus niloticus</i>    | skulls   | 4        |      | DE       | ZA       |        | P       | C      |
|          | 2    | B     | <i>Crocodylus niloticus</i>    | skulls   | 25       |      | DE       | ZA       |        | T       | C      |
|          | 2    | B     | <i>Crocodylus niloticus</i>    | skulls   | 8        |      | DE       | ZW       |        | H       | W      |
|          | 2    | B     | <i>Crocodylus niloticus</i>    | skulls   | 2        |      | ES       | TZ       |        | H       | W      |
|          | 2    | B     | <i>Crocodylus niloticus</i>    | skulls   | 1        |      | ES       | ZW       |        | H       | W      |
|          | 2    | B     | <i>Crocodylus niloticus</i>    | skulls   | 1        |      | GB       | ZA       |        | I       |        |
|          | 2    | B     | <i>Crocodylus niloticus</i>    | skulls   | 10       |      | GB       | ZA       |        | T       | R      |
|          | 2    | B     | <i>Crocodylus niloticus</i>    | skulls   | 2        |      | GB       | ZW       |        | I       |        |
|          | 2    | B     | <i>Crocodylus niloticus</i>    | trophies | 5        |      | AT       | TZ       |        | P       | W      |
|          | 2    | B     | <i>Crocodylus niloticus</i>    | trophies | 9        |      | AT       | TZ       |        | H       | W      |
|          | 2    | B     | <i>Crocodylus niloticus</i>    | trophies | 1        |      | AT       | ZA       |        | H       | W      |
|          | 2    | B     | <i>Crocodylus niloticus</i>    | trophies | 1        |      | AT       | ZW       |        | H       | W      |
|          | 2    | B     | <i>Crocodylus niloticus</i>    | trophies | 9        |      | AT       | ZW       |        | P       | W      |
|          | 2    | B     | <i>Crocodylus niloticus</i>    | trophies | 1        |      | BE       | TZ       |        | H       | W      |
|          | 2    | B     | <i>Crocodylus niloticus</i>    | trophies | 2        |      | BE       | ZW       |        | H       | W      |
|          | 2    | B     | <i>Crocodylus niloticus</i>    | trophies | 1        |      | DE       | ZA       |        | H       | W      |
|          | 2    | B     | <i>Crocodylus niloticus</i>    | trophies | 1        |      | DE       | ZA       | ZM     | H       | R      |
|          | 2    | B     | <i>Crocodylus niloticus</i>    | trophies | 1        |      | DE       | ZW       |        | H       | R      |
|          | 2    | B     | <i>Crocodylus niloticus</i>    | trophies | 10       |      | DE       | ZW       |        | H       | W      |
|          | 2    | B     | <i>Crocodylus niloticus</i>    | trophies | 1        |      | DK       | TZ       |        | H       | W      |
|          | 2    | B     | <i>Crocodylus niloticus</i>    | trophies | 12       |      | FR       | TZ       |        | H       | W      |
|          | 2    | B     | <i>Crocodylus niloticus</i>    | trophies | 1        |      | FR       | ZW       |        | H       | W      |
|          | 2    | B     | <i>Crocodylus niloticus</i>    | trophies | 2        |      | GB       | ZA       |        | T       | R      |
|          | 2    | B     | <i>Crocodylus niloticus</i>    | trophies | 1        |      | GB       | ZW       |        | H       | W      |
|          | 2    | B     | <i>Crocodylus niloticus</i>    | trophies | 1        |      | IT       | TZ       |        | H       | W      |
|          | 2    | B     | <i>Crocodylus niloticus</i>    | trophies | 1        |      | IT       | ZA       |        | H       | W      |
|          | 2    | B     | <i>Crocodylus niloticus</i>    | trophies | 1        |      | IT       | ZA       | MZ     | H       | W      |
|          | 2    | B     | <i>Crocodylus niloticus</i>    | trophies | 4        |      | IT       | ZW       |        | H       | W      |
|          | 2    | B     | <i>Crocodylus niloticus</i>    | trophies | 1        |      | NL       | ZA       | ZM     | H       | W      |
|          | 2    | B     | <i>Crocodylus niloticus</i>    | trophies | 1        |      | SE       | ZA       | ZW     | H       | W      |
|          | 2    | B     | <i>Crocodylus novaeguineae</i> | bodies   | 1        |      | DK       | TH       | P      | I       |        |
|          | 2    | B     | <i>Crocodylus novaeguineae</i> | skins    | 5        |      | FR       | JP       | PG     | T       | W      |
|          | 2    | B     | <i>Crocodylus novaeguineae</i> | skins    | 73       |      | FR       | PG       | T      |         | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon  | Term                   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--|------------------------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Crocodylus novaeguineae</i> <i>novaeguineae</i> | skins                  | 67       |      | FR       | SG       | ID     | T       | R      |
|          | 2    | B     | <i>Crocodylus porosus</i>                          | bodies                 | 2        |      | DE       | AU       |        | P       | C      |
|          | 2    | B     | <i>Crocodylus porosus</i>                          | bodies                 | 1        |      | DK       | AU       |        | P       | C      |
|          | 2    | B     | <i>Crocodylus porosus</i>                          | bodies                 | 1        |      | GB       | AU       |        | P       | C      |
|          | 2    | B     | <i>Crocodylus porosus</i>                          | bodies                 | 1        |      | GR       | AU       |        | P       | R      |
|          | 2    | B     | <i>Crocodylus porosus</i>                          | bodies                 | 2        |      | GR       | AU       |        | P       | C      |
|          | 2    | B     | <i>Crocodylus porosus</i>                          | garments               | 5        |      | DE       | AU       |        | P       | C      |
|          | 2    | B     | <i>Crocodylus porosus</i>                          | live                   | 45       |      | ES       | TH       |        | T       | D      |
|          | 2    | B     | <i>Crocodylus porosus</i>                          | large leather products | 1        |      | DE       | AU       |        | P       | R      |
|          | 2    | B     | <i>Crocodylus porosus</i>                          | small leather products | 6        |      | AT       | AU       |        | P       | C      |
|          | 2    | B     | <i>Crocodylus porosus</i>                          | small leather products | 3        |      | DE       | AU       |        | P       | W      |
|          | 2    | B     | <i>Crocodylus porosus</i>                          | small leather products | 9        |      | DE       | AU       |        | P       | R      |
|          | 2    | B     | <i>Crocodylus porosus</i>                          | small leather products | 11       |      | DE       | AU       |        | P       | C      |
|          | 2    | B     | <i>Crocodylus porosus</i>                          | small leather products | 11       |      | DE       | AU       |        | T       | C      |
|          | 2    | B     | <i>Crocodylus porosus</i>                          | small leather products | 64       |      | DE       | AU       |        | T       | R      |
|          | 2    | B     | <i>Crocodylus porosus</i>                          | small leather products | 4        |      | ES       | AU       |        | T       | C      |
|          | 2    | B     | <i>Crocodylus porosus</i>                          | small leather products | 5        |      | GB       | AU       |        | I       | C      |
|          | 2    | B     | <i>Crocodylus porosus</i>                          | meat                   | 910      |      | AT       | AU       |        | T       | C      |
|          | 2    | B     | <i>Crocodylus porosus</i>                          | skins                  | 200      |      | FR       | AU       |        | T       | W      |
|          | 2    | B     | <i>Crocodylus porosus</i>                          | skins                  | 2557     |      | FR       | AU       |        | T       | C      |
|          | 2    | B     | <i>Crocodylus porosus</i>                          | skins                  | 3949     |      | FR       | AU       |        | T       | R      |
|          | 2    | B     | <i>Crocodylus porosus</i>                          | skins                  | 179      |      | FR       | JP       | AU     | T       | C      |
|          | 2    | B     | <i>Crocodylus porosus</i>                          | skins                  | 221      |      | FR       | JP       | PG     | T       | C      |
|          | 2    | B     | <i>Crocodylus porosus</i>                          | skins                  | 403      |      | FR       | JP       | PG     | T       | W      |
|          | 2    | B     | <i>Crocodylus porosus</i>                          | skins                  | 704      |      | FR       | JP       | PG     | T       | W      |
|          | 2    | B     | <i>Crocodylus porosus</i>                          | skins                  | 371      |      | FR       | PG       |        | T       | W      |
|          | 2    | B     | <i>Crocodylus porosus</i>                          | skins                  | 1426     |      | FR       | PG       |        | T       | C      |
|          | 2    | B     | <i>Crocodylus porosus</i>                          | skins                  | 10       |      | FR       | SG       | AU     | T       | C      |
|          | 2    | B     | <i>Crocodylus porosus</i>                          | skins                  | 2        |      | IT       | AU       |        | P       | C      |
|          | 2    | B     | <i>Crocodylus porosus</i>                          | skins                  | 105      |      | IT       | AU       |        | T       | C      |
|          | 2    | B     | <i>Crocodylus porosus</i>                          | skin pieces            | 2        |      | DE       | AU       |        | P       | C      |
|          | 2    | B     | <i>Crocodylus porosus</i>                          | skulls                 | 1        |      | DE       | AU       |        | P       | W      |
|          | 2    | B     | <i>Crocodylus porosus</i>                          | skulls                 | 2        |      | DE       | AU       |        | P       | R      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                      | Term     | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------|----------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Crocodylus porosus</i>  | teeth    | 1        |      | DE       | AU       |        | P       | W      |
|          | 2    | B     | <i>Crocodylus porosus</i>  | trophies | 1        |      | DE       | AU       |        | P       | R      |
|          | 2    | B     | <i>Crocodylus porosus</i>  | trophies | 9        |      | GB       | AU       |        | P       | C      |
|          | 2    | B     | <i>Phelsuma spp.</i>       | live     | 80       |      | DE       | MG       |        | T       | W      |
|          | 2    | B     | <i>Phelsuma dubia</i>      | live     | 20       |      | ES       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Phelsuma dubia</i>      | live     | 10       |      | GB       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Phelsuma dubia</i>      | live     | 19       |      | NL       | TZ       |        | I       |        |
|          | 2    | B     | <i>Phelsuma dubia</i>      | live     | 80       |      | NL       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Phelsuma guttata</i>    | bodies   | 1        |      | IT       | MG       |        | S       | W      |
|          | 2    | B     | <i>Phelsuma laticauda</i>  | bodies   | 2        |      | IT       | MG       |        | S       | W      |
|          | 2    | B     | <i>Phelsuma laticauda</i>  | live     | 1000     |      | BE       | MG       |        | T       | W      |
|          | 2    | B     | <i>Phelsuma laticauda</i>  | live     | 3021     |      | DE       | MG       |        | T       | W      |
|          | 2    | B     | <i>Phelsuma laticauda</i>  | live     | 20       |      | DK       | MG       |        | T       | W      |
|          | 2    | B     | <i>Phelsuma laticauda</i>  | live     | 1        |      | DK       | US       | MG     | T       | W      |
|          | 2    | B     | <i>Phelsuma laticauda</i>  | live     | 170      |      | ES       | MG       |        | T       | W      |
|          | 2    | B     | <i>Phelsuma laticauda</i>  | live     | 435      |      | FR       | MG       |        | T       | W      |
|          | 2    | B     | <i>Phelsuma laticauda</i>  | live     | 619      |      | GB       | MG       |        | T       | W      |
|          | 2    | B     | <i>Phelsuma laticauda</i>  | live     | 2210     |      | NL       | MG       |        | T       | W      |
|          | 2    | B     | <i>Phelsuma leiogaster</i> | bodies   | 2        |      | NL       | MG       |        | I       |        |
|          | 2    | B     | <i>Phelsuma leiogaster</i> | live     | 50       |      | BE       | MG       |        | T       | W      |
|          | 2    | B     | <i>Phelsuma leiogaster</i> | live     | 16       |      | DK       | MG       |        | T       | W      |
|          | 2    | B     | <i>Phelsuma leiogaster</i> | live     | 48       |      | NL       | MG       |        | I       |        |
|          | 2    | B     | <i>Phelsuma lineata</i>    | bodies   | 4        |      | IT       | MG       |        | S       | W      |
|          | 2    | B     | <i>Phelsuma lineata</i>    | live     | 875      |      | BE       | MG       |        | T       | W      |
|          | 2    | B     | <i>Phelsuma lineata</i>    | live     | 2565     |      | DE       | MG       |        | T       | W      |
|          | 2    | B     | <i>Phelsuma lineata</i>    | live     | 30       |      | DK       | MG       |        | T       | W      |
|          | 2    | B     | <i>Phelsuma lineata</i>    | live     | 20       |      | DK       | US       | MG     | T       | W      |
|          | 2    | B     | <i>Phelsuma lineata</i>    | live     | 125      |      | ES       | MG       |        | T       | W      |
|          | 2    | B     | <i>Phelsuma lineata</i>    | live     | 100      |      | ES       | US       | MG     | T       | W      |
|          | 2    | B     | <i>Phelsuma lineata</i>    | live     | 545      |      | FR       | MG       |        | T       | W      |
|          | 2    | B     | <i>Phelsuma lineata</i>    | live     | 540      |      | GB       | MG       |        | T       | W      |
|          | 2    | B     | <i>Phelsuma lineata</i>    | live     | 30       |      | IT       | MG       |        | T       | W      |
|          | 2    | B     | <i>Phelsuma lineata</i>    | live     | 2620     |      | NL       | MG       |        | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                            | Term   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------------|--------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Phelsuma madagascariensis</i> | bodies | 3        |      | IT       | MG       | S      | W       |        |
|          | 2    | B     | <i>Phelsuma madagascariensis</i> | live   | 50       |      | BE       | MG       | T      | W       |        |
|          | 2    | B     | <i>Phelsuma madagascariensis</i> | live   | 400      |      | BE       | MG       | T      | W       |        |
|          | 2    | B     | <i>Phelsuma madagascariensis</i> | live   | 550      |      | BE       | MG       | T      | W       |        |
|          | 2    | B     | <i>Phelsuma madagascariensis</i> | live   | 9        |      | DE       | CZ       | T      | C       |        |
|          | 2    | B     | <i>Phelsuma madagascariensis</i> | live   | 2020     |      | DE       | MG       | T      | W       |        |
|          | 2    | B     | <i>Phelsuma madagascariensis</i> | live   | 32       |      | DK       | MG       | T      | W       |        |
|          | 2    | B     | <i>Phelsuma madagascariensis</i> | live   | 52       |      | DK       | MG       | T      | W       |        |
|          | 2    | B     | <i>Phelsuma madagascariensis</i> | live   | 60       |      | DK       | MG       | T      | W       |        |
|          | 2    | B     | <i>Phelsuma madagascariensis</i> | live   | 15       |      | DK       | US       | MG     | T       | W      |
|          | 2    | B     | <i>Phelsuma madagascariensis</i> | live   | 60       |      | ES       | MG       | T      | W       |        |
|          | 2    | B     | <i>Phelsuma madagascariensis</i> | live   | 185      |      | ES       | MG       | T      | W       |        |
|          | 2    | B     | <i>Phelsuma madagascariensis</i> | live   | 75       |      | ES       | US       | MG     | T       | W      |
|          | 2    | B     | <i>Phelsuma madagascariensis</i> | live   | 25       |      | FR       | CA       | MG     | T       | W      |
|          | 2    | B     | <i>Phelsuma madagascariensis</i> | live   | 90       |      | FR       | MG       | T      | W       |        |
|          | 2    | B     | <i>Phelsuma madagascariensis</i> | live   | 660      |      | FR       | MG       | T      | W       |        |
|          | 2    | B     | <i>Phelsuma madagascariensis</i> | live   | 395      |      | GB       | MG       | T      | W       |        |
|          | 2    | B     | <i>Phelsuma madagascariensis</i> | live   | 76       |      | IT       | MG       | T      | W       |        |
|          | 2    | B     | <i>Phelsuma madagascariensis</i> | live   | 1410     |      | NL       | MG       | T      | W       |        |
|          | 2    | B     | <i>Phelsuma mutabilis</i>        | bodies | 3        |      | IT       | MG       | S      | W       |        |
|          | 2    | B     | <i>Phelsuma pusilla</i>          | live   | 25       |      | BE       | MG       | T      | W       |        |
|          | 2    | B     | <i>Phelsuma quadriocellata</i>   | bodies | 6        |      | IT       | MG       | S      | W       |        |
|          | 2    | B     | <i>Phelsuma quadriocellata</i>   | live   | 200      |      | BE       | MG       |        |         |        |
|          | 2    | B     | <i>Phelsuma quadriocellata</i>   | live   | 800      |      | BE       | MG       | T      | W       |        |
|          | 2    | B     | <i>Phelsuma quadriocellata</i>   | live   | 2835     |      | DE       | MG       | T      | W       |        |
|          | 2    | B     | <i>Phelsuma quadriocellata</i>   | live   | 16       |      | DK       | MG       | T      | W       |        |
|          | 2    | B     | <i>Phelsuma quadriocellata</i>   | live   | 18       |      | DK       | US       | MG     | T       | W      |
|          | 2    | B     | <i>Phelsuma quadriocellata</i>   | live   | 140      |      | ES       | MG       | T      | W       |        |
|          | 2    | B     | <i>Phelsuma quadriocellata</i>   | live   | 75       |      | ES       | US       | MG     | T       | W      |
|          | 2    | B     | <i>Phelsuma quadriocellata</i>   | live   | 435      |      | FR       | MG       | T      | W       |        |
|          | 2    | B     | <i>Phelsuma quadriocellata</i>   | live   | 485      |      | GB       | MG       | T      | W       |        |
|          | 2    | B     | <i>Phelsuma quadriocellata</i>   | live   | 30       |      | IT       | MG       | T      | W       |        |
|          | 2    | B     | <i>Phelsuma quadriocellata</i>   | live   | 2010     |      | NL       | MG       | T      | W       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                         | Term   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|--------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Uromastyx</i> spp.         | live   | 1        |      | ES       | MA       | XX     |         | I      |
|          | 2    | B     | <i>Uromastyx acanthinurus</i> | bodies | 5        |      | ES       | DZ       | XX     |         | I      |
|          | 2    | B     | <i>Uromastyx acanthinurus</i> | live   | 150      |      | DE       | SD       |        | T       | W      |
|          | 2    | B     | <i>Uromastyx acanthinurus</i> | live   | 50       |      | ES       | SD       |        | T       | W      |
|          | 2    | B     | <i>Uromastyx acanthinurus</i> | live   | 407      |      | FR       | ML       |        | T       | W      |
|          | 2    | B     | <i>Uromastyx aegyptius</i>    | live   | 432      |      | BE       | AE       |        | T       | W      |
|          | 2    | B     | <i>Uromastyx aegyptius</i>    | live   | 30       |      | DE       | LB       |        | T       | C      |
|          | 2    | B     | <i>Uromastyx benti</i>        | live   | 8        |      | DE       | OM       |        | S       | W      |
|          | 2    | B     | <i>Uromastyx geyri</i>        | live   | 10       |      | NL       | US       | ML     | T       | W      |
|          | 2    | B     | <i>Uromastyx malienensis</i>  | live   | 500      |      | BE       | ML       |        | T       | W      |
|          | 2    | B     | <i>Uromastyx ocellatus</i>    | live   | 119      |      | DE       | LB       |        | T       | C      |
|          | 2    | B     | <i>Uromastyx ocellatus</i>    | live   | 496      |      | DE       | SD       |        | T       | W      |
|          | 2    | B     | <i>Uromastyx ocellatus</i>    | live   | 475      |      | ES       | SD       |        | T       | W      |
|          | 2    | B     | <i>Uromastyx ocellatus</i>    | live   | 400      |      | NL       | SD       |        | T       | W      |
|          | 2    | B     | <i>Uromastyx thomasi</i>      | live   | 16       |      | DE       | OM       |        | S       | W      |
|          | 2    | B     | <i>Bradypodion fischeri</i>   | live   | 302      |      | BE       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Bradypodion fischeri</i>   | live   | 35       |      | DE       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Bradypodion fischeri</i>   | live   | 321      |      | DE       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Bradypodion fischeri</i>   | live   | 25       |      | DK       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Bradypodion fischeri</i>   | live   | 185      |      | ES       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Bradypodion fischeri</i>   | live   | 90       |      | FR       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Bradypodion fischeri</i>   | live   | 142      |      | GB       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Bradypodion fischeri</i>   | live   | 20       |      | GR       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Bradypodion fischeri</i>   | live   | 326      |      | NL       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Bradypodion tavetanum</i>  | live   | 242      |      | BE       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Bradypodion tavetanum</i>  | live   | 166      |      | DE       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Bradypodion tavetanum</i>  | live   | 225      |      | ES       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Bradypodion tavetanum</i>  | live   | 30       |      | FR       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Bradypodion tavetanum</i>  | live   | 170      |      | GB       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Bradypodion tavetanum</i>  | live   | 5        |      | GR       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Bradypodion tavetanum</i>  | live   | 293      |      | NL       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo</i> spp.         | live   | 13       |      | GB       | CM       |        | I       |        |
|          | 2    | B     | <i>Chamaeleo</i> spp.         | live   | 1        |      | GB       | TN       |        | I       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                        | Term   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|--------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Chamaeleo africanus</i>   | live   | 25       |      | ES       | CM       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo bifidus</i>     | live   | 3        |      | IT       | MG       |        | S       | W      |
|          | 2    | B     | <i>Chamaeleo bitaeniatus</i> | live   | 165      |      | BE       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo bitaeniatus</i> | live   | 119      |      | DE       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo bitaeniatus</i> | live   | 155      |      | ES       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo bitaeniatus</i> | live   | 74       |      | GB       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo bitaeniatus</i> | live   | 9        |      | GR       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo bitaeniatus</i> | live   | 225      |      | NL       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo boettgeri</i>   | bodies | 5        |      | IT       | MG       |        | S       | W      |
|          | 2    | B     | <i>Chamaeleo brevicornis</i> | bodies | 2        |      | IT       | MG       |        | S       | W      |
|          | 2    | B     | <i>Chamaeleo brevicornis</i> | live   | 12       |      | IT       | MG       |        | S       | W      |
|          | 2    | B     | <i>Chamaeleo calyptratus</i> | live   | 119      |      | DE       | CZ       |        | T       | C      |
|          | 2    | B     | <i>Chamaeleo calyptratus</i> | live   | 100      |      | ES       | US       |        | T       | F      |
|          | 2    | B     | <i>Chamaeleo calyptratus</i> | live   | 25       |      | ES       | US       | CZ     | T       | C      |
|          | 2    | B     | <i>Chamaeleo calyptratus</i> | live   | 350      |      | FR       | CZ       |        | T       | C      |
|          | 2    | B     | <i>Chamaeleo calyptratus</i> | live   | 142      |      | NL       | CZ       |        | T       | C      |
|          | 2    | A     | <i>Chamaeleo chamaeleon</i>  | live   | 9        |      | ES       | MA       | XX     | I       |        |
|          | 2    | B     | <i>Chamaeleo cristatus</i>   | live   | 50       |      | BE       | CM       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo cristatus</i>   | live   | 78       |      | DE       | CM       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo cristatus</i>   | live   | 75       |      | ES       | CM       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo cristatus</i>   | live   | 14       |      | GB       | CM       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo cristatus</i>   | live   | 6        |      | IT       | MG       |        | S       | W      |
|          | 2    | B     | <i>Chamaeleo cristatus</i>   | live   | 171      |      | NL       | CM       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo dilepis</i>     | live   | 360      |      | BE       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo dilepis</i>     | live   | 435      |      | DE       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo dilepis</i>     | live   | 35       |      | DK       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo dilepis</i>     | live   | 310      |      | ES       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo dilepis</i>     | live   | 200      |      | FR       | BI       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo dilepis</i>     | live   | 80       |      | FR       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo dilepis</i>     | live   | 1        |      | GB       | TZ       |        | I       |        |
|          | 2    | B     | <i>Chamaeleo dilepis</i>     | live   | 72       |      | GB       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo dilepis</i>     | live   | 30       |      | GR       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo dilepis</i>     | live   | 366      |      | NL       | TZ       |        | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                         | Term   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|--------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Chamaeleo dilepis</i>      | live   | 6        |      | NL       | US       | TZ     | T       | W      |
|          | 2    | B     | <i>Chamaeleo eisentrauti</i>  | live   | 25       |      | ES       | CM       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo eisentrauti</i>  | live   | 40       |      | NL       | CM       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo fuelleborni</i>  | live   | 262      |      | BE       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo fuelleborni</i>  | live   | 225      |      | DE       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo fuelleborni</i>  | live   | 65       |      | DK       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo fuelleborni</i>  | live   | 390      |      | ES       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo fuelleborni</i>  | live   | 20       |      | FR       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo fuelleborni</i>  | live   | 150      |      | GB       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo fuelleborni</i>  | live   | 15       |      | GR       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo fuelleborni</i>  | live   | 474      |      | NL       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo gastrotaenia</i> | bodies | 5        |      | IT       | MG       | S      |         | W      |
|          | 2    | B     | <i>Chamaeleo gracilis</i>     | live   | 20       |      | BE       | GH       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo gracilis</i>     | live   | 34       |      | BE       | TG       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo gracilis</i>     | live   | 50       |      | DE       | BJ       |        | T       | R      |
|          | 2    | B     | <i>Chamaeleo gracilis</i>     | live   | 30       |      | DE       | GH       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo gracilis</i>     | live   | 116      |      | DE       | TG       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo gracilis</i>     | live   | 3        |      | DE       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo gracilis</i>     | live   | 35       |      | DK       | GH       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo gracilis</i>     | live   | 265      |      | ES       | GH       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo gracilis</i>     | live   | 140      |      | ES       | TG       |        | T       | R      |
|          | 2    | B     | <i>Chamaeleo gracilis</i>     | live   | 230      |      | ES       | TG       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo gracilis</i>     | live   | 20       |      | ES       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo gracilis</i>     | live   | 100      |      | FR       | BJ       |        | T       | R      |
|          | 2    | B     | <i>Chamaeleo gracilis</i>     | live   | 30       |      | FR       | GH       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo gracilis</i>     | live   | 100      |      | FR       | TG       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo gracilis</i>     | live   | 65       |      | GB       | GH       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo gracilis</i>     | live   | 5        |      | GR       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo gracilis</i>     | live   | 40       |      | IT       | BJ       |        | T       | R      |
|          | 2    | B     | <i>Chamaeleo gracilis</i>     | live   | 120      |      | NL       | BJ       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo gracilis</i>     | live   | 70       |      | NL       | TG       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo gracilis</i>     | live   | 50       |      | NL       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo jacksonii</i>    | live   | 100      |      | DE       | US       |        | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                        | Term   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|--------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Chamaeleo jacksonii</i>   | live   | 100      |      | ES       | US       |        | T       | F      |
|          | 2    | B     | <i>Chamaeleo jacksonii</i>   | live   | 270      |      | ES       | US       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo jacksonii</i>   | live   | 75       |      | NL       | US       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo jacksonii</i>   | live   | 60       |      | SE       | US       |        | T       | F      |
|          | 2    | B     | <i>Chamaeleo johnstoni</i>   | live   | 200      |      | FR       | BI       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo johnstoni</i>   | live   | 40       |      | NL       | CM       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo lateralis</i>   | live   | 800      |      | BE       | MG       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo lateralis</i>   | live   | 1085     |      | DE       | MG       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo lateralis</i>   | live   | 260      |      | DK       | MG       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo lateralis</i>   | live   | 1        |      | DK       | US       | MG     | T       | W      |
|          | 2    | B     | <i>Chamaeleo lateralis</i>   | live   | 470      |      | ES       | MG       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo lateralis</i>   | live   | 660      |      | FR       | MG       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo lateralis</i>   | live   | 274      |      | GB       | MG       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo lateralis</i>   | live   | 585      |      | NL       | MG       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo melleri</i>     | live   | 206      |      | BE       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo melleri</i>     | live   | 167      |      | DE       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo melleri</i>     | live   | 20       |      | DK       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo melleri</i>     | live   | 371      |      | ES       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo melleri</i>     | live   | 5        |      | FR       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo melleri</i>     | live   | 83       |      | GB       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo melleri</i>     | live   | 12       |      | GR       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo melleri</i>     | live   | 323      |      | NL       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo montium</i>     | live   | 175      |      | BE       | CM       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo montium</i>     | live   | 132      |      | DE       | CM       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo montium</i>     | live   | 225      |      | ES       | CM       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo montium</i>     | live   | 50       |      | GB       | CM       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo montium</i>     | live   | 273      |      | NL       | CM       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo namaquensis</i> | live   | 20       |      | GB       | ZA       |        | I       |        |
|          | 2    | B     | <i>Chamaeleo nasutus</i>     | bodies | 5        |      | IT       | MG       |        | S       | W      |
|          | 2    | B     | <i>Chamaeleo oustaleti</i>   | live   | 120      |      | BE       | MG       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo oustaleti</i>   | live   | 95       |      | DE       | MG       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo oustaleti</i>   | live   | 12       |      | DK       | MG       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo oustaleti</i>   | live   | 130      |      | ES       | MG       |        | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                         | Term   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|--------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Chamaeleo oustaleti</i>    | live   | 75       |      | FR       | MG       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo oustaleti</i>    | live   | 112      |      | GB       | MG       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo oustaleti</i>    | live   | 94       |      | NL       | MG       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo oweni</i>        | live   | 21       |      | ES       | CM       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo oweni</i>        | live   | 50       |      | NL       | CM       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo pardalis</i>     | bodies | 2        |      | IT       | MG       |        | S       | W      |
|          | 2    | B     | <i>Chamaeleo pardalis</i>     | live   | 560      |      | BE       | MG       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo pardalis</i>     | live   | 2        |      | DE       | CH       | DE     | S       | C      |
|          | 2    | B     | <i>Chamaeleo pardalis</i>     | live   | 730      |      | DE       | MG       | T      | T       | W      |
|          | 2    | B     | <i>Chamaeleo pardalis</i>     | live   | 26       |      | DK       | MG       | T      | T       | W      |
|          | 2    | B     | <i>Chamaeleo pardalis</i>     | live   | 235      |      | ES       | MG       | T      | T       | W      |
|          | 2    | B     | <i>Chamaeleo pardalis</i>     | live   | 175      |      | ES       | US       | MG     | T       | W      |
|          | 2    | B     | <i>Chamaeleo pardalis</i>     | live   | 610      |      | FR       | MG       | T      | T       | W      |
|          | 2    | B     | <i>Chamaeleo pardalis</i>     | live   | 14       |      | GB       | MG       |        | I       |        |
|          | 2    | B     | <i>Chamaeleo pardalis</i>     | live   | 227      |      | GB       | MG       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo pardalis</i>     | live   | 40       |      | IT       | MG       | T      | T       | W      |
|          | 2    | B     | <i>Chamaeleo pardalis</i>     | live   | 4        |      | IT       | US       | MG     | T       | W      |
|          | 2    | B     | <i>Chamaeleo pardalis</i>     | live   | 705      |      | NL       | MG       | T      | T       | W      |
|          | 2    | B     | <i>Chamaeleo pardalis</i>     | live   | 2        |      | SE       | US       |        | T       | F      |
|          | 2    | B     | <i>Chamaeleo parsonii</i>     | bodies | 1        |      | IT       | MG       | S      | S       | W      |
|          | 2    | B     | <i>Chamaeleo parsonii</i>     | live   | 12       |      | IT       | MG       | S      | S       | W      |
|          | 2    | B     | <i>Chamaeleo pfefferi</i>     | live   | 6        |      | DE       | CM       | T      | T       | W      |
|          | 2    | B     | <i>Chamaeleo pfefferi</i>     | live   | 20       |      | ES       | CM       | T      | T       | W      |
|          | 2    | B     | <i>Chamaeleo pfefferi</i>     | live   | 30       |      | NL       | CM       | T      | T       | W      |
|          | 2    | B     | <i>Chamaeleo quadricornis</i> | live   | 275      |      | BE       | CM       | T      | T       | W      |
|          | 2    | B     | <i>Chamaeleo quadricornis</i> | live   | 100      |      | DE       | CM       | T      | T       | W      |
|          | 2    | B     | <i>Chamaeleo quadricornis</i> | live   | 195      |      | ES       | CM       | T      | T       | W      |
|          | 2    | B     | <i>Chamaeleo quadricornis</i> | live   | 191      |      | GB       | CM       | T      | T       | W      |
|          | 2    | B     | <i>Chamaeleo quadricornis</i> | live   | 270      |      | NL       | CM       | T      | T       | W      |
|          | 2    | B     | <i>Chamaeleo quadricornis</i> | live   | 20       |      | SE       | US       | T      | F       |        |
|          | 2    | B     | <i>Chamaeleo rufus</i>        | live   | 177      |      | BE       | TZ       | T      | T       | W      |
|          | 2    | B     | <i>Chamaeleo rufus</i>        | live   | 156      |      | DE       | TZ       | T      | T       | W      |
|          | 2    | B     | <i>Chamaeleo rufus</i>        | live   | 34       |      | ES       | TZ       | T      | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                         | Term   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|--------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Chamaeleo rufus</i>        | live   | 9        |      | FR       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo rufus</i>        | live   | 120      |      | GB       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo rufus</i>        | live   | 9        |      | GR       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo rufus</i>        | live   | 234      |      | NL       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo senegalensis</i> | live   | 100      |      | AT       | TG       |        | T       | R      |
|          | 2    | B     | <i>Chamaeleo senegalensis</i> | live   | 20       |      | BE       | GH       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo senegalensis</i> | live   | 1090     |      | BE       | TG       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo senegalensis</i> | live   | 240      |      | DE       | BJ       |        | T       | R      |
|          | 2    | B     | <i>Chamaeleo senegalensis</i> | live   | 29       |      | DE       | GH       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo senegalensis</i> | live   | 118      |      | DE       | TG       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo senegalensis</i> | live   | 35       |      | DK       | GH       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo senegalensis</i> | live   | 150      |      | ES       | BJ       |        | T       | R      |
|          | 2    | B     | <i>Chamaeleo senegalensis</i> | live   | 572      |      | ES       | GH       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo senegalensis</i> | live   | 300      |      | ES       | TG       |        | T       | R      |
|          | 2    | B     | <i>Chamaeleo senegalensis</i> | live   | 825      |      | ES       | TG       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo senegalensis</i> | live   | 100      |      | FR       | BJ       |        | T       | R      |
|          | 2    | B     | <i>Chamaeleo senegalensis</i> | live   | 400      |      | FR       | TG       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo senegalensis</i> | live   | 46       |      | GB       | GH       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo senegalensis</i> | live   | 5        |      | GR       | GH       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo senegalensis</i> | live   | 35       |      | IT       | BJ       |        | T       | R      |
|          | 2    | B     | <i>Chamaeleo senegalensis</i> | live   | 120      |      | NL       | BJ       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo senegalensis</i> | live   | 100      |      | NL       | TG       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo verrucosus</i>   | bodies | 1        |      | IT       | MG       | S      | W       |        |
|          | 2    | B     | <i>Chamaeleo verrucosus</i>   | live   | 75       |      | BE       | MG       | T      | W       |        |
|          | 2    | B     | <i>Chamaeleo verrucosus</i>   | live   | 157      |      | DE       | MG       | T      | W       |        |
|          | 2    | B     | <i>Chamaeleo verrucosus</i>   | live   | 12       |      | DK       | MG       | T      | W       |        |
|          | 2    | B     | <i>Chamaeleo verrucosus</i>   | live   | 95       |      | ES       | MG       | T      | W       |        |
|          | 2    | B     | <i>Chamaeleo verrucosus</i>   | live   | 145      |      | FR       | MG       | T      | W       |        |
|          | 2    | B     | <i>Chamaeleo verrucosus</i>   | live   | 46       |      | GB       | MG       | T      | W       |        |
|          | 2    | B     | <i>Chamaeleo verrucosus</i>   | live   | 5        |      | IT       | MG       | T      | W       |        |
|          | 2    | B     | <i>Chamaeleo verrucosus</i>   | live   | 41       |      | NL       | MG       | T      | W       |        |
|          | 2    | B     | <i>Chamaeleo wiedersheimi</i> | live   | 125      |      | BE       | CM       | T      | W       |        |
|          | 2    | B     | <i>Chamaeleo wiedersheimi</i> | live   | 85       |      | DE       | CM       | T      | W       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                         | Term   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|--------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Chamaeleo wiedersheimi</i> | live   | 180      |      | ES       | CM       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo wiedersheimi</i> | live   | 44       |      | GB       | CM       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo wiedersheimi</i> | live   | 271      |      | NL       | CM       |        | T       | W      |
|          | 2    | B     | <i>Chamaeleo willsii</i>      | bodies | 1        |      | IT       | MG       |        | S       | W      |
|          | 2    | B     | <i>Chamaeleo willsii</i>      | live   | 1        |      | IT       | MG       |        | S       | W      |
|          | 2    | B     | <i>Iguana iguana</i>          | bodies | 2        |      | NL       | AN       |        | I       |        |
|          | 2    | B     | <i>Iguana iguana</i>          | live   | 4        |      | AT       | XX       |        | I       |        |
|          | 2    | B     | <i>Iguana iguana</i>          | live   | 2955     |      | BE       | NI       |        | T       | C      |
|          | 2    | B     | <i>Iguana iguana</i>          | live   | 6000     |      | BE       | SV       |        | T       | C      |
|          | 2    | B     | <i>Iguana iguana</i>          | live   | 1000     |      | DE       | CR       |        | T       | C      |
|          | 2    | B     | <i>Iguana iguana</i>          | live   | 2881     |      | DE       | GT       |        | T       | C      |
|          | 2    | B     | <i>Iguana iguana</i>          | live   | 586      |      | DE       | HN       |        | T       | C      |
|          | 2    | B     | <i>Iguana iguana</i>          | live   | 1        |      | DE       | HR       |        | P       | C      |
|          | 2    | B     | <i>Iguana iguana</i>          | live   | 1        |      | DE       | HU       | US     | T       | C      |
|          | 2    | B     | <i>Iguana iguana</i>          | live   | 1        |      | DE       | ID       | XX     | P       | U      |
|          | 2    | B     | <i>Iguana iguana</i>          | live   | 100      |      | DE       | NI       |        | T       | C      |
|          | 2    | B     | <i>Iguana iguana</i>          | live   | 4701     |      | DE       | SV       |        | T       | C      |
|          | 2    | B     | <i>Iguana iguana</i>          | live   | 1        |      | DE       | US       |        | T       | F      |
|          | 2    | B     | <i>Iguana iguana</i>          | live   | 4        |      | DE       | US       |        | P       | F      |
|          | 2    | B     | <i>Iguana iguana</i>          | live   | 1520     |      | DE       | US       | CO     | T       | C      |
|          | 2    | B     | <i>Iguana iguana</i>          | live   | 2991     |      | DE       | US       | SV     | T       | C      |
|          | 2    | B     | <i>Iguana iguana</i>          | live   | 1000     |      | DK       | CO       |        | T       | C      |
|          | 2    | B     | <i>Iguana iguana</i>          | live   | 200      |      | DK       | SV       |        | T       | C      |
|          | 2    | B     | <i>Iguana iguana</i>          | live   | 1000     |      | DK       | SV       |        | T       | R      |
|          | 2    | B     | <i>Iguana iguana</i>          | live   | 1        |      | DK       | US       | CO     | P       | W      |
|          | 2    | B     | <i>Iguana iguana</i>          | live   | 517      |      | DK       | US       | CO     | T       | C      |
|          | 2    | B     | <i>Iguana iguana</i>          | live   | 200      |      | DK       | US       | CR     | T       | C      |
|          | 2    | B     | <i>Iguana iguana</i>          | live   | 1000     |      | ES       | CO       |        | T       | C      |
|          | 2    | B     | <i>Iguana iguana</i>          | live   | 25860    |      | ES       | GT       |        | T       | C      |
|          | 2    | B     | <i>Iguana iguana</i>          | live   | 8250     |      | ES       | NI       |        | T       | C      |
|          | 2    | B     | <i>Iguana iguana</i>          | live   | 2633     |      | ES       | SR       |        | T       | W      |
|          | 2    | B     | <i>Iguana iguana</i>          | live   | 10000    |      | ES       | SV       |        | T       | C      |
|          | 2    | B     | <i>Iguana iguana</i>          | live   | 3500     |      | ES       | US       | CO     | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon         | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------|------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | Iguana iguana | live | 300      |      | ES       | US       | NI     | T       | C      |
|          | 2    | B     | Iguana iguana | live | 500      |      | ES       | US       | SV     | T       | R      |
|          | 2    | B     | Iguana iguana | live | 3900     |      | ES       | US       | SV     | T       | C      |
|          | 2    | B     | Iguana iguana | live | 2        |      | FI       | US       |        | P       | C      |
|          | 2    | B     | Iguana iguana | live | 1        |      | FR       | BO       |        | B       | W      |
|          | 2    | B     | Iguana iguana | live | 50       |      | FR       | CA       |        | T       | C      |
|          | 2    | B     | Iguana iguana | live | 500      |      | FR       | CA       | SV     | T       | C      |
|          | 2    | B     | Iguana iguana | live | 1        |      | FR       | CL       |        | B       | C      |
|          | 2    | B     | Iguana iguana | live | 300      |      | FR       | SR       |        | T       | W      |
|          | 2    | B     | Iguana iguana | live | 1        |      | FR       | US       |        | B       | F      |
|          | 2    | B     | Iguana iguana | live | 1700     |      | FR       | US       | CO     | T       | C      |
|          | 2    | B     | Iguana iguana | live | 1000     |      | FR       | US       | SR     | T       | W      |
|          | 2    | B     | Iguana iguana | live | 4800     |      | FR       | US       | SV     | T       | C      |
|          | 2    | B     | Iguana iguana | live | 4000     |      | GB       | SV       |        | T       | C      |
|          | 2    | B     | Iguana iguana | live | 1        |      | GB       | US       |        | P       | F      |
|          | 2    | B     | Iguana iguana | live | 248      |      | GB       | US       |        | I       | C      |
|          | 2    | B     | Iguana iguana | live | 752      |      | GB       | US       | CO     | T       | C      |
|          | 2    | B     | Iguana iguana | live | 874      |      | GB       | US       | SV     | T       | C      |
|          | 2    | B     | Iguana iguana | live | 1000     |      | GR       | SV       |        | T       | C      |
|          | 2    | B     | Iguana iguana | live | 1        |      | IE       | US       |        | P       | C      |
|          | 2    | B     | Iguana iguana | live | 300      |      | IT       | NI       |        | T       | C      |
|          | 2    | B     | Iguana iguana | live | 1000     |      | IT       | SV       |        | T       | C      |
|          | 2    | B     | Iguana iguana | live | 950      |      | IT       | US       | CO     | T       | C      |
|          | 2    | B     | Iguana iguana | live | 2263     |      | IT       | US       | SV     | T       | C      |
|          | 2    | B     | Iguana iguana | live | 1244     |      | NL       | NI       |        | T       | C      |
|          | 2    | B     | Iguana iguana | live | 2814     |      | NL       | SR       |        | T       | W      |
|          | 2    | B     | Iguana iguana | live | 5500     |      | NL       | SV       |        | T       | C      |
|          | 2    | B     | Iguana iguana | live | 1        |      | NL       | US       |        | T       | F      |
|          | 2    | B     | Iguana iguana | live | 2050     |      | NL       | US       | CO     | T       | C      |
|          | 2    | B     | Iguana iguana | live | 200      |      | NL       | US       | SV     | T       | C      |
|          | 2    | B     | Iguana iguana | live | 950      |      | PT       | SV       |        | T       | C      |
|          | 2    | B     | Iguana iguana | live | 300      |      | PT       | US       | CO     | T       | C      |
|          | 2    | B     | Iguana iguana | live | 500      |      | PT       | US       | SV     | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                     | Term                   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------|------------------------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | Iguana iguana             | small leather products | 1        |      | GB       | ID       |        |         |        |
|          | 2    | B     | Iguana iguana             | meat                   | 14 kg    |      | NL       | AN       |        |         |        |
|          | 2    | B     | Iguana iguana             | meat                   | 2 kg     |      | NL       | SR       |        |         |        |
|          | 2    | B     | Iguana iguana             | unspecified            | 12       |      | NL       | AN       |        |         |        |
|          | 2    | B     | Cordylus giganteus        | live                   | 4        |      | FR       | ID       | ZA     | T       | C      |
|          | 2    | B     | Cordylus tropidosternum   | live                   | 297      |      | BE       | TZ       |        | T       | W      |
|          | 2    | B     | Cordylus tropidosternum   | live                   | 437      |      | DE       | TZ       |        | T       | W      |
|          | 2    | B     | Cordylus tropidosternum   | live                   | 130      |      | DK       | TZ       |        | T       | W      |
|          | 2    | B     | Cordylus tropidosternum   | live                   | 171      |      | ES       | TZ       |        | T       | W      |
|          | 2    | B     | Cordylus tropidosternum   | live                   | 50       |      | ES       | US       | TZ     | T       | W      |
|          | 2    | B     | Cordylus tropidosternum   | live                   | 110      |      | GB       | TZ       |        | T       | W      |
|          | 2    | B     | Cordylus tropidosternum   | live                   | 456      |      | NL       | TZ       |        | T       | W      |
|          | 2    | B     | Pseudocordylus melanotus  | live                   | 5        |      | FR       | ID       | ZA     | TT      | C      |
|          | 2    | B     | Dracaena guianensis       | live                   | 20       |      | BE       | PE       |        | T       | W      |
|          | 2    | B     | Dracaena guianensis       | live                   | 2        |      | ES       | US       | PE     | T       | W      |
|          | 2    | B     | Tupinambis spp.           | large leather products | 1 pairs  |      | DE       | US       |        | P       | U      |
|          | 2    | B     | Tupinambis spp.           | skins                  | 28750    |      | ES       | AR       |        | T       | W      |
|          | 2    | B     | Tupinambis spp.           | skins                  | 26       |      | ES       | PY       |        | E       | W      |
|          | 2    | B     | Tupinambis spp.           | skins                  | 59000    |      | ES       | PY       |        | T       | W      |
|          | 2    | B     | Tupinambis spp.           | skins                  | 29       |      | ES       | US       | PY     | T       | W      |
|          | 2    | B     | Tupinambis spp.           | skins                  | 296      |      | FR       | CH       | PY     | T       | W      |
|          | 2    | B     | Tupinambis spp.           | skins                  | 2        |      | IT       | MX       | PY     | T       | W      |
|          | 2    | B     | Tupinambis spp.           | skins                  | 48000    |      | IT       | PY       |        | T       | W      |
|          | 2    | B     | Tupinambis spp.           | skins                  | 2        |      | IT       | US       | AR     | T       | W      |
|          | 2    | B     | Tupinambis spp.           | skin pieces            | 40       |      | IT       | US       | AR     | T       | W      |
|          | 2    | B     | Tupinambis nigropunctatus | live                   | 48       |      | BE       | SR       |        | T       | W      |
|          | 2    | B     | Tupinambis nigropunctatus | live                   | 288      |      | ES       | SR       |        | T       | W      |
|          | 2    | B     | Tupinambis nigropunctatus | live                   | 12       |      | ES       | US       | CO     | T       | C      |
|          | 2    | B     | Tupinambis nigropunctatus | live                   | 12       |      | ES       | US       | GY     | T       | W      |
|          | 2    | B     | Tupinambis nigropunctatus | live                   | 71       |      | NL       | SR       |        | T       | W      |
|          | 2    | B     | Tupinambis rufescens      | skins                  | 175      |      | AT       | CH       | AR     | T       | W      |
|          | 2    | B     | Tupinambis rufescens      | skins                  | 3292     |      | AT       | CH       | PY     | T       | W      |
|          | 2    | B     | Tupinambis rufescens      | skins                  | 5000     |      | DE       | AR       |        | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                       | Term                   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------|------------------------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Tupinambis rufescens</i> | skins                  | 250      |      | DE       | PY       |        | T       | W      |
|          | 2    | B     | <i>Tupinambis rufescens</i> | skins                  | 6        |      | ES       | PY       |        | E       | W      |
|          | 2    | B     | <i>Tupinambis rufescens</i> | skins                  | 2456     |      | FR       | AR       |        | T       | W      |
|          | 2    | B     | <i>Tupinambis rufescens</i> | skins                  | 212      |      | FR       | CH       | AR     | T       | W      |
|          | 2    | B     | <i>Tupinambis rufescens</i> | skins                  | 9060     |      | IT       | AR       |        | T       | W      |
|          | 2    | B     | <i>Tupinambis rufescens</i> | skins                  | 4500     |      | IT       | CH       | AR     | T       | W      |
|          | 2    | B     | <i>Tupinambis rufescens</i> | live                   | 20       |      | NL       | US       |        | T       | F      |
|          | 2    | B     | <i>Tupinambis teguixin</i>  | small leather products | 9        |      | GB       | US       |        | I       |        |
|          | 2    | B     | <i>Tupinambis teguixin</i>  | skins                  | 1482     |      | AT       | CH       | AR     | T       | W      |
|          | 2    | B     | <i>Tupinambis teguixin</i>  | skins                  | 5018     |      | AT       | CH       | PY     | T       | W      |
|          | 2    | B     | <i>Tupinambis teguixin</i>  | skins                  | 10200    |      | DE       | AR       |        | T       | W      |
|          | 2    | B     | <i>Tupinambis teguixin</i>  | skins                  | 250      |      | DE       | PY       |        | T       | W      |
|          | 2    | B     | <i>Tupinambis teguixin</i>  | skins                  | 4        |      | ES       | PY       |        | E       | W      |
|          | 2    | B     | <i>Tupinambis teguixin</i>  | skins                  | 7544     |      | FR       | AR       |        | T       | W      |
|          | 2    | B     | <i>Tupinambis teguixin</i>  | skins                  | 350      |      | FR       | CH       | PY     | T       | W      |
|          | 2    | B     | <i>Tupinambis teguixin</i>  | skins                  | 44836    |      | IT       | AR       |        | T       | W      |
|          | 2    | B     | <i>Tupinambis teguixin</i>  | skins                  | 5000     |      | IT       | AR       | PY     | T       | W      |
|          | 2    | B     | <i>Tupinambis teguixin</i>  | skins                  | 6000     |      | IT       | CH       | AR     | T       | W      |
|          | 2    | B     | <i>Corucia zebra</i>        | live                   | 50       |      | DE       | SB       |        | T       | W      |
|          | 2    | B     | <i>Corucia zebra</i>        | live                   | 6        |      | DK       | US       | SB     | T       | W      |
|          | 2    | B     | <i>Corucia zebra</i>        | live                   | 6        |      | ES       | MY       |        | T       | W      |
|          | 2    | B     | <i>Corucia zebra</i>        | live                   | 120      |      | NL       | SB       |        | T       | W      |
|          | 2    | B     | <i>Heloderma horridum</i>   | live                   | 6        |      | BE       | US       |        | T       | F      |
|          | 2    | B     | <i>Heloderma suspectum</i>  | live                   | 3        |      | DE       | CZ       | E      | C       |        |
|          | 2    | B     | <i>Heloderma suspectum</i>  | live                   | 4        |      | NL       | US       |        | Z       | F      |
|          | 2    | B     | <i>Heloderma suspectum</i>  | live                   | 4        |      | SE       | US       |        | T       | C      |
|          | 2    | B     | <i>Varanus</i> spp.         | bodies                 | 1        |      | ES       | DZ       | XX     | I       |        |
|          | 2    | B     | <i>Varanus</i> spp.         | live                   | 8        |      | GB       | XX       |        | I       |        |
|          | 2    | B     | <i>Varanus</i> spp.         | large leather products | 2        |      | AT       | NG       |        | I       |        |
|          | 2    | B     | <i>Varanus</i> spp.         | small leather products | 2        |      | AT       | IN       |        | I       |        |
|          | 2    | B     | <i>Varanus</i> spp.         | small leather products | 1        |      | DK       | BJ       |        | P       | I      |
|          | 2    | B     | <i>Varanus</i> spp.         | small leather products | 2        |      | GB       | EG       |        | I       |        |
|          | 2    | B     | <i>Varanus</i> spp.         | small leather products | 1        |      | NL       | GH       |        | I       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                    | Term                   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------|------------------------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | Varanus spp.             | small leather products | 4        |      | NL       | NG       |        | I       |        |
|          | 2    | B     | Varanus spp.             | skins                  | 5        |      | AT       | IN       |        | I       |        |
|          | 2    | B     | Varanus spp.             | unspecified            | 4        |      | NL       | NE       |        | I       |        |
|          | 2    | B     | Varanus albigularis      | live                   | 5        |      | BE       | TZ       | T      | W       |        |
|          | 2    | B     | Varanus albigularis      | live                   | 36       |      | DE       | TZ       | T      | W       |        |
|          | 2    | B     | Varanus albigularis      | live                   | 1        |      | DK       | TZ       | T      | W       |        |
|          | 2    | B     | Varanus albigularis      | live                   | 80       |      | ES       | TZ       | T      | W       |        |
|          | 2    | B     | Varanus albigularis      | live                   | 15       |      | FR       | TZ       | T      | W       |        |
|          | 2    | B     | Varanus albigularis      | live                   | 40       |      | GB       | TZ       | T      | W       |        |
|          | 2    | B     | Varanus albigularis      | live                   | 46       |      | NL       | TZ       | T      | W       |        |
|          | 2    | B     | Varanus albigularis      | live                   | 25       |      | AT       | TG       | T      | R       |        |
|          | 2    | B     | Varanus exanthematicus   | live                   | 20       |      | BE       | GH       | T      | W       |        |
|          | 2    | B     | Varanus exanthematicus   | live                   | 65       |      | BE       | TG       | T      | W       |        |
|          | 2    | B     | Varanus exanthematicus   | live                   | 36       |      | BE       | TZ       | T      | W       |        |
|          | 2    | B     | Varanus exanthematicus   | live                   | 911      |      | DE       | GH       | T      | W       |        |
|          | 2    | B     | Varanus exanthematicus   | live                   | 432      |      | DE       | TG       | T      | W       |        |
|          | 2    | B     | Varanus exanthematicus   | live                   | 525      |      | DK       | GH       | T      | W       |        |
|          | 2    | B     | Varanus exanthematicus   | live                   | 775      |      | ES       | GH       | T      | W       |        |
|          | 2    | B     | Varanus exanthematicus   | live                   | 375      |      | ES       | TG       | T      | W       |        |
|          | 2    | B     | Varanus exanthematicus   | live                   | 550      |      | FR       | GH       | T      | W       |        |
|          | 2    | B     | Varanus exanthematicus   | live                   | 120      |      | FR       | TG       | T      | R       |        |
|          | 2    | B     | Varanus exanthematicus   | live                   | 240      |      | FR       | TG       | T      | W       |        |
|          | 2    | B     | Varanus exanthematicus   | live                   | 24       |      | GB       | GH       | I      |         |        |
|          | 2    | B     | Varanus exanthematicus   | live                   | 671      |      | GB       | GH       | T      | W       |        |
|          | 2    | B     | Varanus exanthematicus   | live                   | 1        |      | GB       | ZA       | I      |         |        |
|          | 2    | B     | Varanus exanthematicus   | live                   | 3        |      | GR       | GH       | T      | W       |        |
|          | 2    | B     | Varanus exanthematicus   | live                   | 94       |      | NL       | GH       | T      | W       |        |
|          | 2    | B     | Varanus exanthematicus   | live                   | 25       |      | NL       | TG       | T      | W       |        |
|          | 2    | B     | Varanus exanthematicus   | small leather products | 26       |      | GB       | NG       | I      |         |        |
|          | 2    | B     | Varanus gilleni          | live                   | 5        |      | NL       | AU       | Z      | C       |        |
|          | 2    | B     | Varanus indicus          | live                   | 12       |      | ES       | ID       | T      | W       |        |
|          | 2    | B     | Varanus indicus          | live                   | 75       |      | NL       | ID       | T      | W       |        |
|          | 2    | B     | Varanus indicus kalabeck | live                   | 10       |      | BE       | ID       | T      | C       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                    | Term                   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------|------------------------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | Varanus indicus kalabekk | live                   | 21       |      | DE       | ID       |        | B       | W      |
|          | 2    | B     | Varanus indicus kalabekk | live                   | 29       |      | DE       | ID       |        | T       | W      |
|          | 2    | B     | Varanus indicus kalabekk | live                   | 24       |      | FR       | ID       |        | T       | W      |
|          | 2    | B     | Varanus jobiensis        | live                   | 10       |      | FR       | ID       |        | T       | W      |
|          | 2    | B     | Varanus niloticus        | live                   | 53       |      | BE       | TG       |        | T       | W      |
|          | 2    | B     | Varanus niloticus        | live                   | 378      |      | DE       | TG       |        | T       | W      |
|          | 2    | B     | Varanus niloticus        | live                   | 41       |      | DE       | TZ       |        | T       | W      |
|          | 2    | B     | Varanus niloticus        | live                   | 375      |      | ES       | TG       |        | T       | W      |
|          | 2    | B     | Varanus niloticus        | live                   | 31       |      | ES       | TZ       |        | T       | W      |
|          | 2    | B     | Varanus niloticus        | live                   | 25       |      | ES       | US       | TG     | T       | W      |
|          | 2    | B     | Varanus niloticus        | live                   | 1        |      | FI       | CH       |        | Q       | C      |
|          | 2    | B     | Varanus niloticus        | live                   | 20       |      | FR       | BJ       |        | T       | W      |
|          | 2    | B     | Varanus niloticus        | live                   | 120      |      | FR       | TG       |        | T       | R      |
|          | 2    | B     | Varanus niloticus        | live                   | 320      |      | FR       | TG       |        | T       | W      |
|          | 2    | B     | Varanus niloticus        | live                   | 60       |      | GB       | TZ       |        | T       | W      |
|          | 2    | B     | Varanus niloticus        | live                   | 46       |      | NL       | GN       |        | T       | W      |
|          | 2    | B     | Varanus niloticus        | live                   | 25       |      | NL       | TG       |        | T       | W      |
|          | 2    | B     | Varanus niloticus        | live                   | 12       |      | NL       | TZ       |        | T       | W      |
|          | 2    | B     | Varanus niloticus        | large leather products | 319      |      | BE       | SN       |        | T       | W      |
|          | 2    | B     | Varanus niloticus        | large leather products | 1        |      | DE       | ML       |        | P       | W      |
|          | 2    | B     | Varanus niloticus        | large leather products | 433      |      | FR       | SN       |        | T       | W      |
|          | 2    | B     | Varanus niloticus        | large leather products | 470      |      | PT       | SN       |        | T       | W      |
|          | 2    | B     | Varanus niloticus        | small leather products | 70       |      | BE       | SN       |        | T       | C      |
|          | 2    | B     | Varanus niloticus        | small leather products | 249      |      | BE       | SN       |        | T       | W      |
|          | 2    | B     | Varanus niloticus        | small leather products | 8        |      | DE       | ML       |        | P       | W      |
|          | 2    | B     | Varanus niloticus        | small leather products | 170      |      | ES       | SN       |        | T       | W      |
|          | 2    | B     | Varanus niloticus        | small leather products | 771      |      | FR       | SN       |        | T       | W      |
|          | 2    | B     | Varanus niloticus        | small leather products | 2        |      | GB       | CH       |        | I       |        |
|          | 2    | B     | Varanus niloticus        | small leather products | 23       |      | IT       | SN       |        | T       | W      |
|          | 2    | B     | Varanus niloticus        | small leather products | 612      |      | PT       | SN       |        | T       | W      |
|          | 2    | B     | Varanus niloticus        | skins                  | 1870     |      | AT       | CH       | CM     | T       | W      |
|          | 2    | B     | Varanus niloticus        | skins                  | 100      |      | DE       | CH       | CM     | T       | W      |
|          | 2    | B     | Varanus niloticus        | skins                  | 10000    |      | DE       | SD       |        | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                     | Term        | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------|-------------|----------|------|----------|----------|--------|---------|--------|
| I        | 2    | B     | <i>Varanus niloticus</i>  | skins       | 9000     |      | ES       | CM       |        | T       | W      |
| I        | 2    | B     | <i>Varanus niloticus</i>  | skins       | 8        |      | ES       | HK       | ML     | T       | W      |
| I        | 2    | B     | <i>Varanus niloticus</i>  | skins       | 37570    |      | ES       | ML       |        | T       | W      |
| I        | 2    | B     | <i>Varanus niloticus</i>  | skins       | 14       |      | ES       | US       | CM     | T       | W      |
| I        | 2    | B     | <i>Varanus niloticus</i>  | skins       | 8        |      | ES       | US       | ML     | T       | W      |
| I        | 2    | B     | <i>Varanus niloticus</i>  | skins       | 1364     |      | FR       | CH       | CM     | T       | W      |
| I        | 2    | B     | <i>Varanus niloticus</i>  | skins       | 543      |      | FR       | CH       | ML     | T       | W      |
| I        | 2    | B     | <i>Varanus niloticus</i>  | skins       | 18       |      | FR       | CH       | TD     | T       | W      |
| I        | 2    | B     | <i>Varanus niloticus</i>  | skins       | 25640    |      | FR       | ML       |        | T       | W      |
| I        | 2    | B     | <i>Varanus niloticus</i>  | skins       | 43       |      | FR       | MU       | ML     | T       | W      |
| I        | 2    | B     | <i>Varanus niloticus</i>  | skins       | 27       |      | FR       | MU       | TD     | T       | W      |
| I        | 2    | B     | <i>Varanus niloticus</i>  | skins       | 23488    |      | FR       | TD       |        | T       | W      |
| I        | 2    | B     | <i>Varanus niloticus</i>  | skins       | 5000     |      | IT       | ML       |        | T       | W      |
| I        | 2    | B     | <i>Varanus niloticus</i>  | skins       | 28000    |      | IT       | SD       |        | T       | W      |
| I        | 2    | B     | <i>Varanus niloticus</i>  | skins       | 1        |      | IT       | US       | SD     | T       | W      |
| I        | 2    | B     | <i>Varanus niloticus</i>  | skin pieces | 3        |      | FR       | CH       | SD     | T       | W      |
| I        | 2    | B     | <i>Varanus niloticus</i>  | skin pieces | 50       |      | IT       | US       | SD     | T       | W      |
| I        | 2    | B     | <i>Varanus rudicollis</i> | live        | 11       |      | BE       | ID       |        | T       | W      |
| I        | 2    | B     | <i>Varanus rudicollis</i> | live        | 2        |      | DE       | ID       |        | B       | W      |
| I        | 2    | B     | <i>Varanus rudicollis</i> | live        | 19       |      | DE       | ID       |        | T       | W      |
| I        | 2    | B     | <i>Varanus rudicollis</i> | live        | 20       |      | ES       | ID       |        | T       | W      |
| I        | 2    | B     | <i>Varanus rudicollis</i> | live        | 11       |      | FR       | ID       |        | T       | W      |
| I        | 2    | B     | <i>Varanus rudicollis</i> | live        | 69       |      | NL       | ID       |        | T       | W      |
| I        | 2    | B     | <i>Varanus salvadorii</i> | live        | 4        |      | FR       | ID       |        | T       | W      |
| I        | 2    | B     | <i>Varanus salvator</i>   | live        | 50       |      | BE       | ID       |        | T       | W      |
| I        | 2    | B     | <i>Varanus salvator</i>   | live        | 66       |      | DE       | ID       |        | T       | W      |
| I        | 2    | B     | <i>Varanus salvator</i>   | live        | 57       |      | ES       | ID       |        | T       | W      |
| I        | 2    | B     | <i>Varanus salvator</i>   | live        | 25       |      | ES       | MY       |        | T       | W      |
| I        | 2    | B     | <i>Varanus salvator</i>   | live        | 101      |      | FR       | ID       |        | T       | W      |
| I        | 2    | B     | <i>Varanus salvator</i>   | live        | 10       |      | FR       | MY       |        | T       | W      |
| I        | 2    | B     | <i>Varanus salvator</i>   | live        | 20       |      | GB       | ID       |        | T       | W      |
| I        | 2    | B     | <i>Varanus salvator</i>   | live        | 192      |      | NL       | ID       |        | T       | W      |
| I        | 2    | B     | <i>Varanus salvator</i>   | skins       | 300      |      | AT       | CH       | MY     | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                        | Term        | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|-------------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Varanus salvator</i>      | skins       | 1320     |      | AT       | CH       | TH     | T       | W      |
|          | 2    | B     | <i>Varanus salvator</i>      | skins       | 1000     |      | ES       | SQ       | MY     | T       | W      |
|          | 2    | B     | <i>Varanus salvator</i>      | skins       | 2        |      | FR       | CH       | ID     | T       | W      |
|          | 2    | B     | <i>Varanus salvator</i>      | skins       | 225      |      | FR       | CH       | TH     | T       | W      |
|          | 2    | B     | <i>Varanus salvator</i>      | skins       | 250      |      | GB       | SG       | ID     | T       | W      |
|          | 2    | B     | <i>Varanus salvator</i>      | skins       | 2        |      | IT       | MX       | ID     | T       | W      |
|          | 2    | B     | <i>Varanus salvator</i>      | skins       | 5000     |      | IT       | MY       | ID     | T       | W      |
|          | 2    | B     | <i>Varanus salvator</i>      | skins       | 2000     |      | IT       | SG       | ID     | T       | W      |
|          | 2    | B     | <i>Varanus salvator</i>      | skins       | 1621     |      | IT       | US       | ID     | T       | W      |
|          | 2    | B     | <i>Varanus salvator</i>      | skin pieces | 44       |      | IT       | US       | ID     | T       | W      |
|          | 2    | B     | <i>Varanus timorensis</i>    | live        | 10       |      | BE       | ID       |        | T       | C      |
|          | 2    | B     | <i>Varanus timorensis</i>    | live        | 16       |      | GB       | XX       |        | I       |        |
|          | 2    | B     | <i>Varanus timorensis</i>    | live        | 10       |      | NL       | ID       |        | T       | F      |
|          | 2    | B     | <i>Varanus tristis</i>       | live        | 10       |      | DE       | US       |        | T       | F      |
|          | 2    | B     | <i>Apodora papuana</i>       | live        | 26       |      | NL       | ID       |        | T       | W      |
|          | 2    | B     | <i>Aspidites ramsayi</i>     | live        | 14       |      | NL       | US       |        | T       | F      |
|          | 2    | B     | <i>Aspidites ramsayi</i>     | live        | 4        |      | SE       | US       |        | T       | F      |
|          | 2    | B     | <i>Leiopython albertisii</i> | live        | 20       |      | BE       | ID       |        | T       | W      |
|          | 2    | B     | <i>Leiopython albertisii</i> | live        | 10       |      | DE       | ID       |        | T       | W      |
|          | 2    | B     | <i>Leiopython albertisii</i> | live        | 14       |      | ES       | ID       |        | T       | W      |
|          | 2    | B     | <i>Leiopython albertisii</i> | live        | 1        |      | FI       | CH       |        | Q       | C      |
|          | 2    | B     | <i>Leiopython albertisii</i> | live        | 6        |      | FR       | ID       |        | T       | W      |
|          | 2    | B     | <i>Leiopython albertisii</i> | live        | 1        |      | GB       | ID       |        | B       | W      |
|          | 2    | B     | <i>Leiopython albertisii</i> | live        | 11       |      | GB       | ID       |        | T       | W      |
|          | 2    | B     | <i>Leiopython albertisii</i> | live        | 7        |      | GB       | XX       |        | I       |        |
|          | 2    | B     | <i>Leiopython albertisii</i> | live        | 57       |      | NL       | ID       |        | T       | W      |
|          | 2    | B     | <i>Liasis mackloti</i>       | live        | 7        |      | DE       | ID       |        | T       | W      |
|          | 2    | B     | <i>Liasis mackloti</i>       | live        | 9        |      | DK       | PL       |        | T       | C      |
|          | 2    | B     | <i>Liasis mackloti</i>       | live        | 10       |      | ES       | ID       |        | T       | W      |
|          | 2    | B     | <i>Liasis mackloti</i>       | live        | 1        |      | FI       | CH       |        | Q       | C      |
|          | 2    | B     | <i>Liasis mackloti</i>       | live        | 4        |      | GB       | ID       |        | T       | W      |
|          | 2    | B     | <i>Liasis mackloti</i>       | live        | 6        |      | GB       | ID       |        | B       | W      |
|          | 2    | B     | <i>Liasis mackloti</i>       | live        | 2        |      | GB       | XX       |        | I       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                      | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------|------|----------|------|----------|----------|--------|---------|--------|
| 1        | 2    | B     | <i>Liasis mackloti</i>     | live | 83       |      | NL       | ID       |        | T       | W      |
| 1        | 2    | B     | <i>Morelia amethistina</i> | live | 20       |      | BE       | ID       |        | T       | W      |
| 1        | 2    | B     | <i>Morelia amethistina</i> | live | 17       |      | DE       | ID       |        | T       | W      |
| 1        | 2    | B     | <i>Morelia amethistina</i> | live | 2        |      | FR       | ID       |        | T       | C      |
| 1        | 2    | B     | <i>Morelia amethistina</i> | live | 5        |      | FR       | ID       |        | T       | F      |
| 1        | 2    | B     | <i>Morelia amethistina</i> | live | 6        |      | GB       | ID       |        | B       | F      |
| 1        | 2    | B     | <i>Morelia amethistina</i> | live | 6        |      | GB       | ID       |        | T       | W      |
| 1        | 2    | B     | <i>Morelia amethistina</i> | live | 4        |      | GB       | XX       |        | I       |        |
| 1        | 2    | B     | <i>Morelia amethistina</i> | live | 61       |      | NL       | ID       |        | T       | W      |
| 1        | 2    | B     | <i>Morelia boeleni</i>     | live | 1        |      | BE       | ID       |        | T       | W      |
| 1        | 2    | B     | <i>Morelia boeleni</i>     | live | 3        |      | DE       | ID       |        | B       | W      |
| 1        | 2    | B     | <i>Morelia boeleni</i>     | live | 3        |      | DE       | ID       |        | T       | W      |
| 1        | 2    | B     | <i>Morelia boeleni</i>     | live | 32       |      | NL       | ID       |        | T       | W      |
| 1        | 2    | B     | <i>Morelia bredli</i>      | live | 4        |      | BE       | ID       |        | T       | W      |
| 1        | 2    | B     | <i>Morelia bredli</i>      | live | 5        |      | DE       | US       |        | P       | F      |
| 1        | 2    | B     | <i>Morelia bredli</i>      | live | 14       |      | ES       | ID       |        | T       | W      |
| 1        | 2    | B     | <i>Morelia bredli</i>      | live | 1        |      | FI       | CH       |        | Q       | C      |
| 1        | 2    | B     | <i>Morelia bredli</i>      | live | 4        |      | GB       | US       |        | B       | C      |
| 1        | 2    | B     | <i>Morelia bredli</i>      | live | 4        |      | GB       | US       |        | T       | F      |
| 1        | 2    | B     | <i>Morelia bredli</i>      | live | 57       |      | NL       | ID       |        | T       | W      |
| 1        | 2    | B     | <i>Morelia bredli</i>      | live | 21       |      | NL       | US       |        | T       | C      |
| 1        | 2    | B     | <i>Morelia spilota</i>     | live | 5        |      | AT       | ID       |        | T       | W      |
| 1        | 2    | B     | <i>Morelia spilota</i>     | live | 10       |      | BE       | ID       |        | T       | W      |
| 1        | 2    | B     | <i>Morelia spilota</i>     | live | 6        |      | DE       | ID       |        | T       | W      |
| 1        | 2    | B     | <i>Morelia spilota</i>     | live | 2        |      | DE       | US       |        | B       | C      |
| 1        | 2    | B     | <i>Morelia spilota</i>     | live | 16       |      | DE       | US       |        | T       | C      |
| 1        | 2    | B     | <i>Morelia spilota</i>     | live | 3        |      | FR       | ID       |        | T       | F      |
| 1        | 2    | B     | <i>Morelia spilota</i>     | live | 20       |      | FR       | US       |        | T       | C      |
| 1        | 2    | B     | <i>Morelia spilota</i>     | live | 5        |      | IT       | ID       |        | T       | W      |
| 1        | 2    | B     | <i>Morelia viridis</i>     | live | 4        |      | BE       | HU       |        | T       | C      |
| 1        | 2    | B     | <i>Morelia viridis</i>     | live | 10       |      | BE       | ID       |        | T       | C      |
| 1        | 2    | B     | <i>Morelia viridis</i>     | live | 10       |      | BE       | ID       |        | T       | F      |
| 1        | 2    | B     | <i>Morelia viridis</i>     | live | 32       |      | ES       | ID       |        | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                  | Term                   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------|------------------------|----------|------|----------|----------|--------|---------|--------|
| 2        | B    |       | <i>Morelia viridis</i> | live                   | 8        |      | FR       | ID       |        | T       | C      |
| 2        | B    |       | <i>Morelia viridis</i> | live                   | 100      |      | FR       | ID       |        | T       | F      |
| 2        | B    |       | <i>Morelia viridis</i> | live                   | 20       |      | FR       | RU       |        | T       | C      |
| 2        | B    |       | <i>Morelia viridis</i> | live                   | 1        |      | NL       | ID       |        | T       | F      |
| 2        | B    |       | <i>Morelia viridis</i> | live                   | 4        |      | SE       | US       | ID     | B       | C      |
| 2        | B    |       | <i>Python spp.</i>     | live                   | 5        |      | DK       | US       |        | T       | F      |
| 2        | B    |       | <i>Python spp.</i>     | live                   | 12       |      | GB       | XX       |        | I       |        |
| 2        | B    |       | <i>Python spp.</i>     | large leather products | 54       |      | PT       | XX       |        | I       |        |
| 2        | B    |       | <i>Python spp.</i>     | small leather products | 1        |      | GB       | NG       |        | I       |        |
| 2        | B    |       | <i>Python spp.</i>     | small leather products | 4        |      | GB       | PG       |        | I       |        |
| 2        | B    |       | <i>Python spp.</i>     | small leather products | 37       |      | GB       | TH       |        | I       |        |
| 2        | B    |       | <i>Python spp.</i>     | small leather products | 7        |      | GB       | XX       |        | I       |        |
| 2        | B    |       | <i>Python spp.</i>     | small leather products | 1        |      | GB       | ZA       |        | I       |        |
| 2        | B    |       | <i>Python spp.</i>     | small leather products | 1        |      | GB       | ZW       |        | I       |        |
| 2        | B    |       | <i>Python spp.</i>     | trophies               | 1        |      | IT       | CH       | KE     | P       | O      |
| 2        | B    |       | <i>Python curtus</i>   | live                   | 5        |      | AT       | ID       |        | T       | W      |
| 2        | B    |       | <i>Python curtus</i>   | live                   | 63       |      | BE       | ID       |        | T       | W      |
| 2        | B    |       | <i>Python curtus</i>   | live                   | 41       |      | DE       | ID       |        | T       | W      |
| 2        | B    |       | <i>Python curtus</i>   | live                   | 86       |      | ES       | ID       |        | T       | W      |
| 2        | B    |       | <i>Python curtus</i>   | live                   | 121      |      | FR       | ID       |        | T       | W      |
| 2        | B    |       | <i>Python curtus</i>   | live                   | 11       |      | GB       | ID       |        | T       | F      |
| 2        | B    |       | <i>Python curtus</i>   | live                   | 22       |      | GB       | ID       |        | T       | W      |
| 2        | B    |       | <i>Python curtus</i>   | live                   | 4        |      | GB       | US       |        | B       | C      |
| 2        | B    |       | <i>Python curtus</i>   | live                   | 6        |      | GB       | US       |        | T       | F      |
| 2        | B    |       | <i>Python curtus</i>   | live                   | 10       |      | GB       | XX       |        | I       |        |
| 2        | B    |       | <i>Python curtus</i>   | live                   | 5        |      | IT       | ID       |        | T       | W      |
| 2        | B    |       | <i>Python curtus</i>   | live                   | 40       |      | NL       | ID       |        | T       | C      |
| 2        | B    |       | <i>Python curtus</i>   | live                   | 78       |      | NL       | ID       |        | T       | W      |
| 2        | B    |       | <i>Python curtus</i>   | live                   | 4        |      | SE       | US       |        | T       | F      |
| 2        | B    |       | <i>Python curtus</i>   | skins                  | 3438     |      | ES       | ID       |        | T       | W      |
| 2        | B    |       | <i>Python curtus</i>   | skins                  | 1500     |      | IT       | ID       |        | T       | W      |
| 2        | B    |       | <i>Python curtus</i>   | skins                  | 6000     |      | IT       | MY       |        | T       | W      |
| 2        | B    |       | <i>Python curtus</i>   | skins                  | 5312     |      | IT       | SG       | MY     | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex                     | Taxon | Term  | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|---------------------------|-------|-------|----------|------|----------|----------|--------|---------|--------|
| 2        | B    | Python molurus            |       | live  | 6        |      | NL       | US       | VN     | T       | C      |
| 2        | B    | Python molurus            |       | live  | 1        |      | PT       | XX       |        |         | I      |
| 2        | B    | Python molurus            |       | skins | 1        |      | GB       | XX       |        |         | I      |
| 2        | B    | Python molurus bivittatus |       | live  | 100      |      | BE       | US       |        | T       | C      |
| 2        | B    | Python molurus bivittatus |       | live  | 1        |      | DE       | CH       | XX     | B       | O      |
| 2        | B    | Python molurus bivittatus |       | live  | 439      |      | DE       | CZ       |        | T       | C      |
| 2        | B    | Python molurus bivittatus |       | live  | 1        |      | DE       | US       |        | P       | C      |
| 2        | B    | Python molurus bivittatus |       | live  | 20       |      | DE       | US       |        | T       | C      |
| 2        | B    | Python molurus bivittatus |       | live  | 75       |      | ES       | CZ       |        | T       | C      |
| 2        | B    | Python molurus bivittatus |       | live  | 1        |      | ES       | CZ       | RU     | Q       | C      |
| 2        | B    | Python molurus bivittatus |       | live  | 50       |      | ES       | US       |        | T       | C      |
| 2        | B    | Python molurus bivittatus |       | live  | 250      |      | ES       | US       | VN     | T       | C      |
| 2        | B    | Python molurus bivittatus |       | live  | 568      |      | FR       | CZ       |        | T       | C      |
| 2        | B    | Python molurus bivittatus |       | live  | 1        |      | FR       | PL       |        | Z       | C      |
| 2        | B    | Python molurus bivittatus |       | live  | 1        |      | FR       | RO       | US     | B       | C      |
| 2        | B    | Python molurus bivittatus |       | live  | 1        |      | FR       | RO       | US     | Q       | C      |
| 2        | B    | Python molurus bivittatus |       | live  | 2        |      | FR       | RU       |        | Q       | G      |
| 2        | B    | Python molurus bivittatus |       | live  | 30       |      | FR       | US       |        | T       | C      |
| 2        | B    | Python molurus bivittatus |       | live  | 235      |      | FR       | US       |        | T       | C      |
| 2        | B    | Python molurus bivittatus |       | live  | 100      |      | FR       | VN       |        | T       | C      |
| 2        | B    | Python molurus bivittatus |       | live  | 1        |      | GB       | US       |        | B       | C      |
| 2        | B    | Python molurus bivittatus |       | live  | 12       |      | IT       | US       |        | T       | C      |
| 2        | B    | Python molurus bivittatus |       | live  | 198      |      | NL       | CZ       |        | T       | C      |
| 2        | B    | Python molurus bivittatus |       | live  | 1        |      | NL       | PL       | RU     | Q       | C      |
| 2        | B    | Python molurus bivittatus |       | live  | 2        |      | SE       | US       |        | B       | C      |
| 2        | B    | Python molurus bivittatus |       | skins | 1        |      | DE       | CN       |        | P       | W      |
| 2        | B    | Python regius             |       | live  | 50       |      | AT       | TG       |        | T       | R      |
| 2        | B    | Python regius             |       | live  | 40       |      | BE       | GH       |        | T       | R      |
| 2        | B    | Python regius             |       | live  | 200      |      | BE       | ML       |        | T       | W      |
| 2        | B    | Python regius             |       | live  | 600      |      | BE       | TG       |        | T       | W      |
| 2        | B    | Python regius             |       | live  | 400      |      | DE       | BJ       | BF     | T       | W      |
| 2        | B    | Python regius             |       | live  | 177      |      | DE       | BJ       | GN     | T       | W      |
| 2        | B    | Python regius             |       | live  | 2        |      | DE       | CH       | P      | P       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon         | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------|------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | Python regius | live | 404      |      | DE       | CM       |        | T       | W      |
|          | 2    | B     | Python regius | live | 15       |      | DE       | CZ       |        | T       | C      |
|          | 2    | B     | Python regius | live | 1250     |      | DE       | GH       |        | T       | W      |
|          | 2    | B     | Python regius | live | 2090     |      | DE       | GH       |        | T       | R      |
|          | 2    | B     | Python regius | live | 100      |      | DE       | TG       |        | T       | W      |
|          | 2    | B     | Python regius | live | 1        |      | DE       | US       |        | T       | C      |
|          | 2    | B     | Python regius | live | 2        |      | DE       | US       |        | P       | C      |
|          | 2    | B     | Python regius | live | 10       |      | DE       | US       | BJ     | T       | C      |
|          | 2    | B     | Python regius | live | 450      |      | DK       | GH       |        | T       | W      |
|          | 2    | B     | Python regius | live | 720      |      | DK       | GH       |        | T       | R      |
|          | 2    | B     | Python regius | live | 10       |      | DK       | PL       |        | T       | C      |
|          | 2    | B     | Python regius | live | 50       |      | ES       | BJ       |        | T       | W      |
|          | 2    | B     | Python regius | live | 500      |      | ES       | BJ       | ML     | T       | W      |
|          | 2    | B     | Python regius | live | 1250     |      | ES       | GH       |        | T       | R      |
|          | 2    | B     | Python regius | live | 1353     |      | ES       | GH       |        | T       | W      |
|          | 2    | B     | Python regius | live | 100      |      | ES       | TG       |        | T       | R      |
|          | 2    | B     | Python regius | live | 475      |      | ES       | TG       |        | T       | W      |
|          | 2    | B     | Python regius | live | 150      |      | FR       | BJ       |        | T       | W      |
|          | 2    | B     | Python regius | live | 500      |      | FR       | BJ       |        | T       | R      |
|          | 2    | B     | Python regius | live | 223      |      | FR       | BJ       | GN     | T       | W      |
|          | 2    | B     | Python regius | live | 1650     |      | FR       | BJ       | ML     | T       | W      |
|          | 2    | B     | Python regius | live | 1        |      | FR       | CF       |        | B       | W      |
|          | 2    | B     | Python regius | live | 100      |      | FR       | GH       |        | T       | W      |
|          | 2    | B     | Python regius | live | 800      |      | FR       | TG       |        | T       | W      |
|          | 2    | B     | Python regius | live | 950      |      | FR       | TG       |        | T       | R      |
|          | 2    | B     | Python regius | live | 297      |      | GB       | GH       |        | I       |        |
|          | 2    | B     | Python regius | live | 1556     |      | GB       | GH       |        | T       | W      |
|          | 2    | B     | Python regius | live | 1828     |      | GB       | GH       |        | T       | R      |
|          | 2    | B     | Python regius | live | 100      |      | GB       | GU       |        | I       |        |
|          | 2    | B     | Python regius | live | 8        |      | GR       | GH       |        | T       | W      |
|          | 2    | B     | Python regius | live | 700      |      | IT       | GH       |        | T       | R      |
|          | 2    | B     | Python regius | live | 30       |      | IT       | ML       |        | T       | W      |
|          | 2    | B     | Python regius | live | 300      |      | NL       | GH       |        | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon              | Term                   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------|------------------------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | Python regius      | live                   | 200      |      | NL       | GN       |        | T       | W      |
|          | 2    | B     | Python regius      | live                   | 200      |      | NL       | ML       |        | T       | W      |
|          | 2    | B     | Python regius      | live                   | 6        |      | NL       | PL       |        | Z       | C      |
|          | 2    | B     | Python regius      | live                   | 50       |      | NL       | TG       |        | T       | W      |
|          | 2    | B     | Python regius      | live                   | 25       |      | NL       | US       | TG     | T       | C      |
|          | 2    | B     | Python regius      | live                   | 1        |      | SE       | US       |        | P       | F      |
|          | 2    | B     | Python regius      | live                   | 5        |      | SE       | US       |        | T       | C      |
|          | 2    | B     | Python reticulatus | live                   | 4        |      | AT       | ID       |        | T       | W      |
|          | 2    | B     | Python reticulatus | live                   | 21       |      | BE       | ID       |        | T       | W      |
|          | 2    | B     | Python reticulatus | live                   | 45       |      | DE       | ID       |        | T       | W      |
|          | 2    | B     | Python reticulatus | live                   | 117      |      | ES       | ID       |        | T       | W      |
|          | 2    | B     | Python reticulatus | live                   | 45       |      | ES       | MY       |        | T       | W      |
|          | 2    | B     | Python reticulatus | live                   | 65       |      | FR       | ID       |        | T       | W      |
|          | 2    | B     | Python reticulatus | live                   | 11       |      | FR       | MY       |        | T       | W      |
|          | 2    | B     | Python reticulatus | live                   | 1        |      | FR       | RO       | VN     | B       | C      |
|          | 2    | B     | Python reticulatus | live                   | 1        |      | FR       | RO       | VN     | Q       | C      |
|          | 2    | B     | Python reticulatus | live                   | 25       |      | FR       | US       |        | T       | C      |
|          | 2    | B     | Python reticulatus | live                   | 10       |      | FR       | VN       |        | T       | C      |
|          | 2    | B     | Python reticulatus | live                   | 10       |      | GB       | ID       |        | T       | F      |
|          | 2    | B     | Python reticulatus | live                   | 2        |      | GB       | US       |        | B       | C      |
|          | 2    | B     | Python reticulatus | live                   | 201      |      | NL       | ID       |        | T       | W      |
|          | 2    | B     | Python reticulatus | live                   | 1        |      | SE       | US       |        | B       | C      |
|          | 2    | B     | Python reticulatus | large leather products | 2 pairs  |      | DE       | US       |        | P       | U      |
|          | 2    | B     | Python reticulatus | small leather products | 2        |      | AT       | ID       |        | I       | I      |
|          | 2    | B     | Python reticulatus | small leather products | 5        |      | DK       | TH       |        | P       | I      |
|          | 2    | B     | Python reticulatus | small leather products | 1        |      | GB       | US       |        | I       | I      |
|          | 2    | B     | Python reticulatus | small leather products | 2        |      | GB       | XX       |        | I       | I      |
|          | 2    | B     | Python reticulatus | small leather products | 330      |      | IT       | ID       |        | T       | W      |
|          | 2    | B     | Python reticulatus | small leather products | 1        |      | NL       | US       |        | I       | I      |
|          | 2    | B     | Python reticulatus | skins                  | 1600     |      | DE       | ID       |        | T       | W      |
|          | 2    | B     | Python reticulatus | skins                  | 6000     |      | DE       | MY       |        | T       | W      |
|          | 2    | B     | Python reticulatus | skins                  | 1732     |      | DE       | SG       | MY     | T       | W      |
|          | 2    | B     | Python reticulatus | skins                  | 1        |      | DE       | ZA       | TH     | P       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon              | Term        | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------|-------------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | Python reticulatus | skins       | 35       |      | ES       | HK       | ID     | T       | W      |
|          | 2    | B     | Python reticulatus | skins       | 4949     |      | ES       | ID       |        | T       | W      |
|          | 2    | B     | Python reticulatus | skins       | 9009     |      | ES       | MY       |        | T       | W      |
|          | 2    | B     | Python reticulatus | skins       | 4378     |      | ES       | SG       | ID     | T       | W      |
|          | 2    | B     | Python reticulatus | skins       | 19665    |      | ES       | SG       | MY     | T       | W      |
|          | 2    | B     | Python reticulatus | skins       | 45       |      | ES       | US       | ID     | T       | W      |
|          | 2    | B     | Python reticulatus | skins       | 1746     |      | ES       | US       | MY     | T       | W      |
|          | 2    | B     | Python reticulatus | skins       | 1500     |      | FR       | MY       |        | T       | W      |
|          | 2    | B     | Python reticulatus | skins       | 1184     |      | FR       | SG       | MY     | T       | W      |
|          | 2    | B     | Python reticulatus | skins       | 1        |      | GB       | GN       |        | I       |        |
|          | 2    | B     | Python reticulatus | skins       | 834      |      | GB       | SG       | ID     | T       | W      |
|          | 2    | B     | Python reticulatus | skins       | 380      |      | GB       | VN       |        | T       | W      |
|          | 2    | B     | Python reticulatus | skins       | 4730     |      | IT       | CH       | ID     | T       | W      |
|          | 2    | B     | Python reticulatus | skins       | 224      |      | IT       | CH       | XX     | T       | U      |
|          | 2    | B     | Python reticulatus | skins       | 6170     |      | IT       | ID       |        | T       | W      |
|          | 2    | B     | Python reticulatus | skins       | 1        |      | IT       | MX       | ID     | T       | W      |
|          | 2    | B     | Python reticulatus | skins       | 33736    |      | IT       | MY       |        | T       | W      |
|          | 2    | B     | Python reticulatus | skins       | 1100     |      | IT       | MY       | VN     | T       | W      |
|          | 2    | B     | Python reticulatus | skins       | 4026     |      | IT       | SG       | ID     | T       | W      |
|          | 2    | B     | Python reticulatus | skins       | 24764    |      | IT       | SG       | MY     | T       | W      |
|          | 2    | B     | Python reticulatus | skins       | 982      |      | IT       | SG       | VN     | T       | C      |
|          | 2    | B     | Python reticulatus | skins       | 4        |      | IT       | US       | ID     | T       | W      |
|          | 2    | B     | Python reticulatus | skins       | 875      |      | IT       | US       | MY     | T       | W      |
|          | 2    | B     | Python reticulatus | skins       | 20425 m  |      | IT       | VN       |        | T       | C      |
|          | 2    | B     | Python reticulatus | skins       | 20520 m  |      | IT       | VN       |        | T       | W      |
|          | 2    | B     | Python reticulatus | skin pieces | 300      |      | IT       | US       | ID     | T       | W      |
|          | 2    | B     | Python sebae       | live        | 5        |      | DE       | TG       |        | T       | W      |
|          | 2    | B     | Python sebae       | live        | 10       |      | DE       | TZ       |        | T       | W      |
|          | 2    | B     | Python sebae       | live        | 5        |      | ES       | GH       |        | T       | R      |
|          | 2    | B     | Python sebae       | live        | 38       |      | ES       | GH       |        | T       | W      |
|          | 2    | B     | Python sebae       | live        | 20       |      | ES       | TG       |        | T       | W      |
|          | 2    | B     | Python sebae       | live        | 5        |      | ES       | TZ       |        | T       | W      |
|          | 2    | B     | Python sebae       | live        | 10       |      | FR       | TG       |        | T       | R      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon        | Term                   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------|------------------------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | Python sebae | live                   | 35       |      | FR       | TG       |        | T       | W      |
|          | 2    | B     | Python sebae | live                   | 50       |      | FR       | US       |        | T       | C      |
|          | 2    | B     | Python sebae | live                   | 10       |      | GB       | GH       |        | I       |        |
|          | 2    | B     | Python sebae | live                   | 30       |      | GB       | GH       |        | T       | R      |
|          | 2    | B     | Python sebae | live                   | 4        |      | GB       | NG       |        | I       |        |
|          | 2    | B     | Python sebae | live                   | 2        |      | IT       | GH       |        | T       | R      |
|          | 2    | B     | Python sebae | live                   | 5        |      | NL       | TG       |        | T       | R      |
|          | 2    | B     | Python sebae | live                   | 20       |      | NL       | TG       |        | T       | W      |
|          | 2    | B     | Python sebae | large leather products | 775      |      | BE       | SN       |        | T       | W      |
|          | 2    | B     | Python sebae | large leather products | 2        |      | DE       | ML       |        | P       | W      |
|          | 2    | B     | Python sebae | large leather products | 1 pairs  |      | DE       | US       |        | P       | U      |
|          | 2    | B     | Python sebae | large leather products | 401      |      | FR       | SN       |        | T       | W      |
|          | 2    | B     | Python sebae | large leather products | 1552     |      | PT       | SN       |        | T       | W      |
|          | 2    | B     | Python sebae | small leather products | 1        |      | AT       | NG       |        | I       |        |
|          | 2    | B     | Python sebae | small leather products | 130      |      | BE       | SN       |        | T       | C      |
|          | 2    | B     | Python sebae | small leather products | 494      |      | BE       | SN       |        | T       | W      |
|          | 2    | B     | Python sebae | small leather products | 10       |      | DE       | ML       |        | P       | W      |
|          | 2    | B     | Python sebae | small leather products | 280      |      | ES       | SN       |        | T       | W      |
|          | 2    | B     | Python sebae | small leather products | 10       |      | ES       | XX       |        | I       |        |
|          | 2    | B     | Python sebae | small leather products | 3926     |      | FR       | SN       |        | T       | W      |
|          | 2    | B     | Python sebae | small leather products | 3        |      | GB       | EG       |        | I       |        |
|          | 2    | B     | Python sebae | small leather products | 2        |      | GB       | TH       |        | I       |        |
|          | 2    | B     | Python sebae | small leather products | 2        |      | GB       | US       |        | I       |        |
|          | 2    | B     | Python sebae | small leather products | 4        |      | GB       | XX       |        | I       |        |
|          | 2    | B     | Python sebae | small leather products | 9        |      | IT       | SN       |        | T       | W      |
|          | 2    | B     | Python sebae | small leather products | 2527     |      | PT       | SN       |        | T       | W      |
|          | 2    | B     | Python sebae | skins                  | 3        |      | DK       | GM       |        | P       | I      |
|          | 2    | B     | Python sebae | skins                  | 16200    |      | ES       | CM       |        | T       | W      |
|          | 2    | B     | Python sebae | skins                  | 1645     |      | ES       | ML       |        | T       | W      |
|          | 2    | B     | Python sebae | skins                  | 2000     |      | ES       | ML       | GN     | T       | W      |
|          | 2    | B     | Python sebae | skins                  | 23       |      | ES       | US       | GN     | T       | W      |
|          | 2    | B     | Python sebae | skins                  | 500      |      | IT       | CM       |        | T       | W      |
|          | 2    | B     | Python sebae | skins                  | 759      |      | IT       | ML       |        | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                     | Term                   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------|------------------------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Python sebae</i>       | skins                  | 1320     |      | IT       | TG       |        | T       | W      |
|          | 2    | B     | <i>Python sebae</i>       | trophies               | 1        |      | AT       | GH       |        | H       | W      |
|          | 2    | B     | <i>Python sebae</i>       | trophies               | 1        |      | NL       | AW       | XX     | P       | O      |
|          | 2    | B     | <i>Python timoriensis</i> | live                   | 5        |      | BE       | ID       |        | T       | C      |
|          | 2    | B     | <i>Python timoriensis</i> | live                   | 4        |      | FR       | ID       |        | T       | C      |
|          | 2    | B     | <i>Python timoriensis</i> | live                   | 2        |      | GB       | US       | ID     | P       | C      |
|          | 2    | B     | <i>Python timoriensis</i> | live                   | 1        |      | NL       | ID       |        | T       | F      |
|          | 2    | B     | <i>Boidae spp.</i>        | large leather products | 1 pairs  |      | DE       | US       |        | P       | W      |
|          | 2    | B     | <i>Boidae spp.</i>        | large leather products | 33       |      | PT       | XX       |        | I       |        |
|          | 2    | B     | <i>Boidae spp.</i>        | small leather products | 8        |      | AT       | ID       |        | I       |        |
|          | 2    | B     | <i>Boidae spp.</i>        | small leather products | 1        |      | AT       | MY       |        | I       |        |
|          | 2    | B     | <i>Boidae spp.</i>        | small leather products | 2        |      | AT       | NG       |        | I       |        |
|          | 2    | B     | <i>Boidae spp.</i>        | small leather products | 5        |      | AT       | US       |        | I       |        |
|          | 2    | B     | <i>Boidae spp.</i>        | skins                  | 1        |      | AT       | PE       |        | I       |        |
|          | 2    | B     | <i>Boidae spp.</i>        | skins                  | 1        |      | ES       | BO       | XX     | I       |        |
|          | 2    | B     | <i>Boidae spp.</i>        | skins                  | 1        |      | PT       | GY       |        | I       |        |
|          | 2    | B     | <i>Boidae spp.</i>        | skins                  | 7        |      | PT       | XX       |        | I       |        |
|          | 2    | B     | <i>Boa spp.</i>           | live                   | 14       |      | AT       | HT       |        | I       |        |
|          | 2    | B     | <i>Boa constrictor</i>    | live                   | 1        |      | AT       | HU       |        | I       |        |
|          | 2    | B     | <i>Boa constrictor</i>    | live                   | 800      |      | BE       | NI       |        | T       | C      |
|          | 2    | B     | <i>Boa constrictor</i>    | live                   | 63       |      | BE       | SR       |        | T       | W      |
|          | 2    | B     | <i>Boa constrictor</i>    | live                   | 1        |      | DE       | CH       |        | T       | C      |
|          | 2    | B     | <i>Boa constrictor</i>    | live                   | 60       |      | DE       | CR       |        | T       | C      |
|          | 2    | B     | <i>Boa constrictor</i>    | live                   | 190      |      | DE       | CZ       |        | T       | C      |
|          | 2    | B     | <i>Boa constrictor</i>    | live                   | 130      |      | DE       | HN       |        | T       | C      |
|          | 2    | B     | <i>Boa constrictor</i>    | live                   | 1        |      | DE       | US       |        | P       | C      |
|          | 2    | B     | <i>Boa constrictor</i>    | live                   | 2        |      | DE       | US       |        | B       | F      |
|          | 2    | B     | <i>Boa constrictor</i>    | live                   | 6        |      | DE       | US       |        | B       | C      |
|          | 2    | B     | <i>Boa constrictor</i>    | live                   | 8        |      | DE       | US       |        | T       | C      |
|          | 2    | B     | <i>Boa constrictor</i>    | live                   | 36       |      | DE       | US       | NI     | T       | C      |
|          | 2    | B     | <i>Boa constrictor</i>    | live                   | 150      |      | DK       | CO       |        | T       | C      |
|          | 2    | B     | <i>Boa constrictor</i>    | live                   | 12       |      | DK       | US       | CO     | T       | C      |
|          | 2    | B     | <i>Boa constrictor</i>    | live                   | 6        |      | DK       | US       | NI     | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon           | Term  | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------|-------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | Boa constrictor | live  | 1        |      | ES       | CZ       | RU     | Q       | C      |
|          | 2    | B     | Boa constrictor | live  | 50       |      | ES       | GT       |        | T       | C      |
|          | 2    | B     | Boa constrictor | live  | 415      |      | ES       | NI       |        | T       | C      |
|          | 2    | B     | Boa constrictor | live  | 81       |      | ES       | SR       |        | T       | W      |
|          | 2    | B     | Boa constrictor | live  | 250      |      | ES       | US       | CO     | T       | C      |
|          | 2    | B     | Boa constrictor | live  | 50       |      | ES       | US       | NI     | T       | C      |
|          | 2    | B     | Boa constrictor | live  | 25       |      | FR       | CA       |        | T       | C      |
|          | 2    | B     | Boa constrictor | live  | 25       |      | FR       | CA       | CO     | T       | C      |
|          | 2    | B     | Boa constrictor | live  | 470      |      | FR       | CZ       |        | T       | C      |
|          | 2    | B     | Boa constrictor | live  | 1        |      | FR       | RO       | CO     | B       | C      |
|          | 2    | B     | Boa constrictor | live  | 1        |      | FR       | RO       | CO     | Q       | C      |
|          | 2    | B     | Boa constrictor | live  | 2        |      | FR       | RU       |        | Q       | C      |
|          | 2    | B     | Boa constrictor | live  | 40       |      | FR       | SR       |        | T       | W      |
|          | 2    | B     | Boa constrictor | live  | 3        |      | FR       | US       |        | B       | C      |
|          | 2    | B     | Boa constrictor | live  | 375      |      | FR       | US       | CO     | T       | C      |
|          | 2    | B     | Boa constrictor | live  | 8        |      | FR       | US       | GY     | T       | W      |
|          | 2    | B     | Boa constrictor | live  | 30       |      | FR       | US       | NI     | T       | C      |
|          | 2    | B     | Boa constrictor | live  | 66       |      | GB       | GY       |        | T       | W      |
|          | 2    | B     | Boa constrictor | live  | 5        |      | GR       | SR       |        | T       | W      |
|          | 2    | B     | Boa constrictor | live  | 71       |      | IT       | NI       |        | T       | C      |
|          | 2    | B     | Boa constrictor | live  | 120      |      | IT       | US       | CO     | T       | C      |
|          | 2    | B     | Boa constrictor | live  | 2        |      | NL       | CH       | CZ     | Q       | C      |
|          | 2    | B     | Boa constrictor | live  | 400      |      | NL       | CZ       |        | T       | C      |
|          | 2    | B     | Boa constrictor | live  | 10       |      | NL       | EC       |        | I       |        |
|          | 2    | B     | Boa constrictor | live  | 407      |      | NL       | NI       |        | T       | C      |
|          | 2    | B     | Boa constrictor | live  | 23       |      | NL       | PE       |        | I       |        |
|          | 2    | B     | Boa constrictor | live  | 10       |      | NL       | QA       |        | I       | F      |
|          | 2    | B     | Boa constrictor | live  | 26       |      | NL       | SR       |        | T       | W      |
|          | 2    | B     | Boa constrictor | live  | 205      |      | NL       | SR       |        | T       | C      |
|          | 2    | B     | Boa constrictor | live  | 2        |      | NL       | US       |        | T       | C      |
|          | 2    | B     | Boa constrictor | live  | 40       |      | NL       | US       | CO     | T       | C      |
|          | 2    | B     | Boa constrictor | live  | 2        |      | SE       | US       |        | T       | C      |
|          | 2    | B     | Boa constrictor | skins | 1        |      | ES       | VE       | XX     |         | I      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                        | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Calabaria reinhardtii</i> | live | 4        |      | BE       | GH       |        | T       | W      |
|          | 2    | B     | <i>Calabaria reinhardtii</i> | live | 20       |      | DE       | GH       |        | T       | W      |
|          | 2    | B     | <i>Calabaria reinhardtii</i> | live | 5        |      | DE       | TG       |        | T       | W      |
|          | 2    | B     | <i>Calabaria reinhardtii</i> | live | 10       |      | DK       | GH       |        | T       | W      |
|          | 2    | B     | <i>Calabaria reinhardtii</i> | live | 55       |      | ES       | GH       |        | T       | W      |
|          | 2    | B     | <i>Calabaria reinhardtii</i> | live | 10       |      | ES       | TG       |        | T       | W      |
|          | 2    | B     | <i>Calabaria reinhardtii</i> | live | 5        |      | FR       | TG       |        | T       | R      |
|          | 2    | B     | <i>Calabaria reinhardtii</i> | live | 20       |      | FR       | TG       |        | T       | W      |
|          | 2    | B     | <i>Calabaria reinhardtii</i> | live | 10       |      | GB       | GH       |        | I       | W      |
|          | 2    | B     | <i>Calabaria reinhardtii</i> | live | 60       |      | GB       | GH       |        | T       | W      |
|          | 2    | B     | <i>Calabaria reinhardtii</i> | live | 26       |      | IT       | GH       |        | T       | W      |
|          | 2    | B     | <i>Calabaria reinhardtii</i> | live | 20       |      | NL       | GH       |        | T       | W      |
|          | 2    | B     | <i>Candoia aspera</i>        | live | 24       |      | BE       | ID       |        | T       | W      |
|          | 2    | B     | <i>Candoia aspera</i>        | live | 5        |      | DE       | ID       |        | T       | W      |
|          | 2    | B     | <i>Candoia aspera</i>        | live | 10       |      | ES       | ID       |        | T       | W      |
|          | 2    | B     | <i>Candoia aspera</i>        | live | 6        |      | GB       | ID       |        | T       | W      |
|          | 2    | B     | <i>Candoia aspera</i>        | live | 40       |      | NL       | ID       |        | T       | W      |
|          | 2    | B     | <i>Candoia carinata</i>      | live | 24       |      | BE       | ID       |        | T       | W      |
|          | 2    | B     | <i>Candoia carinata</i>      | live | 5        |      | DE       | ID       |        | B       | W      |
|          | 2    | B     | <i>Candoia carinata</i>      | live | 109      |      | DE       | SB       |        | T       | W      |
|          | 2    | B     | <i>Candoia carinata</i>      | live | 20       |      | ES       | ID       |        | T       | W      |
|          | 2    | B     | <i>Candoia carinata</i>      | live | 20       |      | FR       | ID       |        | T       | W      |
|          | 2    | B     | <i>Candoia carinata</i>      | live | 6        |      | GB       | ID       |        | T       | W      |
|          | 2    | B     | <i>Candoia carinata</i>      | live | 10       |      | IT       | ID       |        | T       | W      |
|          | 2    | B     | <i>Candoia carinata</i>      | live | 42       |      | NL       | ID       |        | T       | W      |
|          | 2    | B     | <i>Corallus caninus</i>      | live | 58       |      | BE       | SR       |        | T       | W      |
|          | 2    | B     | <i>Corallus caninus</i>      | live | 3        |      | DE       | GY       |        | T       | W      |
|          | 2    | B     | <i>Corallus caninus</i>      | live | 17       |      | DE       | SR       |        | T       | W      |
|          | 2    | B     | <i>Corallus caninus</i>      | live | 32       |      | DE       | SR       |        | B       | W      |
|          | 2    | B     | <i>Corallus caninus</i>      | live | 29       |      | ES       | SR       |        | T       | W      |
|          | 2    | B     | <i>Corallus caninus</i>      | live | 3        |      | ES       | US       | GY     | T       | W      |
|          | 2    | B     | <i>Corallus caninus</i>      | live | 5        |      | GB       | GY       |        | T       | W      |
|          | 2    | B     | <i>Corallus caninus</i>      | live | 3        |      | GR       | SR       |        | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                      | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------|------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Corallus caninus</i>    | live | 239      |      | NL       | SR       |        | T       | W      |
|          | 2    | B     | <i>Corallus hortulanus</i> | live | 43       |      | BE       | SR       |        | T       | W      |
|          | 2    | B     | <i>Corallus hortulanus</i> | live | 2        |      | DE       | CZ       |        | T       | C      |
|          | 2    | B     | <i>Corallus hortulanus</i> | live | 10       |      | DE       | GY       |        | T       | W      |
|          | 2    | B     | <i>Corallus hortulanus</i> | live | 4        |      | DK       | US       | GY     | T       | W      |
|          | 2    | B     | <i>Corallus hortulanus</i> | live | 89       |      | ES       | SR       |        | T       | W      |
|          | 2    | B     | <i>Corallus hortulanus</i> | live | 3        |      | FI       | CA       |        | T       | C      |
|          | 2    | B     | <i>Corallus hortulanus</i> | live | 4        |      | NL       | SR       |        | T       | F      |
|          | 2    | B     | <i>Corallus hortulanus</i> | live | 273      |      | NL       | SR       |        | T       | W      |
|          | 2    | B     | <i>Epicrates angulifer</i> | live | 20       |      | DE       | CZ       |        | T       | C      |
|          | 2    | B     | <i>Epicrates angulifer</i> | live | 20       |      | FR       | CZ       |        | T       | C      |
|          | 2    | B     | <i>Epicrates cenchria</i>  | live | 18       |      | BE       | SR       |        | T       | W      |
|          | 2    | B     | <i>Epicrates cenchria</i>  | live | 1        |      | DE       | CH       |        | P       | C      |
|          | 2    | B     | <i>Epicrates cenchria</i>  | live | 125      |      | DE       | CZ       |        | T       | C      |
|          | 2    | B     | <i>Epicrates cenchria</i>  | live | 3        |      | DE       | US       |        | P       | F      |
|          | 2    | B     | <i>Epicrates cenchria</i>  | live | 2        |      | DK       | US       | CZ     | T       | C      |
|          | 2    | B     | <i>Epicrates cenchria</i>  | live | 23       |      | ES       | SR       |        | T       | W      |
|          | 2    | B     | <i>Epicrates cenchria</i>  | live | 3        |      | ES       | US       | GY     | T       | W      |
|          | 2    | B     | <i>Epicrates cenchria</i>  | live | 1        |      | GB       | CZ       |        | I       | I      |
|          | 2    | B     | <i>Epicrates cenchria</i>  | live | 5        |      | GB       | GY       |        | T       | W      |
|          | 2    | B     | <i>Epicrates cenchria</i>  | live | 18       |      | GB       | US       |        | T       | F      |
|          | 2    | B     | <i>Epicrates cenchria</i>  | live | 4        |      | IT       | US       | CZ     | T       | C      |
|          | 2    | B     | <i>Epicrates cenchria</i>  | live | 1        |      | NL       | EC       |        | I       | I      |
|          | 2    | B     | <i>Epicrates cenchria</i>  | live | 7        |      | NL       | PE       |        | T       | I      |
|          | 2    | B     | <i>Epicrates cenchria</i>  | live | 11       |      | NL       | SR       |        | T       | F      |
|          | 2    | B     | <i>Epicrates cenchria</i>  | live | 55       |      | NL       | SR       |        | T       | W      |
|          | 2    | B     | <i>Epicrates striatus</i>  | live | 4        |      | DK       | PL       |        | T       | C      |
|          | 2    | B     | <i>Eryx miliaris</i>       | live | 85       |      | BE       | RU       | TJ     | T       | W      |
|          | 2    | B     | <i>Eunectes murinus</i>    | live | 13       |      | BE       | SR       |        | T       | W      |
|          | 2    | B     | <i>Eunectes murinus</i>    | live | 4        |      | DE       | GY       |        | T       | W      |
|          | 2    | B     | <i>Eunectes murinus</i>    | live | 25       |      | ES       | SR       |        | T       | W      |
|          | 2    | B     | <i>Eunectes murinus</i>    | live | 20       |      | FR       | SR       |        | T       | W      |
|          | 2    | B     | <i>Eunectes murinus</i>    | live | 2        |      | GR       | SR       |        | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex                  | Taxon | Term        | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|------------------------|-------|-------------|----------|------|----------|----------|--------|---------|--------|
| 2        | B    | Eunectes murinus       |       | live        | 13       |      | NL       | SR       |        | T       | W      |
| 2        | B    | Eunectes notaeus       |       | live        | 5        |      | ES       | CZ       |        | T       | C      |
| 2        | B    | Eunectes notaeus       |       | live        | 6        |      | FR       | CZ       |        | T       | C      |
| 2        | B    | Eunectes notaeus       |       | skins       | 13590    |      | DE       | AR       |        | T       | W      |
| 2        | B    | Eunectes notaeus       |       | skins       | 12997    |      | IT       | AR       |        | T       | W      |
| 2        | B    | Eunectes notaeus       |       | skins       | 3        |      | IT       | US       | AR     | T       | W      |
| 2        | B    | Eunectes notaeus       |       | skin pieces | 300      |      | IT       | US       | AR     | T       | W      |
| 2        | B    | Eunectes notaeus       |       | specimens   | 6        |      | DE       | AR       |        | S       | W      |
| 2        | B    | Gongylophis colubrinus |       | live        | 4        |      | DK       | PL       |        | T       | C      |
| 2        | B    | Gongylophis colubrinus |       | live        | 20       |      | ES       | SD       |        | T       | W      |
| 2        | B    | Gongylophis muelleri   |       | live        | 20       |      | ES       | SD       |        | T       | W      |
| 2        | B    | Lichanura trivirgata   |       | live        | 8        |      | DE       | US       |        | P       | F      |
| 2        | B    | Ptyas mucosus          |       | skins       | 10       |      | ES       | HK       | TH     | T       | W      |
| 2        | B    | Ptyas mucosus          |       | skins       | 2000     |      | ES       | SG       | ID     | T       | W      |
| 2        | B    | Ptyas mucosus          |       | skins       | 40300    |      | ES       | SG       | MY     | T       | W      |
| 2        | B    | Ptyas mucosus          |       | skins       | 12       |      | ES       | US       | TH     | T       | W      |
| 2        | B    | Ptyas mucosus          |       | skins       | 25000    |      | GB       | SG       | MY     | T       | W      |
| 2        | B    | Ptyas mucosus          |       | skins       | 8000     |      | IT       | BD       |        | T       | W      |
| 2        | B    | Ptyas mucosus          |       | skins       | 379968   |      | IT       | HK       | TH     | T       | W      |
| 2        | B    | Ptyas mucosus          |       | skins       | 31032    |      | IT       | SG       | ID     | T       | W      |
| 2        | B    | Ptyas mucosus          |       | skins       | 100000   |      | IT       | SG       | MY     | T       | W      |
| 2        | B    | Naja naja              |       | bodies      | 1        |      | DK       | IN       |        | P       | I      |
| 2        | B    | Naja naja              |       | bodies      | 2        |      | DK       | TH       |        | P       | I      |
| 2        | B    | Naja naja              |       | bodies      | 1        |      | DK       | VN       |        | P       | I      |
| 2        | B    | Naja naja              |       | bodies      | 2        |      | ES       | TH       | XX     |         | I      |
| 2        | B    | Naja naja              |       | bodies      | 1        |      | GB       | PK       |        |         | I      |
| 2        | B    | Naja naja              |       | bodies      | 1        |      | GB       | TH       |        |         | I      |
| 2        | B    | Naja naja              |       | bodies      | 1        |      | GB       | VN       |        |         | I      |
| 2        | B    | Naja naja              |       | bodies      | 3        |      | GB       | XX       |        |         | I      |
| 2        | B    | Naja naja              |       | garments    | 15       |      | DE       | TH       |        | T       | W      |
| 2        | B    | Naja naja              |       | garments    | 3        |      | GR       | TH       |        | T       | W      |
| 2        | B    | Naja naja              |       | live        | 1        |      | AT       | VN       |        | I       | I      |
| 2        | B    | Naja naja              |       | live        | 4        |      | NL       | ID       |        | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                         | Term                   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|------------------------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Naja naja</i>              | live                   | 1        |      | NL       | SG       |        |         |        |
|          | 2    | B     | <i>Naja naja</i>              | live                   | 2        |      | NL       | TH       |        |         |        |
|          | 2    | B     | <i>Naja naja</i>              | large leather products | 31       |      | DE       | TH       | T      | W       |        |
|          | 2    | B     | <i>Naja naja</i>              | small leather products | 194      |      | DE       | TH       | T      | W       |        |
|          | 2    | B     | <i>Naja naja</i>              | small leather products | 1        |      | DK       | IR       | P      |         |        |
|          | 2    | B     | <i>Naja naja</i>              | small leather products | 1        |      | DK       | TH       | P      |         |        |
|          | 2    | B     | <i>Naja naja</i>              | small leather products | 1        |      | GB       | BH       |        |         |        |
|          | 2    | B     | <i>Naja naja</i>              | small leather products | 1        |      | GB       | PK       |        |         |        |
|          | 2    | B     | <i>Naja naja</i>              | small leather products | 8        |      | GB       | TH       |        |         |        |
|          | 2    | B     | <i>Naja naja</i>              | small leather products | 10       |      | GB       | XX       |        |         |        |
|          | 2    | B     | <i>Naja naja</i>              | small leather products | 1        |      | GB       | ZA       |        |         |        |
|          | 2    | B     | <i>Naja naja</i>              | skins                  | 1        |      | DK       | TH       | P      |         |        |
|          | 2    | B     | <i>Naja naja</i>              | skins                  | 1000     |      | ES       | SG       | ID     | T       | W      |
|          | 2    | B     | <i>Naja naja</i>              | skins                  | 1        |      | GB       | BH       |        |         |        |
|          | 2    | B     | <i>Naja naja</i>              | skins                  | 1        |      | GB       | XX       |        |         |        |
|          | 2    | B     | <i>Naja naja</i>              | specimens              | 6        |      | DE       | US       | S      | F       |        |
|          | 2    | B     | <i>Naja naja</i>              | specimens              | 3 ml     |      | DE       | US       | S      | F       |        |
|          | 2    | B     | <i>Naja naja sputatrix</i>    | small leather products | 1120     |      | IT       | ID       | T      | W       |        |
|          | 2    | B     | <i>Naja naja sputatrix</i>    | small leather products | 1008     |      | SE       | ID       | T      | W       |        |
|          | 2    | B     | <i>Naja naja sputatrix</i>    | skins                  | 1        |      | IT       | MX       | ID     | T       | W      |
|          | 2    | B     | <i>Ophiophagus hannah</i>     | live                   | 1        |      | DE       | ID       | T      | W       |        |
|          | 2    | B     | <i>Ophiophagus hannah</i>     | live                   | 6        |      | GB       | ID       | T      | W       |        |
|          | 2    | B     | <i>Ophiophagus hannah</i>     | live                   | 2        |      | NL       | ID       | T      | W       |        |
|          | 2    | B     | <i>Ambystoma mexicanum</i>    | eggs                   | 200      |      | DE       | US       | S      | C       |        |
|          | 2    | B     | <i>Ambystoma mexicanum</i>    | eggs                   | 1200     |      | SE       | US       | S      | C       |        |
|          | 2    | B     | <i>Ambystoma mexicanum</i>    | live                   | 760      |      | DE       | US       | S      | C       |        |
|          | 2    | B     | <i>Dendrobates spp.</i>       | live                   | 4        |      | NL       | SR       | I      | C       |        |
|          | 2    | B     | <i>Dendrobates auratus</i>    | live                   | 5        |      | DE       | CZ       | T      | C       |        |
|          | 2    | B     | <i>Dendrobates auratus</i>    | live                   | 4        |      | GB       | CZ       | T      | I       |        |
|          | 2    | B     | <i>Dendrobates tinctorius</i> | live                   | 44       |      | ES       | SR       | T      | W       |        |
|          | 2    | B     | <i>Dendrobates tinctorius</i> | live                   | 788      |      | NL       | SR       | T      | W       |        |
|          | 2    | B     | <i>Epipedobates tricolor</i>  | live                   | 4        |      | DE       | CZ       | T      | C       |        |
|          | 2    | B     | <i>Phobobates trivittatus</i> | live                   | 36       |      | ES       | SR       | T      | W       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                           | Term   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------------|--------|----------|------|----------|----------|--------|---------|--------|
| 2        | B    |       | <i>Phobobates trivittatus</i>   | live   | 247      |      | NL       | SR       |        | T       | W      |
| 2        | B    |       | <i>Phyllobates vittatus</i>     | live   | 36       |      | NL       | SR       |        | T       | W      |
| 2        | B    |       | <i>Hoplobatrachus tigerinus</i> | meat   | 9000 kg  |      | FR       | VN       |        | T       | F      |
| 2        | B    |       | <i>Hoplobatrachus tigerinus</i> | meat   | 50520 kg |      | BE       | VN       |        | T       | C      |
| 2        | B    |       | <i>Hoplobatrachus tigerinus</i> | meat   | 82658 kg |      | BE       | VN       |        | T       | F      |
| 2        | B    |       | <i>Hoplobatrachus tigerinus</i> | meat   | 1290     |      | NL       | VN       |        | I       |        |
| 2        | B    |       | <i>Mantella aurantiaca</i>      | live   | 1000     |      | BE       | MG       |        | T       | W      |
| 2        | B    |       | <i>Mantella aurantiaca</i>      | live   | 1060     |      | DE       | MG       |        | T       | W      |
| 2        | B    |       | <i>Mantella aurantiaca</i>      | live   | 330      |      | DK       | MG       |        | T       | W      |
| 2        | B    |       | <i>Mantella aurantiaca</i>      | live   | 10       |      | DK       | US       | MG     | T       | W      |
| 2        | B    |       | <i>Mantella aurantiaca</i>      | live   | 245      |      | ES       | MG       |        | T       | W      |
| 2        | B    |       | <i>Mantella aurantiaca</i>      | live   | 100      |      | ES       | US       | MG     | T       | W      |
| 2        | B    |       | <i>Mantella aurantiaca</i>      | live   | 420      |      | FR       | MG       |        | T       | W      |
| 2        | B    |       | <i>Mantella aurantiaca</i>      | live   | 575      |      | GB       | MG       |        | T       | W      |
| 2        | B    |       | <i>Mantella aurantiaca</i>      | live   | 12       |      | IT       | MG       | S      | W       |        |
| 2        | B    |       | <i>Mantella aurantiaca</i>      | live   | 20       |      | IT       | MG       |        | T       | W      |
| 2        | B    |       | <i>Mantella aurantiaca</i>      | live   | 1307     |      | NL       | MG       |        | T       | W      |
| 2        | B    |       | <i>Acipenseriformes spp.</i>    | bodies | 100 kg   |      | IT       | IR       |        | T       | W      |
| 2        | B    |       | <i>Acipenseriformes spp.</i>    | eggs   | 2 kg     |      | AT       | AE       |        | I       |        |
| 2        | B    |       | <i>Acipenseriformes spp.</i>    | eggs   | 1 kg     |      | AT       | IR       |        | I       |        |
| 2        | B    |       | <i>Acipenseriformes spp.</i>    | eggs   | 18 kg    |      | AT       | RU       |        | I       |        |
| 2        | B    |       | <i>Acipenseriformes spp.</i>    | eggs   | 5 kg     |      | DE       | IR       |        | T       | O      |
| 2        | B    |       | <i>Acipenseriformes spp.</i>    | eggs   | 6 kg     |      | GB       | CH       |        | I       |        |
| 2        | B    |       | <i>Acipenseriformes spp.</i>    | eggs   | 1        |      | GB       | IR       |        | I       |        |
| 2        | B    |       | <i>Acipenseriformes spp.</i>    | eggs   | 200 g    |      | GB       | IR       |        | I       |        |
| 2        | B    |       | <i>Acipenseriformes spp.</i>    | eggs   | 112 kg   |      | GB       | IR       |        | I       |        |
| 2        | B    |       | <i>Acipenseriformes spp.</i>    | eggs   | 27 kg    |      | GB       | UA       |        | I       |        |
| 2        | B    |       | <i>Acipenseriformes spp.</i>    | eggs   | 1250 g   |      | GB       | XX       |        | I       |        |
| 2        | B    |       | <i>Acipenseriformes spp.</i>    | eggs   | 2 kg     |      | GB       | XX       |        | I       |        |
| 2        | B    |       | <i>Acipenseriformes spp.</i>    | eggs   | 1243 g   |      | NL       | AZ       |        | I       |        |
| 2        | B    |       | <i>Acipenseriformes spp.</i>    | eggs   | 1        |      | NL       | IR       |        | I       |        |
| 2        | B    |       | <i>Acipenseriformes spp.</i>    | eggs   | 45 cans  |      | NL       | IR       |        | I       |        |
| 2        | B    |       | <i>Acipenseriformes spp.</i>    | eggs   | 1500 g   |      | NL       | IR       |        | I       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                            | Term      | Quantity | Unit  | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------------|-----------|----------|-------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Acipenseriformes</i> spp.     | eggs      | 4        | kg    | NL       | IR       |        |         |        |
|          | 2    | B     | <i>Acipenseriformes</i> spp.     | eggs      | 1        | cans  | NL       | KZ       |        |         |        |
|          | 2    | B     | <i>Acipenseriformes</i> spp.     | eggs      | 30       | cans  | NL       | MD       |        |         |        |
|          | 2    | B     | <i>Acipenseriformes</i> spp.     | eggs      | 4        |       | NL       | RU       |        |         |        |
|          | 2    | B     | <i>Acipenseriformes</i> spp.     | eggs      | 6        | boxes | NL       | RU       |        |         |        |
|          | 2    | B     | <i>Acipenseriformes</i> spp.     | eggs      | 339      | g     | NL       | RU       |        |         |        |
|          | 2    | B     | <i>Acipenseriformes</i> spp.     | eggs      | 1        | kg    | NL       | RU       |        |         |        |
|          | 2    | B     | <i>Acipenseriformes</i> spp.     | eggs      | 900      | g     | NL       | SG       |        |         |        |
|          | 2    | B     | <i>Acipenseriformes</i> spp.     | eggs      | 3        | kg    | NL       | TR       |        |         |        |
|          | 2    | B     | <i>Acipenseriformes</i> spp.     | live      | 600      |       | DE       | CZ       | RU     | B       | W      |
|          | 2    | B     | <i>Acipenseriformes</i> spp.     | live      | 2000     |       | DE       | CZ       | RU     | T       | C      |
|          | 2    | B     | <i>Acipenseriformes</i> spp.     | live      | 500      |       | GB       | XX       |        |         |        |
|          | 2    | B     | <i>Acipenseriformes</i> spp.     | live      | 10000    |       | NL       | HU       |        | T       | W      |
|          | 2    | B     | <i>Acipenseriformes</i> spp.     | meat      | 9        | kg    | NL       | IR       |        | T       | W      |
|          | 2    | B     | <i>Acipenser</i> spp.            | eggs      | 20       | kg    | DE       | US       | RU     | T       | W      |
|          | 2    | B     | <i>Acipenser</i> spp.            | eggs      | 5212     | kg    | FR       | IR       |        | T       | W      |
|          | 2    | B     | <i>Acipenser baerii</i>          | meat      | 46       | kg    | FR       | IR       |        | T       | W      |
|          | 2    | B     | <i>Acipenser fulvescens</i>      | meat      | < 1      | kg    | DE       | CH       | FR     | T       | O      |
|          | 2    | B     | <i>Acipenser gueldenstaedtii</i> | specimens | 6        |       | DE       | US       | S      | O       |        |
|          | 2    | B     | <i>Acipenser gueldenstaedtii</i> | eggs      | 4        | kg    | BE       | CH       | IR     | T       | W      |
|          | 2    | B     | <i>Acipenser gueldenstaedtii</i> | eggs      | 605      | kg    | BE       | CH       | KZ     | T       | W      |
|          | 2    | B     | <i>Acipenser gueldenstaedtii</i> | eggs      | 300      | kg    | BE       | IR       |        | T       | W      |
|          | 2    | B     | <i>Acipenser gueldenstaedtii</i> | eggs      | 1044     | kg    | BE       | RU       |        | T       | W      |
|          | 2    | B     | <i>Acipenser gueldenstaedtii</i> | eggs      | 2197     | kg    | DE       | CH       | IR     | T       | W      |
|          | 2    | B     | <i>Acipenser gueldenstaedtii</i> | eggs      | 2488     | kg    | DE       | CH       | KZ     | T       | W      |
|          | 2    | B     | <i>Acipenser gueldenstaedtii</i> | eggs      | 650      | kg    | DE       | IR       |        | T       | W      |
|          | 2    | B     | <i>Acipenser gueldenstaedtii</i> | eggs      | 3117     | kg    | DE       | IR       |        | T       | O      |
|          | 2    | B     | <i>Acipenser gueldenstaedtii</i> | eggs      | 2400     | kg    | DE       | PL       | RU     | T       | O      |
|          | 2    | B     | <i>Acipenser gueldenstaedtii</i> | eggs      | 1265     | kg    | DE       | RU       |        | T       | O      |
|          | 2    | B     | <i>Acipenser gueldenstaedtii</i> | eggs      | 2644     | kg    | DE       | RU       |        | T       | W      |
|          | 2    | B     | <i>Acipenser gueldenstaedtii</i> | eggs      | 579      | kg    | DE       | US       | RU     | T       | O      |
|          | 2    | B     | <i>Acipenser gueldenstaedtii</i> | eggs      | 84       | kg    | DE       | US       | XX     | T       | O      |
|          | 2    | B     | <i>Acipenser gueldenstaedtii</i> | eggs      | 10       | kg    | DK       | AE       | RU     | T       | O      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex                     | Taxon | Term      | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|---------------------------|-------|-----------|----------|------|----------|----------|--------|---------|--------|
| 2        | B    | Acipenser gueldenstaedtii |       | eggs      | 252 kg   |      | DK       | CH       | IR     | T       | O      |
| 2        | B    | Acipenser gueldenstaedtii |       | eggs      | 800 kg   |      | DK       | IR       |        | T       | W      |
| 2        | B    | Acipenser gueldenstaedtii |       | eggs      | 373 kg   |      | DK       | RU       |        | T       | W      |
| 2        | B    | Acipenser gueldenstaedtii |       | eggs      | 500      |      | ES       | IR       |        | T       | W      |
| 2        | B    | Acipenser gueldenstaedtii |       | eggs      | 8320 kg  |      | ES       | IR       |        | T       | W      |
| 2        | B    | Acipenser gueldenstaedtii |       | eggs      | 21 kg    |      | ES       | US       | RU     | T       | O      |
| 2        | B    | Acipenser gueldenstaedtii |       | eggs      | 450 kg   |      | FI       | RU       |        | T       | W      |
| 2        | B    | Acipenser gueldenstaedtii |       | eggs      | 487 kg   |      | FR       | AE       | RU     | T       | O      |
| 2        | B    | Acipenser gueldenstaedtii |       | eggs      | 3 kg     |      | FR       | CH       | IR     | P       | W      |
| 2        | B    | Acipenser gueldenstaedtii |       | eggs      | 21 kg    |      | FR       | CH       | IR     | T       | O      |
| 2        | B    | Acipenser gueldenstaedtii |       | eggs      | 520 kg   |      | FR       | CH       | IR     | T       | W      |
| 2        | B    | Acipenser gueldenstaedtii |       | eggs      | 780 kg   |      | FR       | CH       | KZ     | T       | W      |
| 2        | B    | Acipenser gueldenstaedtii |       | eggs      | 15418 kg |      | FR       | IR       |        | T       | W      |
| 2        | B    | Acipenser gueldenstaedtii |       | eggs      | 1196 kg  |      | FR       | RU       |        | T       | W      |
| 2        | B    | Acipenser gueldenstaedtii |       | eggs      | 120 kg   |      | FR       | RU       | KZ     | T       | W      |
| 2        | B    | Acipenser gueldenstaedtii |       | eggs      | 12       |      | GB       | CH       | KZ     | T       | W      |
| 2        | B    | Acipenser gueldenstaedtii |       | eggs      | 2149 kg  |      | GB       | IR       |        | T       | W      |
| 2        | B    | Acipenser gueldenstaedtii |       | eggs      | 4 kg     |      | GR       | RO       |        | T       | W      |
| 2        | B    | Acipenser gueldenstaedtii |       | eggs      | 691 kg   |      | NL       | RU       |        | T       | W      |
| 2        | B    | Acipenser gueldenstaedtii |       | live      | 1500     |      | DE       | CZ       | RU     | T       | C      |
| 2        | B    | Acipenser gueldenstaedtii |       | live      | 4185     |      | DE       | HU       | RU     | T       | C      |
| 2        | B    | Acipenser gueldenstaedtii |       | live      | 75000    |      | DE       | PL       |        | T       | C      |
| 2        | B    | Acipenser gueldenstaedtii |       | live      | 5000     |      | NL       | HU       |        | T       | C      |
| 2        | B    | Acipenser gueldenstaedtii |       | meat      | 2 kg     |      | BE       | IR       |        | T       | W      |
| 2        | B    | Acipenser gueldenstaedtii |       | meat      | 47 kg    |      | FR       | IR       |        | E       | W      |
| 2        | B    | Acipenser gueldenstaedtii |       | meat      | 100 kg   |      | FR       | IR       |        | T       | W      |
| 2        | B    | Acipenser medirostris     |       | specimens | 6        |      | DE       | US       |        | S       | O      |
| 2        | B    | Acipenser nudiventris     |       | eggs      | 2 kg     |      | FR       | CH       | IR     | T       | O      |
| 2        | B    | Acipenser oxyrinchus      |       | live      | 500      |      | DE       | CA       |        | B       | C      |
| 2        | B    | Acipenser persicus        |       | eggs      | 786 kg   |      | DE       | IR       |        | T       | W      |
| 2        | B    | Acipenser persicus        |       | eggs      | 58 kg    |      | DK       | AE       | IR     | T       | W      |
| 2        | B    | Acipenser persicus        |       | eggs      | 1000 kg  |      | ES       | IR       |        | T       | W      |
| 2        | B    | Acipenser persicus        |       | eggs      | 330 kg   |      | FR       | AE       | IR     | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                | Term   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------|--------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | Acipenser persicus   | eggs   | 6127     | kg   | FR       | IR       |        | T       | W      |
|          | 2    | B     | Acipenser schrenckii | eggs   | 900      | kg   | DE       | CN       |        | T       | O      |
|          | 2    | B     | Acipenserstellatus   | bodies | 4000     | kg   | IT       | IR       |        | T       | W      |
|          | 2    | B     | Acipenserstellatus   | eggs   | 2        | kg   | AT       | CH       | AZ     | T       | O      |
|          | 2    | B     | Acipenserstellatus   | eggs   | 5        | kg   | AT       | CH       | IR     | T       | O      |
|          | 2    | B     | Acipenserstellatus   | eggs   | 8250     | kg   | AT       | IR       |        | T       | O      |
|          | 2    | B     | Acipenserstellatus   | eggs   | 5        | kg   | BE       | CH       | IR     | T       | W      |
|          | 2    | B     | Acipenserstellatus   | eggs   | 3229     | kg   | BE       | CH       | KZ     | T       | W      |
|          | 2    | B     | Acipenserstellatus   | eggs   | 80       | kg   | BE       | IR       |        | T       | W      |
|          | 2    | B     | Acipenserstellatus   | eggs   | 872      | kg   | BE       | RU       |        | T       | W      |
|          | 2    | B     | Acipenserstellatus   | eggs   | 1243     | kg   | DE       | CH       | IR     | T       | W      |
|          | 2    | B     | Acipenserstellatus   | eggs   | 9844     | kg   | DE       | CH       | KZ     | T       | W      |
|          | 2    | B     | Acipenserstellatus   | eggs   | 1167     | kg   | DE       | IR       |        | T       | W      |
|          | 2    | B     | Acipenserstellatus   | eggs   | 2446     | kg   | DE       | IR       |        | T       | O      |
|          | 2    | B     | Acipenserstellatus   | eggs   | 2550     | kg   | DE       | PL       | RU     | T       | O      |
|          | 2    | B     | Acipenserstellatus   | eggs   | 455      | kg   | DE       | RU       |        | T       | O      |
|          | 2    | B     | Acipenserstellatus   | eggs   | 3833     | kg   | DE       | RU       |        | T       | W      |
|          | 2    | B     | Acipenserstellatus   | eggs   | 79       | kg   | DE       | SA       | KZ     | T       | O      |
|          | 2    | B     | Acipenserstellatus   | eggs   | 1064     | kg   | DE       | US       | RU     | T       | O      |
|          | 2    | B     | Acipenserstellatus   | eggs   | 34       | kg   | DK       | AE       | IR     | T       | W      |
|          | 2    | B     | Acipenserstellatus   | eggs   | 2        | kg   | DK       | AE       | RU     | T       | O      |
|          | 2    | B     | Acipenserstellatus   | eggs   | 150      | kg   | DK       | CH       | AZ     | T       | O      |
|          | 2    | B     | Acipenserstellatus   | eggs   | 203      | kg   | DK       | CH       | IR     | T       | O      |
|          | 2    | B     | Acipenserstellatus   | eggs   | 289      | kg   | DK       | CH       | IR     | T       | W      |
|          | 2    | B     | Acipenserstellatus   | eggs   | 1600     | kg   | DK       | IR       |        | T       | W      |
|          | 2    | B     | Acipenserstellatus   | eggs   | 395      | kg   | DK       | RU       |        | T       | W      |
|          | 2    | B     | Acipenserstellatus   | eggs   | 400      |      | ES       | IR       |        | T       | W      |
|          | 2    | B     | Acipenserstellatus   | eggs   | 4430     | kg   | ES       | IR       |        | T       | W      |
|          | 2    | B     | Acipenserstellatus   | eggs   | 21       | kg   | ES       | US       | RU     | T       | O      |
|          | 2    | B     | Acipenserstellatus   | eggs   | 36       | kg   | ES       | US       | XX     | T       | O      |
|          | 2    | B     | Acipenserstellatus   | eggs   | 50       | kg   | FI       | RU       |        | T       | W      |
|          | 2    | B     | Acipenserstellatus   | eggs   | 252      | kg   | FR       | AE       | IR     | T       | W      |
|          | 2    | B     | Acipenserstellatus   | eggs   | 741      | kg   | FR       | AE       | RU     | T       | O      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                          | Term      | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Acipenser stellatus</i>     | eggs      | 331 kg   |      | FR       | CH       | IR     | T       | W      |
|          | 2    | B     | <i>Acipenser stellatus</i>     | eggs      | 493 kg   |      | FR       | CH       | IR     | T       | O      |
|          | 2    | B     | <i>Acipenser stellatus</i>     | eggs      | 154 kg   |      | FR       | CH       | KZ     | T       | W      |
|          | 2    | B     | <i>Acipenser stellatus</i>     | eggs      | < 1 kg   |      | FR       | CH       | RU     | T       | O      |
|          | 2    | B     | <i>Acipenser stellatus</i>     | eggs      | 1020 kg  |      | FR       | IR       |        | T       | O      |
|          | 2    | B     | <i>Acipenser stellatus</i>     | eggs      | 13651 kg |      | FR       | IR       |        | T       | W      |
|          | 2    | B     | <i>Acipenser stellatus</i>     | eggs      | 627 kg   |      | FR       | RU       |        | T       | W      |
|          | 2    | B     | <i>Acipenser stellatus</i>     | eggs      | 840 kg   |      | FR       | RU       | KZ     | T       | W      |
|          | 2    | B     | <i>Acipenser stellatus</i>     | eggs      | 97 kg    |      | GB       | CH       | AZ     | T       | O      |
|          | 2    | B     | <i>Acipenser stellatus</i>     | eggs      | 145 kg   |      | GB       | CH       | AZ     | T       | W      |
|          | 2    | B     | <i>Acipenser stellatus</i>     | eggs      | 12       |      | GB       | CH       | KZ     | T       | W      |
|          | 2    | B     | <i>Acipenser stellatus</i>     | eggs      | 1505 kg  |      | GB       | IR       |        | T       | W      |
|          | 2    | B     | <i>Acipenser stellatus</i>     | eggs      | 2 kg     |      | GR       | RO       |        | T       | W      |
|          | 2    | B     | <i>Acipenser stellatus</i>     | eggs      | 816 kg   |      | NL       | RU       |        | T       | W      |
|          | 2    | B     | <i>Acipenser stellatus</i>     | live      | 25000    |      | DE       | PL       |        | T       | C      |
|          | 2    | B     | <i>Acipenser stellatus</i>     | meat      | 4715 kg  |      | FR       | IR       |        | T       | W      |
|          | 2    | B     | <i>Acipenser transmontanus</i> | specimens | 6        |      | DE       | US       | S      | O       | O      |
|          | 2    | B     | <i>Huso dauricus</i>           | eggs      | 1100 kg  |      | DE       | CN       |        | T       | O      |
|          | 2    | B     | <i>Huso huso</i>               | bodies    | 8        |      | ES       | PG       |        | T       | R      |
|          | 2    | B     | <i>Huso huso</i>               | bodies    | 12750 kg |      | IT       | IR       |        | T       | W      |
|          | 2    | B     | <i>Huso huso</i>               | eggs      | 1 kg     |      | AT       | CH       | AZ     | T       | O      |
|          | 2    | B     | <i>Huso huso</i>               | eggs      | 5 kg     |      | AT       | CH       | IR     | T       | O      |
|          | 2    | B     | <i>Huso huso</i>               | eggs      | 4 kg     |      | AT       | CH       | RU     | T       | O      |
|          | 2    | B     | <i>Huso huso</i>               | eggs      | 87 kg    |      | BE       | CH       | KZ     | T       | W      |
|          | 2    | B     | <i>Huso huso</i>               | eggs      | 20 kg    |      | BE       | IR       |        | T       | W      |
|          | 2    | B     | <i>Huso huso</i>               | eggs      | 45 kg    |      | BE       | RU       |        | T       | W      |
|          | 2    | B     | <i>Huso huso</i>               | eggs      | 212 kg   |      | DE       | CH       | AZ     | T       | O      |
|          | 2    | B     | <i>Huso huso</i>               | eggs      | 61 kg    |      | DE       | CH       | IR     | T       | W      |
|          | 2    | B     | <i>Huso huso</i>               | eggs      | 2927 kg  |      | DE       | CH       | KZ     | T       | W      |
|          | 2    | B     | <i>Huso huso</i>               | eggs      | 77 kg    |      | DE       | IR       |        | T       | W      |
|          | 2    | B     | <i>Huso huso</i>               | eggs      | 127 kg   |      | DE       | IR       |        | T       | O      |
|          | 2    | B     | <i>Huso huso</i>               | eggs      | 109 kg   |      | DE       | RU       |        | T       | O      |
|          | 2    | B     | <i>Huso huso</i>               | eggs      | 137 kg   |      | DE       | RU       |        | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                              | Term      | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| 1        | 2    | B     | <i>Huso huso</i>                   | eggs      | 300 g    |      | DE       | US       | RU     | T       | O      |
| 1        | 2    | B     | <i>Huso huso</i>                   | eggs      | < 1 kg   |      | DE       | US       | RU     | T       | O      |
| 1        | 2    | B     | <i>Huso huso</i>                   | eggs      | 4 kg     |      | DK       | AE       | IR     | T       | W      |
| 1        | 2    | B     | <i>Huso huso</i>                   | eggs      | 710 kg   |      | ES       | IR       |        | T       | W      |
| 1        | 2    | B     | <i>Huso huso</i>                   | eggs      | 183 kg   |      | FI       | RU       |        | T       | W      |
| 1        | 2    | B     | <i>Huso huso</i>                   | eggs      | 18 kg    |      | FR       | AE       | IR     | T       | W      |
| 1        | 2    | B     | <i>Huso huso</i>                   | eggs      | 20 kg    |      | FR       | AE       | RU     | T       | O      |
| 1        | 2    | B     | <i>Huso huso</i>                   | eggs      | 450 kg   |      | FR       | BG       |        | T       | W      |
| 1        | 2    | B     | <i>Huso huso</i>                   | eggs      | 103 kg   |      | FR       | CH       | IR     | T       | W      |
| 1        | 2    | B     | <i>Huso huso</i>                   | eggs      | 291 kg   |      | FR       | CH       | IR     | T       | O      |
| 1        | 2    | B     | <i>Huso huso</i>                   | eggs      | 1253 kg  |      | FR       | CH       | KZ     | T       | W      |
| 1        | 2    | B     | <i>Huso huso</i>                   | eggs      | 160 kg   |      | FR       | IR       |        | T       | O      |
| 1        | 2    | B     | <i>Huso huso</i>                   | eggs      | 1600 kg  |      | FR       | IR       |        | T       | W      |
| 1        | 2    | B     | <i>Huso huso</i>                   | eggs      | 40 kg    |      | FR       | RU       | KZ     | T       | W      |
| 1        | 2    | B     | <i>Huso huso</i>                   | eggs      | 47 kg    |      | GB       | CH       | AZ     | T       | W      |
| 1        | 2    | B     | <i>Huso huso</i>                   | eggs      | 19 kg    |      | GB       | CH       | KZ     | T       | W      |
| 1        | 2    | B     | <i>Huso huso</i>                   | eggs      | 310 kg   |      | GB       | IR       |        | T       | W      |
| 1        | 2    | B     | <i>Huso huso</i>                   | eggs      | 15 kg    |      | GR       | RO       |        | T       | W      |
| 1        | 2    | B     | <i>Huso huso</i>                   | eggs      | 200 kg   |      | LU       | IR       |        | T       | W      |
| 1        | 2    | B     | <i>Huso huso</i>                   | eggs      | < 1 kg   |      | PF       | CH       | KZ     | T       | W      |
| 1        | 2    | B     | <i>Huso huso</i>                   | meat      | 5 kg     |      | BE       | IR       |        | T       | W      |
| 1        | 2    | B     | <i>Huso huso</i>                   | meat      | 34 kg    |      | FR       | IR       |        | E       | W      |
| 1        | 2    | B     | <i>Huso huso</i>                   | meat      | 585 kg   |      | FR       | IR       |        | T       | W      |
| 1        | 2    | B     | <i>Scaphirhynchus albus</i>        | specimens | 6        |      | DE       | US       |        | S       | O      |
| 1        | 2    | B     | <i>Scaphirhynchus platorynchus</i> | specimens | 6        |      | DE       | US       |        | S       | O      |
| 1        | 2    | B     | <i>Polyodon spathula</i>           | live      | 45000    |      | FR       | US       |        | T       | F      |
| 1        | 2    | B     | <i>Polyodon spathula</i>           | specimens | 6        |      | DE       | US       |        | S       | O      |
| 1        | 2    | B     | <i>Ornithoptera spp.</i>           | bodies    | 10       |      | DE       | PG       |        | T       | R      |
| 1        | 2    | B     | <i>Ornithoptera spp.</i>           | bodies    | 2        |      | FI       | US       | ID     | T       | C      |
| 1        | 2    | B     | <i>Ornithoptera spp.</i>           | bodies    | 733      |      | GB       | MY       |        | I       | I      |
| 1        | 2    | B     | <i>Ornithoptera spp.</i>           | live      | 151      |      | GB       | ID       |        | I       | I      |
| 1        | 2    | B     | <i>Ornithoptera spp.</i>           | specimens | 150      |      | IT       | PG       |        | T       | C      |
| 1        | 2    | B     | <i>Ornithoptera hybrid</i>         | bodies    | 8        |      | BE       | AU       |        | P       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                                | Term   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------------|--------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Ornithoptera chimaera</i>         | bodies | 34       |      | DE       | PG       |        | T       | R      |
|          | 2    | B     | <i>Ornithoptera chimaera</i>         | bodies | 2        |      | FI       | AU       | PG     | T       | C      |
|          | 2    | B     | <i>Ornithoptera chimaera</i>         | bodies | 72       |      | FR       | PG       |        | T       | R      |
|          | 2    | B     | <i>Ornithoptera croesus</i>          | bodies | 20       |      | DE       | CA       | ID     | T       | R      |
|          | 2    | B     | <i>Ornithoptera goliath</i>          | bodies | 20       |      | AT       | ID       |        | P       | R      |
|          | 2    | B     | <i>Ornithoptera goliath</i>          | bodies | 10       |      | BE       | ID       |        | P       | F      |
|          | 2    | B     | <i>Ornithoptera goliath</i>          | bodies | 60       |      | BE       | ID       |        | P       | R      |
|          | 2    | B     | <i>Ornithoptera goliath</i>          | bodies | 23       |      | DE       | ID       |        | P       | R      |
|          | 2    | B     | <i>Ornithoptera goliath</i>          | bodies | 84       |      | DE       | ID       |        | T       | R      |
|          | 2    | B     | <i>Ornithoptera goliath</i>          | bodies | 84       |      | DE       | PG       |        | T       | R      |
|          | 2    | B     | <i>Ornithoptera goliath</i>          | bodies | 2        |      | FI       | AU       | PG     | T       | C      |
|          | 2    | B     | <i>Ornithoptera goliath</i>          | bodies | 20       |      | FR       | PG       |        | T       | R      |
|          | 2    | B     | <i>Ornithoptera goliath</i>          | bodies | 6        |      | IT       | ID       |        | T       | R      |
|          | 2    | B     | <i>Ornithoptera goliath samson</i>   | bodies | 50       |      | ES       | ID       |        | T       | W      |
|          | 2    | B     | <i>Ornithoptera goliath samson</i>   | bodies | 32       |      | FR       | ID       |        | S       | R      |
|          | 2    | B     | <i>Ornithoptera goliath supremus</i> | bodies | 4        |      | ES       | PG       |        | T       | R      |
|          | 2    | B     | <i>Ornithoptera goliath supremus</i> | bodies | 72       |      | FR       | PG       |        | T       | R      |
|          | 2    | B     | <i>Ornithoptera meridionalis</i>     | bodies | 51       |      | DE       | PG       |        | T       | R      |
|          | 2    | B     | <i>Ornithoptera meridionalis</i>     | bodies | 14       |      | FR       | PG       |        | T       | R      |
|          | 2    | B     | <i>Ornithoptera paradisea</i>        | bodies | 18       |      | AT       | ID       |        | P       | R      |
|          | 2    | B     | <i>Ornithoptera paradisea</i>        | bodies | 24       |      | BE       | ID       |        | P       | R      |
|          | 2    | B     | <i>Ornithoptera paradisea</i>        | bodies | 16       |      | DE       | ID       |        | P       | R      |
|          | 2    | B     | <i>Ornithoptera paradisea</i>        | bodies | 89       |      | DE       | ID       |        | T       | R      |
|          | 2    | B     | <i>Ornithoptera paradisea</i>        | bodies | 2        |      | DE       | PG       |        | T       | R      |
|          | 2    | B     | <i>Ornithoptera paradisea</i>        | bodies | 6        |      | ES       | ID       |        | T       | W      |
|          | 2    | B     | <i>Ornithoptera paradisea</i>        | bodies | 1        |      | FI       | US       | ID     | T       | C      |
|          | 2    | B     | <i>Ornithoptera paradisea</i>        | bodies | 9        |      | FR       | ID       |        | S       | R      |
|          | 2    | B     | <i>Ornithoptera paradisea</i>        | bodies | 1        |      | FR       | PG       |        | T       | R      |
|          | 2    | B     | <i>Ornithoptera priamus</i>          | bodies | 1        |      | AT       | AU       |        | P       | C      |
|          | 2    | B     | <i>Ornithoptera priamus</i>          | bodies | 40       |      | AT       | ID       |        | P       | R      |
|          | 2    | B     | <i>Ornithoptera priamus</i>          | bodies | 23       |      | BE       | AU       |        | P       | W      |
|          | 2    | B     | <i>Ornithoptera priamus</i>          | bodies | 83       |      | BE       | AU       |        | P       | C      |
|          | 2    | B     | <i>Ornithoptera priamus</i>          | bodies | 30       |      | BE       | ID       |        | P       | F      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                                   | Term   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---|--------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Ornithoptera priamus</i>             | bodies | 6        |      | DE       | AU       |        | P       | C      |
|          | 2    | B     | <i>Ornithoptera priamus</i>             | bodies | 128      |      | DE       | AU       |        | T       | C      |
|          | 2    | B     | <i>Ornithoptera priamus</i>             | bodies | 76       |      | DE       | CA       | ID     | T       | R      |
|          | 2    | B     | <i>Ornithoptera priamus</i>             | bodies | 27       |      | DE       | ID       |        | P       | R      |
|          | 2    | B     | <i>Ornithoptera priamus</i>             | bodies | 132      |      | DE       | ID       |        | T       | R      |
|          | 2    | B     | <i>Ornithoptera priamus</i>             | bodies | 6        |      | DE       | PG       |        | E       | R      |
|          | 2    | B     | <i>Ornithoptera priamus</i>             | bodies | 31       |      | DE       | PG       |        | P       | R      |
|          | 2    | B     | <i>Ornithoptera priamus</i>             | bodies | 628      |      | DE       | PG       |        | T       | R      |
|          | 2    | B     | <i>Ornithoptera priamus</i>             | bodies | 4        |      | FI       | AU       |        | T       | C      |
|          | 2    | B     | <i>Ornithoptera priamus</i>             | bodies | 2        |      | FI       | US       | ID     | T       | C      |
|          | 2    | B     | <i>Ornithoptera priamus</i>             | bodies | 14       |      | FR       | AU       |        | T       | C      |
|          | 2    | B     | <i>Ornithoptera priamus</i>             | bodies | 70       |      | FR       | PG       |        | T       | R      |
|          | 2    | B     | <i>Ornithoptera priamus</i>             | bodies | 4        |      | GB       | US       | PG     | T       | C      |
|          | 2    | B     | <i>Ornithoptera priamus bornemannii</i> | bodies | 4        |      | ES       | PG       |        | T       | R      |
|          | 2    | B     | <i>Ornithoptera priamus bornemannii</i> | bodies | 12       |      | FR       | PG       |        | T       | R      |
|          | 2    | B     | <i>Ornithoptera priamus poseidon</i>    | bodies | 20       |      | BE       | ID       |        | P       | R      |
|          | 2    | B     | <i>Ornithoptera priamus poseidon</i>    | bodies | 50       |      | ES       | ID       |        | T       | W      |
|          | 2    | B     | <i>Ornithoptera priamus poseidon</i>    | bodies | 3        |      | FR       | ID       |        | S       | R      |
|          | 2    | B     | <i>Ornithoptera priamus poseidon</i>    | bodies | 100      |      | FR       | ID       |        | T       | R      |
|          | 2    | B     | <i>Ornithoptera priamus poseidon</i>    | bodies | 200      |      | FR       | PG       |        | T       | R      |
|          | 2    | B     | <i>Ornithoptera priamus poseidon</i>    | bodies | 22       |      | IT       | ID       |        | T       | R      |
|          | 2    | B     | <i>Ornithoptera richmondia</i>          | bodies | 6        |      | BE       | AU       |        | P       | C      |
|          | 2    | B     | <i>Ornithoptera richmondia</i>          | bodies | 8        |      | DE       | AU       |        | T       | C      |
|          | 2    | B     | <i>Ornithoptera rothschildi</i>         | bodies | 20       |      | AT       | ID       |        | P       | R      |
|          | 2    | B     | <i>Ornithoptera rothschildi</i>         | bodies | 40       |      | BE       | ID       |        | P       | R      |
|          | 2    | B     | <i>Ornithoptera rothschildi</i>         | bodies | 40       |      | DE       | ID       |        | P       | R      |
|          | 2    | B     | <i>Ornithoptera rothschildi</i>         | bodies | 101      |      | DE       | ID       |        | T       | R      |
|          | 2    | B     | <i>Ornithoptera rothschildi</i>         | bodies | 10       |      | ES       | ID       |        | T       | W      |
|          | 2    | B     | <i>Ornithoptera rothschildi</i>         | bodies | 2        |      | FR       | ID       |        | S       | R      |
|          | 2    | B     | <i>Ornithoptera tithonus</i>            | bodies | 10       |      | AT       | ID       |        | P       | R      |
|          | 2    | B     | <i>Ornithoptera tithonus</i>            | bodies | 5        |      | BE       | ID       |        | P       | F      |
|          | 2    | B     | <i>Ornithoptera tithonus</i>            | bodies | 10       |      | BE       | ID       |        | P       | R      |
|          | 2    | B     | <i>Ornithoptera tithonus</i>            | bodies | 4        |      | DE       | AU       |        | P       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                                     | Term      | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---|-----------|----------|------|----------|----------|--------|---------|--------|
| 2        | B    |       | <i>Ornithoptera tithonus</i>              | bodies    | 4        |      | DE       | AU       |        | T       | C      |
| 2        | B    |       | <i>Ornithoptera tithonus</i>              | bodies    | 19       |      | DE       | ID       |        | P       | R      |
| 2        | B    |       | <i>Ornithoptera tithonus</i>              | bodies    | 107      |      | DE       | ID       |        | T       | R      |
| 2        | B    |       | <i>Ornithoptera tithonus</i>              | bodies    | 16       |      | ES       | ID       |        | T       | W      |
| 2        | B    |       | <i>Ornithoptera tithonus</i>              | bodies    | 2        |      | FI       | AU       | ID     | T       | R      |
| 2        | B    |       | <i>Ornithoptera tithonus</i>              | bodies    | 2        |      | FI       | US       | ID     | T       | C      |
| 2        | B    |       | <i>Ornithoptera tithonus</i>              | bodies    | 8        |      | FR       | ID       |        | S       | R      |
| 2        | B    |       | <i>Ornithoptera urvillianus</i>           | bodies    | 88       |      | FR       | SB       |        | T       | R      |
| 2        | B    |       | <i>Ornithoptera victoriae</i>             | bodies    | 7 pairs  |      | ES       | SB       |        | P       | C      |
| 2        | B    |       | <i>Ornithoptera victoriae</i>             | bodies    | 2        |      | FI       | US       | SB     | T       | W      |
| 2        | B    |       | <i>Ornithoptera victoriae</i>             | bodies    | 70       |      | FR       | SB       |        | T       | R      |
| 2        | B    |       | <i>Ornithoptera victoriae epiphanes</i>   | bodies    | 60       |      | FR       | SB       |        | T       | R      |
| 2        | B    |       | <i>Ornithoptera victoriae reginæ</i>      | bodies    | 20       |      | FR       | SB       |        | T       | R      |
| 2        | A    |       | <i>Parnassius apollo</i>                  | bodies    | 1        |      | DE       | CZ       |        | P       | O      |
| 2        | B    |       | <i>Trogonoptera brookiana</i>             | bodies    | 2        |      | GB       | TH       |        | I       |        |
| 2        | B    |       | <i>Trogonoptera brookiana</i>             | bodies    | 525      |      | GB       | XX       |        | I       |        |
| 2        | B    |       | <i>Troides aeacus</i>                     | bodies    | 1        |      | GB       | TH       |        | I       |        |
| 2        | B    |       | <i>Troides amphrysus</i>                  | bodies    | 1        |      | DE       | UA       | XX     | P       | U      |
| 2        | B    |       | <i>Troides amphrysus</i>                  | bodies    | 1        |      | GB       | TH       |        | I       |        |
| 2        | B    |       | <i>Troides cuneifer</i>                   | bodies    | 3        |      | GB       | TH       |        | I       |        |
| 2        | B    |       | <i>Troides helena</i>                     | bodies    | 30       |      | BE       | ID       |        | P       | F      |
| 2        | B    |       | <i>Troides hypolitus</i>                  | bodies    | 10       |      | BE       | ID       |        | P       | F      |
| 2        | B    |       | <i>Troides oblongomaculatus</i>           | bodies    | 10       |      | BE       | ID       |        | P       | F      |
| 2        | B    |       | <i>Troides oblongomaculatus</i>           | bodies    | 10       |      | DE       | AU       |        | T       | C      |
| 2        | B    |       | <i>Troides oblongomaculatus</i>           | bodies    | 4        |      | DE       | ID       |        | P       | R      |
| 2        | B    |       | <i>Troides oblongomaculatus</i>           | bodies    | 40       |      | DE       | ID       |        | T       | R      |
| 2        | B    |       | <i>Troides oblongomaculatus</i>           | bodies    | 100      |      | DE       | PG       |        | T       | R      |
| 2        | B    |       | <i>Troides oblongomaculatus</i>           | bodies    | 2        |      | FI       | AU       | ID     | T       | C      |
| 2        | B    |       | <i>Troides oblongomaculatus</i>           | bodies    | 300      |      | FR       | PG       |        | T       | R      |
| 2        | B    |       | <i>Troides oblongomaculatus</i>           | bodies    | 20       |      | IT       | ID       |        | T       | R      |
| 2        | B    |       | <i>Troides oblongomaculatus papuensis</i> | specimens | 100      |      | IT       | PG       |        | T       | C      |
| 2        | B    |       | <i>Troides oblongomaculatus papuensis</i> | bodies    | 100      |      | FR       | ID       |        | T       | R      |
| 2        | B    |       | <i>Brachypelma albopilosum</i>            | live      | 190      |      | DE       | HN       |        | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                          | Term   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|--------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Brachypelma albopilosum</i> | live   | 448      |      | ES       | NI       |        | T       | W      |
|          | 2    | B     | <i>Brachypelma albopilosum</i> | live   | 24       |      | FR       | US       | NI     | T       | W      |
|          | 2    | B     | <i>Brachypelma albopilosum</i> | live   | 25       |      | NL       | US       | NI     | T       | W      |
|          | 2    | B     | <i>Brachypelma auratum</i>     | live   | 5        |      | DE       | CH       |        | T       | C      |
|          | 2    | B     | <i>Brachypelma boehmei</i>     | live   | 5        |      | DE       | CH       |        | T       | C      |
|          | 2    | B     | <i>Brachypelma emilia</i>      | live   | 165      |      | DE       | CH       |        | T       | C      |
|          | 2    | B     | <i>Brachypelma smithi</i>      | live   | 315      |      | DE       | CH       |        | T       | C      |
|          | 2    | B     | <i>Brachypelma smithi</i>      | live   | 6        |      | FR       | US       | CH     | T       | C      |
|          | 2    | B     | <i>Brachypelma vagans</i>      | live   | 30       |      | DE       | CZ       |        | T       | C      |
|          | 2    | B     | <i>Pandinus imperator</i>      | bodies | 1        |      | GB       | XX       |        | I       | R      |
|          | 2    | B     | <i>Pandinus imperator</i>      | live   | 50       |      | AT       | TG       |        | T       | W      |
|          | 2    | B     | <i>Pandinus imperator</i>      | live   | 100      |      | BE       | TG       |        | T       | R      |
|          | 2    | B     | <i>Pandinus imperator</i>      | live   | 1635     |      | BE       | TG       |        | T       | W      |
|          | 2    | B     | <i>Pandinus imperator</i>      | live   | 5333     |      | DE       | GH       |        | T       | W      |
|          | 2    | B     | <i>Pandinus imperator</i>      | live   | 5        |      | DE       | TG       |        | T       | W      |
|          | 2    | B     | <i>Pandinus imperator</i>      | live   | 750      |      | DK       | GH       |        | T       | W      |
|          | 2    | B     | <i>Pandinus imperator</i>      | live   | 25       |      | DK       | US       | TG     | T       | R      |
|          | 2    | B     | <i>Pandinus imperator</i>      | live   | 100      |      | ES       | BJ       |        | T       | R      |
|          | 2    | B     | <i>Pandinus imperator</i>      | live   | 2550     |      | ES       | GH       |        | T       | W      |
|          | 2    | B     | <i>Pandinus imperator</i>      | live   | 75       |      | ES       | TG       |        | T       | W      |
|          | 2    | B     | <i>Pandinus imperator</i>      | live   | 230      |      | FR       | BJ       |        | T       | R      |
|          | 2    | B     | <i>Pandinus imperator</i>      | live   | 50       |      | FR       | GH       |        | T       | W      |
|          | 2    | B     | <i>Pandinus imperator</i>      | live   | 350      |      | FR       | TG       |        | T       | W      |
|          | 2    | B     | <i>Pandinus imperator</i>      | live   | 400      |      | FR       | TG       |        | T       | R      |
|          | 2    | B     | <i>Pandinus imperator</i>      | live   | 25       |      | FR       | US       | TG     | T       | R      |
|          | 2    | B     | <i>Pandinus imperator</i>      | live   | 4930     |      | GB       | GH       |        | T       | W      |
|          | 2    | B     | <i>Pandinus imperator</i>      | live   | 50       |      | GR       | GH       |        | T       | W      |
|          | 2    | B     | <i>Pandinus imperator</i>      | live   | 400      |      | IT       | GH       |        | T       | W      |
|          | 2    | B     | <i>Pandinus imperator</i>      | live   | 30       |      | IT       | US       | TG     | T       | R      |
|          | 2    | B     | <i>Pandinus imperator</i>      | live   | 200      |      | NL       | GH       |        | T       | W      |
|          | 2    | B     | <i>Pandinus imperator</i>      | live   | 100      |      | NL       | TG       |        | T       | W      |
|          | 2    | B     | <i>Hirudo medicinalis</i>      | bodies | 900 kg   |      | FR       | RO       |        | T       | W      |
|          | 2    | B     | <i>Hirudo medicinalis</i>      | bodies | 1548 kg  |      | FR       | TR       | M      | W       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex              | Taxon | Term    | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|--------------------|-------|---------|----------|------|----------|----------|--------|---------|--------|
| 2        | B    | Hirudo medicinalis |       | bodies  | 2952     | kg   | FR       | TR       |        | T       | W      |
| 2        | B    | Hirudo medicinalis |       | extract | 1386     | g    | DE       | CH       | TR     | T       | W      |
| 2        | B    | Hirudo medicinalis |       | extract | 3        | kg   | DE       | CH       | TR     | T       | W      |
| 2        | B    | Hirudo medicinalis |       | extract | 3        | kg   | FR       | UA       |        | T       | C      |
| 2        | B    | Hirudo medicinalis |       | extract | 32       | g    | IT       | CH       | TR     | S       | W      |
| 2        | B    | Hirudo medicinalis |       | live    | 565      | kg   | DE       | TR       |        | T       | W      |
| 2        | B    | Hirudo medicinalis |       | live    | 14000    |      | FR       | RU       | UA     | M       | C      |
| 2        | B    | Hirudo medicinalis |       | live    | 200      |      | FR       | TR       |        | M       | W      |
| 2        | B    | Hirudo medicinalis |       | live    | 450      |      | DE       | EG       |        | T       | W      |
| 2        | B    | Tridacnidae spp.   |       | live    | 91       |      | DE       | FJ       |        | T       | W      |
| 2        | B    | Tridacnidae spp.   |       | live    | 202      |      | DE       | FJ       |        | T       | C      |
| 2        | B    | Tridacnidae spp.   |       | live    | 68       |      | DE       | PW       |        | T       | C      |
| 2        | B    | Tridacnidae spp.   |       | live    | 130      |      | DE       | US       | MH     | T       | C      |
| 2        | B    | Tridacnidae spp.   |       | live    | 900      |      | DE       | VN       |        | T       | W      |
| 2        | B    | Tridacnidae spp.   |       | shells  | 3        |      | AT       | EG       |        | I       |        |
| 2        | B    | Tridacnidae spp.   |       | shells  | 6        |      | DE       | CL       | XX     | P       | W      |
| 2        | B    | Tridacnidae spp.   |       | shells  | 3        |      | DE       | MV       |        | P       | W      |
| 2        | B    | Tridacnidae spp.   |       | shells  | 1        |      | DE       | WS       |        | P       | W      |
| 2        | B    | Tridacnidae spp.   |       | shells  | 6        |      | FR       | MG       |        | P       | W      |
| 2        | B    | Tridacnidae spp.   |       | shells  | 452      |      | FR       | NC       |        | P       | W      |
| 2        | B    | Tridacnidae spp.   |       | shells  | 6        |      | GB       | AU       |        | I       |        |
| 2        | B    | Tridacnidae spp.   |       | shells  | 2        |      | GB       | TO       |        | I       |        |
| 2        | B    | Tridacnidae spp.   |       | shells  | 1        |      | GB       | XX       |        | I       |        |
| 2        | B    | Hippopus hippopus  |       | live    | 5        |      | DE       | FJ       |        | T       | C      |
| 2        | B    | Hippopus hippopus  |       | live    | 77       |      | DE       | PW       |        | T       | W      |
| 2        | B    | Hippopus hippopus  |       | live    | 39       |      | DE       | SB       |        | T       | C      |
| 2        | B    | Hippopus hippopus  |       | shells  | 128      |      | FR       | NC       |        | P       | W      |
| 2        | B    | Hippopus hippopus  |       | shells  | 2        |      | GB       | MU       |        | I       |        |
| 2        | B    | Tridacna spp.      |       | live    | 600      |      | FR       | FJ       |        | T       | W      |
| 2        | B    | Tridacna spp.      |       | live    | 600      |      | FR       | SB       |        | T       | C      |
| 2        | B    | Tridacna spp.      |       | live    | 6980     |      | FR       | VN       |        | T       | W      |
| 2        | B    | Tridacna spp.      |       | live    | 1        |      | GB       | CH       | XX     | T       | O      |
| 2        | B    | Tridacna spp.      |       | shells  | 14       |      | DK       | FJ       |        | P       | I      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                  | Term   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------|--------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Tridacna</i> spp.   | shells | 12       |      | DK       | ID       |        | P       | I      |
|          | 2    | B     | <i>Tridacna</i> spp.   | shells | 1        |      | DK       | TH       |        | P       | I      |
|          | 2    | B     | <i>Tridacna</i> spp.   | shells | 3        |      | DK       | XX       |        | P       | I      |
|          | 2    | B     | <i>Tridacna</i> spp.   | shells | 4        |      | FR       | VU       |        | P       | W      |
|          | 2    | B     | <i>Tridacna crocea</i> | live   | 165      |      | BE       | US       | VU     | T       | W      |
|          | 2    | B     | <i>Tridacna crocea</i> | live   | 405      |      | DE       | FJ       |        | T       | W      |
|          | 2    | B     | <i>Tridacna crocea</i> | live   | 1032     |      | DE       | FJ       |        | T       | C      |
|          | 2    | B     | <i>Tridacna crocea</i> | live   | 58       |      | DE       | PW       |        | T       | W      |
|          | 2    | B     | <i>Tridacna crocea</i> | live   | 477      |      | DE       | SB       |        | T       | W      |
|          | 2    | B     | <i>Tridacna crocea</i> | live   | 660      |      | DE       | SB       |        | T       | C      |
|          | 2    | B     | <i>Tridacna crocea</i> | live   | 134      |      | DE       | US       | VU     | T       | W      |
|          | 2    | B     | <i>Tridacna crocea</i> | live   | 1540     |      | DE       | VN       |        | T       | W      |
|          | 2    | B     | <i>Tridacna crocea</i> | live   | 200      |      | FR       | FJ       |        | T       | W      |
|          | 2    | B     | <i>Tridacna crocea</i> | live   | 15629    |      | FR       | VN       |        | T       | W      |
|          | 2    | B     | <i>Tridacna crocea</i> | live   | 1200     |      | FR       | VU       |        | T       | W      |
|          | 2    | B     | <i>Tridacna crocea</i> | live   | 50       |      | GB       | FJ       | SB     | T       | W      |
|          | 2    | B     | <i>Tridacna crocea</i> | live   | 74       |      | GB       | FJ       | SB     | T       | C      |
|          | 2    | B     | <i>Tridacna crocea</i> | live   | 100      |      | NL       | US       | SB     | T       | C      |
|          | 2    | B     | <i>Tridacna crocea</i> | live   | 3550     |      | NL       | VU       |        | T       | W      |
|          | 2    | B     | <i>Tridacna crocea</i> | shells | 51       |      | FR       | NC       |        | P       | W      |
|          | 2    | B     | <i>Tridacna crocea</i> | shells | 40       |      | NL       | FJ       |        | T       | W      |
|          | 2    | B     | <i>Tridacna crocea</i> | shells | 199      |      | NL       | VU       |        | T       | W      |
|          | 2    | B     | <i>Tridacna derasa</i> | live   | 29       |      | BE       | US       | FJ     | T       | W      |
|          | 2    | B     | <i>Tridacna derasa</i> | live   | 35       |      | DE       | EG       |        | T       | W      |
|          | 2    | B     | <i>Tridacna derasa</i> | live   | 80       |      | DE       | EG       |        | T       | C      |
|          | 2    | B     | <i>Tridacna derasa</i> | live   | 214      |      | DE       | FJ       |        | T       | C      |
|          | 2    | B     | <i>Tridacna derasa</i> | live   | 240      |      | DE       | FJ       |        | T       | W      |
|          | 2    | B     | <i>Tridacna derasa</i> | live   | 112      |      | DE       | PW       |        | T       | W      |
|          | 2    | B     | <i>Tridacna derasa</i> | live   | 336      |      | DE       | SB       |        | T       | C      |
|          | 2    | B     | <i>Tridacna derasa</i> | live   | 795      |      | DE       | SB       |        | T       | W      |
|          | 2    | B     | <i>Tridacna derasa</i> | live   | 40       |      | ES       | US       | TO     | T       | W      |
|          | 2    | B     | <i>Tridacna derasa</i> | live   | 30       |      | FR       | EG       |        | T       | W      |
|          | 2    | B     | <i>Tridacna derasa</i> | live   | 25       |      | GB       | FJ       | SB     | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                  | Term   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------|--------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Tridacna derasa</i> | live   | 50       |      | GB       | FJ       | SB     | T       | W      |
|          | 2    | B     | <i>Tridacna derasa</i> | live   | 100      |      | NL       | US       | SB     | T       | C      |
|          | 2    | B     | <i>Tridacna derasa</i> | shells | 50       |      | FR       | EG       |        | T       | W      |
|          | 2    | B     | <i>Tridacna derasa</i> | shells | 22       |      | FR       | NC       |        | P       | W      |
|          | 2    | B     | <i>Tridacna derasa</i> | shells | 1        |      | GB       | US       |        | I       |        |
|          | 2    | B     | <i>Tridacna derasa</i> | shells | 20       |      | NL       | FJ       |        | T       | W      |
|          | 2    | B     | <i>Tridacna gigas</i>  | live   | 20       |      | DE       | SB       |        | T       | C      |
|          | 2    | B     | <i>Tridacna gigas</i>  | shells | 1        |      | DE       | AU       |        | S       | W      |
|          | 2    | B     | <i>Tridacna gigas</i>  | shells | 2        |      | DE       | ZA       | XX     | P       | W      |
|          | 2    | B     | <i>Tridacna gigas</i>  | shells | 4        |      | ES       | ID       | XX     |         | I      |
|          | 2    | B     | <i>Tridacna maxima</i> | live   | 80       |      | DE       | EG       |        | T       | C      |
|          | 2    | B     | <i>Tridacna maxima</i> | live   | 405      |      | DE       | EG       |        | T       | W      |
|          | 2    | B     | <i>Tridacna maxima</i> | live   | 235      |      | DE       | FJ       |        | T       | W      |
|          | 2    | B     | <i>Tridacna maxima</i> | live   | 487      |      | DE       | FJ       |        | T       | C      |
|          | 2    | B     | <i>Tridacna maxima</i> | live   | 175      |      | DE       | SB       |        | T       | W      |
|          | 2    | B     | <i>Tridacna maxima</i> | live   | 185      |      | DE       | SB       |        | T       | C      |
|          | 2    | B     | <i>Tridacna maxima</i> | live   | 300      |      | DE       | SC       |        | T       | C      |
|          | 2    | B     | <i>Tridacna maxima</i> | live   | 25       |      | DE       | US       | MH     | T       | W      |
|          | 2    | B     | <i>Tridacna maxima</i> | live   | 1190     |      | DE       | VN       |        | T       | W      |
|          | 2    | B     | <i>Tridacna maxima</i> | live   | 4283     |      | ES       | MG       |        | T       | W      |
|          | 2    | B     | <i>Tridacna maxima</i> | live   | 50       |      | ES       | US       | MH     | T       | C      |
|          | 2    | B     | <i>Tridacna maxima</i> | live   | 20       |      | ES       | US       | TO     | T       | W      |
|          | 2    | B     | <i>Tridacna maxima</i> | live   | 140      |      | FR       | EG       |        | T       | W      |
|          | 2    | B     | <i>Tridacna maxima</i> | live   | 200      |      | FR       | FJ       |        | T       | W      |
|          | 2    | B     | <i>Tridacna maxima</i> | live   | 1000     |      | FR       | VN       |        | T       | W      |
|          | 2    | B     | <i>Tridacna maxima</i> | live   | 3        |      | GB       | EG       |        | I       |        |
|          | 2    | B     | <i>Tridacna maxima</i> | live   | 17       |      | GB       | FJ       | SB     | T       | C      |
|          | 2    | B     | <i>Tridacna maxima</i> | live   | 50       |      | GB       | FJ       | SB     | T       | W      |
|          | 2    | B     | <i>Tridacna maxima</i> | live   | 30       |      | GB       | US       | MH     | T       | C      |
|          | 2    | B     | <i>Tridacna maxima</i> | live   | 50       |      | NL       | EG       |        | T       | W      |
|          | 2    | B     | <i>Tridacna maxima</i> | live   | 70       |      | NL       | US       | PC     | T       | C      |
|          | 2    | B     | <i>Tridacna maxima</i> | live   | 100      |      | NL       | US       | SB     | T       | C      |
|          | 2    | B     | <i>Tridacna maxima</i> | shells | 24000 kg |      | ES       | MZ       |        | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                    | Term   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------|--------|----------|------|----------|----------|--------|---------|--------|
| 1        | 2    | B     | <i>Tridacna maxima</i>   | shells | 293      |      | FR       | NC       |        | P       | W      |
| 1        | 2    | B     | <i>Tridacna maxima</i>   | shells | 215      |      | NL       | FJ       |        | T       | W      |
| 1        | 2    | B     | <i>Tridacna squamosa</i> | live   | 80       |      | DE       | EG       |        | T       | C      |
| 1        | 2    | B     | <i>Tridacna squamosa</i> | live   | 300      |      | DE       | EG       |        | T       | W      |
| 1        | 2    | B     | <i>Tridacna squamosa</i> | live   | 55       |      | DE       | US       | MH     | T       | C      |
| 1        | 2    | B     | <i>Tridacna squamosa</i> | live   | 430      |      | DE       | VN       |        | T       | W      |
| 1        | 2    | B     | <i>Tridacna squamosa</i> | live   | 200      |      | DK       | EG       |        | T       | W      |
| 1        | 2    | B     | <i>Tridacna squamosa</i> | live   | 20       |      | ES       | US       | MH     | T       | W      |
| 1        | 2    | B     | <i>Tridacna squamosa</i> | live   | 50       |      | ES       | US       | MH     | T       | C      |
| 1        | 2    | B     | <i>Tridacna squamosa</i> | live   | 220      |      | FR       | EG       |        | T       | W      |
| 1        | 2    | B     | <i>Tridacna squamosa</i> | live   | 1000     |      | FR       | VN       |        | T       | W      |
| 1        | 2    | B     | <i>Tridacna squamosa</i> | live   | 30       |      | GB       | US       | MH     | T       | C      |
| 1        | 2    | B     | <i>Tridacna squamosa</i> | live   | 50       |      | NL       | EG       |        | T       | W      |
| 1        | 2    | B     | <i>Tridacna squamosa</i> | live   | 125      |      | NL       | US       | PC     | T       | C      |
| 1        | 2    | B     | <i>Tridacna squamosa</i> | shells | 1        |      | DE       | AU       | S      |         | W      |
| 1        | 2    | B     | <i>Tridacna squamosa</i> | shells | 1        |      | DE       | CN       | XX     | P       | W      |
| 1        | 2    | B     | <i>Tridacna squamosa</i> | shells | 5 kg     |      | ES       | PH       |        | I       |        |
| 1        | 2    | B     | <i>Tridacna squamosa</i> | shells | 2        |      | FR       | NC       |        | T       | W      |
| 1        | 2    | B     | <i>Tridacna squamosa</i> | shells | 71       |      | FR       | NC       |        | P       | W      |
| 1        | 2    | B     | <i>Tridacna squamosa</i> | shells | 4        |      | FR       | VU       |        | T       | W      |
| 1        | 2    | B     | <i>Tridacna squamosa</i> | shells | 1        |      | GB       | TH       |        | I       |        |
| 1        | 2    | B     | <i>Tridacna squamosa</i> | shells | 1        |      | GB       | TO       |        | I       |        |
| 1        | 2    | B     | <i>Tridacna squamosa</i> | shells | 1        |      | GB       | XX       |        | I       |        |
| 1        | 2    | B     | <i>Strombus gigas</i>    | bodies | 1        |      | AT       | US       |        | P       | W      |
| 1        | 2    | B     | <i>Strombus gigas</i>    | shells | 1        |      | DE       | CA       | XX     | P       | O      |
| 1        | 2    | B     | <i>Strombus gigas</i>    | shells | 1        |      | DE       | CV       | XX     | P       | W      |
| 1        | 2    | B     | <i>Strombus gigas</i>    | shells | 1        |      | DE       | GD       |        | P       | W      |
| 1        | 2    | B     | <i>Strombus gigas</i>    | shells | 7        |      | DE       | LC       |        | P       | W      |
| 1        | 2    | B     | <i>Strombus gigas</i>    | shells | 1        |      | DE       | MX       |        | P       | W      |
| 1        | 2    | B     | <i>Strombus gigas</i>    | shells | 1        |      | DE       | TC       |        | P       | W      |
| 1        | 2    | B     | <i>Strombus gigas</i>    | shells | 4        |      | DE       | US       |        | P       | W      |
| 1        | 2    | B     | <i>Strombus gigas</i>    | shells | 1        |      | DE       | US       | MX     | P       | W      |
| 1        | 2    | B     | <i>Strombus gigas</i>    | shells | 17       |      | DE       | US       | XX     | P       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex               | Taxon | Term       | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|---------------------|-------|------------|----------|------|----------|----------|--------|---------|--------|
| 2        | B    | Strombus gigas      |       | shells     | 13500    |      | ES       | HT       |        | T       | W      |
| 2        | B    | Strombus gigas      |       | shells     | 15250    |      | FR       | HT       |        | T       | W      |
| 2        | B    | Strombus gigas      |       | shells     | 1        |      | GB       | BB       |        | I       |        |
| 2        | B    | Strombus gigas      |       | shells     | 2        |      | GB       | GD       |        | I       |        |
| 2        | B    | Strombus gigas      |       | shells     | 17090    |      | GB       | HT       |        | T       | W      |
| 2        | B    | Strombus gigas      |       | shells     | 1        |      | GB       | IN       |        | I       |        |
| 2        | B    | Strombus gigas      |       | shells     | 29       |      | GB       | US       |        | I       |        |
| 2        | B    | Strombus gigas      |       | shells     | 1        |      | GB       | VC       |        | I       |        |
| 2        | B    | Strombus gigas      |       | shells     | 20       |      | GB       | XX       |        | I       |        |
| 2        | B    | Strombus gigas      |       | shells     | 13703    |      | NL       | HT       |        | T       | W      |
| 2        | B    | Antipatharia spp.   |       | raw corals | 2        |      | AT       | US       |        | P       | W      |
| 2        | B    | Antipatharia spp.   |       | raw corals | 89       |      | FR       | NC       |        | T       | W      |
| 2        | B    | Antipatharia spp.   |       | raw corals | 2        |      | FR       | VU       |        | P       | W      |
| 2        | B    | Antipatharia spp.   |       | raw corals | 1        |      | GB       | CY       |        | I       |        |
| 2        | B    | Cirripathes anguina |       | raw corals | 5200     |      | FR       | TW       |        | T       | W      |
| 2        | B    | Cirripathes anguina |       | raw corals | 6000     |      | PF       | TW       |        | T       | W      |
| 2        | B    | Scleractinia spp.   |       | raw corals | 3        |      | AT       | EG       |        | I       |        |
| 2        | B    | Scleractinia spp.   |       | raw corals | 2 kg     |      | AT       | HR       |        | I       |        |
| 2        | B    | Scleractinia spp.   |       | raw corals | 6        |      | AT       | ID       |        | I       |        |
| 2        | B    | Scleractinia spp.   |       | raw corals | 1        |      | AT       | MU       |        | I       |        |
| 2        | B    | Scleractinia spp.   |       | raw corals | 2        |      | AT       | US       |        | I       |        |
| 2        | B    | Scleractinia spp.   |       | raw corals | 200      |      | BE       | ID       |        | T       | W      |
| 2        | B    | Scleractinia spp.   |       | raw corals | 87       |      | DE       | AU       |        | S       | W      |
| 2        | B    | Scleractinia spp.   |       | raw corals | 3        |      | DE       | CL       | XX     | P       | W      |
| 2        | B    | Scleractinia spp.   |       | raw corals | 420      |      | DE       | FJ       |        | T       | W      |
| 2        | B    | Scleractinia spp.   |       | raw corals | 1501 kg  |      | DE       | FJ       |        | T       | W      |
| 2        | B    | Scleractinia spp.   |       | raw corals | 21       |      | DE       | GD       |        | P       | W      |
| 2        | B    | Scleractinia spp.   |       | raw corals | 1        |      | DE       | HR       |        | XX      | P      |
| 2        | B    | Scleractinia spp.   |       | raw corals | 52       |      | DE       | ID       |        | T       | W      |
| 2        | B    | Scleractinia spp.   |       | raw corals | 5605     |      | DE       | ID       |        | T       | W      |
| 2        | B    | Scleractinia spp.   |       | raw corals | 10       |      | DE       | SB       |        | T       | W      |
| 2        | B    | Scleractinia spp.   |       | raw corals | 1        |      | DE       | US       |        | P       | W      |
| 2        | B    | Scleractinia spp.   |       | raw corals | 100      |      | DE       | US       | SB     | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon             | Term       | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------|------------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | Scleractinia spp. | raw corals | 45       |      | DE       | US       | XX     | P       | W      |
|          | 2    | B     | Scleractinia spp. | raw corals | 5 kg     |      | DE       | US       | XX     | P       | W      |
|          | 2    | B     | Scleractinia spp. | raw corals | 77810 kg |      | DE       | VN       | T      | W       |        |
|          | 2    | B     | Scleractinia spp. | raw corals | 16       |      | DE       | WS       | P      | W       |        |
|          | 2    | B     | Scleractinia spp. | raw corals | 1        |      | DK       | FJ       | P      | I       |        |
|          | 2    | B     | Scleractinia spp. | raw corals | 100      |      | DK       | ID       | T      | W       |        |
|          | 2    | B     | Scleractinia spp. | raw corals | 6        |      | DK       | TH       | P      | I       |        |
|          | 2    | B     | Scleractinia spp. | raw corals | 1        |      | DK       | XX       | P      | I       |        |
|          | 2    | B     | Scleractinia spp. | raw corals | 630      |      | FI       | ID       | T      | W       |        |
|          | 2    | B     | Scleractinia spp. | raw corals | 29417    |      | FR       | ID       | T      | W       |        |
|          | 2    | B     | Scleractinia spp. | raw corals | 54       |      | FR       | NC       | T      | W       |        |
|          | 2    | B     | Scleractinia spp. | raw corals | 171      |      | FR       | NC       | P      | W       |        |
|          | 2    | B     | Scleractinia spp. | raw corals | 2 kg     |      | FR       | NC       | P      | W       |        |
|          | 2    | B     | Scleractinia spp. | raw corals | 100      |      | FR       | YE       | S      | W       |        |
|          | 2    | B     | Scleractinia spp. | raw corals | 5        |      | GB       | AG       | I      |         |        |
|          | 2    | B     | Scleractinia spp. | raw corals | 301 g    |      | GB       | AU       | I      |         |        |
|          | 2    | B     | Scleractinia spp. | raw corals | 1        |      | GB       | BB       | I      |         |        |
|          | 2    | B     | Scleractinia spp. | raw corals | 23       |      | GB       | BH       | I      |         |        |
|          | 2    | B     | Scleractinia spp. | raw corals | 1        |      | GB       | BM       | I      |         |        |
|          | 2    | B     | Scleractinia spp. | raw corals | 1 kg     |      | GB       | BM       | I      |         |        |
|          | 2    | B     | Scleractinia spp. | raw corals | 1        |      | GB       | CA       | I      |         |        |
|          | 2    | B     | Scleractinia spp. | raw corals | 1500 kg  |      | GB       | FJ       | T      | W       |        |
|          | 2    | B     | Scleractinia spp. | raw corals | 1265     |      | GB       | ID       | T      | W       |        |
|          | 2    | B     | Scleractinia spp. | raw corals | 7        |      | GB       | JO       | I      |         |        |
|          | 2    | B     | Scleractinia spp. | raw corals | 4 g      |      | GB       | KE       | I      |         |        |
|          | 2    | B     | Scleractinia spp. | raw corals | 1        |      | GB       | KY       | I      |         |        |
|          | 2    | B     | Scleractinia spp. | raw corals | 232 kg   |      | GB       | MU       | I      |         |        |
|          | 2    | B     | Scleractinia spp. | raw corals | 3 kg     |      | GB       | NZ       | I      |         |        |
|          | 2    | B     | Scleractinia spp. | raw corals | 5        |      | GB       | OM       | I      |         |        |
|          | 2    | B     | Scleractinia spp. | raw corals | 1        |      | GB       | SA       | I      |         |        |
|          | 2    | B     | Scleractinia spp. | raw corals | 1300     |      | GB       | SC       | I      |         |        |
|          | 2    | B     | Scleractinia spp. | raw corals | 2        |      | GB       | US       | I      |         |        |
|          | 2    | B     | Scleractinia spp. | raw corals | 81 g     |      | GB       | US       | I      |         |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex             | Taxon | Term       | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------------------|-------|------------|----------|------|----------|----------|--------|---------|--------|
| 2        | B    | Scleractinia spp. |       | raw corals | 3        |      | GB       | VU       |        | P       | W      |
| 2        | B    | Scleractinia spp. |       | raw corals | 4554     |      | GB       | XX       |        |         | I      |
| 2        | B    | Scleractinia spp. |       | raw corals | 448 g    |      | GB       | XX       |        |         | I      |
| 2        | B    | Scleractinia spp. |       | raw corals | 13 kg    |      | GB       | XX       |        |         | I      |
| 2        | B    | Scleractinia spp. |       | raw corals | < 1 kg   |      | GB       | ZA       |        |         | I      |
| 2        | B    | Scleractinia spp. |       | raw corals | 414      |      | IT       | ID       |        | T       | W      |
| 2        | B    | Scleractinia spp. |       | raw corals | 50       |      | NL       | FJ       |        | T       | W      |
| 2        | B    | Scleractinia spp. |       | raw corals | 88 kg    |      | NL       | FJ       |        | T       | W      |
| 2        | B    | Scleractinia spp. |       | raw corals | 29582    |      | NL       | ID       |        | T       | W      |
| 2        | B    | Scleractinia spp. |       | raw corals | 41 kg    |      | NL       | US       | FJ     | T       | W      |
| 2        | B    | Scleractinia spp. |       | raw corals | 3062     |      | NL       | XX       |        |         | I      |
| 2        | B    | Scleractinia spp. |       | raw corals | 1        |      | PT       | BR       |        |         | I      |
| 2        | B    | Scleractinia spp. |       | raw corals | 3        |      | PT       | XX       |        |         | I      |
| 2        | B    | Scleractinia spp. |       | raw corals | 430      |      | SE       | ID       |        | T       | W      |
| 2        | B    | Scleractinia spp. |       | carvings   | 14       |      | GB       | AU       |        |         | I      |
| 2        | B    | Scleractinia spp. |       | carvings   | 3        |      | GB       | US       |        |         | I      |
| 2        | B    | Scleractinia spp. |       | carvings   | 8        |      | GB       | XX       |        |         | I      |
| 2        | B    | Scleractinia spp. |       | live       | 315      |      | AT       | ID       |        | T       | W      |
| 2        | B    | Scleractinia spp. |       | live       | 35       |      | DE       | FJ       |        | P       | W      |
| 2        | B    | Scleractinia spp. |       | live       | 488      |      | DE       | FJ       |        | T       | W      |
| 2        | B    | Scleractinia spp. |       | live       | 2283     |      | DE       | ID       |        | T       | W      |
| 2        | B    | Scleractinia spp. |       | live       | 298      |      | DE       | SB       |        | T       | W      |
| 2        | B    | Scleractinia spp. |       | live       | 10       |      | DE       | US       | SB     | T       | W      |
| 2        | B    | Scleractinia spp. |       | live       | 180      |      | DE       | VN       |        | T       | W      |
| 2        | B    | Scleractinia spp. |       | live       | 900      |      | DK       | US       | FJ     | T       | W      |
| 2        | B    | Scleractinia spp. |       | live       | 800      |      | FR       | FJ       |        | T       | W      |
| 2        | B    | Scleractinia spp. |       | live       | 10104    |      | FR       | ID       |        | T       | W      |
| 2        | B    | Scleractinia spp. |       | live       | 531      |      | FR       | VU       |        | T       | W      |
| 2        | B    | Scleractinia spp. |       | live       | 1        |      | GB       | FJ       |        |         | I      |
| 2        | B    | Scleractinia spp. |       | live       | 3225 kg  |      | GB       | FJ       |        | T       | W      |
| 2        | B    | Scleractinia spp. |       | live       | 1        |      | GB       | ID       |        |         | I      |
| 2        | B    | Scleractinia spp. |       | live       | 50       |      | NL       | FJ       |        | T       | W      |
| 2        | B    | Scleractinia spp. |       | live       | 3871     |      | NL       | ID       |        | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                  | Term       | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------|------------|----------|------|----------|----------|--------|---------|--------|
| 1        | 2    | B     | Scleractinia spp.      | live       | 50       |      | NL       | VU       |        | T       | W      |
| 1        | 2    | B     | Scleractinia spp.      | live       | 79       |      | SE       | ID       |        | T       | W      |
| 1        | 2    | B     | Scleractinia spp.      | raw corals | 3 kg     |      | DE       | US       | XX     | P       | W      |
| 1        | 2    | B     | Pocillopora spp.       | raw corals | 14       |      | DK       | ID       |        | T       | W      |
| 1        | 2    | B     | Pocillopora spp.       | raw corals | 22938    |      | ES       | MZ       |        | T       | W      |
| 1        | 2    | B     | Pocillopora spp.       | raw corals | 3        |      | GB       | AU       |        | I       |        |
| 1        | 2    | B     | Pocillopora spp.       | raw corals | 1        |      | GB       | MW       |        | I       |        |
| 1        | 2    | B     | Pocillopora spp.       | raw corals | 1        |      | GB       | TH       |        | I       |        |
| 1        | 2    | B     | Pocillopora spp.       | live       | 50       |      | BE       | ID       |        | T       | W      |
| 1        | 2    | B     | Pocillopora spp.       | live       | 65       |      | DE       | FJ       |        | T       | W      |
| 1        | 2    | B     | Pocillopora spp.       | live       | 486      |      | DE       | ID       |        | T       | W      |
| 1        | 2    | B     | Pocillopora spp.       | live       | 2        |      | DE       | SB       |        | T       | W      |
| 1        | 2    | B     | Pocillopora spp.       | live       | 10       |      | DE       | US       | FJ     | T       | W      |
| 1        | 2    | B     | Pocillopora spp.       | live       | 130      |      | DE       | VN       |        | T       | W      |
| 1        | 2    | B     | Pocillopora spp.       | live       | 4        |      | DK       | ID       |        | T       | W      |
| 1        | 2    | B     | Pocillopora spp.       | live       | 28       |      | DK       | US       | FJ     | T       | W      |
| 1        | 2    | B     | Pocillopora spp.       | live       | 216      |      | FR       | ID       |        | T       | W      |
| 1        | 2    | B     | Pocillopora spp.       | live       | 15       |      | GB       | FJ       |        | T       | W      |
| 1        | 2    | B     | Pocillopora spp.       | live       | 256      |      | NL       | ID       |        | T       | W      |
| 1        | 2    | B     | Pocillopora spp.       | raw corals | < 1 kg   |      | GB       | AU       |        | I       |        |
| 1        | 2    | B     | Pocillopora spp.       | raw corals | 86 g     |      | GB       | ZA       |        | I       |        |
| 1        | 2    | B     | Pocillopora damicornis | raw corals | 1782     |      | ES       | FJ       |        | T       | W      |
| 1        | 2    | B     | Pocillopora damicornis | raw corals | 1872 kg  |      | FR       | NC       |        | T       | W      |
| 1        | 2    | B     | Pocillopora damicornis | raw corals | 1872 kg  |      | FR       | VN       |        | T       | W      |
| 1        | 2    | B     | Pocillopora verrucosa  | raw corals | 9202     |      | ES       | FJ       |        | T       | W      |
| 1        | 2    | B     | Pocillopora verrucosa  | raw corals | 3 kg     |      | ES       | PH       |        | I       |        |
| 1        | 2    | B     | Pocillopora verrucosa  | raw corals | 1        |      | PT       | MZ       |        | I       |        |
| 1        | 2    | B     | Pocillopora verrucosa  | raw corals | 10000    |      | PT       | MZ       |        | T       | W      |
| 1        | 2    | B     | Seriatopora spp.       | raw corals | 1        |      | AT       | US       |        | P       | W      |
| 1        | 2    | B     | Seriatopora spp.       | raw corals | 20       |      | GB       | FJ       |        | T       | W      |
| 1        | 2    | B     | Seriatopora spp.       | live       | 96       |      | DE       | FJ       |        | T       | W      |
| 1        | 2    | B     | Seriatopora spp.       | live       | 29       |      | DE       | US       | FJ     | T       | W      |
| 1        | 2    | B     | Seriatopora spp.       | live       | 100      |      | DE       | VN       |        | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex                 | Taxon | Term       | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-----------------------|-------|------------|----------|------|----------|----------|--------|---------|--------|
| 2        | B    | Seriatopora spp.      |       | live       | 20       |      | FR       | ID       |        | T       | W      |
| 2        | B    | Seriatopora spp.      |       | live       | 15       |      | GB       | FJ       |        | T       | W      |
| 2        | B    | Seriatopora spp.      |       | live       | 3        |      | NL       | US       | FJ     | T       | W      |
| 2        | B    | Seriatopora hystrix   |       | raw corals | 410      |      | ES       | SB       |        | T       | W      |
| 2        | B    | Seriatopora hystrix   |       | live       | 53       |      | DK       | US       | FJ     | T       | W      |
| 2        | B    | Stylophora spp.       |       | live       | 90       |      | DE       | FJ       |        | T       | W      |
| 2        | B    | Stylophora spp.       |       | live       | 84       |      | DE       | ID       |        | T       | W      |
| 2        | B    | Stylophora spp.       |       | live       | 30       |      | DK       | US       | FJ     | T       | W      |
| 2        | B    | Stylophora spp.       |       | live       | 12       |      | FR       | ID       |        | T       | W      |
| 2        | B    | Stylophora spp.       |       | live       | 10       |      | GB       | FJ       |        | T       | W      |
| 2        | B    | Stylophora pistillata |       | live       | 73       |      | NL       | ID       |        | T       | W      |
| 2        | B    | Acropora spp.         |       | raw corals | 443      |      | ES       | SB       |        | T       | W      |
| 2        | B    | Acropora spp.         |       | raw corals | 120      |      | DK       | ID       |        | T       | W      |
| 2        | B    | Acropora spp.         |       | raw corals | 18       |      | ES       | ID       |        | T       | W      |
| 2        | B    | Acropora spp.         |       | raw corals | 600 kg   |      | ES       | NZ       | FJ     | T       | W      |
| 2        | B    | Acropora spp.         |       | raw corals | 8        |      | FR       | ID       |        | T       | W      |
| 2        | B    | Acropora spp.         |       | raw corals | 3        |      | FR       | NC       |        | T       | W      |
| 2        | B    | Acropora spp.         |       | raw corals | 241      |      | FR       | NC       |        | P       | W      |
| 2        | B    | Acropora spp.         |       | raw corals | 30       |      | GB       | FJ       |        | T       | W      |
| 2        | B    | Acropora spp.         |       | raw corals | 86       |      | GB       | ID       |        | T       | W      |
| 2        | B    | Acropora spp.         |       | raw corals | 1        |      | GB       | MW       |        | I       |        |
| 2        | B    | Acropora spp.         |       | live       | 111      |      | AT       | ID       |        | T       | W      |
| 2        | B    | Acropora spp.         |       | live       | 201      |      | BE       | ID       |        | T       | W      |
| 2        | B    | Acropora spp.         |       | live       | 65       |      | BE       | US       | FJ     | T       | W      |
| 2        | B    | Acropora spp.         |       | live       | 431      |      | DE       | FJ       |        | T       | W      |
| 2        | B    | Acropora spp.         |       | live       | 6438     |      | DE       | ID       |        | T       | W      |
| 2        | B    | Acropora spp.         |       | live       | 236      |      | DE       | SB       |        | T       | W      |
| 2        | B    | Acropora spp.         |       | live       | 166      |      | DE       | US       | FJ     | T       | W      |
| 2        | B    | Acropora spp.         |       | live       | 24       |      | DE       | US       | SB     | T       | W      |
| 2        | B    | Acropora spp.         |       | live       | 200      |      | DE       | VN       |        | T       | W      |
| 2        | B    | Acropora spp.         |       | live       | 117      |      | DK       | ID       |        | T       | W      |
| 2        | B    | Acropora spp.         |       | live       | 301      |      | DK       | US       | FJ     | T       | W      |
| 2        | B    | Acropora spp.         |       | live       | 150      |      | ES       | ID       |        | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                       | Term       | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------|------------|----------|------|----------|----------|--------|---------|--------|
| 1        | 2    | B     | <i>Acropora spp.</i>        | live       | 10       |      | FI       | ID       |        | T       | W      |
| 1        | 2    | B     | <i>Acropora spp.</i>        | live       | 1911     |      | FR       | ID       |        | T       | W      |
| 1        | 2    | B     | <i>Acropora spp.</i>        | live       | 600      |      | FR       | MG       |        | T       | W      |
| 1        | 2    | B     | <i>Acropora spp.</i>        | live       | 11       |      | GB       | FJ       |        | T       | W      |
| 1        | 2    | B     | <i>Acropora spp.</i>        | live       | 447      |      | GB       | ID       |        | T       | W      |
| 1        | 2    | B     | <i>Acropora spp.</i>        | live       | 129      |      | IT       | ID       |        | T       | W      |
| 1        | 2    | B     | <i>Acropora spp.</i>        | live       | 1980     |      | NL       | ID       |        | T       | W      |
| 1        | 2    | B     | <i>Acropora spp.</i>        | live       | 29       |      | NL       | US       | FJ     | T       | W      |
| 1        | 2    | B     | <i>Acropora spp.</i>        | live       | 1740     |      | NL       | VU       |        | T       | W      |
| 1        | 2    | B     | <i>Acropora spp.</i>        | live       | 35       |      | SE       | ID       |        | T       | W      |
| 1        | 2    | B     | <i>Acropora echinata</i>    | raw corals | 1305     |      | ES       | FJ       |        | T       | W      |
| 1        | 2    | B     | <i>Acropora echinata</i>    | raw corals | 95       |      | ES       | SB       |        | T       | W      |
| 1        | 2    | B     | <i>Acropora florida</i>     | raw corals | 1        |      | FR       | NC       |        | T       | W      |
| 1        | 2    | B     | <i>Acropora florida</i>     | raw corals | 3        |      | FR       | NC       |        | P       | W      |
| 1        | 2    | B     | <i>Acropora granulosa</i>   | raw corals | 573      |      | ES       | FJ       |        | T       | W      |
| 1        | 2    | B     | <i>Acropora humilis</i>     | raw corals | 1486     |      | ES       | FJ       |        | T       | W      |
| 1        | 2    | B     | <i>Acropora humilis</i>     | raw corals | 199      |      | ES       | SB       |        | T       | W      |
| 1        | 2    | B     | <i>Acropora hyacinthus</i>  | raw corals | 1226     |      | ES       | FJ       |        | T       | W      |
| 1        | 2    | B     | <i>Acropora latistella</i>  | raw corals | 624      |      | ES       | FJ       |        | T       | W      |
| 1        | 2    | B     | <i>Acropora microclados</i> | raw corals | 425      |      | ES       | FJ       |        | T       | W      |
| 1        | 2    | B     | <i>Acropora nasuta</i>      | raw corals | 1668     |      | ES       | FJ       |        | T       | W      |
| 1        | 2    | B     | <i>Acropora nobilis</i>     | raw corals | 167      |      | ES       | SB       |        | T       | W      |
| 1        | 2    | B     | <i>Acropora palifera</i>    | raw corals | 91       |      | ES       | SB       |        | T       | W      |
| 1        | 2    | B     | <i>Acropora vaughani</i>    | raw corals | 144      |      | ES       | SB       |        | T       | W      |
| 1        | 2    | B     | <i>Acropora vaughani</i>    | raw corals | 960 kg   |      | FR       | NC       |        | T       | W      |
| 1        | 2    | B     | <i>Acropora vaughani</i>    | raw corals | 960 kg   |      | FR       | VN       |        | T       | W      |
| 1        | 2    | B     | <i>Montipora spp.</i>       | raw corals | 10       |      | GB       | FJ       |        | T       | W      |
| 1        | 2    | B     | <i>Montipora spp.</i>       | live       | 4        |      | DK       | US       | FJ     | T       | W      |
| 1        | 2    | B     | <i>Montipora spp.</i>       | live       | 46       |      | FR       | ID       |        | T       | W      |
| 1        | 2    | B     | <i>Montipora spp.</i>       | live       | 10       |      | GB       | FJ       |        | T       | W      |
| 1        | 2    | B     | <i>Montipora spp.</i>       | live       | 133      |      | NL       | ID       |        | T       | W      |
| 1        | 2    | B     | <i>Leptoseris spp.</i>      | live       | 3        |      | DE       | SB       |        | T       | W      |
| 1        | 2    | B     | <i>Pachyseris spp.</i>      | live       | 38       |      | DE       | SB       |        | T       | W      |

European Community annual report to CITES 1998

Exp/Imp. App. Annex Taxon

|   |   |                    | Term       | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|---|---|--------------------|------------|----------|------|----------|----------|--------|---------|--------|
| 2 | B | Pavona spp.        | live       | 15       |      | DE       | FJ       |        | T       | W      |
| 2 | B | Pavona spp.        | live       | 130      |      | DE       | ID       |        | T       | W      |
| 2 | B | Pavona spp.        | live       | 52       |      | DE       | SB       |        | T       | W      |
| 2 | B | Pavona spp.        | live       | 100      |      | DE       | VN       |        | T       | W      |
| 2 | B | Pavona spp.        | live       | 33       |      | DK       | US       | FJ     | T       | W      |
| 2 | B | Pavona spp.        | live       | 17       |      | FR       | ID       |        | T       | W      |
| 2 | B | Pavona spp.        | live       | 9        |      | GB       | FJ       |        | T       | W      |
| 2 | B | Pavona spp.        | live       | 13       |      | NL       | ID       |        | T       | W      |
| 2 | B | Pavona spp.        | live       | 1        |      | NL       | US       | FJ     | T       | W      |
| 2 | B | Pavona clivosa     | live       | 170      |      | DE       | MG       |        | T       | W      |
| 2 | B | Ctenactis echinata | raw corals | 1728     | kg   | FR       | NC       |        | T       | W      |
| 2 | B | Ctenactis echinata | raw corals | 1728     | kg   | FR       | VN       |        | T       | W      |
| 2 | B | Fungia spp.        | raw corals | 3        | kg   | ES       | PH       |        | I       |        |
| 2 | B | Fungia spp.        | raw corals | 1000     |      | ES       | TW       | XX     | I       |        |
| 2 | B | Fungia spp.        | raw corals | 3        |      | FR       | NC       |        | T       | W      |
| 2 | B | Fungia spp.        | raw corals | 252      |      | FR       | NC       |        | P       | W      |
| 2 | B | Fungia spp.        | live       | 78       |      | AT       | ID       |        | T       | W      |
| 2 | B | Fungia spp.        | live       | 48       |      | BE       | ID       |        | T       | W      |
| 2 | B | Fungia spp.        | live       | 210      |      | DE       | FJ       |        | T       | W      |
| 2 | B | Fungia spp.        | live       | 433      |      | DE       | ID       |        | T       | W      |
| 2 | B | Fungia spp.        | live       | 43       |      | DE       | SB       |        | T       | W      |
| 2 | B | Fungia spp.        | live       | 5        |      | DE       | US       | SB     | T       | W      |
| 2 | B | Fungia spp.        | live       | 6        |      | DK       | US       | FJ     | T       | W      |
| 2 | B | Fungia spp.        | live       | 314      |      | FR       | ID       |        | T       | W      |
| 2 | B | Fungia spp.        | live       | 247      |      | NL       | ID       |        | T       | W      |
| 2 | B | Fungia spp.        | live       | 15       |      | SE       | ID       |        | T       | W      |
| 2 | B | Heliofungia spp.   | raw corals | 50       |      | DK       | ID       |        | T       | W      |
| 2 | B | Heliofungia spp.   | raw corals | 26       |      | FR       | ID       |        | T       | W      |
| 2 | B | Heliofungia spp.   | raw corals | 138      |      | GB       | ID       |        | T       | W      |
| 2 | B | Heliofungia spp.   | live       | 163      |      | AT       | ID       |        | T       | W      |
| 2 | B | Heliofungia spp.   | live       | 161      |      | BE       | ID       |        | T       | W      |
| 2 | B | Heliofungia spp.   | live       | 75       |      | DE       | FJ       |        | T       | W      |
| 2 | B | Heliofungia spp.   | live       | 2387     |      | DE       | ID       |        | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                   | Term       | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------|------------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Heliofungia</i> spp. | live       | 50       |      | DE       | SB       |        | T       | W      |
|          | 2    | B     | <i>Heliofungia</i> spp. | live       | 10       |      | DE       | US       | SB     | T       | W      |
|          | 2    | B     | <i>Heliofungia</i> spp. | live       | 76       |      | DK       | ID       |        | T       | W      |
|          | 2    | B     | <i>Heliofungia</i> spp. | live       | 135      |      | ES       | ID       |        | T       | W      |
|          | 2    | B     | <i>Heliofungia</i> spp. | live       | 1039     |      | FR       | ID       |        | T       | W      |
|          | 2    | B     | <i>Heliofungia</i> spp. | live       | 534      |      | GB       | ID       |        | T       | W      |
|          | 2    | B     | <i>Heliofungia</i> spp. | live       | 85       |      | IT       | ID       |        | T       | W      |
|          | 2    | B     | <i>Heliofungia</i> spp. | live       | 777      |      | NL       | ID       |        | T       | W      |
|          | 2    | B     | <i>Heliofungia</i> spp. | live       | 121      |      | SE       | ID       |        | T       | W      |
|          | 2    | B     | <i>Herpolitha</i> spp.  | live       | 20       |      | DE       | ID       |        | T       | W      |
|          | 2    | B     | <i>Herpolitha</i> spp.  | live       | 9        |      | ES       | ID       |        | T       | W      |
|          | 2    | B     | <i>Herpolitha</i> spp.  | live       | 11       |      | FR       | ID       |        | T       | W      |
|          | 2    | B     | <i>Polyphyllia</i> spp. | raw corals | 50       |      | DK       | ID       |        | T       | W      |
|          | 2    | B     | <i>Polyphyllia</i> spp. | raw corals | 10       |      | FR       | ID       |        | T       | W      |
|          | 2    | B     | <i>Polyphyllia</i> spp. | raw corals | 7        |      | GB       | ID       |        | T       | W      |
|          | 2    | B     | <i>Polyphyllia</i> spp. | live       | 35       |      | AT       | ID       |        | T       | W      |
|          | 2    | B     | <i>Polyphyllia</i> spp. | live       | 13       |      | BE       | ID       |        | T       | W      |
|          | 2    | B     | <i>Polyphyllia</i> spp. | live       | 214      |      | DE       | ID       |        | T       | W      |
|          | 2    | B     | <i>Polyphyllia</i> spp. | live       | 22       |      | DE       | SB       |        | T       | W      |
|          | 2    | B     | <i>Polyphyllia</i> spp. | live       | 71       |      | ES       | ID       |        | T       | W      |
|          | 2    | B     | <i>Polyphyllia</i> spp. | live       | 141      |      | FR       | ID       |        | T       | W      |
|          | 2    | B     | <i>Polyphyllia</i> spp. | live       | 28       |      | GB       | ID       |        | T       | W      |
|          | 2    | B     | <i>Polyphyllia</i> spp. | live       | 20       |      | IT       | ID       |        | T       | W      |
|          | 2    | B     | <i>Polyphyllia</i> spp. | live       | 253      |      | NL       | ID       |        | T       | W      |
|          | 2    | B     | <i>Goniopora</i> spp.   | raw corals | 60       |      | DK       | ID       |        | T       | W      |
|          | 2    | B     | <i>Goniopora</i> spp.   | raw corals | 40       |      | FR       | ID       |        | T       | W      |
|          | 2    | B     | <i>Goniopora</i> spp.   | raw corals | 2 kg     |      | FR       | US       | ID     | T       | W      |
|          | 2    | B     | <i>Goniopora</i> spp.   | raw corals | 249      |      | GB       | ID       |        | T       | W      |
|          | 2    | B     | <i>Goniopora</i> spp.   | live       | 227      |      | AT       | ID       |        | T       | W      |
|          | 2    | B     | <i>Goniopora</i> spp.   | live       | 624      |      | BE       | ID       |        | T       | W      |
|          | 2    | B     | <i>Goniopora</i> spp.   | live       | 40       |      | DE       | FJ       |        | T       | W      |
|          | 2    | B     | <i>Goniopora</i> spp.   | live       | 6447     |      | DE       | ID       |        | T       | W      |
|          | 2    | B     | <i>Goniopora</i> spp.   | live       | 90       |      | DE       | SB       |        | T       | W      |

European Community annual report to CITES 1998

Exp/Imp. App. Annex Taxon

|   |   |                      | Term       | Quantity Unit | Importer | Exporter | Origin | Purpose | Source |
|---|---|----------------------|------------|---------------|----------|----------|--------|---------|--------|
| 2 | B | Goniopora spp.       | live       | 15            | DE       | US       | ID     | T       | W      |
| 2 | B | Goniopora spp.       | live       | 250           | DK       | ID       |        | T       | W      |
| 2 | B | Goniopora spp.       | live       | 3             | DK       | US       | FJ     | T       | W      |
| 2 | B | Goniopora spp.       | live       | 796           | ES       | ID       |        | T       | W      |
| 2 | B | Goniopora spp.       | live       | 7             | FI       | ID       |        | T       | W      |
| 2 | B | Goniopora spp.       | live       | 3558          | FR       | ID       |        | T       | W      |
| 2 | B | Goniopora spp.       | live       | 2105          | GB       | ID       |        | T       | W      |
| 2 | B | Goniopora spp.       | live       | 392           | IT       | ID       |        | T       | W      |
| 2 | B | Goniopora spp.       | live       | 2931          | NL       | ID       |        | T       | W      |
| 2 | B | Goniopora spp.       | live       | 300           | NL       | VU       |        | T       | W      |
| 2 | B | Goniopora spp.       | live       | 216           | SE       | ID       |        | T       | W      |
| 2 | B | Goniopora spp.       | specimens  | 15 kg         | ES       | US       | ID     | M       | W      |
| 2 | B | Goniopora columnaria | live       | 2             | PT       | NC       |        | Z       | W      |
| 2 | B | Goniopora stokesi    | live       | 1             | PT       | NC       |        | Z       | W      |
| 2 | B | Porites spp.         | raw corals | 4 kg          | DE       | US       | ID     | T       | W      |
| 2 | B | Porites spp.         | raw corals | 15            | FR       | ID       |        | T       | W      |
| 2 | B | Porites spp.         | raw corals | 4             | FR       | NC       |        | P       | W      |
| 2 | B | Porites spp.         | raw corals | 10 kg         | FR       | US       | ID     | T       | W      |
| 2 | B | Porites spp.         | raw corals | 74            | GB       | ID       |        | T       | W      |
| 2 | B | Porites spp.         | raw corals | 91 kg         | GB       | US       | ID     | M       | W      |
| 2 | B | Porites spp.         | raw corals | 28 kg         | IT       | US       | ID     | T       | W      |
| 2 | B | Porites spp.         | raw corals | 1             | PT       | XX       |        | I       |        |
| 2 | B | Porites spp.         | live       | 87            | AT       | ID       |        | T       | W      |
| 2 | B | Porites spp.         | live       | 56            | BE       | ID       |        | T       | W      |
| 2 | B | Porites spp.         | live       | 40            | DE       | FJ       |        | T       | W      |
| 2 | B | Porites spp.         | live       | 20            | DE       | ID       |        | T       | W      |
| 2 | B | Porites spp.         | live       | 10            | DK       | ID       |        | T       | W      |
| 2 | B | Porites spp.         | live       | 1             | DK       | US       | FJ     | T       | W      |
| 2 | B | Porites spp.         | live       | 170           | ES       | ID       |        | T       | W      |
| 2 | B | Porites spp.         | live       | 7             | FI       | ID       |        | T       | W      |
| 2 | B | Porites spp.         | live       | 840           | FR       | ID       |        | T       | W      |
| 2 | B | Porites spp.         | live       | 15            | GB       | FJ       |        | T       | W      |
| 2 | B | Porites spp.         | live       | 349           | GB       | ID       |        | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                     | Term       | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------|------------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | Porites spp.              | live       | 60       |      | IT       | ID       |        | T       | W      |
|          | 2    | B     | Porites spp.              | live       | 640      |      | NL       | ID       |        | T       | W      |
|          | 2    | B     | Porites spp.              | live       | 2        |      | SE       | ID       |        | T       | W      |
|          | 2    | B     | Porites spp.              | specimens  | 7 kg     |      | ES       | US       | ID     | M       | W      |
|          | 2    | B     | Australogyra spp.         | live       | 10       |      | DE       | SB       |        | T       | W      |
|          | 2    | B     | Caulastrea spp.           | raw corals | 80       |      | DK       | ID       |        | T       | W      |
|          | 2    | B     | Caulastrea spp.           | raw corals | 54       |      | GB       | ID       |        | T       | W      |
|          | 2    | B     | Caulastrea spp.           | live       | 96       |      | AT       | ID       |        | T       | W      |
|          | 2    | B     | Caulastrea spp.           | live       | 74       |      | BE       | ID       |        | T       | W      |
|          | 2    | B     | Caulastrea spp.           | live       | 41       |      | DE       | FJ       |        | T       | W      |
|          | 2    | B     | Caulastrea spp.           | live       | 1114     |      | DE       | ID       |        | T       | W      |
|          | 2    | B     | Caulastrea spp.           | live       | 16       |      | DE       | SB       |        | T       | W      |
|          | 2    | B     | Caulastrea spp.           | live       | 152      |      | DK       | ID       |        | T       | W      |
|          | 2    | B     | Caulastrea spp.           | live       | 168      |      | ES       | ID       |        | T       | W      |
|          | 2    | B     | Caulastrea spp.           | live       | 371      |      | FR       | ID       |        | T       | W      |
|          | 2    | B     | Caulastrea spp.           | live       | 10       |      | GB       | FJ       |        | T       | W      |
|          | 2    | B     | Caulastrea spp.           | live       | 138      |      | GB       | ID       |        | T       | W      |
|          | 2    | B     | Caulastrea spp.           | live       | 38       |      | IT       | ID       |        | T       | W      |
|          | 2    | B     | Caulastrea spp.           | live       | 370      |      | NL       | ID       |        | T       | W      |
|          | 2    | B     | Cladocora arbuscula       | raw corals | 1        |      | FR       | US       |        | S       | O      |
|          | 2    | B     | Cyphastrea spp.           | live       | 24       |      | FR       | ID       |        | T       | W      |
|          | 2    | B     | Diploastrea spp.          | live       | 16       |      | FR       | ID       |        | T       | W      |
|          | 2    | B     | Diploria labyrinthiformis | raw corals | 2        |      | GB       | MZ       |        | I       |        |
|          | 2    | B     | Favia spp.                | raw corals | 20       |      | ES       | ID       |        | T       | W      |
|          | 2    | B     | Favia spp.                | raw corals | 11       |      | FR       | NC       |        | T       | W      |
|          | 2    | B     | Favia spp.                | raw corals | 44       |      | FR       | NC       |        | P       | W      |
|          | 2    | B     | Favia spp.                | raw corals | 10       |      | GB       | ID       |        | T       | W      |
|          | 2    | B     | Favia spp.                | live       | 108      |      | AT       | ID       |        | T       | W      |
|          | 2    | B     | Favia spp.                | live       | 26       |      | BE       | ID       |        | T       | W      |
|          | 2    | B     | Favia spp.                | live       | 277      |      | DE       | ID       |        | T       | W      |
|          | 2    | B     | Favia spp.                | live       | 11       |      | DE       | SB       |        | T       | W      |
|          | 2    | B     | Favia spp.                | live       | 7        |      | DK       | US       | FJ     | T       | W      |
|          | 2    | B     | Favia spp.                | live       | 180      |      | ES       | ID       |        | T       | W      |

European Community annual report to CITES 1998

Exp/Imp. App. Annex Taxon

|   |   |                        | Term       | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|---|---|------------------------|------------|----------|------|----------|----------|--------|---------|--------|
| 2 | B | Favia spp.             | live       | 480      |      | FR       | ID       |        | T       | W      |
| 2 | B | Favia spp.             | live       | 258      |      | GB       | ID       |        | T       | W      |
| 2 | B | Favia spp.             | live       | 34       |      | IT       | ID       |        | T       | W      |
| 2 | B | Favia spp.             | live       | 147      |      | NL       | ID       |        | T       | W      |
| 2 | B | Favia spp.             | live       | 18       |      | SE       | ID       |        | T       | W      |
| 2 | B | Favites spp.           | raw corals | 10       |      | FR       | ID       |        | T       | W      |
| 2 | B | Favites spp.           | raw corals | 30       |      | GB       | ID       |        | T       | W      |
| 2 | B | Favites spp.           | live       | 60       |      | AT       | ID       |        | T       | W      |
| 2 | B | Favites spp.           | live       | 24       |      | BE       | ID       |        | T       | W      |
| 2 | B | Favites spp.           | live       | 42       |      | DE       | FJ       |        | T       | W      |
| 2 | B | Favites spp.           | live       | 673      |      | DE       | ID       |        | T       | W      |
| 2 | B | Favites spp.           | live       | 1        |      | DE       | SB       |        | T       | W      |
| 2 | B | Favites spp.           | live       | 5        |      | DE       | US       |        | SB      | T      |
| 2 | B | Favites spp.           | live       | 26       |      | DK       | US       |        | FJ      | T      |
| 2 | B | Favites spp.           | live       | 10       |      | ES       | ID       |        | T       | W      |
| 2 | B | Favites spp.           | live       | 201      |      | FR       | ID       |        | T       | W      |
| 2 | B | Favites spp.           | live       | 110      |      | GB       | ID       |        | T       | W      |
| 2 | B | Favites spp.           | live       | 15       |      | IT       | ID       |        | T       | W      |
| 2 | B | Favites spp.           | live       | 294      |      | NL       | ID       |        | T       | W      |
| 2 | B | Goniastrea spp.        | live       | 10       |      | SE       | ID       |        | T       | W      |
| 2 | B | Goniastrea spp.        | live       | 27       |      | FR       | ID       |        | T       | W      |
| 2 | B | Montastraea spp.       | live       | 103      |      | NL       | ID       |        | T       | W      |
| 2 | B | Montastraea spp.       | live       | 83       |      | BE       | ID       |        | T       | W      |
| 2 | B | Montastraea spp.       | live       | 6        |      | DE       | FJ       |        | T       | W      |
| 2 | B | Montastraea spp.       | live       | 423      |      | DE       | ID       |        | T       | W      |
| 2 | B | Montastraea spp.       | live       | 27       |      | DK       | ID       |        | T       | W      |
| 2 | B | Montastraea spp.       | live       | 35       |      | ES       | ID       |        | T       | W      |
| 2 | B | Montastraea spp.       | live       | 168      |      | FR       | ID       |        | T       | W      |
| 2 | B | Montastraea spp.       | live       | 5        |      | GB       | ID       |        | T       | W      |
| 2 | B | Montastraea spp.       | live       | 61       |      | NL       | ID       |        | T       | W      |
| 2 | B | Oulophyllia bennettiae | raw corals | 15       |      | PT       | NC       |        | Z       | W      |
| 2 | B | Platygyra spp.         | raw corals | 15       |      | GB       | FJ       |        | T       | W      |
| 2 | B | Platygyra spp.         | live       | 1        |      | GB       | FJ       |        | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                          | Term       | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|------------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Platygyra daedalea</i>      | live       | 1        |      | PT       | NC       |        | Z       | W      |
|          | 2    | B     | <i>Trachyphyllia</i> spp.      | raw corals | 80       |      | DK       | ID       |        | T       | W      |
|          | 2    | B     | <i>Trachyphyllia</i> spp.      | raw corals | 42       |      | FR       | ID       |        | T       | W      |
|          | 2    | B     | <i>Trachyphyllia</i> spp.      | raw corals | 35       |      | GB       | ID       |        | T       | W      |
|          | 2    | B     | <i>Trachyphyllia</i> spp.      | raw corals | 99       |      | GB       | ID       |        | T       | W      |
|          | 2    | B     | <i>Trachyphyllia</i> spp.      | live       | 40       |      | AT       | ID       |        | T       | W      |
|          | 2    | B     | <i>Trachyphyllia</i> spp.      | live       | 297      |      | AT       | ID       |        | T       | W      |
|          | 2    | B     | <i>Trachyphyllia</i> spp.      | live       | 103      |      | BE       | ID       |        | T       | W      |
|          | 2    | B     | <i>Trachyphyllia</i> spp.      | live       | 182      |      | BE       | ID       |        | T       | W      |
|          | 2    | B     | <i>Trachyphyllia</i> spp.      | live       | 20       |      | DE       | FJ       |        | T       | W      |
|          | 2    | B     | <i>Trachyphyllia</i> spp.      | live       | 4795     |      | DE       | ID       |        | T       | W      |
|          | 2    | B     | <i>Trachyphyllia</i> spp.      | live       | 7        |      | DE       | SB       |        | T       | W      |
|          | 2    | B     | <i>Trachyphyllia</i> spp.      | live       | 7        |      | DE       | US       | ID     | T       | W      |
|          | 2    | B     | <i>Trachyphyllia</i> spp.      | live       | 75       |      | DK       | ID       |        | T       | W      |
|          | 2    | B     | <i>Trachyphyllia</i> spp.      | live       | 555      |      | ES       | ID       |        | T       | W      |
|          | 2    | B     | <i>Trachyphyllia</i> spp.      | live       | 4        |      | FI       | ID       |        | T       | W      |
|          | 2    | B     | <i>Trachyphyllia</i> spp.      | live       | 824      |      | FR       | ID       |        | T       | W      |
|          | 2    | B     | <i>Trachyphyllia</i> spp.      | live       | 2411     |      | FR       | ID       |        | T       | W      |
|          | 2    | B     | <i>Trachyphyllia</i> spp.      | live       | 250      |      | GB       | ID       |        | T       | W      |
|          | 2    | B     | <i>Trachyphyllia</i> spp.      | live       | 833      |      | GB       | ID       |        | T       | W      |
|          | 2    | B     | <i>Trachyphyllia</i> spp.      | live       | 118      |      | IT       | ID       |        | T       | W      |
|          | 2    | B     | <i>Trachyphyllia</i> spp.      | live       | 144      |      | IT       | ID       |        | T       | W      |
|          | 2    | B     | <i>Trachyphyllia</i> spp.      | live       | 387      |      | NL       | ID       |        | T       | W      |
|          | 2    | B     | <i>Trachyphyllia</i> spp.      | live       | 2342     |      | NL       | ID       |        | T       | W      |
|          | 2    | B     | <i>Trachyphyllia</i> spp.      | live       | 137      |      | SE       | ID       |        | T       | W      |
|          | 2    | B     | <i>Trachyphyllia geoffroyi</i> | live       | 77       |      | DE       | ID       |        | T       | W      |
|          | 2    | B     | <i>Trachyphyllia geoffroyi</i> | live       | 6        |      | PT       | NC       |        | Z       | W      |
|          | 2    | B     | <i>Galaxea</i> spp.            | raw corals | 20       |      | DK       | ID       |        | T       | W      |
|          | 2    | B     | <i>Galaxea</i> spp.            | raw corals | 10       |      | FR       | ID       |        | T       | W      |
|          | 2    | B     | <i>Galaxea</i> spp.            | raw corals | 7        |      | GB       | ID       |        | T       | W      |
|          | 2    | B     | <i>Galaxea</i> spp.            | live       | 52       |      | AT       | ID       |        | T       | W      |
|          | 2    | B     | <i>Galaxea</i> spp.            | live       | 69       |      | BE       | ID       |        | T       | W      |
|          | 2    | B     | <i>Galaxea</i> spp.            | live       | 10       |      | DE       | FJ       |        | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex           | Taxon | Term       | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-----------------|-------|------------|----------|------|----------|----------|--------|---------|--------|
| 2        | B    | Galaxea spp.    |       | live       | 1271     |      | DE       | ID       |        | T       | W      |
| 2        | B    | Galaxea spp.    |       | live       | 10       |      | DE       | SB       |        | T       | W      |
| 2        | B    | Galaxea spp.    |       | live       | 24       |      | DK       | ID       |        | T       | W      |
| 2        | B    | Galaxea spp.    |       | live       | 10       |      | DK       | US       | FJ     | T       | W      |
| 2        | B    | Galaxea spp.    |       | live       | 84       |      | ES       | ID       |        | T       | W      |
| 2        | B    | Galaxea spp.    |       | live       | 569      |      | FR       | ID       |        | T       | W      |
| 2        | B    | Galaxea spp.    |       | live       | 20       |      | IT       | ID       |        | T       | W      |
| 2        | B    | Galaxea spp.    |       | live       | 330      |      | NL       | ID       |        | T       | W      |
| 2        | B    | Galaxea spp.    |       | live       | 20       |      | SE       | ID       |        | T       | W      |
| 2        | B    | Hydnophora spp. |       | raw corals | 90       |      | DK       | ID       |        | T       | W      |
| 2        | B    | Hydnophora spp. |       | raw corals | 46       |      | GB       | ID       |        | T       | W      |
| 2        | B    | Hydnophora spp. |       | live       | 51       |      | AT       | ID       |        | T       | W      |
| 2        | B    | Hydnophora spp. |       | live       | 136      |      | BE       | ID       |        | T       | W      |
| 2        | B    | Hydnophora spp. |       | live       | 37       |      | DE       | FJ       |        | T       | W      |
| 2        | B    | Hydnophora spp. |       | live       | 1647     |      | DE       | ID       |        | T       | W      |
| 2        | B    | Hydnophora spp. |       | live       | 8        |      | DE       | SB       |        | T       | W      |
| 2        | B    | Hydnophora spp. |       | live       | 10       |      | DE       | US       | FJ     | T       | W      |
| 2        | B    | Hydnophora spp. |       | live       | 19       |      | DK       | ID       |        | T       | W      |
| 2        | B    | Hydnophora spp. |       | live       | 8        |      | DK       | US       | FJ     | T       | W      |
| 2        | B    | Hydnophora spp. |       | live       | 187      |      | ES       | ID       |        | T       | W      |
| 2        | B    | Hydnophora spp. |       | live       | 2        |      | FI       | ID       |        | T       | W      |
| 2        | B    | Hydnophora spp. |       | live       | 1145     |      | FR       | ID       |        | T       | W      |
| 2        | B    | Hydnophora spp. |       | live       | 119      |      | GB       | ID       |        | T       | W      |
| 2        | B    | Hydnophora spp. |       | live       | 49       |      | IT       | ID       |        | T       | W      |
| 2        | B    | Hydnophora spp. |       | live       | 556      |      | NL       | ID       |        | T       | W      |
| 2        | B    | Hydnophora spp. |       | live       | 12       |      | SE       | ID       |        | T       | W      |
| 2        | B    | Merulina spp.   |       | live       | 344      |      | DE       | ID       |        | T       | W      |
| 2        | B    | Merulina spp.   |       | live       | 17       |      | DE       | SB       |        | T       | W      |
| 2        | B    | Merulina spp.   |       | live       | 100      |      | DE       | VN       |        | T       | W      |
| 2        | B    | Merulina spp.   |       | live       | 20       |      | DK       | US       | FJ     | T       | W      |
| 2        | B    | Merulina spp.   |       | live       | 5        |      | ES       | ID       |        | T       | W      |
| 2        | B    | Merulina spp.   |       | live       | 244      |      | FR       | ID       |        | T       | W      |
| 2        | B    | Merulina spp.   |       | live       | 1        |      | GB       | ID       |        | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon            | Term       | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------|------------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | Merulina spp.    | live       | 10       |      | IT       | ID       |        | T       | W      |
|          | 2    | B     | Merulina spp.    | live       | 44       |      | NL       | ID       |        | T       | W      |
|          | 2    | B     | Merulina spp.    | live       | 1        |      | NL       | US       | FJ     | T       | W      |
|          | 2    | B     | Blastomussa spp. | raw corals | 12       |      | GB       | ID       |        | T       | W      |
|          | 2    | B     | Blastomussa spp. | live       | 638      |      | DE       | ID       |        | T       | W      |
|          | 2    | B     | Blastomussa spp. | live       | 135      |      | ES       | ID       |        | T       | W      |
|          | 2    | B     | Blastomussa spp. | live       | 8        |      | FI       | ID       |        | T       | W      |
|          | 2    | B     | Blastomussa spp. | live       | 270      |      | FR       | ID       |        | T       | W      |
|          | 2    | B     | Blastomussa spp. | live       | 63       |      | GB       | ID       |        | T       | W      |
|          | 2    | B     | Blastomussa spp. | live       | 5        |      | IT       | ID       |        | T       | W      |
|          | 2    | B     | Blastomussa spp. | live       | 292      |      | NL       | ID       |        | T       | W      |
|          | 2    | B     | Cynarina spp.    | raw corals | 42       |      | GB       | ID       |        | T       | W      |
|          | 2    | B     | Cynarina spp.    | live       | 20       |      | AT       | ID       |        | T       | W      |
|          | 2    | B     | Cynarina spp.    | live       | 85       |      | BE       | ID       |        | T       | W      |
|          | 2    | B     | Cynarina spp.    | live       | 19       |      | DE       | FJ       |        | T       | W      |
|          | 2    | B     | Cynarina spp.    | live       | 529      |      | DE       | ID       |        | T       | W      |
|          | 2    | B     | Cynarina spp.    | live       | 8        |      | DE       | SB       |        | T       | W      |
|          | 2    | B     | Cynarina spp.    | live       | 72       |      | ES       | ID       |        | T       | W      |
|          | 2    | B     | Cynarina spp.    | live       | 628      |      | FR       | ID       |        | T       | W      |
|          | 2    | B     | Cynarina spp.    | live       | 133      |      | GB       | ID       |        | T       | W      |
|          | 2    | B     | Cynarina spp.    | live       | 25       |      | IT       | ID       |        | T       | W      |
|          | 2    | B     | Cynarina spp.    | live       | 341      |      | NL       | ID       |        | T       | W      |
|          | 2    | B     | Cynarina spp.    | live       | 20       |      | SE       | ID       |        | T       | W      |
|          | 2    | B     | Lobophyllia spp. | raw corals | 30       |      | FR       | ID       |        | T       | W      |
|          | 2    | B     | Lobophyllia spp. | raw corals | 30       |      | GB       | FJ       |        | T       | W      |
|          | 2    | B     | Lobophyllia spp. | raw corals | 32       |      | GB       | ID       |        | T       | W      |
|          | 2    | B     | Lobophyllia spp. | live       | 76       |      | AT       | ID       |        | T       | W      |
|          | 2    | B     | Lobophyllia spp. | live       | 88       |      | BE       | ID       |        | T       | W      |
|          | 2    | B     | Lobophyllia spp. | live       | 278      |      | DE       | FJ       |        | T       | W      |
|          | 2    | B     | Lobophyllia spp. | live       | 2620     |      | DE       | ID       |        | T       | W      |
|          | 2    | B     | Lobophyllia spp. | live       | 72       |      | DE       | SB       |        | T       | W      |
|          | 2    | B     | Lobophyllia spp. | live       | 20       |      | DE       | US       | FJ     | T       | W      |
|          | 2    | B     | Lobophyllia spp. | live       | 5        |      | DE       | US       | SB     | T       | W      |

European Community annual report to CITES 1998

Exp/Imp. App. Annex Taxon

|  |   |   | Term                          | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|--|---|---|-------------------------------|----------|------|----------|----------|--------|---------|--------|
|  | 2 | B | <i>Lobophyllia</i> spp.       |          |      |          |          |        |         |        |
|  | 2 | B | <i>Lobophyllia</i> spp.       | 39       |      | DK       | ID       | T      | W       |        |
|  | 2 | B | <i>Lobophyllia</i> spp.       | 46       |      | DK       | US       | FJ     | T       | W      |
|  | 2 | B | <i>Lobophyllia</i> spp.       | 137      |      | ES       | ID       | T      | W       |        |
|  | 2 | B | <i>Lobophyllia</i> spp.       | 6        |      | FI       | ID       | T      | W       |        |
|  | 2 | B | <i>Lobophyllia</i> spp.       | 952      |      | FR       | ID       | T      | W       |        |
|  | 2 | B | <i>Lobophyllia</i> spp.       | 15       |      | GB       | FJ       | T      | W       |        |
|  | 2 | B | <i>Lobophyllia</i> spp.       | 131      |      | GB       | ID       | T      | W       |        |
|  | 2 | B | <i>Lobophyllia</i> spp.       | 59       |      | IT       | ID       | T      | W       |        |
|  | 2 | B | <i>Lobophyllia</i> spp.       | 1262     |      | NL       | ID       | T      | W       |        |
|  | 2 | B | <i>Lobophyllia</i> spp.       | 1        |      | NL       | US       | FJ     | T       | W      |
|  | 2 | B | <i>Lobophyllia</i> spp.       | 91       |      | SE       | ID       | T      | W       |        |
|  | 2 | B | <i>Lobophyllia hataii</i>     | 2        |      | PT       | NC       | Z      | W       |        |
|  | 2 | B | <i>Lobophyllia hemprichii</i> | 2        |      | PT       | NC       | Z      | W       |        |
|  | 2 | B | <i>Scolymia</i> spp.          | 10       |      | ES       | ID       | T      | W       |        |
|  | 2 | B | <i>Scolymia</i> spp.          | 21       |      | AT       | ID       | T      | W       |        |
|  | 2 | B | <i>Scolymia</i> spp.          | 10       |      | DE       | FJ       | T      | W       |        |
|  | 2 | B | <i>Scolymia</i> spp.          | 100      |      | DE       | ID       | T      | W       |        |
|  | 2 | B | <i>Scolymia</i> spp.          | 3        |      | DE       | SB       | T      | W       |        |
|  | 2 | B | <i>Scolymia</i> spp.          | 5        |      | ES       | ID       | T      | W       |        |
|  | 2 | B | <i>Scolymia</i> spp.          | 107      |      | FR       | ID       | T      | W       |        |
|  | 2 | B | <i>Scolymia</i> spp.          | 3        |      | GB       | ID       | T      | W       |        |
|  | 2 | B | <i>Scolymia</i> spp.          | 10       |      | IT       | ID       | T      | W       |        |
|  | 2 | B | <i>Scolymia</i> spp.          | 103      |      | NL       | ID       | T      | W       |        |
|  | 2 | B | <i>Scolymia</i> spp.          | 20       |      | BE       | ID       | T      | W       |        |
|  | 2 | B | <i>Scolymia</i> spp.          | 240      |      | DE       | ID       | T      | W       |        |
|  | 2 | B | <i>Scolymia</i> spp.          | 94       |      | FR       | ID       | T      | W       |        |
|  | 2 | B | <i>Scolymia radians</i>       | 83       |      | NL       | ID       | T      | W       |        |
|  | 2 | B | <i>Mycedium</i> spp.          | 1        |      | PT       | NC       | Z      | W       |        |
|  | 2 | B | <i>Oxypora</i> spp.           | 4        |      | DE       | SB       | T      | W       |        |
|  | 2 | B | <i>Oxypora</i> spp.           | 30       |      | DE       | FJ       | T      | W       |        |
|  | 2 | B | <i>Oxypora</i> spp.           | 9        |      | DE       | SB       | T      | W       |        |
|  | 2 | B | <i>Pectinia</i> spp.          | 70       |      | DE       | VN       | T      | W       |        |
|  |   |   | raw corals                    | 15       |      | GB       | FJ       | T      | W       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                         | Term       | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|------------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Pectinia</i> spp.          | raw corals | 5        |      | GB       | ID       |        | T       | W      |
|          | 2    | B     | <i>Pectinia</i> spp.          | live       | 40       |      | DE       | FJ       |        | T       | W      |
|          | 2    | B     | <i>Pectinia</i> spp.          | live       | 130      |      | DE       | ID       |        | T       | W      |
|          | 2    | B     | <i>Pectinia</i> spp.          | live       | 20       |      | DE       | SB       |        | T       | W      |
|          | 2    | B     | <i>Pectinia</i> spp.          | live       | 5        |      | DE       | US       | SB     | T       | W      |
|          | 2    | B     | <i>Pectinia</i> spp.          | live       | 28       |      | FR       | ID       |        | T       | W      |
|          | 2    | B     | <i>Pectinia</i> spp.          | live       | 10       |      | GB       | FJ       |        | T       | W      |
|          | 2    | B     | <i>Pectinia</i> spp.          | live       | 10       |      | GB       | ID       |        | T       | W      |
|          | 2    | B     | <i>Pectinia</i> spp.          | live       | 10       |      | NL       | ID       |        | T       | W      |
|          | 2    | B     | <i>Catalaphyllia</i> spp.     | raw corals | 110      |      | DK       | ID       |        | T       | W      |
|          | 2    | B     | <i>Catalaphyllia</i> spp.     | raw corals | 35       |      | FR       | ID       |        | T       | W      |
|          | 2    | B     | <i>Catalaphyllia</i> spp.     | raw corals | 52       |      | GB       | ID       |        | T       | W      |
|          | 2    | B     | <i>Catalaphyllia</i> spp.     | live       | 199      |      | AT       | ID       |        | T       | W      |
|          | 2    | B     | <i>Catalaphyllia</i> spp.     | live       | 299      |      | BE       | ID       |        | T       | W      |
|          | 2    | B     | <i>Catalaphyllia</i> spp.     | live       | 42       |      | DE       | FJ       |        | T       | W      |
|          | 2    | B     | <i>Catalaphyllia</i> spp.     | live       | 4179     |      | DE       | ID       |        | T       | W      |
|          | 2    | B     | <i>Catalaphyllia</i> spp.     | live       | 313      |      | DK       | ID       |        | T       | W      |
|          | 2    | B     | <i>Catalaphyllia</i> spp.     | live       | 268      |      | ES       | ID       |        | T       | W      |
|          | 2    | B     | <i>Catalaphyllia</i> spp.     | live       | 2985     |      | FR       | ID       |        | T       | W      |
|          | 2    | B     | <i>Catalaphyllia</i> spp.     | live       | 1717     |      | GB       | ID       |        | T       | W      |
|          | 2    | B     | <i>Catalaphyllia</i> spp.     | live       | 311      |      | IT       | ID       |        | T       | W      |
|          | 2    | B     | <i>Catalaphyllia</i> spp.     | live       | 1630     |      | NL       | ID       |        | T       | W      |
|          | 2    | B     | <i>Catalaphyllia</i> spp.     | live       | 141      |      | SE       | ID       |        | T       | W      |
|          | 2    | B     | <i>Catalaphyllia jardinei</i> | live       | 4        |      | PT       | NC       |        | Z       | W      |
|          | 2    | B     | <i>Euphyllia</i> spp.         | raw corals | 60       |      | DK       | ID       |        | T       | W      |
|          | 2    | B     | <i>Euphyllia</i> spp.         | raw corals | 60       |      | ES       | ID       |        | T       | W      |
|          | 2    | B     | <i>Euphyllia</i> spp.         | raw corals | 70       |      | FR       | ID       |        | T       | W      |
|          | 2    | B     | <i>Euphyllia</i> spp.         | raw corals | 337      |      | GB       | ID       |        | T       | W      |
|          | 2    | B     | <i>Euphyllia</i> spp.         | live       | 200      |      | AT       | ID       |        | T       | W      |
|          | 2    | B     | <i>Euphyllia</i> spp.         | live       | 761      |      | BE       | ID       |        | T       | W      |
|          | 2    | B     | <i>Euphyllia</i> spp.         | live       | 152      |      | DE       | FJ       |        | T       | W      |
|          | 2    | B     | <i>Euphyllia</i> spp.         | live       | 7074     |      | DE       | ID       |        | T       | W      |
|          | 2    | B     | <i>Euphyllia</i> spp.         | live       | 29       |      | DE       | SB       |        | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                   | Term       | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------|------------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Euphyllia</i> spp.   | live       | 319      |      | DK       | ID       |        | T       | W      |
|          | 2    | B     | <i>Euphyllia</i> spp.   | live       | 47       |      | DK       | US       | FJ     | T       | W      |
|          | 2    | B     | <i>Euphyllia</i> spp.   | live       | 881      |      | ES       | ID       |        | T       | W      |
|          | 2    | B     | <i>Euphyllia</i> spp.   | live       | 12       |      | FI       | ID       |        | T       | W      |
|          | 2    | B     | <i>Euphyllia</i> spp.   | live       | 3631     |      | FR       | ID       |        | T       | W      |
|          | 2    | B     | <i>Euphyllia</i> spp.   | live       | 2583     |      | GB       | ID       |        | T       | W      |
|          | 2    | B     | <i>Euphyllia</i> spp.   | live       | 296      |      | IT       | ID       |        | T       | W      |
|          | 2    | B     | <i>Euphyllia</i> spp.   | live       | 2848     |      | NL       | ID       |        | T       | W      |
|          | 2    | B     | <i>Euphyllia</i> spp.   | live       | 177      |      | SE       | ID       |        | T       | W      |
|          | 2    | B     | <i>Euphyllia ancora</i> | raw corals | 1728     | kg   | FR       | NC       |        | T       | W      |
|          | 2    | B     | <i>Euphyllia ancora</i> | raw corals | 1728     | kg   | FR       | VN       |        | T       | W      |
|          | 2    | B     | <i>Lophelia pertusa</i> | live       | 1        |      | GB       | NO       |        | S       | W      |
|          | 2    | B     | <i>Physogyra</i> spp.   | raw corals | 30       |      | DK       | ID       |        | T       | W      |
|          | 2    | B     | <i>Physogyra</i> spp.   | live       | 44       |      | AT       | ID       |        | T       | W      |
|          | 2    | B     | <i>Physogyra</i> spp.   | live       | 39       |      | BE       | ID       |        | T       | W      |
|          | 2    | B     | <i>Physogyra</i> spp.   | live       | 817      |      | DE       | ID       |        | T       | W      |
|          | 2    | B     | <i>Physogyra</i> spp.   | live       | 2        |      | DE       | SB       |        | T       | W      |
|          | 2    | B     | <i>Physogyra</i> spp.   | live       | 12       |      | DK       | ID       |        | T       | W      |
|          | 2    | B     | <i>Physogyra</i> spp.   | live       | 3        |      | FI       | ID       |        | T       | W      |
|          | 2    | B     | <i>Physogyra</i> spp.   | live       | 357      |      | FR       | ID       |        | T       | W      |
|          | 2    | B     | <i>Physogyra</i> spp.   | live       | 163      |      | GB       | ID       |        | T       | W      |
|          | 2    | B     | <i>Physogyra</i> spp.   | live       | 28       |      | IT       | ID       |        | T       | W      |
|          | 2    | B     | <i>Physogyra</i> spp.   | live       | 564      |      | NL       | ID       |        | T       | W      |
|          | 2    | B     | <i>Physogyra</i> spp.   | live       | 48       |      | SE       | ID       |        | T       | W      |
|          | 2    | B     | <i>Plerogyra</i> spp.   | raw corals | 40       |      | DK       | ID       |        | T       | W      |
|          | 2    | B     | <i>Plerogyra</i> spp.   | raw corals | 44       |      | FR       | ID       |        | T       | W      |
|          | 2    | B     | <i>Plerogyra</i> spp.   | raw corals | 7        |      | GB       | ID       |        | T       | W      |
|          | 2    | B     | <i>Plerogyra</i> spp.   | raw corals | 119      |      | GB       | ID       |        | T       | W      |
|          | 2    | B     | <i>Plerogyra</i> spp.   | live       | 45       |      | AT       | ID       |        | T       | W      |
|          | 2    | B     | <i>Plerogyra</i> spp.   | live       | 88       |      | AT       | ID       |        | T       | W      |
|          | 2    | B     | <i>Plerogyra</i> spp.   | live       | 147      |      | BE       | ID       |        | T       | W      |
|          | 2    | B     | <i>Plerogyra</i> spp.   | live       | 246      |      | BE       | ID       |        | T       | W      |
|          | 2    | B     | <i>Plerogyra</i> spp.   | live       | 889      |      | DE       | ID       |        | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                      | Term       | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------|------------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Plerogyra</i> spp.      | live       | 3140     |      | DE       | ID       |        | T       | W      |
|          | 2    | B     | <i>Plerogyra</i> spp.      | live       | 9        |      | DK       | ID       |        | T       | W      |
|          | 2    | B     | <i>Plerogyra</i> spp.      | live       | 2        |      | DK       | US       | FJ     | T       | W      |
|          | 2    | B     | <i>Plerogyra</i> spp.      | live       | 195      |      | ES       | ID       |        | T       | W      |
|          | 2    | B     | <i>Plerogyra</i> spp.      | live       | 515      |      | ES       | ID       |        | T       | W      |
|          | 2    | B     | <i>Plerogyra</i> spp.      | live       | 1690     |      | FR       | ID       |        | T       | W      |
|          | 2    | B     | <i>Plerogyra</i> spp.      | live       | 1713     |      | FR       | ID       |        | T       | W      |
|          | 2    | B     | <i>Plerogyra</i> spp.      | live       | 375      |      | GB       | ID       |        | T       | W      |
|          | 2    | B     | <i>Plerogyra</i> spp.      | live       | 1247     |      | GB       | ID       |        | T       | W      |
|          | 2    | B     | <i>Plerogyra</i> spp.      | live       | 202      |      | IT       | ID       |        | T       | W      |
|          | 2    | B     | <i>Plerogyra</i> spp.      | live       | 370      |      | NL       | ID       |        | T       | W      |
|          | 2    | B     | <i>Plerogyra</i> spp.      | live       | 1573     |      | NL       | ID       |        | T       | W      |
|          | 2    | B     | <i>Plerogyra</i> spp.      | live       | 13       |      | SE       | ID       |        | T       | W      |
|          | 2    | B     | <i>Plerogyra sinuosa</i>   | live       | 3        |      | PT       | NC       |        | Z       | W      |
|          | 2    | B     | <i>Tubastraea</i> spp.     | raw corals | 90       |      | DK       | ID       |        | T       | W      |
|          | 2    | B     | <i>Tubastraea</i> spp.     | raw corals | 20       |      | ES       | ID       |        | T       | W      |
|          | 2    | B     | <i>Tubastraea</i> spp.     | raw corals | 26       |      | FR       | ID       |        | T       | W      |
|          | 2    | B     | <i>Tubastraea</i> spp.     | raw corals | 104      |      | GB       | ID       |        | T       | W      |
|          | 2    | B     | <i>Tubastraea</i> spp.     | live       | 30       |      | AT       | ID       |        | T       | W      |
|          | 2    | B     | <i>Tubastraea</i> spp.     | live       | 134      |      | BE       | ID       |        | T       | W      |
|          | 2    | B     | <i>Tubastraea</i> spp.     | live       | 30       |      | DE       | FJ       |        | T       | W      |
|          | 2    | B     | <i>Tubastraea</i> spp.     | live       | 2447     |      | DE       | ID       |        | T       | W      |
|          | 2    | B     | <i>Tubastraea</i> spp.     | live       | 60       |      | DE       | SB       |        | T       | W      |
|          | 2    | B     | <i>Tubastraea</i> spp.     | live       | 28       |      | DK       | ID       |        | T       | W      |
|          | 2    | B     | <i>Tubastraea</i> spp.     | live       | 190      |      | ES       | ID       |        | T       | W      |
|          | 2    | B     | <i>Tubastraea</i> spp.     | live       | 1692     |      | FR       | ID       |        | T       | W      |
|          | 2    | B     | <i>Tubastraea</i> spp.     | live       | 888      |      | GB       | ID       |        | T       | W      |
|          | 2    | B     | <i>Tubastraea</i> spp.     | live       | 102      |      | IT       | ID       |        | T       | W      |
|          | 2    | B     | <i>Tubastraea</i> spp.     | live       | 1489     |      | NL       | ID       |        | T       | W      |
|          | 2    | B     | <i>Tubastraea</i> spp.     | live       | 40       |      | SE       | ID       |        | T       | W      |
|          | 2    | B     | <i>Tubastraea coccinea</i> | live       | 2        |      | DK       | ID       |        | T       | W      |
|          | 2    | B     | <i>Turbinaria</i> spp.     | raw corals | 90       |      | DK       | ID       |        | T       | W      |
|          | 2    | B     | <i>Turbinaria</i> spp.     | raw corals | 30       |      | ES       | ID       |        | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex              | Taxon | Term       | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|--------------------|-------|------------|----------|------|----------|----------|--------|---------|--------|
| 2        | B    | Turbinaria spp.    |       | raw corals | 20       |      | FR       | ID       |        | T       | W      |
| 2        | B    | Turbinaria spp.    |       | raw corals | 30       |      | GB       | FJ       |        | T       | W      |
| 2        | B    | Turbinaria spp.    |       | raw corals | 75       |      | GB       | ID       |        | T       | W      |
| 2        | B    | Turbinaria spp.    |       | live       | 101      |      | AT       | ID       |        | T       | W      |
| 2        | B    | Turbinaria spp.    |       | live       | 113      |      | BE       | ID       |        | T       | W      |
| 2        | B    | Turbinaria spp.    |       | live       | 180      |      | DE       | FJ       |        | T       | W      |
| 2        | B    | Turbinaria spp.    |       | live       | 2144     |      | DE       | ID       |        | T       | W      |
| 2        | B    | Turbinaria spp.    |       | live       | 108      |      | DE       | SB       |        | T       | W      |
| 2        | B    | Turbinaria spp.    |       | live       | 5        |      | DE       | US       | ID     | T       | W      |
| 2        | B    | Turbinaria spp.    |       | live       | 50       |      | DE       | VN       |        | T       | W      |
| 2        | B    | Turbinaria spp.    |       | live       | 16       |      | DK       | ID       |        | T       | W      |
| 2        | B    | Turbinaria spp.    |       | live       | 27       |      | DK       | US       | FJ     | T       | W      |
| 2        | B    | Turbinaria spp.    |       | live       | 40       |      | ES       | ID       |        | T       | W      |
| 2        | B    | Turbinaria spp.    |       | live       | 833      |      | FR       | ID       |        | T       | W      |
| 2        | B    | Turbinaria spp.    |       | live       | 10       |      | GB       | FJ       |        | T       | W      |
| 2        | B    | Turbinaria spp.    |       | live       | 383      |      | GB       | ID       |        | T       | W      |
| 2        | B    | Turbinaria spp.    |       | live       | 60       |      | IT       | ID       |        | T       | W      |
| 2        | B    | Turbinaria spp.    |       | live       | 1082     |      | NL       | ID       |        | T       | W      |
| 2        | B    | Turbinaria spp.    |       | live       | 1        |      | NL       | US       | FJ     | T       | W      |
| 2        | B    | Turbinaria spp.    |       | live       | 18       |      | SE       | ID       |        | T       | W      |
| 2        | B    | Millepora spp.     |       | live       | 17       |      | DE       | ID       |        | T       | W      |
| 2        | B    | Millepora spp.     |       | live       | 25       |      | FR       | ID       |        | T       | W      |
| 2        | B    | Millepora spp.     |       | live       | 10       |      | GB       | FJ       |        | T       | W      |
| 2        | B    | Distichopora spp.  |       | live       | 10       |      | FR       | ID       |        | T       | W      |
| 2        | B    | Stylaster spp.     |       | live       | 76       |      | DE       | FJ       |        | T       | W      |
| 2        | B    | Stylaster spp.     |       | live       | 20       |      | GB       | FJ       |        | T       | W      |
| 2        | B    | Coenothecalia spp. |       | raw corals | 1        |      | DE       | US       | XX     | P       | W      |
| 2        | B    | Heliopora spp.     |       | raw corals | 1        |      | DE       | US       | ID     | P       | W      |
| 2        | B    | Heliopora spp.     |       | live       | 3        |      | DE       | FJ       |        | T       | W      |
| 2        | B    | Heliopora spp.     |       | live       | 19       |      | DE       | SB       |        | T       | W      |
| 2        | B    | Heliopora coerulea |       | raw corals | 6        |      | AT       | HR       |        | I       |        |
| 2        | B    | Heliopora coerulea |       | raw corals | 2144     |      | ES       | SB       |        | T       | W      |
| 2        | B    | Tubiporidae spp.   |       | live       | 435      |      | NL       | ID       |        | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                          | Term        | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|-------------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Tubipora spp.</i>           | raw corals  | 15       |      | DK       | ID       |        | T       | W      |
|          | 2    | B     | <i>Tubipora spp.</i>           | raw corals  | 20       |      | ES       | ID       |        | T       | W      |
|          | 2    | B     | <i>Tubipora spp.</i>           | raw corals  | 15       |      | FR       | ID       |        | T       | W      |
|          | 2    | B     | <i>Tubipora spp.</i>           | raw corals  | 76       |      | GB       | ID       |        | T       | W      |
|          | 2    | B     | <i>Tubipora spp.</i>           | live        | 31       |      | AT       | ID       |        | T       | W      |
|          | 2    | B     | <i>Tubipora spp.</i>           | live        | 68       |      | BE       | ID       |        | T       | W      |
|          | 2    | B     | <i>Tubipora spp.</i>           | live        | 45       |      | DE       | FJ       |        | T       | W      |
|          | 2    | B     | <i>Tubipora spp.</i>           | live        | 816      |      | DE       | ID       |        | T       | W      |
|          | 2    | B     | <i>Tubipora spp.</i>           | live        | 21       |      | DE       | SB       |        | T       | W      |
|          | 2    | B     | <i>Tubipora spp.</i>           | live        | 6        |      | DK       | ID       |        | T       | W      |
|          | 2    | B     | <i>Tubipora spp.</i>           | live        | 25       |      | ES       | ID       |        | T       | W      |
|          | 2    | B     | <i>Tubipora spp.</i>           | live        | 3        |      | FI       | ID       |        | T       | W      |
|          | 2    | B     | <i>Tubipora spp.</i>           | live        | 508      |      | FR       | ID       |        | T       | W      |
|          | 2    | B     | <i>Tubipora spp.</i>           | live        | 188      |      | GB       | ID       |        | T       | W      |
|          | 2    | B     | <i>Tubipora spp.</i>           | live        | 23       |      | IT       | ID       |        | T       | W      |
|          | 2    | B     | <i>Tubipora spp.</i>           | live        | 370      |      | NL       | ID       |        | T       | W      |
|          | 2    | B     | <i>Tubipora spp.</i>           | live        | 8        |      | SE       | ID       |        | T       | W      |
|          | 2    | B     | <i>Tubipora musica</i>         | raw corals  | 15       |      | DK       | ID       |        | T       | W      |
|          | 2    | B     | <i>Tubipora musica</i>         | raw corals  | 92       |      | ES       | SB       |        | T       | W      |
|          | 2    | B     | <i>Tubipora musica</i>         | raw corals  | 1        |      | GB       | MU       |        | I       |        |
|          | 2    | B     | <i>Tubipora musica</i>         | live        | 11       |      | DK       | US       | FJ     | T       | W      |
|          | 2    | B     | <i>Galanthus elwesii</i>       | live        | 4664540  |      | NL       | TR       |        | T       | W      |
|          | 2    | B     | <i>Galanthus ikariae</i>       | live        | 1794950  |      | NL       | TR       |        | T       | W      |
|          | 2    | B     | <i>Galanthus ikariae</i>       | live        | 9600000  |      | NL       | TR       | GE     | T       | W      |
|          | 2    | B     | <i>Sternbergia lutea</i>       | live        | 260000   |      | NL       | TR       |        | T       | W      |
|          | 2    | B     | <i>Pachypodium spp.</i>        | live        | 160      |      | GB       | XX       |        | I       |        |
|          | 2    | B     | <i>Pachypodium bispinosum</i>  | live        | 200      |      | DE       | ZA       |        | T       | W      |
|          | 2    | B     | <i>Pachypodium lamerei</i>     | live        | 2        |      | FR       | MC       |        | Q       | U      |
|          | 2    | B     | <i>Pachypodium rosulatum</i>   | live        | 2        |      | FR       | MC       |        | Q       | U      |
|          | 2    | B     | <i>Pachypodium succulentum</i> | live        | 100      |      | DE       | ZA       |        | T       | W      |
|          | 2    | B     | <i>Panax quinquefolius</i>     | derivatives | 2 bags   |      | GB       | XX       |        | I       |        |
|          | 2    | B     | <i>Panax quinquefolius</i>     | derivatives | 6 boxes  |      | GB       | XX       |        | I       |        |
|          | 2    | B     | <i>Panax quinquefolius</i>     | roots       | 24 g     |      | DE       | US       | S      | W       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                      | Term          | Quantity | Unit   | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------|---------------|----------|--------|----------|----------|--------|---------|--------|
| 2        | B    |       | <i>Panax quinquefolius</i> | roots         | 3        | boxes  | GB       | XX       |        |         |        |
| 2        | B    |       | <i>Panax quinquefolius</i> | roots         | 4        | g      | NL       | CN       |        |         |        |
| 2        | B    |       | <i>Panax quinquefolius</i> | roots         | 24       | pieces | NL       | CN       |        |         |        |
| 2        | B    |       | <i>Panax quinquefolius</i> | roots         | 1        |        | NL       | HK       |        |         |        |
| 2        | B    |       | <i>Panax quinquefolius</i> | roots         | 900      | g      | NL       | HK       |        |         |        |
| 2        | B    |       | <i>Panax quinquefolius</i> | roots         | 1        | kg     | NL       | HK       |        |         |        |
| 2        | B    |       | <i>Panax quinquefolius</i> | roots         | 240      |        | NL       | US       |        |         |        |
| 2        | B    |       | <i>Panax quinquefolius</i> | roots         | 9        | kg     | NL       | US       |        |         |        |
| 2        | B    |       | <i>Araucaria araucana</i>  | timber pieces | 3        |        | ES       | AR       | S      | W       |        |
| 2        | B    |       | <i>Araucaria araucana</i>  | timber pieces | 2        |        | ES       | CL       | S      | W       |        |
| 2        | B    |       | <i>Ceropegia spp.</i>      | live          | 4        |        | DE       | MG       | P      | W       |        |
| 2        | B    |       | <i>Ceropegia spp.</i>      | live          | 50       |        | DE       | MG       | T      | W       |        |
| 2        | B    |       | <i>Cactaceae spp.</i>      | dried plants  | 291      |        | AT       | MX       |        |         |        |
| 2        | B    |       | <i>Cactaceae spp.</i>      | dried plants  | 1        |        | BE       | AR       | P      |         |        |
| 2        | B    |       | <i>Cactaceae spp.</i>      | dried plants  | 1        |        | BE       | BO       | P      |         |        |
| 2        | B    |       | <i>Cactaceae spp.</i>      | dried plants  | 1        |        | BE       | BR       | P      |         |        |
| 2        | B    |       | <i>Cactaceae spp.</i>      | dried plants  | 5        |        | BE       | CL       | P      |         |        |
| 2        | B    |       | <i>Cactaceae spp.</i>      | dried plants  | 2        |        | BE       | US       | P      |         |        |
| 2        | B    |       | <i>Cactaceae spp.</i>      | dried plants  | 7        |        | BE       | VE       | P      |         |        |
| 2        | B    |       | <i>Cactaceae spp.</i>      | dried plants  | 9        |        | DE       | NI       | S      | W       |        |
| 2        | B    |       | <i>Cactaceae spp.</i>      | dried plants  | 2717     |        | IT       | US       | T      | D       |        |
| 2        | B    |       | <i>Cactaceae spp.</i>      | live          | 127      |        | AT       | PE       |        |         |        |
| 2        | B    |       | <i>Cactaceae spp.</i>      | live          | 108      |        | AT       | PL       |        |         |        |
| 2        | B    |       | <i>Cactaceae spp.</i>      | live          | 1        |        | GB       | US       |        |         |        |
| 2        | B    |       | <i>Cactaceae spp.</i>      | live          | 50       |        | IE       | BZ       | G      | W       |        |
| 2        | B    |       | <i>Cactaceae spp.</i>      | live          | 31       |        | NL       | AN       |        |         |        |
| 2        | B    |       | <i>Cactaceae spp.</i>      | live          | 14       |        | NL       | AR       |        |         |        |
| 2        | B    |       | <i>Cactaceae spp.</i>      | live          | 3        |        | NL       | AU       |        |         |        |
| 2        | B    |       | <i>Cactaceae spp.</i>      | live          | 1        |        | NL       | AW       |        |         |        |
| 2        | B    |       | <i>Cactaceae spp.</i>      | live          | 5        |        | NL       | BO       |        |         |        |
| 2        | B    |       | <i>Cactaceae spp.</i>      | live          | 1        |        | NL       | BR       |        |         |        |
| 2        | B    |       | <i>Cactaceae spp.</i>      | live          | 6        |        | NL       | CA       |        |         |        |
| 2        | B    |       | <i>Cactaceae spp.</i>      | live          | 1        |        | NL       | CI       |        |         |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex              | Taxon | Term  | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|--------------------|-------|-------|----------|------|----------|----------|--------|---------|--------|
| 2        | B    | Cactaceae spp.     |       | live  | 17       |      | NL       | CL       |        |         | I      |
| 2        | B    | Cactaceae spp.     |       | live  | 1        |      | NL       | DO       |        |         | I      |
| 2        | B    | Cactaceae spp.     |       | live  | 3        |      | NL       | EC       |        |         | I      |
| 2        | B    | Cactaceae spp.     |       | live  | 2        |      | NL       | EG       |        |         | I      |
| 2        | B    | Cactaceae spp.     |       | live  | 10       |      | NL       | MX       |        |         | I      |
| 2        | B    | Cactaceae spp.     |       | live  | 73       |      | NL       | PE       |        |         | I      |
| 2        | B    | Cactaceae spp.     |       | live  | 1        |      | NL       | PY       |        |         | I      |
| 2        | B    | Cactaceae spp.     |       | live  | 3        |      | NL       | QA       |        |         | I      |
| 2        | B    | Cactaceae spp.     |       | live  | 1        |      | NL       | TH       |        |         | I      |
| 2        | B    | Cactaceae spp.     |       | live  | 60       |      | NL       | US       |        |         | I      |
| 2        | B    | Cactaceae spp.     |       | live  | 1023     |      | NL       | UY       |        |         | I      |
| 2        | B    | Cactaceae spp.     |       | live  | 9        |      | NL       | VE       |        |         | I      |
| 2        | B    | Cactaceae spp.     |       | stems | 1        |      | DE       | AU       | CL     | P       | U      |
| 2        | B    | Cactaceae spp.     |       | stems | 1        |      | DE       | AU       | XX     | P       | U      |
| 2        | B    | Cactaceae spp.     |       | stems | 1        |      | DE       | CA       | XX     | P       | U      |
| 2        | B    | Cactaceae spp.     |       | stems | 556      |      | DE       | CL       | T      | W       |        |
| 2        | B    | Cactaceae spp.     |       | stems | 1        |      | DE       | NZ       | P      | W       |        |
| 2        | B    | Cactaceae spp.     |       | stems | 1        |      | DE       | US       | P      | W       |        |
| 2        | B    | Cactaceae spp.     |       | stems | 2        |      | DE       | US       | CL     | P       | U      |
| 2        | B    | Cactaceae spp.     |       | stems | 1        |      | DE       | US       | PE     | P       | U      |
| 2        | B    | Cactaceae spp.     |       | stems | 1        |      | DE       | US       | XX     | P       | W      |
| 2        | B    | Cactaceae spp.     |       | stems | 24       |      | DE       | US       | XX     | P       | U      |
| 2        | B    | Cactaceae spp.     |       | stems | 2500     |      | GB       | CL       |        |         | I      |
| 2        | B    | Cactaceae spp.     |       | stems | 4        |      | NL       | AN       |        |         | I      |
| 2        | B    | Cactaceae spp.     |       | stems | 3        |      | NL       | AR       |        |         | I      |
| 2        | B    | Cactaceae spp.     |       | stems | 1        |      | NL       | CA       |        |         | I      |
| 2        | B    | Cactaceae spp.     |       | stems | 3        |      | NL       | CL       |        |         | I      |
| 2        | B    | Cactaceae spp.     |       | stems | 13       |      | NL       | PE       |        |         | I      |
| 2        | B    | Cactaceae spp.     |       | stems | 9        |      | NL       | US       |        | T       | W      |
| 2        | B    | Cactaceae spp.     |       | stems | 11       |      | NL       | US       |        |         | I      |
| 2        | B    | Cactaceae spp.     |       | stems | 3        |      | NL       | VE       |        |         | I      |
| 2        | B    | Carnegiea gigantea |       | live  | 9        |      | NL       | US       |        | T       | W      |
| 2        | B    | Carnegiea gigantea |       | stems | 14       |      | NL       | US       |        | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon  | Term  | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |   |
|----------|------|-------|--|-------|----------|------|----------|----------|--------|---------|--------|---|
|          | 2    | B     | <i>Echinocactus grusonii</i>                             | live  | 1        |      | GB       | US       |        |         | I      |   |
|          | 2    | B     | <i>Echinocactus horizonthalonius</i>                     | live  | 64       |      | NL       | US       |        | T       | W      |   |
|          | 2    | B     | <i>Echinocereus dasycanthus</i>                          | live  | 20       |      | NL       | US       |        | T       | W      |   |
|          | 2    | B     | <i>Echinocereus engelmannii</i>                          | live  | 8        |      | NL       | US       |        | T       | W      |   |
|          | 2    | B     | <i>Echinocereus nicholii</i>                             | live  | 10       |      | NL       | US       |        | T       | W      |   |
|          | 2    | B     | <i>Echinocereus stramineus</i>                           | live  | 3        |      | NL       | US       |        | T       | W      |   |
|          | 2    | B     | <i>Echinocereus triglochidiatus</i>                      | live  | 11       |      | NL       | US       |        | T       | W      |   |
|          | 2    | B     | <i>Echinocereus viridiflorus</i> ssp. <i>chloranthus</i> | live  | 6        |      | NL       | US       |        | T       | W      |   |
|          | 2    | B     | <i>Echinopsis</i> spp.                                   | stems | 750      |      | GB       | PE       |        | T       | W      |   |
|          | 2    | B     | <i>Echinopsis</i> spp.                                   | stems | 400      |      | FR       | CL       |        | T       | W      |   |
|          | 2    | B     | <i>Echinopsis chiloensis</i>                             | stems | 1890     |      | NL       | PE       |        | T       | W      |   |
|          | 2    | B     | <i>Echinopsis chiloensis</i>                             | stems | 750      |      | AT       | CL       |        | T       | W      |   |
|          | 2    | B     | <i>Echinopsis chiloensis</i>                             | stems | 1952     |      | BE       | CL       |        | T       | W      |   |
|          | 2    | B     | <i>Echinopsis chiloensis</i>                             | stems | 15611    |      | DE       | CL       |        | T       | W      |   |
|          | 2    | B     | <i>Echinopsis cuzcoensis</i>                             | stems | 1        |      | NL       | CL       |        | T       | W      |   |
|          | 2    | B     | <i>Escobaria tuberculosa</i>                             | stems | 3000     |      | FR       | PE       |        | T       | W      |   |
|          | 2    | B     | <i>Eulychnia</i> spp.                                    | live  | 2        |      | NL       | US       |        | T       | W      |   |
|          | 2    | B     | <i>Eulychnia</i> spp.                                    | stems | 1        |      | FR       | AR       |        | P       | W      |   |
|          | 2    | B     | <i>Eulychnia</i> spp.                                    | stems | 2        |      | FR       | CL       |        | P       | W      |   |
|          | 2    | B     | <i>Eulychnia acida</i>                                   | stems | 1        |      | FR       | PE       |        | P       | W      |   |
|          | 2    | B     | <i>Eulychnia acida</i>                                   | stems | 590      |      | AT       | CL       |        | T       | W      |   |
|          | 2    | B     | <i>Eulychnia acida</i>                                   | stems | 1367     |      | BE       | CL       |        | T       | W      |   |
|          | 2    | B     | <i>Eulychnia acida</i>                                   | stems | 2        |      | DE       | CL       |        | P       | W      |   |
|          | 2    | B     | <i>Eulychnia acida</i>                                   | stems | 36579    |      | DE       | CL       |        | T       | W      |   |
|          | 2    | B     | <i>Eulychnia acida</i>                                   | stems | 1500     |      | DE       | HK       |        | CL      | T      | W |
|          | 2    | B     | <i>Eulychnia acida</i>                                   | stems | 1600     |      | DK       | CL       |        | T       | W      |   |
|          | 2    | B     | <i>Eulychnia acida</i>                                   | stems | 250      |      | ES       | CL       |        | T       | W      |   |
|          | 2    | B     | <i>Eulychnia acida</i>                                   | stems | 51687    |      | FR       | CL       |        | T       | W      |   |
|          | 2    | B     | <i>Eulychnia acida</i>                                   | stems | 1        |      | NL       | AU       |        | CL      | P      | W |
|          | 2    | B     | <i>Eulychnia acida</i>                                   | stems | 2052     |      | NL       | CL       |        | T       | W      |   |
|          | 2    | B     | <i>Eulychnia breviflora</i>                              | stems | 1000     |      | DE       | CL       |        | T       | W      |   |
|          | 2    | B     | <i>Ferocactus cylindraceus</i>                           | live  | 37       |      | NL       | US       |        | T       | W      |   |
|          | 2    | B     | <i>Ferocactus wislizeni</i>                              | live  | 31       |      | NL       | US       |        | T       | W      |   |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                           | Term         | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------------|--------------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Leuchtenbergia principis</i> | seeds        | 50       |      | DE       | US       |        | T       | D      |
|          | 2    | B     | <i>Mammillaria</i> spp.         | live         | 5        |      | GB       | US       |        | I       |        |
|          | 2    | B     | <i>Sclerocactus</i> spp.        | live         | 1        |      | GB       | MT       |        | P       | D      |
|          | 2    | B     | <i>Sclerocactus uncinatus</i>   | live         | 5        |      | NL       | US       |        | T       | W      |
|          | 2    | B     | <i>Sclerocactus whipplei</i>    | live         | 1        |      | GB       | MT       |        | P       | D      |
|          | 2    | B     | <i>Cyatheaceae</i> spp.         | carvings     | 2        |      | FR       | NC       |        | P       | W      |
|          | 2    | B     | <i>Cyatheaceae</i> spp.         | carvings     | 3        |      | FR       | NC       |        | T       | W      |
|          | 2    | B     | <i>Cyatheaceae</i> spp.         | carvings     | 1        |      | FR       | VU       |        | P       | W      |
|          | 2    | B     | <i>Cyatheaceae</i> spp.         | dried plants | 1        |      | FR       | NC       |        | T       | W      |
|          | 2    | B     | <i>Cyatheaceae</i> spp.         | dried plants | 3        |      | FR       | NC       |        | P       | W      |
|          | 2    | B     | <i>Cyathea australis</i>        | live         | 85       |      | GB       | AU       |        | T       | W      |
|          | 2    | B     | <i>Cyathea australis</i>        | live         | 50       |      | GB       | ZA       |        | I       |        |
|          | 2    | B     | <i>Cyathea cooperi</i>          | live         | 10       |      | NL       | US       |        | I       |        |
|          | 2    | B     | <i>Cyathea cunninghamii</i>     | live         | 63       |      | PT       | NZ       |        | T       | W      |
|          | 2    | B     | <i>Cyathea dealbata</i>         | live         | 60       |      | GB       | NZ       |        | T       | W      |
|          | 2    | B     | <i>Cyathea dealbata</i>         | live         | 87       |      | PT       | NZ       |        | T       | W      |
|          | 2    | B     | <i>Cyathea dealbata</i>         | stems        | 1        |      | GB       | NZ       |        | T       | W      |
|          | 2    | B     | <i>Cyathea medullaris</i>       | live         | 60       |      | GB       | NZ       |        | T       | W      |
|          | 2    | B     | <i>Cyathea medullaris</i>       | live         | 87       |      | PT       | NZ       |        | T       | W      |
|          | 2    | B     | <i>Cyathea medullaris</i>       | stems        | 1        |      | GB       | NZ       |        | T       | W      |
|          | 2    | B     | <i>Cyathea smithii</i>          | live         | 90       |      | GB       | NZ       |        | T       | W      |
|          | 2    | B     | <i>Cyathea smithii</i>          | live         | 74       |      | PT       | NZ       |        | T       | W      |
|          | 2    | B     | <i>Cycas</i> spp.               | dried plants | 10       |      | GB       | VN       |        | S       | W      |
|          | 2    | B     | <i>Cycas</i> spp.               | live         | 1        |      | ES       | GA       | XX     | I       |        |
|          | 2    | B     | <i>Cycas chevalieri</i>         | dried plants | 5        |      | GB       | VN       |        | S       | W      |
|          | 2    | B     | <i>Cycas pectinata</i>          | dried plants | 5        |      | GB       | VN       |        | S       | W      |
|          | 2    | B     | <i>Cycas revoluta</i>           | live         | 10       |      | BE       | CN       |        | T       | I      |
|          | 2    | B     | <i>Cycas revoluta</i>           | live         | 250      |      | GB       | ZA       |        | I       |        |
|          | 2    | B     | <i>Cycas revoluta</i>           | live         | 945      |      | IT       | BR       |        | T       | O      |
|          | 2    | B     | <i>Cycas revoluta</i>           | live         | 220      |      | NL       | EC       |        | I       |        |
|          | 2    | B     | <i>Cycas revoluta</i>           | live         | 395      |      | NL       | TW       |        | I       |        |
|          | 2    | B     | <i>Cycas taiwaniana</i>         | dried plants | 5        |      | GB       | VN       |        | S       | W      |
|          | 2    | B     | <i>Cycas thouarsii</i>          | live         | 50       |      | GB       | ZA       |        | I       |        |

European Community annual report to CITES 1998

Exp/Imp. App. Annex Taxon

|  |   |   | Term                      | Quantity      | Unit  | Importer | Exporter | Origin | Purpose | Source |
|--|---|---|---------------------------|---------------|-------|----------|----------|--------|---------|--------|
|  | 2 | B | Cycas thouarsii           | live          | 200   | NL       | MG       | T      | W       |        |
|  | 2 | B | Cibotium spp.             | derivatives   | 10 kg | GB       | CN       | I      |         |        |
|  | 2 | B | Dicksonia spp.            | flower pots   | 10570 | DE       | BR       | T      | W       |        |
|  | 2 | B | Dicksonia antarctica      | live          | 6438  | GB       | AU       | T      | W       |        |
|  | 2 | B | Dicksonia antarctica      | live          | 600   | NL       | AU       | T      | W       |        |
|  | 2 | B | Dicksonia antarctica      | stems         | 568   | GB       | AU       | T      | W       |        |
|  | 2 | B | Dicksonia antarctica      | timber pieces | 3791  | GB       | AU       | T      | W       |        |
|  | 2 | B | Dicksonia fibrosa         | live          | 90    | GB       | NZ       | T      | W       |        |
|  | 2 | B | Dicksonia fibrosa         | live          | 6267  | NL       | NZ       | T      | W       |        |
|  | 2 | B | Dicksonia fibrosa         | live          | 74    | PT       | NZ       | T      | W       |        |
|  | 2 | B | Dicksonia fibrosa         | stems         | 15    | GB       | NZ       | T      | W       |        |
|  | 2 | B | Dicksonia squarrosa       | live          | 110   | GB       | NZ       | T      | W       |        |
|  | 2 | B | Dicksonia squarrosa       | live          | 13210 | NL       | NZ       | T      | W       |        |
|  | 2 | B | Dicksonia squarrosa       | live          | 87    | PT       | NZ       | T      | W       |        |
|  | 2 | B | Dicksonia squarrosa       | stems         | 59    | GB       | NZ       | T      | W       |        |
|  | 2 | B | Alluaudia ascendens       | live          | 2     | FR       | MC       | Q      | U       |        |
|  | 2 | B | Alluaudia comosa          | live          | 2     | FR       | MC       | Q      | U       |        |
|  | 2 | B | Alluaudia procera         | live          | 1     | FR       | MC       | Q      | U       |        |
|  | 2 | B | Didierea madagascariensis | live          | 100   | DE       | MG       | T      | W       |        |
|  | 2 | B | Didierea madagascariensis | live          | 2     | FR       | MC       | Q      | U       |        |
|  | 2 | B | Euphorbia spp.            | dried plants  | 1425  | IT       | US       | T      | D       |        |
|  | 2 | B | Euphorbia spp.            | live          | 20    | DE       | MG       | T      | W       |        |
|  | 2 | B | Euphorbia spp.            | live          | 25    | GB       | XX       | I      |         |        |
|  | 2 | B | Euphorbia spp.            | live          | 9     | GB       | ZA       | I      |         |        |
|  | 2 | B | Euphorbia spp.            | live          | 2600  | NL       | US       | T      |         |        |
|  | 2 | B | Euphorbia ankarensis      | live          | 10    | DE       | MG       | T      | W       |        |
|  | 2 | B | Euphorbia didiereoides    | live          | 10    | DE       | MG       | T      | W       |        |
|  | 2 | B | Euphorbia gottlebei       | live          | 650   | FR       | MG       | T      | W       |        |
|  | 2 | B | Euphorbia hedyotoides     | live          | 10    | DE       | MG       | T      | W       |        |
|  | 2 | B | Euphorbia horombensis     | live          | 450   | FR       | MG       | T      | W       |        |
|  | 2 | B | Euphorbia milii           | live          | 100   | NL       | MG       | T      | W       |        |
|  | 2 | B | Euphorbia pachypodioides  | live          | 10    | DE       | MG       | T      | W       |        |
|  | 2 | B | Euphorbia primulifolia    | live          | 100   | DE       | MG       | T      | W       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                           | Term          | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------------|---------------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Pericopsis elata</i>         | logs          | 968      | m3   | BE       | CM       |        | T       | W      |
|          | 2    | B     | <i>Pericopsis elata</i>         | logs          | 185      | m3   | BE       | CD       |        | T       | W      |
|          | 2    | B     | <i>Pericopsis elata</i>         | logs          | 5528     | m3   | FR       | CM       |        | T       | W      |
|          | 2    | B     | <i>Pericopsis elata</i>         | sawn wood     | 3411     | m3   | BE       | CM       |        | T       | W      |
|          | 2    | B     | <i>Pericopsis elata</i>         | sawn wood     | 1388     | m3   | BE       | CD       |        | T       | W      |
|          | 2    | B     | <i>Pericopsis elata</i>         | sawn wood     | 63158    | m3   | FR       | CM       |        | T       | W      |
|          | 2    | B     | <i>Pericopsis elata</i>         | sawn wood     | 4349     | m3   | IT       | CM       |        | T       | W      |
|          | 2    | B     | <i>Pericopsis elata</i>         | sawn wood     | 106      | m3   | IT       | GH       |        | T       | W      |
|          | 2    | B     | <i>Pericopsis elata</i>         | sawn wood     | 2481     | m3   | IT       | CD       |        | T       | W      |
|          | 2    | B     | <i>Pterocarpus santalinus</i>   | timber pieces | 3        |      | ES       | CH       | IN     | S       | W      |
|          | 2    | B     | <i>Aloe spp.</i>                | extract       | 13       |      | DE       | ZA       |        | S       | W      |
|          | 2    | B     | <i>Aloe spp.</i>                | extract       | 133      | g    | DE       | ZA       |        | S       | W      |
|          | 2    | B     | <i>Aloe spp.</i>                | extract       | 15159    | kg   | DE       | ZA       |        | T       | W      |
|          | 2    | B     | <i>Aloe spp.</i>                | extract       | 75       | ml   | DE       | ZA       |        | S       | W      |
|          | 2    | B     | <i>Aloe spp.</i>                | live          | 10       |      | BE       | BR       |        | P       | I      |
|          | 2    | B     | <i>Aloe spp.</i>                | live          | 1        |      | BE       | US       |        | P       | I      |
|          | 2    | B     | <i>Aloe spp.</i>                | leaves        | 1000     |      | DE       | ZA       |        | T       | W      |
|          | 2    | B     | <i>Aloe ferox</i>               | dried plants  | 496      |      | AT       | ZA       |        | T       | W      |
|          | 2    | B     | <i>Aloe ferox</i>               | extract       | 2562     | kg   | DE       | PL       | ZA     | T       | W      |
|          | 2    | B     | <i>Aloe ferox</i>               | extract       | 13335    |      | DE       | ZA       |        | T       | W      |
|          | 2    | B     | <i>Aloe ferox</i>               | extract       | 92394    | kg   | DE       | ZA       |        | T       | W      |
|          | 2    | B     | <i>Aloe ferox</i>               | extract       | 15029    | kg   | IT       | ZA       |        | T       | W      |
|          | 2    | B     | <i>Aloe fleurentinorum</i>      | live          | 1        |      | BE       | US       |        | P       | I      |
|          | 2    | B     | <i>Aloe haemanthifolia</i>      | live          | 1        |      | BE       | US       |        | P       | I      |
|          | 2    | B     | <i>Aloe vaombe</i>              | live          | 1        |      | FR       | MC       |        | Q       | U      |
|          | 2    | B     | <i>Nepenthes spp.</i>           | dried plants  | 3        |      | DE       | BN       |        | S       | W      |
|          | 2    | B     | <i>Nepenthes spp.</i>           | dried plants  | 9        |      | DE       | BN       |        | S       | W      |
|          | 2    | B     | <i>Nepenthes spp.</i>           | live          | 50       |      | NL       | MY       |        | S       | W      |
|          | 2    | B     | <i>Nepenthes albo-marginata</i> | dried plants  | 3        |      | DE       | BN       |        | S       | W      |
|          | 2    | B     | <i>Nepenthes ampullaria</i>     | dried plants  | 5        |      | DE       | BN       |        | S       | W      |
|          | 2    | B     | <i>Nepenthes bicalcarata</i>    | dried plants  | 25       |      | DE       | BN       |        | S       | W      |
|          | 2    | B     | <i>Nepenthes gracilis</i>       | dried plants  | 16       |      | DE       | BN       |        | S       | W      |
|          | 2    | B     | <i>Nepenthes mirabilis</i>      | dried plants  | 2        |      | DE       | BN       |        | S       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                        | Term         | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|--------------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Nepenthes rafflesiana</i> | dried plants | 11       |      | DE       | BN       |        | S       | W      |
|          | 2    | B     | <i>Orchidaceae spp.</i>      | derivatives  | 200      | bags | NL       | CN       |        | I       |        |
|          | 2    | B     | <i>Orchidaceae spp.</i>      | dried plants | 70       |      | DE       | NI       |        | S       | W      |
|          | 2    | B     | <i>Orchidaceae spp.</i>      | live         | 2        |      | AT       | TH       |        | I       |        |
|          | 2    | B     | <i>Orchidaceae spp.</i>      | live         | 2        |      | BE       | BR       |        | P       |        |
|          | 2    | B     | <i>Orchidaceae spp.</i>      | live         | 20       | kg   | ES       | EC       | XX     |         |        |
|          | 2    | B     | <i>Orchidaceae spp.</i>      | live         | 9        |      | GB       | BR       |        |         |        |
|          | 2    | B     | <i>Orchidaceae spp.</i>      | live         | 100      |      | GB       | BZ       |        |         |        |
|          | 2    | B     | <i>Orchidaceae spp.</i>      | live         | 7        |      | GB       | JP       |        |         |        |
|          | 2    | B     | <i>Orchidaceae spp.</i>      | live         | 9        |      | GB       | MY       |        |         |        |
|          | 2    | B     | <i>Orchidaceae spp.</i>      | live         | 13       |      | GB       | SV       |        |         |        |
|          | 2    | B     | <i>Orchidaceae spp.</i>      | live         | 307      |      | GB       | TH       |        |         |        |
|          | 2    | B     | <i>Orchidaceae spp.</i>      | live         | 18       |      | GB       | US       |        |         |        |
|          | 2    | B     | <i>Orchidaceae spp.</i>      | live         | 3        |      | GB       | XX       |        |         |        |
|          | 2    | B     | <i>Orchidaceae spp.</i>      | live         | 200      |      | IE       | BZ       |        | G       | W      |
|          | 2    | B     | <i>Orchidaceae spp.</i>      | live         | 56       |      | IT       | MG       |        | P       | W      |
|          | 2    | B     | <i>Orchidaceae spp.</i>      | live         | 1        |      | NL       | AN       |        |         |        |
|          | 2    | B     | <i>Orchidaceae spp.</i>      | live         | 2        |      | NL       | AR       |        |         |        |
|          | 2    | B     | <i>Orchidaceae spp.</i>      | live         | 37       |      | NL       | CO       |        | T       | W      |
|          | 2    | B     | <i>Orchidaceae spp.</i>      | live         | 125      |      | NL       | CR       |        | P       | W      |
|          | 2    | B     | <i>Orchidaceae spp.</i>      | live         | 3        |      | NL       | HK       |        |         |        |
|          | 2    | B     | <i>Orchidaceae spp.</i>      | live         | 40       |      | NL       | ID       |        |         |        |
|          | 2    | B     | <i>Orchidaceae spp.</i>      | live         | 40       |      | NL       | ID       |        | T       | W      |
|          | 2    | B     | <i>Orchidaceae spp.</i>      | live         | 16       |      | NL       | IN       |        |         |        |
|          | 2    | B     | <i>Orchidaceae spp.</i>      | live         | 6        |      | NL       | LK       |        |         |        |
|          | 2    | B     | <i>Orchidaceae spp.</i>      | live         | 1200     |      | NL       | MY       |        | S       | W      |
|          | 2    | B     | <i>Orchidaceae spp.</i>      | live         | 43       |      | NL       | PA       |        |         |        |
|          | 2    | B     | <i>Orchidaceae spp.</i>      | live         | 5        |      | NL       | PH       |        |         |        |
|          | 2    | B     | <i>Orchidaceae spp.</i>      | live         | 1        |      | NL       | SG       |        |         |        |
|          | 2    | B     | <i>Orchidaceae spp.</i>      | live         | 24       |      | NL       | TH       |        | P       | W      |
|          | 2    | B     | <i>Orchidaceae spp.</i>      | live         | 30       |      | NL       | TH       |        | T       | W      |
|          | 2    | B     | <i>Orchidaceae spp.</i>      | live         | 43       |      | NL       | TH       |        |         |        |
|          | 2    | B     | <i>Orchidaceae spp.</i>      | live         | 200      |      | NL       | TH       |        | S       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                             | Term   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------------|--------|----------|------|----------|----------|--------|---------|--------|
| 1        | 2    | B     | Orchidaceae spp.                  | live   | 1        |      | NL       | TW       |        | I       |        |
| 1        | 2    | B     | Orchidaceae spp.                  | live   | 13       |      | NL       | US       |        | I       |        |
| 1        | 2    | B     | Orchidaceae spp.                  | live   | 3        |      | NL       | VE       | T      | W       |        |
| 1        | 2    | B     | Orchidaceae spp.                  | live   | 4        |      | NL       | VE       |        | I       |        |
| 1        | 2    | B     | Orchidaceae spp.                  | live   | 98       |      | NL       | VN       |        | I       |        |
| 1        | 2    | B     | Orchidaceae spp.                  | live   | 30       |      | NL       | ZA       | T      | W       |        |
| 1        | 2    | B     | Orchidaceae spp.                  | powder | 100 g    |      | NL       | TW       |        | I       |        |
| 1        | 2    | B     | Orchidaceae spp.                  | roots  | 340 g    |      | NL       | HK       |        | I       |        |
| 1        | 2    | B     | Orchidaceae spp.                  | roots  | 3 kg     |      | NL       | HK       |        | I       |        |
| 1        | 2    | B     | Orchidaceae spp.                  | roots  | 7496     |      | NL       | JP       |        | I       |        |
| 1        | 2    | B     | Orchidaceae hybrid                | live   | 2        |      | BE       | TH       | P      | I       |        |
| 1        | 2    | B     | Orchidaceae hybrid                | live   | 500      |      | FR       | TH       | T      | W       |        |
| 1        | 2    | B     | Acampe papillosa                  | live   | 100      |      | FR       | VN       | T      | W       |        |
| 1        | 2    | B     | Acampe rigida                     | live   | 1        |      | FR       | MG       | T      | W       |        |
| 1        | 2    | B     | Acampe rigida                     | live   | 100      |      | FR       | VN       | T      | W       |        |
| 1        | 2    | B     | Aerangis spp.                     | live   | 38       |      | AT       | MG       | P      | W       |        |
| 1        | 2    | B     | Aerangis spp.                     | live   | 23       |      | FR       | MG       | T      | W       |        |
| 1        | 2    | B     | Aerangis articulata               | live   | 3        |      | BE       | MG       | T      | W       |        |
| 1        | 2    | B     | Aerangis articulata               | live   | 75       |      | NL       | MG       | T      | W       |        |
| 1        | 2    | B     | Aerangis citrata                  | live   | 5        |      | BE       | MG       | T      | W       |        |
| 1        | 2    | B     | Aerangis citrata                  | live   | 100      |      | NL       | MG       | T      | W       |        |
| 1        | 2    | B     | Aerangis curnowiana               | live   | 3        |      | BE       | MG       | T      | W       |        |
| 1        | 2    | B     | Aerangis curnowiana               | live   | 50       |      | NL       | MG       | T      | W       |        |
| 1        | 2    | B     | Aerangis decaryana                | live   | 3        |      | BE       | MG       | T      | W       |        |
| 1        | 2    | B     | Aerangis decaryana                | live   | 60       |      | NL       | MG       | T      | W       |        |
| 1        | 2    | B     | Aerangis ellisii                  | live   | 3        |      | BE       | MG       | T      | W       |        |
| 1        | 2    | B     | Aerangis fastuosa                 | live   | 3        |      | BE       | MG       | T      | W       |        |
| 1        | 2    | B     | Aerangis fastuosa                 | live   | 100      |      | NL       | MG       | T      | W       |        |
| 1        | 2    | B     | Aerangis fastuosa var. francoisii | live   | 50       |      | NL       | MG       | T      | W       |        |
| 1        | 2    | B     | Aerangis fuscata                  | live   | 3        |      | BE       | MG       | T      | W       |        |
| 1        | 2    | B     | Aerangis fuscata                  | live   | 4        |      | BE       | MG       | T      | W       |        |
| 1        | 2    | B     | Aerangis fuscata                  | live   | 35       |      | NL       | MG       | T      | W       |        |
| 1        | 2    | B     | Aerangis fuscata                  | live   | 50       |      | NL       | MG       | T      | W       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon  | Term    | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--|---------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Aerangis hyalooides</i>                     | live    | 3        |      | BE       | MG       | T      | W       |        |
|          | 2    | B     | <i>Aerangis hyalooides</i>                     | live    | 100      |      | NL       | MG       | T      | W       |        |
|          | 2    | B     | <i>Aerangis macrocentra</i>                    | live    | 75       |      | NL       | MG       | T      | W       |        |
|          | 2    | B     | <i>Aerangis modesta</i>                        | live    | 3        |      | BE       | MG       | T      | W       |        |
|          | 2    | B     | <i>Aerangis platyphylla</i>                    | live    | 3        |      | BE       | MG       | T      | W       |        |
|          | 2    | B     | <i>Aerangis platyphylla</i>                    | live    | 25       |      | NL       | MG       | T      | W       |        |
|          | 2    | B     | <i>Aerangis stylosa</i>                        | live    | 3        |      | BE       | MG       | T      | W       |        |
|          | 2    | B     | <i>Aeranthes spp.</i>                          | flowers | 3        |      | GB       | MU       | S      | W       |        |
|          | 2    | B     | <i>Aeranthes spp.</i>                          | live    | 12       |      | AT       | MG       | P      | W       |        |
|          | 2    | B     | <i>Aeranthes spp.</i>                          | live    | 14       |      | FR       | MG       | T      | W       |        |
|          | 2    | B     | <i>Aeranthes arachnites</i>                    | live    | 50       |      | NL       | MG       | T      | W       |        |
|          | 2    | B     | <i>Aeranthes grandiflora</i>                   | live    | 3        |      | BE       | MG       | T      | W       |        |
|          | 2    | B     | <i>Aerides spp.</i>                            | live    | 3        |      | BE       | MG       | T      | W       |        |
|          | 2    | B     | <i>Angraecum spp.</i>                          | flowers | 50       |      | FR       | VN       | T      | W       |        |
|          | 2    | B     | <i>Angraecum spp.</i>                          | live    | 103      |      | GB       | MU       | S      | W       |        |
|          | 2    | B     | <i>Angraecum spp.</i>                          | live    | 43       |      | AT       | MG       | P      | W       |        |
|          | 2    | B     | <i>Angraecum spp.</i>                          | live    | 1        |      | DE       | MG       | T      | W       |        |
|          | 2    | B     | <i>Angraecum spp.</i>                          | live    | 41       |      | FR       | MG       | T      | W       |        |
|          | 2    | B     | <i>Angraecum spp.</i>                          | live    | 11       |      | GB       | MU       | S      | W       |        |
|          | 2    | B     | <i>Angraecum ankeranense</i>                   | live    | 75       |      | NL       | MG       | T      | W       |        |
|          | 2    | B     | <i>Angraecum bicallousum</i>                   | live    | 3        |      | BE       | MG       | T      | W       |        |
|          | 2    | B     | <i>Angraecum bicallousum</i>                   | live    | 50       |      | NL       | MG       | T      | W       |        |
|          | 2    | B     | <i>Angraecum breve</i>                         | live    | 25       |      | NL       | MG       | T      | W       |        |
|          | 2    | B     | <i>Angraecum calceolus</i>                     | live    | 3        |      | BE       | MG       | T      | W       |        |
|          | 2    | B     | <i>Angraecum calceolus</i>                     | live    | 5        |      | GB       | MU       | S      | W       |        |
|          | 2    | B     | <i>Angraecum compactum</i>                     | live    | 3        |      | BE       | MG       | T      | W       |        |
|          | 2    | B     | <i>Angraecum compactum</i>                     | live    | 125      |      | NL       | MG       | T      | W       |        |
|          | 2    | B     | <i>Angraecum cucullatum</i>                    | live    | 3        |      | GB       | MU       | S      | W       |        |
|          | 2    | B     | <i>Angraecum dendrobiopsis</i>                 | live    | 3        |      | BE       | MG       | T      | W       |        |
|          | 2    | B     | <i>Angraecum didieri</i>                       | live    | 3        |      | BE       | MG       | T      | W       |        |
|          | 2    | B     | <i>Angraecum drouhardii</i>                    | live    | 50       |      | NL       | MG       | T      | W       |        |
|          | 2    | B     | <i>Angraecum eburneum</i> ssp. <i>superbum</i> | live    | 2        |      | BE       | MG       | T      | W       |        |
|          | 2    | B     | <i>Angraecum elephantinum</i>                  | live    | 3        |      | BE       | MG       | T      | W       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                            | Term    | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------------|---------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Angraecum elephantinum</i>    | live    | 100      |      | NL       | MG       |        | T       | W      |
|          | 2    | B     | <i>Angraecum equitans</i>        | live    | 3        |      | BE       | MG       |        | T       | W      |
|          | 2    | B     | <i>Angraecum equitans</i>        | live    | 50       |      | NL       | MG       |        | T       | W      |
|          | 2    | B     | <i>Angraecum germinyanum</i>     | live    | 3        |      | BE       | MG       |        | T       | W      |
|          | 2    | B     | <i>Angraecum humbertii</i>       | live    | 3        |      | BE       | MG       |        | T       | W      |
|          | 2    | B     | <i>Angraecum leonis</i>          | live    | 3        |      | BE       | MG       |        | T       | W      |
|          | 2    | B     | <i>Angraecum leonis</i>          | live    | 1        |      | DE       | MG       |        | P       | W      |
|          | 2    | B     | <i>Angraecum longicalcar</i>     | live    | 2        |      | BE       | MG       |        | T       | W      |
|          | 2    | B     | <i>Angraecum magdalenae</i>      | live    | 3        |      | BE       | MG       |        | T       | W      |
|          | 2    | B     | <i>Angraecum magdalenae</i>      | live    | 100      |      | NL       | MG       |        | T       | W      |
|          | 2    | B     | <i>Angraecum mahavavense</i>     | live    | 3        |      | BE       | MG       |        | T       | W      |
|          | 2    | B     | <i>Angraecum mauritianum</i>     | live    | 5        |      | GB       | MU       |        | S       | W      |
|          | 2    | B     | <i>Angraecum mirabile</i>        | live    | 3        |      | BE       | MG       |        | T       | W      |
|          | 2    | B     | <i>Angraecum obesum</i>          | live    | 3        |      | BE       | MG       |        | T       | W      |
|          | 2    | B     | <i>Angraecum parvulum</i>        | live    | 4        |      | GB       | MU       |        | S       | W      |
|          | 2    | B     | <i>Angraecum pectinatum</i>      | live    | 5        |      | GB       | MU       |        | S       | W      |
|          | 2    | B     | <i>Angraecum praestans</i>       | live    | 3        |      | BE       | MG       |        | T       | W      |
|          | 2    | B     | <i>Angraecum protensum</i>       | live    | 3        |      | BE       | MG       |        | T       | W      |
|          | 2    | B     | <i>Angraecum pseudofilicornu</i> | live    | 3        |      | BE       | MG       |        | T       | W      |
|          | 2    | B     | <i>Angraecum ramosum</i>         | live    | 3        |      | GB       | MU       |        | S       | W      |
|          | 2    | B     | <i>Angraecum rutenbergianum</i>  | live    | 1        |      | DE       | MG       |        | P       | W      |
|          | 2    | B     | <i>Angraecum rutenbergianum</i>  | live    | 25       |      | NL       | MG       |        | T       | W      |
|          | 2    | B     | <i>Angraecum scottianum</i>      | live    | 3        |      | BE       | MG       |        | T       | W      |
|          | 2    | B     | <i>Angraecum sesquipedale</i>    | live    | 5        |      | BE       | MG       |        | T       | W      |
|          | 2    | B     | <i>Angraecum sororium</i>        | live    | 3        |      | BE       | MG       |        | T       | W      |
|          | 2    | B     | <i>Angraecum teretifolium</i>    | live    | 3        |      | BE       | MG       |        | T       | W      |
|          | 2    | B     | <i>Angraecum teretifolium</i>    | live    | 25       |      | NL       | MG       |        | T       | W      |
|          | 2    | B     | <i>Angraecum viguiieri</i>       | live    | 2        |      | BE       | MG       |        | T       | W      |
|          | 2    | B     | <i>Beclardia macrostachya</i>    | live    | 1        |      | FR       | MG       |        | T       | W      |
|          | 2    | B     | <i>Benthamia</i> spp.            | flowers | 3        |      | GB       | MU       |        | S       | W      |
|          | 2    | B     | <i>Benthamia</i> spp.            | live    | 3        |      | GB       | MU       |        | S       | W      |
|          | 2    | B     | <i>Bletilla</i> spp.             | live    | 41000    |      | NL       | US       |        | I       |        |
|          | 2    | B     | <i>Bulbophyllum</i> spp.         | flowers | 30       |      | GB       | MU       |        | S       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                           | Term    | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------------|---------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Bulbophyllum</i> spp.        | live    | 4        |      | AT       | MG       |        | P       | W      |
|          | 2    | B     | <i>Bulbophyllum</i> spp.        | live    | 1        |      | BE       | TH       |        | P       | I      |
|          | 2    | B     | <i>Bulbophyllum</i> spp.        | live    | 1        |      | DE       | MG       |        | P       | W      |
|          | 2    | B     | <i>Bulbophyllum</i> spp.        | live    | 1        |      | DK       | XX       |        | P       | I      |
|          | 2    | B     | <i>Bulbophyllum</i> spp.        | live    | 500      |      | FR       | VN       |        | T       | W      |
|          | 2    | B     | <i>Bulbophyllum</i> spp.        | live    | 2        |      | GB       | MU       |        | S       | W      |
|          | 2    | B     | <i>Bulbophyllum</i> spp.        | live    | 75       |      | NL       | MG       |        | T       | W      |
|          | 2    | B     | <i>Bulbophyllum caespitosum</i> | live    | 5        |      | GB       | MU       |        | S       | W      |
|          | 2    | B     | <i>Bulbophyllum clavatum</i>    | live    | 5        |      | GB       | MU       |        | S       | W      |
|          | 2    | B     | <i>Bulbophyllum hamelinii</i>   | live    | 2        |      | BE       | MG       |        | T       | W      |
|          | 2    | B     | <i>Bulbophyllum incurvum</i>    | live    | 3        |      | GB       | MU       |        | S       | W      |
|          | 2    | B     | <i>Bulbophyllum nutans</i>      | live    | 7        |      | GB       | MU       |        | S       | W      |
|          | 2    | B     | <i>Bulbophyllum violaceum</i>   | live    | 8        |      | GB       | MU       |        | S       | W      |
|          | 2    | B     | <i>Calanthe</i> spp.            | flowers | 3        |      | GB       | MU       |        | S       | W      |
|          | 2    | B     | <i>Calanthe</i> spp.            | live    | 2        |      | AT       | MG       |        | P       | W      |
|          | 2    | B     | <i>Calanthe sylvatica</i>       | live    | 3        |      | GB       | MU       |        | S       | W      |
|          | 2    | B     | <i>Cattleya</i> spp.            | live    | 9        |      | BE       | BR       |        | P       | I      |
|          | 2    | B     | <i>Cattleya</i> spp.            | live    | 1        |      | BE       | XX       |        | P       | I      |
|          | 2    | B     | <i>Cattleya</i> spp.            | live    | 300      |      | FR       | TH       |        | T       | W      |
|          | 2    | B     | <i>Cattleya</i> spp.            | live    | 1        |      | GB       | PR       |        | I       |        |
|          | 2    | B     | <i>Cattleya loddigesii</i>      | live    | 2        |      | BE       | BR       |        | P       | I      |
|          | 2    | B     | <i>Cattleya skinneri</i>        | live    | 10       |      | GB       | NZ       |        | T       | D      |
|          | 2    | B     | <i>Cattleya warneri</i>         | live    | 1        |      | BE       | BR       |        | P       | I      |
|          | 2    | B     | <i>Cleisostoma</i> spp.         | live    | 100      |      | FR       | VN       |        | T       | W      |
|          | 2    | B     | <i>Coelogyne</i> spp.           | live    | 2        |      | BE       | PH       |        | P       | I      |
|          | 2    | B     | <i>Coelogyne lentiginosa</i>    | live    | 200      |      | FR       | VN       |        | T       | W      |
|          | 2    | B     | <i>Coelogyne nitida</i>         | live    | 400      |      | FR       | VN       |        | T       | W      |
|          | 2    | B     | <i>Coelogyne ovalis</i>         | live    | 1        |      | BE       | BR       |        | P       | I      |
|          | 2    | B     | <i>Cryptopus</i> spp.           | flowers | 3        |      | GB       | MU       |        | S       | W      |
|          | 2    | B     | <i>Cryptopus elatus</i>         | live    | 3        |      | BE       | MG       |        | T       | W      |
|          | 2    | B     | <i>Cryptopus elatus</i>         | live    | 3        |      | GB       | MU       |        | S       | W      |
|          | 2    | B     | <i>Cryptopus paniculatus</i>    | live    | 25       |      | NL       | MG       |        | T       | W      |
|          | 2    | B     | <i>Cymbidiella</i> spp.         | live    | 11       |      | AT       | MG       |        | P       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                           | Term    | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------------|---------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Cymbidiella</i> spp.         | live    | 5        |      | FR       | MG       |        | T       | W      |
|          | 2    | B     | <i>Cymbidiella pardalina</i>    | live    | 5        |      | BE       | MG       |        | T       | W      |
|          | 2    | B     | <i>Cymbidiella pardalina</i>    | live    | 35       |      | NL       | MG       |        | T       | W      |
|          | 2    | B     | <i>Cymbidium</i> spp.           | live    | 1        |      | BE       | TH       |        | P       | I      |
|          | 2    | B     | <i>Cymbidium finlaysonianum</i> | live    | 1        |      | BE       | TH       |        | P       | I      |
|          | 2    | B     | <i>Cymbidium tracyanum</i>      | live    | 750      |      | FR       | VN       |        | T       | W      |
|          | 2    | B     | <i>Cynorkis</i> spp.            | flowers | 3        |      | GB       | MU       |        | S       | W      |
|          | 2    | B     | <i>Cynorkis</i> spp.            | live    | 15       |      | NL       | MG       |        | S       | W      |
|          | 2    | B     | <i>Cynorkis fastigiata</i>      | live    | 3        |      | GB       | MU       |        | S       | W      |
|          | 2    | B     | <i>Cynorkis gibbosa</i>         | live    | 20       |      | NL       | MG       |        | T       | W      |
|          | 2    | B     | <i>Cynorkis uncinata</i>        | live    | 15       |      | NL       | MG       |        | T       | W      |
|          | 2    | B     | <i>Cypripedium parviflorum</i>  | live    | 66       |      | DE       | US       |        | B       | W      |
|          | 2    | B     | <i>Cypripedium reginae</i>      | live    | 42       |      | DE       | US       |        | B       | W      |
|          | 2    | B     | <i>Dendrobium</i> spp.          | live    | 3        |      | BE       | BR       |        | P       | I      |
|          | 2    | B     | <i>Dendrobium</i> spp.          | live    | 2        |      | BE       | TH       |        | T       | I      |
|          | 2    | B     | <i>Dendrobium</i> spp.          | live    | 7        |      | BE       | TH       |        | P       | I      |
|          | 2    | B     | <i>Dendrobium</i> spp.          | live    | 1950     |      | FR       | TH       |        | T       | W      |
|          | 2    | B     | <i>Dendrobium</i> spp.          | live    | 100      |      | FR       | VN       |        | T       | W      |
|          | 2    | B     | <i>Dendrobium</i> spp.          | live    | 1        |      | GB       | US       |        | T       | I      |
|          | 2    | B     | <i>Dendrobium</i> spp.          | live    | 100      |      | NL       | SG       |        | T       | I      |
|          | 2    | B     | <i>Dendrobium</i> spp.          | stems   | 20       |      | GB       | PH       |        | T       | W      |
|          | 2    | B     | <i>Dendrobium</i> spp.          | live    | 600      |      | FR       | VN       |        | T       | W      |
|          | 2    | B     | <i>Dendrobium capillipes</i>    | live    | 100      |      | FR       | VN       |        | T       | W      |
|          | 2    | B     | <i>Dendrobium cariniferum</i>   | live    | 100      |      | FR       | VN       |        | T       | W      |
|          | 2    | B     | <i>Dendrobium falconeri</i>     | live    | 2        |      | BE       | MG       |        | T       | W      |
|          | 2    | B     | <i>Dendrobium falconeri</i>     | live    | 200      |      | FR       | VN       |        | T       | W      |
|          | 2    | B     | <i>Dendrobium farmeri</i>       | live    | 100      |      | FR       | VN       |        | T       | W      |
|          | 2    | B     | <i>Dendrobium lindleyi</i>      | live    | 1        |      | BE       | XX       |        | P       | I      |
|          | 2    | B     | <i>Dendrobium lindleyi</i>      | live    | 200      |      | FR       | VN       |        | T       | W      |
|          | 2    | B     | <i>Dendrobium parcum</i>        | live    | 100      |      | FR       | VN       |        | T       | W      |
|          | 2    | B     | <i>Dendrobium speciosum</i>     | live    | 2        |      | BE       | TH       |        | P       | I      |
|          | 2    | B     | <i>Dendrobium thyrsiflorum</i>  | live    | 200      |      | FR       | VN       |        | T       | W      |
|          | 2    | B     | <i>Dendrobium tortile</i>       | live    | 100      |      | FR       | VN       |        | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex                    | Taxon | Term        | Quantity   | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|--------------------------|-------|-------------|------------|------|----------|----------|--------|---------|--------|
| 2        | B    | Dendrochilum spp.        |       | live        | 350        |      | FR       | VN       |        | T       | W      |
| 2        | B    | Disperis spp.            |       | flowers     | 3          |      | GB       | MU       |        | S       | W      |
| 2        | B    | Disperis spp.            |       | live        | 3          |      | GB       | MU       |        | S       | W      |
| 2        | B    | Doritis pulcherrima      |       | live        | 2          |      | BE       | TH       |        | P       | I      |
| 2        | B    | Epidendrum spp.          |       | live        | 7          |      | BE       | BR       |        | P       | I      |
| 2        | B    | Epigeneium spp.          |       | live        | 200        |      | FR       | VN       |        | T       | W      |
| 2        | B    | Eria ornata              |       | live        | 100        |      | FR       | VN       |        | T       | W      |
| 2        | B    | Eulophia spp.            |       | live        | 1          |      | BE       | BR       |        | P       | I      |
| 2        | B    | Eulophia spp.            |       | live        | 100        |      | FR       | VN       |        | T       | W      |
| 2        | B    | Eulophia spp.            |       | live        | 75         |      | NL       | MG       |        | T       | W      |
| 2        | B    | Eulophiella spp.         |       | live        | 2          |      | AT       | MG       |        | P       | W      |
| 2        | B    | Eulophiella spp.         |       | live        | 7          |      | FR       | MG       |        | T       | W      |
| 2        | B    | Eulophiella elisabethae  |       | live        | 2          |      | BE       | MG       |        | T       | W      |
| 2        | B    | Eulophiella roempleriana |       | live        | 2          |      | BE       | MG       |        | T       | W      |
| 2        | B    | Gastrodia spp.           |       | derivatives | 63 cartons |      | GB       | XX       |        | I       |        |
| 2        | B    | Gastrodia spp.           |       | roots       | 30         |      | GB       | PH       |        | I       |        |
| 2        | B    | Gongora spp.             |       | live        | 50         |      | NL       | VU       |        | T       | W      |
| 2        | B    | Grammangis spp.          |       | live        | 6          |      | FR       | MG       |        | T       | W      |
| 2        | B    | Grammangis ellisii       |       | live        | 2          |      | BE       | MG       |        | T       | W      |
| 2        | B    | Grammangis ellisii       |       | live        | 25         |      | NL       | MG       |        | T       | W      |
| 2        | B    | Grammangis fallax        |       | live        | 2          |      | BE       | MG       |        | T       | W      |
| 2        | B    | Jumellea spp.            |       | flowers     | 3          |      | GB       | MU       |        | S       | W      |
| 2        | B    | Jumellea spp.            |       | live        | 4          |      | FR       | MG       |        | T       | W      |
| 2        | B    | Jumellea major           |       | live        | 3          |      | BE       | MG       |        | T       | W      |
| 2        | B    | Jumellea major           |       | live        | 25         |      | NL       | MG       |        | T       | W      |
| 2        | B    | Jumellea recta           |       | live        | 3          |      | GB       | MU       |        | S       | W      |
| 2        | B    | Laelia spp.              |       | live        | 5          |      | BE       | BR       |        | P       | I      |
| 2        | B    | Liparis spp.             |       | flowers     | 3          |      | GB       | MU       |        | S       | W      |
| 2        | B    | Liparis spp.             |       | live        | 3          |      | GB       | MU       |        | S       | W      |
| 2        | B    | Liparis caespitosa       |       | live        | 3          |      | GB       | MU       |        | S       | W      |
| 2        | B    | Luisia spp.              |       | live        | 100        |      | FR       | VN       |        | T       | W      |
| 2        | B    | Maxillaria spp.          |       | live        | 2          |      | BE       | BR       |        | P       | I      |
| 2        | B    | Maxillaria roezlii       |       | live        | 1          |      | BE       | BR       |        | P       | I      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                        | Term    | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|---------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Mystacidium</i> spp.      | live    | 3        |      | GB       | MU       |        | S       | W      |
|          | 2    | B     | <i>Neobathiea</i> spp.       | live    | 1        |      | AT       | MG       |        | P       | W      |
|          | 2    | B     | <i>Neobathiea</i> spp.       | live    | 4        |      | FR       | TH       |        | T       | W      |
|          | 2    | B     | <i>Neobathiea filicornu</i>  | live    | 3        |      | BE       | MG       |        | T       | W      |
|          | 2    | B     | <i>Neobathiea perrieri</i>   | live    | 25       |      | NL       | MG       |        | T       | W      |
|          | 2    | B     | <i>Oberonia</i> spp.         | flowers | 3        |      | GB       | MU       |        | S       | W      |
|          | 2    | B     | <i>Oberonia disticha</i>     | live    | 3        |      | GB       | MU       |        | S       | W      |
|          | 2    | B     | <i>Oeceoclades</i> spp.      | live    | 100      |      | FR       | VN       |        | T       | W      |
|          | 2    | B     | <i>Oeonia oncidiflora</i>    | live    | 100      |      | NL       | MG       |        | T       | W      |
|          | 2    | B     | <i>Oeoniella</i> spp.        | flowers | 3        |      | GB       | MU       |        | S       | W      |
|          | 2    | B     | <i>Oeoniella</i> spp.        | live    | 3        |      | GB       | MU       |        | S       | W      |
|          | 2    | B     | <i>Oeoniella polystachys</i> | live    | 100      |      | NL       | MG       |        | T       | W      |
|          | 2    | B     | <i>Oncidium</i> spp.         | live    | 3        |      | BE       | BR       |        | P       | I      |
|          | 2    | B     | <i>Oncidium</i> spp.         | live    | 1        |      | BE       | TH       |        | P       | I      |
|          | 2    | B     | <i>Papilionanthe teres</i>   | live    | 200      |      | FR       | VN       |        | T       | W      |
|          | 2    | B     | <i>Pecteilis radiata</i>     | roots   | 5000     |      | NL       | US       |        | I       |        |
|          | 2    | B     | <i>Phaius</i> spp.           | flowers | 3        |      | GB       | MU       |        | S       | W      |
|          | 2    | B     | <i>Phaius</i> spp.           | live    | 2        |      | AT       | MG       |        | P       | W      |
|          | 2    | B     | <i>Phaius</i> spp.           | live    | 5        |      | FR       | MG       |        | T       | W      |
|          | 2    | B     | <i>Phaius</i> spp.           | live    | 25       |      | NL       | MG       |        | T       | W      |
|          | 2    | B     | <i>Phaius francoisii</i>     | live    | 3        |      | BE       | MG       |        | T       | W      |
|          | 2    | B     | <i>Phaius humblotii</i>      | live    | 6        |      | BE       | MG       |        | T       | W      |
|          | 2    | B     | <i>Phaius humblotii</i>      | live    | 25       |      | NL       | MG       |        | T       | W      |
|          | 2    | B     | <i>Phaius luteus</i>         | live    | 3        |      | BE       | MG       |        | T       | W      |
|          | 2    | B     | <i>Phaius tankervilleae</i>  | live    | 100      |      | FR       | VN       |        | T       | W      |
|          | 2    | B     | <i>Phaius tetragonus</i>     | live    | 3        |      | GB       | MU       |        | S       | W      |
|          | 2    | B     | <i>Phalaenopsis</i> spp.     | live    | 25       |      | NL       | MG       |        | T       | W      |
|          | 2    | B     | <i>Phalaenopsis</i> spp.     | live    | 150      |      | FR       | VN       |        | T       | W      |
|          | 2    | B     | <i>Phalaenopsis amabilis</i> | live    | 4900     |      | GB       | TW       |        | T       | D      |
|          | 2    | B     | <i>Pholidota imbricata</i>   | live    | 300      |      | FR       | VN       |        | T       | W      |
|          | 2    | B     | <i>Pleurothallis</i> spp.    | live    | 200      |      | FR       | VN       |        | T       | W      |
|          | 2    | B     | <i>Polystachya</i> spp.      | flowers | 4        |      | BE       | BR       |        | P       | I      |
|          |      |       |                              |         | 9        |      | GB       | MU       |        | S       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon   | Term         | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---|--------------|----------|------|----------|----------|--------|---------|--------|
| 2        | B    |       | <i>Polystachya</i> spp.   | live         | 1        |      | BE       | BR       |        | P       | I      |
| 2        | B    |       | <i>Polystachya</i> spp.   | live         | 3        |      | GB       | MU       |        | S       | W      |
| 2        | B    |       | <i>Polystachya</i> spp.   | live         | 200      |      | NL       | MG       |        | T       | W      |
| 2        | B    |       | <i>Polystachya concreta</i>   | live         | 6        |      | GB       | MU       |        | S       | W      |
| 2        | B    |       | <i>Rhynchostylis</i> spp.   | live         | 6        |      | BE       | TH       |        | P       | I      |
| 2        | B    |       | <i>Rhynchostylis gigantea</i>   | live         | 1        |      | BE       | XX       |        | P       | I      |
| 2        | B    |       | <i>Rhynchostylis gigantea</i>   | live         | 300      |      | FR       | VN       |        | T       | W      |
| 2        | B    |       | <i>Sobennikoffia</i> spp.   | live         | 2        |      | AT       | MG       |        | P       | W      |
| 2        | B    |       | <i>Sobennikoffia</i> spp.   | live         | 1        |      | FR       | MG       |        | T       | W      |
| 2        | B    |       | <i>Sobennikoffia humbertiana</i>                                      | live         | 3        |      | BE       | MG       |        | T       | W      |
| 2        | B    |       | <i>Sobennikoffia humbertiana</i>                                      | live         | 25       |      | NL       | MG       |        | T       | W      |
| 2        | B    |       | <i>Sobennikoffia robusta</i>  | live         | 3        |      | BE       | MG       |        | T       | W      |
| 2        | B    |       | <i>Sobralia</i> spp.  | live         | 100      |      | FR       | VN       |        | T       | W      |
| 2        | B    |       | <i>Solenangis</i> spp.  | live         | 5        |      | FR       | MG       |        | T       | W      |
| 2        | B    |       | <i>Thunia marshalliana</i>  | live         | 100      |      | FR       | VN       |        | T       | W      |
| 2        | B    |       | <i>Trias nana</i>   | live         | 100      |      | FR       | VN       |        | T       | W      |
| 2        | B    |       | <i>Vanda</i> spp.   | live         | 2        |      | BE       | TH       |        | I       |        |
| 2        | B    |       | <i>Vanda</i> spp.   | live         | 8        |      | BE       | TH       |        | P       | I      |
| 2        | B    |       | <i>Vanda</i> spp.   | live         | 200      |      | FR       | TH       |        | T       | W      |
| 2        | B    |       | <i>Vanda lilacina</i>   | live         | 200      |      | FR       | VN       |        | T       | W      |
| 2        | B    |       | <i>Vanilla</i> spp.   | live         | 1        |      | BE       | BR       |        | P       | I      |
| 2        | B    |       | <i>Cyclamen ciliicum</i>  | live         | 239995   |      | NL       | TR       |        | T       | W      |
| 2        | B    |       | <i>Cyclamen coum</i>  | live         | 177197   |      | NL       | TR       |        | T       | W      |
| 2        | B    |       | <i>Cyclamen hederifolium</i>  | live         | 385993   |      | NL       | TR       |        | T       | W      |
| 2        | B    |       | <i>Cyclamen hederifolium</i> var. <i>hederifolium</i> fa. <i>hed.</i> | live         | 249032   |      | NL       | TR       |        | T       | W      |
| 2        | B    |       | <i>Cyclamen trochopteranthum</i>                                      | live         | 32       |      | GB       | TR       |        | I       |        |
| 2        | B    |       | <i>Cyclamen trochopteranthum</i>                                      | live         | 32       |      | GB       | TR       |        | S       | W      |
| 2        | B    |       | <i>Hydrastis canadensis</i>   | dried plants | 4534 kg  |      | IT       | US       |        | T       | W      |
| 2        | B    |       | <i>Hydrastis canadensis</i>   | live         | 25 kg    |      | ES       | US       |        | T       | W      |
| 2        | B    |       | <i>Hydrastis canadensis</i>   | roots        | 28 g     |      | DE       | US       |        | S       | W      |
| 2        | B    |       | <i>Hydrastis canadensis</i>   | roots        | 3991 kg  |      | DE       | US       |        | T       | O      |
| 2        | B    |       | <i>Prunus africana</i>  | bark         | 20000 kg |      | BE       | CD       |        | T       | W      |
| 2        | B    |       | <i>Prunus africana</i>  | extract      | 60000 kg |      | FR       | CD       |        | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                      | Term          | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------|---------------|----------|------|----------|----------|--------|---------|--------|
|          | 2    | B     | <i>Prunus africana</i>     | extract       | 4320     | kg   | FR       | CM       |        | T       | W      |
|          | 2    | B     | <i>Prunus africana</i>     | extract       | 450000   | kg   | FR       | KE       |        | T       | W      |
|          | 2    | B     | <i>Prunus africana</i>     | extract       | 82619    | kg   | FR       | MG       |        | T       | W      |
|          | 2    | B     | <i>Prunus africana</i>     | extract       | 4450     | kg   | FR       | TZ       |        | T       | W      |
|          | 2    | B     | <i>Prunus africana</i>     | timber pieces | 1        |      | ES       | CH       | KE     | S       | W      |
|          | 2    | B     | <i>Prunus africana</i>     | timber        | 163988   | kg   | ES       | CM       |        | T       | W      |
|          | 2    | B     | <i>Prunus africana</i>     | timber        | 719493   | kg   | ES       | GQ       |        | T       | W      |
|          | 2    | B     | <i>Prunus africana</i>     | timber pieces | 1        |      | NL       | ZA       |        | E       | W      |
|          | 3    | A     | <i>Hystrix cristata</i>    | hair          | 9        |      | DE       | NA       | XX     | P       | W      |
|          | 3    | A     | <i>Hystrix cristata</i>    | meat          | 1        |      | DK       | CI       |        | P       | I      |
|          | 3    | C     | <i>Agouti pacá</i>         | live          | 6        |      | BE       | GY       |        | T       | W      |
|          | 3    | C     | <i>Agouti pacá</i>         | live          | 6        |      | NL       | SR       |        | T       | W      |
|          | 3    | C     | <i>Agouti pacá</i>         | skulls        | 1        |      | DE       | VE       | XX     | Q       | W      |
|          | 3    | C     | <i>Dasyprocta punctata</i> | teeth         | 1        |      | DE       | VE       | XX     | Q       | W      |
|          | 3    | C     | <i>Nasua nasua</i>         | live          | 1        |      | DE       | CH       |        | Z       | C      |
|          | 3    | C     | <i>Mellivora capensis</i>  | skins         | 1        |      | DE       | ZW       |        | H       | W      |
|          | 3    | C     | <i>Mellivora capensis</i>  | skulls        | 1        |      | DE       | ZW       |        | H       | W      |
|          | 3    | C     | <i>Mellivora capensis</i>  | trophies      | 1        |      | DE       | ZA       |        | H       | W      |
|          | 3    | C     | <i>Mustela altaica</i>     | live          | 4        |      | IT       | CN       |        |         |        |
|          | 3    | C     | <i>Mustela altaica</i>     | plates        | 200      |      | GB       | CN       |        |         |        |
|          | 3    | C     | <i>Mustela altaica</i>     | plates        | 100      |      | IT       | CN       |        |         |        |
|          | 3    | C     | <i>Mustela altaica</i>     | skins         | 750      |      | IT       | CN       |        |         |        |
|          | 3    | C     | <i>Mustela sibirica</i>    | garments      | 1        |      | DE       | CN       |        | H       | W      |
|          | 3    | C     | <i>Mustela sibirica</i>    | garments      | 112      |      | DE       | CN       |        | T       | W      |
|          | 3    | C     | <i>Mustela sibirica</i>    | hair          | 50 kg    |      | DE       | CN       |        | T       | C      |
|          | 3    | C     | <i>Mustela sibirica</i>    | hair          | 223 kg   |      | DE       | CN       |        | T       | W      |
|          | 3    | C     | <i>Mustela sibirica</i>    | live          | 4        |      | AT       | RU       |        | Z       | C      |
|          | 3    | C     | <i>Mustela sibirica</i>    | plates        | 17455    |      | DE       | CN       |        | T       | W      |
|          | 3    | C     | <i>Mustela sibirica</i>    | plates        | 160 kg   |      | DE       | CN       |        | T       | W      |
|          | 3    | C     | <i>Mustela sibirica</i>    | plates        | 800      |      | GB       | CN       |        |         |        |
|          | 3    | C     | <i>Mustela sibirica</i>    | plates        | 200      |      | GB       | RU       |        |         |        |
|          | 3    | C     | <i>Mustela sibirica</i>    | plates        | 800      |      | IT       | CN       |        |         |        |
|          | 3    | C     | <i>Mustela sibirica</i>    | skins         | 2955     |      | DE       | CN       |        | T       | W      |

European Community annual report to CITES 1998

Exp/Imp. App. Annex Taxon

|  |   |   | Term                       | Quantity | Unit     | Importer | Exporter | Origin | Purpose | Source |
|--|---|---|----------------------------|----------|----------|----------|----------|--------|---------|--------|
|  | 3 | C | Mustela sibirica           |          | skins    | 150      | IT       | CH     | CN      |        |
|  | 3 | C | Mustela sibirica           |          | skins    | 1776     | IT       | CN     |         |        |
|  | 3 | C | Mustela sibirica           |          | tails    | 27500    | DE       | CN     | T       | W      |
|  | 3 | C | Mustela sibirica           |          | tails    | 205 kg   | GB       | CN     |         |        |
|  | 3 | C | Arctictis binturong        |          | live     | 1        | IT       | US     |         |        |
|  | 3 | C | Civettictis civetta        |          | live     | 1        | NL       | ZA     |         |        |
|  | 3 | C | Civettictis civetta        |          | skins    | 4        | DE       | ZW     | H       | W      |
|  | 3 | C | Civettictis civetta        |          | skins    | 6        | DE       | ZW     | H       | W      |
|  | 3 | C | Civettictis civetta        |          | skins    | 2        | ES       | ZA     |         |        |
|  | 3 | C | Civettictis civetta        |          | skins    | 3        | ES       | ZW     |         |        |
|  | 3 | C | Civettictis civetta        |          | skins    | 2        | IT       | ZW     |         |        |
|  | 3 | C | Civettictis civetta        |          | skins    | 1        | SE       | ZW     | T       | W      |
|  | 3 | C | Civettictis civetta        |          | skulls   | 3        | DE       | ZW     | H       | W      |
|  | 3 | C | Civettictis civetta        |          | skulls   | 4        | DE       | ZW     | H       | W      |
|  | 3 | C | Civettictis civetta        |          | skulls   | 2        | ES       | ZA     |         |        |
|  | 3 | C | Civettictis civetta        |          | skulls   | 2        | ES       | ZW     |         |        |
|  | 3 | C | Civettictis civetta        |          | trophies | 1        | AT       | ZW     | H       | W      |
|  | 3 | C | Civettictis civetta        |          | trophies | 2        | AT       | ZW     | P       | W      |
|  | 3 | C | Civettictis civetta        |          | trophies | 2        | AT       | ZW     | P       | W      |
|  | 3 | C | Civettictis civetta        |          | trophies | 2        | DK       | ZW     | H       | W      |
|  | 3 | C | Paradoxurus hermaphroditus |          | live     | 27       | IT       | ID     |         |        |
|  | 3 | B | Odobenus rosmarus          |          | bones    | 294      | DK       | CA     | Q       | O      |
|  | 3 | B | Odobenus rosmarus          |          | bones    | 1        | DK       | GL     | P       | W      |
|  | 3 | B | Odobenus rosmarus          |          | bones    | 1        | DK       | GL     | T       | W      |
|  | 3 | B | Odobenus rosmarus          |          | carvings | 10       | DK       | GL     | P       | W      |
|  | 3 | B | Odobenus rosmarus          |          | carvings | 206      | DK       | GL     | T       | W      |
|  | 3 | B | Odobenus rosmarus          |          | carvings | 255      | DK       | RU     | Q       | O      |
|  | 3 | B | Odobenus rosmarus          |          | carvings | 3        | FR       | CA     | T       | O      |
|  | 3 | B | Odobenus rosmarus          |          | carvings | 5        | FR       | CA     | T       | W      |
|  | 3 | B | Odobenus rosmarus          |          | carvings | 1        | GB       | US     | I       | W      |
|  | 3 | B | Odobenus rosmarus          |          | carvings | 1        | NL       | GL     | T       | W      |
|  | 3 | B | Odobenus rosmarus          |          | carvings | 2        | SE       | JP     | M       | C      |
|  | 3 | B | Odobenus rosmarus          |          | skins    | 2        | DE       | CA     | P       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                      | Term     | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------|----------|----------|------|----------|----------|--------|---------|--------|
|          | 3    | B     | <i>Odobenus rosmarus</i>   | skulls   | 1        |      | DE       | CA       |        | T       | W      |
|          | 3    | B     | <i>Odobenus rosmarus</i>   | skullis  | 2        |      | DE       | CA       |        | P       | W      |
|          | 3    | B     | <i>Odobenus rosmarus</i>   | skulls   | 1        |      | DK       | GL       |        | P       | W      |
|          | 3    | B     | <i>Odobenus rosmarus</i>   | skulls   | 1        |      | GB       | US       |        | I       |        |
|          | 3    | B     | <i>Odobenus rosmarus</i>   | teeth    | 1        |      | DE       | CA       |        | P       | W      |
|          | 3    | B     | <i>Odobenus rosmarus</i>   | teeth    | 2        |      | DK       | GL       |        | P       | W      |
|          | 3    | B     | <i>Odobenus rosmarus</i>   | teeth    | 2        |      | DK       | GL       |        | T       | W      |
|          | 3    | B     | <i>Odobenus rosmarus</i>   | teeth    | 1        |      | FR       | UZ       | XX     | P       | W      |
|          | 3    | B     | <i>Odobenus rosmarus</i>   | trophies | 3        |      | DE       | CA       |        | P       | W      |
|          | 3    | B     | <i>Odobenus rosmarus</i>   | tusks    | 2        |      | DE       | CA       |        | P       | W      |
|          | 3    | B     | <i>Odobenus rosmarus</i>   | tusks    | 2        |      | DK       | GL       |        | T       | W      |
|          | 3    | B     | <i>Odobenus rosmarus</i>   | tusks    | 5        |      | DK       | GL       |        | P       | W      |
|          | 3    | B     | <i>Odobenus rosmarus</i>   | tusks    | 1        |      | FR       | CA       |        | T       | O      |
|          | 3    | B     | <i>Odobenus rosmarus</i>   | tusks    | 1        |      | GB       | US       |        | I       |        |
|          | 3    | C     | <i>Odocoileus spp.</i>     | skulls   | 3        |      | DE       | VE       | XX     | Q       | W      |
|          | 3    | C     | <i>Antilope cervicapra</i> | live     | 10       |      | AT       | SK       |        | Z       | C      |
|          | 3    | C     | <i>Antilope cervicapra</i> | skins    | 2        |      | DE       | AR       |        | P       | W      |
|          | 3    | C     | <i>Antilope cervicapra</i> | skins    | 8        |      | DE       | AR       |        | H       | W      |
|          | 3    | C     | <i>Antilope cervicapra</i> | skins    | 3        |      | DE       | PE       |        | P       | W      |
|          | 3    | C     | <i>Antilope cervicapra</i> | skins    | 2        |      | ES       | AR       |        | H       |        |
|          | 3    | C     | <i>Antilope cervicapra</i> | skins    | 2        |      | ES       | US       |        | H       | C      |
|          | 3    | C     | <i>Antilope cervicapra</i> | skulls   | 2        |      | DE       | AR       |        | P       | W      |
|          | 3    | C     | <i>Antilope cervicapra</i> | skulls   | 8        |      | DE       | AR       |        | H       | W      |
|          | 3    | C     | <i>Antilope cervicapra</i> | skulls   | 3        |      | DE       | PE       |        | P       | W      |
|          | 3    | C     | <i>Antilope cervicapra</i> | skulls   | 1        |      | DE       | US       |        | H       | W      |
|          | 3    | C     | <i>Antilope cervicapra</i> | skulls   | 2        |      | DE       | US       |        | H       | C      |
|          | 3    | C     | <i>Antilope cervicapra</i> | skulls   | 2        |      | ES       | AR       |        | H       |        |
|          | 3    | C     | <i>Antilope cervicapra</i> | trophies | 2        |      | AT       | US       |        | P       | C      |
|          | 3    | C     | <i>Antilope cervicapra</i> | trophies | 1        |      | ES       | CU       |        | H       | W      |
|          | 3    | C     | <i>Antilope cervicapra</i> | trophies | 1        |      | ES       | US       |        | H       | C      |
|          | 3    | C     | <i>Antilope cervicapra</i> | trophies | 3        |      | FR       | US       |        | H       | C      |
|          | 3    | C     | <i>Antilope cervicapra</i> | trophies | 4        |      | SE       | US       |        | T       | W      |
|          | 3    | C     | <i>Antilope cervicapra</i> | horns    | 1        |      | AT       | IN       |        | T       |        |
|          | 3    | C     | <i>Bubalus arnee</i>       |          |          |      |          |          |        |         |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                     | Term                   | Quantity | Unit  | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------|------------------------|----------|-------|----------|----------|--------|---------|--------|
|          | 3    | C     | <i>Bubalus arnee</i>      | horns                  | 56       |       | AT       | IN       |        | T       | W      |
|          | 3    | C     | <i>Bubalus arnee</i>      | horns                  | 1347     |       | DE       | IN       |        | H       | W      |
|          | 3    | C     | <i>Bubalus arnee</i>      | large leather products | 3005     | pairs | DE       | IN       |        | T       | W      |
|          | 3    | C     | <i>Bubalus arnee</i>      | small leather products | 5000     |       | DE       | IN       |        | T       | C      |
|          | 3    | C     | <i>Bubalus arnee</i>      | trophies               | 2        |       | PT       | ZA       |        | H       | W      |
|          | 3    | C     | <i>Bubalus bubalis</i>    | bones                  | 15571    |       | DE       | IN       |        | T       | W      |
|          | 3    | C     | <i>Bubalus bubalis</i>    | horns                  | 93450    |       | DE       | IN       |        | T       | W      |
|          | 3    | C     | <i>Bubalus bubalis</i>    | skins                  | 1        |       | DE       | AR       |        | H       | W      |
|          | 3    | C     | <i>Bubalus bubalis</i>    | skins                  | 1        |       | DE       | AU       |        | H       | W      |
|          | 3    | C     | <i>Bubalus bubalis</i>    | skulls                 | 1        |       | DE       | AR       |        | H       | W      |
|          | 3    | C     | <i>Bubalus bubalis</i>    | skulls                 | 1        |       | DE       | AU       |        | H       | W      |
|          | 3    | C     | <i>Damaliscus lunatus</i> | feet                   | 1        |       | DE       | ZW       |        | H       | W      |
|          | 3    | C     | <i>Damaliscus lunatus</i> | horns                  | 1        |       | ES       | ZA       |        |         |        |
|          | 3    | C     | <i>Damaliscus lunatus</i> | skins                  | 5        |       | DE       | BW       |        | H       | W      |
|          | 3    | C     | <i>Damaliscus lunatus</i> | skins                  | 2        |       | DE       | ET       |        | H       | W      |
|          | 3    | C     | <i>Damaliscus lunatus</i> | skins                  | 1        |       | DE       | NA       |        | H       | W      |
|          | 3    | C     | <i>Damaliscus lunatus</i> | skins                  | 1        |       | DE       | ZA       |        | H       | W      |
|          | 3    | C     | <i>Damaliscus lunatus</i> | skins                  | 2        |       | DE       | ZA       | BW     | H       | W      |
|          | 3    | C     | <i>Damaliscus lunatus</i> | skins                  | 17       |       | DE       | ZW       |        | H       | W      |
|          | 3    | C     | <i>Damaliscus lunatus</i> | skins                  | 4        |       | ES       | BW       |        |         |        |
|          | 3    | C     | <i>Damaliscus lunatus</i> | skins                  | 2        |       | ES       | ZA       |        |         |        |
|          | 3    | C     | <i>Damaliscus lunatus</i> | skins                  | 9        |       | ES       | ZW       |        |         |        |
|          | 3    | C     | <i>Damaliscus lunatus</i> | skin pieces            | 1        |       | ES       | BW       |        |         |        |
|          | 3    | C     | <i>Damaliscus lunatus</i> | skin pieces            | 2        |       | ES       | ZW       |        |         |        |
|          | 3    | C     | <i>Damaliscus lunatus</i> | skulls                 | 6        |       | DE       | BW       |        | H       | W      |
|          | 3    | C     | <i>Damaliscus lunatus</i> | skulls                 | 1        |       | DE       | ET       |        | H       | W      |
|          | 3    | C     | <i>Damaliscus lunatus</i> | skulls                 | 2        |       | DE       | NA       |        | H       | W      |
|          | 3    | C     | <i>Damaliscus lunatus</i> | skulls                 | 2        |       | DE       | ZA       |        | H       | W      |
|          | 3    | C     | <i>Damaliscus lunatus</i> | skulls                 | 2        |       | DE       | ZA       | BW     | H       | W      |
|          | 3    | C     | <i>Damaliscus lunatus</i> | skulls                 | 28       |       | DE       | ZW       |        | H       | W      |
|          | 3    | C     | <i>Damaliscus lunatus</i> | skulls                 | 6        |       | ES       | BW       |        |         |        |
|          | 3    | C     | <i>Damaliscus lunatus</i> | skulls                 | 1        |       | ES       | ET       |        |         |        |
|          | 3    | C     | <i>Damaliscus lunatus</i> | skulls                 | 3        |       | ES       | ZA       |        |         |        |

European Community annual report to CITES 1998

Exp/Imp. App. Annex Taxon

|  |   |   | Term                  | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|--|---|---|-----------------------|----------|------|----------|----------|--------|---------|--------|
|  | 3 | C | Damaliscus lunatus    | skulls   | 2    | ES       | ZM       |        |         |        |
|  | 3 | C | Damaliscus lunatus    | skulls   | 31   | ES       | ZW       |        |         |        |
|  | 3 | C | Damaliscus lunatus    | skulls   | 1    | SE       | ZW       | T      | W       |        |
|  | 3 | C | Damaliscus lunatus    | trophies | 1    | AT       | ZA       | H      | W       |        |
|  | 3 | C | Damaliscus lunatus    | trophies | 2    | AT       | ZA       | P      | W       |        |
|  | 3 | C | Damaliscus lunatus    | trophies | 3    | AT       | ZW       | H      | W       |        |
|  | 3 | C | Damaliscus lunatus    | trophies | 1    | DE       | ZA       | H      | W       |        |
|  | 3 | C | Damaliscus lunatus    | trophies | 6    | DE       | ZW       | H      | W       |        |
|  | 3 | C | Damaliscus lunatus    | trophies | 1    | ES       | ZA       |        |         |        |
|  | 3 | C | Damaliscus lunatus    | trophies | 2    | ES       | ZM       |        |         |        |
|  | 3 | C | Damaliscus lunatus    | trophies | 5    | ES       | ZW       |        |         |        |
|  | 3 | C | Damaliscus lunatus    | trophies | 1    | FR       | ZA       | H      | W       |        |
|  | 3 | C | Damaliscus lunatus    | trophies | 206  | IT       | ZW       |        |         |        |
|  | 3 | C | Damaliscus lunatus    | trophies | 1    | PT       | TZ       | H      | W       |        |
|  | 3 | C | Damaliscus lunatus    | trophies | 1    | PT       | ZA       | ZW     | H       | W      |
|  | 3 | C | Damaliscus lunatus    | trophies | 1    | SE       | ZW       | T      | W       |        |
|  | 3 | C | Damaliscus lunatus    | trophies | 1    | SE       | DZ       | XX     | I       |        |
|  | 3 | B | Gazella dorcas        | bodies   | 2    | NL       | CZ       |        |         |        |
|  | 3 | C | Tragelaphus eurycerus | live     | 1    | DE       | CM       | P      | W       |        |
|  | 3 | C | Tragelaphus eurycerus | skins    | 1    | DE       | CM       | P      | W       |        |
|  | 3 | C | Tragelaphus eurycerus | skulls   | 1    | AT       | CM       | P      | W       |        |
|  | 3 | C | Tragelaphus eurycerus | trophies | 2    | DK       | CM       | H      | W       |        |
|  | 3 | C | Tragelaphus eurycerus | trophies | 2    | DE       | TZ       | H      | W       |        |
|  | 3 | C | Tragelaphus spekii    | skins    | 1    | DE       | ZA       | BW     | H       | W      |
|  | 3 | C | Tragelaphus spekii    | skins    | 1    | DE       | TZ       |        |         |        |
|  | 3 | C | Tragelaphus spekii    | skins    | 2    | ES       | ZA       |        |         |        |
|  | 3 | C | Tragelaphus spekii    | skins    | 1    | ES       | ZA       |        |         |        |
|  | 3 | C | Tragelaphus spekii    | skulls   | 1    | DE       | TZ       | H      | W       |        |
|  | 3 | C | Tragelaphus spekii    | skulls   | 1    | DE       | ZA       | BW     | H       | W      |
|  | 3 | C | Tragelaphus spekii    | skulls   | 3    | ES       | TZ       |        |         |        |
|  | 3 | C | Tragelaphus spekii    | trophies | 9    | ES       | TZ       |        |         |        |
|  | 3 | C | Tragelaphus spekii    | trophies | 4    | PT       | TZ       | H      | W       |        |
|  | 3 | A | Bubulcus ibis         | live     | 6    | DE       | CH       | B      | C       |        |
|  | 3 | A | Casmerodus albus      | feathers | 2    | DE       | VE       | XX     | Q       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex                         | Taxon | Term     | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------------------------------|-------|----------|----------|------|----------|----------|--------|---------|--------|
| 3        | A    | Egretta garzetta              |       | feathers | 2        |      | FR       | JP       | XX     | Q       | O      |
| 3        | C    | Ephippiorhynchus senegalensis |       | live     | 6        |      | DE       | TZ       |        | T       | W      |
| 3        | C    | Ephippiorhynchus senegalensis |       | live     | 6        |      | NL       | TZ       |        |         |        |
| 3        | C    | Leptoptilos crumeniferus      |       | live     | 1        |      | NL       | CZ       |        |         |        |
| 3        | C    | Leptoptilos crumeniferus      |       | live     | 40       |      | NL       | TZ       |        |         |        |
| 3        | C    | Bostrychia hagedash           |       | live     | 4        |      | DE       | TZ       |        | T       | W      |
| 3        | C    | Bostrychia hagedash           |       | live     | 4        |      | NL       | TZ       |        |         |        |
| 3        | C    | Threskiornis aethiopicus      |       | live     | 8        |      | BE       | ML       |        | T       | W      |
| 3        | C    | Threskiornis aethiopicus      |       | live     | 5        |      | ES       | TZ       |        |         |        |
| 3        | C    | Threskiornis aethiopicus      |       | live     | 10       |      | IT       | TZ       |        |         |        |
| 3        | C    | Alopochen aegyptiacus         |       | live     | 49       |      | NL       | TZ       |        |         |        |
| 3        | C    | Alopochen aegyptiacus         |       | trophies | 1        |      | AT       | TZ       |        | P       | W      |
| 3        | C    | Alopochen aegyptiacus         |       | trophies | 1        |      | DE       | NA       |        | P       | W      |
| 3        | C    | Anas acuta                    |       | trophies | 1        |      | IT       | ZW       |        |         |        |
| 3        | C    | Anas clypeata                 |       | live     | 73       |      | IT       | EG       |        |         |        |
| 3        | C    | Anas crecca                   |       | live     | 265      |      | IT       | EG       |        |         |        |
| 3        | C    | Anas penelope                 |       | live     | 585      |      | IT       | EG       |        |         |        |
| 3        | C    | Dendrocygna bicolor           |       | live     | 47       |      | IT       | EG       |        |         |        |
| 3        | C    | Dendrocygna viduata           |       | bodies   | 5        |      | PT       | AR       |        | H       | W      |
| 3        | C    | Nettapus auritus              |       | bodies   | 5        |      | PT       | AR       |        | H       | W      |
| 3        | C    | Nettapus auritus              |       | live     | 173      |      | BE       | ML       |        | T       | W      |
| 3        | C    | Nettapus auritus              |       | live     | 10       |      | GR       | GW       |        | T       | W      |
| 3        | C    | Nettapus auritus              |       | live     | 346      |      | IT       | ML       |        |         |        |
| 3        | C    | Nettapus auritus              |       | live     | 27       |      | PT       | GN       |        | T       | W      |
| 3        | C    | Nettapus auritus              |       | live     | 4        |      | PT       | ML       |        | T       | W      |
| 3        | C    | Plectropterus gambensis       |       | skins    | 1        |      | DE       | TZ       |        | P       | W      |
| 3        | C    | Sarcoramphus papa             |       | live     | 1        |      | DE       | US       |        | Z       | C      |
| 3        | C    | Columba guinea                |       | live     | 30       |      | IT       | ML       |        |         |        |
| 3        | C    | Columba guinea                |       | live     | 66       |      | IT       | SN       |        |         |        |
| 3        | A    | Columba livia                 |       | live     | 560      |      | PT       | SN       |        | T       | W      |
| 3        | C    | Oena capensis                 |       | live     | 8        |      | ES       | CU       |        | P       | C      |
| 3        | C    | Oena capensis                 |       | live     | 40       |      | BE       | GN       |        | T       | W      |
|          |      |                               |       | live     | 420      |      | BE       | ML       |        | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                            | Term   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------------|--------|----------|------|----------|----------|--------|---------|--------|
|          | 3    | C     | <i>Oena capensis</i>             | live   | 50       |      | BE       | SN       |        | T       | W      |
|          | 3    | C     | <i>Oena capensis</i>             | live   | 1596     |      | ES       | SN       |        |         |        |
|          | 3    | C     | <i>Oena capensis</i>             | live   | 400      |      | ES       | SN       | GN     |         |        |
|          | 3    | C     | <i>Oena capensis</i>             | live   | 40       |      | IT       | ML       |        |         |        |
|          | 3    | C     | <i>Oena capensis</i>             | live   | 2733     |      | IT       | SN       |        |         |        |
|          | 3    | C     | <i>Oena capensis</i>             | live   | 610      |      | NL       | ML       |        |         |        |
|          | 3    | C     | <i>Oena capensis</i>             | live   | 330      |      | NL       | SN       |        |         |        |
|          | 3    | C     | <i>Oena capensis</i>             | live   | 3520     |      | PT       | SN       |        | T       | W      |
|          | 3    | C     | <i>Streptopelia semitorquata</i> | bodies | 2        |      | DE       | ZA       |        | P       | W      |
|          | 3    | C     | <i>Streptopelia senegalensis</i> | live   | 200      |      | ES       | SN       |        |         |        |
|          | 3    | C     | <i>Streptopelia senegalensis</i> | live   | 1110     |      | IT       | SN       |        |         |        |
|          | 3    | C     | <i>Streptopelia senegalensis</i> | live   | 3180     |      | PT       | SN       |        | T       | W      |
|          | 3    | C     | <i>Streptopelia vinacea</i>      | live   | 40       |      | NL       | ML       |        |         |        |
|          | 3    | C     | <i>Treron calva</i>              | live   | 40       |      | NL       | TZ       |        |         |        |
|          | 3    | C     | <i>Treron calva</i>              | live   | 10       |      | PT       | MZ       |        | T       | W      |
|          | 3    | C     | <i>Treron waalia</i>             | live   | 15       |      | ES       | GN       |        |         |        |
|          | 3    | C     | <i>Treron waalia</i>             | live   | 60       |      | IT       | ML       |        |         |        |
|          | 3    | C     | <i>Treron waalia</i>             | live   | 40       |      | NL       | GN       |        |         |        |
|          | 3    | C     | <i>Treron waalia</i>             | live   | 20       |      | NL       | ML       |        |         |        |
|          | 3    | C     | <i>Treron waalia</i>             | live   | 270      |      | PT       | ML       |        | T       | W      |
|          | 3    | C     | <i>Treron waalia</i>             | live   | 140      |      | PT       | SN       |        | T       | W      |
|          | 3    | C     | <i>Turtur abyssinicus</i>        | live   | 300      |      | PT       | SN       |        | T       | W      |
|          | 3    | C     | <i>Turtur afer</i>               | live   | 100      |      | ES       | SN       |        |         |        |
|          | 3    | C     | <i>Turtur afer</i>               | live   | 70       |      | IT       | ML       |        |         |        |
|          | 3    | C     | <i>Turtur afer</i>               | live   | 162      |      | NL       | GN       |        |         |        |
|          | 3    | C     | <i>Turtur afer</i>               | live   | 50       |      | NL       | SN       |        |         |        |
|          | 3    | C     | <i>Turtur afer</i>               | live   | 1525     |      | PT       | SN       |        | T       | W      |
|          | 3    | C     | <i>Turtur brehmeri</i>           | live   | 7        |      | BE       | GN       |        | T       | W      |
|          | 3    | C     | <i>Turtur brehmeri</i>           | live   | 30       |      | IT       | ML       |        |         |        |
|          | 3    | C     | <i>Turtur tympanistria</i>       | live   | 226      |      | BE       | GN       |        | T       | W      |
|          | 3    | C     | <i>Turtur tympanistria</i>       | live   | 300      |      | ES       | GN       |        |         |        |
|          | 3    | C     | <i>Turtur tympanistria</i>       | live   | 100      |      | IT       | GH       |        |         |        |
|          | 3    | C     | <i>Turtur tympanistria</i>       | live   | 96       |      | IT       | TZ       |        |         |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                       | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------|------|----------|------|----------|----------|--------|---------|--------|
|          | 3    | C     | <i>Turtur tympanistria</i>  | live | 298      |      | NL       | GN       |        |         |        |
|          | 3    | C     | <i>Turtur tympanistria</i>  | live | 15       |      | NL       | TZ       |        |         |        |
|          | 3    | C     | <i>Turtur tympanistria</i>  | live | 10       |      | PT       | GN       | T      | W       |        |
|          | 3    | C     | <i>Psittacula krameri</i>   | live | 1        |      | AT       | TR       |        | I       |        |
|          | 3    | C     | <i>Psittacula krameri</i>   | live | 4        |      | AT       | US       |        | F       |        |
|          | 3    | C     | <i>Psittacula krameri</i>   | live | 300      |      | BE       | ML       | T      | W       |        |
|          | 3    | C     | <i>Psittacula krameri</i>   | live | 8        |      | BE       | US       | T      | W       |        |
|          | 3    | C     | <i>Psittacula krameri</i>   | live | 200      |      | DE       | ML       | T      | W       |        |
|          | 3    | C     | <i>Psittacula krameri</i>   | live | 750      |      | DE       | PK       | T      | W       |        |
|          | 3    | C     | <i>Psittacula krameri</i>   | live | 100      |      | DE       | SN       | T      | W       |        |
|          | 3    | C     | <i>Psittacula krameri</i>   | live | 1        |      | DE       | US       | T      | W       |        |
|          | 3    | C     | <i>Psittacula krameri</i>   | live | 12131    |      | ES       | PK       |        |         |        |
|          | 3    | C     | <i>Psittacula krameri</i>   | live | 750      |      | ES       | SN       |        |         |        |
|          | 3    | C     | <i>Psittacula krameri</i>   | live | 20       |      | ES       | ZA       |        | C       |        |
|          | 3    | C     | <i>Psittacula krameri</i>   | live | 1        |      | GB       | PK       |        | I       |        |
|          | 3    | C     | <i>Psittacula krameri</i>   | live | 3        |      | GB       | SN       |        | I       |        |
|          | 3    | C     | <i>Psittacula krameri</i>   | live | 1        |      | GB       | XX       |        | I       |        |
|          | 3    | C     | <i>Psittacula krameri</i>   | live | 9356     |      | IT       | PK       |        |         |        |
|          | 3    | C     | <i>Psittacula krameri</i>   | live | 480      |      | IT       | SN       |        |         |        |
|          | 3    | C     | <i>Psittacula krameri</i>   | live | 150      |      | NL       | GN       |        |         |        |
|          | 3    | C     | <i>Psittacula krameri</i>   | live | 900      |      | NL       | PK       |        |         |        |
|          | 3    | C     | <i>Psittacula krameri</i>   | live | 5        |      | NL       | US       | T      | F       |        |
|          | 3    | C     | <i>Psittacula krameri</i>   | live | 6        |      | NL       | US       | T      |         |        |
|          | 3    | C     | <i>Psittacula krameri</i>   | live | 300      |      | PT       | GN       | T      | W       |        |
|          | 3    | C     | <i>Psittacula krameri</i>   | live | 100      |      | PT       | ML       | T      | W       |        |
|          | 3    | C     | <i>Psittacula krameri</i>   | live | 400      |      | PT       | PK       | T      | W       |        |
|          | 3    | C     | <i>Psittacula krameri</i>   | live | 5470     |      | PT       | SN       | T      | W       |        |
|          | 3    | C     | <i>Psittacula krameri</i>   | live | 391      |      | PT       | ZA       | T      | C       |        |
|          | 3    | C     | <i>Psittacula krameri</i>   | live | 16       |      | PT       | ZW       | T      | C       |        |
|          | 3    | B     | <i>Corythaеola cristata</i> | live | 4        |      | ES       | GN       | T      | W       |        |
|          | 3    | B     | <i>Corythaеola cristata</i> | live | 2        |      | PT       | GN       | T      | W       |        |
|          | 3    | B     | <i>Crinifer piscator</i>    | live | 6        |      | NL       | GH       | T      | W       |        |
|          | 3    | B     | <i>Crinifer piscator</i>    | live | 10       |      | NL       | GN       | T      | W       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                       | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------|------|----------|------|----------|----------|--------|---------|--------|
|          | 3    | B     | <i>Crinifer piscator</i>    | live | 10       |      | PT       | GN       |        | T       | W      |
|          | 3    | B     | <i>Musophaga violacea</i>   | live | 2        |      | BE       | GH       |        | T       | W      |
|          | 3    | B     | <i>Musophaga violacea</i>   | live | 75       |      | ES       | GN       |        | T       | W      |
|          | 3    | B     | <i>Musophaga violacea</i>   | live | 4        |      | ES       | TG       |        | T       | W      |
|          | 3    | B     | <i>Musophaga violacea</i>   | live | 50       |      | FR       | GN       |        | T       | W      |
|          | 3    | B     | <i>Musophaga violacea</i>   | live | 122      |      | FR       | ML       |        | T       | W      |
|          | 3    | B     | <i>Musophaga violacea</i>   | live | 10       |      | FR       | TG       |        | T       | W      |
|          | 3    | B     | <i>Musophaga violacea</i>   | live | 10       |      | GR       | GW       |        | T       | W      |
|          | 3    | B     | <i>Musophaga violacea</i>   | live | 80       |      | NL       | GN       |        | T       | W      |
|          | 3    | B     | <i>Musophaga violacea</i>   | live | 36       |      | PT       | GN       |        | T       | W      |
|          | 3    | C     | <i>Serinus canicapillus</i> | live | 250      |      | NL       | TZ       |        |         |        |
|          | 3    | C     | <i>Serinus leucopygius</i>  | live | 8370     |      | BE       | ML       |        | T       | W      |
|          | 3    | C     | <i>Serinus leucopygius</i>  | live | 150      |      | BE       | SN       |        | T       | W      |
|          | 3    | C     | <i>Serinus leucopygius</i>  | live | 150      |      | DE       | GN       |        | T       | W      |
|          | 3    | C     | <i>Serinus leucopygius</i>  | live | 570      |      | DE       | ML       |        | T       | W      |
|          | 3    | C     | <i>Serinus leucopygius</i>  | live | 406      |      | DE       | NG       |        | T       | W      |
|          | 3    | C     | <i>Serinus leucopygius</i>  | live | 300      |      | DE       | SG       |        | T       | W      |
|          | 3    | C     | <i>Serinus leucopygius</i>  | live | 1100     |      | DE       | SN       |        | T       | W      |
|          | 3    | C     | <i>Serinus leucopygius</i>  | live | 750      |      | ES       | ML       |        |         |        |
|          | 3    | C     | <i>Serinus leucopygius</i>  | live | 2374     |      | ES       | SN       |        |         |        |
|          | 3    | C     | <i>Serinus leucopygius</i>  | live | 350      |      | IT       | ML       |        |         |        |
|          | 3    | C     | <i>Serinus leucopygius</i>  | live | 3598     |      | IT       | SN       |        |         |        |
|          | 3    | C     | <i>Serinus leucopygius</i>  | live | 150      |      | NL       | GN       |        |         |        |
|          | 3    | C     | <i>Serinus leucopygius</i>  | live | 5250     |      | NL       | ML       |        |         |        |
|          | 3    | C     | <i>Serinus leucopygius</i>  | live | 1500     |      | NL       | SN       |        |         |        |
|          | 3    | C     | <i>Serinus leucopygius</i>  | live | 50       |      | PT       | ML       |        | T       | W      |
|          | 3    | C     | <i>Serinus leucopygius</i>  | live | 1550     |      | PT       | SN       |        | T       | W      |
|          | 3    | C     | <i>Serinus mozambicus</i>   | live | 18813    |      | BE       | GN       |        | T       | W      |
|          | 3    | C     | <i>Serinus mozambicus</i>   | live | 36450    |      | BE       | ML       |        | T       | W      |
|          | 3    | C     | <i>Serinus mozambicus</i>   | live | 600      |      | BE       | SN       |        | T       | W      |
|          | 3    | C     | <i>Serinus mozambicus</i>   | live | 4350     |      | DE       | GN       |        | T       | W      |
|          | 3    | C     | <i>Serinus mozambicus</i>   | live | 1950     |      | DE       | ML       |        | T       | W      |
|          | 3    | C     | <i>Serinus mozambicus</i>   | live | 950      |      | DE       | MZ       |        | T       | W      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex              | Taxon | Term  | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|--------------------|-------|-------|----------|------|----------|----------|--------|---------|--------|
| 3        | C    | Serinus mozambicus | live  | 729   |          |      | DE       | NG       |        | T       | W      |
| 3        | C    | Serinus mozambicus | live  | 2850  |          |      | DE       | SN       |        | T       | W      |
| 3        | C    | Serinus mozambicus | live  | 605   |          |      | DE       | TZ       |        | T       | W      |
| 3        | C    | Serinus mozambicus | live  | 1637  |          |      | ES       | GN       |        |         |        |
| 3        | C    | Serinus mozambicus | live  | 3450  |          |      | ES       | ML       |        |         |        |
| 3        | C    | Serinus mozambicus | live  | 8724  |          |      | ES       | SN       |        |         |        |
| 3        | C    | Serinus mozambicus | live  | 450   |          |      | ES       | TZ       |        |         |        |
| 3        | C    | Serinus mozambicus | live  | 142   |          |      | IT       | GH       |        |         |        |
| 3        | C    | Serinus mozambicus | live  | 4750  |          |      | IT       | GN       |        |         |        |
| 3        | C    | Serinus mozambicus | live  | 450   |          |      | IT       | ML       |        |         |        |
| 3        | C    | Serinus mozambicus | live  | 22096 |          |      | IT       | SN       |        |         |        |
| 3        | C    | Serinus mozambicus | live  | 1000  |          |      | IT       | TZ       |        |         |        |
| 3        | C    | Serinus mozambicus | live  | 110   |          |      | NL       | BW       |        |         |        |
| 3        | C    | Serinus mozambicus | live  | 17800 |          |      | NL       | GN       |        |         |        |
| 3        | C    | Serinus mozambicus | live  | 9793  |          |      | NL       | ML       |        |         |        |
| 3        | C    | Serinus mozambicus | live  | 4661  |          |      | NL       | MZ       |        |         |        |
| 3        | C    | Serinus mozambicus | live  | 1800  |          |      | NL       | SN       |        |         |        |
| 3        | C    | Serinus mozambicus | live  | 2115  |          |      | NL       | TZ       |        |         |        |
| 3        | C    | Serinus mozambicus | live  | 4450  |          |      | PT       | GN       |        | T       | W      |
| 3        | C    | Serinus mozambicus | live  | 2850  |          |      | PT       | ML       |        | T       | W      |
| 3        | C    | Serinus mozambicus | live  | 15950 |          |      | PT       | SN       |        | T       | W      |
| 3        | C    | Amadina fasciata   | live  | 671   |          |      | BE       | GN       |        | T       | W      |
| 3        | C    | Amadina fasciata   | live  | 20300 |          |      | BE       | ML       |        | T       | W      |
| 3        | C    | Amadina fasciata   | live  | 300   |          |      | BE       | SN       |        | T       | W      |
| 3        | C    | Amadina fasciata   | live  | 1700  |          |      | DE       | ML       |        | T       | W      |
| 3        | C    | Amadina fasciata   | live  | 631   |          |      | DE       | NG       |        | T       | W      |
| 3        | C    | Amadina fasciata   | live  | 240   |          |      | DE       | SG       |        | T       | W      |
| 3        | C    | Amadina fasciata   | live  | 1550  |          |      | DE       | SN       |        | T       | W      |
| 3        | C    | Amadina fasciata   | live  | 166   |          |      | DE       | TZ       |        | T       | W      |
| 3        | C    | Amadina fasciata   | live  | 2250  |          |      | ES       | ML       |        |         |        |
| 3        | C    | Amadina fasciata   | live  | 4240  |          |      | ES       | SN       |        |         |        |
| 3        | C    | Amadina fasciata   | live  | 800   |          |      | ES       | SN       | GN     |         |        |
| 3        | C    | Amadina fasciata   | live  | 2     |          |      | GB       | SN       |        |         |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon             | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------|------|----------|------|----------|----------|--------|---------|--------|
|          | 3    | C     | Amadina fasciata  | live | 1550     |      | IT       | ML       |        |         |        |
|          | 3    | C     | Amadina fasciata  | live | 9916     |      | IT       | SN       |        |         |        |
|          | 3    | C     | Amadina fasciata  | live | 975      |      | IT       | TZ       |        |         |        |
|          | 3    | C     | Amadina fasciata  | live | 6225     |      | NL       | ML       |        |         |        |
|          | 3    | C     | Amadina fasciata  | live | 1200     |      | NL       | SN       |        |         |        |
|          | 3    | C     | Amadina fasciata  | live | 1040     |      | NL       | TZ       |        |         |        |
|          | 3    | C     | Amadina fasciata  | live | 600      |      | PT       | GN       | T      | W       |        |
|          | 3    | C     | Amadina fasciata  | live | 3750     |      | PT       | ML       | T      | W       |        |
|          | 3    | C     | Amadina fasciata  | live | 26800    |      | PT       | SN       | T      | W       |        |
|          | 3    | C     | Amandava subflava | live | 8800     |      | BE       | GN       | T      | W       |        |
|          | 3    | C     | Amandava subflava | live | 5450     |      | BE       | ML       | T      | W       |        |
|          | 3    | C     | Amandava subflava | live | 1300     |      | DE       | GN       | T      | W       |        |
|          | 3    | C     | Amandava subflava | live | 750      |      | DE       | ML       | T      | W       |        |
|          | 3    | C     | Amandava subflava | live | 1200     |      | DE       | SN       | T      | W       |        |
|          | 3    | C     | Amandava subflava | live | 590      |      | DE       | TZ       | T      | W       |        |
|          | 3    | C     | Amandava subflava | live | 900      |      | ES       | GN       |        |         |        |
|          | 3    | C     | Amandava subflava | live | 600      |      | ES       | ML       |        |         |        |
|          | 3    | C     | Amandava subflava | live | 850      |      | ES       | SN       |        |         |        |
|          | 3    | C     | Amandava subflava | live | 450      |      | ES       | TZ       |        |         |        |
|          | 3    | C     | Amandava subflava | live | 800      |      | IT       | GN       |        |         |        |
|          | 3    | C     | Amandava subflava | live | 1326     |      | IT       | SN       |        |         |        |
|          | 3    | C     | Amandava subflava | live | 650      |      | IT       | TZ       |        |         |        |
|          | 3    | C     | Amandava subflava | live | 5845     |      | NL       | GN       |        |         |        |
|          | 3    | C     | Amandava subflava | live | 1750     |      | NL       | ML       |        |         |        |
|          | 3    | C     | Amandava subflava | live | 177      |      | NL       | MZ       |        |         |        |
|          | 3    | C     | Amandava subflava | live | 1200     |      | NL       | SN       |        |         |        |
|          | 3    | C     | Amandava subflava | live | 1288     |      | NL       | TZ       |        |         |        |
|          | 3    | C     | Amandava subflava | live | 1500     |      | PT       | GN       | T      | W       |        |
|          | 3    | C     | Amandava subflava | live | 3920     |      | PT       | SN       | T      | W       |        |
|          | 3    | C     | Estrilda astrild  | live | 5024     |      | BE       | GN       | T      | W       |        |
|          | 3    | C     | Estrilda astrild  | live | 700      |      | DE       | GN       | T      | W       |        |
|          | 3    | C     | Estrilda astrild  | live | 150      |      | DE       | MZ       | T      | W       |        |
|          | 3    | C     | Estrilda astrild  | live | 150      |      | DE       | TZ       | T      | W       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                        | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|------|----------|------|----------|----------|--------|---------|--------|
|          | 3    | C     | <i>Estrilda astrild</i>      | live | 950      |      | ES       | GN       |        |         |        |
|          | 3    | C     | <i>Estrilda astrild</i>      | live | 300      |      | ES       | TZ       |        |         |        |
|          | 3    | C     | <i>Estrilda astrild</i>      | live | 600      |      | IT       | TZ       |        |         |        |
|          | 3    | C     | <i>Estrilda astrild</i>      | live | 3100     |      | NL       | GN       |        |         |        |
|          | 3    | C     | <i>Estrilda astrild</i>      | live | 925      |      | NL       | MZ       |        |         |        |
|          | 3    | C     | <i>Estrilda astrild</i>      | live | 1750     |      | NL       | TZ       |        |         |        |
|          | 3    | C     | <i>Estrilda astrild</i>      | live | 3100     |      | PT       | GN       |        | T       | W      |
|          | 3    | C     | <i>Estrilda caerulescens</i> | live | 3670     |      | BE       | GN       |        | T       | W      |
|          | 3    | C     | <i>Estrilda caerulescens</i> | live | 7500     |      | BE       | ML       |        | T       | W      |
|          | 3    | C     | <i>Estrilda caerulescens</i> | live | 700      |      | DE       | GN       |        | T       | W      |
|          | 3    | C     | <i>Estrilda caerulescens</i> | live | 600      |      | DE       | ML       |        | T       | W      |
|          | 3    | C     | <i>Estrilda caerulescens</i> | live | 570      |      | DE       | SN       |        | T       | W      |
|          | 3    | C     | <i>Estrilda caerulescens</i> | live | 200      |      | ES       | GN       |        |         |        |
|          | 3    | C     | <i>Estrilda caerulescens</i> | live | 300      |      | ES       | ML       |        |         |        |
|          | 3    | C     | <i>Estrilda caerulescens</i> | live | 3878     |      | ES       | SN       |        |         |        |
|          | 3    | C     | <i>Estrilda caerulescens</i> | live | 200      |      | IT       | GN       |        |         |        |
|          | 3    | C     | <i>Estrilda caerulescens</i> | live | 150      |      | IT       | ML       |        |         |        |
|          | 3    | C     | <i>Estrilda caerulescens</i> | live | 5560     |      | IT       | SN       |        |         |        |
|          | 3    | C     | <i>Estrilda caerulescens</i> | live | 3000     |      | NL       | GN       |        |         |        |
|          | 3    | C     | <i>Estrilda caerulescens</i> | live | 1800     |      | NL       | ML       |        |         |        |
|          | 3    | C     | <i>Estrilda caerulescens</i> | live | 750      |      | NL       | SN       |        |         |        |
|          | 3    | C     | <i>Estrilda caerulescens</i> | live | 1950     |      | PT       | GN       |        | T       | W      |
|          | 3    | C     | <i>Estrilda caerulescens</i> | live | 1350     |      | PT       | ML       |        | T       | W      |
|          | 3    | C     | <i>Estrilda caerulescens</i> | live | 4100     |      | PT       | SN       |        | T       | W      |
|          | 3    | C     | <i>Estrilda melpoda</i>      | live | 10250    |      | BE       | GN       |        | T       | W      |
|          | 3    | C     | <i>Estrilda melpoda</i>      | live | 14650    |      | BE       | ML       |        | T       | W      |
|          | 3    | C     | <i>Estrilda melpoda</i>      | live | 40       |      | BE       | SN       |        | T       | W      |
|          | 3    | C     | <i>Estrilda melpoda</i>      | live | 2000     |      | DE       | GN       |        | T       | W      |
|          | 3    | C     | <i>Estrilda melpoda</i>      | live | 900      |      | DE       | ML       |        | T       | W      |
|          | 3    | C     | <i>Estrilda melpoda</i>      | live | 22       |      | DE       | NG       |        | T       | W      |
|          | 3    | C     | <i>Estrilda melpoda</i>      | live | 150      |      | DE       | SG       |        | T       | W      |
|          | 3    | C     | <i>Estrilda melpoda</i>      | live | 540      |      | DE       | SN       |        | T       | W      |
|          | 3    | C     | <i>Estrilda melpoda</i>      | live | 1300     |      | ES       | GN       |        |         |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                         | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|------|----------|------|----------|----------|--------|---------|--------|
|          | 3    | C     | <i>Estrilda melpoda</i>       | live | 1800     |      | ES       | ML       |        |         |        |
|          | 3    | C     | <i>Estrilda melpoda</i>       | live | 2710     |      | ES       | SN       |        |         |        |
|          | 3    | C     | <i>Estrilda melpoda</i>       | live | 450      |      | IT       | GN       |        |         |        |
|          | 3    | C     | <i>Estrilda melpoda</i>       | live | 650      |      | IT       | ML       |        |         |        |
|          | 3    | C     | <i>Estrilda melpoda</i>       | live | 6920     |      | IT       | SN       |        |         |        |
|          | 3    | C     | <i>Estrilda melpoda</i>       | live | 4500     |      | NL       | GN       |        |         |        |
|          | 3    | C     | <i>Estrilda melpoda</i>       | live | 3825     |      | NL       | ML       |        |         |        |
|          | 3    | C     | <i>Estrilda melpoda</i>       | live | 150      |      | NL       | SN       |        |         |        |
|          | 3    | C     | <i>Estrilda melpoda</i>       | live | 2700     |      | PT       | GN       |        | T       | W      |
|          | 3    | C     | <i>Estrilda melpoda</i>       | live | 1750     |      | PT       | ML       |        | T       | W      |
|          | 3    | C     | <i>Estrilda melpoda</i>       | live | 7500     |      | PT       | SN       |        | T       | W      |
|          | 3    | C     | <i>Estrilda troglodytes</i>   | live | 4830     |      | BE       | GN       |        | T       | W      |
|          | 3    | C     | <i>Estrilda troglodytes</i>   | live | 25700    |      | BE       | ML       |        | T       | W      |
|          | 3    | C     | <i>Estrilda troglodytes</i>   | live | 100      |      | BE       | SN       |        | T       | W      |
|          | 3    | C     | <i>Estrilda troglodytes</i>   | live | 450      |      | DE       | GN       |        | T       | W      |
|          | 3    | C     | <i>Estrilda troglodytes</i>   | live | 600      |      | DE       | ML       |        | T       | W      |
|          | 3    | C     | <i>Estrilda troglodytes</i>   | live | 1000     |      | DE       | SN       |        | T       | W      |
|          | 3    | C     | <i>Estrilda troglodytes</i>   | live | 2400     |      | ES       | ML       |        |         |        |
|          | 3    | C     | <i>Estrilda troglodytes</i>   | live | 4427     |      | ES       | SN       |        |         |        |
|          | 3    | C     | <i>Estrilda troglodytes</i>   | live | 1300     |      | IT       | ML       |        |         |        |
|          | 3    | C     | <i>Estrilda troglodytes</i>   | live | 7774     |      | IT       | SN       |        |         |        |
|          | 3    | C     | <i>Estrilda troglodytes</i>   | live | 1700     |      | NL       | GN       |        |         |        |
|          | 3    | C     | <i>Estrilda troglodytes</i>   | live | 4950     |      | NL       | ML       |        |         |        |
|          | 3    | C     | <i>Estrilda troglodytes</i>   | live | 450      |      | NL       | SN       |        |         |        |
|          | 3    | C     | <i>Estrilda troglodytes</i>   | live | 1900     |      | PT       | GN       |        | T       | W      |
|          | 3    | C     | <i>Estrilda troglodytes</i>   | live | 1050     |      | PT       | ML       |        | T       | W      |
|          | 3    | C     | <i>Estrilda troglodytes</i>   | live | 14000    |      | PT       | SN       |        | T       | W      |
|          | 3    | C     | <i>Lagonosticta rubricata</i> | live | 3000     |      | BE       | GN       |        | T       | W      |
|          | 3    | C     | <i>Lagonosticta rubricata</i> | live | 1750     |      | DE       | GN       |        | T       | W      |
|          | 3    | C     | <i>Lagonosticta rubricata</i> | live | 711      |      | DE       | TZ       |        | T       | W      |
|          | 3    | C     | <i>Lagonosticta rubricata</i> | live | 400      |      | ES       | GN       |        |         |        |
|          | 3    | C     | <i>Lagonosticta rubricata</i> | live | 200      |      | IT       | GN       |        |         |        |
|          | 3    | C     | <i>Lagonosticta rubricata</i> | live | 125      |      | IT       | TZ       |        |         |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                         | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|------|----------|------|----------|----------|--------|---------|--------|
|          | 3    | C     | <i>Lagonosticta rubricata</i> | live | 2730     |      | NL       | GN       |        |         |        |
|          | 3    | C     | <i>Lagonosticta rubricata</i> | live | 700      |      | NL       | MZ       |        |         |        |
|          | 3    | C     | <i>Lagonosticta rubricata</i> | live | 1036     |      | NL       | TZ       |        |         |        |
|          | 3    | C     | <i>Lagonosticta rufopicta</i> | live | 50       |      | DE       | GN       | T      | W       |        |
|          | 3    | C     | <i>Lagonosticta senegala</i>  | live | 3090     |      | BE       | GN       | T      | W       |        |
|          | 3    | C     | <i>Lagonosticta senegala</i>  | live | 11050    |      | BE       | ML       | T      | W       |        |
|          | 3    | C     | <i>Lagonosticta senegala</i>  | live | 200      |      | DE       | GN       | T      | W       |        |
|          | 3    | C     | <i>Lagonosticta senegala</i>  | live | 600      |      | DE       | ML       | T      | W       |        |
|          | 3    | C     | <i>Lagonosticta senegala</i>  | live | 200      |      | DE       | MZ       | T      | W       |        |
|          | 3    | C     | <i>Lagonosticta senegala</i>  | live | 200      |      | DE       | NG       | T      | W       |        |
|          | 3    | C     | <i>Lagonosticta senegala</i>  | live | 150      |      | DE       | SG       | T      | W       |        |
|          | 3    | C     | <i>Lagonosticta senegala</i>  | live | 810      |      | DE       | SN       | T      | W       |        |
|          | 3    | C     | <i>Lagonosticta senegala</i>  | live | 1441     |      | DE       | TZ       | T      | W       |        |
|          | 3    | C     | <i>Lagonosticta senegala</i>  | live | 850      |      | ES       | ML       |        |         |        |
|          | 3    | C     | <i>Lagonosticta senegala</i>  | live | 3050     |      | ES       | SN       |        |         |        |
|          | 3    | C     | <i>Lagonosticta senegala</i>  | live | 250      |      | IT       | GN       |        |         |        |
|          | 3    | C     | <i>Lagonosticta senegala</i>  | live | 400      |      | IT       | ML       |        |         |        |
|          | 3    | C     | <i>Lagonosticta senegala</i>  | live | 4930     |      | IT       | SN       |        |         |        |
|          | 3    | C     | <i>Lagonosticta senegala</i>  | live | 175      |      | IT       | TZ       |        |         |        |
|          | 3    | C     | <i>Lagonosticta senegala</i>  | live | 300      |      | NL       | GN       |        |         |        |
|          | 3    | C     | <i>Lagonosticta senegala</i>  | live | 4115     |      | NL       | ML       |        |         |        |
|          | 3    | C     | <i>Lagonosticta senegala</i>  | live | 332      |      | NL       | MZ       |        |         |        |
|          | 3    | C     | <i>Lagonosticta senegala</i>  | live | 450      |      | NL       | SN       |        |         |        |
|          | 3    | C     | <i>Lagonosticta senegala</i>  | live | 1680     |      | NL       | TZ       |        |         |        |
|          | 3    | C     | <i>Lagonosticta senegala</i>  | live | 1250     |      | PT       | GN       | T      | W       |        |
|          | 3    | C     | <i>Lagonosticta senegala</i>  | live | 3600     |      | PT       | ML       | T      | W       |        |
|          | 3    | C     | <i>Lagonosticta senegala</i>  | live | 8400     |      | PT       | SN       | T      | W       |        |
|          | 3    | C     | <i>Lagonosticta vinacea</i>   | live | 140      |      | BE       | GN       | T      | W       |        |
|          | 3    | C     | <i>Lagonosticta vinacea</i>   | live | 94       |      | BE       | ML       | T      | W       |        |
|          | 3    | C     | <i>Lagonosticta vinacea</i>   | live | 100      |      | DE       | GN       | T      | W       |        |
|          | 3    | C     | <i>Lagonosticta vinacea</i>   | live | 25       |      | NL       | GN       |        |         |        |
|          | 3    | C     | <i>Lagonosticta vinacea</i>   | live | 619      |      | NL       | GN       |        |         |        |
|          | 3    | C     | <i>Lagonosticta vinacea</i>   | live | 50       |      | NL       | ML       |        |         |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                         | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|------|----------|------|----------|----------|--------|---------|--------|
|          | 3    | C     | <i>Lagonosticta vinacea</i>   | live | 100      |      | PT       | GN       |        | T       | W      |
|          | 3    | C     | <i>Lonchura bicolor</i>       | live | 2350     |      | BE       | GN       |        | T       | W      |
|          | 3    | C     | <i>Lonchura bicolor</i>       | live | 200      |      | BE       | ML       |        | T       | W      |
|          | 3    | C     | <i>Lonchura bicolor</i>       | live | 800      |      | DE       | GN       |        | T       | W      |
|          | 3    | C     | <i>Lonchura bicolor</i>       | live | 20       |      | DE       | TZ       |        | T       | W      |
|          | 3    | C     | <i>Lonchura bicolor</i>       | live | 750      |      | ES       | GN       |        |         |        |
|          | 3    | C     | <i>Lonchura bicolor</i>       | live | 1250     |      | NL       | GN       |        |         |        |
|          | 3    | C     | <i>Lonchura bicolor</i>       | live | 168      |      | NL       | MZ       |        |         |        |
|          | 3    | C     | <i>Lonchura bicolor</i>       | live | 30       |      | NL       | TZ       |        |         |        |
|          | 3    | C     | <i>Lonchura bicolor</i>       | live | 1850     |      | PT       | GN       |        | T       | W      |
|          | 3    | C     | <i>Lonchura cantans</i>       | live | 150      |      | ES       | ML       |        |         |        |
|          | 3    | C     | <i>Lonchura cantans</i>       | live | 400      |      | ES       | PK       |        |         |        |
|          | 3    | C     | <i>Lonchura cantans</i>       | live | 700      |      | ES       | SN       |        |         |        |
|          | 3    | C     | <i>Lonchura cantans</i>       | live | 400      |      | ES       | SN       | GN     |         |        |
|          | 3    | C     | <i>Lonchura cucullata</i>     | live | 1600     |      | BE       | ML       |        | T       | W      |
|          | 3    | C     | <i>Lonchura cucullata</i>     | live | 450      |      | DE       | ML       |        | T       | W      |
|          | 3    | C     | <i>Lonchura cucullata</i>     | live | 150      |      | DE       | SG       |        | T       | W      |
|          | 3    | C     | <i>Lonchura cucullata</i>     | live | 100      |      | DE       | SN       |        | T       | W      |
|          | 3    | C     | <i>Lonchura cucullata</i>     | live | 300      |      | ES       | ML       |        |         |        |
|          | 3    | C     | <i>Lonchura cucullata</i>     | live | 750      |      | ES       | SN       |        |         |        |
|          | 3    | C     | <i>Lonchura cucullata</i>     | live | 50       |      | IT       | ML       |        |         |        |
|          | 3    | C     | <i>Lonchura cucullata</i>     | live | 3050     |      | IT       | SN       |        |         |        |
|          | 3    | C     | <i>Lonchura cucullata</i>     | live | 900      |      | NL       | ML       |        |         |        |
|          | 3    | C     | <i>Lonchura cucullata</i>     | live | 305      |      | NL       | MZ       |        |         |        |
|          | 3    | C     | <i>Lonchura cucullata</i>     | live | 2300     |      | PT       | GN       |        | T       | W      |
|          | 3    | C     | <i>Lonchura cucullata</i>     | live | 1500     |      | PT       | ML       |        | T       | W      |
|          | 3    | C     | <i>Lonchura cucullata</i>     | live | 3700     |      | PT       | SN       |        | T       | W      |
|          | 3    | C     | <i>Lonchura fringilloides</i> | live | 2390     |      | BE       | GN       |        | T       | W      |
|          | 3    | C     | <i>Lonchura fringilloides</i> | live | 425      |      | DE       | GN       |        | T       | W      |
|          | 3    | C     | <i>Lonchura fringilloides</i> | live | 300      |      | ES       | GN       |        |         |        |
|          | 3    | C     | <i>Lonchura fringilloides</i> | live | 200      |      | IT       | GN       |        |         |        |
|          | 3    | C     | <i>Lonchura fringilloides</i> | live | 100      |      | IT       | TZ       |        |         |        |
|          | 3    | C     | <i>Lonchura fringilloides</i> | live | 800      |      | NL       | GN       |        |         |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                         | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|------|----------|------|----------|----------|--------|---------|--------|
|          | 3    | C     | <i>Lonchura fringilloides</i> | live | 1800     |      | PT       | GN       |        | T       | W      |
|          | 3    | C     | <i>Lonchura malabarica</i>    | live | 300      |      | BE       | GN       |        | T       | W      |
|          | 3    | C     | <i>Lonchura malabarica</i>    | live | 2530     |      | BE       | ML       |        | T       | W      |
|          | 3    | C     | <i>Lonchura malabarica</i>    | live | 450      |      | DE       | ML       |        | T       | W      |
|          | 3    | C     | <i>Lonchura malabarica</i>    | live | 23       |      | DE       | NG       |        | T       | W      |
|          | 3    | C     | <i>Lonchura malabarica</i>    | live | 760      |      | DE       | SN       |        | T       | W      |
|          | 3    | C     | <i>Lonchura malabarica</i>    | live | 300      |      | NL       | ML       |        |         |        |
|          | 3    | C     | <i>Lonchura malabarica</i>    | live | 450      |      | NL       | SN       |        |         |        |
|          | 3    | C     | <i>Lonchura malabarica</i>    | live | 200      |      | PT       | GN       |        | T       | W      |
|          | 3    | C     | <i>Lonchura malabarica</i>    | live | 850      |      | PT       | ML       |        | T       | W      |
|          | 3    | C     | <i>Lonchura malabarica</i>    | live | 10400    |      | PT       | SN       |        | T       | W      |
|          | 3    | C     | <i>Mandingoa nitidula</i>     | live | 4725     |      | BE       | GN       |        | T       | W      |
|          | 3    | C     | <i>Mandingoa nitidula</i>     | live | 3        |      | DE       | CM       |        | T       | W      |
|          | 3    | C     | <i>Mandingoa nitidula</i>     | live | 700      |      | DE       | GN       |        | T       | W      |
|          | 3    | C     | <i>Mandingoa nitidula</i>     | live | 500      |      | DE       | TZ       |        | T       | W      |
|          | 3    | C     | <i>Mandingoa nitidula</i>     | live | 600      |      | ES       | GN       |        |         |        |
|          | 3    | C     | <i>Mandingoa nitidula</i>     | live | 150      |      | ES       | TZ       |        |         |        |
|          | 3    | C     | <i>Mandingoa nitidula</i>     | live | 180      |      | IT       | GN       |        |         |        |
|          | 3    | C     | <i>Mandingoa nitidula</i>     | live | 600      |      | IT       | TZ       |        |         |        |
|          | 3    | C     | <i>Mandingoa nitidula</i>     | live | 2840     |      | NL       | GN       |        |         |        |
|          | 3    | C     | <i>Mandingoa nitidula</i>     | live | 400      |      | NL       | MZ       |        |         |        |
|          | 3    | C     | <i>Mandingoa nitidula</i>     | live | 820      |      | NL       | TZ       |        |         |        |
|          | 3    | C     | <i>Mandingoa nitidula</i>     | live | 260      |      | PT       | GN       |        | T       | W      |
|          | 3    | C     | <i>Nesocharis capistrata</i>  | live | 78       |      | BE       | GN       |        | T       | W      |
|          | 3    | C     | <i>Nesocharis capistrata</i>  | live | 23       |      | DE       | GN       |        | T       | W      |
|          | 3    | C     | <i>Nesocharis capistrata</i>  | live | 32       |      | NL       | GN       |        |         |        |
|          | 3    | C     | <i>Nigrita bicolor</i>        | live | 90       |      | BE       | GN       |        | T       | W      |
|          | 3    | C     | <i>Nigrita canicapilla</i>    | live | 4        |      | DE       | CM       |        | T       | W      |
|          | 3    | C     | <i>Ortygospiza atricollis</i> | live | 1470     |      | BE       | GN       |        | T       | W      |
|          | 3    | C     | <i>Ortygospiza atricollis</i> | live | 150      |      | BE       | ML       |        | T       | W      |
|          | 3    | C     | <i>Ortygospiza atricollis</i> | live | 150      |      | DE       | GN       |        | T       | W      |
|          | 3    | C     | <i>Ortygospiza atricollis</i> | live | 90       |      | DE       | MZ       |        | T       | W      |
|          | 3    | C     | <i>Ortygospiza atricollis</i> | live | 200      |      | NL       | BW       |        |         |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                         | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|------|----------|------|----------|----------|--------|---------|--------|
|          | 3    | C     | <i>Ortygospiza atricollis</i> | live | 300      |      | NL       | GN       |        |         |        |
|          | 3    | C     | <i>Ortygospiza atricollis</i> | live | 400      |      | NL       | ML       |        |         |        |
|          | 3    | C     | <i>Ortygospiza atricollis</i> | live | 81       |      | NL       | MZ       |        |         |        |
|          | 3    | C     | <i>Ortygospiza atricollis</i> | live | 150      |      | NL       | TZ       |        |         |        |
|          | 3    | C     | <i>Pyrenestes ostrinus</i>    | live | 1715     |      | BE       | GN       | T      | W       |        |
|          | 3    | C     | <i>Pyrenestes ostrinus</i>    | live | 2        |      | DE       | CM       | T      | W       |        |
|          | 3    | C     | <i>Pyrenestes ostrinus</i>    | live | 700      |      | DE       | GN       | T      | W       |        |
|          | 3    | C     | <i>Pyrenestes ostrinus</i>    | live | 611      |      | ES       | GN       |        |         |        |
|          | 3    | C     | <i>Pyrenestes ostrinus</i>    | live | 700      |      | NL       | GN       |        |         |        |
|          | 3    | C     | <i>Pyrenestes ostrinus</i>    | live | 300      |      | PT       | GN       | T      | W       |        |
|          | 3    | C     | <i>Ptilia hypogrammica</i>    | live | 800      |      | BE       | GN       | T      | W       |        |
|          | 3    | C     | <i>Ptilia hypogrammica</i>    | live | 150      |      | BE       | ML       | T      | W       |        |
|          | 3    | C     | <i>Ptilia hypogrammica</i>    | live | 1000     |      | DE       | GN       | T      | W       |        |
|          | 3    | C     | <i>Ptilia hypogrammica</i>    | live | 150      |      | DE       | ML       | T      | W       |        |
|          | 3    | C     | <i>Ptilia hypogrammica</i>    | live | 1500     |      | ES       | GN       |        |         |        |
|          | 3    | C     | <i>Ptilia hypogrammica</i>    | live | 1050     |      | ES       | ML       |        |         |        |
|          | 3    | C     | <i>Ptilia hypogrammica</i>    | live | 1310     |      | IT       | GN       |        |         |        |
|          | 3    | C     | <i>Ptilia hypogrammica</i>    | live | 1100     |      | NL       | GN       |        |         |        |
|          | 3    | C     | <i>Ptilia hypogrammica</i>    | live | 3100     |      | PT       | GN       | T      | W       |        |
|          | 3    | C     | <i>Ptilia hypogrammica</i>    | live | 100      |      | PT       | SN       | T      | W       |        |
|          | 3    | C     | <i>Ptilia phoenicoptera</i>   | live | 2320     |      | BE       | GN       | T      | W       |        |
|          | 3    | C     | <i>Ptilia phoenicoptera</i>   | live | 400      |      | BE       | ML       | T      | W       |        |
|          | 3    | C     | <i>Ptilia phoenicoptera</i>   | live | 492      |      | DE       | GN       | T      | W       |        |
|          | 3    | C     | <i>Ptilia phoenicoptera</i>   | live | 150      |      | DE       | ML       | T      | W       |        |
|          | 3    | C     | <i>Ptilia phoenicoptera</i>   | live | 150      |      | DE       | SN       | T      | W       |        |
|          | 3    | C     | <i>Ptilia phoenicoptera</i>   | live | 300      |      | ES       | GN       |        |         |        |
|          | 3    | C     | <i>Ptilia phoenicoptera</i>   | live | 200      |      | ES       | SN       |        |         |        |
|          | 3    | C     | <i>Ptilia phoenicoptera</i>   | live | 694      |      | IT       | SN       |        |         |        |
|          | 3    | C     | <i>Ptilia phoenicoptera</i>   | live | 1183     |      | NL       | GN       |        |         |        |
|          | 3    | C     | <i>Ptilia phoenicoptera</i>   | live | 50       |      | NL       | ML       |        |         |        |
|          | 3    | C     | <i>Ptilia phoenicoptera</i>   | live | 2700     |      | PT       | GN       | T      | W       |        |
|          | 3    | C     | <i>Ptilia phoenicoptera</i>   | live | 1100     |      | PT       | SN       | T      | W       |        |
|          | 3    | C     | <i>Spermophaga haematina</i>  | live | 498      |      | BE       | GN       | T      | W       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                        | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|------|----------|------|----------|----------|--------|---------|--------|
|          | 3    | C     | <i>Spermophaga haematina</i> | live | 45       |      | BE       | ML       |        | T       | W      |
|          | 3    | C     | <i>Spermophaga haematina</i> | live | 3        |      | DE       | CM       |        | T       | W      |
|          | 3    | C     | <i>Spermophaga haematina</i> | live | 610      |      | DE       | GN       |        | T       | W      |
|          | 3    | C     | <i>Spermophaga haematina</i> | live | 1        |      | DE       | NG       |        | T       | W      |
|          | 3    | C     | <i>Spermophaga haematina</i> | live | 160      |      | ES       | GN       |        |         |        |
|          | 3    | C     | <i>Spermophaga haematina</i> | live | 705      |      | NL       | GN       |        |         |        |
|          | 3    | C     | <i>Spermophaga haematina</i> | live | 170      |      | PT       | GN       |        | T       | W      |
|          | 3    | C     | <i>Uraeginthus bengalus</i>  | live | 400      |      | BE       | GN       |        | T       | W      |
|          | 3    | C     | <i>Uraeginthus bengalus</i>  | live | 10090    |      | BE       | GN       |        | T       | W      |
|          | 3    | C     | <i>Uraeginthus bengalus</i>  | live | 150      |      | BE       | ML       |        | T       | W      |
|          | 3    | C     | <i>Uraeginthus bengalus</i>  | live | 14960    |      | BE       | ML       |        | T       | W      |
|          | 3    | C     | <i>Uraeginthus bengalus</i>  | live | 450      |      | BE       | SN       |        | T       | W      |
|          | 3    | C     | <i>Uraeginthus bengalus</i>  | live | 400      |      | DE       | GN       |        | T       | W      |
|          | 3    | C     | <i>Uraeginthus bengalus</i>  | live | 1250     |      | DE       | GN       |        | T       | W      |
|          | 3    | C     | <i>Uraeginthus bengalus</i>  | live | 600      |      | DE       | ML       |        | T       | W      |
|          | 3    | C     | <i>Uraeginthus bengalus</i>  | live | 1        |      | DE       | NG       |        | T       | W      |
|          | 3    | C     | <i>Uraeginthus bengalus</i>  | live | 11       |      | DE       | NG       |        | T       | W      |
|          | 3    | C     | <i>Uraeginthus bengalus</i>  | live | 150      |      | DE       | SG       |        | T       | W      |
|          | 3    | C     | <i>Uraeginthus bengalus</i>  | live | 560      |      | DE       | SN       |        | T       | W      |
|          | 3    | C     | <i>Uraeginthus bengalus</i>  | live | 1150     |      | DE       | SN       |        | T       | W      |
|          | 3    | C     | <i>Uraeginthus bengalus</i>  | live | 3073     |      | DE       | TZ       |        | T       | W      |
|          | 3    | C     | <i>Uraeginthus bengalus</i>  | live | 175      |      | ES       | GN       |        |         |        |
|          | 3    | C     | <i>Uraeginthus bengalus</i>  | live | 350      |      | ES       | ML       |        |         |        |
|          | 3    | C     | <i>Uraeginthus bengalus</i>  | live | 5598     |      | ES       | SN       |        |         |        |
|          | 3    | C     | <i>Uraeginthus bengalus</i>  | live | 400      |      | ES       | SN       |        |         | GN     |
|          | 3    | C     | <i>Uraeginthus bengalus</i>  | live | 1850     |      | ES       | TZ       |        |         |        |
|          | 3    | C     | <i>Uraeginthus bengalus</i>  | live | 1050     |      | IT       | GN       |        |         |        |
|          | 3    | C     | <i>Uraeginthus bengalus</i>  | live | 400      |      | IT       | ML       |        |         |        |
|          | 3    | C     | <i>Uraeginthus bengalus</i>  | live | 7204     |      | IT       | SN       |        |         |        |
|          | 3    | C     | <i>Uraeginthus bengalus</i>  | live | 1200     |      | IT       | TZ       |        |         |        |
|          | 3    | C     | <i>Uraeginthus bengalus</i>  | live | 1800     |      | NL       | GN       |        |         |        |
|          | 3    | C     | <i>Uraeginthus bengalus</i>  | live | 2250     |      | NL       | GN       |        |         |        |
|          | 3    | C     | <i>Uraeginthus bengalus</i>  | live | 4600     |      | NL       | ML       |        |         |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex                  | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|------------------------|-------|------|----------|------|----------|----------|--------|---------|--------|
| 3        | C    | Uraeginthus bengalus   |       | live | 1250     |      | NL       | SN       |        |         |        |
| 3        | C    | Uraeginthus bengalus   |       | live | 3650     |      | NL       | TZ       |        |         |        |
| 3        | C    | Uraeginthus bengalus   |       | live | 3350     |      | PT       | GN       | T      | W       |        |
| 3        | C    | Uraeginthus bengalus   |       | live | 1200     |      | PT       | ML       | T      | W       |        |
| 3        | C    | Uraeginthus bengalus   |       | live | 15300    |      | PT       | SN       | T      | W       |        |
| 3        | C    | Euplectes afer         |       | live | 1400     |      | BE       | GN       | T      | W       |        |
| 3        | C    | Euplectes afer         |       | live | 936      |      | BE       | ML       | T      | W       |        |
| 3        | C    | Euplectes afer         |       | live | 100      |      | DE       | GN       | T      | W       |        |
| 3        | C    | Euplectes afer         |       | live | 100      |      | DE       | ML       | T      | W       |        |
| 3        | C    | Euplectes afer         |       | live | 450      |      | DE       | SG       | T      | W       |        |
| 3        | C    | Euplectes afer         |       | live | 350      |      | DE       | SN       | T      | W       |        |
| 3        | C    | Euplectes afer         |       | live | 700      |      | ES       | GN       |        |         |        |
| 3        | C    | Euplectes afer         |       | live | 500      |      | ES       | SN       |        |         |        |
| 3        | C    | Euplectes afer         |       | live | 600      |      | IT       | GN       |        |         |        |
| 3        | C    | Euplectes afer         |       | live | 5474     |      | IT       | SN       |        |         |        |
| 3        | C    | Euplectes afer         |       | live | 350      |      | NL       | GN       |        |         |        |
| 3        | C    | Euplectes afer         |       | live | 50       |      | NL       | TZ       |        |         |        |
| 3        | C    | Euplectes afer         |       | live | 1200     |      | PT       | GN       | T      | W       |        |
| 3        | C    | Euplectes afer         |       | live | 7400     |      | PT       | SN       | T      | W       |        |
| 3        | C    | Euplectes ardens       |       | live | 150      |      | DE       | TZ       | T      | W       |        |
| 3        | C    | Euplectes ardens       |       | live | 200      |      | ES       | GN       |        |         |        |
| 3        | C    | Euplectes ardens       |       | live | 50       |      | IT       | GN       |        |         |        |
| 3        | C    | Euplectes ardens       |       | live | 200      |      | NL       | GN       |        |         |        |
| 3        | C    | Euplectes ardens       |       | live | 1100     |      | PT       | GN       | T      | W       |        |
| 3        | C    | Euplectes franciscanus |       | live | 1100     |      | BE       | GN       | T      | W       |        |
| 3        | C    | Euplectes franciscanus |       | live | 4250     |      | BE       | ML       | T      | W       |        |
| 3        | C    | Euplectes franciscanus |       | live | 300      |      | BE       | SN       | T      | W       |        |
| 3        | C    | Euplectes franciscanus |       | live | 600      |      | DE       | GN       | T      | W       |        |
| 3        | C    | Euplectes franciscanus |       | live | 550      |      | DE       | ML       | T      | W       |        |
| 3        | C    | Euplectes franciscanus |       | live | 800      |      | DE       | SN       | T      | W       |        |
| 3        | C    | Euplectes franciscanus |       | live | 1055     |      | DE       | TZ       | T      | W       |        |
| 3        | C    | Euplectes franciscanus |       | live | 700      |      | ES       | GN       |        |         |        |
| 3        | C    | Euplectes franciscanus |       | live | 1300     |      | ES       | ML       |        |         |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                         | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|------|----------|------|----------|----------|--------|---------|--------|
|          | 3    | C     | <i>Euplectes franciscanus</i> | live | 200      |      | ES       | SN       |        |         |        |
|          | 3    | C     | <i>Euplectes franciscanus</i> | live | 851      |      | ES       | SN       |        |         |        |
|          | 3    | C     | <i>Euplectes franciscanus</i> | live | 900      |      | NL       | GN       |        |         |        |
|          | 3    | C     | <i>Euplectes franciscanus</i> | live | 1150     |      | NL       | ML       |        |         |        |
|          | 3    | C     | <i>Euplectes franciscanus</i> | live | 350      |      | NL       | TZ       |        |         |        |
|          | 3    | C     | <i>Euplectes franciscanus</i> | live | 700      |      | NL       | TZ       |        |         |        |
|          | 3    | C     | <i>Euplectes franciscanus</i> | live | 400      |      | PT       | GN       | T      | W       |        |
|          | 3    | C     | <i>Euplectes franciscanus</i> | live | 650      |      | PT       | ML       | T      | W       |        |
|          | 3    | C     | <i>Euplectes franciscanus</i> | live | 6450     |      | PT       | SN       | T      | W       |        |
|          | 3    | C     | <i>Euplectes hordeaceus</i>   | live | 1050     |      | BE       | GN       | T      | W       |        |
|          | 3    | C     | <i>Euplectes hordeaceus</i>   | live | 500      |      | BE       | ML       | T      | W       |        |
|          | 3    | C     | <i>Euplectes hordeaceus</i>   | live | 200      |      | DE       | GN       | T      | W       |        |
|          | 3    | C     | <i>Euplectes hordeaceus</i>   | live | 150      |      | DE       | ML       | T      | W       |        |
|          | 3    | C     | <i>Euplectes hordeaceus</i>   | live | 60       |      | DE       | TZ       | T      | W       |        |
|          | 3    | C     | <i>Euplectes hordeaceus</i>   | live | 1700     |      | ES       | GN       |        |         |        |
|          | 3    | C     | <i>Euplectes hordeaceus</i>   | live | 100      |      | ES       | ML       |        |         |        |
|          | 3    | C     | <i>Euplectes hordeaceus</i>   | live | 3450     |      | IT       | GN       |        |         |        |
|          | 3    | C     | <i>Euplectes hordeaceus</i>   | live | 500      |      | IT       | ML       |        |         |        |
|          | 3    | C     | <i>Euplectes hordeaceus</i>   | live | 1700     |      | NL       | GN       |        |         |        |
|          | 3    | C     | <i>Euplectes hordeaceus</i>   | live | 250      |      | NL       | TZ       |        |         |        |
|          | 3    | C     | <i>Euplectes hordeaceus</i>   | live | 2600     |      | PT       | GN       | T      | W       |        |
|          | 3    | C     | <i>Euplectes hordeaceus</i>   | live | 150      |      | PT       | SN       | T      | W       |        |
|          | 3    | C     | <i>Euplectes macrourus</i>    | live | 575      |      | BE       | GN       | T      | W       |        |
|          | 3    | C     | <i>Euplectes macrourus</i>    | live | 200      |      | BE       | ML       | T      | W       |        |
|          | 3    | C     | <i>Euplectes macrourus</i>    | live | 150      |      | ES       | GN       |        |         |        |
|          | 3    | C     | <i>Euplectes macrourus</i>    | live | 438      |      | IT       | GN       |        |         |        |
|          | 3    | C     | <i>Euplectes macrourus</i>    | live | 700      |      | NL       | GN       |        |         |        |
|          | 3    | C     | <i>Euplectes macrourus</i>    | live | 80       |      | NL       | TZ       |        |         |        |
|          | 3    | C     | <i>Euplectes macrourus</i>    | live | 400      |      | PT       | GN       | T      | W       |        |
|          | 3    | C     | <i>Passer griseus</i>         | live | 410      |      | IT       | ML       |        |         |        |
|          | 3    | C     | <i>Ploceus aurantius</i>      | live | 50       |      | IT       | ML       |        |         |        |
|          | 3    | C     | <i>Ploceus aurantius</i>      | live | 150      |      | IT       | TZ       |        |         |        |
|          | 3    | C     | <i>Ploceus aurantius</i>      | live | 120      |      | NL       | TZ       |        |         |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                         | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|------|----------|------|----------|----------|--------|---------|--------|
|          | 3    | C     | <i>Ploceus cucullatus</i>     | live | 200      |      | BE       | ML       | T      | W       |        |
|          | 3    | C     | <i>Ploceus cucullatus</i>     | live | 100      |      | DE       | ML       | T      | W       |        |
|          | 3    | C     | <i>Ploceus cucullatus</i>     | live | 120      |      | DE       | SG       | T      | W       |        |
|          | 3    | C     | <i>Ploceus cucullatus</i>     | live | 250      |      | DE       | SN       | T      | W       |        |
|          | 3    | C     | <i>Ploceus cucullatus</i>     | live | 184      |      | DE       | TZ       | T      | W       |        |
|          | 3    | C     | <i>Ploceus cucullatus</i>     | live | 80       |      | ES       | GN       |        |         |        |
|          | 3    | C     | <i>Ploceus cucullatus</i>     | live | 800      |      | ES       | SN       |        |         |        |
|          | 3    | C     | <i>Ploceus cucullatus</i>     | live | 300      |      | ES       | SN       | GN     |         |        |
|          | 3    | C     | <i>Ploceus cucullatus</i>     | live | 150      |      | IT       | ML       |        |         |        |
|          | 3    | C     | <i>Ploceus cucullatus</i>     | live | 2240     |      | IT       | SN       |        |         |        |
|          | 3    | C     | <i>Ploceus cucullatus</i>     | live | 100      |      | NL       | ML       |        |         |        |
|          | 3    | C     | <i>Ploceus cucullatus</i>     | live | 100      |      | NL       | TZ       |        |         |        |
|          | 3    | C     | <i>Ploceus cucullatus</i>     | live | 2700     |      | PT       | GN       | T      | W       |        |
|          | 3    | C     | <i>Ploceus cucullatus</i>     | live | 1150     |      | PT       | ML       | T      | W       |        |
|          | 3    | C     | <i>Ploceus cucullatus</i>     | live | 2160     |      | PT       | SN       | T      | W       |        |
|          | 3    | C     | <i>Ploceus luteolus</i>       | live | 400      |      | BE       | ML       | T      | W       |        |
|          | 3    | C     | <i>Ploceus luteolus</i>       | live | 150      |      | BE       | SN       | T      | W       |        |
|          | 3    | C     | <i>Ploceus luteolus</i>       | live | 100      |      | DE       | ML       | T      | W       |        |
|          | 3    | C     | <i>Ploceus luteolus</i>       | live | 300      |      | DE       | SG       | T      | W       |        |
|          | 3    | C     | <i>Ploceus luteolus</i>       | live | 550      |      | DE       | SN       | T      | W       |        |
|          | 3    | C     | <i>Ploceus luteolus</i>       | live | 200      |      | ES       | SN       |        |         |        |
|          | 3    | C     | <i>Ploceus luteolus</i>       | live | 100      |      | ES       | SN       | GN     |         |        |
|          | 3    | C     | <i>Ploceus luteolus</i>       | live | 250      |      | IT       | ML       |        |         |        |
|          | 3    | C     | <i>Ploceus luteolus</i>       | live | 764      |      | IT       | SN       |        |         |        |
|          | 3    | C     | <i>Ploceus luteolus</i>       | live | 450      |      | PT       | ML       | T      | W       |        |
|          | 3    | C     | <i>Ploceus luteolus</i>       | live | 1650     |      | PT       | SN       | T      | W       |        |
|          | 3    | C     | <i>Ploceus melanocephalus</i> | live | 150      |      | BE       | SN       | T      | W       |        |
|          | 3    | C     | <i>Ploceus melanocephalus</i> | live | 200      |      | DE       | SN       | T      | W       |        |
|          | 3    | C     | <i>Ploceus melanocephalus</i> | live | 2640     |      | IT       | SN       |        |         |        |
|          | 3    | C     | <i>Ploceus melanocephalus</i> | live | 4760     |      | PT       | SN       | T      | W       |        |
|          | 3    | C     | <i>Ploceus nigerrimus</i>     | live | 50       |      | DE       | NG       | T      | W       |        |
|          | 3    | C     | <i>Ploceus vitellinus</i>     | live | 2        |      | DE       | NG       | T      | W       |        |
|          | 3    | C     | <i>Ploceus vitellinus</i>     | live | 70       |      | DE       | TZ       | T      | W       |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                       | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------|------|----------|------|----------|----------|--------|---------|--------|
| 3        | C    |       | <i>Ploceus vitellinus</i>   | live | 1100     |      | PT       | GN       |        | T       | W      |
| 3        | C    |       | <i>Sporopipes frontalis</i> | live | 22       |      | DE       | NG       |        | T       | W      |
| 3        | C    |       | <i>Sporopipes frontalis</i> | live | 87       |      | DE       | TZ       |        | T       | W      |
| 3        | C    |       | <i>Vidua spp.</i>           | live | 150      |      | NL       | GN       |        | T       | W      |
| 3        | C    |       | <i>Vidua chalybeata</i>     | live | 850      |      | BE       | GN       |        | T       | W      |
| 3        | C    |       | <i>Vidua chalybeata</i>     | live | 2150     |      | BE       | ML       |        | T       | W      |
| 3        | C    |       | <i>Vidua chalybeata</i>     | live | 450      |      | DE       | ML       |        | T       | W      |
| 3        | C    |       | <i>Vidua chalybeata</i>     | live | 100      |      | DE       | NG       |        | T       | W      |
| 3        | C    |       | <i>Vidua chalybeata</i>     | live | 450      |      | DE       | SG       |        | T       | W      |
| 3        | C    |       | <i>Vidua chalybeata</i>     | live | 350      |      | DE       | SN       |        | T       | W      |
| 3        | C    |       | <i>Vidua chalybeata</i>     | live | 20       |      | DE       | TZ       |        | T       | W      |
| 3        | C    |       | <i>Vidua chalybeata</i>     | live | 400      |      | ES       | GN       |        |         |        |
| 3        | C    |       | <i>Vidua chalybeata</i>     | live | 150      |      | ES       | ML       |        |         |        |
| 3        | C    |       | <i>Vidua chalybeata</i>     | live | 840      |      | ES       | SN       |        |         |        |
| 3        | C    |       | <i>Vidua chalybeata</i>     | live | 400      |      | IT       | GN       |        |         |        |
| 3        | C    |       | <i>Vidua chalybeata</i>     | live | 150      |      | IT       | ML       |        |         |        |
| 3        | C    |       | <i>Vidua chalybeata</i>     | live | 2600     |      | IT       | SN       |        |         |        |
| 3        | C    |       | <i>Vidua chalybeata</i>     | live | 1550     |      | NL       | GN       |        |         |        |
| 3        | C    |       | <i>Vidua chalybeata</i>     | live | 600      |      | NL       | ML       |        |         |        |
| 3        | C    |       | <i>Vidua chalybeata</i>     | live | 5        |      | NL       | TZ       |        |         |        |
| 3        | C    |       | <i>Vidua chalybeata</i>     | live | 600      |      | PT       | GN       |        | T       | W      |
| 3        | C    |       | <i>Vidua chalybeata</i>     | live | 1500     |      | PT       | ML       |        | T       | W      |
| 3        | C    |       | <i>Vidua macroura</i>       | live | 3450     |      | PT       | SN       |        | T       | W      |
| 3        | C    |       | <i>Vidua macroura</i>       | live | 1454     |      | BE       | GN       |        | T       | W      |
| 3        | C    |       | <i>Vidua macroura</i>       | live | 1400     |      | BE       | ML       |        | T       | W      |
| 3        | C    |       | <i>Vidua macroura</i>       | live | 700      |      | DE       | GN       |        | T       | W      |
| 3        | C    |       | <i>Vidua macroura</i>       | live | 500      |      | DE       | ML       |        | T       | W      |
| 3        | C    |       | <i>Vidua macroura</i>       | live | 80       |      | DE       | SG       |        | T       | W      |
| 3        | C    |       | <i>Vidua macroura</i>       | live | 100      |      | DE       | SN       |        | T       | W      |
| 3        | C    |       | <i>Vidua macroura</i>       | live | 170      |      | DE       | TZ       |        | T       | W      |
| 3        | C    |       | <i>Vidua macroura</i>       | live | 900      |      | ES       | GN       |        |         |        |
| 3        | C    |       | <i>Vidua macroura</i>       | live | 400      |      | ES       | ML       |        |         |        |
| 3        | C    |       | <i>Vidua macroura</i>       | live | 409      |      | ES       | SN       |        |         |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                    | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------|------|----------|------|----------|----------|--------|---------|--------|
|          | 3    | C     | <i>Vidua macroura</i>    | live | 550      |      | IT       | GN       |        |         |        |
|          | 3    | C     | <i>Vidua macroura</i>    | live | 710      |      | IT       | ML       |        |         |        |
|          | 3    | C     | <i>Vidua macroura</i>    | live | 1536     |      | IT       | SN       |        |         |        |
|          | 3    | C     | <i>Vidua macroura</i>    | live | 2050     |      | NL       | GN       |        |         |        |
|          | 3    | C     | <i>Vidua macroura</i>    | live | 400      |      | NL       | ML       |        |         |        |
|          | 3    | C     | <i>Vidua macroura</i>    | live | 5        |      | NL       | TZ       |        |         |        |
|          | 3    | C     | <i>Vidua macroura</i>    | live | 1000     |      | PT       | GN       | T      | W       |        |
|          | 3    | C     | <i>Vidua macroura</i>    | live | 1300     |      | PT       | ML       | T      | W       |        |
|          | 3    | C     | <i>Vidua macroura</i>    | live | 2315     |      | PT       | SN       | T      | W       |        |
|          | 3    | C     | <i>Vidua paradisaea</i>  | live | 3126     |      | BE       | ML       | T      | W       |        |
|          | 3    | C     | <i>Vidua paradisaea</i>  | live | 200      |      | BE       | SN       | T      | W       |        |
|          | 3    | C     | <i>Vidua paradisaea</i>  | live | 134      |      | DE       | GN       | T      | W       |        |
|          | 3    | C     | <i>Vidua paradisaea</i>  | live | 500      |      | DE       | ML       | T      | W       |        |
|          | 3    | C     | <i>Vidua paradisaea</i>  | live | 120      |      | DE       | SG       | T      | W       |        |
|          | 3    | C     | <i>Vidua paradisaea</i>  | live | 300      |      | DE       | SN       | T      | W       |        |
|          | 3    | C     | <i>Vidua paradisaea</i>  | live | 75       |      | DE       | TZ       | T      | W       |        |
|          | 3    | C     | <i>Vidua paradisaea</i>  | live | 130      |      | DE       | TZ       | T      | W       |        |
|          | 3    | C     | <i>Vidua paradisaea</i>  | live | 100      |      | ES       | ML       |        | C       |        |
|          | 3    | C     | <i>Vidua paradisaea</i>  | live | 1500     |      | ES       | ML       |        |         |        |
|          | 3    | C     | <i>Vidua paradisaea</i>  | live | 397      |      | ES       | SN       |        |         |        |
|          | 3    | C     | <i>Vidua paradisaea</i>  | live | 50       |      | ES       | SN       |        |         |        |
|          | 3    | C     | <i>Vidua paradisaea</i>  | live | 350      |      | IT       | GN       |        |         |        |
|          | 3    | C     | <i>Vidua paradisaea</i>  | live | 80       |      | IT       | ML       |        |         |        |
|          | 3    | C     | <i>Vidua paradisaea</i>  | live | 3202     |      | IT       | SN       |        |         |        |
|          | 3    | C     | <i>Vidua paradisaea</i>  | live | 340      |      | NL       | GN       |        |         |        |
|          | 3    | C     | <i>Vidua paradisaea</i>  | live | 1200     |      | NL       | ML       |        |         |        |
|          | 3    | C     | <i>Vidua paradisaea</i>  | live | 5        |      | NL       | TZ       |        |         |        |
|          | 3    | C     | <i>Vidua paradisaea</i>  | live | 50       |      | NL       | TZ       |        |         |        |
|          | 3    | C     | <i>Vidua paradisaea</i>  | live | 250      |      | PT       | GN       | T      | W       |        |
|          | 3    | C     | <i>Vidua paradisaea</i>  | live | 850      |      | PT       | ML       | T      | W       |        |
|          | 3    | C     | <i>Vidua paradisaea</i>  | live | 3075     |      | PT       | SN       | T      | W       |        |
|          | 3    | C     | <i>Trionyx triunguis</i> | live | 5        |      | ES       | GH       |        |         |        |
|          | 3    | C     | <i>Trionyx triunguis</i> | live | 4        |      | ES       | TG       |        |         |        |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                       | Term                   | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------|------------------------|----------|------|----------|----------|--------|---------|--------|
|          | 3    | C     | <i>Pelomedusa subrufa</i>   | live                   | 125      |      | BE       | TG       |        | T       | W      |
|          | 3    | C     | <i>Pelomedusa subrufa</i>   | live                   | 33       |      | DE       | NG       |        | T       | W      |
|          | 3    | C     | <i>Pelomedusa subrufa</i>   | live                   | 50       |      | ES       | BJ       |        | T       | R      |
|          | 3    | C     | <i>Pelomedusa subrufa</i>   | live                   | 120      |      | ES       | GH       |        | T       | W      |
|          | 3    | C     | <i>Pelomedusa subrufa</i>   | live                   | 25       |      | ES       | TG       |        | T       | W      |
|          | 3    | C     | <i>Pelomedusa subrufa</i>   | live                   | 50       |      | ES       | TG       |        | T       | W      |
|          | 3    | C     | <i>Pelomedusa subrufa</i>   | live                   | 3        |      | IT       | GH       |        |         |        |
|          | 3    | C     | <i>Pelomedusa subrufa</i>   | live                   | 200      |      | IT       | TG       |        |         |        |
|          | 3    | C     | <i>Pelusios spp.</i>        | live                   | 25       |      | ES       | TG       |        |         |        |
|          | 3    | C     | <i>Pelusios gabonensis</i>  | live                   | 80       |      | ES       | GH       |        | T       | W      |
|          | 3    | C     | <i>Pelusios gabonensis</i>  | live                   | 100      |      | IT       | GH       |        |         |        |
|          | 3    | C     | <i>Pelusios niger</i>       | live                   | 278      |      | BE       | TG       |        | T       | W      |
|          | 3    | C     | <i>Pelusios niger</i>       | live                   | 50       |      | ES       | BJ       |        | T       | R      |
|          | 3    | C     | <i>Pelusios niger</i>       | live                   | 60       |      | ES       | TG       |        | T       | W      |
|          | 3    | C     | <i>Pelusios niger</i>       | live                   | 200      |      | IT       | TG       |        |         |        |
|          | 3    | C     | <i>Cerberus rhynchops</i>   | large leather products | 150      |      | DE       | PH       |        | T       | W      |
|          | 3    | C     | <i>Cerberus rhynchops</i>   | large leather products | 79       |      | IT       | ID       |        |         |        |
|          | 3    | C     | <i>Cerberus rhynchops</i>   | small leather products | 11       |      | DE       | TH       |        | T       | W      |
|          | 3    | C     | <i>Cerberus rhynchops</i>   | small leather products | 74       |      | DE       | TH       |        | T       | C      |
|          | 3    | C     | <i>Cerberus rhynchops</i>   | small leather products | 70       |      | ES       | ID       |        |         |        |
|          | 3    | C     | <i>Cerberus rhynchops</i>   | small leather products | 12 pairs |      | ES       | ID       |        |         |        |
|          | 3    | C     | <i>Cerberus rhynchops</i>   | small leather products | 10       |      | GB       | ID       |        | I       |        |
|          | 3    | C     | <i>Cerberus rhynchops</i>   | small leather products | 335      |      | SE       | ID       |        | T       | W      |
|          | 3    | C     | <i>Cerberus rhynchops</i>   | skins                  | 770      |      | DK       | ID       |        |         |        |
|          | 3    | C     | <i>Bothrops nasuta</i>      | live                   | 8        |      | DE       | CR       |        | T       | W      |
|          | 3    | C     | <i>Bothrops nummifer</i>    | live                   | 2        |      | DE       | CR       |        | T       | W      |
|          | 3    | C     | <i>Bothrops ophryomegas</i> | live                   | 6        |      | DE       | CR       |        | T       | W      |
|          | 3    | C     | <i>Bothrops ophryomegas</i> | live                   | 15       |      | DE       | US       |        | T       | F      |
|          | 3    | C     | <i>Bothrops schlegelii</i>  | live                   | 16       |      | DE       | HN       |        | T       | W      |
|          | 3    | C     | <i>Crotalus durissus</i>    | live                   | 1        |      | GB       | CZ       |        | I       |        |
|          | 3    | C     | <i>Vipera russellii</i>     | live                   | 5        |      | DE       | ID       |        | T       | W      |
|          | 3    | C     | <i>Vipera russellii</i>     | small leather products | 89       |      | DE       | TH       |        | T       | W      |
|          | 3    | C     | <i>Vipera russellii</i>     | small leather products | 443      |      | DE       | TH       |        | T       | C      |

European Community annual report to CITES 1998

| Exp/Imp. | App. | Annex | Taxon                        | Term      | Quantity | Unit           | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|-----------|----------|----------------|----------|----------|--------|---------|--------|
|          | 3    | C     | <i>Swietenia macrophylla</i> | logs      | 19125    | kg             | BE       | BR       |        | T       | W      |
|          | 3    | C     | <i>Swietenia macrophylla</i> | sawn wood | 101      | m <sup>3</sup> | BE       | BR       |        | T       | W      |
|          | 3    | C     | <i>Swietenia macrophylla</i> | sawn wood | 708      | m <sup>3</sup> | DE       | BR       |        | T       | W      |
|          | 3    | C     | <i>Swietenia macrophylla</i> | sawn wood | 304      | m <sup>3</sup> | ES       | NI       |        |         |        |
|          | 3    | C     | <i>Swietenia macrophylla</i> | sawn wood | 32       | m <sup>3</sup> | ES       | PE       |        |         |        |
|          | 3    | C     | <i>Swietenia macrophylla</i> | sawn wood | 31605    | m <sup>3</sup> | FR       | BR       |        | T       | W      |
|          | 3    | C     | <i>Swietenia macrophylla</i> | sawn wood | 4167     | m <sup>3</sup> | GB       | BR       |        |         |        |
|          | 3    | C     | <i>Swietenia macrophylla</i> | sawn wood | 93       | m <sup>3</sup> | IE       | BR       |        | T       | W      |
|          | 3    | C     | <i>Swietenia macrophylla</i> | sawn wood | 41       | m <sup>3</sup> | IE       | PE       |        | T       | W      |
|          | 3    | C     | <i>Swietenia macrophylla</i> | timber    | 45       | m <sup>3</sup> | ES       | BR       |        |         | W      |
|          | 3    | C     | <i>Swietenia macrophylla</i> | timber    | 274      | m <sup>3</sup> | ES       | BR       |        |         |        |
|          | 3    | C     | <i>Swietenia macrophylla</i> | timber    | 586204   | kg             | ES       | BR       |        |         |        |
|          | 3    | C     | <i>Swietenia macrophylla</i> | timber    | 211      | m <sup>3</sup> | ES       | NI       |        |         |        |
|          | 3    | C     | <i>Swietenia macrophylla</i> | timber    | 64       | m <sup>3</sup> | ES       | PE       |        |         |        |
|          | 3    | C     | <i>Swietenia macrophylla</i> | timber    | 188331   | kg             | ES       | PE       |        |         |        |
|          | 3    | C     | <i>Swietenia macrophylla</i> | timber    | 67       | m <sup>3</sup> | ES       | US       | BO     |         | W      |
|          | 3    | C     | <i>Swietenia macrophylla</i> | timber    | 511      | m <sup>3</sup> | NL       | BR       |        |         |        |
|          | 3    | C     | <i>Swietenia macrophylla</i> | veneer    | 13420    | m <sup>2</sup> | BE       | BR       |        | T       | I      |

## INDEX OF I.S.O. COUNTRY CODES USED

|    |                           |    |                              |
|----|---------------------------|----|------------------------------|
| *S | INTRODUCTION FROM THE SEA |    |                              |
| AD | ANDORRA                   | CM | CAMEROON                     |
| AE | UNITED ARAB EMIRATES      | CN | CHINA                        |
| AN | NETHERLANDS ANTILLES      | CO | COLOMBIA                     |
| AO | ANGOLA                    | CR | COSTA RICA                   |
| AQ | ANTARCTICA                | CS | CZECHOSLOVAKIA               |
| AR | ARGENTINA                 | CU | CUBA                         |
| AT | AUSTRIA                   | CY | CYPRUS                       |
| AU | AUSTRALIA                 | DD | GERMAN DEMOCRATIC REPUBLIC   |
| AW | ARUBA                     | DE | GERMANY, FEDERAL REPUBLIC OF |
| BB | BARBADOS                  | DJ | DJIBOUTI                     |
| BD | BANGLADESH                | DK | DENMARK                      |
| BE | BELGIUM                   | DM | DOMINICA                     |
| BF | BURKINA FASO              | DO | DOMINICAN REPUBLIC           |
| BG | BULGARIA                  | DZ | ALGERIA                      |
| BH | BAHRAIN                   | EC | ECUADOR                      |
| BI | BURUNDI                   | EG | EGYPT                        |
| BJ | BENIN                     | ES | SPAIN                        |
| BM | BERMUDA                   | ET | ETHIOPIA                     |
| BN | BRUNEI DARUSSALAM         | FI | FINLAND                      |
| BO | BOLIVIA                   | FO | FIJI                         |
| BR | BRAZIL                    | FR | FAROE ISLANDS                |
| BS | BAHAMAS                   | GA | FRANCE                       |
| BU | BURMA                     | GB | GABON                        |
| BW | BOTSWANA                  | GD | UNITED KINGDOM               |
| BZ | BELIZE                    | GF | GRENADA                      |
| CA | CANADA                    | GH | FRENCH GUIANA                |
| CF | CENTRAL AFRICAN REPUBLIC  | GI | GHANA                        |
| CG | CONGO                     | GL | GIBRALTAR                    |
| CH | SWITZERLAND               | GN | GREENLAND                    |
| CI | COTE D'IVOIRE             | GP | GUINEA                       |
| CL | CHILE                     | GR | GUADELOUPE                   |
|    |                           |    | GREECE                       |

|    |  |    |                  |
|----|--|----|------------------|
| GT | GUATEMALA                              | ML | MALI             |
| GU | GUAM                                   | MN | MONGOLIA         |
| GW | GUINEA-BISSAU                          | MO | MACAU            |
| GY | GUYANA                                 | MQ | MARTINIQUE       |
| HK | HONG KONG                              | MT | MALTA            |
| HN | HONDURAS                               | MU | MAURITIS         |
| HT | HAITI                                  | MW | MALAWI           |
| HU | HUNGARY                                | MX | MEXICO           |
| ID | INDONESIA                              | MY | MALAYSIA         |
| IE | IRELAND                                | MZ | MOZAMBIQUE       |
| IL | ISRAEL                                 | NA | NAMIBIA          |
| IN | INDIA                                  | NC | NEW CALEDONIA    |
| IQ | IRAQ                                   | NE | NIGER            |
| IR | IRAN (ISLAMIC REPUBLIC OF)             | NG | NIGERIA          |
| IS | ICELAND                                | NI | NICARAGUA        |
| IT | ITALY                                  | NL | NETHERLANDS      |
| JM | JAMAICA                                | NO | NORWAY           |
| JO | JORDAN                                 | NP | NEPAL            |
| JP | JAPAN                                  | NR | NAURU            |
| KE | KENYA                                  | NZ | NEW ZEALAND      |
| KI | KIRIBATI                               | OM | OMAN             |
| KM | COMOROS                                | PA | PANAMA           |
| KP | KOREA, DEMOCRATIC PEOPLE'S REPUBLIC OF | PE | PERU             |
| KR | KOREA, REPUBLIC OF                     | PF | FRENCH POLYNESIA |
| KW | KUWAIT                                 | PG | PAPUA NEW GUINEA |
| KY | CAYMAN ISLANDS                         | PH | PHILIPPINES      |
| LA | LAO, PEOPLE'S DEMOCRATIC REPUBLIC      | PK | PAKISTAN         |
| LB | LEBANON                                | PL | POLAND           |
| LK | SRI LANKA                              | PR | PUERTO RICO      |
| LR | LIBERIA                                | PT | PORTUGAL         |
| LS | LESOTHO                                | PY | PARAGUAY         |
| LU | LUXEMBOURG                             | QA | QATAR            |
| LY | LIBYAN ARAB JAMAHARIYA                 | RE | REUNION          |
| MA | MOROCCO                                | RO | ROMANIA          |
| MC | MONACO                                 | RW | RWANDA           |
| MG | MADAGASCAR                             |    |                  |

SA SAUDI ARABIA  
SB SOLOMON ISLANDS  
SC SEYCHELLES  
SD SUDAN  
SE SWEDEN  
SG SINGAPORE  
SL SIERRA LEONE  
SN SENEGAL  
SO SOMALIA  
SR SURINAME  
ST SAO TOME AND PRINCipe  
SU UNION OF SOVIET SOCIALIST REPUBLIC  
SV EL SALVADOR  
SY SYRIA  
TD TCHAD  
TH THAILAND  
TN TUNISIA  
TR TURKEY  
TT TRINIDAD AND TOBAGO  
TW TAIWAN, PROVINCE OF  
TZ TANZANIA, UNITED REPUBLIC OF  
UG UGANDA  
US UNITED STATES  
UY URUGUAY  
VE VENEZUELA  
VG BRITISH VIRGIN ISLANDS  
VI VIRGIN ISLANDS, US  
VN VIETNAM  
XC CARIBBEAN  
XE EUROPE  
XF AFRICA  
XM SOUTH AMERICA  
XS ASIA  
XX COUNTRY UNKNOWN  
YU YUGOSLAVIA

ZA SOUTH AFRICA  
ZM ZAMBIA  
ZR ZAIRE  
ZW ZIMBABWE

European Commission

**Convention on international trade in endangered species of wild fauna and flora  
— EC annual report 1998**

**Document**

Luxembourg: Office for Official Publications of the European Communities

2001 — 448 pp. — 29.7 x 21 cm

ISBN 92-894-0532-5

Price (excluding VAT) in Luxembourg: EUR 62.50

Venta • Salg • Verkauf • Πωλήσις • Sales • Vente • Vendita • Verkoop • Venda • Myynti • Försäljning  
<http://eur-op.eu.int/general/en/s-ad.htm>

**BELGIQUE/BELGIË**

Jean de Lanoy  
Avenue du Roi 202/Koninglaan 202  
B-1190 Bruxelles/Brussel  
Tel. (32-2) 538 59 59  
Fax (32-2) 538 08 41  
E-mail: [jean.de.lanoy@infoboard.be](mailto:jean.de.lanoy@infoboard.be)  
URL: <http://www.jean-de.lanoy.be>

La librairie de l'ordre  
De Europe en Boekhandel

Rue de la Lot 244/Weststraat 244  
B-1040 Bruxelles/Brussel  
Tel. (32-2) 532 22 11  
Fax (32-2) 511 01 84  
E-mail: [europa@just.gouv.be](mailto:europa@just.gouv.be)  
Moniteur belge/Belgisch Staatsblad

Rue de Louvain 40-42/Leuvenseweg 40-42  
B-1000 Bruxelles/Brussel  
Tel. (32-2) 532 22 11  
Fax (32-2) 511 01 84  
E-mail: [europa@just.gouv.be](mailto:europa@just.gouv.be)

**DANMARK**

J. H. Schultz Information A/S  
Hørstedsvej 12  
DK-2620 Alborgstrand  
Tel. (45) 86 43 60 50  
Fax (45) 86 43 63 99  
E-mail: [schultz@schultz.dk](mailto:schultz@schultz.dk)  
URL: <http://www.schultz.dk>

**DEUTSCHLAND**

Bundesstaatlicher Verlag GmbH  
Vertriebsabteilung  
Amsterdamer Straße 192  
D-8053 München  
Tel. (49-211) 97 66 80  
Fax (49-211) 97 66 82 78  
E-mail: [vertrieb@bundesstaatlicher.de](mailto:vertrieb@bundesstaatlicher.de)  
URL: <http://www.bundesstaatlicher.de>

**EELÄMÄNILAND**

Akateeminen Kirjakauppa/  
Akateeminen Bookhandeln  
Keskustori/Centralstation 1  
FIN-00120 Helsinki/Helsingfors  
P. O. Box 100  
FIN-00101 Helsinki/Helsingfors  
P. O. Box 121 44 18  
FIN-00121 Helsinki/Helsingfors  
Sähköposti: [gps@akateeminen.com](mailto:gps@akateeminen.com)  
URL: <http://www.akateeminen.com>

**ΕΛΛΑΣ/ΑΙΓΑΙΟΝ/GREECE**

G. C. Eleutheroudakis SA

International Bookstore

Parepouliotissa 17

GR-10673 Athens

Tel. (30-1) 331 41 80/12/34/5

Fax (30-1) 323 58 27

E-mail: [elebooks@hellasnet.gr](mailto:elebooks@hellasnet.gr)

URL: <http://www.elebooks.gr>

**ESPAÑA**

Boletín Oficial del Estado  
Trabajos, 27  
E-28045 Madrid

Tel. (34) 91 36 21 11 (libros)

913 84 17 15 (suscripción)

Fax (34) 91 36 21 10 (suscripción)

913 84 17 14 (periodicos)

E-mail: [clientes@boe.es](mailto:clientes@boe.es)

URL: <http://www.boe.es>

Mundi Prensa Libros, SA

Calle de Alcalá, 10

E-28001 Madrid

Tel. (34) 91 36 37 00

Fax (34) 91 75 39 98

E-mail: [mp@mundiprensa.es](mailto:mp@mundiprensa.es)

URL: <http://www.mundiprensa.com>

**FRANCE**

Journal officiel

Service des publications des CE

29, rue de la Paix

F-75727 Paris Cedex 15

Tel. (33) 140 58 77 31

Fax (33) 140 58 70

E-mail: [europublications@journal-officiel.gouv.fr](mailto:europublications@journal-officiel.gouv.fr)

URL: <http://www.journal-officiel.gouv.fr>

**IRELAND**

Alan Hanmer's Bookshop

279 Lower Rathmines Road

Dublin 6

Tel. (351-1) 496 73 98

Fax (351-1) 496 02 28

E-mail: [hanmer@iol.ie](mailto:hanmer@iol.ie)

**ITALIA**

Licosa SpA

Via Duce di Calabria, 1/1

Capo d'Orlando 552

I-90125 Palermo

Tel. (091) 65 63 81

Fax (091) 65 64 12 57

E-mail: [licosa@licosa.com](mailto:licosa@licosa.com)

URL: <http://www.licosa.com>

**LUXEMBOURG**

Messageries du livre SARL

5, rue de la Poste

L-2411 Luxembourg

Tel. (352) 49 10 20

Fax (352) 49 06 81

E-mail: [mdlu@mdlu.lu](mailto:mdlu@mdlu.lu)

URL: <http://www.sdu.nl>

**NEDERLAND**

SDU Servicecentrum Uitgevers

Christoffel Plantijnstraat 2

Postbus 10000

2500 EA Den Haag

Tel. (31-70) 378 79 80

Fax (31-70) 378 79 83

E-mail: [sdut@sdut.nl](mailto:sdut@sdut.nl)

URL: <http://www.sdu.nl>

**ÖSTERREICH**

Manz'sche Verlags- und

Universitätsbuchhandlung GmbH

Kohlmarkt 16

A-1010 Wien

Tel. (43-1) 53 16 11 00

Fax (43-1) 53 16 11 07

E-mail: [manz@schwinge.at](mailto:manz@schwinge.at)

URL: <http://www.manz.at>

**ESTI**

Eesti Kaubandus-T&T Keskoda

(Estonian Chamber of Commerce and Industry)

Toom-Kooli 17

EE-10130 Tallinn

Tel. (372) 645 02 44

Fax (372) 645 02 45

E-mail: [elmo@koda.ee](mailto:elmo@koda.ee)

URL: <http://www.koda.ee>

**EGYPT**

The Middle East Observer

41 Sheriff Street

Cairo

Tel. (20-2) 392 69 19

Fax (20-2) 393 97 32

E-mail: [inquiry@meobserver.com](mailto:inquiry@meobserver.com)

URL: <http://www.meobserver.com.eg>

**INDIA**

EBIC India

3rd Floor, B. Chavhan Centre

Gen. J. Bhowmik Marg,

Mumbai 400 021

Tel. (91-22) 282 60 64

Fax (91-22) 285 45 45

E-mail: [books@ebicindia.com](mailto:books@ebicindia.com)

URL: <http://www.ebicindia.com>

**JAPAN**

PSJ-Japan

Asian Sanbancho Plaza #206

7-1 Sanbancho, Chiyoda-ku

Tokyo 102

Tel. (81-3) 32 69 21

Fax (81-3) 32 69 15

E-mail: [books@psj-japan.co.jp](mailto:books@psj-japan.co.jp)

URL: <http://www.psj-japan.co.jp>

**KOREA**

Euromedia

Sukje 50, Level 45

Plaza MB (Letter Box 45)

8 Jalan Yan Keng

54400 Kuala Lumpur

Tel. (60-3) 21 82 92 98

Fax (60-3) 21 82 61 98

E-mail: [gwidt@tm.net.my](mailto:gwidt@tm.net.my)

URL: <http://www.eumedia.com>

**MALAYSIA**

EBIG Malaysia

Sukie 405, Level 45

Plaza MB (Letter Box 45)

8 Jalan Yan Keng

54400 Kuala Lumpur

Tel. (60-3) 21 82 92 98

Fax (60-3) 21 82 61 98

E-mail: [ebig@tm.net.my](mailto:ebig@tm.net.my)

URL: <http://www.eumedia.com>

**MÉXICO**

Mundi Prensa México, SA de CV

Río Pámico, 141

Ciudad Guayana

MARACAY

MARCO

MAX 100

MEXICO CITY

Metro Manila

Tel. (63-2) 759 68 60

Fax (63-2) 759 68 60

E-mail: [ecm@compuserve.com](mailto:ecm@compuserve.com)

URL: <http://www.ecm.com.ph>

**PHILIPPINES**

EBIC Philippines

19th Floor, PNB Tower

Sen. Gil Puyat Ave. cor. Tindalo St.

Malate City

Metro Manila

Tel. (63-2) 759 68 60

Fax (63-2) 759 68 60

E-mail: [ecm@compuserve.com](mailto:ecm@compuserve.com)

URL: <http://www.ecm.com.ph>

**SOUTH AFRICA**

Euromedia

Europarque Veenstraat

Durban 43440

TR-00050 Beaufort-West

Tel. (031-21) 829 46 83

Fax (031-21) 829 46 27

E-mail: [info@euromedia.co.za](mailto:info@euromedia.co.za)

URL: <http://www.euromedia.co.za>

**SOUTH KOREA**

The European Union Chamber of

Commerce in Korea

56 F, 1st Floor

2nd Floor, Hotel

202, Gangchon-dong 2ga, Chung-ku

Seoul 100-082

Tel. (82-2) 53-53-5314

Fax (82-2) 53-53-5316

E-mail: [euuck@euuck.org](mailto:euuck@euuck.org)

URL: <http://www.euuck.org>

**SRI LANKA**

EBIC Sri Lanka

Trans Asia Hotel

A. G. Cooray & Mewatha

Colombo 2

Colombo 2

Tel. (94-1) 074 71 50 78

Fax (94-1) 074 71 57 79

E-mail: [ebic@ebic.lk](mailto:ebic@ebic.lk)

URL: <http://www.ebic.lk>

**UNITED STATES OF AMERICA**

Berman Associates

4611-F Assembly Drive

Lanham, Maryland 20706

Tel. (1-800) 274 44 47 (toll free telephone)

Fax (1-800) 863 34 50 (toll free fax)

E-mail: [berman@berman.com](mailto:berman@berman.com)

URL: <http://www.berman.com>

**ANDERE LANDER/OTHER COUNTRIES/ AUTRES PAYS**

Bitte wenden Sie sich an ein Büro Ihrer

Wahl/Pays/Contact the sales office of

your choice/Veuillez vous adresser au

bureau de vente de votre choix

Office for Official Publications of the European

Commission

2, rue Mercier

1000 Brussels

Tel. (32-2) 29 00 24 55

Fax (32-2) 29 47 27 58

E-mail: [info-euro@occi.org](mailto:info-euro@occi.org.cy)

---

Price (excluding VAT) in Luxembourg: EUR 62.50

ISBN 92-894-0532-5



OFFICE FOR OFFICIAL PUBLICATIONS  
OF THE EUROPEAN COMMUNITIES  
L-2985 Luxembourg

9 789289 405324 >