

CONVENTION ON INTERNATIONAL TRADE IN ENDANGERED SPECIES OF WILD FAUNA AND FLORA

EC ANNUAL REPORT 1987



COMMISSION
OF THE EUROPEAN
COMMUNITIES

This document has been prepared for use within the Commission. It does not necessarily represent the Commission's official position.

Cataloguing data can be found at the end of this publication

Luxembourg: Office for Official Publications of the European Communities, 1989

ISBN 92-825-9927-2

Catalogue number: CB-56-89-732-EN-C

© ECSC-EEC-EAEC, Brussels · Luxembourg, 1989
Reproduction is authorized, except for commercial purposes, provided the source is acknowledged.

Printed in Belgium

Commission of the European Communities

**CONVENTION ON INTERNATIONAL TRADE
IN ENDANGERED SPECIES OF WILD FAUNA AND FLORA
EC ANNUAL REPORT 1987**

Document

This document has been prepared for use within the Commission. It does not necessarily represent the Commission's official position.

Copyright ECSC-EEC-EAEC, Brussel - Luxembourg, 1989
Reproduction is authorized, except for commercial purposes, provided the source is acknowledged.

CONTENTS :

CONTENU :

INDICE :

1. - Presentation and Introduction to the
EC 1987 annual report to CITES
- Présentation et introduction du rapport
annuel 1987 de la CE à CITES
- Presentacion et introduccion del informe
anual de 1987 de la CE para el CITES P. 1 - 4
2. - Imports
- Importations
- Importaciones P. 1 - 266
3. - Exports - Re-exports
- Exportations - Réexportation
- Exportaciones - Reexportaciones P. 1 - 238
4. - Index of country codes used
- Liste des codes de pays utilisés
- Indice de los codigos de paises utilizato P. 1 - 6

PRESENTATION OF THE EEC 1987 ANNUAL REPORT TO CITES

In accordance with art. 8 par e) of the EC Reg. 3626/82¹ and with regard to Art. VIII (6) and (7) of the Convention the Commission of the European Communities gathered the necessary trade data from all Member States and charged the Wildlife Trade Monitoring Unit with the production of the annual report.

The Community's 1987 CITES report, which consists of a cumulative report showing all trade in CITES specimens between the Community and the rest of the world, is the fourth annual report of the EC to CITES since the EC Reg. 3626/82 on the implementation of CITES in the Community came into force (1.1.1984).

Annexes with information on each Member State's individual trade with third countries have been established as well. These annexes contain to the extent possible for each shipment:

- The States with which such trade occurred;
- the number or quantities and types of specimens;
- the latin names of the specimens
- size and sex of the specimens, where applicable;
- purpose of the exportation, re-exportation, importation or introduction from the sea,
 - permit numbers.

Because of the volume of these annexes it has not been possible to publish them together with the Community report. They were, however, made available to the Community Member States and the Convention Secretariat. Requests from parties for information on individual shipments can be addressed to the Commission of the European Communities, 200, rue de la Loi, Directorate General for the Environment, Consumer Protection and Nuclear Safety, telex n°. 21877 COMEU - B

¹OJ N° L 384 of 31.12.1982, p.1

INTRODUCTION TO THE EEC 1987 ANNUAL REPORT TO CITES

1. LEGISLATION

In the process of the development of a common environmental policy, Member States' competences have increasingly been transferred to the Community as it was recognised that common action was more efficient than individual action by Member States.

In the case of CITES there is an additional Community aspect : CITES mainly employs commercial policy instruments to attain its objectives and ever since the establishment of the EEC, international trade regulations have fallen in the competence of the Community.

The progressive removal of the controls at the internal borders in the framework of the Community integration process implies that the Community Member States are not in a position to carry out all of the obligations under the Convention in the absence of a common implementation system.

,

Therefore the European Community has adopted autonomous measures to implement CITES per 1.1.1984 under two EC Regulations (3626/82¹ and 3418/83²). These regulations, have been followed by a number of subsequent amendment regulations, mainly with a view to adapting them to changes to the Appendices to the Convention and its own Annexes listing the species to be controlled.

The regulations on CITES, which are directly applicable in all Member States, establish a detailed set of provisions for the common implementation of CITES in the Community and bind its Member States to respect the objectives and principles of the Convention. The regulations brought also two countries, who have at present not yet ratified or acceded to the Convention, within the ambit of CITES.

¹ OJ N° L 384 of 31.12.82, p.1

² OJ N° L 344 of 7.12.83, p.1

2. STRICTER COMMUNITY MEASURES

Regulation 3626/82 contains a number of stricter measures regarding the conditions for trade of specimens of species included in the Appendices to the Convention, which are allowed for under Article XIV of the Convention.

- 2.1. Annex C part 1 of the Regulation contains 66 (sub)species, 6 groups of species, 1 family and 3 orders of fauna and 110 species of flora listed in Appendices II or III of the Convention, which shall be considered as species listed in Appendix I to the Convention (Article 3 (1)).
- 2.2. Annex C part 2 of the Regulation covers 43 (sub)species, 8 groups of species, 4 families and 2 orders of fauna as well as 3 species of flora from Appendices II and III of the Convention for which stricter criteria for the issue of import permits shall apply (Articles 3 (2) and 10 (1) (b). These criteria are :

Import permits shall only be issued where

- it is clear, or where the applicant presents trustworthy evidence, that the capture or collection of the specimens in the wild will not have a harmful effect on the conservation of species or on the extent of the territory occupied by the populations in question of the species;
- the applicant provides proof that the specimen has been obtained in accordance with the legislation on protection of the species in question
- the recipient of live animals possesses adequate facilities suitable for accomodating the species and suited to its behaviour
- there are no other requirements relating to conservation of the species which militate against issue.

2.3. Any introduction into the Community, except where specimens are placed under either a customs transit or temporary storage procedure, is subject to the presentation of an import permit or import certificate (Article 5 (1) and 10). The Convention only requires import permits for specimens of Appendix I species. In case of the transit or temporary storage procedure, presentation of the relevant export documentation or satisfactory proof of its existence may be required (Article 5 (4)).

2.4. Article 6 of the Regulation prohibits

- display to the public for commercial purposes
- sale
- keeping for sale
- offering for sale or
- transporting for sale

of (a) Appendix I and Annex C part I specimens as well as of (b) Appendices II and III and Annex C part II specimens that have been imported without an import permit or certificate.

Member States may grant exemptions for specimens mentioned under (a) above in the case of "pre-Regulation" specimens entered in accordance with the Convention; bred in captivity or artificially propagated specimens; for research, teaching, breeding or propagation and for specimens originating from a Member State in accordance with legal provisions or approval of the competent authorities.

2.5. Transportation within the Community of live animals of the species included in Appendix I or Annex C 1 from their address specified in the import permit shall be subject to prior authorization from the management authority (authorities concerned) (Article 13.2).

3. REPORTING ON INTRA-COMMUNITY TRADE

As a result of the consequences of the integration process of the EC, namely the progressive removal of controls at the national borders between Member States, it is technically impossible and it would be in contradiction with the Treaty of Rome to maintain the records which would be required for the establishment of annual reports on intra-Community trade.

The internal CITES certificates are not surrendered to customs at internal borders, but are produced on the request of the competent authorities, not necessarily at the border, and remain in possession of the owner of the goods as proof of their legality. Consequently there is no data basis for the establishment of intra-Community reports.

Moreover, reporting on intra-Community trade may to a certain extent be useful for the monitoring of the level of implementation by individual Member States but would add nothing to the information which is required for conservation purposes : the Community annual report indicates the total volume of trade in all species covered by CITES.

The uniform implementation of CITES at the outside borders of the Community, together with the stricter measures described in (2) above, contains sufficient elements to guarantee an implementation of the Convention which meets the highest possible standards.

PRESENTATION DU RAPPORT ANNUEL 1987 DE LA CE A LA CITES

Conformément à l'article 8, paragraphe e), du Règlement CEE 3626/82¹ et par rapport à l'article VIII (6) et (7) de la Convention sur le commerce international des espèces de faune et de flore sauvages menacées d'extinction (CITES), la Commission des Communautés européennes a recueilli les données commerciales nécessaires auprès de tous les Etats membres et a chargé l'unité de surveillance continue du commerce des espèces sauvages (Wildlife Trade Monitoring Unit) d'établir le rapport annuel.

Le rapport CITES 1987 de la Communauté existant d'un rapport cumulé indiquant tous les échanges d'espèces CITES entre la Communauté et le reste du monde, est le quatrième rapport annuel de la CE à la CITES depuis que le Règlement CEE 3626/82 sur l'application de la CITES dans la Communauté est entré en vigueur (1.1.1984).

Des annexes contenant des informations sur le commerce individuel de chaque Etat membre avec les pays tiers ont également été rédigée. Dans la mesure du possible, ces annexes contiennent par expédition des informations sur :

- les Etats avec lesquels le commerce a eu lieu;
- le nombre ou les quantités et les types de spécimens;
- le nom latin des spécimens;
- la taille et le sexe des spécimens, le cas échéant;
- le but de l'exportation, de la réexportation, de l'importation ou de la capture en mer;
- les numéros des permis

Etant donné le volume de ces annexes, il n'a pas été possible de les publier en même temps que le rapport de la Communauté. Elles ont cependant été mises à la disposition des Etats membres de la Communauté et du Secrétariat de la Convention. Les parties peuvent adresser les demandes d'information concernant des envois individuels à la Commission des Communautés européennes, 200, rue de la Loi, 1040 Bruxelles Direction générale de l'environnement, de la protection des consommateurs et de la sécurité nucléaire, n° de télex 21 877 COMEU-B.

¹ JO L 384 du 31.12.1982, page 1.

INTRODUCTION AU RAPPORT ANNUEL 1987 DE LA CE A LA CITES

1. LEGISLATION

Avec le développement de la politique environnementale commune, les compétences des Etats membres ont été progressivement transférées à la Communauté, l'action commune étant plus efficace que les actions individuelles des Etats membres. Dans le cas de la CITES, il existe un aspect communautaire supplémentaire : la CITES utilise essentiellement des instruments commerciaux pour atteindre ses objectifs et, depuis la création de la CEE, la réglementation du commerce international relève de la compétence de la Communauté.

L'élimination progressive des contrôles aux frontières intérieures dans le cadre du processus d'intégration de la Communauté signifie que les Etats membres ne sont pas en mesure de s'acquitter de toutes les obligations prévues par la Convention, en l'absence d'un système de mise en oeuvre commun.

C'est pourquoi la Communauté a adopté des mesures autonomes pour mettre la CITES en vigueur à partir du 1.1.1984 et ce, dans le cadre de deux règlements (3626/82¹ et 3418/83²). Ces règlements ont été suivis de plusieurs amendements dont le but essentiel était de les adapter aux modifications apportées aux annexes à la Convention et à ses propres annexes énumérant les espèces à contrôler.

Les règlements concernant la CITES, qui sont directement applicables dans tous les Etats membres, établissent un jeu détaillé de prescriptions pour la mise en vigueur commune de la CITES dans la Communauté et impose aux Etats membres le respect des objectifs et des principes de la Convention. Ces règlements ont fait entrer deux pays, qui n'ont pas encore ratifié la Convention ou qui n'y ont pas encore adhéré, dans le champ d'action de la CITES.

¹ JO N° L 384 du 31.12.1982, page 1.

² JO N° L 344 du 7.12.1983, page 1.

2. MESURES COMMUNAUTAIRES PLUS STRICTES

Le règlement 3626/82 prévoit un certain nombre de mesures plus strictes concernant les conditions d'échange des spécimens d'espèces incluses dans les annexes à la Convention, dont il est question à l'article XIV de la Convention.

- 2.1. L'annexe C, partie 1, du Règlement contient 66 sous-espèces, six groupes d'espèces, une famille et trois ordres de faune ainsi que 110 espèces de flore énumérées aux annexes II ou III à la Convention, qui sont considérées comme des espèces énumérées à l'annexe I à la Convention (article 3 (1)).
- 2.2. L'annexe C, partie 2, du règlement couvre 43 sous-espèces, huit groupes d'espèces, 4 familles et 2 ordres de faune ainsi que 3 espèces de flore des annexes II et III à la Convention, auxquels des critères plus stricts de délivrance de permis d'importation sont appliqués (articles 3 (2) et 10 (1) (b)). Ces critères sont les suivants :

Des permis d'importation ne sont délivrés que

- lorsqu'il est clair ou lorsqu'il est prouvé par le demandeur que la capture ou la collecte des spécimens à l'état sauvage n'exerce aucun effet nuisible sur la conservation des espèces ou sur la superficie du territoire occupé par les populations en question de l'espèce;
- lorsque le demandeur prouve que le spécimen a été obtenu conformément à la législation sur la protection des espèces en question;
- lorsque le destinataire d'animaux vivants possède des possibilités adéquates d'hébergement de l'espèce, adaptées à son comportement;
- lorsqu'il n'existe pas d'autres prescriptions concernant la conservation de l'espèce qui milite contre la délivrance du permis.

2.3. Toute introduction dans la Communauté, sauf quand les spécimens font l'objet d'une procédure de transit ou de dépôt provisoire, est assujettie à la présentation d'un permis ou d'un certificat d'importation (articles 5 (1) et 10). La Convention exige uniquement des permis d'importation pour les spécimens des espèces de l'annexe I en cas de transit ou de dépôt temporaire, la présentation du document d'exportation pertinent ou d'une preuve convaincante de son existence peut être exigée (article 5 (4)).

2.4. L'article 6 du Règlement interdit :

- la présentation au public à des fins commerciales
- la vente
- l'élevage en vue de la vente
- la mise en vente
- le transport en vue de la vente

de (a) spécimens de l'annexe I et de l'annexe C, partie I, et (b) de spécimens des annexes II et III et de l'annexe C, partie II, qui ont été importés sans permis ou certificat d'importation.

Les Etats membres peuvent accorder des dérogations pour les spécimens mentionnés en (a) ci-dessus dans le cas de spécimens "pré-réglementation" importés conformément à la Convention, élevés en captivité ou reproduits artificiellement pour la recherche, l'enseignement, l'élevage ou la reproduction et des spécimens provenant d'un Etat membre conformément aux dispositions juridiques ou à l'approbation des autorités compétentes.

2.5. Le transport dans la Communauté d'animaux vivants d'espèces incluses à l'annexe I ou à l'annexe C 1, à partir de l'adresse qui figure sur le permis d'importation doit faire l'objet d'une autorisation préalable de l'autorité de gestion (autorités concernées (Article 13.2)).

PRESENTACIÓN DEL INFORME ANUAL DE 1987 DE LAS COMUNIDADES EUROPEAS PARA EL CITES

De conformidad con el apartado e) del artículo 8 del Reglamento (CEE) nº 3626/82 (1) y en relación con los apartados 6 y 7 del artículo VIII del Convenio Internacional sobre Comercio de Especies Amenazadas de Fauna y Flora Silvestres (CITES), la Comisión de las Comunidades Europeas reunió los datos comerciales necesarios de todos los Estados miembros y encargó a la Unidad de Control del comercio de la fauna y flora silvestres la elaboración del informe anual.

El informe de 1987 de la Comunidad para el CITES, que consiste en un informe acumulativo que muestra todo el comercio de ejemplares del CITES entre la Comunidad y el resto del mundo, es el cuarto informe anual de las Comunidades Europeas para el CITES desde la entrada en vigor del Reglamento (CEE) nº 3626/82 sobre la aplicación del CITES en la Comunidad (1.1.1984).

Asimismo, se han elaborado Anexos con información sobre el comercio de cada Estado miembro con terceros países. Dichos Anexos contienen, en la medida de lo posible, para cada envío:

- los Estados con los que tiene lugar dicho comercio;
- el número o cantidades y tipos de ejemplares;
- los nombres latinos de los ejemplares;
- tamaño y sexo de los ejemplares, en su caso;
- objetivo de la exportación, reexportación, importación o introducción a partir del mar;
- números de los permisos.

Debido al volumen de dichos Anexos, no ha sido posible publicarlos junto con el informe de la Comunidad. Sin embargo, se pusieron a disposición de los Estados miembros de la Comunidad y de la Secretaría del Convenio. Las Partes pueden solicitar información sobre envíos particulares a la Comisión de las Comunidades Europeas, 200 rue de la Loi, Dirección General de Medio Ambiente, Protección de los Consumidores y Seguridad Nuclear, télex nº 21877, COMEU-B .

(1) DO nº L 384 de 31.12.1982, p. 1

INTRODUCCIÓN DEL INFORME ANUAL DE 1987 DE LAS COMUNIDADES EUROPEAS PARA EL CITES

1. LEGISLACION

En el proceso del desarrollo de una política ambiental común, las competencias de los Estados miembros han ido transfiriéndose a la Comunidad según se iba reconociendo que una acción conjunta resultaba más eficaz que la acción de los Estados miembros por separado.

En el caso del CITES existe un aspecto comunitario complementario: el CITES utiliza principalmente instrumentos de política comercial para alcanzar sus objetivos y, desde la creación de la CEE, la normativa comercial internacional ha pasado a ser competencia de la Comunidad.

La eliminación progresiva de los controles en las fronteras internas, con arreglo al proceso de integración de la Comunidad, implica que los Estados miembros de la Comunidad no pueden cumplir todas las obligaciones que se derivan del Convenio sin un sistema de aplicación común.

Por consiguiente, la Comunidad Europea ha adoptado medidas autónomas para aplicar el CITES para el 1.1.1984 con arreglo a dos Reglamentos comunitarios (3626/82 (1) y 3418/83 (2)). Estos Reglamentos han sido modificados por una serie de reglamentos posteriores, principalmente a fin de adaptarlos a los cambios de los Apéndices del Convenio y a fin de controlar las especies inscritas en sus propios Anexos.

La normativa sobre el CITES, que se aplica directamente en todos los Estados miembros, establece una serie detallada de disposiciones para la aplicación conjunta del CITES en la Comunidad y obliga a sus Estados miembros a respetar los objetivos y principios del Convenio. Asimismo, la normativa incorpora dos países, que hasta el momento no han ratificado o accedido al Convenio, en el ámbito del CITES.

(1) DO nº L 384 de 31.12.82, p. 1

(2) DO nº L 344 de 7.12.83, p. 1

2. MEDIDAS COMUNITARIAS MAS ESTRICAS

El Reglamento nº 3626/82 contiene una serie de medidas más estrictas relativas a las condiciones del comercio de ejemplares de especies incluidas en los Apéndices del Convenio, autorizadas con arreglo al artículo XIV del Convenio.

2.1. La parte 1 del Anexo C del Reglamento contiene 66 subespecies, 6 grupos de especies, una familia y tres órdenes de fauna y 110 especies de flora registrados en los Apéndices II o III del Convenio, que se considerarán como especies registradas en el Apéndice 1 del Convenio (apartado 1 del artículo 3).

2.2. La parte 2 del Anexo C del Reglamento incluye 43 subespecies, 8 grupos de especies, 4 familias y dos órdenes de fauna y 3 especies de flora de los Apéndices II y III del Convenio para los que se aplicarán criterios más estrictos para la expedición de los permisos de importación (apartado 2 del artículo 3 y letra b) del apartado 1 del artículo 10. Estos criterios son:

Los permisos de importación se expedirán únicamente cuando

- el solicitante presente pruebas fidedignas o resulte claro que la captura o recogida de ejemplares silvestres no tiene un efecto perjudicial sobre la conservación de especies o sobre la extensión del territorio ocupado por la población de que se trate de estas especies;
- el solicitante proporcione pruebas de que el ejemplar ha sido obtenido de conformidad con la legislación sobre protección de las especies de que se trate;
- el destinatario de animales vivos posea instalaciones adecuadas para alojar las especies y adaptadas a su comportamiento;
- no existan otros requisitos relativos a la conservación de las especies que vayan en contra de la expedición del permiso.

2.3. Cualquier introducción en la Comunidad está sujeta a la presentación de un permiso de importación o de un certificado de importación (apartado 1 del artículo 5 y artículo 10), excepto cuando los ejemplares estén sometidos a un procedimiento aduanero de tránsito o de almacenamiento temporal. El Convenio exige permisos de importación únicamente para los ejemplares de las especies del Apéndice I. En caso de procedimiento de tránsito o de almacenamiento temporal, podrá exigirse la presentación de los documentos de exportación pertinentes o pruebas satisfactorias de su existencia (apartado 4 del artículo 5).

2.4. El artículo 6 del Reglamento prohíbe

- la exhibición al público con propósitos comerciales
- la venta
- el mantenimiento para la venta
- el ofrecimiento para la venta, o
- el transporte para la venta

de (a) ejemplares de la parte I del Anexo C y del Apéndice I y de (b) ejemplares de la parte II del Anexo C de los Apéndices II y III que hayan sido importados sin un permiso o certificado de importación.

Los Estados miembros pueden conceder exenciones para los ejemplares mencionados en el punto (a) arriba citado en el caso de ejemplares anteriores al Reglamento introducidos de conformidad con el Convenio; ejemplares criados en cautividad o reproducidos artificialmente; ejemplares para investigación, enseñanza, cría o reproducción y ejemplares procedentes de un Estado miembro, de conformidad con las disposiciones legales o la aprobación de las autoridades competentes.

2.5. El transporte dentro de la Comunidad de animales vivos de las especies incluidas en el Apéndice I o en el Anexo C 1, desde la dirección especificada en el permiso de importación, estará sujeto a la autorización previa de la autoridad administrativa (autoridades pertinentes) (apartado 2 del artículo 13).

European Economic Community

1987 Annual Report to CITES

Imports

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|---------------------------------------|---------------------|----------|------------------------------------|----|
| I | <i>Bettongia penicillata</i> | live (captive bred) | 6 | AU | DE |
| | <i>Hapalemur simus</i> | live | 2 | MG | FR |
| | <i>Lemur catta</i> | live (captive bred) | 2 | US | GB |
| | | live | 2 | DD | DK |
| | <i>Lemur fulvus</i> | live (captive bred) | 2 | GB | GB |
| | | | 4 | US | GB |
| | <i>Lemur macaco</i> | live (captive bred) | 3 | US | FR |
| | | | 3 | US | GB |
| | <i>Lemur macaco macaco</i> | live | 2 | MG | FR |
| | <i>Lemur mongoz</i> | live (captive bred) | 2 items | DD | DE |
| | <i>Varecia variegata</i> | live (captive bred) | 2 | GB | DE |
| | | | 1 | GB | GB |
| | | | 5 | US | GB |
| | <i>Propithecus verreauxi</i> | live | 4 | MG | FR |
| | <i>Leontopithecus rosalia</i> | live (captive bred) | 1 | GB | NL |
| | | | 1 | US | NL |
| | | 1 item | 1 item | GB | DE |
| | | | 1 item | US | DE |
| | <i>Leontopithecus rosalia rosalia</i> | live (captive bred) | 1 | GB | FR |
| | <i>Saguinus oedipus</i> | live | 1 | SE | DK |
| | <i>Callimico goeldii</i> | live (captive bred) | 4 | GB | FR |
| | | | 2 | GB | GB |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|------------------------------|------------------------------------------|-------------------------------------|----------------------------------------|----------------------------------------|----------------------------------------------|
| I | <i>Cercopithecus diana</i> | live (captive bred) live | 1 2 | DD TG | DE | NL FR |
| | <i>Macaca silenus</i> | live (captive bred) | 1 | DD | | GB |
| | <i>Nasalis larvatus</i> | live | 1 | DD | ID | DE |
| | <i>Papio sphinx</i> | trophies | 2 | ZM | | ES |
| | <i>Pygathrix roxellana</i> | live (captive bred) | 2 | CN | | IE |
| | <i>Hylobates lar</i> | live | 1 1 1 | DD MY NO | | FR NL DK |
| | <i>Hylobates moloch</i> | live (captive bred) live | 4 2 | ID ID | | GB GB |
| | <i>Hylobates pileatus</i> | live | 2 | AU | XX | DE |
| | <i>Hylobates syndactylus</i> | live (captive bred) | 5 | ID | | GB |
| | <i>Gorilla gorilla</i> | bodies live specimens | 6 3 15 ml | US CG US | XX | DE GB DE |
| | <i>Pan paniscus</i> | live | 1 | US | | BE |
| | <i>Pan troglodytes</i> | live (captive bred) live specimens | 3 5 4 1 5 2 15 ml | CH CU KE CH JP TW US | GB ES DK DK XX NL DE | NL NL GB DK ES DK NL DE |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|--------------------------------|---------------------|----------|------------------------------------|----|----|
| I | <i>Pongo pygmaeus</i> | bodies | 3 | US | XX | DE |
| | | live (captive bred) | 2 | CH | | FR |
| | | | 3 | US | | DE |
| | | specimens | 5 ml | US | | DE |
| | | | 10 ml | US | XX | DE |
| | <i>Pongo pygmaeus abelii</i> | live (captive bred) | 2 | DD | | DE |
| | <i>Pongo pygmaeus pygmaeus</i> | live (captive bred) | 1 | DD | | FR |
| | <i>CETACEA</i> spp. | bones | 5 | CA | | NL |
| | | live (captive bred) | 3 | CU | | NL |
| | | specimens | 10 kg | FK | | NL |
| | <i>Physeter macrocephalus</i> | bones | 1 | GL | | DK |
| | | carvings | 414 | GL | | DK |
| | | teeth | 16 | GL | | DK |
| | | | 13 | XX | | NL |
| | | | 175 g | GL | | DK |
| | | | 1 kg | US | XX | GB |
| | <i>Balaenoptera physalus</i> | bones | 2 | GL | | DK |
| | <i>Megaptera novaeangliae</i> | bones | 11 | GL | | DK |
| | <i>Canis lupus</i> | bodies | 1 | OM | | GB |
| | | skins | 2 | CA | | GB |
| | | | 426 | FI | MN | GB |
| | | | 95 | FI | SU | GB |
| | | | 25 | SU | | GB |
| | <i>Speothos venaticus</i> | live | 1 | PY | | DE |
| | <i>Ailuropoda melanoleuca</i> | live (captive bred) | 2 | CN | | BE |
| | | live | 2 | CN | | NL |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|-------------------------------|---------------------|----------|------------------------------------|----|----|
| I | <i>Helarctos malayanus</i> | live (captive bred) | 1 | US | | DE |
| | <i>Selenarctos thibetanus</i> | live (captive bred) | 4 | CS | HU | DE |
| | <i>Tremarctos ornatus</i> | live (captive bred) | 1 | CH | | NL |
| | | | 1 | GB | | NL |
| | | live | 1 | GB | XX | NL |
| | <i>Lutra lutra</i> | live (captive bred) | 1 | AT | | DE |
| | | | 1 | CH | | DE |
| | | | 2 | CH | | IT |
| | | | 1 | CH | | NL |
| | | | 1 | CH | AT | BE |
| | | skins | 1 | NO | | NL |
| | <i>Acinonyx jubatus</i> | bodies | 1 | ZA | | IT |
| | | live (captive bred) | 4 | NA | | GB |
| | | | 12 | NA | | IT |
| | | live | 10 | NA | | DE |
| | | skins | 12 | NA | | DE |
| | | skulls | 1 | NA | | DE |
| | <i>Felis nigripes</i> | live (captive bred) | 2 | ZA | | NL |
| | <i>Neofelis nebulosa</i> | live (captive bred) | 3 | US | | ES |
| | <i>Panthera leo persica</i> | live (captive bred) | 1 | DD | | DE |
| | <i>Panthera onca</i> | live (captive bred) | 1 | CS | | DE |
| | | skins | 1 | PE | | NL |
| | <i>Panthera pardus</i> | bodies | 1 | LK | | GB |
| | | | 1 | OM | | GB |
| | | | 1 | ZW | | DK |
| | | garments | 1 | CH | XX | DE |

European Economic Community Imports 1987

5

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|------------------------|---------------------|----------|------------------------------------|-------|
| I | <i>Panthera pardus</i> | live (captive bred) | 1 | CS | DE |
| | | | 1 | DD | DE |
| | | | 4 | LK | NL |
| | | | 1 | US | DE |
| | | live | 1 | LK | NL |
| | | | 1 | ZM | ES |
| | | skins | 2 | BW | NL |
| | | | 2 | CG | PT |
| | | | 5 | ET | XX IT |
| | | | 2 | MW | GB |
| | | | 1 | MZ | PT |
| | | | 1 | NA | DE |
| | | | 2 | NG | GB |
| | | | 5 | TZ | DE |
| | | | 4 | ZA | DE |
| | | | 1 | ZA | GB |
| | | | 1 | ZA | ZM DE |
| | | | 1 | ZA | ZW GB |
| | | | 6 | ZM | DE |
| | | | 2 | ZM | GB |
| | | | 7 | ZM | IT |
| | | | 3 | ZR | ZM DE |
| | | | 13 | ZW | DE |
| | | | 1 | ZW | DK |
| | | | 3 | ZW | GB |
| | | | 1 | ZW | IE |
| | | | 5 | ZW | IT |
| | | skin pieces | 1 | KE | GB |
| | | | 2 | ZA | GB |
| | | | 1 | ZA | KE GB |
| | | skulls | 1 | ZW | DE |
| | | | 1 | ZW | DK |
| | | trophies | 1 | ZA | ES |
| | | | 4 | ZM | ES |
| | | | 3 | ZM | IT |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|--------------------------------|---------------------|--------------------------------|------------------------------------|----------------------|----------------------|
| I | <i>Panthera pardus</i> | trophies | 1 1 | ZW ZW | GB IT | |
| | <i>Panthera tigris</i> | live (captive bred) | 1 4 | CS US | DE DE | |
| | <i>Panthera tigris altaica</i> | live (captive bred) | 1 | DD | NL | |
| | <i>Panthera uncia</i> | live | 1 1 | CH FI | DK DK | |
| | <i>Elephas maximus</i> | ivory carvings | 1 kg 4 kg 1 kg | AT CA IN | XX BU GB | DE |
| | | ivory pieces | 500 g 250 g 2 kg 1 kg | SG SG AE US | IN TH IN IN | GB GB GB GB |
| | | live (captive bred) | 2 | SG | DE | GB |
| | | live | 1 1 | TH IN | DE DE | |
| | <i>Trichechus manatus</i> | live | 1 | US | | DE |
| | <i>Equus africanus</i> | live (captive bred) | 2 1 | CH IL | | NL DE |
| | <i>Equus grevyi</i> | live (captive bred) | 1 | CH | | DE |
| | <i>Equus przewalskii</i> | live (captive bred) | 1 1 1 | CH CS US | | DE DE GB |
| | <i>Rhinocerotidae</i> spp. | horns | 3 1 | US ZW | ZA BW | GB GB |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|----------------------------------|---------------------|----------|------------------------------------|----|----|
| I | <i>Ceratotherium simum</i> | feet | 2 | ZA | BE | |
| | | skins | 1 | ZA | BE | |
| | | trophies | 1 | ZA | BE | |
| | <i>Ceratotherium simum simum</i> | bones | 1 | ZA | DE | |
| | | feet | 4 | NA | DE | |
| | | horns | 2 | ZA | DE | |
| | | | 1 pair | NA | DE | |
| | | | 2 pairs | ZA | DE | |
| | | live (captive bred) | 3 | US | DE | |
| | | skins | 2 | NA | DE | |
| | | | 1 | ZA | DE | |
| | | tails | 2 | ZA | DE | |
| | | trophies | 3 | ZA | DE | |
| | | | 2 | ZA | FR | |
| | <i>Diceros bicornis</i> | horns | 2 | KE | GB | |
| | | live (captive bred) | 1 | CH | DE | |
| | <i>Babirousa babirussa</i> | tusks | 3 | US | XX | GB |
| | <i>Vicugna vicugna</i> | live | 1 | CH | | DK |
| | <i>Cervus porcinus kuhli</i> | live (captive bred) | 5 | SG | DE | |
| | <i>Pudu pudu</i> | live (captive bred) | 2 | CL | BE | |
| | <i>Addax nasomaculatus</i> | live (captive bred) | 2 | DD | DE | |
| | <i>Oryx leucoryx</i> | bodies | 1 | OM | GB | |
| | | live | 3 | CH | DK | |
| | <i>Struthio camelus</i> | bodies | 1 | NG | GB | |
| | <i>Pterocnemia pennata</i> | bodies | 2 | CL | DE | |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|---------------------------------|---------------------------------------|-----------------------------|------------------------------------|----------------------------------|----------------------------------|
| I | <i>Pterocnemia pennata</i> | live (captive bred) | 4 3 | CL CL | DE NL | |
| | <i>Tinamus solitarius</i> | live (captive bred) live | 4 1 | BR AT | XX | DE DE |
| | <i>Pelecanus crispus</i> | live (captive bred) | 3 | RO | | GB |
| | <i>Geronticus eremita</i> | live (captive bred) | 4 4 | CH CH | | FR IT |
| | <i>Cairina scutulata</i> | live (captive bred) | 27 | GB | | GB |
| | <i>Vultur gryphus</i> | bodies live (captive bred) | 1 1 | CL PL | | DE GB |
| | <i>Aquila heliaca</i> | live | 1 | CA | XX | DE |
| | <i>Haliaeetus albicilla</i> | bodies eggs | 3 7 | GL GL | | DK DK |
| | <i>Haliaeetus leucocephalus</i> | live | 1 | NL | CA | GB |
| | <i>Falco hybrid</i> | live (captive bred) | 1 | CA | | DE |
| | <i>Falco jugger</i> | live (captive bred) live | 1 1 1 | AT BE BE | PK | IT GB GB |
| | <i>Falco peregrinus</i> | bodies eggs live (captive bred) | 3 70 1 5 3 2 | CL US BE DE FR FR | GL BE DE FR GB BE | DE DK GB GB GB GB |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|-------------------------------------------------|---------------------|----------|------------------------------------|----|----|
| I | <i>Falco peregrinus</i> | live (captive bred) | 4 | SA | GB | |
| | | | 1 | SA | FR | FR |
| | | live | 1 | BE | TR | GB |
| | | | 3 | CH | | FR |
| | | | 2 | DE | | GB |
| | | specimens | 46 | GL | | DK |
| | <i>Falco peregrinus</i> <i>pelegrinoides</i> | live (captive bred) | 2 | SA | GB | |
| | <i>Falco peregrinus</i> <i>peregrinus</i> | eggs | 38 | SE | DK | |
| | | live | 1 | SE | | DK |
| | <i>Falco rusticolus</i> | live (captive bred) | 1 | BE | GB | |
| | | | 1 | BE | FR | GB |
| | | | 1 | CH | | BE |
| | | | 2 | IT | DE | GB |
| | | live | 1 | GL | | DK |
| | <i>Crossoptilon crossoptilon</i> | live (captive bred) | 3 | GB | GB | |
| | <i>Lophophorus impejanus</i> | live (captive bred) | 1 item | CH | DE | |
| | <i>Polyplectron emphanum</i> | live (captive bred) | 2 | GB | GB | |
| | <i>Tragopan caboti</i> | live (captive bred) | 2 | CA | BE | |
| | | | 1 | US | BE | |
| | | | 9 | US | NL | |
| | | live | 4 | US | NL | |
| | <i>Grus monacha</i> | live (captive bred) | 2 | SU | DE | |
| | <i>Grus vipio</i> | live (captive bred) | 1 | CH | DE | DE |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|-----------------------------------------|---------------------|----------|------------------------------------|----|----|
| I | <i>Chlamydotis undulata</i> | bodies | 2 | OM | GB | |
| | <i>Amazona arausiaca</i> | live | 1 | DM | DE | |
| | <i>Amazona guildingii</i> | live (captive bred) | 4 | BB | GB | |
| | <i>Amazona leucocephala</i> | live (captive bred) | 2 | CH | GB | |
| | | | 9 | CU | NL | |
| | | live | 6 | CU | NL | |
| | <i>Ara ambiguus</i> | live | 1 | DD | XX | DE |
| | <i>Ara glaucogularis</i> | live (captive bred) | 4 | US | GB | |
| | <i>Ara macao</i> | live (captive bred) | 1 | CH | IT | |
| | | live | 6 | SE | GB | |
| | | | 5 | XX | NL | |
| | <i>Ara militaris</i> | live | 48 | MX | NL | |
| | | | 2 | XX | NL | |
| | <i>Ara rubrogenys</i> | live (captive bred) | 2 | SE | GB | |
| | | | 2 | US | DE | |
| | | live | 1 | AT | BO | DE |
| | <i>Cyanoramphus novaehollandiae</i> | live (captive bred) | 20 | CS | FR | |
| | <i>Probosciger aterrimus</i> | live | 1 | XX | NL | |
| | <i>Psephotus pulcherrimus</i> | feathers | 23 | AT | MX | GB |
| | <i>Buceros bicornis homrai</i> | live (captive bred) | 1 | CH | FR | |
| | <i>Rhinoplax vigil</i> | trophies | 2 | US | XX | GB |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|-------------------------------|---------------------|----------|------------------------------------|-------|
| I | <i>Cheloniidae</i> spp. | bodies | 2 | IN | NL |
| | | | 1 | MU | GB |
| | | carvings | 17 | CH | XX GB |
| | | derivatives | 6 flasks | HK | NL |
| | | eggs | 283 | SR | NL |
| | | | 9 kg | SR | NL |
| | | live (captive bred) | 2 | MU | GB |
| | | shells | 6 | CH | XX GB |
| | | | 1 | JP | US GB |
| | | | 1 | KE | GB |
| | | | 1 | OM | GB |
| | | | 3 | PG | GB |
| | | | 2 | SB | GB |
| | | | 1 | SO | GB |
| | | | 3 | ZR | BE |
| | <i>Caretta caretta</i> | live | 1 | CY | IT |
| | | shells | 200 | CY | GB |
| | <i>Chelonia depressa</i> | bodies | 1 | IN | NL |
| | <i>Chelonia mydas</i> | bodies | 14 | OM | GB |
| | | live (captive bred) | 22 | KY | GB |
| | | live | 1 | CY | IT |
| | | | 10 | KY | DK |
| | | | 1 | SC | GB |
| | | shells | 1 | BR | IT |
| | | | 200 | CY | GB |
| | | | 2 | JM | GB |
| | | | 1 | KE | GB |
| | | | 1 | KY | GB |
| | | | 1 | SB | GB |
| | | | 12 | SO | XX IT |
| | <i>Eretmochelys imbricata</i> | bodies | 6 | IN | NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|--------------------------------|-------------|----------|------------------------------------|----|----|
| I | <i>Eretmochelys imbricata</i> | bodies | 1 | MU | IT | |
| | | scales | 120 kg | CU | FR | |
| | | | 75 kg | FJ | FR | |
| | | | 48 kg | HT | FR | |
| | | shells | 100 | ID | NL | |
| | <i>Lepidochelys olivacea</i> | shells | 2 | AO | PT | |
| | | | 1 | GW | PT | |
| | <i>Lissemys punctata</i> | | | | | |
| | <i>punctata</i> | live | 10 | PK | NL | |
| | <i>CROCODYLIA</i> spp. | handbags | 1 | XX | IE | |
| | <i>Crocodylus</i> spp. | skins | 1 | ET | BE | |
| | <i>Crocodylus cataphractus</i> | skins | 149 | CH | NG | FR |
| | <i>Crocodylus niloticus</i> | bodies | 2 | EG | XX | IT |
| | | carvings | 2 | ZW | DK | |
| | | live | 1 | GH | XX | IT |
| | | skins | 1 | CG | BE | |
| | | | 4 | GW | PT | |
| | | | 973 | MG | FR | |
| | | | 1 | ZA | BE | |
| | | | 687 | ZA | FR | |
| | | | 1 | ZM | BE | |
| | | | 3 | ZM | DE | |
| | | skin pieces | 1 | ZW | DK | |
| | | skulls | 1 | ZW | DK | |
| | <i>Crocodylus porosus</i> | skins | 300 | TH | IT | |
| | <i>Crocodylus rhombifer</i> | bodies | 1 | CU | XX | IT |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|----------------------------------|---------------------|----------|------------------------------------|----|----|
| I | <i>Crocodylus rhombifer</i> | live (captive bred) | 1 | CU | NL | |
| | <i>Crocodylus siamensis</i> | skins | 380 | TH | IT | |
| | <i>Osteolaemus tetraspis</i> | bodies | 1 | NG | XX | IT |
| | | | 1 | ZR | | IT |
| | | live | 1 | DD | XX | DE |
| | | | 2 | NG | | NL |
| | <i>Cyclura cornuta</i> | live (captive bred) | 2 | AU | GB | |
| | <i>Acrantophis dumerili</i> | live (captive bred) | 5 | CH | DE | |
| | | | 6 | US | DE | |
| | <i>Boa constrictor</i> | | | | | |
| | <i>occidentalis</i> | live (captive bred) | 5 | AR | DE | |
| | | | 13 | US | DE | |
| | <i>Python molurus molurus</i> | live (captive bred) | 3 | AT | DE | |
| | | | 2 | CS | DE | |
| | | live | 2 | US | MY | IT |
| | <i>Sanzinia madagascariensis</i> | live (captive bred) | 3 | CH | DE | |
| | <i>Scleropages formosus</i> | live | 13 | HK | GB | |
| | | | 15 | HK | XX | DE |
| | | | 4 | HK | XX | DK |
| | <i>Agave arizonica</i> | live (art. prop.) | 2 | US | DE | |
| | | | 20 | US | GB | |
| | <i>Astrophytum asterias</i> | live (art. prop.) | 5 | JP | BE | |
| | | | 50 | US | DE | |
| | <i>Aztekium ritteri</i> | live (art. prop.) | 1 | BE | GB | |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|-------------------------------------------------|-------------------|----------|------------------------------------|----|
| I | <i>Aztekium ritteri</i> | live (art. prop.) | 50 | DD | DE |
| | <i>Echinomastus</i> <i>erectocentrus</i> | live (art. prop.) | 3 | US | GB |
| | <i>Mammillaria</i> spp. | live (art. prop.) | 4 | BE | GB |
| | <i>Mammillaria plumosa</i> | live (art. prop.) | 2800 | BR | DE |
| | | | 1 | GI | GB |
| | | seeds | 1000 | US | GB |
| | <i>Obregonia denegrii</i> | live (art. prop.) | 50 | DD | DE |
| | <i>Pelecyphora</i> spp. | live (art. prop.) | 4 | BE | GB |
| | <i>Turbinicarpus</i> spp. | live (art. prop.) | 5 | BE | GB |
| | <i>Turbinicarpus laui</i> | live (art. prop.) | 100 | DD | DE |
| | <i>Turbinicarpus</i> <i>lophophoroides</i> | live (art. prop.) | 1 | CS | DE |
| | <i>Turbinicarpus</i> <i>pseudopectinatus</i> | live (art. prop.) | 100 | DD | DE |
| | <i>Turbinicarpus valdezianus</i> | live (art. prop.) | 160 | DD | DE |
| | <i>Wilcoxia schmollii</i> | live (art. prop.) | 1 | BE | GB |
| | | | 1300 | BR | DE |
| | <i>Cattleya skinneri</i> | live (art. prop.) | 1 | TH | DE |
| | | | 5 | TH | NL |
| | <i>Laelia jongheana</i> | live (art. prop.) | 36 | BR | DE |
| | | | 1 | BR | NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|-----------------------------------|-------------------|----------|------------------------------------|----|
| I | <i>Laelia lobata</i> | live (art. prop.) | 26 | BR | DE |
| | <i>Vanda coerulea</i> | live (art. prop.) | 7 | TH | DE |
| | | | 11 | TH | NL |
| | <i>Zamiaceae spp.</i> | live | 20 | ZW | FR |
| | <i>Encephalartos spp.</i> | live (art. prop.) | 3500 | ZA | DE |
| | <i>Encephalartos altensteinii</i> | live (art. prop.) | 10 | ZA | PT |
| | <i>Encephalartos arenarius</i> | live (art. prop.) | 10 | ZA | PT |
| | <i>Encephalartos ferox</i> | live (art. prop.) | 10 | ZA | PT |
| | <i>Encephalartos horridus</i> | live (art. prop.) | 10 | ZA | PT |
| | <i>Encephalartos lanatus</i> | live (art. prop.) | 10 | ZA | PT |
| | <i>Encephalartos lebomboensis</i> | live (art. prop.) | 10 | ZA | PT |
| | <i>Encephalartos lehmannii</i> | live (art. prop.) | 10 | ZA | PT |
| | <i>Encephalartos natalensis</i> | live (art. prop.) | 10 | ZA | PT |
| | <i>Encephalartos trispinosus</i> | live (art. prop.) | 10 | ZA | PT |
| | <i>Encephalartos villosus</i> | live (art. prop.) | 10 | ZA | PT |
| II | C2 <i>Loris tardigradus</i> | live | 4 items | LK | DE |
| | C2 <i>Nycticebus coucang</i> | live | 30 | LA | GB |

| CITES EEC App. Annex | | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|----|-------------------------------------------------|---------------------|---------------|------------------------------------|----|----------------|
| II | C2 | <i>Perodicticus potto</i> | live | 1 1 | CH CI | LR | DE FR |
| | C2 | <i>Galago senegalensis</i> | live | 15 | TZ | | GB |
| | C2 | <i>Tarsius bancanus</i> | specimens | 6000 | US | XX | NL |
| | C2 | <i>Callithrix</i> spp. | live | 1 | BR | | NL |
| | C2 | <i>Callithrix argentata</i> | live (captive bred) | 2 | GB | | GB |
| | C2 | <i>Callithrix jacchus</i> | live (captive bred) | 60 12 1 | AU US ZA | BR | GB DE GB |
| | C2 | <i>Callithrix jacchus</i> <i>geoffroyi</i> | live (captive bred) | 1 | CA | MX | DE |
| | C2 | <i>Callithrix jacchus</i> <i>penicillata</i> | live | 1 | BR | | NL |
| | C2 | <i>Cebuella pygmaea</i> | live (captive bred) | 1 | NL | | GB |
| | C2 | <i>Alouatta seniculus</i> | live (captive bred) | 3 | VE | | DE |
| | C2 | <i>Ateles belzebuth</i> | live | 1 | DD | XX | NL |
| | C2 | <i>Ateles geoffroyi</i> | live (captive bred) | 2 | DD | US | GB |
| | | | live | 3 | DD | XX | NL |
| | C2 | <i>Saimiri</i> spp. | live | 1 | XX | | NL |
| | C2 | <i>Saimiri sciureus</i> | live (captive bred) | 1 | GB | | GB |
| | | | live | 19 | US | PE | DE |
| | | | live | 99 | GY | | GB |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|------------------------------------|-----------------------------|-----------------------------------------------------------------------------------|---------------------------------------------------------------------------------|----------------|----------------------------------------------------------------------------------------|
| II | C2 <i>Saimiri sciureus</i> | live | 15 7 60 15 | SE SE US US | BO GY GY | DK DK DE NL |
| | C2 <i>Cercopithecus spp.</i> | live skins | 25 1 | SN ZR | | ES BE |
| | C2 <i>Cercopithecus aethiops</i> | live | 168 30 135 1 180 24 15 1915 40 115 1 13 skins | BB BB BB CM ET ET KE KE KN KN SL TG ZA 1 | XX | BE FR IT IT BE DK ES NL BE IT FR IT DE DK DE |
| | | | 2 20 | DD UG | | GB GB |
| C2 | <i>Cercopithecus ascanius</i> | live (captive bred) live | 2 20 | | | |
| C2 | <i>Cercopithecus erythrogaster</i> | live | 1 | TG | | FR |
| C2 | <i>Cercopithecus lhoesti</i> | live | 2 | CM | | FR |
| C2 | <i>Cercopithecus mona</i> | live | 1 12 | NG TG | XX | IT IT |

| CITES EEC App. Annex | | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|----|---------------------------------|------------------------------------|---------------------------------------------------------------|----------------------------------------------------------|----------------------------------------------------------|
| II | C2 | <i>Cercopithecus petaurista</i> | live | 16 21 | GH GH | ES GB |
| | | <i>Cercopithecus solatus</i> | live | 3 | GA | FR |
| | C2 | <i>Cercopithecus talapoin</i> | live (captive bred) live | 1 10 50 2 | CS CM CM SN | NL GB PT XX IT |
| | C2 | <i>Colobus angolensis</i> | live | 3 | TZ | GB |
| | C2 | <i>Colobus guereza</i> | live (captive bred) | 2 2 | DD US | DE DE |
| | C2 | <i>Colobus polykomos</i> | live (captive bred) skin pieces | 3 1 | GB CA | SL GB SL GB |
| | C2 | <i>Erythrocebus patas</i> | live | 1 44 100 10 | GH SN SN SN | DK ES GB PT |
| | C2 | <i>Macaca arctoides</i> | live (captive bred) | 8 | CS | DE |
| | C2 | <i>Macaca fascicularis</i> | live (captive bred) live | 2 15 200 50 110 690 2114 130 6 130 | CH CH ID MU PH PH PH PH SE US | FR IT BE GB BE FR GB IT DK BE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|-------------------------------|-----------------------------|----------------------------------------------------------|---------------------------------------------------|----------------------------------------------|----------------------------------------------------|
| II | C2 <i>Macaca fascicularis</i> | live | 50 408 42 75 44 80 189 32 skulls | US US US US US US US US 5 | ID ID ID ID PH PH PH PH | DE FR GB IT BE DE FR GB NL |
| C2 | <i>Macaca mulatta</i> | live (captive bred) | 76 17 20 131 100 live | CN CN CS US US 86 7 61 | | DE GB FR DE FR NL GB CN |
| C2 | <i>Macaca nemestrina</i> | live (captive bred) live | 4 10 4 | US ID US | | GB IT ES |
| C2 | <i>Macaca nigra</i> | live (captive bred) live | 6 2 | US US | XX | GB GB |
| C2 | <i>Papio hamadryas</i> | bodies skins | 1 1 1 2 4 1 skulls | NA ZA NA ZA ZW ZW GA 19 4 | | DE DE DE DE DE IT FR DE DE |

| CITES EEC App. Annex | | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|----|-------------------------------------|-------------|----------|------------------------------------|-------|
| II | C2 | <i>Papio hamadryas</i> | skulls | 1 | ZM | DE |
| | | | | 9 | ZW | DE |
| | | | trophies | 2 | ZW | IT |
| | C2 | <i>Papio hamadryas anubis</i> | derivatives | 58 kg | ET | FR |
| | | | live | 307 | ET | GB |
| | | | | 17 | SN | ES |
| | | | | 6 | SN | PT |
| | | | | 26 | US | KE FR |
| | | | | 80 | US | KE GB |
| | | | skins | 1 | BF | FR |
| | | | skulls | 1 | ZW | GB |
| | | | trophies | 1 | BF | FR |
| | | | | 1 | CF | BE |
| | C2 | <i>Papio hamadryas cynocephalus</i> | skulls | 1 | CF | FR |
| | | | | 1 | TZ | DK |
| | C2 | <i>Papio hamadryas papio</i> | live | 379 | SN | FR |
| | | | | 3 | SN | GB |
| | | | skulls | 4 | CF | FR |
| | C2 | <i>Papio hamadryas ursinus</i> | bodies | 1 | ZA | PT |
| | | | skulls | 1 | BW | DK |
| | | | | 1 | ZA | NL |
| | | | | 1 | ZW | FR |
| | | | trophies | 9284 | NA | FR |
| | | | | 2 | ZA | BE |
| | | | | 1 | ZW | DK |
| | C2 | <i>Presbytis cristata</i> | live | 1 | ID | GB |
| | C2 | <i>Presbytis melalophos</i> | live | 5 | ID | GB |
| | | | | 2 | ID | IT |

| CITES EEC App. Annex | | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|----|--------------------------------|------------------------------------|------------------------------------------------------|----------------------------------------------|----------------------------------------------------|
| II | C1 | <i>Myrmecophaga tridactyla</i> | live (captive bred) live | 1 1 | US VE | DE DE |
| | C1 | <i>Ratufa bicolor</i> | live | 5 | LA | GB |
| | C1 | <i>CETACEA</i> spp. | bone carvings bones carvings | 14 3 23 | CA FK CA | GB GB FR |
| | C1 | <i>Monodon monoceros</i> | carvings skins tusks | 150 1 4 sets 1 2 78 1 12 kg | GL US GL GL CA GL IL GL | DK NO DK DK IT DK XX GB DK |
| | C1 | <i>Globicephala melaena</i> | bodies meat specimens | 300 61 kg 1000 | FO FO GL | GB DK DK |
| | C1 | <i>Lagenorhynchus acutus</i> | specimens | 20 | GL | DK |
| | C1 | <i>Orcinus orca</i> | carvings skin pieces | 2 10 | GL CA | DK GB |
| | C1 | <i>Pseudorca crassidens</i> | live | 3 | JP | NL |
| | C1 | <i>Tursiops truncatus</i> | live | 2 3 3 | CH CU US | XX IT IT ES |
| | C1 | <i>Phocoena phocoena</i> | specimens | 1 | GL | DK |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin | Import |
|-------------------------|-----------------------------------|---------------------|----------|-----------------------------|--------|
| II | <i>Balaenoptera acutorostrata</i> | bones | 69 | GL | DK |
| | | carvings | 26 | GL | DK |
| | | meat | 935 g | GL | DK |
| | | | 1801 kg | GL | DK |
| | | skulls | 2 | GL | DK |
| C2 | <i>Canis lupus</i> | bodies | 1 | CA | DE |
| | | live (captive bred) | 7 | CS | IT |
| | | live | 1 | SE | DK |
| | | skins | 31 | AT | XX GR |
| | | | 57 | CA | DE |
| | | | 40 | CA | IT |
| | | | 119 | CS | NL |
| | | | 442 | DD | BE |
| | | | 50 | DD | MN BE |
| | | | 402 | DD | MN DE |
| | | | 58 | DD | MN DK |
| | | | 56 | DD | MN FR |
| | | | 1 | GL | DK |
| | | | 1 | GL | CA DK |
| | | | 1 | PL | DK |
| | | | 205 | SU | DE |
| | | | 1 | US | DE |
| | | | 3 | US | GB |
| | | | 1 | US | IT |
| | | skulls | 3 | CA | DE |
| C2 | <i>Chrysocyon brachyurus</i> | live (captive bred) | 2 | US | FR |
| | <i>Dusicyon culpaeus</i> | garments | 8 | AR | DE |
| | | plates | 2 | AR | DE |
| | | skins | 60 | AR | ES |
| | | skin/leather items | 1 | AR | IT |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|-------------------------|---------------------|----------|------------------------------------|-------|
| II | <i>Dusicyon griseus</i> | bodies | 698 | AR | DE |
| | | garments | 842 | AR | DE |
| | | | 85 | AR | ES |
| | | | 2 | AR | FR |
| | | handbags | 15 | AR | FR |
| | | plates | 3629 | AR | DE |
| | | skins | 66175 | AR | DE |
| | | | 4985 | AR | ES |
| | | | 2450 | AR | FR |
| | | | 2257 | AR | IT |
| | | | 1000 | CH | AR DE |
| | | skin/leather items | 1 | CA | XX IT |
| | <i>Vulpes zerda</i> | live | 10 | EG | NL |
| | <i>Ursus arctos</i> | bodies | 1 | US | DE |
| | | | 1 | US | CA DE |
| | | garments | 1 | YU | ES |
| | | live (captive bred) | 2 | AT | FR IT |
| | | | 1 | CH | DE |
| | | | 19 | DD | DE |
| | | | 3 | US | DE |
| | | skins | 20 | CA | DE |
| | | | 1 | CA | FR |
| | | | 1 | CA | GB |
| | | | 2 | CA | IT |
| | | | 1 | CA | NL |
| | | | 14 | US | DE |
| | | | 2 | US | FR |
| | | | 2 | US | CA DE |
| | | | 2 | ZW | ES |
| | | skulls | 1 | US | FR |
| | | trophies | 1 | CA | IT |
| | | | 1 | US | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import |
|-------------------------|---------------------|-------------|----------|------------------------------------|
| II C2 Ursus maritimus | bodies | 2 | CA | DE |
| | bones | 5 | GL | DK |
| | carvings | 2 | GL | DK |
| | garments | 2 pairs | GL | DK |
| | horn pieces | 4 | CA | DE |
| | live (captive bred) | 1 | SU | DE |
| | live | 3 | SU | DE |
| | pairs of shoes | 6 | GL | DK |
| | skins | 10 | CA | DE |
| | | 2 | CA | FR |
| | | 1 | CA | GB |
| | | 70 | GL | DK |
| | | 2 | NO | CA DE |
| | skin pieces | 14 | GL | OK |
| | skulls | 7 | GL | DK |
| | specimens | 1 | GL | DK |
| | teeth | 9 | GL | DK |
| | trophies | 1 | CA | DE |
| Aonyx capensis | skins | 1 | ZW | DE |
| Aonyx cinerea | live | 3 | LA | GB |
| Conepatus humboldtii | plates | 6 | AR | FR |
| Lutra canadensis | garments | 19 | CA | DE |
| | | 6 | CA | FR |
| | | 2 | JP | CA DE |
| | | 1 | US | CA DE |
| | skins | 1291 | CA | DE |
| | | 1006 | CA | IT |
| | | 40 | CA | NL |
| | | 234 | CA | US IT |
| | | 2 | CH | CA DE |
| | | 1 | US | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|----------------------------------------------|--------------------------------|------------------------------------------------|----------------------------------------------------|----------------------------------------|----------------------------------------------------------------|
| II | <i>Lutra canadensis</i> | skins | 1091 475 | US | DK | |
| | | | | US | IT | |
| | <i>Lutra maculicollis</i> | skins | 1 | ZM | DE | |
| C2 | <i>Felidae</i> spp. | garments skin/leather items | 40 4 | IL | XX | FR |
| | | | | IL | XX | IT |
| C2 | <i>Felis bengalensis</i> | garments plates skins | 12 1100 500 500 9740 3100 | CS HK CN CN CN SU | CN CN FR GB GB IT KR | DK FR FR GB GB IT IT |
| C2 | <i>Felis bengalensis</i> <i>chinensis</i> | garments plates skins | 1 300 15 520 12400 631 | AT CN AT CN CN SU | CN CN CN CN CN KR | DE DE DE DE DE BE |
| | <i>Felis caracal</i> | bodies skins skulls | 1 1 1 1 6 1 1 1 1 4 | OM ET ET ET NA NA ZA ET NA | | GB BE DE XX IT DE ZA GB IT DE DE |
| C2 | <i>Felis concolor</i> | bodies | 1 | CA | DE | |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|--------------------------|---------------------|----------|------------------------------------|----|----|
| II | C2 <i>Felis concolor</i> | bodies | 1 | US | DE | |
| | | live (captive bred) | 1 | DD | DE | |
| | | skins | 1 | CA | DE | |
| | | | 1 | UY | GB | |
| | | skulls | 2 | CA | NL | |
| C2 | <i>Felis geoffroyi</i> | live (captive bred) | 1 | DD | DE | |
| | | skin/leather items | 1 | AR | IT | |
| C2 | <i>Felis lynx</i> | garments | 27 | CA | SU | DE |
| | | | 3 | CH | BE | |
| | | | 1 | CH | CA | BE |
| | | | 1 | CH | CA | FR |
| | | | 1 | CH | SU | FR |
| | | | 2 | JP | SU | DE |
| | | | 1 | SU | FR | |
| | | | 4 | US | CN | DE |
| | | | 3 | US | SU | DE |
| | | | 1 | US | SU | FR |
| | | live (captive bred) | 2 | AT | DE | |
| | | | 2 | CS | FR | |
| | | live | 7 | CS | FR | |
| | | plates | 2 | CA | SU | DE |
| | | skins | 617 | CA | GB | |
| | | | 1050 | CN | GB | |
| | | | 400 | CN | IT | |
| | | | 6 | DD | MN | DE |
| | | | 66 | DD | MN | IT |
| | | | 9 | SE | DK | |
| | | | 90 | SU | BE | |
| | | | 211 | SU | DE | |
| | | | 50 | SU | DK | |
| | | | 10 | SU | ES | |
| | | | 935 | SU | IT | |
| | | | 52 | SU | MN | IT |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|------------------------------|---------------------|----------------------------------|------------------------------------|----|----|
| II | C2 <i>Felis lynx</i> | skins | 1 288 52 400 3 28 | US | GB | |
| | | skin pieces | 1 | US | CN | DE |
| | | skulls | 1 | US | CN | DK |
| | | | | US | CN | GB |
| | | | | US | SU | FR |
| | | | | US | SU | GB |
| | | | | CA | FR | |
| | | | | US | | DK |
| C2 | <i>Felis lynx canadensis</i> | garments | 7 6 2 1 50 14 | CA | BE | |
| | | | | CA | DE | |
| | | | | CA | FR | |
| | | | | CA | GB | |
| | | | | CA | US | GR |
| | | | | CH | XX | GR |
| | | plates | 7 | US | FR | |
| | | skins | 3 | CA | BE | |
| | | | 161 | CA | DE | |
| | | | 62 | CA | ES | |
| | | | 581 | CA | IT | |
| | | | 21 | US | DE | |
| | | | 51 | US | GR | |
| | | | 93 | US | CA | DE |
| | | skin/leather items | 1 | CA | IT | |
| | | skin scraps | 1188 kg | CA | GR | |
| | | | 1189 kg | US | GR | |
| | | | 228 kg | US | CA | GR |
| | | skulls | 1 | CA | | NL |
| | <i>Felis manul</i> | skins | 4034 618 2218 | DD | MN | DE |
| | | | | SU | MN | DE |
| | | | | SU | MN | IT |
| C2 | <i>Felis pardalis</i> | garments | 1 | US | XX | GB |
| | | live (captive bred) | 1 | CS | DE | |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Export Origin Import | |
|-------------------------|-------|-----------------------|----------|------------------------------------|-------|
| II | C2 | <i>Felis pardalis</i> | | | |
| | | live (captive bred) | 2 | CS | IT |
| | | | 2 | US | GB |
| | | skins | 5 | BR | NL |
| | | | 50 | CH | XX IT |
| | | | 2 | PE | NL |
| | | | | | |
| | | <i>Felis rufa</i> | | | |
| | | bodies | 1 | US | FR |
| | | | 1 | US | GB |
| | | garments | 1 | AT | US DE |
| | | | 5 | CA | BE |
| | | | 671 | CA | DE |
| | | | 3 | CA | FR |
| | | | 29 | CA | US DE |
| | | | 1 | CA | US FR |
| | | | 1 | CH | CA DE |
| | | | 2 | CH | CA FR |
| | | | 22 | CH | US DE |
| | | | 5 | JP | CA DE |
| | | | 1 | JP | US DE |
| | | | 18 | TN | US DE |
| | | | 58 | US | DE |
| | | | 8 | US | DK |
| | | | 1 | US | FR |
| | | plates | 10 | AT | US DE |
| | | | 24 | CA | FR |
| | | skins | 2 | AT | US DE |
| | | | 9915 | CA | DE |
| | | | 167 | CA | DK |
| | | | 128 | CA | GB |
| | | | 188 | CA | IT |
| | | | 335 | CA | US DE |
| | | | 2355 | CA | US DK |
| | | | 5 | CH | US DE |
| | | | 250 | CH | US IT |
| | | | 27 | SE | DK |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|-------------------------|---------------------|----------|------------------------------------|----|----|
| II | <i>Felis rufa</i> | skins | 27893 | US | DE | |
| | | | 2136 | US | DK | |
| | | | 142 | US | ES | |
| | | | 1708 | US | IT | |
| | | skin pieces | 2 | TN | US | DE |
| | | skin scraps | 46 kg | CA | XX | GR |
| | | | 721 kg | US | | GR |
| C2 | <i>Felis serval</i> | live (captive bred) | 3 | CH | IT | |
| | | | 2 | GB | GB | |
| | | skins | 1 | ET | BE | |
| | | | 1 | ET | XX | IT |
| | | | 1 | GH | NL | |
| | | | 115 | GN | ES | |
| | | | 1 | ZA | IT | |
| C2 | <i>Felis silvestris</i> | bodies | 1 | YU | DE | |
| | | live (captive bred) | 5 | AT | DE | |
| | | | 1 | CH | DE | |
| | | | 8 | DD | DE | |
| | | | 1 | HU | DE | |
| | | skins | 480 | DD | BG | DE |
| | | | 1 | ET | BE | |
| | | | 1 | ET | XX | IT |
| | | | 1 | JM | TH | GB |
| | | | 4 | NA | DE | |
| | | | 1 | ZA | DE | |
| | | | 2 | ZW | DK | |
| | | trophies | 1 | ET | IT | |
| C2 | <i>Felis tigrina</i> | skins | 9 | EC | XX | IT |
| | <i>Panthera leo</i> | bones | 2 | ZW | DE | |
| | | claws | 36 | CF | FR | |
| | | feet | 4 | CF | FR | |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|---------------------|---------------------|----------|------------------------------------|-------|
| II | <i>Panthera leo</i> | live (captive bred) | 2 | CH | DE |
| | | live | 1 | ZM | ES |
| | | skins | 3 | BW | DE |
| | | | 1 | BW | GB |
| | | | 1 | BW | PT |
| | | | 1 | CF | BE |
| | | | 1 | CF | DE |
| | | | 37 | CF | FR |
| | | | 1 | CF | IT |
| | | | 4 | CM | FR |
| | | | 1 | CY | XX GB |
| | | | 1 | GA | FR |
| | | | 1 | MW | DK |
| | | | 5 | NA | DE |
| | | | 1 | NA | BW DE |
| | | | 8 | TZ | DE |
| | | | 7 | TZ | FR |
| | | | 1 | TZ | GB |
| | | | 1 | ZA | BE |
| | | | 3 | ZA | DE |
| | | | 1 | ZA | FR |
| | | | 1 | ZA | PT |
| | | | 1 | ZA | DE |
| | | | 8 | ZM | DE |
| | | | 11 | ZM | FR |
| | | | 1 | ZM | GB |
| | | | 1 | ZM | NL |
| | | | 10 | ZW | DE |
| | | | 2 | ZW | DK |
| | | | 4 | ZW | FR |
| | | | 2 | ZW | IT |
| | | skulls | 2 | BF | FR |
| | | | 1 | BW | DE |
| | | | 35 | CF | FR |
| | | | 1 | MW | DK |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|--------------------------------|---------------------|----------|------------------------------------|-------|
| II | <i>Panthera leo</i> | skulls | 2 | NA | DE |
| | | | 9 | TZ | FR |
| | | | 1 | ZA | FR |
| | | | 5 | ZM | FR |
| | | | 2 | ZW | DK |
| | | trophies | 1 | BW | IT |
| | | | 5 | CF | FR |
| | | | 1 | CF | IT |
| | | | 1 | MW | GB |
| | | | 9 | TZ | GB |
| | | | 2 | TZ | IT |
| | | | 1 | ZA | IT |
| | | | 4 | ZM | ES |
| | | | 1 | ZM | GB |
| | | | 1 | ZM | IT |
| | | | 1 | ZW | DE |
| | | | 1 | ZW | GB |
| | | | 2 | ZW | IT |
| | <i>Panthera pardus</i> | skins | 1 | BW | FR |
| | | | 1 | GA | XX FR |
| | | | 9 | TZ | FR |
| | | | 15 | ZM | FR |
| | | | 2 | ZW | FR |
| | | skulls | 9 | TZ | FR |
| | | | 6 | ZM | FR |
| | <i>Panthera tigris altaica</i> | live (captive bred) | 2 | DD | BE |
| | <i>Arctocephalus australis</i> | live skins | 1 | UY | DE |
| | | | 33 | UY | IT |
| | <i>Arctocephalus gazella</i> | bodies skulls | 11 kg | FK | GB |
| | | | 5 | FK | GB |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|-------------------------------|--------------------|----------|------------------------------------|----|----|
| II | <i>Arctocephalus pusillus</i> | garments | 1 | AT | ZA | DE |
| | | | 1 | CA | ZA | DE |
| | | | 1 | NA | | DE |
| | | | 8 | TN | ZA | DE |
| | | skins | 20 | NA | | DE |
| | | | 3291 | NO | NA | DK |
| | | | 3590 | NO | ZA | DE |
| | <i>Mirounga</i> spp. | plates | 1209 | CN | | FR |
| | PROBOSCIDEA spp. | tusks | 1 | TH | XX | FR |
| C2 | <i>Elephantidae</i> spp. | ivory carvings | 38 | ID | | NL |
| | | | 9 | PH | | NL |
| | | | 500 g | MY | XX | GB |
| | | | 200 g | US | XX | GB |
| | | | 600 g | ZA | IN | GB |
| | | | 1 kg | DK | XX | GB |
| | | | 1 kg | SG | XX | GB |
| | | | 1 kg | US | XX | GB |
| | | ivory pieces | 960 g | JP | XX | GB |
| | | | 150 g | TH | XX | GB |
| | | | 1 kg | CA | IN | GB |
| | | | 1 kg | CA | XX | GB |
| | | | 15 kg | CH | XX | GB |
| | | | 4 kg | CN | XX | GB |
| | | | 1 kg | HK | XX | GB |
| | | | 2 kg | IN | | GB |
| | | | 1 kg | JP | XX | GB |
| | | | 2 kg | US | XX | GB |
| | | skin/leather items | 1 | AU | XX | GB |
| C2 | <i>Loxodonta africana</i> | belts | 99 | US | BW | FR |
| | | | 3 | US | ZW | IT |
| | | | 3 | ZA | | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|-------|---------------------------|-----------|------------------------------------|----|----|
| II | C2 | <i>Loxodonta africana</i> | | | | |
| | | belts | 28 | ZA | ZW | FR |
| | | bodies | 2 | ZA | | GB |
| | | | 4 | ZW | | GB |
| | | bones | 8 | CM | | FR |
| | | ears | 1 | ET | | FR |
| | | | 4 | TW | | FR |
| | | | 3 | TZ | | DE |
| | | | 22 | TZ | | FR |
| | | | 2 | ZA | | PT |
| | | | 15 | ZW | | DE |
| | | | 20 | ZW | | FR |
| | | feet | 4 | CI | CF | FR |
| | | | 4 | CM | | DE |
| | | | 2 | CM | | DK |
| | | | 12 | CM | | FR |
| | | | 1 | ET | | FR |
| | | | 4 | NA | | DE |
| | | | 4 | TZ | | DE |
| | | | 21 | TZ | | FR |
| | | | 2 | ZA | | DE |
| | | | 10 | ZA | | PT |
| | | | 27 | ZW | | DE |
| | | | 3 | ZW | | DK |
| | | | 24 | ZW | | FR |
| | | hair | 5 | ZW | | DK |
| | | | 285 items | TZ | | GB |
| | | | 24 items | ZA | | PT |
| | | | 485 items | ZM | | GB |
| | | | 1 kg | ZA | | GB |
| | | handbags | 1 | AU | ZA | GB |
| | | | 6 | US | ZA | DE |
| | | | 4 | ZA | | DE |
| | | | 1 | ZA | ZW | FR |
| | | | 6 | ZW | | FR |
| | | ivory carvings | 3 | AU | ZR | BE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|-------|---------------------------|----------------|------------------------------------|-------|
| II | C2 | <i>Loxodonta africana</i> | ivory carvings | 337 | BI ES |
| | | | 1 | BW DK | |
| | | | 46 | CF ES | |
| | | | 187 | CF FR | |
| | | | 84 | CF PT | |
| | | | 3 | CG DK | |
| | | | 12 | CG IT | |
| | | | 6 | CH CF FR | |
| | | | 4 | CH CM FR | |
| | | | 5 | CH KE FR | |
| | | | 1 | CH XX FR | |
| | | | 105 | CH XX IT | |
| | | | 43 | CH ZW FR | |
| | | | 1 | CI DK | |
| | | | 269 | CI ES | |
| | | | 3270 | CI FR | |
| | | | 419 | CM FR | |
| | | | 20 | CN ES | |
| | | | 35 | CN NL | |
| | | | 81 | CN KE BE | |
| | | | 286 | CN KE FR | |
| | | | 100 | CN KE IT | |
| | | | 121 | CN KE NL | |
| | | | 10 | CN KE PT | |
| | | | 33 | EG XX IT | |
| | | | 387 | GA FR | |
| | | | 16 | GA NL | |
| | | | 14 | GN FR | |
| | | | 3293 | HK ES | |
| | | | 234 | HK LU | |
| | | | 495 | HK BI ES | |
| | | | 30 | HK BI NL | |
| | | | 1922 | HK CF ES | |
| | | | 199 | HK CF NL | |
| | | | 387 | HK CG ES | |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export | Origin Import |
|-------------------------|-------|---------------------------|----------------|----------------------|---------------|
| II | C2 | <i>Loxodonta africana</i> | ivory carvings | | |
| | | | 168 | HK | CG FR |
| | | | 216 | HK | CG IT |
| | | | 87 | HK | CG PT |
| | | | 12 | HK | GA FR |
| | | | 56 | HK | KE ES |
| | | | 28 | HK | KE NL |
| | | | 24 | HK | KE PT |
| | | | 4270 | HK | SD ES |
| | | | 1087 | HK | SD NL |
| | | | 250 | HK | SD PT |
| | | | 678 | HK | SO ES |
| | | | 84 | HK | SO NL |
| | | | 106 | HK | TZ ES |
| | | | 224 | HK | ZA ES |
| | | | 888 | HK | ZA NL |
| | | | 386 | HK | ZM ES |
| | | | 501 | HK | ZM FR |
| | | | 3636 | HK | ZR ES |
| | | | 19 | ID | ES |
| | | | 20 | ID | NL |
| | | | 58 | ID | TZ ES |
| | | | 115 | ID | ZR ES |
| | | | 389 | IN | ES |
| | | | 376 | IN | BI FR |
| | | | 90 | IN | CG FR |
| | | | 481 | IN | TZ FR |
| | | | 698 | IN | XX FR |
| | | | 1573 | JP | CF FR |
| | | | 2107 | JP | SD FR |
| | | | 602 | MU | ZW FR |
| | | | 6 | MW | FR |
| | | | 48 | MW | PT |
| | | | 2 | NG | IT |
| | | | 3 | NG | NL |
| | | | 58 | TD | FR |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|-------|---------------------------|----------------|------------------------------------|----|----|
| II | C2 | <i>Loxodonta africana</i> | ivory carvings | 511 | TG | FR |
| | | | 440 | TH | SD | DK |
| | | | 176 | TH | SO | DK |
| | | | 780 | TH | SO | FR |
| | | | 2 | TH | XX | FR |
| | | | 2353 | TH | ZR | FR |
| | | | 36 | TZ | | DK |
| | | | 5 | US | CF | FR |
| | | | 8 | US | KE | BE |
| | | | 4 | US | KE | FR |
| | | | 6 | US | SD | BE |
| | | | 2 | US | TZ | FR |
| | | | 8 | US | ZA | BE |
| | | | 1 | US | ZA | FR |
| | | | 6 | US | ZR | BE |
| | | | 24 | ZA | | DE |
| | | | 1 | ZA | | FR |
| | | | 2 | ZA | | GB |
| | | | 1 | ZA | | NL |
| | | | 616 | ZA | | PT |
| | | | 2 | ZR | | BE |
| | | | 420 | ZR | | ES |
| | | | 4352 | ZR | | PT |
| | | | 2 | ZW | | BE |
| | | | 4 | ZW | | DK |
| | | | 1 | ZW | | FR |
| | | | 1 | ZW | | NL |
| | | | 3127 | ZW | | PT |
| | | | 200 g | AT | XX | DE |
| | | | 500 g | CG | | FR |
| | | | 30 g | CH | XX | DE |
| | | | 500 g | CH | XX | GB |
| | | | 300 g | CM | | DE |
| | | | 100 g | CN | XX | GB |
| | | | 500 g | FR | XX | GB |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|-------|---------------------------|----------------|------------------------------------|-------|-------|
| II | C2 | <i>Loxodonta africana</i> | ivory carvings | 400 g | HK | BI BE |
| | | | 900 g | HK | CF DE | |
| | | | 1870 g | HK | CF DK | |
| | | | 1170 g | HK | CF FR | |
| | | | 1430 g | HK | CG DE | |
| | | | 4090 g | HK | CG DK | |
| | | | 600 g | HK | CG FR | |
| | | | 720 g | HK | KE DE | |
| | | | 1500 g | HK | KE FR | |
| | | | 800 g | HK | KE GB | |
| | | | 14359 g | HK | SD DE | |
| | | | 1943 g | HK | SD DK | |
| | | | 17420 g | HK | SD FR | |
| | | | 320 g | HK | SD GB | |
| | | | 340 g | HK | SO BE | |
| | | | 770 g | HK | SO DE | |
| | | | 750 g | HK | SO DK | |
| | | | 1710 g | HK | SO FR | |
| | | | 600 g | HK | TD FR | |
| | | | 78 g | HK | TZ DE | |
| | | | 960 g | HK | TZ DK | |
| | | | 900 g | HK | TZ FR | |
| | | | 9590 g | HK | XX GB | |
| | | | 3550 g | HK | ZA DE | |
| | | | 950 g | HK | ZA DK | |
| | | | 1820 g | HK | ZA FR | |
| | | | 900 g | HK | ZM DK | |
| | | | 270 g | HK | ZM FR | |
| | | | 400 g | HK | ZR DE | |
| | | | 2350 g | HK | ZR DK | |
| | | | 120 g | HK | ZW DE | |
| | | | 910 g | HK | ZW DK | |
| | | | 100 g | IN | GB | |
| | | | 240 g | IN | CF DE | |
| | | | 225 g | IN | CG DE | |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|-------|---------------------------|----------------|------------------------------------|----|-------|
| | | | | | | |
| II | C2 | <i>Loxodonta africana</i> | ivory carvings | 500 g | IN | KE GB |
| | | | | 133 g | IN | SO DE |
| | | | | 650 g | IN | TZ DE |
| | | | | 728 g | IN | XX GB |
| | | | | 1005 g | JP | XX GB |
| | | | | 500 g | MU | XX GB |
| | | | | 1700 g | MW | BE |
| | | | | 75 g | MW | DK |
| | | | | 2050 g | MW | GB |
| | | | | 900 g | NA | DE |
| | | | | 500 g | NG | GB |
| | | | | 250 g | SD | GB |
| | | | | 750 g | SG | XX GB |
| | | | | 100 g | SN | GB |
| | | | | 1246 g | TH | CG DK |
| | | | | 653 g | TH | SD DK |
| | | | | 20476 g | TH | SO DK |
| | | | | 700 g | TH | SO FR |
| | | | | 710 g | TH | XX GB |
| | | | | 1401 g | TH | ZR DK |
| | | | | 520 g | TZ | DE |
| | | | | 100 g | TZ | DK |
| | | | | 100 g | TZ | GB |
| | | | | 750 g | UG | GB |
| | | | | 500 g | US | XX DE |
| | | | | 2590 g | US | XX GB |
| | | | | 4984 g | ZA | DE |
| | | | | 3880 g | ZA | GB |
| | | | | 500 g | ZA | ZR DE |
| | | | | 327 g | ZA | ZW DE |
| | | | | 105 g | ZA | ZW GB |
| | | | | 600 g | ZM | GB |
| | | | | 500 g | ZR | FR |
| | | | | 125 g | ZR | GB |
| | | | | 400 g | ZW | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin | Import |
|-------------------------|-------|---------------------------|----------------|-----------------------------|--------|
| II | C2 | <i>Loxodonta africana</i> | ivory carvings | | |
| | | | 600 g | ZW | DK |
| | | | 450 g | ZW | FR |
| | | | 2835 g | ZW | GB |
| | | | 4 kg | AE | XX GB |
| | | | 1 kg | AO | IT |
| | | | 2 kg | AO | XX GB |
| | | | 5 kg | AT | XX GB |
| | | | 2 kg | AU | XX GB |
| | | | 10 kg | AU | ZA GB |
| | | | 1 kg | BE | XX GB |
| | | | 1 kg | BR | XX IT |
| | | | 42 kg | BW | FR |
| | | | 15 kg | BW | GB |
| | | | 21 kg | CA | XX GB |
| | | | 154 kg | CF | BE |
| | | | 4 kg | CF | DE |
| | | | 508 kg | CF | FR |
| | | | 5 kg | CF | IE |
| | | | 4 kg | CF | IT |
| | | | 7 kg | CG | DK |
| | | | 12.8 kg | CG | FR |
| | | | 2 kg | CG | IT |
| | | | 28 kg | CH | NG DE |
| | | | 1 kg | CH | XX DE |
| | | | 8 kg | CH | XX GB |
| | | | 52 kg | CI | FR |
| | | | 6 kg | CI | IT |
| | | | 4 kg | CI | CG BE |
| | | | 1 kg | CI | XX GB |
| | | | 2 kg | CM | DE |
| | | | 133 kg | CM | FR |
| | | | 1 kg | CM | GB |
| | | | 5 kg | CM | IT |
| | | | 1 kg | CN | GB |
| | | | 38 kg | CN | KE DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|-------|---------------------------|----------------|------------------------------------|-------|-------|
| II | C2 | <i>Loxodonta africana</i> | ivory carvings | 330 kg | CN | KE FR |
| | | | 75 kg | CN | KE GB | |
| | | | 1 kg | ET | XX IT | |
| | | | 788 kg | GA | | BE |
| | | | 272 kg | GA | | FR |
| | | | 3 kg | GN | | FR |
| | | | 403 kg | HK | BI BE | |
| | | | 1233 kg | HK | BI FR | |
| | | | 5 kg | HK | BW FR | |
| | | | 167 kg | HK | CF BE | |
| | | | 74 kg | HK | CF DE | |
| | | | 60 kg | HK | CF DK | |
| | | | 922 kg | HK | CF FR | |
| | | | 3 kg | HK | CF GB | |
| | | | 155 kg | HK | CF IT | |
| | | | 19 kg | HK | CG BE | |
| | | | 53 kg | HK | CG DE | |
| | | | 73 kg | HK | CG DK | |
| | | | 634 kg | HK | CG FR | |
| | | | 3 kg | HK | CG GB | |
| | | | 4 kg | HK | CG GR | |
| | | | 26 kg | HK | CG IT | |
| | | | 1 kg | HK | GH GB | |
| | | | 234 kg | HK | KE BE | |
| | | | 209 kg | HK | KE DE | |
| | | | 453 kg | HK | KE FR | |
| | | | 3 kg | HK | KE GB | |
| | | | 57 kg | HK | KE IT | |
| | | | 40 kg | HK | MW FR | |
| | | | 1 kg | HK | NG IT | |
| | | | 190 kg | HK | SD BE | |
| | | | 839 kg | HK | SD DE | |
| | | | 114 kg | HK | SD DK | |
| | | | 1292 kg | HK | SD FR | |
| | | | 11 kg | HK | SD GB | |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import |
|-------------------------|-------|---------------------------|----------------|------------------------------------|
| II | C2 | <i>Loxodonta africana</i> | ivory carvings | |
| | | | 2 kg | HK SD GR |
| | | | 96 kg | HK SD IT |
| | | | 10 kg | HK SD NL |
| | | | 3 kg | HK SD PT |
| | | | 185 kg | HK SO BE |
| | | | 94 kg | HK SO DE |
| | | | 443 kg | HK SO FR |
| | | | 10 kg | HK SO IT |
| | | | 2 kg | HK TD DE |
| | | | 78 kg | HK TD FR |
| | | | 13 kg | HK TZ DE |
| | | | 13 kg | HK TZ DK |
| | | | 55 kg | HK TZ FR |
| | | | 2 kg | HK TZ GB |
| | | | 56 kg | HK UG FR |
| | | | 12 kg | HK XF DK |
| | | | 407 kg | HK XX FR |
| | | | 195 kg | HK XX GB |
| | | | 1 kg | HK XX IT |
| | | | 57 kg | HK ZA BE |
| | | | 1011461 kg | HK ZA DE |
| | | | 162 kg | HK ZA DK |
| | | | 735 kg | HK ZA FR |
| | | | 229 kg | HK ZA GB |
| | | | 16 kg | HK ZA GR |
| | | | 58 kg | HK ZA IT |
| | | | 20 kg | HK ZM BE |
| | | | 31 kg | HK ZM DE |
| | | | 228 kg | HK ZM FR |
| | | | 18 kg | HK ZR BE |
| | | | 6 kg | HK ZR DE |
| | | | 1 kg | HK ZR DK |
| | | | 65 kg | HK ZR FR |
| | | | 33 kg | HK ZR IT |
| | | | 9 kg | HK ZW DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export | Origin Import |
|-------------------------|-------|---------------------------|----------------|----------------------|---------------|
| II | C2 | <i>Loxodonta africana</i> | ivory carvings | | |
| | | | 4 kg | HK | ZW FR |
| | | | 32 kg | IN | BI DK |
| | | | 17 kg | IN | BI FR |
| | | | 16 kg | IN | CF BE |
| | | | 17 kg | IN | CF DE |
| | | | 29 kg | IN | CF DK |
| | | | 42 kg | IN | CF FR |
| | | | 46 kg | IN | CF IT |
| | | | 31 kg | IN | CG BE |
| | | | 82 kg | IN | CG FR |
| | | | 4 kg | IN | CG GB |
| | | | 81 kg | IN | CG IT |
| | | | 8 kg | IN | KE DE |
| | | | 35 kg | IN | SO BE |
| | | | 12 kg | IN | SO DE |
| | | | 7 kg | IN | SO DK |
| | | | 171 kg | IN | SO FR |
| | | | 16 kg | IN | SO IT |
| | | | 63 kg | IN | TZ BE |
| | | | 22 kg | IN | TZ DE |
| | | | 51 kg | IN | TZ DK |
| | | | 21 kg | IN | TZ FR |
| | | | 76 kg | IN | TZ IT |
| | | | 10 kg | IN | XF DK |
| | | | 8 kg | IN | XX DE |
| | | | 110 kg | IN | XX FR |
| | | | 11 kg | IN | XX GB |
| | | | 1 kg | IN | XX IT |
| | | | 17 kg | IN | ZR DK |
| | | | 4 kg | KE | GB |
| | | | 2 kg | KW | XX GB |
| | | | 74 kg | LB | CM FR |
| | | | 2 kg | LR | GB |
| | | | 20 kg | MW | GB |
| | | | 7 kg | MW | IT |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export | Origin Import |
|-------------------------|-------|---------------------------|----------------|----------------------|---------------|
| II | C2 | <i>Loxodonta africana</i> | ivory carvings | | |
| | | | 5 kg | NE | FR |
| | | | 19 kg | NG | GB |
| | | | 2 kg | NG | IT |
| | | | 8 kg | PA | NL |
| | | | 2 kg | SA | XX GB |
| | | | 1 kg | SC | GH |
| | | | 150 kg | SD | DE |
| | | | 48 kg | SD | GB |
| | | | 9 kg | SG | XX GB |
| | | | 1 kg | SG | XX IT |
| | | | 2 kg | SN | XX GB |
| | | | 1 kg | SO | XX IT |
| | | | 3 kg | TG | XX GB |
| | | | 8 kg | TH | CG FR |
| | | | 15 kg | TH | SO DK |
| | | | 180 kg | TH | SO FR |
| | | | 1 kg | TH | XX IT |
| | | | 1 kg | TH | ZR DK |
| | | | 3 kg | TH | ZR FR |
| | | | 93 kg | TZ | DE |
| | | | 3 kg | TZ | DK |
| | | | 87 kg | TZ | GB |
| | | | 1 kg | TZ | IT |
| | | | 52 kg | US | CF BE |
| | | | 2 kg | US | CM GB |
| | | | 1 kg | US | KE BE |
| | | | 1 kg | US | XX DE |
| | | | 117 kg | US | XX GB |
| | | | 2 kg | US | XX IT |
| | | | 1 kg | US | ZA DE |
| | | | 12 kg | US | ZA FR |
| | | | 6 kg | US | ZR BE |
| | | | 113 kg | ZA | DE |
| | | | 2 kg | ZA | FR |
| | | | 37 kg | ZA | GB |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import |
|-------------------------|---------------------------|----------------|------------|------------------------------------|
| II C2 | <i>Loxodonta africana</i> | ivory carvings | 2 kg | ZA GR |
| | | | 48 kg | ZA IT |
| | | | 10 kg | ZA UG GB |
| | | | 1 kg | ZA XX GB |
| | | | 33 kg | ZA ZW IT |
| | | | 1 kg | ZM DK |
| | | | 83 kg | ZM GB |
| | | | 9 kg | ZM IT |
| | | | 200 kg | ZR BE |
| | | | 15 kg | ZR DE |
| | | | 43 kg | ZR FR |
| | | | 6 kg | ZR GB |
| | | | 9 kg | ZR IT |
| | | | 46 kg | ZW DE |
| | | | 3 kg | ZW FR |
| | | | 62 kg | ZW GB |
| | | | 148 kg | ZW IT |
| | | | 3 pairs | HK CG DK |
| | | | 1110 pairs | TH SO DK |
| | | | 50 sets | HK CG DK |
| | | | 1 set | HK UG NL |
| | | ivory pieces | 2 | BW GB |
| | | | 2 | CI CG ES |
| | | | 1 | IN XX GB |
| | | | 2 | ZA GB |
| | | | 16 | ZW GB |
| | | | 5 g | BW GB |
| | | | 261 g | CA XX GB |
| | | | 100 g | CH XX GB |
| | | | 500 g | CI GB |
| | | | 50 g | CM GB |
| | | | 10 g | CN XX GB |
| | | | 100 g | DE ZA GB |
| | | | 4020 g | HK SD GB |
| | | | 5401 g | HK XX GB |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export | Origin Import |
|-------------------------|-------|---------------------------|--------------|----------------------|---------------|
| II | C2 | <i>Loxodonta africana</i> | ivory pieces | | |
| | | | 5 g | IL | XX GB |
| | | | 130 g | IN | GB |
| | | | 125 g | IN | KE GB |
| | | | 3211 g | IN | XX GB |
| | | | 50 g | KE | GB |
| | | | 200 g | KW | XX GB |
| | | | 290 g | LC | XX GB |
| | | | 50 g | LR | GB |
| | | | 100 g | MO | XX GB |
| | | | 1610 g | MW | GB |
| | | | 101 g | MY | GB |
| | | | 1 g | MY | XX GB |
| | | | 50 g | NA | GB |
| | | | 50 g | NG | GB |
| | | | 500 g | NZ | XX GB |
| | | | 50 g | OM | XX GB |
| | | | 100 g | SA | XX GB |
| | | | 1050 g | SD | GB |
| | | | 100 g | SD | XX GB |
| | | | 100 g | SG | CI GB |
| | | | 210 g | SG | XX GB |
| | | | 750 g | SL | XX GB |
| | | | 50 g | SN | GB |
| | | | 100 g | TD | XX GB |
| | | | 90 g | TH | CG GB |
| | | | 60 g | TH | SO GB |
| | | | 650 g | TH | XX GB |
| | | | 10 g | TW | XX GB |
| | | | 750 g | TZ | GB |
| | | | 100 g | US | TZ GB |
| | | | 1362 g | US | XX GB |
| | | | 100 g | XX | GB |
| | | | 4456 g | ZA | GB |
| | | | 960 g | ZM | GB |
| | | | 110 g | ZR | GB |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|-------|---------------------------|--------------|------------------------------------|-------|
| II | C2 | <i>Loxodonta africana</i> | ivory pieces | 7467 g | ZW GB |
| | | | 1 g | ZW | BW GB |
| | | | 5 kg | AT | XX GB |
| | | | 25 kg | AT | ZA GB |
| | | | 5 kg | AU | TZ GB |
| | | | 17 kg | BW | GB |
| | | | 2 kg | CA | XX GB |
| | | | 3 kg | CG | GB |
| | | | 3 kg | CH | GA GB |
| | | | 3 kg | CH | XX GB |
| | | | 30 kg | CM | GB |
| | | | 5 kg | DD | KE GB |
| | | | 5 kg | DD | ZM GB |
| | | | 2 kg | GI | XX GB |
| | | | 4 kg | HK | CG GB |
| | | | 2 kg | HK | KE GB |
| | | | 114 kg | HK | SD GB |
| | | | 33 kg | HK | TZ GB |
| | | | 70 kg | HK | XX GB |
| | | | 204 kg | HK | ZA GB |
| | | | 6 kg | HK | ZM GB |
| | | | 2 kg | HK | ZR GB |
| | | | 38 kg | IN | CF GB |
| | | | 37 kg | IN | SO GB |
| | | | 18 kg | IN | TZ GB |
| | | | 9 kg | IN | XX GB |
| | | | 2 kg | IN | ZA GB |
| | | | 9 kg | KE | GB |
| | | | 1 kg | LB | CI GB |
| | | | 1 kg | LR | GB |
| | | | 1 kg | MO | XX GB |
| | | | 48 kg | MW | GB |
| | | | 6 kg | NG | GB |
| | | | 15 kg | SD | GB |
| | | | 5 kg | SE | XX GB |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|-------|---------------------------|--------------|------------------------------------|----|-------|
| II | C2 | <i>Loxodonta africana</i> | ivory pieces | 2 kg | SG | XX GB |
| | | | 4 kg | TZ | | GB |
| | | | 7 kg | US | XX | GB |
| | | | 14 kg | ZA | | GB |
| | | | 1 kg | ZA | MW | GB |
| | | | 4 kg | ZA | TZ | GB |
| | | | 5 kg | ZA | XX | GB |
| | | | 1 kg | ZA | ZW | GB |
| | | | 3 kg | ZM | | GB |
| | | | 5 kg | ZR | | GB |
| | | | 42 kg | ZW | | GB |
| | | live | 2 | JP | GB | GB |
| | | | 1 | SE | ZA | DK |
| | | | 1 | SE | ZW | DK |
| | | | 10 | ZA | | PT |
| | | | 6 | ZW | | BE |
| | | | 6 | ZW | | ES |
| | | | 2 | ZW | | GB |
| | | | 9 | ZW | | NL |
| | | | 3 items | ZW | | DE |
| | | | 3 kg | ZW | | BE |
| | | pairs of shoes | 30 | MX | BW | FR |
| | | | 78 | MX | ZW | FR |
| | | | 18 | US | BW | FR |
| | | | 19 | US | ZW | DE |
| | | | 62 | US | ZW | FR |
| | | skins | 1 | TZ | | DE |
| | | | 2 | ZA | | GB |
| | | | 9 | ZA | ZW | BE |
| | | | 500 | ZA | ZW | FR |
| | | | 1 | ZM | | DE |
| | | | 2 | ZW | | DE |
| | | | 2 | ZW | | FR |
| | | | 26260 | ZW | | GB |
| | | | 17 kg | ZA | ZW | IT |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|-------|---------------------------|----------|------------------------------------|-------|-------|
| II | C2 | <i>Loxodonta africana</i> | skins | 2692 sq.ft | ZA | ZW IT |
| | | | 74 sq.m | ZA | ZW DE | |
| | | | 8 sq.m | ZW | IT | |
| | | skin/leather items | 1 | BW | ZW GB | |
| | | | 1 | MW | GB | |
| | | | 1 | US | XX GB | |
| | | | 43 | ZA | FR | |
| | | | 7 | ZA | GB | |
| | | | 49 | ZW | GB | |
| | | skin pieces | 1 | ET | FR | |
| | | | 7 | TZ | FR | |
| | | | 1 | ZA | PT | |
| | | | 7 | ZW | DE | |
| | | | 2 | ZW | FR | |
| | | | 2 | ZW | GB | |
| | | | 18 sq.ft | ZW | DE | |
| | | | 3 sq.m | MZ | PT | |
| | | skulls | 1 | TZ | DE | |
| | | tails | 3 | CI | CF FR | |
| | | | 3 | CM | DK | |
| | | | 3 | CM | FR | |
| | | | 2 | ET | FR | |
| | | | 2 | TZ | DE | |
| | | | 1 | TZ | FR | |
| | | | 5 | ZW | DE | |
| | | | 5 | ZW | FR | |
| | | teeth | 10 | CM | FR | |
| | | | 6 | ZW | FR | |
| | | | 500 g | ZW | DE | |
| | | trophies | 2 | BW | GB | |
| | | | 1 | CM | FR | |
| | | | 5 | ET | ES | |
| | | | 1 | KE | GB | |
| | | | 5 | TZ | DE | |
| | | | 4 | TZ | FR | |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Export Origin Import | |
|-------------------------|-------|---------------------------|----------|------------------------------------|-------|
| II | C2 | <i>Loxodonta africana</i> | trophies | 1 | TZ IT |
| | | | | 7 | ZA GB |
| | | | | 1 | ZA PT |
| | | | | 45 | ZW DE |
| | | | | 13 | ZW DK |
| | | | | 6 | ZW ES |
| | | | | 4 | ZW FR |
| | | | | 15 | ZW GB |
| | | | | 5 | ZW IT |
| | | tusks | 1 | BF DK | |
| | | | 2 | CG FR | |
| | | | 2 | CI FR | |
| | | | 5 | CM ES | |
| | | | 11 | CM FR | |
| | | | 2 | ET ES | |
| | | | 29 | GA FR | |
| | | | 1 | GN ZR FR | |
| | | | 2 | LB CG FR | |
| | | | 1 | MW FR | |
| | | | 4 | MW GB | |
| | | | 2 | MW PT | |
| | | | 4 | SA SN FR | |
| | | | 2 | SN FR | |
| | | | 4 | TZ ES | |
| | | | 185 | TZ GB | |
| | | | 2 | US ZR DK | |
| | | | 493 | ZA GB | |
| | | | 2 | ZA NL | |
| | | | 53 | ZA MZ GB | |
| | | | 320 | ZM GB | |
| | | | 2 | ZW DE | |
| | | | 4 | ZW ES | |
| | | | 16 | ZW FR | |
| | | | 4 | ZW GB | |
| | | | 1 | ZW NL | |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import |
|-------------------------|---------------------------|-------------|----------|------------------------------------|
| II C2 | <i>Loxodonta africana</i> | tusks | | |
| | | | 6 kg | BF DK |
| | | | 3596 kg | CG FR |
| | | | 12 kg | CG IT |
| | | | 100 kg | CH KE DE |
| | | | 123 kg | CI FR |
| | | | 3 kg | CI IT |
| | | | 146 kg | CI CF FR |
| | | | 51 kg | CM DK |
| | | | 2414 kg | CM FR |
| | | | 3 kg | EG XX IT |
| | | | 29 kg | ET DE |
| | | | 87 kg | ET FR |
| | | | 1379 kg | GA BE |
| | | | 577 kg | GA FR |
| | | | 2 kg | JP XX IT |
| | | | 15 kg | KE IT |
| | | | 5 kg | MW DK |
| | | | 6 kg | MW IT |
| | | | 14 kg | MW PT |
| | | | 19 kg | MZ PT |
| | | | 6 kg | NG GB |
| | | | 6 kg | NG IT |
| | | | 9456 kg | SD BE |
| | | | 15 kg | SD IT |
| | | | 15 kg | TD DE |
| | | | 1524 kg | TD FR |
| | | | 21 kg | TD IT |
| | | | 2 kg | TH XX IT |
| | | | 36 kg | TZ DE |
| | | | 371 kg | TZ FR |
| | | | 10 kg | TZ GB |
| | | | 61 kg | TZ IT |
| | | | 334 kg | XX FR |
| | | | 108 kg | ZA DE |
| | | | 16 kg | ZA GB |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|-------------------------------|---------------------------------------|-----------------------------------------------------------------|----------------------------------------------------------|----------------------------------------------------------------|
| II | C2 <i>Loxodonta africana</i> | tusks | 22 kg 2958 kg 591 kg 58 kg 65 kg 208 kg 37 kg | ZA ZR ZW ZW ZW ZW ZW | PT BE DE DK FR IT FR |
| | | wallets | 7 3 2 | ZA ZA ZW | DE PT FR |
| | | watchstraps | 3 | CH | ZW DE |
| C1 | <i>Equus zebra hartmannae</i> | feet skeletons skins | 34 1 6 95 1 3 2 1 skulls trophies | NA ZA NA NA ZA ZA ZA ZM NA ZA | DE DE BE DE BE DE IT NA DE DE IT |
| C1 | <i>Tapirus terrestris</i> | bodies live (captive bred) live | 1 1 2 | SR SE SR | NL DE NL |
| | <i>Tayassu tajacu</i> | skins trophies watchstraps | 72292 57026 1 724 10 20 | AR PE US AT CH CH | DE DE GB AR PY XX |
| | <i>Lama guanicoe</i> | cloth | 775 items | AR | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|----------------------------------|---------------------|------------|------------------------------------|----|----|
| II | <i>Lama guanicoe</i> | cloth | 25 items | CH | AR | DE |
| | | live (captive bred) | 2 items | CH | | DE |
| | | plates | 4 | AR | | DE |
| | | | 193 | AR | | FR |
| | | skins | 1357 | AR | | DE |
| | | | 2 | AR | | ES |
| | | | 2328 | AR | | IT |
| | | | 16 | CH | AR | IT |
| | | | 4358 items | AR | | DE |
| | | | 1 item | CH | AR | DE |
| | | skin/leather items | 25 | CH | AR | IT |
| | <i>Cervus elaphus bactrianus</i> | live (captive bred) | 1 | DD | | DE |
| | <i>Moschus moschiferus</i> | musk | 20 g | HK | XX | FR |
| | | | 2 kg | HK | SU | FR |
| | <i>Ammotragus lervia</i> | live (captive bred) | 8 | DD | | DE |
| | <i>Budorcas taxicolor</i> | live | 1 | DD | CN | DE |
| | <i>Cephalophus dorsalis</i> | skins | 4 | LR | | DE |
| | <i>Cephalophus monticola</i> | skins | 1 | CF | | BE |
| | | skin pieces | 1 | CF | | DE |
| | | skulls | 3 | CF | | FR |
| | | trophies | 6 | CF | | DE |
| | | | 3 | CF | | FR |
| | | | 2 | CF | | IT |
| | <i>Cephalophus ogilbyi</i> | trophies | 1 | CF | | IT |
| | <i>Cephalophus sylviculator</i> | skins | 1 | CF | | BE |
| | | | 1 | CM | | FR |
| | | | 4 | ZM | | FR |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|---------------------------------|-------------|----------|------------------------------------|----|
| II | <i>Cephalophus sylvicultor</i> | skulls | 1 | CF | FR |
| | | | 2 | CM | FR |
| | | trophies | 6 | CF | DE |
| | | | 2 | CF | FR |
| | | | 2 | CF | IT |
| | | | 2 | CM | FR |
| | <i>Damaliscus dorcas dorcas</i> | trophies | 8 | ZA | IT |
| | <i>Hippotragus equinus</i> | bodies | 1 | ZM | DE |
| | | feet | 5 | CF | FR |
| | | | 2 | CM | FR |
| | | horns | 1 | AU | TZ |
| | | | 2 | BF | DE |
| | | | 2 | CF | FR |
| | | | 1 | CM | DK |
| | | skins | 2 | BF | FR |
| | | | 1 | CF | DE |
| | | | 4 | CF | FR |
| | | | 1 | CM | DK |
| | | skulls | 6 | BF | FR |
| | | | 1 | CF | DE |
| | | | 28 | CF | FR |
| | | | 1 | CM | DK |
| | | | 3 | CM | FR |
| | | | 1 | ET | FR |
| | | | 1 | ZM | DE |
| | | | 1 | ZM | FR |
| | | tails | 1 | CF | FR |
| | | | 1 | CM | DK |
| | | | 1 | CM | FR |
| | | | 1 | ZM | DE |
| | | trophies | 1 | BF | DE |
| | | | 3 | BF | FR |
| | | | 13 | CF | FR |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import |
|-------------------------|----------------------------|---------------------|------------------------------------------------|----------------------------------------------------------|
| II | <i>Hippotragus equinus</i> | trophies | 1 7 1 1 1 1 | CF CM ET ZM ZM ZR |
| | | | | IT FR FR FR IT BE |
| | <i>Kobus leche</i> | horns | 5 1 1 pair 3 pairs 2 pairs | NA ZA BW NA ZM |
| | | | | DE DE DE DE DE |
| | | live (captive bred) | 3 | CS |
| | | live | 1 | ZA |
| | | skins | 3 1 1 6 1 1 6 1 6 9 | BW BW BW BW CF NA ZA ZM ZM ZM |
| | | | | DE DE DE DE DE NL DE DE |
| | | skin pieces | 1 | ZA |
| | | skulls | 4 8 1 1 9 | BW NA ZA ZM ZM |
| | | | | DE DE DE DE FR |
| | | trophies | 1 3 2 1 2 18 1 | BW ZA ZA ZA ZA ZM ZW |
| | | | | BE DE ES GB GB IT IT |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|--------------------------|---------------------|----------|------------------------------------|----|----|
| II | C2 <i>Ovis ammon</i> | horns | 2 | MN | DE | |
| | | skins | 14 | MN | DE | |
| | | skulls | 4 | MN | DE | |
| | | trophies | 1 | MN | DK | |
| | Rhea americana | feathers | 80 kg | AR | FR | |
| | | skin/leather items | 3 | AT | AR | FR |
| | Balaeniceps rex | live | 2 | UG | BE | |
| | | | 1 | UG | NL | |
| | Eudocimus ruber | live | 74 | CO | NL | |
| | Phoeniconaias minor | feathers | 1 | KE | GB | |
| | | | 2 kg | KE | GB | |
| | | live | 168 | TZ | BE | |
| | | | 107 | TZ | DE | |
| | | | 25 | TZ | DK | |
| | | | 20 | TZ | FR | |
| | | | 38 | TZ | GB | |
| | | | 757 | TZ | NL | |
| C1 | Phoenicopterus chilensis | live (captive bred) | 50 | AR | GB | |
| | Phoenicopterus roseus | feathers | 4 | KE | GB | |
| | | live | 131 | TZ | BE | |
| | | | 20 | TZ | IT | |
| C1 | Phoenicopterus ruber | live (captive bred) | 15 | CU | DE | |
| | | | 18 | CU | FR | |
| C1 | FALCONIFORMES spp. | feathers | 5 sets | US | NL | |
| C1 | Pandion haliaetus | live | 1 | MT | IT | |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|------------------------------|---------------------|----------|------------------------------------|----|----|
| II | C1 <i>Accipiter gentilis</i> | live (captive bred) | 2 | AT | NL | |
| | | | 3 | DK | GB | |
| | | | 1 | FR | GB | |
| | | live | 48 | HU | GB | |
| | | | 3 | SU | GB | |
| C1 | <i>Aquila audax</i> | bodies | 1 | AU | NL | |
| | | live (captive bred) | 1 | DD | DE | |
| C1 | <i>Aquila chrysaetos</i> | live (captive bred) | 1 | DE | GB | |
| C1 | <i>Aquila rapax</i> | bodies | 1 | OM | GB | |
| | | live | 1 | SA | GB | |
| C1 | <i>Buteo buteo</i> | live (captive bred) | 1 | BE | GB | GB |
| C1 | <i>Buteo polyosoma</i> | live | 2 | ES | PE | GB |
| C1 | <i>Buteo regalis</i> | live (captive bred) | 2 | CA | | DE |
| C1 | <i>Buteo swainsonii</i> | live (captive bred) | 1 | NL | CA | GB |
| C1 | <i>Circus aeruginosus</i> | live | 1 | MT | | IT |
| C1 | <i>Gypaetus barbatus</i> | live (captive bred) | 2 | AT | | DE |
| | | | 3 | AT | | FR |
| | | | 2 | SU | | DE |
| C1 | <i>Gyps fulvus</i> | live | 1 | FR | SN | FR |
| C1 | <i>Haliaeetus vocifer</i> | live (captive bred) | 1 | DD | | DE |
| | | | 1 | DD | | NL |
| C1 | <i>Hieraetus fasciatus</i> | live | 1 | ZA | | GB |

| CITES EEC App. Annex | | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|----|----------------------------------|---------------------|----------|------------------------------------|----|----|
| II | C1 | <i>Hieraetus pennatus</i> | live | 1 | | SA | GB |
| | C1 | <i>Neophron percnopterus</i> | live | 1 | | IE | GB |
| | C1 | <i>Parabuteo unicinctus</i> | live (captive bred) | 4 | | CA | GB |
| | | | | 1 | | CA | US |
| | | | | 1 | | NL | CA |
| | | | | 3 | | US | GB |
| | | | | 1 | | XX | GB |
| | C1 | <i>Pernis apivorus</i> | live | 2 | | MT | IT |
| | C1 | <i>Sagittarius serpentarius</i> | live | 4 | | TZ | NL |
| | C1 | Falconidae spp. | bodies | 1 | | PE | XX |
| | C1 | <i>Falco biarmicus</i> | live (captive bred) | 3 | | BE | GB |
| | | | | 2 | | XX | GB |
| | C1 | <i>Falco cherrug</i> | live (captive bred) | 2 | | AE | GB |
| | C1 | <i>Falco columbarius</i> | live | 1 | | SE | XX |
| | C1 | <i>Falco mexicanus</i> | live (captive bred) | 2 | | CA | GB |
| | | | | 2 | | NL | CA |
| | C1 | <i>Falco novaezeelandiae</i> | live | 2 | | NZ | GB |
| | C1 | <i>Falco subbuteo</i> | bodies | 1 | | OM | GB |
| | C1 | <i>Falco tinnunculus</i> | live | 6 | | MT | IT |
| | C1 | <i>Falco vespertinus</i> | live | 1 | | MT | IT |
| | C1 | <i>Polyplectron bicalcaratum</i> | live (captive bred) | 4 | | HK | FR |

| CITES App. Annex | EEC Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|---------------------|--------------|-------------------------------|---------------------|----------|------------------------------------|----|-------|
| II | C1 | <i>Polyplectron malacense</i> | live (captive bred) | 8 | | US | BE |
| | | <i>Anthropoides virgo</i> | live | 1 | | CH | XX DE |
| | | | | 25 | | SU | BE |
| | | | | 80 | | SU | FR |
| | | | | 50 | | SU | GB |
| | | <i>Balearica pavonina</i> | live | 5 | | ET | NL |
| | | | | 20 | | ML | PT |
| | | | | 20 | | TZ | BE |
| | | | | 58 | | TZ | IT |
| | | | | 10 | | TZ | NL |
| | | | | 55 | | TZ | PT |
| | | <i>Balearica regulorum</i> | live | 20 | | BI | FR |
| | | | | 3 | | ET | NL |
| | | | | 20 | | KE | NL |
| | | | | 18 | | TZ | BE |
| | | | | 54 | | TZ | DE |
| | | | | 30 | | TZ | GB |
| | | | | 203 | | TZ | NL |
| | C2 | <i>Gallicolumba luzonica</i> | live | 15 | | PH | GB |
| | C1 | <i>Goura cristata</i> | live | 2 | | SG | NL |
| | | | | 2 | | XX | NL |
| | C2 | <i>Agapornis</i> spp. | live | 2 | | SA | DE |
| | C2 | <i>Agapornis cana</i> | live | 2175 | | MG | BE |
| | | | | 900 | | MG | DE |
| | | | | 20 | | MG | FR |
| | | | | 1725 | | MG | NL |
| | C2 | <i>Agapornis fischeri</i> | live (captive bred) | 35 | | CS | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|-------|------------------------------|---------------------|------------------------------------|-------|
| II | C2 | <i>Agapornis fischeri</i> | live (captive bred) | 10 | CS FR |
| | | | 200 | TW IT | |
| | | live | 3 | SA GB | |
| | | | 156 | TW ES | |
| | | | 152 | TW GR | |
| | | | 3458 | TZ BE | |
| | | | 3325 | TZ DE | |
| | | | 4300 | TZ FR | |
| | | | 3800 | TZ GB | |
| | | | 900 | TZ GR | |
| | | | 1800 | TZ IT | |
| | | | 4235 | TZ NL | |
| | | | 2870 | TZ PT | |
| | C2 | <i>Agapornis lilianae</i> | live (captive bred) | 150 | ZA BE |
| | C2 | <i>Agapornis personata</i> | live (captive bred) | 20 | CS DE |
| | | | 20 | CS FR | |
| | | | 14 | DD DE | |
| | | | 74 | TW ES | |
| | | | 100 | TW IT | |
| | | live | 100 | BI BE | |
| | | | 245 | TW GR | |
| | | | 450 | TZ NL | |
| | C2 | <i>Agapornis pullaria</i> | live | 27 | BI BE |
| | | | 20 | BI FR | |
| | | | 60 | GN DK | |
| | | | 125 | GN NL | |
| | | | 32 | LR DE | |
| | | | 25 | SN GN DE | |
| | | | 100 | SN GN PT | |
| | C2 | <i>Agapornis roseicollis</i> | live (captive bred) | 1 | AU BE |
| | | | 317 | CS DE | |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Export Origin Import | |
|-------------------------|---------------------------------|---------------------|----------|------------------------------------|-------|
| II | C2 <i>Agapornis roseicollis</i> | live (captive bred) | 65 | CS | FR |
| | | | 50 | TW | ES |
| | | | 120 | TW | PT |
| | | live | 4 | BW | DK |
| | | | 230 | CS | FR |
| | | | 1 | SA | GB |
| | | | 40 | TW | PT |
| C2 | <i>Agapornis taranta</i> | live | 4 | LR | NL |
| C2 | <i>Alisterus amboinensis</i> | live (captive bred) | 4 | ZA | BE |
| | | live | 227 | ID | DE |
| | | | 12 | ID | DK |
| | | | 4 | ID | ES |
| | | | 12 | ID | IT |
| | | | 24 | SG | ID DE |
| | | | 38 | SG | ID NL |
| C2 | <i>Alisterus chloropterus</i> | live (captive bred) | 2 | CH | NL |
| | | live | 100 | ID | DE |
| | | | 45 | ID | DK |
| | | | 12 | SG | ID DE |
| | | | 31 | SG | ID NL |
| C2 | <i>Amazona spp.</i> | live | 1 | SR | NL |
| C2 | <i>Amazona aestiva</i> | live (captive bred) | 1 | US | GB |
| | | live | 5751 | AR | DE |
| | | | 110 | AR | DK |
| | | | 1013 | AR | ES |
| | | | 890 | AR | FR |
| | | | 1050 | AR | GB |
| | | | 100 | AR | GR |
| | | | 452 | AR | IT |
| | | | 1490 | AR | PT |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|---------------------------|-----------------------------|-----------------------------------------------------|----------------------------------------------------------|----------------------------------------------------------|----------------------------------------------------|
| II | C2 <i>Amazona aestiva</i> | live | 1 1 1 1 1 1 1 150 1 | CL GL NA SE SE SE TR TW US ZW | XX XX XX XX XX XX XX XX AR XX | DE DK DE DK GB DK DK DE |
| C2 | <i>Amazona agilis</i> | live | 150 1 | AR BR | IT XX | IT IT |
| C2 | <i>Amazona albifrons</i> | live | 30 100 36 157 350 25 2 | CR HN HN HN HN NI NI | | NL BE DE DK GB GB NL |
| C2 | <i>Amazona amazonica</i> | live | 1 156 392 250 1 100 602 1 1 | AR GY GY GY NA SR SR US XX | XX BE DE GB DE DE NL DE IT | IT BE DE GB DE DE NL DE IT |
| C2 | <i>Amazona autumnalis</i> | live (captive bred) live | 1 1 100 355 | US GT HN HN | XX XX | GB IT BE DE |

| CITES EEC App. Annex | | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|----|------------------------------------------|---------------------|---------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|----------------------------|
| II | C2 | <i>Amazona autumnalis</i> | live | 83 565 146 260 1 | HN HN NI NI US | DK GB GB NL HN | DK GB GB NL DE |
| | C2 | <i>Amazona dufresniana</i> | live | 6 | GY | | DE |
| | C2 | <i>Amazona farinosa</i> | live | 50 31 19 30 8 | GY HN NI NI SR | | DE DK GB NL NL |
| | C2 | <i>Amazona festiva</i> | live | 10 | GY | | DE |
| | C2 | <i>Amazona finschi</i> | live | 44 | NI | | NL |
| | C2 | <i>Amazona ochrocephala</i> | live (captive bred) | 1 2 1 1 20 76 10 100 32 1 1 51 2 1 | HK US US BZ GY GY GY GY HN SA SE SR US VE | GB GB IT GB BE DE DK PT DK GB XX GB NL DE GB | |
| | C2 | <i>Amazona ochrocephala europalliata</i> | live | 40 | HN | | DK |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|-------------------------------------------------------|---------------------|-------------------------------------|------------------------------------|----------------------|----|
| II | C2 <i>Amazona ochrocephala</i> <i>europalliata</i> | live | 78 20 | NI | GB | NL |
| | C2 <i>Amazona ochrocephala</i> <i>oratrix</i> | live | 1 41 | BZ NI | GB NL | |
| | C2 <i>Amazona tucumana</i> | live | 242 30 165 50 30 116 | AR | DE | |
| | | | | AR | DK | |
| | | | | AR | ES | |
| | | | | AR | FR | |
| | | | | AR | GB | |
| | | | | AR | PT | |
| | C2 <i>Amazona viridigenalis</i> | live | 6 1 101 | CH NA NI | MX XX DE | NL |
| | C2 <i>Amazona xantholora</i> | live (captive bred) | 2 | CH | GB | |
| | C2 <i>Anodorhynchus</i> <i>hyacinthinus</i> | live (captive bred) | 4 2 2 | DD MT SE | NL GB GB | |
| | <i>Anodorhynchus leari</i> | live | 1 | CH | XX | FR |
| | C2 <i>Aprosmictus jonquillaceus</i> | live | 40 10 | ID | DE | FR |
| | C2 <i>Ara ararauna</i> | live | 25 114 60 1 | GY GY GY SR | BE DE PT DE | |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|--------------------------|---------------------|----------|------------------------------------|----|----|
| II | C2 Ara ararauna | live | 66 | SR | NL | |
| | | | 2 | US | XX | IT |
| | | | 1 | ZA | XX | GB |
| | C2 Ara chloroptera | live (captive bred) | 1 | CH | DE | |
| | | live | 25 | GY | BE | |
| | | | 127 | GY | DE | |
| | | | 5 | GY | DK | |
| | | | 50 | GY | PT | |
| | | | 1 | SR | DE | |
| | | | 1 | SR | NL | |
| | C2 Ara manilata | live | 16 | GY | BE | |
| | | | 30 | GY | DE | |
| | | | 5 | SR | DE | |
| | | | 8 | SR | NL | |
| | C2 Ara nobilis | live | 16 | GY | BE | |
| | | | 53 | GY | DE | |
| | | | 2 | SR | NL | |
| | C2 Ara severa | live | 2 | SR | DE | |
| | | | 5 | SR | NL | |
| | C2 Aratinga acuticaudata | live | 175 | AR | DE | |
| | | | 410 | AR | ES | |
| | | | 50 | AR | FR | |
| | | | 200 | AR | GB | |
| | | | 340 | AR | IT | |
| | | | 339 | AR | PT | |
| | C2 Aratinga aurea | live | 30 | AR | DK | |
| | | | 5 | SR | NL | |
| | C2 Aratinga canicularis | live | 70 | HN | DK | |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|----------------------------------|-------------|-------------------------------------|------------------------------------|----------|----------------------------------|
| II | C2 <i>Aratinga canicularis</i> | live | 100 7 | HN | NI | GB NL |
| | C2 <i>Aratinga erythrogenys</i> | live | 80 1 1 | PE US US | XX XX | DE GB IT |
| | C2 <i>Aratinga finschi</i> | live | 49 | CR | | NL |
| | C2 <i>Aratinga holochlora</i> | live | 78 308 | HN HN | | DK GB |
| | C2 <i>Aratinga jandaya</i> | live | 1 | SR | | NL |
| | C2 <i>Aratinga leucophthalma</i> | live | 100 23 20 220 346 22 | AR AR AR AR AR SR | | DE DK ES GB PT NL |
| | C2 <i>Aratinga mitrata</i> | live | 125 10 810 90 179 1 | AR AR AR AR AR US | XX | DE DK ES FR PT GB |
| | C2 <i>Aratinga nana</i> | live | 30 66 | HN HN | | DK GB |
| | C2 <i>Aratinga pertinax</i> | live | 1 2 1 780 | AN AN AW GY | ID | NL NL NL GB |

| CITES EEC App. Annex | | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|----|---------------------------------|-------------|------------------------------------------|----------------------------------------|----------------------------------------|
| II | C2 | <i>Aratinga pertinax</i> | live | 277 | SR | NL |
| | C2 | <i>Aratinga solstitialis</i> | live | 1 | SR | NL |
| | C2 | <i>Aratinga wagleri</i> | live | 2 | PE | FR |
| | C2 | <i>Bolbopsittacus lunulatus</i> | live | 10 70 | PH PH | DK GB |
| | C2 | <i>Bolborhynchus aymara</i> | live | 91 50 200 | AR AR AR | DE DK PT |
| | C2 | <i>Brotogeris chrysopterus</i> | live | 10 214 | SR SR | DE NL |
| | C2 | <i>Brotogeris jugularis</i> | live | 103 30 101 225 | CR HN HN NI | NL DK GB NL |
| | C2 | <i>Brotogeris versicolorus</i> | live | 615 30 130 300 168 305 | AR AR AR AR AR AR | DE DK ES GB IT PT |
| | C2 | <i>Cacatua alba</i> | live | 1 154 10 85 499 10 223 | HK ID ID ID ID ID SG | XX DE ES FR GB IT ID |
| | | | | | | GB |

| CITES EEC App. Annex | | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|----|-------------------------------|---------------------|-------------------------------------------------------|----------------------------------------------------|----------------------------------------------------------------------------|----------------------|
| II | C2 | <i>Cacatua alba</i> | live | 80 10 1 1 | SG SG US US | ID MY ID XX | NL FR DE DE |
| | C2 | <i>Cacatua galerita</i> | live (captive bred) | 10 | TW | | ES |
| | | | live | 2 30 1 1 2 1 2 | AU ID PH SA SE US ZW | NL FR XX GB XX IT XX DE | |
| | C2 | <i>Cacatua goffini</i> | live | 771 34 335 10 75 75 40 450 10 | ID ID ID SG SG SG SG SG SG | DE ES FR NL DE ID ES ID FR ID NL MY FR | |
| | C2 | <i>Cacatua haematuropygia</i> | live (captive bred) | 2 | FI | | ES |
| | | | live | 20 34 20 | PH PH PH | DK GB NL | |
| | C2 | <i>Cacatua leadbeateri</i> | live (captive bred) | 2 | DD | | NL |
| | C2 | <i>Cacatua moluccensis</i> | live (captive bred) | 5 | TW | | FR |
| | | | live | 229 10 54 | ID ID ID | DE DK ES | |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|----------------------------|---------------------|----------|------------------------------------|-------|
| II C2 | <i>Cacatua moluccensis</i> | live | 127 | ID | FR |
| | | | 284 | ID | GB |
| | | | 15 | ID | IT |
| | | | 5 | SG | ID DE |
| | | | 15 | SG | ID FR |
| | | | 301 | SG | ID GB |
| | | | 140 | SG | ID NL |
| | | | 20 | SG | MY FR |
| | | | 1 | US | ID DE |
| | | | 2 | ZA | XX GB |
| C2 | <i>Cacatua ophthalmica</i> | live | 1 | LB | XX IT |
| | | | 1 | PG | XX GB |
| C2 | <i>Cacatua sanguinea</i> | live | 5 | ID | DE |
| | | | 20 | ID | ES |
| | | | 2 | SE | XX GB |
| C2 | <i>Cacatua sulphurea</i> | live (captive bred) | 30 | TW | FR |
| | | | 25 | TW | PT |
| | | | 1094 | ID | DE |
| | | | 50 | ID | DK |
| | | | 44 | ID | ES |
| | | | 363 | ID | FR |
| | | | 575 | ID | GB |
| | | | 24 | ID | IT |
| | | | 1 | KW | DK |
| | | | 1 | OM | XX GB |
| | | | 1 | PH | NL |
| | | | 1 | PH | BE DK |
| | | | 100 | SG | ID DE |
| | | | 40 | SG | ID FR |
| | | | 144 | SG | ID GB |
| | | | 467 | SG | ID NL |
| | | | 16 | SG | ID PT |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|------------------------------------|-------------|----------------------------------------|----------------------------------------|----------------------------------------|----------------------------------------|
| II | C2 <i>Cacatua sulphurea</i> | live | 1 40 1 2 3 | TH TW US US US | XX PT ID ID XX | DE PT DE GB DE |
| | C2 <i>Chalcopsitta atra</i> | live | 6 14 4 40 30 17 4 | GY ID ID ID ID SG SG | ID DE ES FR GB ID ID | BE DE ES FR GB DE NL |
| | C2 <i>Chalcopsitta duivenbodei</i> | live | 67 4 20 5 49 | ID ID ID SG SG | ID ES FR ID ID | DE ES FR FR NL |
| | C2 <i>Chalcopsitta sintillata</i> | live | 20 70 12 22 30 | ID ID ID SG SG | ID GB IT ID ID | DE GB IT DE NL |
| | C2 <i>Charmosyna spp.</i> | live | 16 | ID | | FR |
| | C2 <i>Charmosyna josefinae</i> | live | 90 10 30 12 30 10 47 | ID ID ID ID ID SG SG | ID DK FR IT SG ID ID | DE DK FR IT PT FR NL |

| CITES EEC App. Annex | | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|----|-------------------------------|-------------|----------|------------------------------------|----|----|
| II | C2 | <i>Charmosyna josefinae</i> | live | 22 | SG | ID | PT |
| | C2 | <i>Charmosyna papou</i> | live | 146 | ID | | DE |
| | | | | 10 | ID | | DK |
| | | | | 2 | ID | | ES |
| | | | | 40 | ID | | FR |
| | | | | 60 | ID | | GB |
| | | | | 8 | ID | SG | PT |
| | | | | 5 | SG | ID | DE |
| | | | | 42 | SG | ID | GB |
| | | | | 56 | SG | ID | NL |
| | C2 | <i>Charmosyna placentis</i> | live | 120 | ID | | DE |
| | | | | 44 | ID | | FR |
| | | | | 3 | SG | ID | GB |
| | | | | 20 | SG | ID | NL |
| | C2 | <i>Charmosyna pulchella</i> | live | 100 | ID | | DE |
| | | | | 10 | ID | | DK |
| | | | | 1 | ID | | ES |
| | | | | 20 | ID | | FR |
| | | | | 7 | ID | SG | PT |
| | | | | 14 | SG | | NL |
| | | | | 19 | SG | ID | GB |
| | | | | 47 | SG | ID | NL |
| | C2 | <i>Charmosyna rubronotata</i> | live | 10 | SG | ID | FR |
| | | | | 44 | SG | ID | NL |
| | C2 | <i>Coracopsis nigra</i> | live | 23 | MG | | BE |
| | | | | 20 | MG | | DE |
| | | | | 30 | MG | | DK |
| | C2 | <i>Coracopsis vasa</i> | live | 82 | MG | | BE |
| | | | | 20 | MG | | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|--------------------------------------|---------------------------------|-----------------------------------|------------------------------------|----------------------------------------|
| II | C2 <i>Coracopsis vasa</i> | live | 19 95 | MG MG | DK NL |
| | C2 <i>Cyanoliseus patagonus</i> | live | 87 190 150 50 1 98 | AR AR AR AR AR AR | DE ES FR IT NL PT |
| | C2 <i>Cyanoramphus auriceps</i> | live (captive bred) | 20 10 | CS DD | FR DE |
| | C2 <i>Deroptyus accipitrinus</i> | live (captive bred) live | 2 1 10 10 20 35 | MT CH GY GY SR SR | GB GF DE DK DE NL |
| | C2 <i>Eclectus roratus</i> | live (captive bred) live | 2 2 4 40 2 1 | CA CA CH TW US HK | GB SA DE ES FR XX GB |
| | C2 <i>Enicognathus ferrugineus</i> | live | 75 235 195 220 | CL CL CL CL | BE DE ES NL |
| | C2 <i>Enicognathus leptorhynchus</i> | live | 75 50 | CL CL | BE DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|--------------------------------------|-----------------------------|--------------------------------------------------------------------|----------------------------------------------------------------------|----------------------------------------------------------------------------------|
| II | C2 <i>Enicognathus leptorhynchus</i> | live | 30 215 | CL CL | ES NL |
| | C2 <i>Eolophus roseicapillus</i> | live (captive bred) | 2 14 4 10 | AU ZA ZA ZA | GB BE DE NL |
| | C2 <i>Eos bornea</i> | live | 186 40 100 340 80 62 20 3 170 110 60 | ID ID ID ID ID ID SG SG SG SG SG SG | DE DK ES FR GB IT DE ID FR ID GB ID NL PT |
| | C2 <i>Eos reticulata</i> | live | 89 8 40 20 20 210 10 | ID ID ID ID SG SG | DE ES FR GB IT ID GB ID NL |
| | C2 <i>Eos squamata</i> | live (captive bred) live | 15 40 10 40 60 20 | TW ID ID ID ID ID | FR DE ES FR GB IT |

| CITES EEC App. Annex | | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|----|-------------------------------|---------------------|----------------------------------------------------------------|----------------------------------------------|----------------------------------------------|----------------------------------------------|
| II | C2 | <i>Eos squamata</i> | live | 90 28 15 | SG SG SG | ID ID ID | GB NL PT |
| | C2 | <i>Eunymphicus spp.</i> | live | 20 | | ID | FR |
| | C2 | <i>Eunymphicus cornutus</i> | live (captive bred) | 2 2 12 | CH CH NC | | DE NL FR |
| | C2 | <i>Forpus passerinus</i> | live | 688 | SR | | NL |
| | C2 | <i>Forpus xanthops</i> | live | 4 | ES | XX | DK |
| | C2 | <i>Loriculus spp.</i> | skulls | 3 | TH | | NL |
| | C2 | <i>Loriculus galgulus</i> | live | 1000 100 10 150 100 100 200 items 8 items | MY MY SG SG TH TH MY TH | ID MY FR NL GB IT DE DE | IT NL FR NL NL IT DE DE |
| | C2 | <i>Loriculus philippensis</i> | live | 90 450 110 150 items | PH PH PH PH | | DK GB NL DE |
| | C2 | <i>Loriculus stigmatus</i> | live | 110 items | ID | | DE |
| | C2 | <i>Loriculus vernalis</i> | live | 100 100 1 item | TH TH CH | VN | GB IT DE |

| CITES EEC App. Annex | | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|----|----------------------------|---------------------|-----------|------------------------------------|-------|
| II | C2 | <i>Loriculus vernalis</i> | live | 35 items | TH | DE |
| | C2 | <i>Lorius garrulus</i> | live | 44 | ID | ES |
| | | | | 268 | ID | FR |
| | | | | 157 | ID | GB |
| | | | | 40 | ID | IT |
| | | | | 2 | ID | XX IT |
| | | | | 20 | SG | ID FR |
| | | | | 270 | SG | ID GB |
| | | | | 85 | SG | ID NL |
| | | | | 50 | SG | MY FR |
| | | | | 201 items | ID | DE |
| | | | | 10 items | SG | ID DE |
| | C2 | <i>Myiopsitta monachus</i> | live | 100 | AR | DE |
| | | | | 1100 | AR | ES |
| | | | | 100 | AR | FR |
| | | | | 817 | AR | IT |
| | | | | 2 | AR | NL |
| | | | | 250 | AR | PT |
| | | | | 380 | UY | BE |
| | | | | 300 | UY | DE |
| | | | | 6000 | UY | ES |
| | | | | 200 | UY | NL |
| | C2 | <i>Nandayus nenday</i> | live | 155 | AR | DE |
| | | | | 465 | AR | ES |
| | | | | 100 | AR | FR |
| | | | | 300 | AR | IT |
| | | | | 210 | AR | PT |
| | C2 | <i>Neophema bourkii</i> | live (captive bred) | 40 | CS | FR |
| | C2 | <i>Neophema pulchella</i> | live (captive bred) | 20 | CS | FR |
| | | | | 39 | DD | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|--------------------------------------------------|-----------------------------|--------------------------------------------|------------------------------------|----------|----------|
| II | C2 <i>Neopsittacus</i> <i>musschenbroekii</i> | live | 34 60 60 10 28 4 | ID | DE | |
| | | | | ID | FR | |
| | | | | ID | GB | |
| | | | | SG | ID | FR |
| | | | | SG | ID | NL |
| | | | | SG | ID | PT |
| C2 | <i>Nestor notabilis</i> | live (captive bred) | 3 | AT | | DE |
| C2 | <i>Oropsitta diophthalma</i> | live | 25 13 | ID SG | ID | DE NL |
| C2 | <i>Pionites melanocephala</i> | live | 55 10 20 83 | GY | | DE |
| | | | | GY | | DK |
| | | | | SR | | DE |
| | | | | SR | | NL |
| C2 | <i>Pionopsitta haematotis</i> | live | 3 10 | HN | | DK |
| | | | | HN | | GB |
| C2 | <i>Pionus fuscus</i> | live | 35 5 | GY SR | | DE NL |
| C2 | <i>Pionus maximiliani</i> | live | 426 60 462 50 40 230 360 | AR | | DE |
| | | | | AR | | DK |
| | | | | AR | | ES |
| | | | | AR | | FR |
| | | | | AR | | GR |
| | | | | AR | | IT |
| | | | | AR | | PT |
| C2 | <i>Pionus menstruus</i> | live (captive bred) live | 2 1 55 | CA KY SR | GB CR | GB DE |

| CITES EEC App. Annex | | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|----|----------------------------------|---------------------|----------|------------------------------------|----|
| II | C2 | <i>Pionus menstruus</i> | live | 210 | SR | NL |
| | C2 | <i>Pionus senilis</i> | live | 1 | BZ | GB |
| | | | | 6 | CR | NL |
| | | | | 3 | HN | DK |
| | C2 | <i>Platycercus adscitus</i> | live (captive bred) | 65 | CS | BE |
| | | | | 2 | CS | DE |
| | | | | 20 | CS | FR |
| | C2 | <i>Platycercus elegans</i> | live (captive bred) | 30 | CS | BE |
| | | | | 6 | CS | DE |
| | | | | 20 | CS | FR |
| | | | | 39 | DD | DE |
| | C2 | <i>Platycercus eximius</i> | live (captive bred) | 100 | CS | BE |
| | | | | 195 | CS | DE |
| | | | | 20 | CS | FR |
| | | | | 135 | DD | DE |
| | C2 | <i>Platycercus icterotis</i> | live (captive bred) | 20 | CS | FR |
| | | | | 34 | DD | DE |
| | C2 | <i>Poicephalus spp.</i> | live | 35 | TZ | NL |
| | C2 | <i>Poicephalus cryptoxanthus</i> | live | 50 | TZ | BE |
| | | | | 30 | TZ | DE |
| | | | | 175 | TZ | FR |
| | | | | 85 | TZ | NL |
| | | | | 50 | TZ | PT |
| | C2 | <i>Poicephalus gulielmi</i> | live | 1 | GH | DE |
| | C2 | <i>Poicephalus meyeri</i> | live | 95 | TZ | BE |
| | | | | 600 | TZ | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import |
|-------------------------|-----------------------------------|-----------------------------|----------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| II | C2 <i>Poicephalus meyeri</i> | live | 460 895 120 890 265 | TZ FR TZ GB TZ IT TZ NL TZ PT |
| | C2 <i>Poicephalus robustus</i> | live | 1 2 | GN BE MY NL |
| | C2 <i>Poicephalus rufiventris</i> | live | 50 50 33 | TZ FR TZ IT TZ NL |
| | C2 <i>Poicephalus senegalus</i> | live (captive bred) live | 1 1 300 1 1 5477 290 4038 1513 1285 100 2 | US DE ML DE ML FR ML XX DE SL GB SN DE SN ES SN FR SN GB SN PT SN GN FR SN XX IT |
| | C2 <i>Polytelis alexandrae</i> | live (captive bred) | 3 | DD NL |
| | C2 <i>Probosciger aterrimus</i> | live (captive bred) live | 4 20 | MT GB TW ES |
| | C2 <i>Psephotus haematonotus</i> | live (captive bred) live | 85 40 100 | CS DE CS FR CS FR |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import |
|-------------------------|-----------------------------------|---------------------|-----------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| II | C2 <i>Pseudeos fuscata</i> | live | 75 6 75 58 40 20 170 43 48 | ID DE ID ES ID FR ID GB SG ID DE SG ID FR SG ID GB SG ID NL SG ID PT |
| | C2 <i>Psittacula spp.</i> | skulls | 21 | TH NL |
| | C2 <i>Psittacula alexandri</i> | live | 90 31 319 359 339 650 200 200 233 30 82 60 240 2 | ID DE ID DK IN BE IN DE IN FR IN GB IN IT IN NL IN PT SG VN GR TH DK TH IT TH PT XX NL |
| | C2 <i>Psittacula calthorae</i> | live (captive bred) | 2 | LK DE |
| | C2 <i>Psittacula cyanocephala</i> | live | 681 1349 398 1300 50 240 | IN BE IN DE IN FR IN GB IN GR IN NL |

| CITES EEC App. Annex | | TAXON | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|----|------------------------------------------|-------------|----------------------------------------------------------|----------------------------------------------------|----------------------------------------------------|----------------------------------------------------|
| II | C2 | <i>Psittacula cyanocephala</i> | live | 320 200 | IN IN | ID | PT NL |
| | C2 | <i>Psittacula eupatria</i> | live | 373 471 282 200 60 200 150 260 1 | IN IN IN IN IN IN IN IN SA | IN DE FR GB GR IT NL PT GB | BE DE FR GB GR IT NL PT GB |
| | C2 | <i>Psittacula himalayana</i> | live | 50 40 20 | TH TH TH | | DE GB IT |
| | C2 | <i>Psittacula longicauda</i> | live | 50 | SG | MY | NL |
| | C2 | <i>Psittacula roseata</i> | live | 90 38 40 | TH TH TH | | DE DK IT |
| | C2 | <i>Psittaculirostris desmarestii</i> | live | 86 40 12 34 | ID ID ID SG | ID | DE FR IT NL |
| | C2 | <i>Psittaculirostris edwardsii</i> | live | 60 10 20 32 | ID ID ID SG | ID | DE DK ES NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import |
|-------------------------|----------------------------|---------------------|----------|------------------------------------|
| II C2 | <i>Psittacus erithacus</i> | bodies | 1 | GA FR |
| | | live (captive bred) | 3 | NG GB |
| | | | 1 | QA KE GB |
| | | | 1 | US GB |
| | | | 1 | ZA GB |
| | | | 1 | ZA XX GB |
| | | live | 1 | AO GB |
| | | | 1 | AT KE DE |
| | | | 1 | CA XX GB |
| | | | 400 | CF FR |
| | | | 100 | CH FR |
| | | | 3442 | CM DE |
| | | | 1100 | CM FR |
| | | | 1050 | CM GB |
| | | | 1171 | CM NL |
| | | | 360 | CM PT |
| | | | 200 | CM ID NL |
| | | | 1 | GA FR |
| | | | 3 | GA IT |
| | | | 9 | GH DE |
| | | | 4 | GH GB |
| | | | 1 | GH IT |
| | | | 1 | GH NL |
| | | | 200 | GN DE |
| | | | 1 | IR XX DE |
| | | | 1 | JO XX GB |
| | | | 2 | KE GB |
| | | | 1 | KE GH GB |
| | | | 1 | KE UG GB |
| | | | 2 | KE XX DE |
| | | | 100 | LI FR |
| | | | 2697 | LR DE |
| | | | 100 | LR FR |
| | | | 1554 | LR GB |
| | | | 175 | LR IT |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|-------|----------------------------|----------|------------------------------------|----|-------|
| II | C2 | <i>Psittacus erithacus</i> | live | 1 | LY | XX DE |
| | | | 50 | ML | GN | DE |
| | | | 150 | ML | GN | FR |
| | | | 1 | ML | XX | DE |
| | | | 1 | NG | | DE |
| | | | 3 | NG | | GB |
| | | | 1 | NC | XX | DE |
| | | | 4 | NG | XX | IT |
| | | | 1 | OM | | GB |
| | | | 1 | RW | | DE |
| | | | 1 | RW | XX | GB |
| | | | 3 | SA | XX | GB |
| | | | 1 | SE | GQ | DK |
| | | | 2 | SE | XX | GB |
| | | | 116 | SG | GN | FR |
| | | | 1 | SL | | GB |
| | | | 291 | SN | | ES |
| | | | 266 | SN | | FR |
| | | | 175 | SN | | PT |
| | | | 1785 | SN | GN | DE |
| | | | 2385 | SN | GN | FR |
| | | | 2560 | SN | GN | GB |
| | | | 210 | SN | GN | PT |
| | | | 1 | TG | | IT |
| | | | 125 | TG | GN | FR |
| | | | 1 | TR | XX | DE |
| | | | 1 | TR | XX | GB |
| | | | 1 | TR | XX | IT |
| | | | 3 | UG | | GB |
| | | | 1 | VE | CI | DE |
| | | | 1 | ZA | GN | DE |
| | | | 1 | ZA | TG | DE |
| | | | 1 | ZA | TG | GR |
| | | | 3 | ZA | XX | GB |
| | | | 8 | ZR | | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|------------------------------------------------|---------------------|----------|------------------------------------|-------|
| II | C2 <i>Psittacus erithacus</i> | live | 2 | ZR | DK |
| | | | 2 | ZR | GB |
| | | | 2 | ZR | XX IT |
| C2 | <i>Psittacus erithacus</i> <i>erithacus</i> | live | 1800 | CM | BE |
| | | | 1 | ZA | BE |
| | | | 1 | ZA | NL |
| | | | 21 | ZR | BE |
| C2 | <i>Psittacus erithacus</i> <i>timneh</i> | live | 50 | GN | BE |
| | | | 150 | GN | NL |
| | | | 100 | LI | FR |
| | | | 300 | LR | BE |
| | | | 50 | LR | GR |
| | | | 700 | LR | NL |
| | | | 25 | SN | GN FR |
| C2 | <i>Psittinus cyanurus</i> | live | 2 | ID | IT |
| | | | 35 | SG | ID NL |
| | | | 50 | SG | MY NL |
| C2 | <i>Pyrrhura frontalis</i> | live | 225 | AR | DE |
| | | | 135 | AR | ES |
| | | | 50 | AR | FR |
| | | | 100 | AR | GR |
| | | | 240 | AR | IT |
| | | | 7 | AR | PT |
| C2 | <i>Pyrrhura picta</i> | live | 3 | SR | DE |
| | | | 166 | SR | NL |
| C2 | <i>Tanygnathus lucionensis</i> | live (captive bred) | 2 | FI | ES |
| | | live | 10 | PH | DK |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|--------------------------------------|---------------------|----------|------------------------------------|----|----|
| II | C2 <i>Tanygnathus lucionensis</i> | live | 77 4 | PH | GB | |
| | | | | PH | NL | |
| | C2 <i>Tanygnathus megalorynchos</i> | live (captive bred) | 6 | ID | ES | |
| | | live | 61 | ID | DE | |
| | | | 8 | ID | FR | |
| | | | 54 | ID | GB | |
| | | | 16 | ID | IT | |
| | | | 9 | SG | ID | GB |
| | | | 5 | SG | ID | NL |
| | | | 2 | SG | ID | PT |
| | C2 <i>Tanygnathus sumatranus</i> | live | 2 | PH | | NL |
| | C2 <i>Trichoglossus euteles</i> | live | 34 | ID | DE | |
| | | | 10 | ID | DK | |
| | | | 14 | SG | NL | |
| | | | 15 | SG | ID | NL |
| | C2 <i>Trichoglossus flavoviridis</i> | live (captive bred) | 10 | ID | ES | |
| | | live | 16 | ID | DE | |
| | | | 24 | SG | ID | NL |
| | C2 <i>Trichoglossus goldiei</i> | live (captive bred) | 20 | ID | ES | |
| | | live | 38 | ID | DE | |
| | | | 58 | ID | FR | |
| | | | 30 | ID | GB | |
| | | | 40 | SG | ID | GB |
| | | | 45 | SG | ID | NL |
| | C2 <i>Trichoglossus haematodus</i> | live (captive bred) | 154 | ID | ES | |
| | | | 15 | TW | FR | |
| | | | 25 | TW | PT | |
| | | live | 2 | AE | XX | IT |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|-------|---------------------------------|---------------------|------------------------------------|-------|--|
| II | C2 | <i>Trichoglossus haematodus</i> | live | 195 | ID DE | |
| | | | 30 | ID DK | | |
| | | | 270 | ID FR | | |
| | | | 190 | ID GB | | |
| | | | 44 | ID IT | | |
| | | | 15 | SG NL | | |
| | | | 32 | SG ID FR | | |
| | | | 240 | SG ID GB | | |
| | | | 90 | SG ID NL | | |
| | | | 60 | SG ID PT | | |
| | | | 40 | TW PT | | |
| | C2 | <i>Trichoglossus iris</i> | live | 30 | ID DE | |
| | | | 10 | ID DK | | |
| | | | 8 | SG ID NL | | |
| | C1 | <i>Tauraco corythaix persa</i> | live | 10 | GN NL | |
| | C1 | <i>Tauraco porphyreolophus</i> | live | 3 | TZ NL | |
| | C1 | <i>Tyto alba</i> | live | 18 | US DE | |
| | C1 | <i>Tyto aurantia</i> | live | 1 | MT IT | |
| | C1 | <i>Tyto capensis</i> | bodies | 1 | ZR NL | |
| | C1 | <i>Aegolius funereus</i> | live (captive bred) | 2 | CH DE | |
| | C1 | <i>Athene brama</i> | live (captive bred) | 1 | GB GB | |
| | C1 | <i>Bubo africanus</i> | live (captive bred) | 1 | BE BE | |
| | | | 2 | DD GB | | |
| | C1 | <i>Bubo bubo</i> | live (captive bred) | 10 | DD DE | |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin | Import |
|-------------------------|-----------------------------------|---------------------|----------|-----------------------------|--------|
| II | C1 <i>Bubo lacteus</i> | live (captive bred) | 2 | DD | GB |
| | C1 <i>Bubo nipalensis</i> | live | 2 | LK | DE |
| | C1 <i>Bubo virginianus</i> | live (captive bred) | 4 | CA | GB |
| | C1 <i>Glaucidium brasilianum</i> | live (captive bred) | 2 | DD | GB |
| | | live | 6 | AR | DE |
| | C1 <i>Nyctea scandiaca</i> | bodies | 1 | GL | DK |
| | | live (captive bred) | 2 | CH | IT |
| | | | 1 | GB | GB |
| | C1 <i>Otus scops</i> | live (captive bred) | 1 | CH | DE |
| | C1 <i>Pulsatrix perspicillata</i> | live (captive bred) | 1 | CH | BE |
| | C1 <i>Strix nebulosa</i> | live (captive bred) | 1 | CA | DE |
| | | | 1 | CA | GB |
| | C1 <i>Strix uralensis</i> | live (captive bred) | 7 | AT | DE |
| | | | 1 | CH | DE |
| | | | 6 | FI | GB |
| | | live | 1 | FI | DE |
| | C1 <i>Surnia ulula</i> | live (captive bred) | 1 | CH | IT |
| | Trochilidae spp. | live | 66 | BZ | NL |
| | | | 40 | PE | NL |
| | <i>Amazilia amazilia</i> | live | 115 | PE | NL |
| | <i>Leucippus baeri</i> | live | 40 | PE | NL |
| | <i>Myrtis fanny</i> | live | 10 | PE | NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|------------------------------------------------|-----------------------------|--------------------|------------------------------------|----------------------|----|
| II | <i>Rhodopis vesper</i> | live | 30 | PE | NL | |
| | <i>Sephanoides</i> spp. | live | 25 | CL | NL | |
| | <i>Sephanoides sephanioides</i> | live | 50 | CL | NL | |
| | <i>Thaumastura cora</i> | live | 10 | PE | NL | |
| C1 | <i>Buceros rhinoceros</i> <i>rhinoceros</i> | live | 2 | SG | NL | |
| | <i>Gubernatrix cristata</i> | live | 35 | AR | NL | |
| | <i>Clemmys muhlenbergi</i> | live | 4 | US | DE | |
| C2 | <i>Testudinidae</i> spp. | live shells | 1 1 | CH ZA | XX GB | GB |
| C2 | <i>Geochelone elegans</i> | live (captive bred) live | 29 14 | LK LK | NL NL | |
| C2 | <i>Geochelone elongata</i> | live | 50 10 94 | MY MY TH | DE DK NL | |
| C2 | <i>Geochelone emys</i> | live | 19 2 3 47 | MY MY MY TH | DE DK NL NL | |
| C2 | <i>Geochelone gigantea</i> | skulls | 1 | SC | GB | |
| C2 | <i>Geochelone impressa</i> | live | 2 | TH | NL | |
| C2 | <i>Geochelone pardalis</i> | live | 320 | TZ | DE | |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|-------------------------------|---------------------|----------|------------------------------------|----|----|
| II | C2 <i>Geochelone pardalis</i> | live | 1318 | TZ | DK | |
| | | | 71 | TZ | GB | |
| | | | 712 | TZ | NL | |
| | | | 2 | US | TZ | DE |
| | | | 4 | US | TZ | GB |
| | | scales | 80 | ZA | NL | |
| | | shells | 1 | NA | DE | |
| | | | 26 | ZA | | NL |
| C2 | <i>Geochelone sulcata</i> | live | 1 | HU | SN | DE |
| | | | 2 | US | CM | GB |
| C2 | <i>Homopus areolatus</i> | live (captive bred) | 2 | ZA | | DE |
| | | live | 4 | ZA | | DE |
| C2 | <i>Homopus signatus</i> | live (captive bred) | 5 | ZA | | DE |
| | | live | 6 | ZA | | DE |
| C2 | <i>Kinixys spp.</i> | live | 75 | TG | | FR |
| C2 | <i>Kinixys belliana</i> | live | 20 | GH | | DK |
| | | | 75 | GH | | GB |
| | | | 5 | RW | | DE |
| | | | 325 | TG | | DE |
| | | | 25 | TG | | DK |
| | | | 450 | TG | | FR |
| | | | 74 | TG | | NL |
| | | | 30 | TZ | | DE |
| | | | 50 | TZ | | GB |
| | | scales | 1 | CM | | DE |
| C2 | <i>Kinixys erosa</i> | live | 9 | RW | | DE |
| | | | 1 | SL | | DK |
| | | | 100 | TG | | FR |
| | | | 84 | TG | | NL |

| CITES EEC App. Annex | | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|----|-----------------------------------|---------------------|----------|------------------------------------|----|----|
| II | C2 | <i>Kinixys erosa</i> | scales | 3 | | RW | DE |
| | C2 | <i>Kinixys homeana</i> | live | 225 | | TG | DE |
| | | | | 25 | | TG | DK |
| | | | | 300 | | TG | FR |
| | C2 | <i>Malacochersus tornieri</i> | live | 105 | | TZ | DE |
| | | | | 340 | | TZ | DK |
| | | | | 186 | | TZ | NL |
| | C1 | <i>Testudo graeca</i> | live (captive bred) | 10 | | DD | NL |
| | | | live | 4 | | MA | FR |
| | | | | 2 | | XX | GB |
| | C1 | <i>Testudo hermanni</i> | live (captive bred) | 40 | | DD | NL |
| | | | live | 1 | | US | DE |
| | C2 | <i>Testudo horsfieldii</i> | live | 2 | | PK | NL |
| | | | | 30 | | SU | NL |
| | C2 | <i>Peltocephalus dumeriliana</i> | live | 1 | | VE | DE |
| | | <i>Pelusios</i> spp. | live | 100 | | TG | FR |
| | C2 | <i>Podocnemis erythrocephala</i> | live | 8 | | VE | DE |
| | C2 | <i>Podocnemis unifilis</i> | live | 2 | | VE | DE |
| | C2 | <i>Podocnemis voglii</i> | live | 4 | | VE | DE |
| | C2 | <i>Alligator mississippiensis</i> | belts | 195 | | US | DE |
| | | | | 3 | | US | DK |
| | | | | 20 | | US | ES |
| | | | | 200 | | US | FR |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|-------------------------------|---------------------|----------|------------------------------------|----|----|
| II | C2 Alligator mississippiensis | belts | 34 | US | GB | |
| | | | 10 | US | IT | |
| | | handbags | 5 | JP | US | DE |
| | | | 18240 | US | FR | |
| | | live (captive bred) | 800 | US | GB | |
| | | live | 1 | CH | US | DE |
| | | meat | 1731 kg | US | GB | |
| | | | 13624 kg | US | NL | |
| | | other | 6 | US | DE | |
| | | pairs of shoes | 2 | US | FR | |
| | | | 6 | US | IT | |
| | | | 15 | US | MX | FR |
| | | skins | 3642 | US | FR | |
| | | | 1395 | US | IT | |
| | | skin/leather items | 69 | US | FR | |
| | | | 100 | US | GB | |
| C2 | Caiman spp. | handbags | 1 | PA | | NL |
| C2 | Caiman crocodilus | belts | 6 | CH | GY | GB |
| | | bodies | 5 | BR | | NL |
| | | | 1 | PA | | NL |
| | | handbags | 2 | AT | | LU |
| | | | 4 | US | VE | GB |
| | | live | 25 | US | GY | DK |
| | | pairs of shoes | 1 | HK | XX | GB |
| | | sides | 3034 | CH | BO | FR |
| | | | 40000 | IL | BO | FR |
| | | skins | 7094 | IL | BO | FR |
| | | | 1 | SR | | NL |
| | | | 233 kg | AR | | NL |
| | | skin/leather items | 43 | CH | GY | GB |
| | | | 5 | HK | XX | GB |
| | | watchstraps | 332 | CH | | LU |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|---------------------------------|---------------------|------------|------------------------------------|----|----|
| II | C2 Caiman crocodilus | watchstraps | 20 | CH | CO | FR |
| | | | 60 | CH | GY | DK |
| | | | 6929 | CH | GY | GB |
| | | | 380 | HK | CO | GB |
| | | | 384 | JP | BO | FR |
| | | | 59596 | MA | BO | FR |
| C2 | Caiman crocodilus crocodilus | belts | 419 | CH | CO | DE |
| | | | 22 | CH | GY | BE |
| | | | 44 | CH | GY | DE |
| | | | 357 | IT | GY | DK |
| | | | 28 | US | GY | DK |
| | | | 102 | US | VE | DK |
| | | bodies | 1 | VE | XX | IT |
| | | handbags | 5 | GY | | ES |
| | | | 3 | HK | GY | DE |
| | | | 53 | JP | GY | DE |
| | | | 1 | TH | SU | BE |
| | | | 1 | US | GY | DE |
| | | | 1 | US | GY | FR |
| | | leather | 4910 sq.ft | CH | PY | FR |
| | | live (captive bred) | 36 | CU | | BE |
| | | | 9 | TH | SE | ES |
| | | live | 200 | CH | PY | GB |
| | | pairs of shoes | 7 | AT | GY | DE |
| | | | 1 | CH | GF | GB |
| | | | 76 | US | GY | IT |
| | | sides | 2297 | CH | CO | DE |
| | | | 1142 | CH | CO | FR |
| | | | 284 | CH | GT | FR |
| | | | 1180 | CH | GY | FR |
| | | | 1146 | CH | VE | FR |
| | | | 7000 | JP | SV | FR |
| | | | 45 | US | VE | IT |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|-------|--------------------------|------------|------------------------------------|----|----|
| II | C2 | <i>Caiman crocodilus</i> | | | | |
| | | <i>crocodilus</i> | | | | |
| | | sides | 31955 | VE | FR | |
| | | | 34824 | VE | IT | |
| | | skins | 2000 | BO | IT | |
| | | | 271 | CH | GT | FR |
| | | | 4 | CH | GY | IT |
| | | | 93 | CH | SV | FR |
| | | | 7765 | CO | IT | |
| | | | 10000 | PA | PY | IT |
| | | | 3 | TW | SV | FR |
| | | | 234 | US | VE | GR |
| | | | 1250 | VE | GB | |
| | | skin/leather items | 1500 sq.ft | JP | SV | FR |
| | | | 8 | AT | CO | FR |
| | | | 820 | AT | CO | GB |
| | | | 9 | CA | CO | GB |
| | | | 100 | CH | BO | GB |
| | | | 785 | CH | CO | IT |
| | | | 5700 | CH | GY | FR |
| | | | 1477 | CH | GY | IT |
| | | | 200 | CH | PY | GB |
| | | | 40 | CH | PY | IT |
| | | | 6 | CH | XX | IT |
| | | | 2 | US | GY | FR |
| | | | 1 | US | VE | FR |
| | | | 7 | ZA | GY | FR |
| | | skin pieces | 1071 kg | VE | IT | |
| | | wallets | 1 | CH | CO | DE |
| | | watchstraps | 877 | AT | BO | FR |
| | | | 4482 | AT | CO | BE |
| | | | 7259 | AT | CO | DE |
| | | | 3596 | AT | CO | DK |
| | | | 4969 | AT | CO | FR |
| | | | 46 | AT | CO | GB |
| | | | 1682 | AT | GY | BE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|-------|--------------------------|----------|------------------------------------|----|----|
| II | C2 | <i>Caiman crocodilus</i> | | | | |
| | | <i>crocodilus</i> | | | | |
| | | watchstraps | | | | |
| | | | 15285 | AT | GY | DE |
| | | | 906 | AT | GY | DK |
| | | | 475 | AT | GY | ES |
| | | | 1007 | AT | GY | FR |
| | | | 2231 | AT | VE | BE |
| | | | 2709 | AT | VE | DE |
| | | | 1401 | AT | VE | DK |
| | | | 5083 | AT | VE | FR |
| | | | 1971 | AT | XX | DE |
| | | | 4862 | AU | ID | ES |
| | | | 783 | BO | | GB |
| | | | 823 | CH | BO | FR |
| | | | 2095 | CH | BO | GB |
| | | | 25 | CH | CO | BE |
| | | | 23839 | CH | CO | DE |
| | | | 250 | CH | CO | DK |
| | | | 6165 | CH | CO | FR |
| | | | 2163 | CH | CO | GB |
| | | | 28 | CH | GN | PT |
| | | | 295 | CH | GT | FR |
| | | | 100 | CH | GT | GB |
| | | | 1275 | CH | GY | BE |
| | | | 4961 | CH | GY | DE |
| | | | 990 | CH | GY | DK |
| | | | 1260 | CH | GY | FR |
| | | | 407 | CH | GY | GB |
| | | | 272 | CH | GY | PT |
| | | | 390 | CH | HN | FR |
| | | | 181 | CH | PA | DK |
| | | | 534 | CH | PA | FR |
| | | | 61 | CH | PY | BE |
| | | | 701 | CH | PY | DE |
| | | | 75 | CH | PY | DK |
| | | | 1003 | CH | PY | FR |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Export Origin Import | | | |
|-------------------------|------------------------------------|--------------------|-----------------------------------------------------------------------------------------------------------------------|------------------------------------|----------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|
| II | C2 Caiman crocodilus crocodilus | watchstraps | 30 250 200 204 25 350 149 1874 15 15 2000 232 110 7209 26634 1397 519 | | CH CH CH CH CH CH CH CH CH CH HK HK HK JP MU MU US | PY SV SV VE VE VE VE XX XX XX AR VE VE BO CO VE CO | PT ES FR DE DK FR PT DE DK FR FR DE FR FR FR FR |
| C2 | Caiman crocodilus fuscus | belts | 2 69 2 3 | | CH CH CH US | NI NI NI CO | BE DE GB IT |
| | | handbags | 15 | | JP | PA | DE |
| | | sides | 54 66 | | TH AT | SV XX | DE |
| | | skins | 76 sq.ft 984 83 1905 841 82 4194 8761 105 | | CH AT AT CH CH CH HN PA CH | SV CO PA CO GT NI FR GT PA | FR FR DE FR FR FR FR IT IT |
| | | skin/leather items | | | | | |

| CITES EEC App. Annex | | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|----|---------------------------------|---------------------|----------|------------------------------------|----|----|
| II | C2 | <i>Caiman crocodilus fuscus</i> | wallets | 4 | CH | XX | DE |
| | | | | 1 | TH | SV | DE |
| | | | watchstraps | 63 | CH | GT | DE |
| | | | | 852 | CH | HN | DE |
| | | | | 2 | CH | NI | BE |
| | | | | 149 | CH | PA | DE |
| C2 | | <i>Caiman crocodilus yacare</i> | belts | 8 | AT | PY | DE |
| | | | live (captive bred) | 10 | PL | | BE |
| | | | live | 524 | CH | PY | GB |
| | | | sides | 3970 | AR | PY | FR |
| | | | | 4619 | CH | PY | FR |
| | | | skins | 37818 | AR | | IT |
| | | | | 6126 | CH | PY | FR |
| | | | skin pieces | 61801 | AR | PY | FR |
| | | | watchstraps | 2401 | CH | PY | DE |
| | | | | 230 | CH | PY | DK |
| | | | | 6897 | CH | PY | FR |
| | | | | 2049 | CH | PY | GB |
| | | | | 481 | CH | XX | DE |
| | | | | 2000 | HK | AR | FR |
| | | | | 121407 | MU | PY | FR |
| C2 | | <i>Crocodylus spp.</i> | pairs of shoes | 1 | ID | | NL |
| C2 | | <i>Crocodylus johnsoni</i> | watchstraps | 54 | CH | MG | FR |
| | | <i>Crocodylus moreletii</i> | live (captive bred) | 5 | US | | FR |
| C2 | | <i>Crocodylus niloticus</i> | handbags | 1 | HK | ZW | FR |
| | | | | 29 | JP | ZM | DE |
| | | | | 24 | JP | ZW | DE |
| | | | | 1 | JP | ZW | FR |
| | | | skins | 60 | BW | | FR |
| | | | | 649 | CG | | FR |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | | |
|-------------------------|-------|--------------------------------|----------|------------------------------------|----|----|----|
| II | C2 | <i>Crocodylus niloticus</i> | skins | 2 | ET | XX | IT |
| | | | 150 | | KE | | FR |
| | | | 3258 | | MG | | FR |
| | | | 92 | | MG | | IT |
| | | | 572 | | MW | | FR |
| | | | 529 | | MZ | | FR |
| | | | 1 | | MZ | | PT |
| | | | 302 | | SD | | DE |
| | | | 2501 | | SD | | FR |
| | | | 350 | | SD | | IT |
| | | | 1629 | | TZ | | FR |
| | | | 6 | | ZM | | DE |
| | | | 1586 | | ZM | | FR |
| | | | 100 | | ZM | | GB |
| | | | 256 | | ZM | | IT |
| | | | 1 | | ZR | ZM | DE |
| | | | 4 | | ZW | | DE |
| | | | 2 | | ZW | | ES |
| | | | 7451 | | ZW | | FR |
| | | skin/leather items | 1 | | ZW | | GB |
| | | | 10 | | ZW | | IT |
| | | skin pieces | 4 | | ZR | ZM | DE |
| | | skulls | 2 | | ZM | | FR |
| | | | 2 | | ZR | ZM | DE |
| | | trophies | 2 | | ZW | | GB |
| | | | 1 | | ZM | | FR |
| | | | 1 | | ZW | | DE |
| | | | 1 | | ZW | | ES |
| C2 | | <i>Crocodylus novaeguineae</i> | skins | 1 | AT | XX | DK |
| C2 | | <i>Crocodylus novaeguineae</i> | belts | 32 | JP | US | FR |
| | | <i>novaeguineae</i> | bodies | 19 | US | PG | DE |
| | | | 1 | | PG | | IT |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|-----------------------------------|---------------------|----------|------------------------------------|----|----|
| II | C2 <i>Crocodylus novaeguineae</i> | | | | | |
| | <i>novaeguineae</i> | handbags | 1 | CH | PG | DE |
| | | | 8 | HK | PG | DE |
| | | | 9 | ID | | DE |
| | | | 36 | JP | PG | DE |
| | | | 5 | JP | US | FR |
| | | pairs of shoes | 30 | MX | PG | IT |
| | | skins | 248 | CH | PG | FR |
| | | | 270 | JP | PG | FR |
| | | | 12392 | PG | | FR |
| | | | 3 | PG | | IT |
| | | | 91 | SG | ID | FR |
| | | | 678 | SG | PG | FR |
| | | | 59 | US | PG | FR |
| | | skin/leather items | 115 | CH | PG | IT |
| | | | 2569 | JP | PG | FR |
| | | wallets | 1 | CH | PG | DE |
| | | watchstraps | 34 | CH | ID | DE |
| | | | 69 | CH | PG | BE |
| | | | 191 | CH | PG | DE |
| | | | 6 | CH | PG | DK |
| | | | 164 | CH | PG | GB |
| | | | 9 | CH | XX | DE |
| | | | 402 | JP | PG | DE |
| | C2 <i>Crocodylus porosus</i> | handbags | 1 | AU | | IT |
| | | | 23 | JP | PG | DE |
| | | live (captive bred) | 12 | AU | | GB |
| | | skins | 371 | AU | | FR |
| | | | 85 | JP | PG | FR |
| | | | 5 | PG | | DE |
| | | | 3150 | PG | | FR |
| | | | 45 | SG | PG | FR |
| | | skin/leather items | 18 | AT | PG | GB |
| | | wallets | 4 | AT | PG | DE |

| CITES EEC App. Annex | | TAXON | DESCRIPTION | QUANTITY | COUNTRY OF EXPORT ORIGIN IMPORT | | |
|-------------------------|----|----------------------------------|-------------|---------------------------------------|------------------------------------|----------------------------------|----------------------------------|
| II | C2 | <i>Crocodylus porosus</i> | watchstraps | 114 11 7 | CH CH MA | PG PG PG | DE FR GB |
| | C2 | <i>Phelsuma spp.</i> | live | 3 | | MG | DE |
| | C2 | <i>Phelsuma abbotti</i> | live | 16 | | MG | DE |
| | C2 | <i>Phelsuma barbouri</i> | live | 10 | | MG | DE |
| | C2 | <i>Phelsuma cepediana</i> | live | 500 | | KM | NL |
| | C2 | <i>Phelsuma flavigularis</i> | live | 10 | | MG | DE |
| | C2 | <i>Phelsuma guttata</i> | live | 36 | | MG | DE |
| | C2 | <i>Phelsuma laticauda</i> | live | 300 200 850 300 20 300 | KM MG MG MG MG MG | NL BE DE DK FR NL | |
| | C2 | <i>Phelsuma lineata</i> | live | 200 850 400 20 300 | MG MG MG MG MG | BE DE DK FR NL | |
| | C2 | <i>Phelsuma madagascariensis</i> | live | 15 100 577 300 20 200 | CH MG MG MG MG MG | XX | DE BE DE DK FR IT |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import |
|-------------------------|-------------------------------------|---------------------|----------|------------------------------------|
| II | C2 <i>Phelsuma madagascariensis</i> | live | 200 | MG NL |
| | C2 <i>Phelsuma ornata</i> | live | 400 | KM NL |
| | C2 <i>Phelsuma quadriocellata</i> | live | 200 | MG BE |
| | | | 882 | MG DE |
| | | | 300 | MG DK |
| | | | 300 | MG NL |
| | C2 <i>Phelsuma serraticauda</i> | live | 60 | MG DE |
| | C2 <i>Phelsuma standingi</i> | live | 150 | MG DE |
| | C2 <i>Uromastyx acanthinurus</i> | handbags | 1 | EG GB |
| | C2 <i>Uromastyx aegyptius</i> | live | 50 | EG DE |
| | | | 25 | EG DK |
| | | | 50 | EG GB |
| | | | 12 | EG NL |
| | C2 <i>Uromastyx hardwickii</i> | live | 5 | MA NL |
| | C2 <i>Uromastyx ocellatus</i> | live | 40 | EG DE |
| | C2 <i>Uromastyx ornatus</i> | live | 40 | EG DE |
| | | | 50 | EG GB |
| | C2 <i>Uromastyx thomasi</i> | bodies | 3 | OM GB |
| | <i>Chamaeleo</i> spp. | live (captive bred) | 50 | DD DE |
| | | live | 22 | KE NL |
| | | | 45 | MG DK |
| | | | 1 | NG NL |
| | | | 150 | TZ DK |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|-------------------------------|----------------|-----------------------|------------------------------------|----------------------|----------------------|
| II | <i>Chamaeleo boettgeri</i> | live | 9 | | MG | DE |
| | <i>Chamaeleo brevicornis</i> | live | 11 | | MG | DE |
| C1 | <i>Chamaeleo chamaeleon</i> | live | 3 | | GH | XX |
| | <i>Chamaeleo dilepis</i> | bodies live | 1 45 350 300 | | RW BI TZ TZ | DE BE DK NL |
| | <i>Chamaeleo fischeri</i> | live | 153 50 200 | | TZ TZ TZ | DK GB NL |
| | <i>Chamaeleo gracilis</i> | live | 157 | | GH | IT |
| | <i>Chamaeleo johnstoni</i> | live | 11 | | RW | DE |
| | <i>Chamaeleo lateralis</i> | live | 10 50 400 | | MG MG MG | DE DK NL |
| | <i>Chamaeleo nasutus</i> | live | 10 | | MG | DE |
| | <i>Chamaeleo oustaleti</i> | live | 4 | | MG | DE |
| | <i>Chamaeleo pardalis</i> | live | 38 | | MG | DE |
| | <i>Chamaeleo parsonii</i> | live | 37 | | MG | DE |
| | <i>Chamaeleo rufus</i> | live | 5 | | RW | DE |
| | <i>Chamaeleo senegalensis</i> | live | 50 6 | | GH RW | GB DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|--------------------------------|---------------------|--------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|----|
| II | <i>Chamaeleo senegalensis</i> | live | 50 400 50 500 | TG | DK | |
| | | | | TG | FR | |
| | | | | TG | IT | |
| | | | | TG | NL | |
| | <i>Iguana</i> spp. | live | 250 | HN | GB | |
| | <i>Iguana iguana</i> | live (captive bred) | 2 12 | GB | GB | |
| | | live | 104 270 100 200 430 1812 300 1728 30 8 1490 700 693 30 pairs of shoes skins | US GY GY HN HN HN HN NI PE PE SR SR SR US US AR | IT DE GB BE DE DK GB NL DE GB SR BE DE GB NL XX GB ES | |
| | <i>Cordylus cordylus</i> | live | 200 | TZ | DK | |
| | <i>Cordylus tropidosternum</i> | live | 400 | TZ | DK | |
| | <i>Cordylus vittifer</i> | live | 20 | ZA | NL | |
| | <i>Tupinambis</i> spp. | belts | 108 | MX | FR | |
| | | handbags | 645 3 | US US | AR AR | FR |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|-----------------------------|---------------------|----------|------------------------------------|----|----|
| II | <i>Tupinambis</i> spp. | handbags | 3 | US | PY | FR |
| | | pairs of shoes | 4416 | MX | AR | FR |
| | | | 1924 | US | AR | FR |
| | | | 187 | US | PY | FR |
| | | skins | 79256 | AR | | FR |
| | | | 5136 | CH | AR | FR |
| | | | 51 | CH | PY | FR |
| | | skin/leather items | 21 | US | AR | FR |
| | | watchstraps | 1313 | AT | AR | FR |
| | | | 13 | CH | AR | DE |
| | | | 391 | CH | AR | FR |
| | | | 20 | CH | PY | BE |
| | | | 16900 | HK | AR | DE |
| | | | 500 | HK | AR | FR |
| | <i>Tupinambis rufescens</i> | skins | 3000 | AR | | IT |
| | <i>Tupinambis teguixin</i> | belts | 6 | HK | AR | DE |
| | | | 1 | US | | GB |
| | | | 74 | US | AR | DE |
| | | | 8 | US | AR | DK |
| | | | 300 | US | AR | IT |
| | | garments | 2 | AR | | DE |
| | | live (captive bred) | 25 | AR | | DE |
| | | live | 9000 | AR | | GB |
| | | | 75 | GY | | GB |
| | | pairs of shoes | 16 | AR | | ES |
| | | | 2 | CH | PY | GB |
| | | | 2 | HK | AR | DE |
| | | | 1 | US | | GB |
| | | | 16 | US | AR | DE |
| | | | 1 | US | AR | GB |
| | | | 457 | US | AR | IT |
| | | | 1 | US | XX | GB |
| | | skins | 158228 | AR | | ES |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|-----------------------------------------------------|---------------------|-------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------|--|
| II | <i>Tupinambis teguixin</i> | skins | 20500 184452 20000 13300 18 28335 2410 2500 | AR AR BR CH AR ES CH AR IT PA PY IT US AR GR US AR IT | GB IT NL ES IT GB GR IT | |
| | | skin/leather items | 9 6 64 | CA AR GB HK XX GB US AR GB | IT | |
| | | skin pieces | 1 kg | AR | IT | |
| | | watchstraps | 980 156 704 7476 13421 305 1241 2 1080 1209 749 63920 12100 | AR AR AT AR BE AT AR DE AT AR NL CA AR GB CH AR DE CH AR DK CH AR ES CH AR NL CH PY DE HK ES HK AR DE | DE NL BE DE NL GB DE DK ES NL DE ES DE | |
| | <i>Tupinambis teguixin</i> <i>nigropunctatus</i> | live watchstraps | 20 6 | GY CH PY | DE DK | |
| C1 | <i>Heloderma horridum</i> | live (captive bred) | 5 | US | DE | |
| C1 | <i>Heloderma suspectum</i> | live (captive bred) | 4 | US | DE | |
| C2 | <i>Varanus</i> spp. | belts | 8 | ID | NL | |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export | Origin Import |
|-------------------------|---------------------------|----------------|----------|----------------------|---------------|
| II | C2 Varanus spp. | handbags | 2 | AT | NL |
| | | | 6 | ID | NL |
| | | | 1 | TH | NL |
| | | live | 2 | PK | NL |
| | | pairs of shoes | 3 | ID | NL |
| | | skins | 3 | IN | NL |
| | | | 809 | PK | NL |
| | C2 Varanus dumerilii | live | 22 | MY | DE |
| | | | 5 | MY | DK |
| | | | 11 | TH | NL |
| | C2 Varanus exanthematicus | handbags | 1 | US | SD GB |
| | | live | 20 | GH | DE |
| | | | 135 | GH | DK |
| | | | 90 | GH | GB |
| | | | 15 | GH | IT |
| | | | 36 | TG | GB |
| | | | 2 | TZ | DE |
| | | | 6 | US | GH IT |
| | | | 6 | ZA | NL |
| | C2 Varanus indicus | live | 30 | ID | DE |
| | C2 Varanus karlschmidti | live | 16 | ID | DE |
| | C2 Varanus niloticus | belts | 8 | CH | ML DE |
| | | | 112 | SN | BE |
| | | | 60 | SN | FR |
| | | handbags | 1 | EG | GB |
| | | | 150 | EG | SD DE |
| | | | 40 | SD | DE |
| | | live | 5 | GH | DK |
| | | | 176 | TG | DE |
| | | | 6 | TG | DK |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|-------|--------------------------|----------|------------------------------------|----|----|
| II | C2 | <i>Varanus niloticus</i> | live | 116 | TG | FR |
| | | | | 57 | TG | NL |
| | | skins | 1524 | CH | ML | FR |
| | | | 245 | CH | SD | IT |
| | | | 143175 | CM | | FR |
| | | | 246659 | ML | | FR |
| | | | 4680 | NG | | NL |
| | | | 20000 | NG | CF | ES |
| | | | 12500 | NG | CM | ES |
| | | | 51 | NG | GN | ES |
| | | | 5002 | SD | | DE |
| | | | 6 | SD | | FR |
| | | | 20519 | TD | | FR |
| | | | 1 | UG | | DE |
| | | | 26 m | CM | | FR |
| | | skin/leather items | 146 | AT | SD | GB |
| | | | 11 | CH | ML | ES |
| | | | 500 | CH | NG | GB |
| | | | 525 | CH | NG | IT |
| | | wallets | 9 | AT | SD | DE |
| | | | 11 | CH | SD | DE |
| | | | 5 | EG | SD | DE |
| | | watchstraps | 4 | AT | ML | BE |
| | | | 754 | CH | CM | DE |
| | | | 75 | CH | CM | DK |
| | | | 70 | CH | CM | ES |
| | | | 299 | CH | CM | FR |
| | | | 36 | CH | CM | NL |
| | | | 11 | CH | ML | BE |
| | | | 492 | CH | ML | DE |
| | | | 180 | CH | ML | DK |
| | | | 1000 | CH | ML | ES |
| | | | 939 | CH | ML | FR |
| | | | 240 | CH | ML | GB |
| | | | 70 | CH | NE | FR |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|-------|---------------------------|-------------|------------------------------------|-------|-------|
| II | C2 | <i>Varanus niloticus</i> | watchstraps | 370 | CH | NG DE |
| | | | 113 | CH | NG | DK |
| | | | 3025 | CH | NG | ES |
| | | | 86 | CH | NG | FR |
| | | | 4390 | CH | NG | GB |
| | | | 840 | CH | NG | NL |
| | | | 5 | CH | SD | BE |
| | | | 66 | CH | SD | DK |
| | | | 215 | CH | SD | FR |
| | | | 201 | CH | SD | GB |
| | | | 6 | CH | SD | PT |
| | | | 31 | CH | TD | DK |
| | | | 93 | CH | TD | GB |
| | | | 3 | CH | XX | DE |
| | | | 120 | CH | XX | DK |
| | | | 40 | HK | NG | FR |
| | | | 25 | IT | ML | DK |
| | | | 108935 | MA | SD | FR |
| | | | 40 | ML | | DK |
| | | | 77917 | MU | CM | FR |
| | | | 38720 | MU | ML | FR |
| | | | 216291 | MU | NG | FR |
| | | | 2835 | US | NG | FR |
| C2 | | <i>Varanus prasinus</i> | live | 87 | ID | DE |
| C2 | | <i>Varanus rudicollis</i> | live | 18 | MY | DE |
| | | | 3 | MY | | DK |
| | | | 13 | TH | | NL |
| C2 | | <i>Varanus salvator</i> | belts | 19 | CH | ID BE |
| | | | 10 | CH | ID DE | |
| | | | 1 | CH | ID DK | |
| | | | 2 | CH | TH BE | |
| | | | 341 | CH | TH DE | |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|-------|-------------------------|----------|------------------------------------|----|-------|
| II | C2 | <i>Varanus salvator</i> | belts | 80 | CH | TH FR |
| | | | 3 | CH | TH | GB |
| | | | 12 | ID | | NL |
| | | | 1 | US | XX | GB |
| | | bodies | 10 | TH | | FR |
| | | handbags | 12 | ID | | DE |
| | | | 1 | TH | | NL |
| | | | 6 | US | ID | IT |
| | | live | 990 | AT | ID | GB |
| | | | 97 | MY | | DE |
| | | | 11 | MY | | DK |
| | | | 5 | MY | | NL |
| | | | 5000 | SG | ID | GB |
| | | | 82 | TH | | DE |
| | | | 25 | TH | | DK |
| | | | 51 | TH | | FR |
| | | | 65 | TH | | GB |
| | | | 3 | TH | | GR |
| | | | 14 | TH | | IT |
| | | | 62 | TH | | NL |
| | | | 30 | TH | | PT |
| | | pairs of shoes | 1 | HK | XX | GB |
| | | | 13 | TH | | DE |
| | | | 811 | TH | | FR |
| | | | 2 | TH | | GB |
| | | skins | 150 | AT | ID | GB |
| | | | 4 | CH | ID | ES |
| | | | 3154 | CH | ID | FR |
| | | | 452 | ID | | DE |
| | | | 6000 | ID | | ES |
| | | | 10000 | ID | | GB |
| | | | 82 | JP | ID | FR |
| | | | 7000 | JP | ID | GB |
| | | | 1500 | SG | ID | DE |
| | | | 39270 | SG | ID | ES |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|-------|-------------------------|----------|------------------------------------|----|----|
| II | C2 | <i>Varanus salvator</i> | | | | |
| | | skins | | | | |
| | | | 195820 | SG | ID | FR |
| | | | 70245 | SG | ID | GB |
| | | | 53672 | SG | ID | IT |
| | | | 8000 | SG | ID | NL |
| | | | 5000 | TH | | ES |
| | | | 81225 | TH | | FR |
| | | | 2000 | TH | | GB |
| | | | 30110 | TH | | IT |
| | | skin/leather items | | | | |
| | | | 180 | AT | ID | GB |
| | | | 2 | CH | ID | BE |
| | | | 30 | CH | ID | FR |
| | | | 350 | HK | ID | IT |
| | | | 1314 | TH | | FR |
| | | | 300 | TH | | IT |
| | | | 137 | US | ID | FR |
| | | | 31 | US | TH | FR |
| | | wallets | | | | |
| | | | 1 | CH | ID | DE |
| | | | 23 | CH | TH | BE |
| | | | 7 | CH | TH | DE |
| | | | 5 | ID | | NL |
| | | watchstraps | | | | |
| | | | 35945 | AT | ID | BE |
| | | | 9511 | AT | ID | DE |
| | | | 22683 | AT | ID | DK |
| | | | 10920 | AT | ID | FR |
| | | | 431 | AT | ID | GB |
| | | | 1029 | AT | JP | DK |
| | | | 1565 | AT | SG | ES |
| | | | 547 | AT | TH | BE |
| | | | 99370 | AT | TH | DE |
| | | | 1470 | AT | TH | DK |
| | | | 620 | AT | TH | ES |
| | | | 1533 | AT | TH | FR |
| | | | 5 | CH | GY | GB |
| | | | 314 | CH | ID | DE |
| | | | 144 | CH | ID | ES |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|-------------|--------------------------|---------------------|------------------------------------|----|-------|
| II | C2 | Varanus salvator | watchstraps | 86 | CH | ID FR |
| | | | 28 | CH | ID | GB |
| | | | 301 | CH | ID | PT |
| | | | 4 | CH | ML | DK |
| | | | 211 | CH | PH | FR |
| | | | 244 | CH | PH | NL |
| | | | 712 | CH | TH | DE |
| | | | 686 | CH | TH | DK |
| | | | 165 | CH | TH | FR |
| | | | 865 | CH | TH | GB |
| | | | 155 | CH | TH | PT |
| | | | 130 | HK | ID | GB |
| | | | 550 | HK | TH | DE |
| | | | 18 | JP | AT | FR |
| | | | 330 | JP | ID | FR |
| | | | 4255 | JP | TH | FR |
| | | | 34523 | MU | ID | FR |
| | C2 | Varanus salvator cumingi | sides | 1000 | CH | PH FR |
| | | | skins | 2751 | CH | PH FR |
| | | | watchstraps | 156 | CH | PH PT |
| | Boidae spp. | | handbags | 2 | NG | GB |
| | | | skins | 1 | GH | GB |
| | | | skin/leather items | 2 | AE | EG GB |
| | C2 | Boa constrictor | live (captive bred) | 35 | AT | DE |
| | | | 3 | AT | DE | DE |
| | | | 2 | CH | DE | DE |
| | | | 15 | CH | FR | FR |
| | | | 161 | DD | DE | DE |
| | | | 10 | DD | NL | NL |
| | | | 80 | PL | BE | BE |
| | | | 3 | US | DE | DE |
| | | | 7 | US | GB | GB |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|----------------------------------------------|-----------------------------|-------------------------------------------------------------|----------------------------------------------------------------------|----------------------------------------------------------------------|----------------------------------------------------------------------------|
| II | C2 <i>Boa constrictor</i> | live | 19 100 45 5 585 16 21 1 6 4 2 | GY HN HN HN HN SR SR US US US US PA | GB BE DE DK GB BE NL BR GY HN SR PY | GB BE DE DK GB BE NL GB GB IT IT IT IT |
| | | skins | 2620 | 1 1 | SL ZA | GB GB |
| C2 | <i>Boa constrictor</i> <i>constrictor</i> | skin/leather items | 4 | US | PY | FR |
| C2 | <i>Boa constrictor imperator</i> | live (captive bred) live | 10 2 2 | CH HN XX | | FR DK FR |
| | <i>Calabaria reinhardtii</i> | live | 6 5 2 13 | GH RW TG TG | | GB DE DE FR |
| | <i>Candoia bibroni</i> | live (captive bred) | 2 | CH | | NL |
| | <i>Chondropython viridis</i> | live (captive bred) live | 5 14 4 4 | CH US US US | | DE DE GB DK |
| | <i>Corallus caninus</i> | live (captive bred) | 2 | CH | US | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|----------------------------|---------------------|----------|------------------------------------|----|----|
| II | <i>Corallus caninus</i> | live (captive bred) | 12 | US | DE | |
| | | live | 4 | GY | DE | |
| | | | 2 | GY | GB | |
| | | | 25 | SR | BE | |
| | | | 7 | SR | GB | |
| | | | 2 | SR | NL | |
| | | | 5 | US | DK | |
| | | | 4 | US | GY | DK |
| | | | 10 | US | SR | IT |
| | <i>Corallus enydris</i> | live (captive bred) | 4 | CH | DE | |
| | | live | 15 | GY | DE | |
| | | | 1 | GY | ES | |
| | | | 40 | GY | GB | |
| | | | 38 | SR | BE | |
| | | | 10 | SR | GB | |
| | <i>Epicrates angulifer</i> | live (captive bred) | 10 | CU | BE | |
| | | | 2 | CU | NL | |
| | <i>Epicrates cenchria</i> | live (captive bred) | 18 | AR | DE | |
| | | | 1 | CH | NL | DE |
| | | | 2 | CH | US | DE |
| | | | 2 | DD | DE | |
| | | | 50 | PL | BE | |
| | | | 41 | US | DE | |
| | | | 6 | US | GB | |
| | | live | 4 | GY | DE | |
| | | | 5 | GY | GB | |
| | | | 4 | SR | BE | |
| | | | 10 | US | DK | |
| | <i>Epicrates striatus</i> | live | 20 | US | HT | DK |
| | <i>Eryx colubrinus</i> | live (captive bred) | 6 | CH | DE | |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|-----------------------------|----------------------------------------------------------------|-----------------------------------------------|----------------------------------------------|----------------------------------------------|----------------------------------------|
| II | <i>Eryx colubrinus</i> | live | 20 75 9 5 15 | EG EG TZ TZ TZ | DK GB DE DK NL | |
| | <i>Eryx jayakari</i> | bodies | 2 | OM | GB | |
| | <i>Eryx miliaris</i> | live (captive bred) live | 4 10 | SU SU | NL DE | |
| | <i>Eryx tataricus</i> | live (captive bred) | 4 | SU | NL | |
| C2 | <i>Eunectes murinus</i> | handbags live skins skin/leather items | 8 6 1 2093 65 | US GY US PA US | GY GB SR PY GY | IT IT IT FR |
| C2 | <i>Eunectes notaeus</i> | handbags live (captive bred) skins skin/leather items | 22 1 13 3791 52 9 19 184 | US CH SU PA US US US US | BO FR DE PY AR BO AR BO | IT FR DE IT FR IT FR |
| | <i>Liasis boa</i> | live (captive bred) | 1 | US | | GB |
| | <i>Liasis childreni</i> | live (captive bred) | 15 items | US | | DE |
| | <i>Liasis papuanus</i> | live | 1 | CH | XX | NL |
| | <i>Lichanura trivirgata</i> | live (captive bred) | 2 items | US | | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|----------------------------------|-----------------------------|------------------------------------------------------------------|----------------------------------------------------------------------------|----------------------------------------------------------------------------------------|
| II | <i>Loxocemus bicolor</i> | live | 1 212 | HN HN | DK GB |
| C2 | <i>Python spp.</i> | skins | 1 | GH | NL |
| C2 | <i>Python amethistinus</i> | live (captive bred) live | 4 2 15 items 4 items | US US ID US | NL DK DE DE |
| C2 | <i>Python curtus</i> | live | 36 2 1 10 5 | MY MY MY TH TH | DE DK NL NL NL |
| | | skins | 2026 6318 4000 | SG SG SG | ID ID ID |
| | | | | ES FR IT | |
| C2 | <i>Python molurus bivittatus</i> | belts handbags | 2 4 2 6 1 2 13 7 40 13 2 5 5 | AT CA PK AT PK TH US CH PL SU US CH CH | TH TH NL ID NL NL TH IT FR BE DE NL TG XX FR |
| | | live (captive bred) | 453 376 407 | MY MY TH | DE GB NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|-------|----------------------------------|---------------------|------------------------------------|-------|-------|
| II | C2 | <i>Python molurus bivittatus</i> | live | 1 | US | TH IT |
| | | | | 1 | XX | FR |
| | | | | 3 | ZA | NL |
| | | skins | 10 | CH | TH FR | |
| | | | 20 | CH | TH IT | |
| | | | 22 | CH | VN ES | |
| | | | 3543 | HK | TH ES | |
| | | | 1389 | HK | TH IT | |
| | | | 594 | HK | TH NL | |
| | | | 18 | ID | ES | |
| | | | 786 | TH | DE | |
| | | | 2629 | TH | ES | |
| | | | 10073 | TH | FR | |
| | | | 14944 | TH | IT | |
| | | | 79 | US | TH FR | |
| | | | 13 | US | TH GR | |
| | | | 1926 | VN | FR | |
| | | skin/leather items | 500 m | VN | FR | |
| | | wallets | 99 | US | TH FR | |
| | | | 3 | PK | NL | |
| C2 | | <i>Python regius</i> | handbags | 1 | NG | XX GB |
| | | | live (captive bred) | 4 | CH | DE |
| | | live | 80 | CH | TG FR | |
| | | | 130 | GH | DE | |
| | | | 130 | GH | DK | |
| | | | 359 | GH | GB | |
| | | | 40 | GH | IT | |
| | | | 2 | GY | ES | |
| | | | 2 | KE | XX GB | |
| | | | 1650 | TG | DE | |
| | | | 100 | TG | DK | |
| | | | 400 | TG | FR | |
| | | | 200 | TG | GB | |
| | | | 250 | TG | IT | |

| CITES EEC App. Annex | | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|----|---------------------------|----------------------------|----------|------------------------------------|----|----------|
| II | C2 | <i>Python regius</i> | live skin/leather items | 310 3 | TG TH | XX | NL IT |
| | C2 | <i>Python reticulatus</i> | belts | 2 | AT | ID | GB |
| | | | | 1 | CH | | BE |
| | | | | 7 | ID | | NL |
| | | | | 1 | TH | | DK |
| | | | | 2 | ZA | ID | DE |
| | | | carvings | 33 | CH | ID | DE |
| | | | handbags | 40 | ID | | DE |
| | | | | 3 | IO | | NL |
| | | | | 10 | TH | | DK |
| | | | | 1 | US | ID | IT |
| | | | | 3 | US | TH | IT |
| | | | live (captive bred) | 15 | CH | | FR |
| | | | | 5 | PL | | BE |
| | | | | 10 | PL | | GB |
| | | | live | 1 | CH | TG | FR |
| | | | | 50 | GH | | IT |
| | | | | 254 | MY | | DE |
| | | | | 10 | MY | | DK |
| | | | | 103 | MY | | GB |
| | | | | 8 | MY | | NL |
| | | | | 50 | TG | | NL |
| | | | | 387 | TH | | NL |
| | | | pairs of shoes | 24 | CH | ID | DE |
| | | | | 43 | ID | | DE |
| | | | | 1 | ID | | NL |
| | | | | 1173 | MX | ID | FR |
| | | | | 36 | MX | TH | DE |
| | | | | 78 | MX | TH | FR |
| | | | | 6 | US | ID | DE |
| | | | | 23 | US | ID | FR |
| | | | | 8 | US | ID | IT |
| | | | skins | 4 | CH | ID | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|-------|---------------------------|--------------------|------------------------------------|----|-------|
| II | C2 | <i>Python reticulatus</i> | skins | 154 | CH | ID ES |
| | | | | 174 | CH | ID FR |
| | | | | 29 | CH | ID IT |
| | | | | 951 | HK | TH DE |
| | | | | 3519 | HK | TH ES |
| | | | | 1028 | HK | TH IT |
| | | | | 717 | HK | TH NL |
| | | | | 2100 | ID | DE |
| | | | | 3884 | IO | ES |
| | | | | 2154 | ID | FR |
| | | | | 180 | ID | IT |
| | | | | 2 | IN | NL |
| | | | | 40 | JP | ID DK |
| | | | | 614 | MY | GB |
| | | | | 972 | PA | ID IT |
| | | | | 286 | PA | TH IT |
| | | | | 7574 | SG | ID DE |
| | | | | 70418 | SG | ID ES |
| | | | | 34969 | SG | ID FR |
| | | | | 82484 | SG | ID GB |
| | | | | 22114 | SG | ID IT |
| | | | | 4141 | SG | ID NL |
| | | | | 6913 | TH | ES |
| | | | | 3227 | TH | FR |
| | | | | 1 | TH | GB |
| | | | | 14020 | TH | IT |
| | | | | 1237 | US | ID DE |
| | | | | 343 | US | ID FR |
| | | | | 161 | US | ID GR |
| | | | | 14 | US | SG GR |
| | | | | 34 | US | TH GR |
| | | | | 431 | VN | IT |
| | | | skin/leather items | 6000 m | TH | NL |
| | | | | 1 | AT | ID GB |
| | | | | 19 | CH | ID GB |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|-------|---------------------------|--------------------|------------------------------------|----|-------|
| II | C2 | <i>Python reticulatus</i> | skin/leather items | 57 | US | ID FR |
| | | | wallets | 50 | US | TH FR |
| | | | | 260 | AT | ID DE |
| | | | | 2 | ID | NL |
| | C2 | <i>Python sebae</i> | handbags | 1 | CI | DK |
| | | | | 159 | EG | SD DE |
| | | | | 3 | NG | NL |
| | | | | 146 | SD | DE |
| | | | | 300 | SN | BE |
| | | | | 1 | SN | DK |
| | | | | 30 | SN | ES |
| | | live | | 16 | GH | DE |
| | | | | 38 | GH | IT |
| | | | | 2 | NG | NL |
| | | | | 34 | TG | DE |
| | | | | 21 | TG | FR |
| | | | | 10 | TG | IT |
| | | | | 15 | TG | NL |
| | | skins | | 4 | ZA | NL |
| | | | | 1 | AE | NL |
| | | | | 1 | CF | DE |
| | | | | 4 | CF | FR |
| | | | | 1 | CM | FR |
| | | | | 1 | GH | NL |
| | | | | 225 | GN | ES |
| | | | | 1 | GW | PT |
| | | | | 4000 | ML | FR |
| | | | | 2 | MW | DK |
| | | | | 3 | NG | IT |
| | | | | 900 | NG | GN ES |
| | | | | 2300 | NG | ML ES |
| | | | | 1604 | SD | DE |
| | | | | 3 | SD | FR |
| | | | | 1 | TD | IT |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|----------------------------------|---------------------|----------|------------------------------------|----|----|
| II | C2 <i>Python sebae</i> | skins | 2 | TG | | NL |
| | | | 1 | ZM | | DK |
| | | | 1 | ZR | | FR |
| | | skin/leather items | 9 | CH | SD | GB |
| | | | 12 | SG | XX | IT |
| | | | 1818 | SN | | FR |
| | | wallets | 1 | US | XX | GB |
| | | | 97 | EG | SD | DE |
| | | | 40 | SD | | DE |
| | | | 300 | SN | | BE |
| C2 | <i>Python spilotus</i> | live (captive bred) | 1 | CH | | DE |
| | | | 23 | US | | DE |
| | | | 13 | US | | NL |
| | | live | 4 | AU | | GB |
| C2 | <i>Python spilotus spilotus</i> | live (captive bred) | 1 | CH | DE | NL |
| C2 | <i>Python spilotus variegata</i> | live (captive bred) | 26 | US | | NL |
| | | live | 12 | US | | DK |
| | <i>Tropidophis feicki</i> | live (captive bred) | 1 | CS | | DE |
| | <i>Tropidophis melanurus</i> | live (captive bred) | 2 | CS | | DE |
| | <i>Clelia clelia</i> | live | 1 | HN | | DK |
| C2 | <i>Cyclagras gigas</i> | live (captive bred) | 12 | AR | | DE |
| | | | 4 | CH | | DE |
| | <i>Ambystoma mexicanum</i> | live (captive bred) | 150 | US | | NL |
| | <i>Dendrobates spp.</i> | live | 250 | PE | | NL |
| | <i>Dendrobates auratus</i> | live | 12 | CR | | NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|----------------------------------------|-----------------------|----------------------------------------------------------|------------------------------------|----------------------------|----------------------------|
| II | <i>Dendrobates pumilio</i> | live | 12 400 | CR | NL | NL |
| | <i>Rana tigerina</i> | legs | 403944 kg 40636 kg 2260 kg 94845 kg 36678 kg | BD BD IN US US | BD NL NL BE BD | BE NL NL BE NL |
| C1 | <i>Arapaima gigas</i> | live | 1 | HK | XX | DE |
| C1 | <i>Ornithoptera aesacus</i> | live | 2 | ID | | GB |
| C1 | <i>Ornithoptera caelestis</i> | unspecified | 42 | PG | | FR |
| C1 | <i>Ornithoptera goliath</i> | live | 2 | ID | | GB |
| C1 | <i>Ornithoptera priamus</i> | bodies | 21 | PG | | GB |
| C1 | <i>Ornithoptera priamus demophanes</i> | unspecified | 2 | PG | | FR |
| C1 | <i>Ornithoptera priamus poseidon</i> | unspecified | 140 | PG | | FR |
| C1 | <i>Ornithoptera urvilliana</i> | bodies unspecified | 1 17 | PG PG | | GB FR |
| C1 | <i>Ornithoptera victoriae</i> | bodies | 140 | CH | SB | DE |
| C1 | <i>Trogonoptera brookiana</i> | bodies live | 2 2 1 | BN SG ID | MY | GB GB GB |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import |
|-------------------------|------------------------------------------------------|----------------------|------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|
| II | C1 <i>Trogonoptera brookiana</i> <i>albescens</i> | bodies | 6 | MY FR |
| | C1 <i>Troides amphrysus</i> | live | 2 | ID GB |
| | C1 <i>Troides cuneifera</i> | live | 2 | ID GB |
| | C1 <i>Troides helena</i> | bodies raw corals | 2 31042 3000 kg | MY PH NL PH NL |
| | C1 <i>Troides oblongomaculatus</i> | bodies | 2 | PG GB |
| | <i>Brachypelma smithi</i> | live | 1 | CH MX DE |
| | <i>Hirudo medicinalis</i> | extract | 1 kg | CH YU FR |
| | <i>Hippopus spp.</i> | shells | 1900 | PH NL |
| | <i>Hippopus hippopus</i> | carvings shells | 1000 30048 560 3000 kg 665 pairs 16108 3498 15472 1875 kg 6294 kg 3043 pairs | PH BE PH DE PH NL PH BE PH DE PH DE PH IT PH NL PH IT PH NL PH DE |
| | <i>Hippopus porcellanus</i> | carvings shells | 29 3 pairs 1380 12270 | PH DE PH DE PH DE PH NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|-----------------------------|-------------|---------------------------------------------------|------------------------------------|----------------------------------|
| II | <i>Hippopus porcellanus</i> | shells | 858 kg 4719 kg | PH PH | IT NL |
| | <i>Tridacna gigas</i> | carvings | 85 | PH | BE |
| | | shells | 90 100 2405 kg | PH PH PH | DE NL DE |
| | | | 714 kg 5 pairs | PH PH | IT DE |
| | <i>Tridacna squamosa</i> | carvings | 200 3085 | PH PH | BE DE |
| | | shells | 540 2880 200 653 kg 1962 kg 1 pair | PH PH PH PH PH TV | DE IT NL IT NL DK |
| | <i>Pleurobema clava</i> | live | 50 | CL | GB |
| C2 | <i>ANTIPATHARIA</i> spp. | carvings | 220 | CU | IT |
| | | | 2 | KY | GB |
| | | raw corals | 23702 | PH | DE |
| | | | 12847 | PH | NL |
| | | live | 600 | PH | DE |
| | <i>Scleractinia</i> spp. | raw corals | 50871 382 | PH PH | FR NL |
| | <i>Pocillopora</i> spp. | carvings | 630 | PH | DE |
| | | raw corals | 8288 4000 1360 4778 | PH PH PH PH | DE GB IT NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|-------------------------------|-------------|----------|------------------------------------|----|
| II | <i>Pocillopora</i> spp. | raw corals | 17550 kg | PH | GB |
| | <i>Pocillopora damicornis</i> | raw corals | 4074 | PH | NL |
| | <i>Pocillopora verrucosa</i> | raw corals | 6538 | PH | NL |
| | <i>Seriatopora</i> spp. | raw corals | 982 | PH | DE |
| | | | 854 kg | PH | GB |
| | <i>Stylophora</i> spp. | raw corals | 142 | PH | NL |
| | <i>Acropora</i> spp. | raw corals | 6369 | PH | DE |
| | | | 381 | PH | NL |
| | | | 3955 kg | PH | GB |
| | <i>Acropora cervicornis</i> | raw corals | 594 | PH | BE |
| | <i>Acropora echinata</i> | raw corals | 100 | PH | BE |
| | <i>Acropora gravida</i> | raw corals | 395 | PH | BE |
| | | | 15 | PH | NL |
| | <i>Acropora humilis</i> | raw corals | 51 | PH | NL |
| | <i>Acropora nasuta</i> | raw corals | 1216 | PH | NL |
| | <i>Acropora palmata</i> | live | 12575 kg | PH | DE |
| | <i>Fungia</i> spp. | raw corals | 6170 | PH | DE |
| | | | 18913 | PH | NL |
| | | | 6070 kg | PH | GB |
| | <i>Halomitra</i> spp. | raw corals | 68 | PH | NL |
| | <i>Halomitra pileus</i> | raw corals | 40 | PH | BE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|------------------------------|-------------|----------|------------------------------------|----|
| II | <i>Polyphyllia</i> spp. | raw corals | 249 | PH | NL |
| | <i>Favia</i> spp. | raw corals | 194 | PH | NL |
| | <i>Platygyra</i> spp. | raw corals | 353 | PH | DE |
| | <i>Merulina</i> spp. | raw corals | 51 | PH | NL |
| | <i>Merulina ampliata</i> | raw corals | 749 | PH | BE |
| | <i>Lobophyllum</i> spp. | raw corals | 1410 | PH | BE |
| | | live | 30 | ID | GB |
| | <i>Lobophyllum corymbosa</i> | raw corals | 796 | PH | NL |
| | <i>Pectinia</i> spp. | raw corals | 134 | PH | DE |
| | | | 108 | PH | NL |
| | <i>Pectinia lactuca</i> | raw corals | 210 | PH | BE |
| | <i>Euphyllia</i> spp. | raw corals | 652 | PH | BE |
| | <i>Millepora</i> spp. | raw corals | 136 | PH | NL |
| | <i>Heliopora</i> spp. | raw corals | 460 | PH | BE |
| | | | 877 | PH | NL |
| | | | 8575 kg | PH | GB |
| | <i>Heliopora coerulea</i> | raw corals | 489 | PH | NL |
| | <i>Tubipora</i> spp. | raw corals | 2000 | PH | GB |
| | | | 355 | PH | NL |
| | | | 4865 kg | PH | GB |
| | <i>Tubipora misica</i> | raw corals | 2151 | PH | BE |

| CITES EEC App. Annex | TAXON | DESCRIPTION | QUANTITY | Country of Export Origin Import |
|-------------------------|---------------------------------------|-------------------|----------|------------------------------------|
| II | <i>Tubipora misica</i> | raw corals | 827 | PH DE |
| | | | 366 | PH NL |
| | | live | 2264 kg | PH DE |
| | <i>Agave victoriae-reginae</i> | live (art. prop.) | 1 | US GB |
| | <i>Pachypodium spp.</i> | live (art. prop.) | 30 | MT GB |
| | | | 500 | US GB |
| | | | 640 | ZA DE |
| | | | 51 | ZA IT |
| | | | 10 | ZA NL |
| | <i>Pachypodium bispinosum</i> | live (art. prop.) | 1005 | ZA DE |
| | | | 55 | ZA GB |
| | | | 5 | ZA NL |
| | <i>Pachypodium geayi</i> | live (art. prop.) | 200 | ZA DE |
| | <i>Pachypodium lamerei</i> | live (art. prop.) | 40 | ZA DE |
| | <i>Pachypodium rutenbergianum</i> | live (art. prop.) | 10 | US GB |
| | | | 1 | US NL |
| | <i>Pachypodium succulentum</i> | live (art. prop.) | 1 | US NL |
| | | | 20 | ZA GB |
| | <i>Ceropegia spp.</i> | live | 6 | MG DE |
| | <i>Cactaceae spp.</i> | live (art. prop.) | 17 | AT DE |
| | | | 32000 | BR IT |
| | | | 819654 | BR NL |
| | | | 50 | GI GB |
| | | | 228450 | JP DE |
| | | | 12000 | JP IT |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import |
|-------------------------|-------------------------------|-------------------|-------------------------------------------------------|-------------------------------------------------------|
| II | Cactaceae spp. | live (art. prop.) | 1685750 426300 1180 370 561 78 7508 | JP KR MT US US ZA NL NL GB DE GB IT NL NL EC DK |
| | | live | 14 1 kg | US NL |
| | Cactaceae hybrid | live (art. prop.) | 2 | US DE |
| | Ancistrocactus spp. | live (art. prop.) | 2 | US GB |
| | Ancistrocactus scheeri | live (art. prop.) | 1 | US GB |
| | Ariocarpus kotschoubeyanus | live (art. prop.) | 2 | US GB |
| | Ariocarpus retusus | live (art. prop.) | 2 | US GB |
| | Astrophytum spp. | live (art. prop.) | 2000 2 200 4000 | BR CS US ZA DE DE DE NL |
| | Astrophytum asterias | live (art. prop.) | 50 | JP GB |
| | Astrophytum myriostigma | live (art. prop.) | 1550 10 260 50 420 | BR JP JP JP US DE BE DE GB DE |
| | Astrophytum ornatum | live (art. prop.) | 1000 | BR DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|--------------------------------------------|---------------------------|-----------------|------------------------------------|----------------|
| II | <i>Astrophytum ornatum</i> | live (art. prop.) | 140 100 | JP US | DE DE |
| | <i>Borzicactus spp.</i> | live (art. prop.) | 2 45 1000 | CS US ZA | DE DE NL |
| | <i>Borzicactus celsianus</i> | live (art. prop.) | 800 | US | NL |
| | <i>Carnegiea gigantea</i> | live | 26 | US | NL |
| | <i>Cephalocereus spp.</i> | live (art. prop.) | 1500 | ZA | NL |
| | <i>Cephalocereus senilis</i> | live (art. prop.) | 5500 | BR | DE |
| | <i>Cereus spp.</i> | live (art. prop.) live | 100 6 | JP XX | DE NL |
| | <i>Cereus azureus</i> | live (art. prop.) | 100 | ZA | DE |
| | <i>Cereus chalybaeus</i> | live | 1 | US | GB |
| | <i>Cleistocactus spp.</i> | live (art. prop.) | 20 | US | DE |
| | <i>Cleistocactus straussii</i> | live (art. prop.) | 100 | US | NL |
| | <i>Coleocephalocereus brevicylindricus</i> | live (art. prop.) | 8 | US | DE |
| | <i>Coleocephalocereus goebelianus</i> | live (art. prop.) | 1 | US | DE |
| | <i>Copiapoa spp.</i> | live (art. prop.) | 900 | BR | DE |
| | <i>Copiapoa humilis</i> | live (art. prop.) | 4150 | BR | DE |

| CITES EEC App. Annex | TAXON | DESCRIPTION | QUANTITY | Country of Export | Origin Import |
|-------------------------|-------------------------------------|-------------------|----------|----------------------|---------------|
| II | <i>Corynocactus melanotrichus</i> | live (art. prop.) | 1 | CS | DE |
| | <i>Coryphantha</i> spp. | live (art. prop.) | 1 | CS | DE |
| | | | 4 | US | GB |
| | <i>Coryphantha elephantidens</i> | live (art. prop.) | 100 | MA | DE |
| | <i>Discocactus zehntneri</i> | live (art. prop.) | 30 | US | DE |
| | <i>Echinocactus</i> spp. | live (art. prop.) | 2800 | ZA | NL |
| | <i>Echinocactus grusonii</i> | live (art. prop.) | 2900 | BR | DE |
| | | | 500 | US | DE |
| | | | 368 | US | NL |
| | | | 2 | ZA | DE |
| | <i>Echinocactus polycephalus</i> | live | 57 | US | NL |
| | <i>Echinocereus</i> spp. | live (art. prop.) | 2 | CS | DE |
| | <i>Echinocereus chloranthus</i> | live (art. prop.) | 2 | US | GB |
| | <i>Echinocereus engelmannii</i> | live (art. prop.) | 1 | US | MX GB |
| | <i>Echinocereus fendleri</i> | live (art. prop.) | 1 | US | GB |
| | | live | 49 | US | NL |
| | <i>Echinocereus pulchellus</i> | live (art. prop.) | 3 | US | MX GB |
| | <i>Echinocereus rigidissimus</i> | live (art. prop.) | 1 | US | GB |
| | <i>Echinocereus triglochidiatus</i> | live (art. prop.) | 1 | US | GB |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import |
|-------------------------|----------------------------------|-------------------|-----------|------------------------------------|
| II | <i>Echinocereus websterianus</i> | live (art. prop.) | 56 | US DE |
| | <i>Echinomastus</i> spp. | live (art. prop.) | 300 | BR DE |
| | <i>Echinopsis</i> spp. | live (art. prop.) | 1 | CS DE |
| | | | 25 | US DE |
| | | | 600 items | BR DE |
| | | | 1 item | CS DE |
| | <i>Echinopsis bridgesii</i> | live (art. prop.) | 3100 | BR DE |
| | <i>Echinopsis chamaecereus</i> | live (art. prop.) | 62000 | BR DE |
| | | | 37820 | BR NL |
| | | | 10000 kg | BR DE |
| | <i>Epiphyllum</i> spp. | live (art. prop.) | 18 | US DE |
| | <i>Epithelantha</i> spp. | live (art. prop.) | 3 | US GB |
| | <i>Epithelantha micromeris</i> | live (art. prop.) | 350 | BR DE |
| | | | 2 | US GB |
| | <i>Escobaria robbinsorum</i> | live (art. prop.) | 1 | US GB |
| | <i>Epostoa</i> spp. | live (art. prop.) | 10 | JP DE |
| | <i>Epostoa lanata</i> | live (art. prop.) | 3650 | BR DE |
| | | | 200 | JP DE |
| | <i>Ferocactus</i> spp. | live (art. prop.) | 98 | US DE |
| | | | 5000 | ZA NL |
| | <i>Ferocactus bicolor</i> | live (art. prop.) | 1000 | BR DE |
| | | | 300 | US DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import |
|-------------------------|---------------------------------------------|-------------------|----------------------------|------------------------------------|
| II | <i>Ferocactus covillei</i> | live | 27 | US NL |
| | <i>Ferocactus cylindraceus</i> | live | 150 | US NL |
| | <i>Ferocactus glaucescens</i> | live (art. prop.) | 16 320 | MA ZA DE DE |
| | <i>Ferocactus herrerae</i> | live (art. prop.) | 370 | ZA DE |
| | <i>Ferocactus latispinus</i> | live (art. prop.) | 20 | US DE |
| | <i>Ferocactus peninsulae</i> | live (art. prop.) | 10 | MA DE |
| | <i>Ferocactus pilosus</i> | live (art. prop.) | 1003 100 | BR US NL NL |
| | <i>Ferocactus recurvus</i> | live (art. prop.) | 18 | US DE |
| | <i>Ferocactus wislizeni</i> | live | 10 | US NL |
| | <i>Frailea</i> spp. | live (art. prop.) | 1 | CS DE |
| | <i>Gymnocalycium</i> spp. | live (art. prop.) | 600 10 | BR US DE DE |
| | <i>Gymnocalycium baldianum</i> | live (art. prop.) | 2200 19000 | BR JP DE DE |
| | <i>Gymnocalycium</i> <i>mihanovichii</i> | live (art. prop.) | 29700 225665 4480 kg | BR JP DE DE |
| | <i>Haageocereus</i> spp. | live (art. prop.) | 1 | CS DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import |
|-------------------------|------------------------------------|-------------------|---------------------|------------------------------------|
| II | <i>Hamatocactus</i> spp. | live (art. prop.) | 1000 | ZA NL |
| | <i>Hamatocactus hamatacanthus</i> | live (art. prop.) | 600 40 | BR US DE DE |
| | <i>Hamatocactus setispinus</i> | live (art. prop.) | 800 | BR DE |
| | <i>Mammillaria</i> spp. | live (art. prop.) | 1400 8 20 | BR CS US DE |
| | <i>Mammillaria bocasana</i> | live (art. prop.) | 3150 | BR DE |
| | <i>Mammillaria bombycina</i> | live (art. prop.) | 7300 | BR DE |
| | <i>Mammillaria candida</i> | live (art. prop.) | 500 | BR DE |
| | <i>Mammillaria decipiens</i> | live (art. prop.) | 4200 | BR DE |
| | <i>Mammillaria dixanthocentron</i> | live (art. prop.) | 3950 | BR DE |
| | <i>Mammillaria elongata</i> | live (art. prop.) | 3000 1389 400 | BR BR JP NL DE |
| | <i>Mammillaria hahniana</i> | live (art. prop.) | 3750 1577 270 | BR BR JP NL DE |
| | <i>Mammillaria humboldtii</i> | live (art. prop.) | 1 | US GB |
| | <i>Mammillaria magnimamma</i> | live (art. prop.) | 2950 | BR DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|----------------------------------------|-------------------|-------------------|------------------------------------|----------------|
| II | <i>Mammillaria moelleriana</i> | live (art. prop.) | 1100 | BR | NL |
| | <i>Mammillaria pennispinosa</i> | live (art. prop.) | 1700 | BR | NL |
| | <i>Mammillaria spinosissima</i> | live (art. prop.) | 2450 997 | BR BR | DE NL |
| | <i>Mammillaria xaltianguensis</i> | live (art. prop.) | 1 | US | GB |
| | <i>Mammillaria zeilmanniana</i> | live (art. prop.) | 1450 | BR | DE |
| | <i>Melocactus spp.</i> | live (art. prop.) | 600 188 200 | BR US ZA | DE DE DE |
| | | live | 2 | XX | NL |
| | <i>Melocactus azulensis</i> | live (art. prop.) | 260 | BR | NL |
| | <i>Micranthocereus auriazureus</i> | live (art. prop.) | 100 | US | DE |
| | <i>Monvillea spp.</i> | live (art. prop.) | 1 220 | CS JP | DE DE |
| | <i>Neoporteria spp.</i> | live (art. prop.) | 3660 | BR | DE |
| | <i>Neoporteria lanata</i> | live (art. prop.) | 780 | BR | NL |
| | <i>Neoporteria nidus</i> | live (art. prop.) | 10 | US | DE |
| | <i>Neoporteria subgibbosa</i> | live (art. prop.) | 50 | US | DE |
| | <i>Neoporteria tuberisulcata</i> | live (art. prop.) | 1000 | BR | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|----------------------------------|-------------------|----------|------------------------------------|----|
| II | <i>Notocactus</i> spp. | live (art. prop.) | 15350 | BR | DE |
| | | | 2 | CS | DE |
| | | | 310 | JP | DE |
| | | | 74 | US | DE |
| | | | 2000 | ZA | NL |
| | <i>Notocactus buiningii</i> | live (art. prop.) | 31 | US | DE |
| | <i>Notocactus claviceps</i> | live (art. prop.) | 50 | US | DE |
| | <i>Notocactus formatus</i> | live (art. prop.) | 1500 | BR | DE |
| | <i>Notocactus fuscus</i> | live (art. prop.) | 300 | BR | DE |
| | <i>Notocactus haselbergii</i> | live (art. prop.) | 3050 | BR | DE |
| | | | 2780 | JP | DE |
| | <i>Notocactus leninghausii</i> | live (art. prop.) | 2000 | BR | DE |
| | | | 1011 | BR | NL |
| | | | 200 | JP | DE |
| | <i>Notocactus magnificus</i> | live (art. prop.) | 1524 | BR | NL |
| | <i>Notocactus ottonis</i> | live (art. prop.) | 1450 | BR | DE |
| | | | 2500 | JP | DE |
| | <i>Notocactus scopo</i> | live (art. prop.) | 9200 | BR | DE |
| | | | 1420 | JP | DE |
| | | | 115 | US | DE |
| | <i>Notocactus succineus</i> | live (art. prop.) | 2050 | BR | DE |
| | <i>Notocactus uebelmannianus</i> | live (art. prop.) | 430 | JP | DE |
| | <i>Opuntia</i> spp. | live (art. prop.) | 1750 | MA | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|-----------------------------------------------|-------------------|----------|------------------------------------|----|
| II | <i>Opuntia azurea</i> | live (art. prop.) | 1200 | MA | DE |
| | <i>Opuntia fulvicoma</i> | live (art. prop.) | 10 | US | NL |
| | <i>Opuntia grosseiana</i> | live (art. prop.) | 800 | MA | DE |
| | <i>Opuntia lindheimeri</i> | live (art. prop.) | 400 | MA | DE |
| | | | 27 | US | NL |
| | <i>Opuntia occidentalis</i> | live (art. prop.) | 50 | MA | DE |
| | <i>Opuntia robusta</i> | live (art. prop.) | 30 | MA | DE |
| | <i>Opuntia stricta</i> | live (art. prop.) | 1 | US | NL |
| | <i>Opuntia tunicata</i> | live (art. prop.) | 500 | MA | DE |
| | <i>Parodia spp.</i> | live (art. prop.) | 750 | BR | DE |
| | | | 2 | CS | DE |
| | <i>Pygmaeocereus</i> <i>densiaculeatus</i> | live (art. prop.) | 1 | CS | DE |
| | <i>Rebutia einsteinii</i> | live (art. prop.) | 2 | US | GB |
| | <i>Rebutia ottonis</i> | live (art. prop.) | 1559 | BR | NL |
| | <i>Rebutia ritteri</i> | live (art. prop.) | 1 | CS | DE |
| | <i>Rebutia senilis</i> | live (art. prop.) | 1 | CS | DE |
| | <i>Schlumbergera spp.</i> | live (art. prop.) | 14 | US | DE |
| | <i>Stenocactus hastatus</i> | live (art. prop.) | 2600 | BR | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import |
|-------------------------|--------------------------------------|-------------------|----------|------------------------------------|
| II | <i>Stenocereus</i> spp. | live (art. prop.) | 1000 | ZA NL |
| | <i>Sulcorebutia elongata</i> | live (art. prop.) | 600 | BR NL |
| | <i>Thelocactus conothelos</i> | live (art. prop.) | 200 | US DE |
| | <i>Thelocactus hexaedrophorus</i> | live (art. prop.) | 1500 | BR NL |
| | <i>Thelocactus wagnerianus</i> | live (art. prop.) | 1 | US DE |
| | <i>Turbinicarpus schmiedickeanus</i> | live (art. prop.) | 100 | DD DE |
| | <i>Uebelmannia</i> spp. | live (art. prop.) | 25 | US DE |
| | | | 250 | US GB |
| | <i>Uebelmannia pectinifera</i> | live (art. prop.) | 26 | US DE |
| | <i>Fitz-Roya cupressoides</i> | live (art. prop.) | 2 | US IT |
| | <i>Cyathea</i> spp. | live | 2 | RW DE |
| | <i>Cycadaceae</i> spp. | live (art. prop.) | 180 | TW IT |
| | | | 32 | ZA GB |
| | | live | 7430 kg | BR IT |
| | | | 15 | CN IT |
| | <i>Cycas</i> spp. | seeds | 25000 | JP NL |
| | <i>Cycas circinalis</i> | live (art. prop.) | 11 | US FR |
| | <i>Cycas revoluta</i> | live (art. prop.) | 200 | BR NL |
| | | | 30775 | IL DE |
| | | | 13024 | IL NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|------------------------------|-------------------|----------|------------------------------------|----|----|
| II | <i>Cycas revoluta</i> | live (art. prop.) | 4 | IL | IR | DE |
| | | | 44000 | JP | | DE |
| | | | 35150 | JP | | NL |
| | | | 165595 | TW | | DE |
| | | | 448 | TW | JP | DE |
| | | | 8 | US | | FR |
| | | | 11500 | ZA | | DE |
| | | seeds | 550000 | JP | | NL |
| | | stems | 6 | JP | | NL |
| | <i>Dicksonia sellowiana</i> | roots | 440 | BR | | DE |
| | | timber | 27 cu.m | BR | | BE |
| | <i>Alluaudia humbertii</i> | live (art. prop.) | 1 | US | | GB |
| | <i>Alluaudia montagnacii</i> | live (art. prop.) | 1 | US | | GB |
| | <i>Euphorbia</i> spp. | live (art. prop.) | 500 | CH | DO | DE |
| | | | 77 | MG | | DE |
| | | | 81 | MG | | FR |
| | | | 20 | MT | | GB |
| | | | 1 | US | | DE |
| | | | 15 | US | | FR |
| | | | 851 | US | | GB |
| | | | 92 | US | | IT |
| | | | 35 | US | | NL |
| | | | 2605 | ZA | | DE |
| | | | 832 | ZA | | GB |
| | | | 334 | ZA | | IT |
| | | | 220 | ZA | | NL |
| | | live | 2 | AT | | DE |
| | | | 20011 | MG | | DE |
| | | | 12 | MW | | GB |
| | | | 3 | XX | | NL |
| | | | 34 | ZA | | NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|--------------------------------|-------------------|-----------|------------------------------------|----------|
| II | <i>Euphorbia bupleurifolia</i> | live (art. prop.) | 58 2 | ZA ZA | GB NL |
| | <i>Euphorbia candelabrum</i> | live (art. prop.) | 45 | US | NL |
| | <i>Euphorbia cannellii</i> | live (art. prop.) | 1 | US | NL |
| | <i>Euphorbia clavarioides</i> | live (art. prop.) | 20 | ZA | GB |
| | <i>Euphorbia colubrina</i> | live (art. prop.) | 1 | US | NL |
| | <i>Euphorbia crispa</i> | live (art. prop.) | 435 | ZA | DE |
| | <i>Euphorbia cylindrifolia</i> | live (art. prop.) | 1 15 | US ZA | NL DE |
| | <i>Euphorbia decaryi</i> | live (art. prop.) | 2 | US | NL |
| | <i>Euphorbia esculenta</i> | live (art. prop.) | 5 | ZA | DE |
| | <i>Euphorbia flanaganii</i> | live (art. prop.) | 1 | US | NL |
| | <i>Euphorbia globosa</i> | live (art. prop.) | 135 10 | ZA ZA | DE NL |
| | <i>Euphorbia gorgonis</i> | live (art. prop.) | 5 | ZA | NL |
| | <i>Euphorbia grandialata</i> | live (art. prop.) | 50 | ZA | DE |
| | <i>Euphorbia halipedicola</i> | live (art. prop.) | 1 | US | NL |
| | <i>Euphorbia heptagona</i> | live (art. prop.) | 5 | ZA | DE |
| | <i>Euphorbia heterochroma</i> | live (art. prop.) | 2 | US | NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|---------------------------------|-------------------|--------------------|------------------------------------|----------------------|
| II | <i>Euphorbia horrida</i> | live (art. prop.) | 120 200 | US US | DE NL |
| | <i>Euphorbia inermis</i> | live (art. prop.) | 1 | US | NL |
| | <i>Euphorbia lactea</i> | live (art. prop.) | 35 | US | NL |
| | <i>Euphorbia loricata</i> | live (art. prop.) | 2 | ZA | NL |
| | <i>Euphorbia magnicapsula</i> | live (art. prop.) | 2 | US | NL |
| | <i>Euphorbia pedilanthoides</i> | live (art. prop.) | 4 | US | GB |
| | <i>Euphorbia resinifera</i> | live (art. prop.) | 5 | ZA | DE |
| | <i>Euphorbia silenifolia</i> | live (art. prop.) | 6 20 | ZA ZA | GB NL |
| | <i>Euphorbia squarrosa</i> | live (art. prop.) | 605 9 | ZA ZA | DE NL |
| | <i>Euphorbia stellata</i> | live (art. prop.) | 300 40 | ZA ZA | DE NL |
| | <i>Euphorbia tirucallii</i> | live (art. prop.) | 7 20 | US US | DK NL |
| | <i>Euphorbia tridentata</i> | live (art. prop.) | 5 | ZA | DE |
| | <i>Euphorbia valida</i> | live (art. prop.) | 300 | US | NL |
| | <i>Aloe spp.</i> | live (art. prop.) | 1 14 15 2 | AT MG US US | DE DE DE NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|---------------------------|-------------------|----------|------------------------------------|-------|
| II | <i>Aloe</i> spp. | live (art. prop.) | 15 | ZA | DE |
| | | live | 1 | AT | ZA DE |
| | | | 4 | MG | DE |
| | | | 9 | MW | GB |
| | | | 8 | XX | NL |
| | <i>Aloe</i> hybrid | live (art. prop.) | 10 | ZA | DE |
| | <i>Aloe ammophila</i> | live (art. prop.) | 1 | US | NL |
| | <i>Aloe aristata</i> | live (art. prop.) | 1 | US | NL |
| | <i>Aloe bakeri</i> | live (art. prop.) | 1 | US | GB |
| | <i>Aloe bellatula</i> | live (art. prop.) | 1 | US | NL |
| | <i>Aloe bowiea</i> | live (art. prop.) | 1 | US | GB |
| | <i>Aloe bulbiflora</i> | live (art. prop.) | 2 | US | NL |
| | <i>Aloe descoingsii</i> | live (art. prop.) | 1 | US | GB |
| | <i>Aloe dumetorum</i> | live (art. prop.) | 1 | US | GB |
| | <i>Aloe ferox</i> | live | 6012 | ZA | DE |
| | <i>Aloe glauca</i> | live (art. prop.) | 1 | US | GB |
| | <i>Aloe globuligemma</i> | live (art. prop.) | 1 | US | NL |
| | <i>Aloe graminicola</i> | live (art. prop.) | 1 | US | GB |
| | <i>Aloe haworthioides</i> | live (art. prop.) | 1 | US | GB |
| | | | 1 | US | NL |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Export Origin Import |
|-------------------------|--------------------------|-------------------|----------|------------------------------------|
| II | <i>Aloe littoralis</i> | live (art. prop.) | 1 | US GB |
| | | | 1 | US NL |
| | <i>Aloe mcloughlinii</i> | live (art. prop.) | 1 | US NL |
| | <i>Aloe microstigma</i> | live (art. prop.) | 2 | US NL |
| | <i>Aloe millotii</i> | live (art. prop.) | 5 | ZA GB |
| | <i>Aloe simii</i> | live (art. prop.) | 1 | US NL |
| | <i>Aloe swynnertonii</i> | live (art. prop.) | 1 | US NL |
| | <i>Aloe turkmenensis</i> | live (art. prop.) | 1 | US NL |
| | <i>Nepenthes</i> spp. | live | 6 | PH DE |
| | <i>Orchidaceae</i> spp. | live (art. prop.) | 20 | AU GB |
| | | | 68 | AU NL |
| | | | 26 | BR DE |
| | | | 351 | BR FR |
| | | | 328 | BR GB |
| | | | 2066 | BR IT |
| | | | 3000 | HN GB |
| | | | 1480 | HN IT |
| | | | 5 | ID DE |
| | | | 60 | IN DE |
| | | | 68 | IN GB |
| | | | 110 | IN NL |
| | | | 20 | JP DE |
| | | | 1470 | JP FR |
| | | | 452 | JP GB |
| | | | 5 | LK DK |
| | | | 32 | MG FR |
| | | | 795 | PH IT |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Export Origin Import |
|-------------------------|------------------|-------------------|----------|------------------------------------|
| II | Orchidaceae spp. | live (art. prop.) | 395 | NL |
| | | | 6 | IT |
| | | | 210 | GB |
| | | | 89 | DE |
| | | | 1724 | FR |
| | | | 1800 | GB |
| | | | 7609 | IT |
| | | | 540 | NL |
| | | | 182 | GB |
| | | | 30 | IT |
| | | | 1507 | DE |
| | | | 2552 | FR |
| | | | 7679 | GB |
| | | | 412 | IT |
| | | | 3010 | NL |
| | | live | 50 | GB |
| | | | 2 | NL |
| | | | 362 | NL |
| | | | 1950 | GB |
| | | | 30 | GB |
| | | | 2 | NL |
| | | | 30 | GB |
| | | | 2102 | NL |
| | | | 15 | GB |
| | | | 85 | NL |
| | | | 90 | DE |
| | | | 378 | GB |
| | | | 256 | NL |
| | | | 87 | DE |
| | | | 220 | NL |
| | | | 1135 | DE |
| | | | 1222 | FR |
| | | | 585 | NL |
| | | | 32 | GB |
| | | | 2500 | NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|-----------------------|-------------------|----------|------------------------------------|-------|
| II | Orchidaceae hybrid | live (art. prop.) | 749 | BR | DE |
| | | | 11 | BR | DK |
| | | | 8 | BR | NL |
| | | | 8 | CH | DO DE |
| | | | 649 | TH | DE |
| | | | 157 | TH | DK |
| | | | 135 | TH | NL |
| | | | 5 | TW | DE |
| | | | 1086 | US | DE |
| | | | 14 | US | NL |
| | roots | | 80 | BR | DE |
| | Acacallis cyanea | live (art. prop.) | 90 | BR | DE |
| | Acampe ochracea | live (art. prop.) | 1 | TH | NL |
| | Acampe papillosa | live (art. prop.) | 15 | TH | DE |
| | | | 1 | TH | NL |
| | | live | 27 | TH | DE |
| | Acampe rigida | live (art. prop.) | 1 | TH | NL |
| | | live | 14 | TH | DE |
| | | | 5 | TH | DK |
| | | | 10 | TH | NL |
| | Acianthus spp. | live (art. prop.) | 34 | AU | DE |
| | Acineta spp. | live (art. prop.) | 10 | HN | DE |
| | Acostaea spp. | live | 1 | CR | NL |
| | Acostaea costaricense | live | 4 | CR | NL |
| | Acriopsis indica | live (art. prop.) | 10 | TH | DE |
| | | | 2 | TH | NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|-----------------------------|---------------------------|----------------------------|------------------------------------|----------------------------|
| II | <i>Acriopsis indica</i> | live | 5 21 | TH | DE NL |
| | <i>Acriopsis javanica</i> | live (art. prop.) live | 1 26 | TH TH | NL DE |
| | <i>Adenoncos parviflora</i> | live | 5 | TH | DE |
| | <i>Adenoncos sumatrana</i> | live | 2 | TH | DE |
| | <i>Adenoncos vesiculosa</i> | live (art. prop.) live | 1 1 | TH TH | DE DE |
| | <i>Aerangis biloba</i> | live | 200 | TG | NL |
| | <i>Aerangis brachycarpa</i> | live | 5 | KE | NL |
| | <i>Aerangis confusa</i> | live | 9 | KE | NL |
| | <i>Aerangis kirkii</i> | live | 1 | KE | NL |
| | <i>Aerangis kotschyana</i> | live (art. prop.) | 1 | US | NL |
| | <i>Aerangis modesta</i> | live | 1 | KE | NL |
| | <i>Aerides spp.</i> | live (art. prop.) | 41 20 52 20 10 | IN JP TH TH TH | DE GB DE GB NL |
| | | live | 3 | PH | DE |
| | <i>Aerides crassifolia</i> | live (art. prop.) | 1 8 4 | IN TH TH | NL DE NL |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Export Origin Import |
|-------------------------|----------------------------|-------------------|----------|------------------------------------|
| II | <i>Aerides crassifolia</i> | live | 76 | TH DE |
| | | | 58 | TH NL |
| | <i>Aerides falcata</i> | live (art. prop.) | 23 | TH DE |
| | | | 5 | TH NL |
| | | live | 9 | TH DE |
| | | | 10 | TH DK |
| | | | 46 | TH NL |
| | <i>Aerides fieldingii</i> | live (art. prop.) | 12 | IN DE |
| | | | 3 | IN DK |
| | | | 6 | TH DE |
| | | | 7 | TH NL |
| | | live | 192 | TH DE |
| | | | 53 | TH NL |
| | <i>Aerides flabellata</i> | live (art. prop.) | 32 | TH DE |
| | | | 1 | TH DK |
| | | | 4 | TH NL |
| | | live | 127 | TH DE |
| | | | 20 | TH DK |
| | | | 61 | TH NL |
| | <i>Aerides gratifolium</i> | live | 30 | TH NL |
| | <i>Aerides houletteana</i> | live (art. prop.) | 29 | TH DE |
| | | | 4 | TH NL |
| | | live | 69 | TH DE |
| | | | 100 | TH NL |
| | <i>Aerides krabiensis</i> | live (art. prop.) | 9 | TH DE |
| | | | 5 | TH NL |
| | | live | 163 | TH DE |
| | | | 88 | TH NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import |
|-------------------------|-------------------------------|-------------------|----------|------------------------------------|
| II | <i>Aerides lawrenceae</i> | live | 15 | PH DE |
| | <i>Aerides maculosa</i> | live (art. prop.) | 1 | IN DK |
| | <i>Aerides multiflora</i> | live (art. prop.) | 112 | IN DE |
| | | | 1 | IN DK |
| | | | 9 | TH DE |
| | | | 11 | TH NL |
| | | live | 30 | IN DE |
| | | | 30 | TH DE |
| | | | 58 | TH NL |
| | <i>Aerides odorata</i> | live (art. prop.) | 24 | IN DE |
| | | | 4 | IN DK |
| | | | 7 | TH DE |
| | | | 4 | TH NL |
| | | live | 30 | IN DE |
| | | | 53 | TH DE |
| | | | 20 | TH DK |
| | | | 111 | TH NL |
| | <i>Aerides quinquevulnera</i> | live (art. prop.) | 1 | PH DK |
| | <i>Aerides vandara</i> | live (art. prop.) | 3 | IN DK |
| | <i>Aganisia pulchella</i> | live | 5 | TH NL |
| | <i>Agrostophyllum majus</i> | live | 1 | TH DE |
| | <i>Amblostoma tridactylum</i> | live (art. prop.) | 1 | BR DE |
| | <i>Amesiella philippensis</i> | live (art. prop.) | 25 | PH DK |
| | | | 10 | PH GB |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin | Import |
|-------------------------|-----------------------------------------|-------------------|----------|-----------------------------|--------|
| II | <i>Ancistrorhyncus clandestinus</i> | live | 50 | TG | NL |
| | <i>Angraecopsis gracillima</i> | live | 1 | KE | NL |
| | <i>Angraecum spp.</i> | live (art. prop.) | 10 | PH | DE |
| | | | 15 | US | DE |
| | | live | 166 | PH | DE |
| | <i>Angraecum eburneum</i> | live | 1 | KE | NL |
| | <i>Angraecum erectum</i> | live | 5 | KE | NL |
| | <i>Ania hookeriana</i> | live (art. prop.) | 1 | IN | DK |
| | <i>Ansellia africana</i> | live | 2 | KE | NL |
| | <i>Appendicula spp.</i> | live | 55 | TH | NL |
| | <i>Appendicula undulata</i> | live (art. prop.) | 8 | TH | NL |
| | | live | 1 | TH | DE |
| | <i>Arachnis spp.</i> | live (art. prop.) | 5 | IN | DE |
| | | | 63 | TH | DE |
| | | | 50 | TH | NL |
| | <i>Arachnis flos-aeris</i> | live (art. prop.) | 12 | TH | NL |
| | | live | 8 | TH | DE |
| | <i>Arpophyllum giganteum</i> | live (art. prop.) | 10 | HN | DE |
| | <i>Arundina graminifolia</i> | live (art. prop.) | 15 | IN | DE |
| | | | 2 | IN | DK |
| | | | 1 | IN | NL |
| | | | 3 | TH | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import |
|-------------------------|-----------------------------------|-------------------|----------|------------------------------------|
| II | <i>Arundina graminifolia</i> | live (art. prop.) | 2 | TH NL |
| | | live | 16 | TH DE |
| | | | 25 | TH NL |
| | <i>Ascocentrum spp.</i> | live (art. prop.) | 15 | TH GB |
| | | | 26 | TH NL |
| | | live | 85 | TH DE |
| | | | 10 | TH DK |
| | <i>Ascocentrum ampullaceum</i> | live (art. prop.) | 2 | IN DK |
| | | | 65 | TH DE |
| | | | 1 | TH DK |
| | | | 80 | TH NL |
| | | live | 30 | IN DE |
| | | | 994 | TH DE |
| | | | 10 | TH DK |
| | | | 113 | TH NL |
| | <i>Ascocentrum curvifolium</i> | live (art. prop.) | 13 | TH DE |
| | | | 101 | TH DK |
| | | | 65 | TH NL |
| | | live | 543 | TH DE |
| | | | 106 | TH NL |
| | <i>Ascocentrum hendersonianum</i> | live | 76 | US DE |
| | <i>Ascocentrum miniatum</i> | live (art. prop.) | 6 | PH GB |
| | | | 178 | TH DE |
| | | | 1 | TH DK |
| | | | 26 | TH NL |
| | | live | 14 | PH DE |
| | | | 1383 | TH DE |
| | | | 20 | TH DK |
| | | | 400 | TH NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|---------------------------------|-------------------|----------|------------------------------------|----|
| II | <i>Aspasia epidendroides</i> | live | 2 | CR | NL |
| | <i>Aspasia lunata</i> | live (art. prop.) | 45 | BR | DE |
| | | | 10 | BR | GB |
| | | | 2 | BR | NL |
| | <i>Barbosella spp.</i> | live (art. prop.) | 1 | BR | DE |
| | | live | 1 | CR | NL |
| | <i>Barbosella riograndensis</i> | live (art. prop.) | 30 | BR | DE |
| | <i>Bifrenaria harrisoniae</i> | live (art. prop.) | 21 | BR | DE |
| | | | 7 | BR | NL |
| | <i>Bifrenaria tetragona</i> | live (art. prop.) | 10 | BR | DE |
| | <i>Bifrenaria tyrianthina</i> | live (art. prop.) | 1 | BR | DE |
| | <i>Bollea spp.</i> | live (art. prop.) | 15 | CO | BE |
| | | | 30 | CO | GB |
| | <i>Bolusiella imbricata</i> | live | 5 | KE | NL |
| | <i>Bothriochilus spp.</i> | live (art. prop.) | 4 | HN | NL |
| | <i>Brachycorythis spp.</i> | live (art. prop.) | 8 | TH | DE |
| | <i>Brachycorythis acuta</i> | live (art. prop.) | 3 | TH | NL |
| | <i>Brachycorythis helferi</i> | live (art. prop.) | 9 | TH | DE |
| | | live | 3 | TH | NL |
| | | | 6 | TH | DE |
| | <i>Brachycorythis henryi</i> | live (art. prop.) | 2 | TH | NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|-------------------------------|-------------------|----------|------------------------------------|----|
| II | <i>Brassavola</i> spp. | live (art. prop.) | 2 | BR | DE |
| | | live | 4 | PE | DE |
| | <i>Brassavola cucullata</i> | live (art. prop.) | 40 | HN | NL |
| | <i>Brassavola flagellaris</i> | live (art. prop.) | 43 | BR | DE |
| | | | 10 | BR | DK |
| | | | 15 | BR | NL |
| | <i>Brassavola nodosa</i> | live (art. prop.) | 27 | TH | DE |
| | | | 10 | TH | GB |
| | <i>Brassavola perrinii</i> | live (art. prop.) | 38 | BR | DE |
| | | | 5 | BR | DK |
| | | | 14 | BR | NL |
| | <i>Brassavola tuberculata</i> | live (art. prop.) | 1 | BR | DE |
| | <i>Brassia</i> spp. | live (art. prop.) | 30 | HN | NL |
| | | | 1 | US | DE |
| | | live | 10 | PE | DE |
| | <i>Brassia longissima</i> | live | 1 | CR | NL |
| | <i>Brassia maculata</i> | live | 50 | PE | DE |
| | <i>Brassia ochroleuca</i> | live (art. prop.) | 138 | BR | DE |
| | | | 10 | BR | DK |
| | | | 4 | BR | NL |
| | <i>Brassia verrucosa</i> | live (art. prop.) | 15 | HN | NL |
| | | live | 2 | CR | NL |
| | <i>Bromheadia</i> spp. | live (art. prop.) | 2 | TH | DE |
| | | live | 18 | TH | NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|---------------------------------|-------------------|----------|------------------------------------|----|
| II | <i>Bromheadia aporooides</i> | live (art. prop.) | 4 | TH | NL |
| | | live | 124 | TH | DE |
| | <i>Broughtonia spp.</i> | live (art. prop.) | 3 | US | DE |
| | <i>Broughtonia sanguinea</i> | live (art. prop.) | 3 | US | NL |
| | <i>Bulbophyllum spp.</i> | live (art. prop.) | 31 | BR | DE |
| | | | 30 | IN | DE |
| | | | 27 | MY | NL |
| | | | 3570 | PH | DE |
| | | | 46 | TH | DE |
| | | | 30 | TH | GB |
| | | live | 118 | MY | NL |
| | | | 14 | PH | DE |
| | | | 182 | TH | DE |
| | | | 1 | TH | DK |
| | | | 45 | TH | NL |
| | <i>Bulbophyllum affine</i> | live (art. prop.) | 2 | BR | DE |
| | | | 12 | IN | DE |
| | | | 1 | IN | DK |
| | | | 12 | TH | DE |
| | | | 6 | TH | NL |
| | | live | 66 | TH | DE |
| | | | 70 | TH | NL |
| | <i>Bulbophyllum alcicorne</i> | live | 18 | TH | DE |
| | <i>Bulbophyllum careyanum</i> | live (art. prop.) | 12 | IN | DE |
| | | live | 20 | TH | NL |
| | <i>Bulbophyllum cauliflorum</i> | live (art. prop.) | 12 | IN | DE |
| | <i>Bulbophyllum congestum</i> | live | 23 | TH | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import |
|-------------------------|-----------------------------------|-------------------|----------|------------------------------------|
| II | <i>Bulbophyllum dayanum</i> | live (art. prop.) | 1 | TH NL |
| | | live | 135 | TH DE |
| | | | 6 | TH NL |
| | <i>Bulbophyllum dearei</i> | live (art. prop.) | 10 | PH DE |
| | <i>Bulbophyllum dissitiflorum</i> | live | 2 | TH DE |
| | <i>Bulbophyllum dixonii</i> | live (art. prop.) | 1 | CS DE |
| | | | 1 | TH NL |
| | <i>Bulbophyllum glutinosum</i> | live (art. prop.) | 5 | BR DE |
| | <i>Bulbophyllum gracilipes</i> | live (art. prop.) | 1 | IN DK |
| | <i>Bulbophyllum haniffii</i> | live | 4 | TH DE |
| | | | 5 | TH NL |
| | <i>Bulbophyllum kanburiense</i> | live | 5 | TH DE |
| | | | 1 | TH NL |
| | <i>Bulbophyllum lasiochilum</i> | live (art. prop.) | 10 | TH DE |
| | | live | 21 | TH NL |
| | <i>Bulbophyllum laxiflorum</i> | live | 2 | TH DE |
| | <i>Bulbophyllum leopardinum</i> | live (art. prop.) | 24 | IN DE |
| | | | 1 | IN DK |
| | | | 6 | TH DE |
| | | | 2 | NL DE |
| | | live | 20 | IN DE |
| | <i>Bulbophyllum lobbii</i> | live (art. prop.) | 2 | BR DE |
| | | | 9 | TH DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|---------------------------------------------|-------------------|----------|------------------------------------|----|----|
| II | <i>Bulbophyllum lobbii</i> | live (art. prop.) | 13 | TH | NL | |
| | | live | 199 | TH | DE | |
| | | | 60 | TH | NL | |
| | <i>Bulbophyllum macranthum</i> | live (art. prop.) | 5 | TH | DE | |
| | | | 61 | TH | NL | |
| | | live | 133 | TH | DE | |
| | | | 181 | TH | NL | |
| | <i>Bulbophyllum mahoni</i> | live | 1 | KE | NL | |
| | <i>Bulbophyllum micranthum</i> | live (art. prop.) | 6 | TH | NL | |
| | <i>Bulbophyllum</i> <i>muscarirubrum</i> | live | 70 | TH | DE | |
| | | | 1 | TH | NL | |
| | <i>Bulbophyllum napellii</i> | live (art. prop.) | 10 | BR | DE | |
| | <i>Bulbophyllum nigericum</i> | live | 1 | TH | NL | |
| | <i>Bulbophyllum nigrescens</i> | live (art. prop.) | 2 | TH | NL | |
| | | live | 17 | TH | DE | |
| | <i>Bulbophyllum</i> <i>odoratissimum</i> | live (art. prop.) | 14 | TH | DE | |
| | | | 1 | TH | NL | |
| | | live | 68 | TH | DE | |
| | | | 6 | TH | NL | |
| | <i>Bulbophyllum orientale</i> | live | 4 | TH | DE | |
| | | | 5 | TH | NL | |
| | <i>Bulbophyllum</i> <i>pachyrrhachis</i> | live | 1 | DD | CU | NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|-----------------------------------------------|-------------------|----------|------------------------------------|----|
| II | <i>Bulbophyllum patens</i> | live (art. prop.) | 2 | TH | DE |
| | | | 3 | TH | NL |
| | | live | 44 | TH | DE |
| | | | 11 | TH | NL |
| | <i>Bulbophyllum pectinatum</i> | live (art. prop.) | 2 | TH | DE |
| | | | 2 | TH | NL |
| | | live | 100 | TH | DE |
| | <i>Bulbophyllum propinquum</i> | live | 19 | TH | DE |
| | | | 1 | TH | NL |
| | <i>Bulbophyllum</i> <i>psittacoglossum</i> | live (art. prop.) | 1 | TH | NL |
| | | live | 45 | TH | DE |
| | <i>Bulbophyllum repens</i> | live | 21 | TH | DE |
| | | | 1 | TH | NL |
| | <i>Bulbophyllum rufilabrum</i> | live | 1 | TH | NL |
| | <i>Bulbophyllum rufinum</i> | live | 4 | TH | DE |
| | | | 45 | TH | NL |
| | <i>Bulbophyllum sessile</i> | live (art. prop.) | 2 | TH | NL |
| | | live | 5 | TH | DE |
| | | | 1 | TH | NL |
| | <i>Bulbophyllum stenobulbon</i> | live (art. prop.) | 2 | TH | NL |
| | <i>Bulbophyllum tenuicaule</i> | live | 5 | KE | NL |
| | <i>Bulbophyllum thaiorum</i> | live | 70 | TH | DE |
| | <i>Bulbophyllum tricorne</i> | live | 1 | TH | NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|----------------------------------|-------------------|----------|------------------------------------|----|
| II | <i>Bulbophyllum tricornoides</i> | live | 4 | TH | DE |
| | <i>Bulbophyllum tridentatum</i> | live (art. prop.) | 2 | TH | NL |
| | <i>Bulbophyllum virescens</i> | live (art. prop.) | 12 | IN | DE |
| | <i>Bulbophyllum weddellii</i> | live (art. prop.) | 16 | BR | DE |
| | | | 4 | BR | NL |
| | <i>Bulbophyllum xylophyllum</i> | live (art. prop.) | 1 | TH | NL |
| | | live | 10 | TH | DE |
| | | | 1 | TH | NL |
| | <i>Bulbophyllum ypanamense</i> | live (art. prop.) | 30 | BR | DE |
| | | | 2 | BR | NL |
| | <i>Caladenia</i> spp. | live (art. prop.) | 26 | AU | DE |
| | <i>Calanthe</i> spp. | live (art. prop.) | 30 | JP | DE |
| | | | 1 | JP | DK |
| | | | 30 | JP | NL |
| | | | 40 | TH | GB |
| | | live | 2 | TH | DE |
| | <i>Calanthe alpina</i> | live (art. prop.) | 1 | IN | DK |
| | <i>Calanthe biloba</i> | live (art. prop.) | 1 | IN | DK |
| | <i>Calanthe cardioglossa</i> | live (art. prop.) | 15 | TH | NL |
| | | live | 26 | TH | DE |
| | | | 20 | TH | NL |
| | <i>Calanthe chloroleuca</i> | live (art. prop.) | 1 | IN | DK |
| | <i>Calanthe elmeri</i> | live (art. prop.) | 5 | PH | DK |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|------------------------------|-------------------|----------|------------------------------------|----|
| II | <i>Calanthe gracilis</i> | live (art. prop.) | 3 | TH | NL |
| | <i>Calanthe herbacea</i> | live (art. prop.) | 1 | IN | DK |
| | <i>Calanthe lyroglossa</i> | live (art. prop.) | 63 | TH | NL |
| | <i>Calanthe masuca</i> | live (art. prop.) | 3 | IN | DE |
| | | | 5 | IN | DK |
| | <i>Calanthe plantaginea</i> | live (art. prop.) | 1 | IN | DK |
| | <i>Calanthe puberula</i> | live (art. prop.) | 1 | IN | DK |
| | <i>Calanthe rosea</i> | live (art. prop.) | 66 | TH | NL |
| | | live | 6 | TH | DE |
| | | | 15 | TH | NL |
| | <i>Calanthe rubens</i> | live (art. prop.) | 2 | TH | DE |
| | | | 62 | TH | NL |
| | | live | 24 | TH | DE |
| | | | 15 | TH | NL |
| | <i>Calanthe tricarinata</i> | live (art. prop.) | 10 | JP | DE |
| | <i>Calanthe triplicata</i> | live (art. prop.) | 5 | TH | DE |
| | | live | 5 | TH | NL |
| | <i>Calanthe trulliformis</i> | live (art. prop.) | 1 | IN | DK |
| | <i>Calanthe vestita</i> | live (art. prop.) | 3 | TH | DE |
| | | | 75 | TH | NL |
| | | live | 12 | TH | DE |
| | | | 29 | TH | NL |
| | <i>Calanthe whiteana</i> | live (art. prop.) | 1 | IN | DK |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Export Origin Import | |
|-------------------------|-----------------------------------|-------------------|----------|------------------------------------|----|
| II | <i>Calypso</i> spp. | live (art. prop.) | 20 | JP | DK |
| | <i>Calyptrochilum christyanum</i> | live | 20 | TG | NL |
| | <i>Campylocentrum</i> spp. | live | 4 | CR | NL |
| | <i>Capanemia superflua</i> | live (art. prop.) | 11 | BR | DE |
| | <i>Catasetum</i> spp. | live | 267 | PE | DE |
| | <i>Catasetum cernuum</i> | live (art. prop.) | 17 | BR | DE |
| | | | 20 | BR | DK |
| | | live | 30 | PE | DE |
| | <i>Catasetum integerrimum</i> | live | 3 | BZ | GB |
| | <i>Catasetum maculatum</i> | live | 2 | CR | NL |
| | <i>Catasetum pileatum</i> | live | 5 | PE | NL |
| | <i>Catasetum purum</i> | live (art. prop.) | 4 | BR | NL |
| | <i>Cattleya</i> spp. | live (art. prop.) | 814 | BR | DE |
| | | | 6 | JP | NL |
| | | | 1557 | TH | DE |
| | | | 1 | TH | DK |
| | | | 148 | TH | NL |
| | | | 7 | TW | DE |
| | | | 8 | TW | DK |
| | | | 1914 | US | DE |
| | | | 8 | US | DK |
| | | | 50 | VE | DE |
| | | live | 50 | PE | DE |
| | | | 95 | VE | DE |

| CITES EEC App. Annex | TAXON | DESCRIPTION | QUANTITY | Country of Export Origin Import |
|-------------------------|---------------------------------|-------------------|----------|------------------------------------|
| II | <i>Cattleya</i> spp. | roots | 605 | BR DE |
| | <i>Cattleya aclandiae</i> | live (art. prop.) | 503 | BR DE |
| | | | 20 | BR NL |
| | <i>Cattleya amethystoglossa</i> | live (art. prop.) | 361 | BR DE |
| | | | 14 | BR DK |
| | | | 8 | BR NL |
| | <i>Cattleya araguaiensis</i> | live (art. prop.) | 200 | BR DE |
| | | | 10 | BR DK |
| | | | 10 | BR NL |
| | <i>Cattleya aurantiaca</i> | live (art. prop.) | 47 | HN NL |
| | <i>Cattleya bicolor</i> | live (art. prop.) | 193 | BR DE |
| | | | 1 | BR DK |
| | | | 26 | BR NL |
| | <i>Cattleya bowringiana</i> | live (art. prop.) | 1 | TH NL |
| | <i>Cattleya dormaniana</i> | live (art. prop.) | 131 | BR DE |
| | | | 5 | BR DK |
| | | | 5 | BR NL |
| | <i>Cattleya eldorado</i> | live (art. prop.) | 30 | BR DE |
| | <i>Cattleya elongata</i> | live (art. prop.) | 131 | BR DE |
| | | | 4 | BR DK |
| | | | 5 | BR NL |
| | <i>Cattleya forbesii</i> | live (art. prop.) | 318 | BR DE |
| | | | 11 | BR NL |
| | <i>Cattleya granulosa</i> | live (art. prop.) | 296 | BR DE |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Export Origin Import |
|-------------------------|--------------------------------|-------------------|----------------------|------------------------------------|
| II | <i>Cattleya granulosa</i> | live (art. prop.) | 16 7 | BR BR |
| | <i>Cattleya guttata</i> | live (art. prop.) | 287 12 15 | BR BR BR |
| | <i>Cattleya harrisoniana</i> | live (art. prop.) | 197 2 2 3 | BR BR BR BR |
| | <i>Cattleya intermedia</i> | live (art. prop.) | 504 20 1 22 | BR BR BR TH |
| | <i>Cattleya iricolor</i> | live | 100 | PE |
| | <i>Cattleya labiata</i> | live (art. prop.) | 54 21 10 | BR BR BR |
| | <i>Cattleya loddigesii</i> | live (art. prop.) | 162 18 | BR BR |
| | <i>Cattleya lueddemanniana</i> | live | 15 | VE |
| | <i>Cattleya luteola</i> | live (art. prop.) | 65 10 100 | BR BR BR |
| | | live | 202 | PE |
| | <i>Cattleya maxima</i> | live | 260 20 | PE PE |
| | | | | NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import |
|-------------------------|--------------------------------|-------------------|----------|------------------------------------|
| II | <i>Cattleya nobilior</i> | live (art. prop.) | 411 | BR DE |
| | | | 10 | BR DK |
| | | | 3 | BR GB |
| | | | 1 | BR NL |
| | <i>Cattleya porphyroglossa</i> | live (art. prop.) | 26 | BR DE |
| | | | 3 | BR NL |
| | <i>Cattleya rex</i> | live | 200 | PE DE |
| | <i>Cattleya schilleriana</i> | live (art. prop.) | 498 | BR DE |
| | | | 35 | BR NL |
| | <i>Cattleya velutina</i> | live (art. prop.) | 392 | BR DE |
| | | | 5 | BR DK |
| | | | 7 | BR NL |
| | <i>Cattleya violacea</i> | live (art. prop.) | 130 | BR DE |
| | | | 6 | BR GB |
| | | | 1 | BR NL |
| | | live | 200 | PE DE |
| | | | 10 | VE DE |
| | <i>Cattleya walkeriana</i> | live (art. prop.) | 630 | BR DE |
| | | | 12 | BR DK |
| | | | 19 | BR NL |
| | <i>Caularthon bilamellatum</i> | live | 2 | CR NL |
| | <i>Ceratostylis</i> spp. | live (art. prop.) | 50 | PH DE |
| | <i>Chiloglottis</i> spp. | live (art. prop.) | 45 | AU DE |
| | <i>Chiloschista</i> spp. | live | 7 | TH DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|-----------------------------------|-------------------|----------|------------------------------------|----|
| II | <i>Chiloschista lunifera</i> | live (art. prop.) | 40 | TH | DE |
| | | | 30 | TH | NL |
| | | live | 336 | TH | DE |
| | | | 56 | TH | NL |
| | <i>Chiloschista usneoides</i> | live (art. prop.) | 23 | TH | DE |
| | | | 10 | TH | GB |
| | | | 27 | TH | NL |
| | | live | 272 | TH | DE |
| | | | 25 | TH | DK |
| | | | 65 | TH | NL |
| | <i>Cirrhaea dependens</i> | live (art. prop.) | 23 | BR | DE |
| | | | 1 | BR | NL |
| | <i>Cirrhopetalum spp.</i> | live (art. prop.) | 1 | BR | DE |
| | | | 80 | TH | GB |
| | | live | 183 | TH | DE |
| | <i>Cirrhopetalum andersonii</i> | live (art. prop.) | 12 | IN | DE |
| | | live | 1 | TH | DE |
| | | | 5 | TH | NL |
| | <i>Cirrhopetalum auratum</i> | live (art. prop.) | 3 | TH | NL |
| | | live | 83 | TH | DE |
| | | | 3 | TH | DK |
| | | | 40 | TH | NL |
| | <i>Cirrhopetalum biflorum</i> | live | 5 | TH | NL |
| | <i>Cirrhopetalum blepharistes</i> | live (art. prop.) | 1 | TH | DE |
| | | | 7 | TH | NL |
| | | live | 31 | TH | DE |
| | | | 50 | TH | NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|-----------------------------------|---------------------------|----------------|------------------------------------|----------------|
| II | <i>Cirrhopetalum capillipes</i> | live | 30 34 | TH | DE NL |
| | <i>Cirrhopetalum caudatum</i> | live (art. prop.) | 12 | IN | DE |
| | <i>Cirrhopetalum cornutum</i> | live (art. prop.) | 12 10 | IN IN | DE NL |
| | <i>Cirrhopetalum curtisii</i> | live (art. prop.) live | 2 86 | TH TH | NL DE |
| | <i>Cirrhopetalum dentiferum</i> | live (art. prop.) live | 2 1 | TH TH | NL DK |
| | <i>Cirrhopetalum elatum</i> | live (art. prop.) | 12 | IN | DE |
| | <i>Cirrhopetalum gracillimum</i> | live (art. prop.) live | 8 98 10 | TH TH TH | NL DE NL |
| | <i>Cirrhopetalum guttulatum</i> | live (art. prop.) | 12 | IN | DE |
| | <i>Cirrhopetalum helenae</i> | live (art. prop.) live | 2 2 6 | TH TH TH | DE NL DE |
| | <i>Cirrhopetalum lepidum</i> | live (art. prop.) live | 10 52 32 | TH TH TH | NL DE NL |
| | <i>Cirrhopetalum maculosum</i> | live (art. prop.) | 12 | IN | DE |
| | <i>Cirrhopetalum mastersianum</i> | live | 15 | TH | NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|---------------------------------------|-------------------|----------|------------------------------------|----|
| II | <i>Cirrhopetalum medusae</i> | live (art. prop.) | 2 | MY | GB |
| | | | 12 | TH | NL |
| | | live | 216 | TH | DE |
| | | | 55 | TH | NL |
| | <i>Cirrhopetalum ornatissimum</i> | live (art. prop.) | 12 | IN | DE |
| | | | 1 | IN | DK |
| | | | 10 | IN | NL |
| | | live | 70 | TH | NL |
| | <i>Cirrhopetalum picturatum</i> | live (art. prop.) | 2 | TH | NL |
| | | live | 61 | TH | DE |
| | | | 25 | TH | NL |
| | <i>Cirrhopetalum planibulbe</i> | live (art. prop.) | 2 | TH | NL |
| | | live | 93 | TH | DE |
| | | | 3 | TH | DK |
| | | | 1 | TH | NL |
| | <i>Cirrhopetalum pulchellum</i> | live (art. prop.) | 4 | TH | DE |
| | | | 9 | TH | NL |
| | | live | 19 | TH | DE |
| | | | 16 | TH | NL |
| | <i>Cirrhopetalum purpurascens</i> | live (art. prop.) | 9 | TH | NL |
| | | live | 97 | TH | DE |
| | <i>Cirrhopetalum putidum</i> | live (art. prop.) | 2 | TH | NL |
| | | live | 62 | TH | DE |
| | | | 27 | TH | NL |
| | <i>Cirrhopetalum refractum</i> | live (art. prop.) | 12 | IN | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|------------------------------------|-------------------|----------|------------------------------------|----|
| II | <i>Cirrhopetalum spathulatum</i> | live | 11 | TH | DE |
| | | | 1 | TH | DK |
| | | | 5 | TH | NL |
| | <i>Cirrhopetalum vaginatum</i> | live (art. prop.) | 2 | BR | DE |
| | | | 2 | TH | NL |
| | | live | 45 | TH | DE |
| | | | 33 | TH | NL |
| | <i>Cirrhopetalum wendlandianum</i> | live (art. prop.) | 2 | TH | NL |
| | | live | 41 | TH | DE |
| | | | 6 | TH | NL |
| | <i>Cleisostoma spp.</i> | live (art. prop.) | 26 | TH | DE |
| | | live | 94 | TH | DE |
| | | | 9 | TH | DK |
| | <i>Cleisostoma appendiculatum</i> | live (art. prop.) | 1 | IN | DK |
| | | live | 277 | TH | DE |
| | <i>Cleisostoma arietinum</i> | live (art. prop.) | 28 | TH | DE |
| | | | 9 | TH | NL |
| | | live | 6 | TH | DE |
| | | | 6 | TH | DK |
| | | | 10 | TH | NL |
| | <i>Cleisostoma capricorne</i> | live | 3 | TH | DK |
| | <i>Cleisostoma chantaburiense</i> | live (art. prop.) | 1 | TH | DE |
| | | | 10 | TH | NL |
| | | live | 7 | TH | DE |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Export Origin Import |
|-------------------------|----------------------------------|-------------------|----------|------------------------------------|
| II | <i>Cleisostoma crassifolium</i> | live | 226 | TH DE |
| | <i>Cleisostoma crochetti</i> | live (art. prop.) | 1 | TH DE |
| | | live | 414 | TH DE |
| | | | 6 | TH DK |
| | <i>Cleisostoma discolor</i> | live (art. prop.) | 10 | TH DE |
| | | live | 21 | TH DE |
| | <i>Cleisostoma duplicitlobum</i> | live (art. prop.) | 10 | TH DE |
| | | live | 3 | TH DE |
| | <i>Cleisostoma filiforme</i> | live (art. prop.) | 1 | IN DK |
| | | live | 21 | TH DE |
| | <i>Cleisostoma flagelliforme</i> | live | 7 | TH NL |
| | <i>Cleisostoma kerrii</i> | live (art. prop.) | 10 | TH DE |
| | <i>Cleisostoma krabiense</i> | live (art. prop.) | 10 | TH DE |
| | <i>Cleisostoma lanatus</i> | live (art. prop.) | 3 | TH NL |
| | | live | 31 | TH DE |
| | | | 10 | TH NL |
| | <i>Cleisostoma pilosulum</i> | live (art. prop.) | 3 | TH NL |
| | | live | 15 | TH DE |
| | <i>Cleisostoma racemiferum</i> | live (art. prop.) | 1 | IN DK |
| | | | 14 | TH DE |
| | | live | 77 | TH DE |
| | | | 45 | TH NL |
| | <i>Cleisostoma rolfeanum</i> | live | 87 | TH DE |
| | | | 3 | TH DK |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import |
|-------------------------|---------------------------------|-------------------|----------|------------------------------------|
| II | <i>Cleisostoma rostratum</i> | live (art. prop.) | 10 | TH DE |
| | <i>Cleisostoma sagittiforme</i> | live (art. prop.) | 15 | TH DE |
| | | live | 160 | TH DE |
| | | | 9 | TH DK |
| | <i>Cleisostoma simondii</i> | live (art. prop.) | 10 | TH DE |
| | | live | 63 | TH DE |
| | <i>Cleisostoma subulatum</i> | live (art. prop.) | 1 | IN DK |
| | | | 10 | TH DE |
| | | live | 21 | TH DE |
| | <i>Cleisostoma tenuifolium</i> | live (art. prop.) | 10 | TH DE |
| | | live | 3 | TH DE |
| | <i>Cleisostoma williamsonii</i> | live | 95 | TH DE |
| | <i>Cochleanthes discolor</i> | live | 4 | CR NL |
| | <i>Cochleanthes picta</i> | live | 2 | CR NL |
| | <i>Cochlioda</i> spp. | live | 50 | PE DE |
| | <i>Cochlioda vulcanica</i> | live | 5 | PE NL |
| | <i>Coelogyne</i> spp. | live (art. prop.) | 2 | BR DE |
| | | | 222 | IN DE |
| | | | 2 | MY NL |
| | | | 11 | TH DE |
| | | live | 30 | IN DE |
| | | | 100 | PH DE |
| | | | 41 | TH DE |
| | | | 3 | TH DK |
| | | | 26 | TH NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|-------------------------------|-------------------|----------|------------------------------------|----------|
| II | <i>Coelogyne barbata</i> | live (art. prop.) | 42 1 | IN IN | DE DK |
| | <i>Coelogyne corymbosa</i> | live (art. prop.) | 1 | IN | DK |
| | | live | 20 | IN | DE |
| | <i>Coelogyne cumingii</i> | live (art. prop.) | 2 | TH | DE |
| | | | 67 | TH | NL |
| | | live | 50 | TH | DE |
| | | | 45 | TH | NL |
| | <i>Coelogyne fimbriata</i> | live (art. prop.) | 2 | TH | DE |
| | | | 6 | TH | NL |
| | | live | 108 | TH | DE |
| | <i>Coelogyne flaccida</i> | live (art. prop.) | 1 | BR | DE |
| | | | 12 | IN | DE |
| | | | 1 | IN | DK |
| | | live | 30 | IN | DE |
| | <i>Coelogyne huettneriana</i> | live (art. prop.) | 1 | TH | NL |
| | <i>Coelogyne lentiginosa</i> | live (art. prop.) | 6 | TH | NL |
| | <i>Coelogyne massangeana</i> | live (art. prop.) | 5 | TH | DE |
| | <i>Coelogyne nitida</i> | live (art. prop.) | 5 | IN | DK |
| | | | 1 | IN | NL |
| | | | 5 | TH | DE |
| | | | 4 | TH | NL |
| | <i>Coelogyne occultata</i> | live (art. prop.) | 10 | IN | NL |
| | <i>Coelogyne ovalis</i> | live (art. prop.) | 24 2 | IN TH | DE DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|-----------------------------|-------------------|----------|------------------------------------|----|
| II | <i>Coelogyne ovalis</i> | live (art. prop.) | 7 | TH | NL |
| | | live | 10 | TH | DE |
| | | | 71 | TH | NL |
| | <i>Coelogyne parishii</i> | live (art. prop.) | 6 | TH | NL |
| | <i>Coelogyne prolifera</i> | live (art. prop.) | 4 | TH | NL |
| | | live | 5 | TH | NL |
| | <i>Coelogyne rigida</i> | live (art. prop.) | 1 | TH | NL |
| | <i>Coelogyne stricta</i> | live (art. prop.) | 1 | IN | DK |
| | <i>Coelogyne trinervis</i> | live (art. prop.) | 5 | TH | NL |
| | | live | 17 | TH | DE |
| | | | 55 | TH | NL |
| | <i>Coelogyne virescens</i> | live (art. prop.) | 3 | TH | NL |
| | | live | 20 | TH | NL |
| | <i>Coelogyne viscosa</i> | live (art. prop.) | 1 | IN | DK |
| | | | 7 | TH | NL |
| | | live | 2 | TH | DE |
| | | | 6 | TH | NL |
| | <i>Comparettia spp.</i> | live | 20 | PE | DE |
| | <i>Comparettia coccinea</i> | live (art. prop.) | 179 | BR | DE |
| | | | 20 | BR | DK |
| | | | 10 | BR | GB |
| | | | 11 | BR | NL |
| | <i>Comparettia falcata</i> | live | 4 | CR | NL |
| | <i>Comparettia speciosa</i> | live (art. prop.) | 1 | US | DK |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import |
|-------------------------|---------------------------------------|-------------------|------------------------------|-------------------------------------------------------------|
| II | <i>Comparettia speciosa</i> | live | 200 | PE DE |
| | <i>Constantia cipoensis</i> | live (art. prop.) | 26 1 | BR BR DE NL |
| | <i>Coryanthes spp.</i> | live | 200 | PE DE |
| | <i>Coryanthes alborosea</i> | live | 50 | PE DE |
| | <i>Corybas spp.</i> | live (art. prop.) | 23 | AU DE |
| | <i>Cryptochilus lutea</i> | live (art. prop.) | 2 | IN DK |
| | <i>Cryptochilus sanguinea</i> | live (art. prop.) | 1 | IN DK |
| | <i>Cryptophoranthus atropurpureus</i> | live (art. prop.) | 3 | BR DE |
| | <i>Cycnoches spp.</i> | live | 42 | PE DE |
| | <i>Cycnoches egertonianum</i> | live | 2 | PE DE |
| | <i>Cycnoches pentadactylon</i> | live | 2 | PE DE |
| | <i>Cymbidium spp.</i> | live (art. prop.) | 18 63 12 36 live | AU DE AU NL IN DE JP NL KE NL TH DE TH NL |
| | | | 400 24 7 | |
| | <i>Cymbidium aloifolium</i> | live (art. prop.) | 1 | TH NL |
| | <i>Cymbidium cyperifolium</i> | live (art. prop.) | 60 | TH NL |

| CITES EEC App. Annex | TAXON | DESCRIPTION | QUANTITY | Country of Export Origin Import |
|-------------------------|---------------------------------|-------------------|----------|------------------------------------|
| II | <i>Cymbidium cyperifolium</i> | live | 38 | TH DE |
| | <i>Cymbidium devonianum</i> | live (art. prop.) | 6 | IN DE |
| | | | 1 | IN DK |
| | <i>Cymbidium eburneum</i> | live (art. prop.) | 1 | IN DK |
| | | | 1 | IN NL |
| | <i>Cymbidium elegans</i> | live (art. prop.) | 12 | IN DE |
| | <i>Cymbidium ensifolium</i> | live (art. prop.) | 62 | TH NL |
| | | live | 6 | TH DE |
| | <i>Cymbidium finlaysonianum</i> | live (art. prop.) | 1 | TH NL |
| | | live | 2 | TH DE |
| | | | 10 | TH DK |
| | | | 15 | TH NL |
| | <i>Cymbidium hookerianum</i> | live (art. prop.) | 1 | IN DK |
| | <i>Cymbidium lowianum</i> | live (art. prop.) | 1 | TH NL |
| | <i>Cymbidium mastersii</i> | live (art. prop.) | 12 | IN DE |
| | <i>Cymbidium munronianum</i> | live | 30 | TH NL |
| | <i>Cymbidium siamense</i> | live (art. prop.) | 1 | TH NL |
| | | live | 1 | TH DE |
| | | | 40 | TH NL |
| | <i>Cymbidium simulans</i> | live (art. prop.) | 2 | TH NL |
| | | live | 16 | TH DE |
| | | | 21 | TH NL |
| | <i>Cymbidium sinense</i> | live (art. prop.) | 1 | TH NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|--------------------------------|-------------------|----------|------------------------------------|----|
| II | <i>Cymbidium sinense</i> | live | 5 | TH | NL |
| | <i>Cymbidium tigrinum</i> | live (art. prop.) | 1 | IN | NL |
| | <i>Cymbidium tracyanum</i> | live (art. prop.) | 60 | TH | NL |
| | | live | 20 | TH | NL |
| | <i>Cypripedium spp.</i> | live (art. prop.) | 50 | JP | DE |
| | | | 131 | JP | DK |
| C1 | <i>Cypripedium calceolus</i> | live (art. prop.) | 1045 | AT | DE |
| | <i>Cypripedium cordigerum</i> | live (art. prop.) | 3 | IN | DK |
| | | | 2 | IN | NL |
| | <i>Cypripedium himalaicum</i> | live (art. prop.) | 2 | IN | DK |
| | | | 2 | IN | NL |
| | <i>Cypripedium macranthon</i> | live (art. prop.) | 2 | IN | DK |
| | | | 2 | IN | NL |
| | <i>Cyrtoglottis spp.</i> | live | 5 | PE | DE |
| | <i>Cyrtopodium spp.</i> | live | 4 | PE | DE |
| | <i>Cyrtorchis arcuata</i> | live | 10 | KE | NL |
| | | | 100 | TG | NL |
| | <i>Cyrtorchis praetermissa</i> | live | 2 | KE | NL |
| | <i>Dactylorhiza spp.</i> | live (art. prop.) | 1 | JP | DK |
| | <i>Dactylorhiza aristata</i> | live (art. prop.) | 35 | JP | DE |
| C1 | <i>Dactylorhiza majalis</i> | live (art. prop.) | 175 | AT | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|-------|--------------------------------|-------------------|------------------------------------|-------|
| II | C1 | <i>Dactylorhiza sambucina</i> | live (art. prop.) | 180 | AT DE |
| | | <i>Dendrobium</i> spp. | live (art. prop.) | 273 | AU DE |
| | | | | 4 | BR DE |
| | | | | 3 | ID DE |
| | | | | 251 | IN DE |
| | | | | 26 | PH DE |
| | | | | 71 | PH GB |
| | | | | 500 | SG DE |
| | | | | 10289 | TH DE |
| | | | | 11 | TH DK |
| | | | | 112 | TH GB |
| | | | | 3785 | TH NL |
| | | | | 3099 | US DE |
| | | | live | 20 | IN DE |
| | | | | 6 | MY GB |
| | | | | 74 | PH DE |
| | | | | 938 | TH DE |
| | | | | 1 | TH DK |
| | | <i>Dendrobium acerosum</i> | live (art. prop.) | 1 | TH DE |
| | | | live | 4 | TH DE |
| | | <i>Dendrobium acinaciforme</i> | live | 2 | TH DE |
| | | <i>Dendrobium adae</i> | live (art. prop.) | 10 | AU DE |
| | | <i>Dendrobium aduncum</i> | live (art. prop.) | 1 | IN DK |
| | | <i>Dendrobium aggregatum</i> | live (art. prop.) | 42 | IN DE |
| | | | | 1 | IN DK |
| | | | | 12 | TH DE |
| | | | | 2 | TH DK |
| | | | | 7 | TH NL |
| | | | live | 126 | TH DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|----------------------------------------------|-------------------|---------------------|------------------------------------|----------------------|
| II | <i>Dendrobium aggregatum</i> | live | 25 234 | TH TH | DK NL |
| | <i>Dendrobium albo-</i> <i>sanguineum</i> | live (art. prop.) | 2 2 | TH TH | DE NL |
| | | live | 50 | TH | DE |
| | <i>Dendrobium aloefolium</i> | live | 2 | TH | DE |
| | <i>Dendrobium alterum</i> | live | 9 | TH | DE |
| | <i>Dendrobium</i> <i>amethystoglossum</i> | live (art. prop.) | 10 81 6 50 | PH PH PH TH | DE DK DE NL |
| | <i>Dendrobium amoenum</i> | live (art. prop.) | 12 1 | IN IN | DE DK |
| | <i>Dendrobium anceps</i> | live (art. prop.) | 1 | TH | DK |
| | <i>Dendrobium anosmum</i> | live (art. prop.) | 4 4 | TH TH | DE NL |
| | | live | 12 42 | PH TH | DE DE |
| | <i>Dendrobium antennatum</i> | live (art. prop.) | 2 | TH | DE |
| | | live | 5 | PH | DE |
| | <i>Dendrobium aphrodite</i> | live (art. prop.) | 7 2 | TH TH | DE DK |
| | | live | 36 97 | TH TH | DE NL |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Export Origin Import |
|-------------------------|--------------------------|-------------------|----------|------------------------------------|
| II | Dendrobium aphyllum | live (art. prop.) | 1 | IN DK |
| | | | 10 | TH DE |
| | | | 6 | TH NL |
| | | live | 26 | TH DE |
| | | | 20 | TH DK |
| | | | 197 | TH NL |
| | Dendrobium arachnites | live (art. prop.) | 1 | TH DK |
| | | live | 415 | TH DE |
| | | | 100 | TH DK |
| | | | 128 | TH NL |
| | Dendrobium bambusifolium | live | 15 | TH NL |
| | Dendrobium bellatulum | live (art. prop.) | 27 | TH DE |
| | | | 29 | TH NL |
| | | live | 662 | TH DE |
| | | | 20 | TH DK |
| | | | 124 | TH NL |
| | Dendrobium bensoniae | live (art. prop.) | 5 | IN DE |
| | | | 1 | TH DK |
| | | live | 58 | TH DE |
| | Dendrobium bicameratum | live (art. prop.) | 42 | IN DE |
| | Dendrobium bigibbum | live (art. prop.) | 10 | AU DE |
| | | live | 10 | TH NL |
| | Dendrobium brymerianum | live (art. prop.) | 35 | TH DE |
| | | | 2 | TH DK |
| | | | 2 | TH NL |
| | | live | 61 | TH DE |
| | | | 95 | TH NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|--------------------------|-------------------|----------|------------------------------------|----|
| II | Dendrobium bullenianum | live (art. prop.) | 5 | AU | DE |
| | | live | 8 | TH | NL |
| | Dendrobium canaliculatum | live (art. prop.) | 10 | TH | DE |
| | Dendrobium capillipes | live (art. prop.) | 20 | TH | DE |
| | | live | 56 | TH | DE |
| | | | 96 | TH | NL |
| | Dendrobium carnosum | live (art. prop.) | 10 | TH | DE |
| | Dendrobium christyanum | live (art. prop.) | 14 | TH | NL |
| | | live | 57 | TH | DE |
| | Dendrobium chrysanthum | live (art. prop.) | 1 | IN | DK |
| | | | 21 | TH | DE |
| | | | 2 | TH | DK |
| | | | 1 | TH | NL |
| | | live | 20 | IN | DE |
| | | | 29 | TH | DE |
| | | | 11 | TH | NL |
| | Dendrobium chrysotoxum | live (art. prop.) | 12 | IN | DE |
| | | | 22 | TH | DE |
| | | | 2 | TH | DK |
| | | | 2 | TH | NL |
| | | live | 30 | IN | DE |
| | | | 100 | TH | DE |
| | | | 30 | TH | DK |
| | | | 60 | TH | GB |
| | | | 199 | TH | NL |
| | Dendrobium compactum | live (art. prop.) | 6 | TH | NL |
| | | live | 5 | TH | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import |
|-------------------------|--------------------------------|-------------------|----------|------------------------------------|
| II | <i>Dendrobium concinnum</i> | live (art. prop.) | 1 | TH DE |
| | | live | 7 | TH DE |
| | | | 50 | TH NL |
| | <i>Dendrobium crepidatum</i> | live (art. prop.) | 2 | IN DK |
| | | | 5 | TH DE |
| | | live | 99 | TH DE |
| | | | 71 | TH NL |
| | <i>Dendrobium cruentum</i> | live (art. prop.) | 19 | TH DE |
| | | | 2 | TH DK |
| | | | 62 | TH NL |
| | | live | 133 | TH DE |
| | | | 26 | TH NL |
| | <i>Dendrobium crumenatum</i> | live (art. prop.) | 1 | TH DE |
| | | | 2 | TH DK |
| | | | 61 | TH NL |
| | | live | 20 | TH DE |
| | | | 3 | TH NL |
| | <i>Dendrobium crystallinum</i> | live (art. prop.) | 4 | TH DE |
| | | | 2 | TH DK |
| | | | 1 | TH NL |
| | | live | 6 | TH DE |
| | | | 24 | TH NL |
| | <i>Dendrobium cumulatum</i> | live (art. prop.) | 6 | TH NL |
| | | live | 2 | TH DE |
| | | | 50 | TH NL |
| | <i>Dendrobium dearei</i> | live (art. prop.) | 31 | PH DE |
| | | | 1 | PH DK |
| | <i>Dendrobium delacourii</i> | live (art. prop.) | 32 | TH DE |

| CITES App. Annex | EEC Taxon | Description | Quantity | Country of Export | Country of Origin Import |
|---------------------|-------------------------------|-------------------|----------|----------------------|-----------------------------|
| II | <i>Dendrobium delacourii</i> | live (art. prop.) | 26 | TH | NL |
| | | live | 174 | TH | DE |
| | | | 208 | TH | DK |
| | | | 87 | TH | NL |
| | <i>Dendrobium densiflorum</i> | live (art. prop.) | 100 | IN | DE |
| | | | 1 | IN | DK |
| | | | 14 | TH | DE |
| | | | 2 | TH | NL |
| | | live | 50 | IN | DE |
| | | | 45 | TH | DE |
| | | | 25 | TH | DK |
| | | | 6 | TH | NL |
| | <i>Dendrobium denudans</i> | live (art. prop.) | 12 | IN | DE |
| | | | 1 | IN | DK |
| | | live | 19 | TH | NL |
| | <i>Dendrobium derryi</i> | live | 15 | TH | NL |
| | <i>Dendrobium devonianum</i> | live (art. prop.) | 4 | TH | DE |
| | | | 1 | TH | DK |
| | | | 3 | TH | NL |
| | | live | 30 | IN | DE |
| | | | 26 | TH | DE |
| | | | 20 | TH | DK |
| | | | 16 | TH | NL |
| | <i>Dendrobium discolor</i> | live (art. prop.) | 10 | AU | DE |
| | <i>Dendrobium dixanthum</i> | live (art. prop.) | 2 | TH | DE |
| | | live | 37 | TH | DE |
| | | | 113 | TH | NL |
| | <i>Dendrobium draconis</i> | live (art. prop.) | 8 | TH | DE |

| CITES EEC App. Annex | TAXON | DESCRIPTION | QUANTITY | Country of Export Origin Import |
|-------------------------|---------------------------|-------------------|----------|------------------------------------|
| II | Dendrobium draconis | live (art. prop.) | 2 | TH DK |
| | | | 3 | TH NL |
| | | live | 54 | TH DE |
| | | | 20 | TH DK |
| | | | 190 | TH NL |
| | Dendrobium ellipsophyllum | live (art. prop.) | 2 | TH NL |
| | | live | 2 | TH DK |
| | Dendrobium exile | live | 12 | TH DE |
| | | | 10 | TH NL |
| | Dendrobium falconeri | live (art. prop.) | 24 | IN DE |
| | | | 1 | IN DK |
| | | | 1 | IN NL |
| | | | 32 | TH DE |
| | | | 4 | TH NL |
| | | live | 312 | TH DE |
| | | | 88 | TH NL |
| | Dendrobium farmeri | live (art. prop.) | 100 | IN DE |
| | | | 25 | TH DE |
| | | | 2 | TH DK |
| | | live | 20 | IN DE |
| | | | 175 | TH DE |
| | | | 31 | TH DK |
| | | | 174 | TH NL |
| | Dendrobium fimbriatum | live (art. prop.) | 2 | IN DK |
| | | | 49 | TH DE |
| | | | 2 | TH DK |
| | | | 2 | TH NL |
| | | live | 30 | IN DE |
| | | | 160 | TH DE |
| | | | 43 | TH NL |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Export Origin Import |
|-------------------------|---------------------------------|-------------------|----------|------------------------------------|
| •II | Dendrobium findleyanum | live (art. prop.) | 4 | TH DE |
| | | | 1 | TH NL |
| * | | live | 63 | TH DE |
| | | | 74 | TH NL |
| | Dendrobium fleckeri | live (art. prop.) | 5 | AU DE |
| | Dendrobium formosum | live (art. prop.) | 2 | IN DK |
| | | | 26 | TH DE |
| | | | 2 | TH DK |
| | | | 61 | TH NL |
| | | live | 30 | IN DE |
| | | | 204 | TH DE |
| | | | 67 | TH NL |
| | Dendrobium friedericksianum | live (art. prop.) | 6 | TH DE |
| | | | 3 | TH NL |
| | | live | 30 | TH DE |
| | | | 12 | TH NL |
| | Dendrobium fuerstenbergianum | live (art. prop.) | 2 | TH DK |
| | | | 4 | TH NL |
| | | live | 305 | TH DE |
| | Dendrobium gibsonii | live (art. prop.) | 12 | IN DE |
| | | | 1 | IN DK |
| | | live | 3 | TH DE |
| | | | 2 | TH NL |
| | Dendrobium gonzalesii | live | 50 | TH NL |
| | Dendrobium grande | live (art. prop.) | 5 | TH DK |
| | | | 1 | TH NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|----------------------------------|-------------------|----------|------------------------------------|----|
| II | <i>Dendrobium grande</i> | live | 24 | TH | NL |
| | <i>Dendrobium gratiosissimum</i> | live (art. prop.) | 24 | TH | DE |
| | | | 4 | TH | DK |
| | | live | 18 | TH | DE |
| | | | 20 | TH | NL |
| | <i>Dendrobium griffithianum</i> | live (art. prop.) | 11 | TH | DE |
| | | | 1 | TH | NL |
| | | live | 104 | TH | DE |
| | | | 2 | TH | DK |
| | | | 31 | TH | NL |
| | <i>Dendrobium harveyanum</i> | live (art. prop.) | 28 | TH | DE |
| | | | 2 | TH | DK |
| | | | 5 | TH | NL |
| | | live | 227 | TH | DE |
| | | | 2 | TH | DK |
| | | | 58 | TH | NL |
| | <i>Dendrobium helix</i> | live | 8 | TH | NL |
| | <i>Dendrobium hercoglossum</i> | live (art. prop.) | 27 | TH | DE |
| | | | 5 | TH | NL |
| | | live | 72 | TH | DE |
| | | | 56 | TH | NL |
| | <i>Dendrobium heterocarpum</i> | live (art. prop.) | 220 | IN | DE |
| | | | 10 | PH | DE |
| | | | 25 | TH | DE |
| | | | 1 | TH | NL |
| | | live | 1 | PH | DE |
| | | | 18 | TH | DE |
| | | | 51 | TH | NL |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Export Origin Import | |
|-------------------------|-------------------------|-------------------|----------|------------------------------------|----|
| II | Dendrobium hildebrandii | live (art. prop.) | 60 | TH | NL |
| | | live | 78 | TH | DE |
| | | | 60 | TH | GB |
| | | | 1 | TH | NL |
| | Dendrobium hookeranum | live (art. prop.) | 1 | IN | DK |
| | Dendrobium indivisum | live (art. prop.) | 1 | TH | NL |
| | | live | 3 | TH | DE |
| | Dendrobium infundibulum | live (art. prop.) | 12 | IN | DE |
| | | | 3 | IN | DK |
| | | | 1 | IN | NL |
| | | | 27 | TH | DE |
| | | | 1 | TH | DK |
| | | | 3 | TH | NL |
| | | live | 30 | IN | DE |
| | | | 58 | TH | DE |
| | | | 70 | TH | NL |
| | Dendrobium jenkinsii | live (art. prop.) | 1 | IN | DK |
| | | | 1 | TH | NL |
| | | live | 10 | IN | DE |
| | Dendrobium leonis | live (art. prop.) | 5 | TH | DE |
| | | | 1 | TH | NL |
| | | live | 40 | TH | DE |
| | | | 28 | TH | NL |
| | Dendrobium lichenastrum | live (art. prop.) | 20 | AU | DE |
| | Dendrobium linguiforme | live (art. prop.) | 20 | AU | DE |
| | Dendrobium lituiflorum | live (art. prop.) | 30 | IN | DE |
| | | | 1 | IN | DK |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|---------------------------------|-------------------|----------|------------------------------------|----|
| II | <i>Dendrobium lituiflorum</i> | live (art. prop.) | 22 | TH | DE |
| | | | 1 | TH | DK |
| | | | 3 | TH | NL |
| | | live | 20 | IN | DE |
| | | | 110 | TH | DE |
| | | | 35 | TH | NL |
| | <i>Dendrobium longicornu</i> | live (art. prop.) | 1 | IN | DK |
| | <i>Dendrobium mannii</i> | live (art. prop.) | 3 | TH | DE |
| | | live | 2 | TH | DE |
| | <i>Dendrobium margaritaceum</i> | live (art. prop.) | 27 | TH | DE |
| | | | 1 | TH | NL |
| | | live | 270 | TH | DE |
| | | | 230 | TH | NL |
| | <i>Dendrobium metachilinum</i> | live (art. prop.) | 1 | TH | NL |
| | <i>Dendrobium moschatum</i> | live (art. prop.) | 1 | TH | DE |
| | | | 2 | TH | DK |
| | | | 3 | TH | NL |
| | | live | 34 | TH | DE |
| | | | 165 | TH | NL |
| | <i>Dendrobium nathanielis</i> | live | 1 | TH | DK |
| | <i>Dendrobium nobile</i> | live (art. prop.) | 3 | BR | DE |
| | | | 112 | IN | DE |
| | | | 4 | IN | DK |
| | | | 1 | IN | NL |
| | | | 1 | TH | DE |
| | | live | 100 | IN | NL |
| | | | 5 | TH | DE |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Export Origin Import |
|-------------------------|--------------------------------|-------------------|----------|------------------------------------|
| II | <i>Dendrobium ochreatum</i> | live (art. prop.) | 12 | IN DE |
| | | | 13 | TH DE |
| | | | 1 | TH DK |
| | | live | 10 | IN DE |
| | | | 59 | TH DE |
| | | | 51 | TH NL |
| | <i>Dendrobium oligophyllum</i> | live (art. prop.) | 4 | TH NL |
| | | live | 25 | TH DE |
| | | | 30 | TH NL |
| | <i>Dendrobium pachyglossum</i> | live | 6 | TH DE |
| | <i>Dendrobium palpebrae</i> | live (art. prop.) | 2 | TH DE |
| | | | 1 | TH DK |
| | | | 1 | TH NL |
| | | live | 61 | TH DE |
| | <i>Dendrobium papilio</i> | live (art. prop.) | 21 | PH DE |
| | <i>Dendrobium parcum</i> | live (art. prop.) | 10 | TH DE |
| | | live | 8 | TH DE |
| | | | 1 | TH NL |
| | <i>Dendrobium parishii</i> | live (art. prop.) | 23 | TH DE |
| | | | 2 | TH DK |
| | | | 6 | TH NL |
| | | live | 20 | IN DE |
| | | | 318 | TH DE |
| | | | 287 | TH NL |
| | <i>Dendrobium pendulum</i> | live (art. prop.) | 6 | IN DE |
| | | | 1 | TH DE |
| | | | 1 | TH NL |
| | | live | 29 | TH DE |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Export Origin Import |
|-------------------------|---------------------------|-------------------|----------|------------------------------------|
| II | Dendrobium pendulum | live | 1 | TH NL |
| | Dendrobium primulinum | live (art. prop.) | 1 | IN DK |
| | | | 20 | TH DE |
| | | | 33 | TH NL |
| | | live | 46 | TH DE |
| | | | 60 | TH NL |
| | Dendrobium pulchellum | live (art. prop.) | 6 | TH DE |
| | | | 1 | TH DK |
| | | | 2 | TH NL |
| | | live | 57 | TH DE |
| | | | 15 | TH NL |
| | Dendrobium quadrangulare | live | 36 | TH DE |
| | Dendrobium revolutum | live (art. prop.) | 1 | TH DE |
| | | live | 11 | TH NL |
| | Dendrobium rigidum | live (art. prop.) | 5 | AU DE |
| | Dendrobium sanderae | live (art. prop.) | 11 | PH DE |
| | | | 1 | PH DK |
| | Dendrobium sanguinolentum | live (art. prop.) | 2 | TH DE |
| | Dendrobium scabrilingue | live (art. prop.) | 16 | TH DE |
| | | | 60 | TH NL |
| | | live | 279 | TH DE |
| | | | 60 | TH GB |
| | | | 165 | TH NL |
| | Dendrobium schuetzei | live (art. prop.) | 1 | PH DE |
| | | | 1 | PH DK |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Export Origin Import | |
|-------------------------|--------------------------------|-------------------|----------|------------------------------------|----|
| II | <i>Dendrobium secundum</i> | live (art. prop.) | 6 | TH | DE |
| | | live | 63 | TH | DE |
| | | | 20 | TH | DK |
| | | | 60 | TH | GB |
| | | | 138 | TH | NL |
| | <i>Dendrobium senile</i> | live (art. prop.) | 7 | TH | DE |
| | | | 4 | TH | DK |
| | | | 3 | TH | NL |
| | | live | 108 | TH | DE |
| | | | 10 | TH | DK |
| | | | 214 | TH | NL |
| | <i>Dendrobium singaporense</i> | live (art. prop.) | 2 | TH | DE |
| | <i>Dendrobium speciosum</i> | live | 4 | TH | DE |
| | <i>Dendrobium stuposum</i> | live (art. prop.) | 2 | TH | NL |
| | <i>Dendrobium subulatum</i> | live | 2 | TH | DE |
| | <i>Dendrobium sutepense</i> | live (art. prop.) | 23 | TH | DE |
| | | | 1 | TH | NL |
| | | live | 39 | TH | DE |
| | | | 50 | TH | NL |
| | <i>Dendrobium taurinum</i> | live (art. prop.) | 1 | PH | DK |
| | | live | 1 | PH | DE |
| | <i>Dendrobium tenuissimum</i> | live (art. prop.) | 20 | AU | DE |
| | <i>Dendrobium terminale</i> | live (art. prop.) | 1 | TH | NL |
| | <i>Dendrobium tetragonum</i> | live (art. prop.) | 25 | AU | DE |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Export Origin | Import |
|-------------------------|----------------------------------|-------------------|----------|-----------------------------|--------|
| II | Dendrobium thyrsiflorum | live (art. prop.) | 100 | IN | DE |
| | | | 20 | TH | DE |
| | | | 2 | TH | NL |
| | | live | 347 | TH | DE |
| | | | 30 | TH | DK |
| | | | 212 | TH | NL |
| | Dendrobium tixieri | live (art. prop.) | 3 | TH | DE |
| | | | 12 | TH | NL |
| | | live | 30 | TH | DE |
| | Dendrobium tortile | live (art. prop.) | 25 | TH | DE |
| | | | 3 | TH | DK |
| | | | 1 | TH | NL |
| | | live | 27 | TH | DE |
| | | | 13 | TH | NL |
| | Dendrobium transparens | live (art. prop.) | 3 | IN | DK |
| | Dendrobium trigonopus | live (art. prop.) | 24 | TH | DE |
| | | | 2 | TH | NL |
| | | live | 240 | TH | DE |
| | | | 60 | TH | NL |
| | Dendrobium unicum | live (art. prop.) | 8 | TH | DE |
| | | | 3 | TH | DK |
| | | | 101 | TH | NL |
| | | live | 248 | TH | DE |
| | | | 15 | TH | NL |
| | Dendrobium venustum | live | 106 | TH | DE |
| | | | 60 | TH | GB |
| | Dendrobium victoriae- reginae | live (art. prop.) | 1 | PH | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|-------------------------------------|-------------------|----------|------------------------------------|----|
| II | <i>Dendrobium victoriae-reginae</i> | live (art. prop.) | 101 | PH | DK |
| | | live | 55 | PH | DE |
| | <i>Dendrobium virginineum</i> | live (art. prop.) | 1 | IN | NL |
| | | | 23 | TH | DE |
| | | live | 14 | TH | DE |
| | | | 20 | TH | NL |
| | <i>Dendrobium wardianum</i> | live (art. prop.) | 22 | IN | DE |
| | | | 1 | IN | DK |
| | | | 25 | TH | DE |
| | | | 1 | TH | DK |
| | | | 4 | TH | NL |
| | | live | 11 | TH | DE |
| | <i>Dendrobium wattii</i> | live | 41 | TH | DE |
| | <i>Dendrobium williamsonii</i> | live (art. prop.) | 12 | IN | DE |
| | | | 2 | IN | DK |
| | | | 1 | IN | NL |
| | | | 6 | TH | DE |
| | | | 7 | TH | NL |
| | | live | 52 | TH | DE |
| | | | 98 | TH | NL |
| | <i>Dendrobium wilmsianum</i> | live (art. prop.) | 28 | TH | DE |
| | | | 1 | TH | DK |
| | | | 2 | TH | NL |
| | | live | 118 | TH | DE |
| | <i>Dendrochilum spp.</i> | live (art. prop.) | 1 | BR | DE |
| | | | 1 | MY | NL |
| | | | 20 | PH | GB |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|----------------------------------------|-------------------|----------------|------------------------------------|----------------|----|
| II | <i>Dendrophylax funalis</i> | live (art. prop.) | 1 | US | NL | |
| | <i>Diaphananthe fragrantissima</i> | live | 50 | TG | NL | |
| | <i>Diaphananthe pellucida</i> | live | 2 | TG | NL | |
| | <i>Diaphananthe rutila</i> | live | 11 | KE | NL | |
| | <i>Diaphananthe subsimplex</i> | live | 5 | KE | NL | |
| | <i>Dichaea spp.</i> | live | 2 | CR | NL | |
| | <i>Dichaea cogniauxiana</i> | live (art. prop.) | 20 1 | BR BR | DE NL | |
| | <i>Dichaea glauca</i> | live | 1 | CR | NL | |
| | <i>Dichaea pendula</i> | live (art. prop.) | 26 2 | BR BR | DE NL | |
| | <i>Dinema cubinicola</i> | live | 1 | DD | CU | NL |
| | <i>Diplomeris hirsuta</i> | live (art. prop.) | 1 | IN | DK | |
| | <i>Dipodium pictum</i> | live | 3 | TH | DE | |
| | <i>Dipteranthus pustulatus</i> | live (art. prop.) | 20 1 | BR BR | DE NL | |
| | <i>Diuris spp.</i> | live (art. prop.) | 69 | AU | DE | |
| | <i>Doritis spp.</i> | live (art. prop.) | 48 25 15 | IN TH TH | DE DE GB | |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|-------------------------------|-------------------|---------------------|------------------------------------|----------------------|
| II | <i>Doritis</i> spp. | live (art. prop.) | 12 2 | TW US | DE DE |
| | <i>Doritis pulcherrima</i> | live (art. prop.) | 55 10 48 2 | TH TH TH US | DE DK NL DE |
| | | live | 546 135 109 | TH TH TH | DE DK NL |
| | <i>Dracula</i> spp. | live | 4 | CR | NL |
| | <i>Dracula erythrochaete</i> | live | 2 | CR | NL |
| | <i>Dracula pusilla</i> | live | 2 | CR | NL |
| | <i>Dryadella edwallii</i> | live (art. prop.) | 85 10 5 | BR BR BR | DE DK NL |
| | <i>Dryadella kautskyi</i> | live | 4 | CR | NL |
| | <i>Dryadella lilliputiana</i> | live (art. prop.) | 75 | BR | DE |
| | <i>Drymoda siamensis</i> | live (art. prop.) | 65 | TH | NL |
| | | live | 218 | TH | DE |
| | <i>Elleanthus</i> spp. | live (art. prop.) | 10 | HN | DE |
| | <i>Encyclia</i> spp. | live (art. prop.) | 1 40 20 | BR BR HN | DE GB DE |
| | | live | 1 | CR | NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import |
|-------------------------|------------------------------|-------------------|----------|------------------------------------|
| II | <i>Encyclia abbreviata</i> | live | 4 | CR NL |
| | <i>Encyclia adenocarpon</i> | live (art. prop.) | 240 | HN NL |
| | <i>Encyclia advena</i> | live (art. prop.) | 16 | BR DE |
| | <i>Encyclia alata</i> | live (art. prop.) | 10 50 | HN DE HN NL |
| | <i>Encyclia albaxanthina</i> | live (art. prop.) | 2 3 | BR DE BR NL |
| | <i>Encyclia allemanoides</i> | live (art. prop.) | 66 1 | BR DE BR NL |
| | <i>Encyclia amicta</i> | live (art. prop.) | 163 2 | BR DE BR NL |
| | <i>Encyclia boothiana</i> | live | 3 | BZ GB |
| | <i>Encyclia bracteata</i> | live (art. prop.) | 161 | BR DE |
| | <i>Encyclia brassavolae</i> | live | 4 | CR NL |
| | <i>Encyclia calamaria</i> | live (art. prop.) | 1 | BR DE |
| | <i>Encyclia chacaoensis</i> | live (art. prop.) | 30 | HN NL |
| | | live | 1 | CR NL |
| | <i>Encyclia cochleata</i> | live (art. prop.) | 10 26 | HN DE HN NL |
| | <i>Encyclia cordigera</i> | live | 1 | CR NL |
| | <i>Encyclia dichroma</i> | live (art. prop.) | 89 | BR DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|-------------------------------|-------------------|----------|------------------------------------|----|----|
| II | <i>Encyclia dichroma</i> | live (art. prop.) | 12 | BR | NL | |
| | | live | 1 | DD | CU | NL |
| | <i>Encyclia diurna</i> | live | 1 | DD | CU | NL |
| | <i>Encyclia fausta</i> | live (art. prop.) | 39 | BR | DE | |
| | <i>Encyclia flabellifera</i> | live (art. prop.) | 8 | BR | DE | |
| | | | 2 | BR | NL | |
| | <i>Encyclia fragrans</i> | live (art. prop.) | 41 | BR | DE | |
| | | | 10 | BR | DK | |
| | | | 3 | BR | NL | |
| | | live | 2 | CR | NL | |
| | | | 1 | DD | CU | NL |
| | <i>Encyclia livida</i> | live | 2 | CR | NL | |
| | <i>Encyclia megalantha</i> | live (art. prop.) | 60 | BR | DE | |
| | | | 5 | BR | DK | |
| | | | 12 | BR | NL | |
| | <i>Encyclia mooreana</i> | live | 4 | CR | NL | |
| | <i>Encyclia ochracea</i> | live | 2 | CR | NL | |
| | <i>Encyclia patens</i> | live (art. prop.) | 27 | BR | DE | |
| | | | 10 | BR | DK | |
| | | | 2 | BR | NL | |
| | <i>Encyclia polybulbon</i> | live (art. prop.) | 1 | BR | DE | |
| | | | 10 | HN | DE | |
| | <i>Encyclia prismatocarpa</i> | live | 3 | CR | NL | |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Export Origin Import | |
|-------------------------|-------------------------------|-------------------|----------|------------------------------------|----|
| II | <i>Encyclia radiata</i> | live (art. prop.) | 24 | HN | NL |
| | <i>Encyclia rhynchophora</i> | live (art. prop.) | 20 | HN | NL |
| | <i>Encyclia vespa</i> | live (art. prop.) | 6 | BR | DE |
| | <i>Encyclia xiphères</i> | live (art. prop.) | 20 | HN | NL |
| | <i>Epidendrum</i> spp. | live (art. prop.) | 228 | BR | DE |
| | | | 30 | CO | GB |
| | | | 10 | HN | DE |
| | | | 24 | IN | DE |
| | | | 20 | IN | NL |
| | | | 22 | JP | GB |
| | | | 17 | TH | DE |
| | | | 2 | TH | NL |
| | | | 1 | US | DE |
| | | live | 9 | CR | NL |
| | | | 60 | PE | DE |
| | | | 15 | VE | DE |
| | <i>Epidendrum anceps</i> | live | 1 | DD | CU |
| | <i>Epidendrum ciliare</i> | live (art. prop.) | 25 | HN | NL |
| | | live | 2 | CR | NL |
| | <i>Epidendrum circinatum</i> | live | 2 | CR | NL |
| | <i>Epidendrum difforme</i> | live | 7 | CR | NL |
| | <i>Epidendrum emarginatum</i> | live (art. prop.) | 1 | BR | DE |
| | <i>Epidendrum endresii</i> | live | 5 | CR | NL |
| | <i>Epidendrum exasperatum</i> | live | 2 | CR | NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import |
|-------------------------|-----------------------------------|---------------------------|---------------|------------------------------------|
| II | <i>Epidendrum harrisonianum</i> | live (art. prop.) | 7 | BR DE |
| | <i>Epidendrum ibaguense</i> | live | 3 | CR NL |
| | <i>Epidendrum laucheanum</i> | live | 3 | CR NL |
| | <i>Epidendrum nocturnum</i> | live (art. prop.) | 10 | BR DK |
| | <i>Epidendrum obesum</i> | live | 1 | CR NL |
| | <i>Epidendrum paniculatum</i> | live | 3 | CR NL |
| | <i>Epidendrum pansamalae</i> | live | 1 | CR NL |
| | <i>Epidendrum parkinsonianum</i> | live (art. prop.) | 20 | HN DE |
| | <i>Epidendrum pinniferum</i> | live | 4 | CR NL |
| | <i>Epidendrum ramosum</i> | live | 1 | CR NL |
| | <i>Epidendrum randii</i> | live (art. prop.) | 185 2 | BR DE BR NL |
| | <i>Epidendrum schlechterianum</i> | live (art. prop.) live | 25 1 | HN NL CR NL |
| | <i>Epidendrum stamfordianum</i> | live (art. prop.) live | 30 1 10 | HN NL CR NL VE DE |
| | <i>Epidendrum verrucosum</i> | live (art. prop.) | 10 | HN NL |
| | <i>Epigeneium acuminatum</i> | live | 4 | TH NL |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Export | Origin Import |
|-------------------------|---------------------------------|---------------------|----------|----------------------|---------------|
| II | <i>Epigeneium amplum</i> | live (art. prop.) | 1 | IN | NL |
| | <i>Epigeneium coelogynoides</i> | live (art. prop.) | 12 | IN | DE |
| | | | 2 | IN | DK |
| | | | 8 | TH | NL |
| | | live | 48 | TH | DE |
| | <i>Epipactis</i> spp. | live (art. prop.) | 3 | JP | DK |
| C1 | <i>Epipactis palustris</i> | live (art. prop.) | 200 | AT | DE |
| | <i>Eria</i> spp. | live (art. prop.) | 1 | BR | DE |
| | | | 10 | TH | DE |
| | | live | 49 | TH | DE |
| | | | 6 | TH | NL |
| | <i>Eria acervata</i> | live (art. prop.) | 1 | BR | DE |
| | | | 1 | IN | DK |
| | | | 2 | TH | NL |
| | | live (captive bred) | 11 | ZA | GB |
| | <i>Eria albidotomentosa</i> | live (art. prop.) | 8 | TH | NL |
| | | live | 21 | TH | NL |
| | <i>Eria amica</i> | live (art. prop.) | 2 | TH | NL |
| | <i>Eria bractescens</i> | live (art. prop.) | 1 | IN | DK |
| | | | 1 | TH | DE |
| | | | 2 | TH | NL |
| | | live | 1 | TH | DE |
| | <i>Eria coronaria</i> | live (art. prop.) | 1 | IN | DK |
| | | live | 20 | IN | DE |
| | <i>Eria dasyphylla</i> | live | 8 | TH | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import |
|-------------------------|-----------------------------|-------------------|----------|------------------------------------|
| II | <i>Eria discolor</i> | live (art. prop.) | 1 | TH DE |
| : | <i>Eria javanica</i> | live (art. prop.) | 1 | IN DK |
| : | | | 7 | TH DE |
| : | | | 2 | TH NL |
| : | | live | 6 | TH DE |
| | <i>Eria langbianensis</i> | live (art. prop.) | 1 | BR DE |
| | <i>Eria mysorensis</i> | live (art. prop.) | 1 | TH NL |
| | <i>Eria ornata</i> | live (art. prop.) | 5 | TH DE |
| | | | 1 | TH DK |
| | | | 6 | TH NL |
| | | live | 10 | TH DE |
| | | | 19 | TH NL |
| | <i>Eria paniculata</i> | live (art. prop.) | 1 | IN DK |
| | <i>Eria pannea</i> | live (art. prop.) | 1 | IN DK |
| : | | | 2 | TH NL |
| : | | live | 4 | TH DE |
| | <i>Eria stricta</i> | live (art. prop.) | 1 | IN DK |
| | <i>Eria tomentosa</i> | live (art. prop.) | 2 | TH NL |
| | | live | 2 | TH DE |
| | <i>Eriochilus</i> spp. | live (art. prop.) | 7 | AU DE |
| | <i>Eriopsis</i> spp. | live | 4 | PE DE |
| | <i>Esmeralda cathcartii</i> | live (art. prop.) | 24 | IN DE |
| | <i>Esmeralda clarkei</i> | live (art. prop.) | 24 | IN DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|-------------------------------|-------------------|----------|------------------------------------|----|
| II | <i>Euanthe sanderiana</i> | live (art. prop.) | 14 | TH | DE |
| | | | 5 | TH | NL |
| | | | 1 | US | NL |
| | | live | 10 | TH | NL |
| | <i>Eulophia spp.</i> | live | 3 | RW | DE |
| | | | 2 | TH | DE |
| | <i>Eulophia andamanensis</i> | live (art. prop.) | 4 | TH | DE |
| | | | 7 | TH | NL |
| | <i>Eulophia dufossei</i> | live (art. prop.) | 5 | TH | NL |
| | | live | 5 | TH | NL |
| | <i>Eulophia flava</i> | live (art. prop.) | 1 | TH | DE |
| | <i>Eulophia graminea</i> | live (art. prop.) | 1 | IN | DK |
| | | | 4 | TH | DE |
| | | | 3 | TH | NL |
| | <i>Eulophia horsfallii</i> | live | 1 | KE | NL |
| | <i>Eulophia nuda</i> | live (art. prop.) | 2 | IN | DK |
| | | | 7 | TH | DE |
| | | | 17 | TH | NL |
| | | live | 2 | TH | DE |
| | <i>Eulophia sanguinea</i> | live (art. prop.) | 1 | IN | DK |
| | <i>Flickingeria spp.</i> | live | 2 | TH | DE |
| | <i>Flickingeria fimbriata</i> | live | 10 | TH | NL |
| | <i>Flickingeria pardalina</i> | live | 5 | TH | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|---------------------------------|-------------------|----------|------------------------------------|----|
| II | <i>Galeandra</i> spp. | live (art. prop.) | 20 | HN | DE |
| | | live | 2 | PE | DE |
| | <i>Galeandra dives</i> | live (art. prop.) | 70 | BR | DE |
| | | | 5 | BR | DK |
| | | | 7 | BR | NL |
| | <i>Galearis spathulata</i> | live (art. prop.) | 1 | IN | DK |
| | <i>Gastrochilus</i> spp. | live (art. prop.) | 11 | TH | DE |
| | | | 6 | TH | NL |
| | | live | 109 | TH | DE |
| | <i>Gastrochilus acutifolius</i> | live (art. prop.) | 12 | IN | DE |
| | <i>Gastrochilus bellinus</i> | live (art. prop.) | 34 | TH | DE |
| | | | 11 | TH | NL |
| | | live | 114 | TH | DE |
| | | | 20 | TH | DK |
| | | | 11 | TH | NL |
| | <i>Gastrochilus calceolaris</i> | live (art. prop.) | 22 | TH | DE |
| | | | 1 | TH | NL |
| | | live | 50 | IN | DE |
| | <i>Gastrochilus dasypogon</i> | live (art. prop.) | 1 | IN | DK |
| | | | 30 | TH | DE |
| | | | 7 | TH | NL |
| | | live | 50 | IN | DE |
| | | | 340 | TH | DE |
| | | | 25 | TH | DK |
| | | | 25 | TH | NL |
| | <i>Gastrochilus intermedius</i> | live (art. prop.) | 6 | TH | NL |
| | | live | 24 | TH | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import |
|-------------------------|-----------------------------------|-------------------|----------|------------------------------------|
| II | <i>Gastrochilus intermedius</i> | live | 6 | TH DK |
| | <i>Gastrochilus quisumbingii</i> | live (art. prop.) | 69 | PH DE |
| | | | 50 | PH DK |
| | <i>Geodorum densiflorum</i> | live (art. prop.) | 3 | TH NL |
| | | live | 9 | TH DE |
| | <i>Gomesa crispa</i> | live (art. prop.) | 43 | BR DE |
| | | | 5 | BR DK |
| | <i>Gomesa recurva</i> | live (art. prop.) | 45 | BR DE |
| | | | 10 | BR DK |
| | | | 13 | BR NL |
| | <i>Gongora spp.</i> | live (art. prop.) | 10 | HN NL |
| | | live | 3 | CR NL |
| | <i>Goodyera spp.</i> | live (art. prop.) | 50 | JP DE |
| | <i>Goodyera fusca</i> | live (art. prop.) | 1 | IN DK |
| C1 | <i>Goodyera repens</i> | live (art. prop.) | 1 | IN DK |
| | <i>Goodyera schlechtendaliana</i> | live (art. prop.) | 25 | JP DE |
| | <i>Goodyera vittata</i> | live (art. prop.) | 1 | IN DK |
| | <i>Grammatophyllum scriptum</i> | live (art. prop.) | 5 | PH GB |
| | <i>Grammatophyllum speciosum</i> | live (art. prop.) | 2 | TH NL |
| | | live | 4 | TH DE |
| | <i>Grobya amherstiae</i> | live (art. prop.) | 66 | BR DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|-----------------------------------|-------------------|----------|------------------------------------|----|
| II | <i>Grobya amherstiae</i> | live (art. prop.) | 1 | BR | NL |
| C1 | <i>Gymnadenia conopsea</i> | live (art. prop.) | 75 | AT | DE |
| | <i>Gymnadenia cylindrostachya</i> | live (art. prop.) | 1 | IN | DK |
| | <i>Habenaria</i> spp. | live (art. prop.) | 2 | TH | DE |
| | | | 10 | TH | GB |
| | | | 95 | TH | NL |
| | | live | 10 | TH | DE |
| | <i>Habenaria carneae</i> | live (art. prop.) | 2 | TH | NL |
| | <i>Habenaria columbae</i> | live (art. prop.) | 3 | TH | NL |
| | <i>Habenaria cumminsiana</i> | live (art. prop.) | 1 | IN | DK |
| | <i>Habenaria filicornis</i> | live (art. prop.) | 4 | TH | NL |
| | <i>Habenaria rhodocheila</i> | live (art. prop.) | 6 | TH | DE |
| | | | 3 | TH | DK |
| | | | 10 | TH | GB |
| | | | 10068 | TH | NL |
| | | live | 50 | TH | DE |
| | | | 50 | TH | DK |
| | | | 147 | TH | NL |
| | <i>Habenaria roseata</i> | live (art. prop.) | 6 | TH | NL |
| | | live | 40 | TH | DE |
| | <i>Hemipilia calophylla</i> | live (art. prop.) | 2 | TH | NL |
| | <i>Hexadesmia micrantha</i> | live | 9 | CR | NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|---------------------------------|-------------------|----------|------------------------------------|----|
| II | <i>Holcoglossum kimbalianum</i> | live (art. prop.) | 33 | TH | DE |
| | | | 71 | TH | NL |
| | | live | 159 | TH | DE |
| | | | 5 | TH | NL |
| | <i>Hormidium spp.</i> | live (art. prop.) | 1 | BR | DE |
| | <i>Huntleya meleagris</i> | live (art. prop.) | 57 | BR | DE |
| | | | 4 | BR | NL |
| | | live | 1 | CR | NL |
| | <i>Ionopsis utricularioides</i> | live (art. prop.) | 507 | BR | DE |
| | | | 2 | BR | NL |
| | | live | 4 | PE | DE |
| | <i>Isabelia virginalis</i> | live (art. prop.) | 5 | BR | DE |
| | <i>Isochilus spp.</i> | live | 1 | CR | NL |
| | <i>Isochilus linearis</i> | live (art. prop.) | 16 | BR | DE |
| | | | 2 | BR | NL |
| | <i>Jacquiniella spp.</i> | live | 1 | CR | NL |
| | <i>Jacquiniella teretifolia</i> | live (art. prop.) | 20 | HN | NL |
| | <i>Kingidium spp.</i> | live (art. prop.) | 1 | TH | DE |
| | <i>Kingidium decumbens</i> | live (art. prop.) | 10 | IN | DE |
| | | | 5 | IN | DK |
| | | | 22 | TH | DE |
| | | | 3 | TH | DK |
| | | | 22 | TH | NL |
| | | live | 100 | TH | DE |
| | | | 30 | TH | DK |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import |
|-------------------------|------------------------------|-------------------|----------|------------------------------------|
| II | <i>Kingidium decumbens</i> | live | 24 | TH NL |
| | <i>Kingidium taenialis</i> | live (art. prop.) | 4 | IN DK |
| | | live | 50 | PH DE |
| | <i>Laelia spp.</i> | live (art. prop.) | 1070 | BR DE |
| | | | 80 | BR GB |
| | | | 12 | BR NL |
| | | | 1 | TH DE |
| | | | 5 | US DE |
| | | roots | 235 | BR DE |
| | <i>Laelia angereri</i> | live (art. prop.) | 85 | BR DE |
| | | | 1 | BR NL |
| | <i>Laelia bahiensis</i> | live (art. prop.) | 199 | BR DE |
| | | | 11 | BR NL |
| | <i>Laelia blumenscheinii</i> | live (art. prop.) | 42 | BR DE |
| | <i>Laelia bradei</i> | live (art. prop.) | 105 | BR DE |
| | <i>Laelia briegeri</i> | live (art. prop.) | 260 | BR DE |
| | | | 1 | BR NL |
| | <i>Laelia cinnabarinna</i> | live (art. prop.) | 113 | BR DE |
| | | | 10 | BR DK |
| | | | 25 | BR GB |
| | | | 11 | BR NL |
| | <i>Laelia crispata</i> | live (art. prop.) | 70 | BR DE |
| | | | 1 | BR DK |
| | | | 5 | BR NL |
| | <i>Laelia crispata</i> | live (art. prop.) | 130 | BR DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import |
|-------------------------|---------------------------|-------------------|----------|------------------------------------|
| II | <i>Laelia crispata</i> | live (art. prop.) | 2 | BR NL |
| | <i>Laelia dayana</i> | live (art. prop.) | 30 | BR DE |
| | | | 3 | BR NL |
| | <i>Laelia endsfeldzii</i> | live (art. prop.) | 92 | BR DE |
| | | | 2 | BR NL |
| | <i>Laelia esalqueana</i> | live (art. prop.) | 131 | BR DE |
| | | | 1 | BR NL |
| | <i>Laelia fidelensis</i> | live (art. prop.) | 50 | BR DE |
| | <i>Laelia flava</i> | live (art. prop.) | 96 | BR DE |
| | | | 10 | BR DK |
| | | | 12 | BR NL |
| | <i>Laelia ghillanyi</i> | live (art. prop.) | 14 | BR DE |
| | <i>Laelia gloedeniana</i> | live (art. prop.) | 178 | BR DE |
| | | | 50 | BR GB |
| | | | 3 | BR NL |
| | <i>Laelia grandis</i> | live (art. prop.) | 168 | BR DE |
| | | | 5 | BR DK |
| | | | 3 | BR NL |
| | <i>Laelia harpophylla</i> | live (art. prop.) | 462 | BR DE |
| | | | 25 | BR DK |
| | | | 25 | BR GB |
| | | | 29 | BR NL |
| | <i>Laelia itambana</i> | live (art. prop.) | 227 | BR DE |
| | | | 2 | BR NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import |
|-------------------------|----------------------------|-------------------|---------------------|-------------------------------------|
| II | <i>Laelia kettieana</i> | live (art. prop.) | 111 1 | BR BR DE NL |
| | <i>Laelia liliputana</i> | live (art. prop.) | 2 | BR DE |
| | <i>Laelia longipes</i> | live (art. prop.) | 366 | BR DE |
| | <i>Laelia lucasiana</i> | live (art. prop.) | 328, 3 | BR BR DE NL |
| | <i>Laelia lundii</i> | live (art. prop.) | 243 1 | BR BR DE NL |
| | <i>Laelia mantiqueirae</i> | live (art. prop.) | 134 5 2 | BR BR DE DK NL |
| | <i>Laelia milleri</i> | live (art. prop.) | 346 5 25 2 | BR BR DK BR GB BR NL |
| | <i>Laelia perrinii</i> | live (art. prop.) | 83 2 2 2 | BR BR DE DK BR GB BR NL |
| | <i>Laelia pfisteri</i> | live (art. prop.) | 71 1 | BR BR DE NL |
| | <i>Laelia præstans</i> | live (art. prop.) | 81 | BR DE |
| | <i>Laelia pumila</i> | live (art. prop.) | 1269 10 50 | BR BR DE DK BR GB |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import |
|-------------------------|---------------------------|-------------------|----------|------------------------------------|
| II | <i>Laelia pumila</i> | live (art. prop.) | 3 | BR NL |
| | <i>Laelia purpurata</i> | live (art. prop.) | 305 | BR DE |
| | | | 49 | BR DK |
| | | | 4 | BR NL |
| | <i>Laelia reginae</i> | live (art. prop.) | 382 | BR DE |
| | | | 2 | BR NL |
| | <i>Laelia rubescens</i> | live (art. prop.) | 20 | HN DE |
| | | | 220 | HN NL |
| | | live | 1 | CR NL |
| | <i>Laelia sincorana</i> | live (art. prop.) | 1780 | BR DE |
| | | | 23 | BR NL |
| | <i>Laelia tenebrosa</i> | live (art. prop.) | 101 | BR DE |
| | | | 10 | BR DK |
| | | | 15 | BR NL |
| | <i>Laelia xanthina</i> | live (art. prop.) | 41 | BR DE |
| | <i>Lanium avicula</i> | live (art. prop.) | 4 | BR NL |
| | | | 27 items | BR DE |
| | <i>Lankesterella spp.</i> | live (art. prop.) | 4 | BR NL |
| | | | 2 items | BR DE |
| | <i>Leochilus labiatus</i> | live | 4 | CR NL |
| | <i>Lepanthes spp.</i> | live (art. prop.) | 10 | HN NL |
| | | live | 53 | CR NL |
| | <i>Leptotes bicolor</i> | live (art. prop.) | 10 | BR DK |
| | | | 10 | BR GB |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|----------------------------|-------------------|-----------------------|------------------------------------|----------------|
| II | <i>Leptotes bicolor</i> | live (art. prop.) | 18 437 items | BR BR | NL DE |
| | <i>Leptotes tenuis</i> | live (art. prop.) | 10 8 268 items | BR BR BR | DK NL DE |
| | <i>Leptotes unicolor</i> | live (art. prop.) | 103 items | BR | DE |
| | <i>Liparis</i> spp. | live (art. prop.) | 5 items | AU | DE |
| | | live | 1 item | TH | DE |
| | <i>Liparis odorata</i> | live (art. prop.) | 2 items | TH | DE |
| | <i>Liparis viridiflora</i> | live | 2 items | TH | DE |
| | <i>Lockhartia</i> spp. | live | 1 | CR | NL |
| | <i>Lockhartia lunifera</i> | live (art. prop.) | 10 10 152 items | BR BR BR | DK GB DE |
| | <i>Luisia</i> spp. | live | 6 | TH | DE |
| | <i>Luisia amesiana</i> | live (art. prop.) | 3 | TH | NL |
| | | live | 3 | TH | DK |
| | <i>Luisia psyche</i> | live (art. prop.) | 3 | TH | NL |
| | | live | 6 | TH | DE |
| | | | 3 | TH | DK |
| | <i>Luisia recurva</i> | live | 3 | TH | DE |
| | | | 3 | TH | DK |
| | <i>Luisia secunda</i> | live | 3 | TH | DK |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin | Import |
|-------------------------|----------------------------|---------------------------|--------------------------|-----------------------------|----------------------------|
| II | <i>Luisia teretifolia</i> | live (art. prop.) live | 5 3 | PH TH | DE DK |
| | <i>Luisia thailandica</i> | live | 3 9 | TH TH | DE DK |
| | <i>Lycaste spp.</i> | live | 90 | PE | DE |
| | <i>Lycaste aromatica</i> | live (art. prop.) | 10 | HN | DE |
| | <i>Lycaste brevispatha</i> | live | 1 | CR | NL |
| | <i>Lycaste locusta</i> | live | 50 | PE | DE |
| | <i>Lyperanthus spp.</i> | live (art. prop.) | 5 | AU | DE |
| | <i>Macodes spp.</i> | live (art. prop.) live | 5 120 | ID TH | DE DE |
| | <i>Malaxis spp.</i> | live | 1 | TH | DK |
| | <i>Malaxis latifolia</i> | live (art. prop.) live | 2 4 | TH TH | NL DE |
| | <i>Malleola spp.</i> | live (art. prop.) | 1 | TH | DE |
| | <i>Malleola dentifera</i> | live (art. prop.) live | 20 3 60 | TH TH TH | DE NL DE |
| | <i>Masdevallia spp.</i> | live (art. prop.) live | 2 50 1 15 17 | BR CO US CO CR | DE BE DK DE NL |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Export Origin Import | |
|-------------------------|---------------------------------|-------------------|---------------|------------------------------------|----------------|
| II | <i>Masdevallia</i> spp. | live | 1570 50 | PE PE | DE NL |
| | <i>Masdevallia abbreviata</i> | live | 20 | PE | NL |
| | <i>Masdevallia asterotricha</i> | live | 50 | PE | DE |
| | <i>Masdevallia ayabacana</i> | live | 10 | PE | NL |
| | <i>Masdevallia barleana</i> | live | 10 | PE | NL |
| | <i>Masdevallia civilis</i> | live | 100 10 | PE PE | DE NL |
| | <i>Masdevallia davisii</i> | live | 230 | PE | DE |
| | <i>Masdevallia dura</i> | live | 100 | PE | DE |
| | <i>Masdevallia exaltata</i> | live | 20 | PE | DE |
| | <i>Masdevallia floribunda</i> | live (art. prop.) | 1 | US | DK |
| | <i>Masdevallia infracta</i> | live (art. prop.) | 28 10 2 | BR BR BR | DE DK NL |
| | | live | 2 | CR | NL |
| | <i>Masdevallia melanopus</i> | live | 20 | PE | NL |
| | <i>Masdevallia nidifica</i> | live | 4 | CR | NL |
| | <i>Masdevallia odontocera</i> | live (art. prop.) | 1 | US | DK |
| | <i>Masdevallia picturata</i> | live | 4 | CR | NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|----------------------------------|-------------------|----------|------------------------------------|----|
| II | <i>Masdevallia</i> | | | | |
| | <i>reichenbachiana</i> | live | 4 | CR | NL |
| | <i>Masdevallia schroederiana</i> | live | 10 | PE | NL |
| | <i>Masdevallia strobelii</i> | live (art. prop.) | 1 | US | DK |
| | | live | 250 | PE | DE |
| | <i>Masdevallia triangularis</i> | live (art. prop.) | 1 | US | DK |
| | | live | 100 | PE | DE |
| | <i>Masdevallia urosalpinx</i> | live | 350 | PE | DE |
| | <i>Masdevallia veitchiana</i> | live | 200 | PE | DE |
| | <i>Masdevallia weberbaueri</i> | live | 30 | PE | DE |
| | <i>Maxillaria</i> spp. | live (art. prop.) | 14 | BR | DE |
| | | live | 15 | CR | NL |
| | | | 20 | PE | DE |
| | <i>Maxillaria cogniauxiana</i> | live (art. prop.) | 1 | BR | DE |
| | | | 10 | BR | DK |
| | <i>Maxillaria crassifolia</i> | live (art. prop.) | 1 | BR | DE |
| | | live | 1 | DD | CU |
| | <i>Maxillaria ferdinandiana</i> | live (art. prop.) | 1 | BR | DE |
| | <i>Maxillaria</i> | | | | |
| | <i>friedrichsthalii</i> | live | 2 | CR | NL |
| | <i>Maxillaria gracilis</i> | live (art. prop.) | 1 | BR | NL |
| | <i>Maxillaria juergensii</i> | live (art. prop.) | 1 | BR | DE |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Export Origin Import |
|-------------------------|--------------------------------|-------------------|----------|------------------------------------|
| II | <i>Maxillaria lepidota</i> | live | 10 | PE DE |
| | <i>Maxillaria madida</i> | live (art. prop.) | 2 | BR DE |
| | <i>Maxillaria marginata</i> | live (art. prop.) | 2 | BR DE |
| | <i>Maxillaria meirax</i> | live (art. prop.) | 2 | BR DE |
| | <i>Maxillaria minuta</i> | live (art. prop.) | 1 | BR DE |
| | <i>Maxillaria nasuta</i> | live | 1 | CR NL |
| | <i>Maxillaria ochroleuca</i> | live (art. prop.) | 1 | BR DE |
| | | | 16 | BR DK |
| | | | 1 | BR NL |
| | <i>Maxillaria picta</i> | live (art. prop.) | 72 | BR DE |
| | | | 2 | BR NL |
| | <i>Maxillaria plebeja</i> | live (art. prop.) | 1 | BR DE |
| | <i>Maxillaria ringens</i> | live (art. prop.) | 7 | HN NL |
| | | live | 1 | CR NL |
| | <i>Maxillaria rufescens</i> | live (art. prop.) | 56 | BR DE |
| | | | 2 | BR NL |
| | <i>Maxillaria sanderiana</i> | live | 10 | PE DE |
| | <i>Maxillaria uncata</i> | live | 3 | BZ GB |
| | | | 3 | CR NL |
| | <i>Maxillaria vagans</i> | live | 2 | CR NL |
| | <i>Maxillaria valenzuelana</i> | live (art. prop.) | 1 | BR NL |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|----------------------------------|-------------------|----------|------------------------------------|----|----|
| II | <i>Maxillaria valenzuelana</i> | live | 1 | DD | CU | NL |
| | <i>Maxillaria vernicosa</i> | live (art. prop.) | 5 | BR | | DE |
| | <i>Maxillaria vitelliniflora</i> | live (art. prop.) | 1 | BR | | DE |
| | <i>Mendoncella grandiflora</i> | live | 3 | CR | | NL |
| | <i>Microcoelia exilis</i> | live (art. prop.) | 10 | JP | | GB |
| | <i>Microcoelia guyoniana</i> | live (art. prop.) | 7 | JP | | GB |
| | | live | 1 | KE | | NL |
| | <i>Micropera apiculata</i> | live (art. prop.) | 1 | TH | | DE |
| | | live | 3 | TH | | DE |
| | <i>Micropera obtusa</i> | live (art. prop.) | 3 | TH | | NL |
| | | live | 87 | TH | | DE |
| | | | 3 | TH | | DK |
| | <i>Micropera rostrata</i> | live (art. prop.) | 2 | TH | | DE |
| | | live | 183 | TH | | DE |
| | | | 6 | TH | | DK |
| | <i>Microsaccus brevifolius</i> | live | 7 | TH | | DE |
| | <i>Microtis</i> spp. | live (art. prop.) | 7 | AU | | DE |
| | <i>Miltonia</i> spp. | live (art. prop.) | 9 | BR | | DE |
| | | | 10 | BR | | DK |
| | | | 40 | CO | | GB |
| | | live | 250 | PE | | DE |
| | <i>Miltonia candida</i> | live (art. prop.) | 47 | BR | | DE |
| | | | 10 | BR | | DK |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import |
|-------------------------|-----------------------------------|-------------------|----------------|------------------------------------|
| II | <i>Miltonia clowesii</i> | live (art. prop.) | 10 10 1 | BR DE BR DK BR NL |
| | <i>Miltonia cuneata</i> | live (art. prop.) | 18 10 5 | BR DE BR DK BR NL |
| | <i>Miltonia flavescens</i> | live (art. prop.) | 2 5 | BR DE BR DK |
| | <i>Miltonia regnellii</i> | live (art. prop.) | 11 | BR DE |
| | <i>Miltonia russelliana</i> | live (art. prop.) | 65 10 2 | BR DE BR GB BR NL |
| | <i>Miltonia spectabilis</i> | live (art. prop.) | 96 12 22 | BR DE BR DK BR NL |
| | <i>Miltioniopsis vexillaria</i> | live | 100 | PE DE |
| | <i>Miltioniopsis warszewiczii</i> | live | 2 | CR NL |
| | <i>Mischobulbum wrayanum</i> | live (art. prop.) | 1 | IN DK |
| | <i>Monomeria barbata</i> | live (art. prop.) | 1 | IN DK |
| | <i>Monomeria punctata</i> | live (art. prop.) | 1 | IN DK |
| | <i>Mormodes revolutum</i> | live | 105 | PE DE |
| | <i>Mystacidium capense</i> | live (art. prop.) | 3 | JP GB |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import |
|-------------------------|--------------------------------|---------------------------|----------|------------------------------------|
| II | <i>Mystacidium venosum</i> | live (art. prop.) | 5 | JP GB |
| | <i>Nageliella purpurea</i> | live (art. prop.) | 4 | HN NL |
| | <i>Neofinetia falcata</i> | live (art. prop.) | 20 36 | JP TH GB DE |
| | <i>Neogardneria murrayana</i> | live (art. prop.) | 8 2 | BR DE BR NL |
| | <i>Neolauea pulchella</i> | live (art. prop.) | 1 | BR NL |
| | <i>Neolehmannia porpax</i> | live | 30 | PE DE |
| | <i>Neowilliamsia</i> spp. | live | 1 | CR NL |
| | <i>Nephelaphyllum pulchrum</i> | live (art. prop.) | 1 | IN NL |
| | <i>Notylia</i> spp. | live | 1 4 | CR PE NL DE |
| | <i>Notylia bicolor</i> | live | 4 | CR NL |
| | <i>Notylia longispicata</i> | live (art. prop.) | 7 10 | BR DE BR DK |
| | <i>Oberonia</i> spp. | live (art. prop.) live | 1 2 | TH DE TH DE |
| | <i>Oberonia apiculata</i> | live (art. prop.) | 1 | TH NL |
| | <i>Oberonia dubia</i> | live (art. prop.) | 1 1 | TH DE TH NL |
| | <i>Oberonia iridifolia</i> | live (art. prop.) | 2 | TH NL |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Export Origin Import | |
|-------------------------|----------------------------------|---------------------------|-----------------------|------------------------------------|----------------------|
| II | <i>Oberonia nitida</i> | live (art. prop.) live | 2 3 | TH | NL DE |
| | <i>Oberonia palmicola</i> | live (art. prop.) | 5 | AU | DE |
| | <i>Octomeria</i> spp. | live (art. prop.) live | 35 1 | BR DD | CU NL |
| | <i>Octomeria concolor</i> | live (art. prop.) | 1 | BR | DE |
| | <i>Octomeria gracilis</i> | live (art. prop.) | 36 | BR | DE |
| | <i>Odontochilus lanceolatus</i> | live (art. prop.) | 1 | IN | DK |
| | <i>Odontoglossum</i> spp. | live (art. prop.) live | 90 90 60 170 | CO CO CO PE | BE GB DE DE |
| | <i>Odontoglossum angustatum</i> | live | 40 | PE | DE |
| | <i>Odontoglossum aureum</i> | live | 10 | PE | NL |
| | <i>Odontoglossum cariniferum</i> | live | 2 | CR | NL |
| | <i>Odontoglossum cordatum</i> | live (art. prop.) | 10 1 | HN JP | DE GB |
| | <i>Odontoglossum cruentum</i> | live (art. prop.) | 1 | BR | NL |
| | <i>Odontoglossum kramerii</i> | live | 2 | CR | NL |
| | <i>Odontoglossum lindleyanum</i> | live | 2 | CR | NL |
| | <i>Odontoglossum oerstedii</i> | live | 2 | CR | NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|------------------------------------|-------------------|----------|------------------------------------|----|
| II | <i>Odontoglossum pardinum</i> | live | 30 | PE | DE |
| | <i>Odontoglossum praestans</i> | live | 50 | PE | DE |
| | <i>Odontoglossum stenoglossum</i> | live (art. prop.) | 10 | HN | DE |
| | <i>Odontoglossum subcruciforme</i> | live (art. prop.) | 10 | HN | DE |
| | <i>Oncidium</i> spp. | live (art. prop.) | 165 | BR | DE |
| | | | 80 | BR | GB |
| | | | 20 | MY | DE |
| | | | 1600 | SG | DE |
| | | | 4235 | SG | NL |
| | | | 2384 | TH | DE |
| | | | 3 | TH | DK |
| | | | 217 | TH | NL |
| | | | 1330 | US | DE |
| | | | 50 | US | DK |
| | | live | 6 | CR | NL |
| | | | 120 | PE | DE |
| | | roots | 30 | BR | DE |
| | <i>Oncidium abortivum</i> | live | 100 | PE | DE |
| | <i>Oncidium ampliatum</i> | live | 2 | CR | NL |
| | <i>Oncidium ansiferum</i> | live | 3 | CR | NL |
| | <i>Oncidium ascendens</i> | live | 3 | BZ | GB |
| | <i>Oncidium barbatum</i> | live (art. prop.) | 80 | BR | DE |
| | | | 10 | BR | NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|-------------------------------|---------------------------|----------------|------------------------------------|----------------|
| II | <i>Oncidium blanchetii</i> | live (art. prop.) | 40 1 | BR BR | DE NL |
| | <i>Oncidium cabagrae</i> | live | 5 | CR | NL |
| | <i>Oncidium carthaginense</i> | live (art. prop.) | 20 | HN | DE |
| | <i>Oncidium cebolleta</i> | live (art. prop.) live | 41 2 | BR CR | DE NL |
| | <i>Oncidium cheiroporum</i> | live | 1 | CR | NL |
| | <i>Oncidium concolor</i> | live (art. prop.) | 362 25 | BR BR | DE NL |
| | <i>Oncidium crispum</i> | live (art. prop.) | 253 2 | BR BR | DE NL |
| | <i>Oncidium crista-gallii</i> | live (art. prop.) live | 10 2 | HN CR | DE NL |
| | <i>Oncidium croesus</i> | live (art. prop.) | 10 | BR | DE |
| | <i>Oncidium dasystyle</i> | live (art. prop.) | 657 10 1 | BR BR BR | DE DK NL |
| | <i>Oncidium divaricatum</i> | live (art. prop.) | 21 1 | BR BR | DE NL |
| | <i>Oncidium edwallii</i> | live (art. prop.) | 1 | BR | DE |
| | <i>Oncidium enderianum</i> | live (art. prop.) | 120 | BR | DE |
| | <i>Oncidium fimbriatum</i> | live (art. prop.) | 146 | BR | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|-------------------------------|-------------------|----------|------------------------------------|----|
| II | <i>Oncidium fimbriatum</i> | live (art. prop.) | 1 | BR | NL |
| | <i>Oncidium flexuosum</i> | live (art. prop.) | 2 | BR | DE |
| | <i>Oncidium floridanum</i> | live (art. prop.) | 6 | HN | NL |
| | <i>Oncidium forbesii</i> | live (art. prop.) | 232 | BR | DE |
| | | | 1 | BR | NL |
| | <i>Oncidium fuscans</i> | live (art. prop.) | 2 | TH | NL |
| | <i>Oncidium fuscum</i> | live (art. prop.) | 8 | TH | DE |
| | <i>Oncidium gardneri</i> | live (art. prop.) | 155 | BR | DE |
| | | | 7 | BR | NL |
| | <i>Oncidium gracile</i> | live (art. prop.) | 85 | BR | DE |
| | <i>Oncidium gravesianum</i> | live (art. prop.) | 50 | BR | DE |
| | | | 1 | BR | NL |
| | <i>Oncidium guttulatum</i> | live | 1 | CR | NL |
| | <i>Oncidium haematochilum</i> | live (art. prop.) | 5 | TH | DE |
| | | | 2 | TH | NL |
| | <i>Oncidium harrisonianum</i> | live (art. prop.) | 57 | BR | DE |
| | | | 10 | BR | DK |
| | | | 10 | BR | NL |
| | <i>Oncidium heteranthum</i> | live | 2 | CR | NL |
| | <i>Oncidium hydrophilum</i> | live (art. prop.) | 20 | BR | DE |
| | <i>Oncidium jonesianum</i> | live (art. prop.) | 60 | BR | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|------------------------------|---------------------------|----------------|------------------------------------|----------|----------------------|
| II | <i>Oncidium leucochilum</i> | live (art. prop.) | 13 20 | HN | TH | NL DE |
| | <i>Oncidium lietzii</i> | live (art. prop.) | 170 20 3 | BR | BR | DE DK NL |
| | <i>Oncidium limminghei</i> | live (art. prop.) | 911 1 | BR | BR | DE NL |
| | <i>Oncidium lionetianum</i> | live (art. prop.) | 74 | BR | | DE |
| | <i>Oncidium longicornu</i> | live (art. prop.) | 11 | BR | | DE |
| | <i>Oncidium longipes</i> | live (art. prop.) | 65 20 10 | BR | BR | DE DK NL |
| | <i>Oncidium luridum</i> | live (art. prop.) live | 5 3 1 | TH | BZ DD | DE GB CU NL |
| | <i>Oncidium macranthum</i> | live | 40 | PE | | DE |
| | <i>Oncidium macropetalum</i> | live (art. prop.) | 16 | BR | | DE |
| | <i>Oncidium micropogon</i> | live (art. prop.) | 75 | BR | | DE |
| | <i>Oncidium nubigenum</i> | live | 35 | PE | | DE |
| | <i>Oncidium obryzatum</i> | live | 2 | CR | | NL |
| | <i>Oncidium onustum</i> | live (art. prop.) live | 1 1015 | US PE | | NL DE |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Export Origin Import | |
|-------------------------|-------------------------------|-------------------|----------|------------------------------------|----|
| II | <i>Oncidium phalaenopsis</i> | live | 250 | PE | DE |
| | <i>Oncidium phymatochilum</i> | live (art. prop.) | 1 | BR | DE |
| | <i>Oncidium praetextum</i> | live (art. prop.) | 73 | BR | DE |
| | | | 1 | BR | NL |
| | <i>Oncidium pubes</i> | live (art. prop.) | 12 | BR | DE |
| | <i>Oncidium pulchellum</i> | live (art. prop.) | 20 | HN | NL |
| | | | 1 | TW | DE |
| | | | 2 | US | NL |
| | <i>Oncidium pulvinatum</i> | live (art. prop.) | 9 | BR | DE |
| | | | 10 | BR | NL |
| | <i>Oncidium pumilum</i> | live (art. prop.) | 173 | BR | DE |
| | <i>Oncidium raniferum</i> | live (art. prop.) | 11 | BR | DE |
| | | | 1 | BR | NL |
| | <i>Oncidium robustissimum</i> | live (art. prop.) | 12 | BR | DE |
| | | | 11 | BR | NL |
| | <i>Oncidium sanderae</i> | live | 222 | PE | DE |
| | <i>Oncidium sarcodes</i> | live (art. prop.) | 55 | BR | DE |
| | | | 5 | BR | DK |
| | | | 2 | BR | NL |
| | <i>Oncidium sphegiferum</i> | live (art. prop.) | 2 | BR | DE |
| | <i>Oncidium spilopterum</i> | live (art. prop.) | 35 | BR | DE |
| | | | 6 | BR | NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|-----------------------------------------|-------------------|-----------------|------------------------------------|----------------|
| II | <i>Oncidium splendidum</i> | live (art. prop.) | 30 1 | TH TW | NL DE |
| | <i>Oncidium storkii</i> | live | 2 | CR | NL |
| | <i>Oncidium suscephalum</i> | live (art. prop.) | 9 | BR | DE |
| | <i>Oncidium trulliferum</i> | live (art. prop.) | 5 | BR | DE |
| | <i>Oncidium varicosum</i> | live (art. prop.) | 153 10 4 | BR BR BR | DE DK NL |
| | <i>Oncidium warmingii</i> | live (art. prop.) | 30 | BR | DE |
| C1 | <i>Orchis morio</i> | live (art. prop.) | 75 | AT | DE |
| | <i>Ornithocephalus spp.</i> | live | 4 | PE | DE |
| | <i>Ornithocephalus bicornis</i> | live | 4 | CR | NL |
| | <i>Ornithocephalus gladiatus</i> | live | 3 | BZ | GB |
| | <i>Ornithocephalus grandiflorus</i> | live (art. prop.) | 48 | BR | DE |
| | <i>Ornithocephalus myrticola</i> | live (art. prop.) | 197 10 24 | BR BR BR | DE DK NL |
| | <i>Ornithochilus difformis</i> | live (art. prop.) | 10 2 4 | IN TH TH | DE DE NL |
| | | live | 45 10 | TH | DE NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|------------------------------------|-------------------|---------------------------------|------------------------------------|----------------------------------|
| II | <i>Ornithophora radicans</i> | live (art. prop.) | 31 5 | BR BR | DE NL |
| | <i>Osmoglossum spp.</i> | live | 1 | CR | NL |
| | <i>Osmoglossum convallarioides</i> | live | 2 | CR | NL |
| | <i>Otochilus porrecta</i> | live | 79 | TH | NL |
| | <i>Pabstia jugosa</i> | live (art. prop.) | 79 29 | BR BR | DE NL |
| | <i>Pabstia viridis</i> | live (art. prop.) | 5 6 | BR BR | DK NL |
| | <i>Pabstiella mirabilis</i> | live (art. prop.) | 76 | BR | DE |
| | <i>Pachystoma senile</i> | live (art. prop.) | 5 | TH | DE |
| | | live | 2 | TH | NL |
| | | live | 4 | TH | DE |
| | <i>Panisea demissa</i> | live (art. prop.) | 2 | TH | NL |
| | <i>Panisea uniflora</i> | live (art. prop.) | 1 1 2 | IN TH TH | DK DE NL |
| | | live | 4 | TH | DE |
| | <i>Paphiopedilum spp.</i> | live (art. prop.) | 280 14 1 12 8 50 | AT ID ID MY MY PH | DE DE DK DE GB GB |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import |
|-------------------------|------------------------------------|-------------------|----------|------------------------------------|
| II | <i>Paphiopedilum</i> spp. | live (art. prop.) | 412 | TH DE |
| | | | 36 | TH NL |
| | | | 48 | TW DE |
| | | | 160 | TW DK |
| | | | 547 | US DE |
| | | live | 35 | PH DE |
| | | | 25 | TH DE |
| | | | 11 | TW DE |
| | <i>Paphiopedilum acmodontum</i> | live (art. prop.) | 26 | PH DK |
| | | live | 125 | PH DE |
| | <i>Paphiopedilum adductum</i> | live (art. prop.) | 1 | PH DK |
| | | live | 30 | PH DE |
| | <i>Paphiopedilum appletonianum</i> | live | 100 | TH BE |
| | <i>Paphiopedilum argus</i> | live (art. prop.) | 1 | PH DK |
| | | | 2 | PH GB |
| | | live | 75 | PH DE |
| | <i>Paphiopedilum armeniacum</i> | live | 3 | JP DE |
| | | | 50 | TW DE |
| | <i>Paphiopedilum barbatum</i> | live | 2 | TH NL |
| | <i>Paphiopedilum barbigerum</i> | live (art. prop.) | 3 | US DE |
| | | live | 3 | TH DE |
| | | | 11 | TW DE |
| | <i>Paphiopedilum bellatulum</i> | live (art. prop.) | 1 | TH DE |
| | | | 5 | TH DK |
| | | | 132 | TH NL |
| | | live | 295 | TH DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|-------------------------------------|-------------------|------------------------|------------------------------------|----------------------|
| II | <i>Paphiopedilum bellatulum</i> | live | 100 96 | TH | DK NL |
| | <i>Paphiopedilum callosum</i> | live (art. prop.) | 8 | TH | DK |
| | | | 5641 | TH | NL |
| | | live | 100 | TH | BE |
| | | | 11340 | TH | DE |
| | | | 17120 | TH | NL |
| | <i>Paphiopedilum charlesworthii</i> | live (art. prop.) | 3 | TH | NL |
| | | live | 32 | TH | DE |
| | <i>Paphiopedilum ciliolare</i> | live | 25 6 | PH TH | DE |
| | <i>Paphiopedilum concolor</i> | live (art. prop.) | 3 15 252 | TH TH | DK NL |
| | | live | 256 100 83 11 | TH TH TH TW | DE DK NL DE |
| | <i>Paphiopedilum emersonii</i> | live (art. prop.) | 3 | US | DE |
| | | live | 33 | TW | DE |
| | <i>Paphiopedilum exul</i> | live (art. prop.) | 5 | TH | DK |
| | | | 126 | TH | NL |
| | | live | 100 12 20 | TH TH TH | BE DE NL |
| | <i>Paphiopedilum fairrieanum</i> | live (art. prop.) | 6 2 | IN IN | DE DK |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import |
|-------------------------|------------------------------------|-------------------|----------|------------------------------------|
| II | <i>Paphiopedilum fairrieanum</i> | live (art. prop.) | 1 | IN NL |
| | | live | 100 | IN DE |
| | <i>Paphiopedilum godefroyae</i> | live (art. prop.) | 1 | TH DE |
| | | | 6 | TH DK |
| | | | 137 | TH NL |
| | | live | 59 | TH DE |
| | | | 40 | TH DK |
| | | | 107 | TH NL |
| | <i>Paphiopedilum haynaldianum</i> | live (art. prop.) | 15 | PH DK |
| | | | 2 | PH GB |
| | | live | 67 | PH DE |
| | <i>Paphiopedilum hennisianum</i> | live (art. prop.) | 25 | PH DE |
| | | | 1 | PH DK |
| | | | 2 | PH GB |
| | | | 5 | US DE |
| | | live | 30 | PH DE |
| | | | 6 | TH DE |
| | <i>Paphiopedilum hirsutissimum</i> | live (art. prop.) | 3 | IN DE |
| | | | 1 | IN NL |
| | | | 2 | TH DK |
| | | | 120 | TH NL |
| | | live | 50 | IN DE |
| | | | 403 | TH DE |
| | | | 12 | TW DE |
| | <i>Paphiopedilum insigne</i> | live (art. prop.) | 3 | IN DE |
| | <i>Paphiopedilum malipoense</i> | live (art. prop.) | 3 | US DE |
| | | live | 3 | JP DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import |
|-------------------------|------------------------------------|-------------------|----------|------------------------------------|
| II | <i>Paphiopedilum malipoense</i> | live | 31 | TW DE |
| | <i>Paphiopedilum micranthum</i> | live | 28 | JP DE |
| | | | 53 | TW DE |
| | <i>Paphiopedilum niveum</i> | live (art. prop.) | 1 | TH DE |
| | | | 10 | TH DK |
| | | | 273 | TH NL |
| | | live | 100 | TH BE |
| | | | 61 | TH DE |
| | | | 70 | TH DK |
| | | | 27 | TH NL |
| | <i>Paphiopedilum parishii</i> | live (art. prop.) | 5 | TH DK |
| | | | 125 | TH NL |
| | | live | 200 | TH BE |
| | | | 160 | TH DE |
| | | | 100 | TH DK |
| | | | 56 | TH NL |
| | | | 15 | TW DE |
| | <i>Paphiopedilum philippinense</i> | live (art. prop.) | 175 | PH DE |
| | | | 2 | PH DK |
| | | | 2 | PH GB |
| | | | 1 | TH DK |
| | | live | 100 | PH DE |
| | | | 6 | TH DE |
| | <i>Paphiopedilum purpuratum</i> | live | 1 | TH DE |
| | | | 3 | TH NL |
| | | | 22 | TW DE |
| | <i>Paphiopedilum randsii</i> | live | 70 | PH DE |
| | | | 100 | TH NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import |
|-------------------------|--------------------------------------|-------------------|----------|------------------------------------|
| II | <i>Paphiopedilum rothschildianum</i> | live | 50 | TH NL |
| | <i>Paphiopedilum spicerianum</i> | live (art. prop.) | 31 | IN DE |
| | | | 1 | IN NL |
| | | live | 50 | IN DE |
| | <i>Paphiopedilum sukhakulii</i> | live (art. prop.) | 1000 | TH NL |
| | | live | 100 | TH BE |
| | | | 1691 | TH DE |
| | | | 500 | TH DK |
| | <i>Paphiopedilum superbiens</i> | live | 6 | TH DE |
| | <i>Paphiopedilum urbanianum</i> | live (art. prop.) | 1 | PH DK |
| | | | 5 | US DE |
| | | live | 50 | PH DE |
| | | | 6 | TH DE |
| | <i>Paphiopedilum venustum</i> | live (art. prop.) | 1 | IN NL |
| | | live | 184 | IN DE |
| | <i>Paphiopedilum villosum</i> | live (art. prop.) | 3 | IN DE |
| | | | 1 | IN NL |
| | | live | 155 | TH DE |
| | | | 25 | TH DK |
| | | | 40 | TH NL |
| | <i>Paphiopedilum wardii</i> | live (art. prop.) | 3 | US DE |
| | <i>Papilionanthe teres</i> | live (art. prop.) | 2 | BR DE |
| | | | 11 | TH DE |
| | | | 3 | TH NL |
| | | live | 50 | IN DE |
| | | | 151 | TH DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|-----------------------------------|-------------------|----------|------------------------------------|----|
| II | <i>Papilionanthe teres</i> | live | 40 | TH | NL |
| | <i>Paraphalaenopsis</i> spp. | live (art. prop.) | 3 | ID | DK |
| | <i>Parasarcocillus</i> spp. | live (art. prop.) | 10 | AU | DE |
| | <i>Pecteilis radiata</i> | roots | 500 | JP | NL |
| | <i>Pecteilis sagarikii</i> | live (art. prop.) | 2 | TH | DE |
| | | | 10 | TH | GB |
| | | | 3 | TH | NL |
| | | live | 3 | TH | DE |
| | <i>Pecteilis susannae</i> | live (art. prop.) | 5 | IN | DE |
| | | | 5 | TH | DE |
| | | | 7 | TH | NL |
| | | live | 36 | TH | DE |
| | <i>Pelatantheria</i> spp. | live | 101 | TH | DE |
| | <i>Pelatantheria bicuspidata</i> | live | 13 | TH | DE |
| | | | 5 | TH | DK |
| | <i>Pelatantheria ctenoglossum</i> | live (art. prop.) | 5 | TH | DE |
| | | live | 147 | TH | DE |
| | | | 5 | TH | DK |
| | <i>Pelatantheria insectifera</i> | live (art. prop.) | 3 | TH | NL |
| | | live | 5 | TH | DK |
| | <i>Peristylus albomarginatus</i> | live (art. prop.) | 1 | IN | DK |
| | <i>Peristylus goodyeroides</i> | live (art. prop.) | 3 | TH | NL |
| | | live | 3 | TH | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import |
|-------------------------|------------------------------|-------------------|----------|------------------------------------|
| II | <i>Pescatoria cerina</i> | live | 2 | CR NL |
| - | <i>Phaius</i> spp. | live (art. prop.) | 2 | TH DE |
| | | live | 8 | TH DE |
| | <i>Phaius flavus</i> | live (art. prop.) | 3 | IN DK |
| | <i>Phaius grandifolius</i> | live (art. prop.) | 62 | TH NL |
| | <i>Phaius tankervilleae</i> | live (art. prop.) | 1 | IN DK |
| | | | 20 | TH GB |
| | <i>Phalaenopsis</i> spp. | live (art. prop.) | 19 | ID DE |
| | | | 15 | ID DK |
| | | | 2438 | LK NL |
| | | | 28 | MY DE |
| | | | 12 | MY GB |
| | | | 295 | PH DE |
| | | | 60 | PH GB |
| | | | 328 | SG DE |
| | | | 200 | TH BE |
| | | | 412 | TH DE |
| | | | 1 | TH DK |
| | | | 39 | TH NL |
| | | | 33 | TW DE |
| | | | 40 | TW DK |
| | | | 50000 | TW NL |
| | | | 274 | US DE |
| | | | 47 | US GB |
| | | live | 297 | PH DE |
| | | | 426 | TH DE |
| | <i>Phalaenopsis amabilis</i> | live (art. prop.) | 35 | PH DK |
| | | | 1 | PH GB |
| | | live | 20 | PH DE |

| CITES App. Annex | TAXON | Description | Quantity | Country of Export Origin Import | |
|---------------------|-----------------------------------|-------------------|----------|------------------------------------|----|
| II | <i>Phalaenopsis amabilis</i> | live | 2 | TH | DE |
| | <i>Phalaenopsis amboinensis</i> | live (art. prop.) | 2 | ID | DK |
| | <i>Phalaenopsis aphrodite</i> | live (art. prop.) | 12 | PH | DK |
| | | live | 120 | PH | DE |
| | <i>Phalaenopsis cochlearis</i> | live (art. prop.) | 1 | IN | NL |
| | <i>Phalaenopsis corningiana</i> | live (art. prop.) | 1 | ID | DK |
| | <i>Phalaenopsis cornu-cervi</i> | live (art. prop.) | 2 | PH | DK |
| | | | 19 | TH | DE |
| | | | 63 | TH | NL |
| | | live | 354 | TH | DE |
| | | | 80 | TH | DK |
| | | | 133 | TH | NL |
| | <i>Phalaenopsis equestris</i> | live (art. prop.) | 2 | PH | DK |
| | | | 1 | TH | DK |
| | | | 1 | US | DE |
| | | live | 20 | PH | DE |
| | <i>Phalaenopsis fasciata</i> | live (art. prop.) | 3 | PH | DK |
| | <i>Phalaenopsis fuscata</i> | live (art. prop.) | 1 | ID | DK |
| | <i>Phalaenopsis hieroglyphica</i> | live (art. prop.) | 3 | PH | DK |
| | <i>Phalaenopsis intermedia</i> | live (art. prop.) | 5 | PH | DK |
| | <i>Phalaenopsis leucorrhoda</i> | live (art. prop.) | 100 | PH | DK |
| | <i>Phalaenopsis lindenii</i> | live (art. prop.) | 400 | PH | DE |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Export Origin Import | |
|-------------------------|------------------------------------|-------------------|----------|------------------------------------|----|
| II | <i>Phalaenopsis lindenii</i> | live (art. prop.) | 100 | PH | DK |
| | | live | 83 | PH | DE |
| | <i>Phalaenopsis lobbii</i> | live (art. prop.) | 6 | IN | DK |
| | <i>Phalaenopsis lueddemanniana</i> | live (art. prop.) | 31 | PH | DK |
| | | live | 21 | PH | DE |
| | <i>Phalaenopsis mannii</i> | live (art. prop.) | 8 | IN | DK |
| | | live | 50 | IN | DE |
| | <i>Phalaenopsis mariae</i> | live (art. prop.) | 20 | PH | DE |
| | | live | 30 | PH | DE |
| | <i>Phalaenopsis pallens</i> | live (art. prop.) | 2 | PH | DK |
| | <i>Phalaenopsis parishii</i> | live (art. prop.) | 46 | IN | DE |
| | | live | 8 | IN | DK |
| | | live | 50 | IN | DE |
| | <i>Phalaenopsis sanderiana</i> | live (art. prop.) | 20 | PH | DE |
| | | 15 | PH | DK | |
| | | 1 | PH | GB | |
| | | live | 50 | PH | DE |
| | <i>Phalaenopsis schilleriana</i> | live (art. prop.) | 1920 | PH | DE |
| | | 130 | PH | DK | |
| | | 1 | PH | GB | |
| | | live | 212 | PH | DE |
| | <i>Phalaenopsis stuartiana</i> | live (art. prop.) | 830 | PH | DE |
| | | 115 | PH | DK | |
| | | live | 20 | PH | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|------------------------------------|-------------------|----------|------------------------------------|----|
| II | <i>Phalaenopsis sumatrana</i> | live | 2 | MY | DE |
| | <i>Phalaenopsis violacea</i> | live (art. prop.) | 4 | MY | GB |
| | | | 11 | TH | NL |
| | | live | 3 | MY | DE |
| | <i>Pholidota articulata</i> | live (art. prop.) | 5 | TH | DE |
| | | live | 1 | TH | DE |
| | <i>Pholidota imbricata</i> | live | 15 | PH | DE |
| | | | 3 | TH | DE |
| | <i>Pholidota pallida</i> | live (art. prop.) | 5 | TH | DE |
| | <i>Phragmipedium spp.</i> | live (art. prop.) | 40 | CO | GB |
| | <i>Phragmipedium besseae</i> | live | 400 | PE | DE |
| | <i>Phragmipedium boissierianum</i> | live | 1000 | PE | DE |
| | <i>Phragmipedium caricinum</i> | live | 5 | PE | DE |
| | <i>Phragmipedium caudatum</i> | live | 1160 | PE | DE |
| | <i>Phragmipedium lindenii</i> | live | 80 | PE | DE |
| | <i>Phragmipedium pearcii</i> | live | 100 | PE | DE |
| | <i>Phragmipedium sargentianum</i> | live (art. prop.) | 266 | BR | DE |
| | | | 20 | BR | DK |
| | | | 15 | BR | GB |
| | | | 22 | BR | NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|--------------------------------------|-------------------|-----------------|------------------------------------|----------------|
| II | <i>Phragmipedium wallisii</i> | live | 300 | PE | DE |
| | <i>Phragmipedium warscewiczianum</i> | live | 150 | PE | DE |
| | <i>Phreatia</i> spp. | live (art. prop.) | 15 | AU | DE |
| | <i>Phymatidium delicatulum</i> | live (art. prop.) | 55 5 | BR BR | DE NL |
| | <i>Phymatidium tillandsioides</i> | live (art. prop.) | 62 2 | BR BR | DE NL |
| C1 | <i>Platanthera bifolia</i> | live (art. prop.) | 100 | AT | DE |
| | <i>Platanthera sikkimensis</i> | live (art. prop.) | 1 | IN | DK |
| | <i>Platystele</i> spp. | live | 1 | CR | NL |
| | <i>Platystele compacta</i> | live | 4 | CR | NL |
| | <i>Plectrelminthus caudatus</i> | live | 100 | TG | NL |
| | <i>Pleione</i> spp. | live (art. prop.) | 150 | JP | DE |
| | <i>Pleione albiflora</i> | live | 20 | JP | GB |
| | <i>Pleione formosana</i> | live (art. prop.) | 77500 | TW | GB |
| | <i>Pleione forrestii</i> | live (art. prop.) | 30 50 100 | JP JP TW | DE GB GB |
| | <i>Pleione hookeriana</i> | live (art. prop.) | 100 | IN | DE |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Export Origin Import | |
|-------------------------|-----------------------------------------------|-------------------|----------|------------------------------------|----|
| II | <i>Pleione hookeriana</i> | live (art. prop.) | 500 | IN | GB |
| | <i>Pleione humilis</i> | live (art. prop.) | 100 | IN | DE |
| | | | 500 | IN | GB |
| | <i>Pleione limprichtii</i> | live (art. prop.) | 1050 | SE | NL |
| | <i>Pleione maculata</i> | live (art. prop.) | 100 | IN | DE |
| | | | 3 | TH | NL |
| | | live | 4196 | TH | DE |
| | <i>Pleione praecox</i> | live (art. prop.) | 100 | IN | DE |
| | | | 500 | IN | GB |
| | <i>Pleione scopulorum</i> | live | 100 | JP | GB |
| | <i>Pleione yunnanensis</i> | live (art. prop.) | 100 | JP | DE |
| | | | 700 | TW | GB |
| | | live | 20 | JP | GB |
| | <i>Pleurothallis</i> spp. | live (art. prop.) | 4 | BR | DE |
| | | | 4 | HN | NL |
| | | live | 50 | CR | NL |
| | <i>Pleurothallis aberrans</i> | live | 2 | CR | NL |
| | <i>Pleurothallis</i> <i>alligatorifera</i> | live (art. prop.) | 76 | BR | DE |
| | | | 1 | BR | NL |
| | <i>Pleurothallis caespitosa</i> | live (art. prop.) | 71 | BR | DE |
| | | | 15 | BR | DK |
| | | | 2 | BR | NL |
| | <i>Pleurothallis crenata</i> | live (art. prop.) | 1 | BR | DE |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|-------------------------------------|-------------------|----------|------------------------------------|----|----|
| II | <i>Pleurothallis gelida</i> | live | 1 | DD | CU | NL |
| | <i>Pleurothallis grandiflora</i> | live (art. prop.) | 61 | BR | | DE |
| | <i>Pleurothallis grobyi</i> | live (art. prop.) | 77 | BR | | DE |
| | | | 15 | BR | | DK |
| | | | 1 | BR | | NL |
| | | live | 3 | BZ | | GB |
| | | | 4 | CR | | NL |
| | <i>Pleurothallis immersa</i> | live | 4 | CR | | NL |
| | <i>Pleurothallis linearifolia</i> | live (art. prop.) | 56 | BR | | DE |
| | <i>Pleurothallis platysemos</i> | live (art. prop.) | 31 | BR | | DE |
| | <i>Pleurothallis pterophora</i> | live (art. prop.) | 90 | BR | | DE |
| | | | 20 | BR | | DK |
| | | | 5 | BR | | NL |
| | <i>Pleurothallis recurva</i> | live (art. prop.) | 1 | BR | | DE |
| | <i>Pleurothallis rubens</i> | live (art. prop.) | 1 | BR | | DE |
| | <i>Pleurothallis ruscifolia</i> | live | 4 | CR | | NL |
| | <i>Pleurothallis sclerophylla</i> | live (art. prop.) | 36 | BR | | DE |
| | <i>Pleurothallis sertularioides</i> | live | 1 | DD | CU | NL |
| | <i>Pleurothallis sonderiana</i> | live (art. prop.) | 42 | BR | | DE |
| | | | 45 | BR | | DK |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|----------------------------------|-------------------|----------|------------------------------------|----|
| II | <i>Pleurothallis sonderana</i> | live (art. prop.) | 2 | BR | NL |
| | <i>Pleurothallis teres</i> | live (art. prop.) | 1 | BR | DE |
| | <i>Pleurothallis tribuloides</i> | live | 4 | CR | NL |
| | <i>Podangis dactyloceras</i> | live | 200 | TG | NL |
| | <i>Pogonia japonica</i> | live (art. prop.) | 50 | JP | DE |
| | <i>Polycycnis barbata</i> | live | 2 | CR | NL |
| | <i>Polystachya</i> spp. | live (art. prop.) | 1 | TH | DE |
| | | live | 2 | CR | NL |
| | | | 102 | TG | NL |
| | <i>Polystachya adansoniae</i> | live (art. prop.) | 10 | HN | DE |
| | | live | 1 | KE | NL |
| | <i>Polystachya affinis</i> | live | 13 | TG | NL |
| | <i>Polystachya bicarinata</i> | live | 1 | KE | NL |
| | <i>Polystachya campyloglossa</i> | live | 2 | KE | NL |
| | <i>Polystachya cultriformis</i> | live | 6 | KE | NL |
| | <i>Polystachya fallax</i> | live | 1 | KE | NL |
| | <i>Polystachya foliosa</i> | live | 3 | BZ | GB |
| | | | 3 | CR | NL |
| | <i>Polystachya paniculata</i> | live | 10 | TG | NL |
| | <i>Polystachya shega</i> | live | 1 | KE | NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import |
|-------------------------|---------------------------------|-------------------|-----------------------|------------------------------------|
| II | <i>Polystachya spatella</i> | live | 5 | KE NL |
| | <i>Pomatocalpa</i> spp. | live (art. prop.) | 5 | AU DE |
| | <i>Pomatocalpa latifolium</i> | live | 36 3 | TH DE TH DK |
| | <i>Pomatocalpa setulense</i> | live | 45 3 | TH DE TH DK |
| | <i>Promenaea stapelioides</i> | live (art. prop.) | 137 20 15 15 | BR DE BR DK BR GB BR NL |
| | <i>Promenaea xanthina</i> | live (art. prop.) | 256 20 10 | BR DE BR DK BR NL |
| | <i>Pseudolaelia vellozicola</i> | live (art. prop.) | 11 2 | BR DE BR NL |
| | <i>Pseudostelis</i> spp. | live (art. prop.) | 2 | BR DE |
| | <i>Pterostemma</i> spp. | live | 5 | KE NL |
| | <i>Pterostylis</i> spp. | live (art. prop.) | 169 | AU DE |
| | <i>Rangaeris amaniensis</i> | live | 7 | KE NL |
| | <i>Rangaeris brachyceras</i> | live | 5 | KE NL |
| | <i>Rangaeris rhipsalisocia</i> | live | 210 | TG NL |
| | <i>Renanthera</i> spp. | live (art. prop.) | 24 | TH DE |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Export Origin Import |
|-------------------------|---------------------------------|-------------------|----------|------------------------------------|
| II | <i>Renanthera</i> spp. | live (art. prop.) | 5 | TH NL |
| | <i>Renanthera coccinea</i> | live (art. prop.) | 1 | TH DE |
| | | | 1 | TH DK |
| | | | 3 | TH NL |
| | | live | 104 | TH DE |
| | | | 40 | TH NL |
| | <i>Renanthera elongata</i> | live (art. prop.) | 1 | IN NL |
| | <i>Renanthera isosepala</i> | live (art. prop.) | 8 | TH NL |
| | | live | 12 | TH DE |
| | | | 20 | TH NL |
| | <i>Renanthera matutina</i> | live (art. prop.) | 10 | PH DE |
| | <i>Renanthera monachica</i> | live (art. prop.) | 10 | PH DE |
| | | live | 50 | PH DE |
| | <i>Renanthera storiei</i> | live | 103 | PH DE |
| | <i>Restrepia antennifera</i> | live | 100 | PE DE |
| | <i>Restrepia subserrata</i> | live | 4 | CR NL |
| | <i>Restrepia xanthophthalma</i> | live | 2 | CR NL |
| | <i>Rhyncholaelia digbyana</i> | live (art. prop.) | 10 | BR DE |
| | <i>Rhyncholaelia glauca</i> | live (art. prop.) | 5 | HN NL |
| | | live | 3 | BZ GB |
| | <i>Rhynchostylis</i> spp. | live (art. prop.) | 179 | TH DE |
| | | | 10 | TH GB |
| | | | 11 | TH NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import |
|-------------------------|------------------------------------|-------------------|----------|------------------------------------|
| II | <i>Rhynchosylistis</i> spp. | live | 59 | TH DE |
| | <i>Rhynchosylistis coelestis</i> | live (art. prop.) | 10 | TH DE |
| | | | 3 | TH DK |
| | | | 10 | TH NL |
| | | live | 177 | TH DE |
| | | | 78 | TH NL |
| | <i>Rhynchosylistis gigantea</i> | live (art. prop.) | 69 | TH DE |
| | | | 1 | TH DK |
| | | | 72 | TH NL |
| | | live | 263 | TH DE |
| | | | 50 | TH DK |
| | | | 76 | TH NL |
| | <i>Rhynchosylistis retusa</i> | live (art. prop.) | 3 | IN DK |
| | | | 1 | IN NL |
| | | | 28 | TH DE |
| | | | 6 | TH NL |
| | | live | 20 | IN DE |
| | | | 101 | TH DE |
| | | | 15 | TH DK |
| | | | 55 | TH NL |
| | <i>Robiquetia fuerstenbergiana</i> | live | 101 | TH DE |
| | <i>Robiquetia spathulata</i> | live (art. prop.) | 5 | TH DE |
| | | live | 3 | TH DE |
| | <i>Robiquetia succisa</i> | live (art. prop.) | 8 | TH NL |
| | | live | 10 | TH DE |
| | <i>Rodriguezia</i> spp. | live (art. prop.) | 1 | BR DE |
| | | | 2 | US DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|-------------------------------------|-------------------|----------|------------------------------------|----|
| II | <i>Rodriguezia</i> spp. | live | 10 | PE | DE |
| | <i>Rodriguezia obtusifolia</i> | live (art. prop.) | 15 | BR | DE |
| | | | 1 | BR | NL |
| | <i>Rodriguezia secunda</i> | live (art. prop.) | 20 | BR | DE |
| | | live | 200 | PE | DE |
| | <i>Rodriguezia venusta</i> | live (art. prop.) | 305 | BR | DE |
| | | | 3 | BR | NL |
| | <i>Rodrigueziella gomezoides</i> | live (art. prop.) | 11 | BR | DE |
| | | | 1 | BR | NL |
| | <i>Rodrigueziella verboonensis</i> | live (art. prop.) | 20 | BR | DE |
| | | | 3 | BR | NL |
| | <i>Rossioglossum schlieperianum</i> | live | 4 | CR | NL |
| | <i>Sarcanthus elegans</i> | live (art. prop.) | 22 | TH | DE |
| | | | 1 | TH | NL |
| | <i>Sarcochilus</i> spp. | live (art. prop.) | 30 | AU | DE |
| | <i>Sarcochilus ceciliae</i> | live (art. prop.) | 5 | AU | DE |
| | <i>Sarcochilus fitzgeraldii</i> | live (art. prop.) | 5 | AU | DE |
| | <i>Sarothrochilus dawsonianus</i> | live (art. prop.) | 2 | TH | NL |
| | | live | 2 | TH | DE |
| | <i>Satyrium nepalensis</i> | live (art. prop.) | 2 | IN | DK |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|----------------------------------|-------------------|----------|------------------------------------|----|----|
| II | <i>Scaphyglottis</i> spp. | live | 4 | CR | NL | |
| | <i>Schoenorchis</i> spp. | live | 7 | TH | DK | |
| | <i>Schoenorchis fragrans</i> | live (art. prop.) | 2 | TH | DE | |
| | | | 8 | TH | NL | |
| | | live | 10072 | TH | DE | |
| | | | 9 | TH | DK | |
| | <i>Schoenorchis gemmata</i> | live (art. prop.) | 20 | TH | DE | |
| | | | 7 | TH | NL | |
| | | live | 30 | TH | DE | |
| | <i>Schoenorchis micrantha</i> | live (art. prop.) | 22 | TH | DE | |
| | | | 1 | TH | DK | |
| | | | 7 | TH | NL | |
| | <i>Schoenorchis pachyacris</i> | live (art. prop.) | 1 | TH | DE | |
| | | | 2 | TH | NL | |
| | | live | 2321 | TH | DE | |
| | | | 3 | TH | DK | |
| | | | 10 | TH | NL | |
| | <i>Schomburgkia</i> spp. | live | 6 | PE | DE | |
| | <i>Schomburgkia gloriosa</i> | live (art. prop.) | 5 | BR | DE | |
| | <i>Schomburgkia lyonsii</i> | live | 1 | DD | CU | NL |
| | <i>Schomburgkia tibicinifera</i> | live | 3 | BZ | GB | |
| | <i>Schomburgkia undulata</i> | live | 1 | CR | NL | |
| | <i>Scuticaria hadwenii</i> | live (art. prop.) | 43 | BR | DE | |
| | | | 4 | BR | NL | |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|----------------------------------------|-------------------|----------|------------------------------------|----------|
| II | <i>Scuticaria irwiniana</i> | live (art. prop.) | 16 1 | BR BR | DE NL |
| | <i>Scuticaria kautskyi</i> | live (art. prop.) | 10 1 | BR BR | DE NL |
| | <i>Seidenfadenia mitrata</i> | live (art. prop.) | 35 | TH | DE |
| | | | 66 | TH | NL |
| | | live | 469 | TH | DE |
| | | | 10 | TH | DK |
| | | | 41 | TH | NL |
| | <i>Sigmatostalix guatemalensis</i> | live | 1 | CR | NL |
| | <i>Sigmatostalix macrobulbon</i> | live | 4 | CR | NL |
| | <i>Smitinandia helferi</i> | live (art. prop.) | 20 | TH | DE |
| | | | 3 | TH | NL |
| | | live | 51 | TH | DE |
| | <i>Smitinandia micrantha</i> | live (art. prop.) | 5 | TH | DE |
| | | | 16 | TH | NL |
| | | live | 71 | TH | DE |
| | | | 25 | TH | NL |
| | <i>Sobralia</i> spp. | live (art. prop.) | 60 | HN | DE |
| | | live | 1 | CR | NL |
| | <i>Sophronitella violacea</i> | live (art. prop.) | 336 | BR | DE |
| | | | 5 | BR | DK |
| | | | 2 | BR | NL |
| | <i>Sophronitis</i> spp. | live (art. prop.) | 45 | BR | GB |

| CITES EEC App. Annex | TAXON | DESCRIPTION | QUANTITY | Country of Export Origin Import |
|-------------------------|-------------------------------------|---------------------------|------------------------------|-------------------------------------------|
| II | <i>Sophronitis brevipedunculata</i> | live (art. prop.) | 759 15 100 5 | BR DE BR DK BR GB BR NL |
| | <i>Sophronitis cernua</i> | live (art. prop.) | 667 25 50 19 | BR DE BR DK BR GB BR NL |
| | <i>Sophronitis coccinea</i> | live (art. prop.) | 1897 30 150 63 1 | BR DE BR DK BR GB BR NL US DK |
| | <i>Sophronitis mantiqueirae</i> | live (art. prop.) | 363 15 | BR DE BR NL |
| | <i>Sophronitis rosea</i> | live (art. prop.) | 362 1 | BR DE BR NL |
| | <i>Sophronitis wittigiana</i> | live (art. prop.) | 1 | BR DE |
| | <i>Spathoglottis spp.</i> | live | 12 93 | TH DE TH NL |
| | <i>Spathoglottis affinis</i> | live | 5 | TH NL |
| | <i>Spathoglottis lobbii</i> | live (art. prop.) live | 3 47 10 | TH NL TH DE TH NL |
| | <i>Spathoglottis plicata</i> | live (art. prop.) | 10 | PH GB |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|--------------------------------|-------------------|----------|------------------------------------|----|
| II | <i>Spathoglottis plicata</i> | live (art. prop.) | 8 | TH | NL |
| | | live | 30 | TH | DE |
| | | | 25 | TH | NL |
| | <i>Spathoglottis pubescens</i> | live (art. prop.) | 3 | TH | NL |
| | | live | 18 | TH | DE |
| | <i>Spiranthes sinensis</i> | live (art. prop.) | 50 | JP | DE |
| | <i>Stanhopea spp.</i> | live (art. prop.) | 5 | HN | NL |
| | | live | 4 | PE | DE |
| | <i>Stanhopea oculata</i> | live (art. prop.) | 11 | BR | DE |
| | | | 6 | BR | NL |
| | <i>Staurochilus spp.</i> | live (art. prop.) | 1 | IN | DK |
| | <i>Stelis spp.</i> | live (art. prop.) | 2 | BR | DE |
| | | live | 10 | CR | NL |
| | <i>Stelis argentata</i> | live (art. prop.) | 2 | BR | DE |
| | <i>Stelis filiformis</i> | live (art. prop.) | 10 | BR | DK |
| | <i>Stelis guttifera</i> | live (art. prop.) | 1 | BR | DE |
| | <i>Stenocoryne aureo-fulva</i> | live (art. prop.) | 110 | BR | DE |
| | <i>Stenocoryne racemosa</i> | live (art. prop.) | 20 | BR | DE |
| | <i>Stenocoryne villosula</i> | live (art. prop.) | 2 | BR | DE |
| | <i>Stenocoryne vitellina</i> | live (art. prop.) | 58 | BR | DE |
| | | | 1 | BR | NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|------------------------------------|-------------------|----------|------------------------------------|----|
| II | <i>Stenoglossum</i> spp. | live (art. prop.) | 13 | HN | NL |
| | <i>Stenorhynchos speciosus</i> | live | 30 | PE | DE |
| III | <i>Systeloglossum costaricense</i> | live | 2 | CR | NL |
| | <i>Taeniophyllum</i> spp. | live | 31 | TH | DE |
| | | | 2 | TH | NL |
| | <i>Taeniophyllum culiciferum</i> | live (art. prop.) | 2 | TH | NL |
| | <i>Taeniophyllum glandulosum</i> | live (art. prop.) | 3 | AU | DE |
| | <i>Taeniophyllum obtusum</i> | live (art. prop.) | 4 | TH | NL |
| | <i>Telipogon</i> spp. | live | 8 | CR | NL |
| | <i>Telipogon bellavistae</i> | live | 2 | CR | NL |
| | <i>Telipogon bruchmuelleri</i> | live | 2 | CR | NL |
| | <i>Telipogon hauschildianus</i> | live | 10 | PE | DE |
| | <i>Tetragamestus</i> spp. | live (art. prop.) | 2 | BR | DE |
| | <i>Thecostele alata</i> | live (art. prop.) | 1 | TH | DE |
| | | live | 1 | TH | NL |
| | | | 55 | TH | DE |
| | <i>Thelymitra</i> spp. | live (art. prop.) | 35 | AU | DE |
| | <i>Thrixspermum</i> spp. | live | 1 | TH | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|-------------------------------------|-------------------|----------|------------------------------------|----|
| II | <i>Thrixspermum acuminatissimum</i> | live (art. prop.) | 24 | TH | DE |
| | | | 9 | TH | NL |
| | | live | 24 | TH | DE |
| | <i>Thrixspermum arachnites</i> | live (art. prop.) | 25 | TH | DE |
| | | | 7 | TH | NL |
| | | live | 84 | TH | DE |
| | | | 10 | TH | NL |
| | <i>Thrixspermum calceolus</i> | live (art. prop.) | 3 | TH | NL |
| | | live | 3 | TH | DE |
| | <i>Thrixspermum rubrocallysum</i> | live (art. prop.) | 24 | TH | DE |
| | <i>Thunia</i> spp. | live | 23 | TH | DE |
| | <i>Thunia bracteata</i> | live (art. prop.) | 2 | TH | DE |
| | | | 2 | TH | NL |
| | | live | 4 | TH | DE |
| | | | 1 | TH | NL |
| | <i>Thunia marshalliana</i> | live (art. prop.) | 5 | IN | DK |
| | | | 1 | IN | NL |
| | | live | 20 | TH | DE |
| | <i>Tipularia josephii</i> | live (art. prop.) | 1 | IN | DK |
| | <i>Trias</i> spp. | live | 1 | TH | DK |
| | <i>Trias disciflora</i> | live | 10 | TH | NL |
| | <i>Trias intermedia</i> | live (art. prop.) | 1 | TH | DE |
| | | | 2 | TH | NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import |
|-------------------------|-------------------------------------|-------------------|----------|------------------------------------|
| II | <i>Trias intermedia</i> | live | 39 | TH DE |
| | <i>Trias nasuta</i> | live (art. prop.) | 4 | TH NL |
| | <i>Trias vitrina</i> | live | 6 | TH DE |
| | <i>Trichocentrum</i> spp. | live (art. prop.) | 1 | BR DE |
| | | live | 4 | PE DE |
| | <i>Trichocentrum fuscum</i> | live (art. prop.) | 26 | BR DE |
| | | | 5 | BR NL |
| | <i>Trichocentrum tenuiflorum</i> | live (art. prop.) | 1 | BR DE |
| | <i>Trichocentrum tigrinum</i> | live | 350 | PE DE |
| | <i>Trichoglottis cirrhifera</i> | live (art. prop.) | 20 | TH DE |
| | | | 2 | TH NL |
| | | live | 171 | TH DE |
| | <i>Trichoglottis fasciata</i> | live (art. prop.) | 26 | PH DK |
| | | | 8 | TH NL |
| | | live | 34 | TH DE |
| | | | 30 | TH NL |
| | <i>Trichoglottis luzonensis</i> | live (art. prop.) | 1 | PH DK |
| | <i>Trichoglottis philippinensis</i> | live (art. prop.) | 10 | PH DE |
| | | | 1 | PH DK |
| | <i>Trichoglottis retusa</i> | live (art. prop.) | 2 | TH NL |
| | <i>Trichoglottis sagarikii</i> | live (art. prop.) | 20 | TH DE |
| | | | 2 | TH NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import |
|-------------------------|---------------------------------|-------------------|----------|------------------------------------|
| II | <i>Trichoglottis sagarikii</i> | live | 4 | TH DE |
| | | | 1 | TH NL |
| | <i>Trichopilia</i> spp. | live (art. prop.) | 35 | CO GB |
| | | | 4 | HN NL |
| | <i>Trichotosia velutina</i> | live (art. prop.) | 2 | TH NL |
| | | live | 1 | TH DE |
| | <i>Tridactyle bicaudata</i> | live | 1 | KE NL |
| | <i>Tridactyle furcistipes</i> | live | 1 | KE NL |
| | <i>Tridactyle gentilii</i> | live | 60 | TG NL |
| | <i>Tridactyle scottellii</i> | live | 5 | KE NL |
| | <i>Trigonidium egertonianum</i> | live | 1 | CR NL |
| | <i>Trigonidium latifolium</i> | live (art. prop.) | 1 | BR DE |
| | <i>Trigonidium obtusum</i> | live (art. prop.) | 2 | BR NL |
| | <i>Trizeuxis falcata</i> | live | 4 | CR NL |
| | <i>Vanda</i> spp. | live (art. prop.) | 1 | ID DE |
| | | | 2 | MY DE |
| | | | 3588 | TH DE |
| | | | 62 | TH DK |
| | | | 45 | TH GB |
| | | | 13161 | TH NL |
| | | | 3 | US DE |
| | | live | 30 | IN DE |
| | | | 10 | PH DE |
| | | | 9 | TH DE |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Export Origin | Import |
|-------------------------|---------------------------|-------------------|----------|-----------------------------|--------|
| II | <i>Vanda</i> spp. | live | 39 | TH | NL |
| | <i>Vanda alpina</i> | live (art. prop.) | 15 | IN | DE |
| | | | 3 | IN | DK |
| | <i>Vanda amesiana</i> | live (art. prop.) | 6 | IN | DE |
| | | | 1 | IN | DK |
| | <i>Vanda bensonii</i> | live (art. prop.) | 1 | TH | DE |
| | | | 3 | TH | DK |
| | | | 10 | TH | NL |
| | | live | 22 | TH | DE |
| | | | 21 | TH | NL |
| | <i>Vanda brunnea</i> | live (art. prop.) | 1 | TH | DE |
| | | | 7 | TH | NL |
| | | live | 6 | TH | DE |
| | | | 21 | TH | NL |
| | <i>Vanda coerulescens</i> | live (art. prop.) | 46 | IN | DE |
| | | | 1 | TH | DE |
| | | | 92 | TH | NL |
| | | live | 162 | TH | DE |
| | | | 26 | TH | NL |
| | <i>Vanda cristata</i> | live (art. prop.) | 45 | IN | DE |
| | | | 2 | IN | DK |
| | | | 30 | IN | NL |
| | | live | 70 | IN | DE |
| | <i>Vanda denisoniana</i> | live (art. prop.) | 75 | TH | NL |
| | | live | 65 | TH | DE |
| | | | 67 | TH | NL |
| | <i>Vanda lilacina</i> | live (art. prop.) | 2 | TH | DE |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Export Origin Import | |
|-------------------------|---------------------------|-------------------|----------|------------------------------------|----|
| II | <i>Vanda lilacina</i> | live (art. prop.) | 9 | TH | NL |
| | | live | 62 | TH | DE |
| | | | 26 | TH | NL |
| | <i>Vanda luzonica</i> | live | 3 | TH | DE |
| | <i>Vanda parviflora</i> | live (art. prop.) | 12 | IN | DE |
| | | | 7 | TH | NL |
| | | live | 7 | TH | DE |
| | <i>Vanda pumila</i> | live (art. prop.) | 12 | IN | DE |
| | | | 1 | IN | DK |
| | | | 6 | TH | NL |
| | | live | 47 | TH | DE |
| | | | 6 | TH | DK |
| | <i>Vanda stangeana</i> | live (art. prop.) | 12 | IN | DE |
| | | | 1 | IN | DK |
| | | | 11 | IN | NL |
| | <i>Vanda tessellata</i> | live (art. prop.) | 12 | IN | DE |
| | | | 1 | IN | DK |
| | | live | 1 | TH | DE |
| | <i>Vanda watsonii</i> | live (art. prop.) | 1 | TH | DE |
| | | | 10 | TH | NL |
| | | live | 3 | TH | DE |
| | | | 1 | TH | NL |
| | <i>Vandopsis spp.</i> | live (art. prop.) | 25 | TH | DE |
| | <i>Vandopsis gigantea</i> | live (art. prop.) | 7 | TH | DE |
| | | | 2 | TH | NL |
| | | live | 3 | TH | DE |
| | | | 5 | TH | NL |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Export Origin Import | |
|-------------------------|----------------------------------|-------------------|-----------|------------------------------------|----|
| II | <i>Vandopsis lissochilooides</i> | live (art. prop.) | 21 | TH | DE |
| | | | 63 | TH | NL |
| | | live | 5 | TH | DE |
| | <i>Vandopsis parishii</i> | live (art. prop.) | 9 | TH | DE |
| | | | 12 | TH | NL |
| | | live | 127 | TH | DE |
| | | | 21 | TH | NL |
| | <i>Vandopsis undulata</i> | live (art. prop.) | 1 | IN | DK |
| | <i>Vanilla</i> spp. | live (art. prop.) | 6 | HN | NL |
| | <i>Vanilla aphylla</i> | live (art. prop.) | 1 | TH | DK |
| | | | 3 | TH | NL |
| | | live | 51 | TH | DE |
| | <i>Warrea warreana</i> | live (art. prop.) | 74 | BR | DE |
| | <i>Xylobium variegatum</i> | live (art. prop.) | 5 | BR | DE |
| | <i>Zeuxine pulchra</i> | live (art. prop.) | 1 | IN | DK |
| | <i>Zeuxine pumila</i> | live (art. prop.) | 1 | IN | DK |
| | <i>Zygopetalum</i> spp. | live (art. prop.) | 25 | AU | NL |
| | | | 2 | BR | DE |
| | | | 92 flasks | AU | NL |
| | | live | 4 | PE | DE |
| | <i>Zygopetalum crinitum</i> | live (art. prop.) | 24 | BR | DE |
| | | | 50 | BR | DK |
| | | | 50 | BR | GB |
| | | | 7 | BR | NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|-----------------------------------|-------------------|----------|------------------------------------|----|
| II | <i>Zygopetalum intermedium</i> | live (art. prop.) | 4 | BR | DE |
| | <i>Zygopetalum maxillare</i> | live (art. prop.) | 6 | BR | DE |
| | <i>Zygopetalum pustulatum</i> | live (art. prop.) | 2 | BR | DE |
| | | | 5 | BR | NL |
| | <i>Zygostates lunata</i> | live (art. prop.) | 1 | BR | DE |
| | <i>Chrysalidocarpus lutescens</i> | live (art. prop.) | 7 | CA | DE |
| | | | 1390 | US | DE |
| | | | 3060 | US | DK |
| | | | 86 | US | FR |
| | <i>Anacampseros</i> spp. | live (art. prop.) | 2 | US | IT |
| | | | 25 | ZA | DE |
| | | | 62 | ZA | IT |
| | <i>Anacampseros lubbersii</i> | live (art. prop.) | 2 | US | NL |
| C2 | <i>Cyclamen</i> spp. | live | 149775 | TR | NL |
| C2 | <i>Cyclamen cilicium</i> | live | 57000 | TR | NL |
| C2 | <i>Cyclamen coum</i> | live | 72000 | TR | NL |
| C1 | <i>Cyclamen graecum</i> | live (art. prop.) | 100 | NZ | DE |
| C2 | <i>Cyclamen hederifolium</i> | live (art. prop.) | 20000 | TR | FR |
| | | live | 856000 | TR | NL |
| | <i>Cyclamen persicum</i> | live (art. prop.) | 99820 | DD | DK |
| | | | 3000 | IL | DK |

| CITES EEC App. Annex | | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|----|------------------------------|---------------------|----------|------------------------------------|----|
| II | C2 | <i>Cyclamen purpurascens</i> | live | 40000 | TR | NL |
| | | <i>Sarracenia flava</i> | live | 10000 | US | NL |
| | | <i>Sarracenia minor</i> | live | 10000 | US | NL |
| | | <i>Sarracenia purpurea</i> | live | 10000 | US | NL |
| | | <i>Zamia</i> spp. | live (art. prop.) | 9540 | AU | DE |
| | | | | 3000 | TW | DE |
| | | | | 10 | US | DE |
| | | | | 26 | US | DK |
| | | <i>Zamia pumila</i> | live (art. prop.) | 25 | US | DK |
| III | | <i>Tamandua tetradactyla</i> | live | 2 | VE | DE |
| | | <i>Hystrix cristata</i> | live | 15 | TG | NL |
| | | <i>Nasua nasua</i> | live (captive bred) | 1 | GB | GB |
| | | | live | 6 | HN | BE |
| | | <i>Mellivora capensis</i> | bodies | 1 | OM | GB |
| | | <i>Civettictis civetta</i> | live | 2 | TG | NL |
| | | <i>Odobenus rosmarus</i> | bones | 3 | GL | DK |
| | | | | 400 | SU | DE |
| | | | carvings | 124 | GL | DK |
| | | | | 1 | US | XX |
| | | | | 5 sets | GL | GB |
| | | | skulls | 3 | GL | DK |
| | | | trophies | 33 | GL | DK |
| | | | | 2 pairs | GL | DK |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import |
|-------------------------|------------------------|---------------------|----------|------------------------------------|
| III | Odobenus rosmarus | tusks | 6 | CA NL |
| | | | 23 | GL DK |
| | | | 1 | US GB |
| | | 300 g | 300 g | GL DK |
| | | 2 kg | 2 kg | GL DK |
| | | 4 pairs | 4 pairs | GL DK |
| | Tayassu tajacu | skins | 1 | CA GB |
| | | trophies | 1 | US GB |
| C2 | Hippopotamus amphibius | carvings | 5 | BI NL |
| | | feet | 2 | RW BE |
| | | | 1 | ZM DE |
| | | live (captive bred) | 1 | CH NL |
| | | skins | 1 | ZM DE |
| | | skin/leather items | 1 | ZW GB |
| | | skin pieces | 1 | ZR ZM DE |
| | | | 10 | ZW DE |
| | | skulls | 1 | BF NL |
| | | teeth | 4 | MW DE |
| | | | 2 | MW GB |
| | | | 25 | TZ DE |
| | | | 40 | ZM DE |
| | | | 8 | ZR ZM DE |
| | | | 1 | ZW GB |
| | | 20 kg | 20 kg | TZ GB |
| | | trophies | 72 | ZW DE |
| | | tusks | 1 | TZ GB |
| | | | 10 kg | ZW DE |
| | Boocercus eurycerus | skulls | 1 | CF DE |
| | | trophies | 2 | CF DE |
| | Bubalus bubalis | belts | ? | TH ES |
| | | carvings | 36 | HK XX DK |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|---------------------------|---------------------|----------|------------------------------------|----|----|
| III | <i>Bubalus bubalis</i> | garments | 1 | ES | XX | GB |
| | | horn carvings | 122 | IN | | GB |
| | | | 1 | PH | | GB |
| | | horns | 2500 | IN | | GB |
| | | | 1 | PG | | GB |
| | | skins | 1202 | TH | DE | |
| | | | 18681 | TH | | NL |
| | <i>Damaliscus lunatus</i> | horns | 1 | BW | | DE |
| | | | 6 pairs | NA | | DE |
| | | skins | 1 | BW | | DE |
| | | | 2 | NA | | DE |
| | | | 2 | RW | | DE |
| | | | 1 | ZM | | DE |
| | | | 5 | ZW | | DE |
| | | skulls | 2 | BW | | DE |
| | | | 4 | NA | | DE |
| | | | 1 | RW | | DE |
| | | | 1 | ZA | | DE |
| | | | 1 | ZM | | DE |
| | | | 6 | ZW | | DE |
| | | | 1 | ZW | | DK |
| | | trophies | 1 | ZW | | DK |
| | | | 2 | ZW | | GB |
| | <i>Gazella leptoceros</i> | live (captive bred) | 5 | US | | BE |
| | <i>Tragelaphus spekei</i> | horns | 1 | CG | | BE |
| | | skins | 1 | ZM | | DE |
| | | skulls | 1 | ZM | | DE |
| | | | 1 | ZM | | GB |
| | | trophies | 1 | ZR | | BE |
| | <i>Rhea americana</i> | skins | 24 | AT | AR | DE |
| | | watchstraps | 5068 | AT | AR | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|------------------------------------------|---------------------|----------|------------------------------------|----|----|
| III | <i>Ardea goliath</i> | live | 1 | | TZ | GB |
| | <i>Ephippiorhynchus senegalensis</i> | live | 6 | | TZ | GB |
| | | | 4 | | TZ | PT |
| | | | 2 | | UG | NL |
| | <i>Leptoptilos crumeniferus</i> | live | 20 | | KE | NL |
| | | | 30 | | TZ | GB |
| | | | 58 | | TZ | NL |
| | | | 18 | | UG | NL |
| | <i>Hagedashia hagedash</i> | live | 86 | | TZ | NL |
| | | | 18 | | UG | NL |
| | <i>Threskiornis aethiopicus</i> | live | 10 | | TZ | GB |
| | | | 230 | | TZ | NL |
| C1 | <i>Alopochen aegyptiacus</i> | skins | 1 | US | ZA | GB |
| | <i>Anas crecca</i> | feathers | 20 kg | | CN | GB |
| C1 | <i>Aythya nyroca</i> | bodies | 1 | MT | XX | GB |
| | <i>Nettapus auritus</i> | live | 150 | | ML | NL |
| | | | 10 | | ML | PT |
| | | | 6 | | ZW | NL |
| | <i>Sarcoramphus papa</i> | live | 11 | SR | | NL |
| C2 | <i>Crax rubra</i> | live (captive bred) | 10 | US | | BE |
| | <i>Tragopan satyra</i> | live (captive bred) | 4 | CA | | BE |
| | <i>Columba guinea</i> | live | 18 | SN | | PT |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|----------------------------------|---------------------|----------|------------------------------------|-------|
| III | <i>Nesoenas mayeri</i> | live (captive bred) | 1 | GB | GB |
| | <i>Oena capensis</i> | live | 100 | ML | NL |
| | | | 540 | SN | BE |
| | | | 973 | SN | GB |
| | | | 460 | SN | NL |
| | | | 1870 | SN | PT |
| | | | 50 | SN | GN PT |
| | | | 70 | TZ | GB |
| | <i>Streptopelia senegalensis</i> | live | 20 | LR | BE |
| | | | 470 | SN | GB |
| | <i>Treron calva</i> | live | 16 | TZ | GB |
| | <i>Treron waalia</i> | live | 10 | ML | NL |
| | <i>Turtur afer</i> | live | 100 | SN | GB |
| | | | 140 | SN | NL |
| | <i>Turtur tympanistria</i> | live | 50 | GH | BE |
| | | | 48 | LR | NL |
| | | | 10 | TZ | NL |
| | <i>Psittacula krameri</i> | live (captive bred) | 10 | US | BE |
| | | live | 720 | IN | BE |
| | | | 751 | IN | GB |
| | | | 510 | IN | NL |
| | | | 210 | IN | PT |
| | | | 4 | LK | NL |
| | | | 340 | ML | PT |
| | | | 40 | SN | ES |
| | | | 68 | SN | FR |
| | | | 2135 | SN | GB |
| | | | 1471 | SN | PT |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import |
|-------------------------|----------------------------|-----------------------------|-----------------------------------------------------------------|-------------------------------------------------------------------------------|
| III | <i>Crinifer piscator</i> | live | 6 5 10 | BW BE GN NL LR BE |
| | <i>Musophaga violacea</i> | live (captive bred) live | 1 1 11 89 30 4 8 | CH GB GH BE GN BE GN NL LR BE ML NL SN ES |
| | <i>Fringillidae</i> spp. | live | 400 | SN NL |
| | <i>Serinus gularis</i> | live | 40 100 | BW BE TZ NL |
| | <i>Serinus leucopygius</i> | live | 200 700 120 2607 9170 600 9280 2360 120 | GN NL ML BE ML DK ML NL SN BE SN GB SN NL SN PT TZ NL |
| | <i>Serinus mozambicus</i> | live | 50 1308 770 40 20 140 4400 400 | GH BE GN BE GN NL LR BE LR DK LR GB ML BE ML DK |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import |
|-------------------------|---------------------------|-------------|----------|------------------------------------|
| III | <i>Serinus mozambicus</i> | live | 15928 | ML NL |
| | | | 2350 | ML PT |
| | | | 12570 | SN BE |
| | | | 200 | SN ES |
| | | | 6210 | SN GB |
| | | | 25300 | SN NL |
| | | | 5145 | SN PT |
| | | | 300 | TG NL |
| | | | 280 | TZ BE |
| | | | 175 | TZ DK |
| | | | 120 | TZ GB |
| | | | 828 | TZ NL |
| | Estrildidae spp. | live | 150 | TZ NL |
| | <i>Amadina fasciata</i> | live | 900 | ML BE |
| | | | 440 | ML DK |
| | | | 2920 | ML NL |
| | | | 75 | ML GH NL |
| | | | 7300 | SN BE |
| | | | 400 | SN ES |
| | | | 700 | SN GB |
| | | | 3050 | SN NL |
| | | | 3850 | SN PT |
| | | | 200 | TZ BE |
| | | | 60 | TZ DK |
| | | | 2000 | TZ NL |
| | <i>Amandava subflava</i> | live | 2970 | GN BE |
| | | | 2025 | GN NL |
| | | | 1300 | LR BE |
| | | | 1450 | LR NL |
| | | | 400 | ML BE |
| | | | 570 | ML DK |
| | | | 2934 | ML NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import |
|-------------------------|------------------------------|-------------|-------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|
| III | <i>Amandava subflava</i> | live | 3450 450 750 100 500 | SN BE SN NL SN PT TZ BE TZ NL |
| | <i>Estrilda astrild</i> | live | 890 1075 724 1100 500 300 3990 470 1000 200 30 2825 3 | GN BE GN NL LR BE LR NL ML BE ML NL SN BE SN NL SN PT TZ BE TZ DK TZ NL ZR BE |
| | <i>Estrilda caerulescens</i> | live | 196 215 368 20 170 2200 2940 200 1150 200 50 | GN BE GN NL LR BE LR DK ML DK ML NL SN BE SN GB SN NL SN PT TZ NL |
| | <i>Estrilda melpoda</i> | live | 2050 1200 2354 | GN BE GN NL LR BE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|-------------------------------|-------------|----------------------------------------------------------|----------------------------------------------|----------------------------------------------|
| •III | <i>Estrilda melpoda</i> | live | 1170 1250 50 3360 4290 1650 1690 3 | LR ML ML ML SN SN SN ZR | NL BE DK NL BE NL PT BE |
| • | <i>Estrilda troglodytes</i> | live | 570 200 950 351 4850 1590 2250 3615 | LR LR ML ML ML SN SN SN | BE NL BE DK NL BE NL PT |
| • | <i>Lagonosticta larvata</i> | live | 26 40 | GN LR | BE DK |
| • | <i>Lagonosticta rara</i> | live | 90 150 100 20 | GN LR SN TZ | NL NL BE BE |
| • | <i>Lagonosticta rubricata</i> | live | 200 75 3540 | TZ TZ TZ | BE DK NL |
| • | <i>Lagonosticta rufopicta</i> | live | 460 | GN | BE |
| • | <i>Lagonosticta senegala</i> | live | 30 200 600 | GN LR ML | NL NL DK |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import |
|-------------------------|-------------------------------|-------------|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|
| III | <i>Lagonosticta senegala</i> | live | 3271 1450 505 720 370 200 855 | ML NL SN BE SN NL TZ BE TZ DK TZ GB TZ NL |
| | <i>Lonchura bicolor</i> | live | 50 200 534 40 200 450 200 275 12 | GN BE GN NL LR BE LR DK LR NL ML BE SN BE TZ NL ZR BE |
| | <i>Lonchura cucullata</i> | live | 850 400 154 200 70 1575 1390 700 1000 200 100 20 | GN BE GN NL LR BE ML BE ML DK ML NL SN BE SN NL SN PT TZ BE TZ NL ZR BE |
| | <i>Lonchura fringilloides</i> | live | 200 262 226 | GN NL LR BE ZR BE |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Export Origin Import | |
|-------------------------|-------------------------------|-------------|-----------------------------------------------------------------|----------------------------------------------------------|----------------------------------------------------------|
| III | <i>Lonchura malabarica</i> | live | 100 200 1100 3050 950 980 100 55 325 | ML ML ML SN SN SN TZ TZ TZ | BE DK NL BE NL PT BE DK NL |
| | <i>Mandingoa nitidula</i> | live | 75 350 644 40 200 200 150 100 280 20 | GN GN LR LR LR SN TZ TZ TZ TZ | BE NL BE DK NL PT BE DK GB NL |
| | <i>Nesocharis capistrata</i> | live | 70 | TZ | BE |
| | <i>Nigrita bicolor</i> | live | 2 | GN | BE |
| | <i>Nigrita canicapilla</i> | live | 25 | GN | BE |
| | <i>Ortygospiza atricollis</i> | live | 40 330 350 10 | GN GN LR ML | BE NL BE DK |
| | <i>Pyrenestes ostrinus</i> | live | 180 20 | LR LR | BE DK |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|------------------------------|-------------|----------|------------------------------------|----|
| III | <i>Pytilia</i> spp. | live | 50 | SN | NL |
| | <i>Pytilia hypogrammica</i> | live | 554 | GN | BE |
| | | | 400 | GN | NL |
| | | | 20 | LR | BE |
| | | | 60 | LR | DK |
| | | | 750 | LR | NL |
| | | | 110 | SN | BE |
| | <i>Pytilia phoenicoptera</i> | live | 135 | GN | BE |
| | | | 840 | GN | NL |
| | | | 220 | LR | BE |
| | | | 200 | LR | NL |
| | | | 200 | ML | BE |
| | | | 200 | ML | NL |
| | | | 200 | SN | GB |
| | | | 1570 | SN | NL |
| | | | 100 | TZ | BE |
| | <i>Spermophaga haematina</i> | live | 110 | LR | NL |
| | <i>Uraeginthus bengalus</i> | live | 200 | BW | BE |
| | | | 95 | GN | BE |
| | | | 490 | GN | NL |
| | | | 265 | LR | BE |
| | | | 700 | ML | BE |
| | | | 90 | ML | DK |
| | | | 1310 | ML | NL |
| | | | 2990 | SN | BE |
| | | | 1675 | SN | NL |
| | | | 1270 | SN | PT |
| | | | 2750 | TZ | BE |
| | | | 565 | TZ | DK |
| | | | 2360 | TZ | NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | |
|-------------------------|----------------------|-------------|----------|------------------------------------|----|
| III | Ploceidae spp. | live | 1000 | TZ | NL |
| | Euplectes afer | live | 8 | GN | BE |
| | | | 150 | LR | BE |
| | | | 200 | ML | NL |
| | | | 950 | SN | BE |
| | | | 600 | SN | GB |
| | | | 1140 | SN | NL |
| | | | 315 | SN | PT |
| | | | 50 | TZ | BE |
| | | | 7 | ZR | BE |
| | Euplectes ardens | live | 56 | GN | BE |
| | | | 30 | GN | NL |
| | | | 1150 | SN | BE |
| | Euplectes hordeaceus | live | 50 | LR | BE |
| | | | 100 | LR | NL |
| | | | 2 | SN | NL |
| | Euplectes macrourus | live | 148 | GN | BE |
| | | | 50 | GN | NL |
| | | | 30 | LR | NL |
| | | | 17 | ZR | BE |
| | Euplectes orix | live | 972 | GN | BE |
| | | | 260 | GN | NL |
| | | | 225 | LR | BE |
| | | | 300 | ML | BE |
| | | | 2675 | ML | NL |
| | | | 2900 | SN | BE |
| | | | 1000 | SN | GB |
| | | | 3450 | SN | NL |
| | | | 1265 | SN | PT |
| | | | 200 | TZ | GB |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import |
|-------------------------|-------------------------------|-------------|----------|------------------------------------|
| III | <i>Euplectes orix</i> | live | 150 | TZ NL |
| | <i>Malimbus rubriceps</i> | live | 200 | SN BE |
| | <i>Ploceus aurantius</i> | live | 600 | SN BE |
| | <i>Ploceus cucullatus</i> | live | 50 | SN BE |
| | | | 400 | SN GB |
| | | | 80 | SN NL |
| | | | 220 | SN PT |
| | <i>Ploceus luteolus</i> | live | 240 | ML NL |
| | | | 450 | SN BE |
| | <i>Ploceus melanocephalus</i> | live | 100 | ML BE |
| | | | 100 | ML DK |
| | | | 375 | ML NL |
| | | | 200 | SN BE |
| | | | 150 | SN NL |
| | <i>Ploceus nigricollis</i> | live | 200 | SN BE |
| | <i>Ploceus preussi</i> | live | 200 | SN BE |
| | <i>Ploceus superciliosus</i> | live | 82 | GN BE |
| | | | 150 | ML NL |
| | <i>Ploceus tricolor</i> | live | 42 | LR BE |
| | | | 100 | SN BE |
| | <i>Quelea erythrops</i> | live | 170 | GN BE |
| | <i>Sporopipes frontalis</i> | live | 300 | SN BE |
| | <i>Vidua spp.</i> | live | 200 | TZ NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import |
|-------------------------|-------------------------|-------------|----------|------------------------------------|
| III | <i>Vidua chalybeata</i> | live | 108 | GN BE |
| | | | 50 | GN NL |
| | | | 112 | LR BE |
| | | | 44 | LR NL |
| | | | 300 | ML BE |
| | | | 150 | ML DK |
| | | | 1612 | ML NL |
| | | | 500 | SN BE |
| | | | 480 | SN GB |
| | | | 500 | SN NL |
| | | | 935 | SN PT |
| | <i>Vidua macroura</i> | live | 86 | GN BE |
| | | | 190 | GN NL |
| | | | 8 | LR BE |
| | | | 1200 | ML BE |
| | | | 90 | ML DK |
| | | | 1696 | ML NL |
| | | | 1435 | SN BE |
| | | | 250 | SN GB |
| | | | 470 | SN NL |
| | | | 225 | SN PT |
| | | | 10 | TZ DK |
| | | | 1 | ZR BE |
| | <i>Vidua paradisaea</i> | live | 14 | GN BE |
| | | | 200 | GN NL |
| | | | 200 | ML NL |
| | | | 895 | SN BE |
| | | | 100 | SN GB |
| | | | 70 | SN NL |
| | | | 180 | SN PT |
| | | | 10 | TZ DK |
| | | | 100 | TZ NL |

| CITES EEC App. Annex | | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|----|------------------------------|--------------------|----------|------------------------------------|----|-------|
| III | C1 | <i>Loboparadisea sericea</i> | live | 200 | | SN | PT |
| | | <i>Trionyx spp.</i> | live | 63 | | US | XX NL |
| | | <i>Pelusios castaneus</i> | live | 50 | | GH | DK |
| | | | | 2 | | RW | DE |
| | | | scales | 1 | | RW | DE |
| | | <i>Cerberus rhynchops</i> | belts | 323 | | TH | DK |
| | | | handbags | 29 | | ID | DE |
| | | | | 8 | | ID | NL |
| | | | | 15 | | TH | ES |
| | | | pairs of shoes | 24 | | ID | DE |
| | | | skins | 6000 | | ID | ES |
| | | | | 1200 | | ID | NL |
| | | | | 32000 | | SG | ID ES |
| | | | | 5000 | | SG | ID GB |
| | | | | 59000 | | TH | ES |
| | | | skin/leather items | 20 | | TH | BE |
| | | | | ? | | TH | ES |
| | | | | 4101 | | TH | GB |
| | | <i>Ptyas mucosus</i> | belts | 2 | | AT | CN NL |
| | | | | 9 | | AT | ID GB |
| | | | | 1 | | CH | BD BE |
| | | | | 1 | | ID | NL |
| | | | | 273 | | IN | DE |
| | | | | 320 | | IN | FR |
| | | | garments | 3 | | DE | GB |
| | | | | 13 | | IL | ID GB |
| | | | | 8 | | IL | XX DE |
| | | | | 655 | | IN | DE |
| | | | | 165 | | IN | IL FR |
| | | | | 7 | | MY | DE |
| | | | | 23 | | MY | TH DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|----------------------|--------------------|----------|------------------------------------|----|----|
| III | <i>Ptyas mucosus</i> | garments | 132 | TR | XX | DE |
| | | handbags | 200 | CH | IN | DE |
| | | | 76 | CN | GB | |
| | | | 690 | HK | CN | GB |
| | | | 917 | IN | | DE |
| | | | 3 | SG | | GB |
| | | pairs of shoes | 767 | CN | | GB |
| | | | 1 | HK | | GB |
| | | | 10133 | HK | CN | GB |
| | | | 2 | ID | | NL |
| | | skins | 42750 | AE | CN | GB |
| | | | 1 | AT | ID | GB |
| | | | 241 | BD | TH | ES |
| | | | 1903 | CA | ID | GB |
| | | | 173 | CH | | ES |
| | | | 2377 | CH | BD | ES |
| | | | 160 | CN | | ES |
| | | | 2500 | HK | CN | GB |
| | | | 5500 | ID | | ES |
| | | | 10000 | LA | | ES |
| | | | 219 | PK | | NL |
| | | | 51000 | SG | ID | BE |
| | | | 166000 | SG | ID | ES |
| | | | 81287 | SG | ID | GB |
| | | | 17000 | SG | ID | NL |
| | | | 293700 | TH | | ES |
| | | | 10000 | TH | | GB |
| | | | 836 | US | ID | GB |
| | | skin/leather items | 5 | AT | ID | GB |
| | | | 3009 | HK | CN | GB |
| | | | 558 | IN | | FR |
| | | | 1749 | IN | | NL |
| | | | 249 | TW | ID | GB |
| | | | 5 | US | CN | GB |
| | | skin pieces | 13730 | IN | | IT |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|------------------------------|----------------|----------|------------------------------------|----|----|
| III | <i>Ptyas mucosus</i> | wallets | 33 | AT | CN | DE |
| | | | 119 | IN | | DE |
| | | watchstraps | 11 | CH | ID | PT |
| | <i>Xenochrophis piscator</i> | bodies | 1 | TH | | GB |
| | | handbags | 2 | IN | | GB |
| | | | 2 | TH | | DK |
| | | live | 128 | TH | | NL |
| | | skin pieces | 1250 | PH | | DK |
| | <i>Naja naja</i> | belts | 58 | IN | | DE |
| | | | 4 | TH | | DK |
| | | | 660 | TH | | ES |
| | | bodies | 1 | HK | | GB |
| | | | 1 | MY | | GB |
| | | | 1 | TH | | GB |
| | | | 3 | TH | | NL |
| | | garments | 29 | IN | | DE |
| | | | 2 | MY | TH | DE |
| | | handbags | 14 | CN | | GB |
| | | | 1 | EG | | DK |
| | | | 1 | EG | XX | GB |
| | | | 15 | HK | CN | DE |
| | | | 215 | HK | CN | GB |
| | | | 2 | ID | | DE |
| | | | 813 | IN | | DE |
| | | | 91 | IN | | FR |
| | | | 3 | PK | | NL |
| | | | 10 | TH | | DK |
| | | live | 6 | TH | | DK |
| | | | 2 | TH | | GB |
| | | | 31 | TH | | GR |
| | | | 28 | TH | | NL |
| | | | 75 | TH | | PT |
| | | pairs of shoes | 47 | CN | | GB |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Export Origin Import | | |
|-------------------------|---------------------------|--------------------|----------|------------------------------------|----|----|
| III | <i>Naja naja</i> | pairs of shoes | 2 | EG | DK | |
| | | 45 | HK | CN | DE | |
| | | 3227 | HK | CN | GB | |
| | | 24 | ID | DE | | |
| | | 732 | IN | FR | | |
| | | 12 | TH | DE | | |
| | | skins | 908 | PK | NL | |
| | | 1500 | TH | DE | | |
| | | 100 | TH | DK | | |
| | | 3080 | TH | ES | | |
| | | skin/leather items | 115 | HK | CN | GB |
| | | 105 | IN | FR | | |
| | | 424 | IN | NL | | |
| | | 6 | SG | IN | GB | |
| | | 3 | TH | ID | BE | |
| | | wallets | 29 | IN | DE | |
| | <i>Ophiophagus hannah</i> | belts | 255 | TH | ES | |
| | | bodies | 1 | TH | XX | DK |
| | | live | 6 | TH | GR | |
| | | | 6 | TH | NL | |
| | | | 14 | TH | PT | |
| | | skins | 20 | TH | DE | |
| | <i>Vipera russellii</i> | handbags | 2 | IN | DE | |
| | | 45 | TH | DE | | |
| | | 1 | TR | XX | DE | |
| | | live | 6 | TH | GR | |
| | | | 75 | TH | PT | |
| | | pairs of shoes | 1 | TR | XX | DE |
| | | skins | 50 | TH | DE | |
| | | wallets | 100 | TH | DE | |

European Economic Community

1987 Annual Report to CITES

Exports/Re-exports

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------------------------------------------|-------------------------------|-----------------------------------------------------|------------------------------------|----------------------------------|----------------------------------|
| I | <i>Lemur catta</i> | bodies live (captive bred) | 1 6 2 items 1 item 2 items | TW IE CH CH TH | XX GB DE CH DE | BE GB DE DE DE |
| | <i>Lemur fulvus</i> | live (captive bred) | 3 items 3 items 1 item 4 items 12 items | CS DD HU JP TH | | DE DE DE DE DE |
| | <i>Lemur fulvus collaris</i> | live (captive bred) | 2 | US | US | FR |
| | <i>Lemur macaco</i> | live (captive bred) | 1 item 2 items | DD DD | US | DE DE |
| | <i>Lepilemur spp.</i> | live (captive bred) | 12 | AN | | NL |
| | <i>Lepilemur septentrionalis</i> | live (captive bred) | 1 | LK | XX | NL |
| | <i>Varecia variegata</i> | live (captive bred) | 2 2 2 2 2 2 | CH DD DD JP LK TH | US CA DE GB DE GB | DE DE DE DE DE DE |
| | <i>Microcebus murinus</i> | live (captive bred) | 8 2 | DD TH | | DE DE |
| | <i>Leontopithecus rosalia</i> | live (captive bred) | 1 item | ZA | | DE |
| | <i>Leontopithecus rosalia chrysomelas</i> | live (captive bred) | 1 | HK | | FR |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|------------------------------|---------------------|----------|------------------------------------|----|----|
| I | <i>Saguinus leucopus</i> | live (captive bred) | 1 | FI | FR | |
| | <i>Saguinus oedipus</i> | live (captive bred) | 7 | JP | GB | |
| | <i>Callimico goeldii</i> | live (captive bred) | 1 | GB | GB | |
| | <i>Macaca silenus</i> | live (captive bred) | 1 | IE | GB | |
| | <i>Papio leucophaeus</i> | live (captive bred) | 1 | LK | NL | |
| | <i>Papio sphinx</i> | live (captive bred) | 1 | CS | DE | |
| | | | 3 | TW | DE | |
| | <i>Presbytis entellus</i> | live (captive bred) | 2 | ZA | DE | |
| | <i>Pygathrix roxellana</i> | live (captive bred) | 2 | CN | CN | IE |
| | <i>Hylobates lar</i> | bodies | 1 | TW | XX | BE |
| | | live (captive bred) | 1 | PL | DE | |
| | | live | 1 | DD | XX | NL |
| | <i>Hylobates syndactylus</i> | live (captive bred) | 2 | JP | ID | GB |
| | <i>Pongidae spp.</i> | live | 2 | JP | | ES |
| | <i>Gorilla gorilla</i> | live | 2 | JP | | ES |
| | <i>Pan paniscus</i> | live (captive bred) | 1 | US | | BE |
| | <i>Pan troglodytes</i> | bodies | 3 | TW | XX | BE |
| | | live (captive bred) | 1 | CS | DE | |
| | | | 1 | DD | NL | |
| | | | 7 | GT | ES | |
| | | | 1 | NO | DE | |
| | | | 4 | SA | FR | |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------------------------------|---------------------|----------|------------------------------------|----|----|
| I | <i>Pan troglodytes</i> | live (captive bred) | 3 | SU | CU | NL |
| | | live | 1 | CS | SL | NL |
| | | | 1 | DE | | ES |
| | | | 1 | HU | SL | NL |
| | | | 2 | IN | XX | BE |
| | | | 1 | JP | | ES |
| | | | 6 | JP | ES | DK |
| | | | 1 | JP | IT | ES |
| | | | 1 | NO | XX | DE |
| | | | 1 | PL | ZR | BE |
| | | | 2 | TW | XX | BE |
| | | | 1 | TW | ZR | BE |
| | | | 1 | YU | | DE |
| | <i>Pongo pygmaeus</i> | live | 1 | AU | ID | DE |
| | <i>Chinchilla</i> spp. | live (captive bred) | 501 | JP | | NL |
| | <i>Hyperoodon ampullatus</i> | specimens | ? | SE | | DK |
| | <i>Physeter macrocephalus</i> | carvings | 3027 | GL | GL | DK |
| | | | 6 | JP | GL | DK |
| | | teeth | 2 | SE | XX | DK |
| | <i>Speothos venaticus</i> | live (captive bred) | 2 | BR | | DE |
| | | | 2 | LK | | DE |
| | | | 1 | PY | | DE |
| | | | 2 | TW | | DE |
| | <i>Ailuropoda melanoleuca</i> | live | 2 | CN | CN | BE |
| | | | 2 | CN | CN | NL |
| | <i>Helarctos malayanus</i> | live (captive bred) | 1 | BG | | NL |
| | | | 1 | DD | US | DE |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------------------------------|------------------------------|--------------------------------------|----------------------------------------------|----|----------------------------------------------|
| I | <i>Selenarctos thibetanus</i> | live (captive bred) | 4 3 | SU US | SU | FR DE |
| | <i>Tremarctos ornatus</i> | live (captive bred) | 2 | CH | | DE |
| | <i>Lutra longicaudis</i> | skins | 150 | AT | PY | DE |
| | <i>Lutra lutra</i> | live (captive bred) | 1 2 | AT JP | | DE DE |
| | <i>Acinonyx jubatus</i> | live (captive bred) skins | 1 2 | CN NA | NA | NL DE |
| | <i>Felis nigripes</i> | live (captive bred) | 2 2 1 1 1 | DD DD US US ZA | | DE NL DE NL DE |
| | <i>Felis rubiginosa</i> | live (captive bred) | 4 | US | | DE |
| | <i>Felis wiedii</i> | garments | 1 | US | PY | FR |
| | <i>Neofelis nebulosa</i> | live | 1 | SG | TH | NL |
| | <i>Panthera onca</i> | live (captive bred) | 2 | TW | | DE |
| | <i>Panthera pardus</i> | live (captive bred) | 2 1 1 5 4 4 1 3 | BF CH CS DD FR ID PL RO | | FR FR GB DE GB DE NL NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|--------------------------------|---------------------|----------|------------------------------------|----|----|
| I | <i>Panthera pardus</i> | live (captive bred) | 1 | US | DE | |
| | | skins | 1 | US | FR | |
| | | skulls | 1 | CH | ZM | DE |
| | | trophies | 1 | US | BI | GR |
| | | | 1 | CA | CG | BE |
| | | | 1 | MX | TZ | ES |
| | <i>Panthera tigris</i> | bodies | 1 | TW | XX | BE |
| | | live (captive bred) | 1 | AE | | IT |
| | | | 2 | BF | | FR |
| | | | 6 | IN | | GB |
| | | | 2 | SE | | GB |
| | | | 25 | TH | | GB |
| | | skins | 1 | CA | DE | |
| | | trophies | 1 | AU | XX | GB |
| | <i>Panthera tigris altaica</i> | live (captive bred) | 1 | AT | DE | |
| | | | 1 | CH | DE | |
| | | | 1 | PL | DE | |
| | <i>Panthera uncia</i> | live (captive bred) | 2 | AN | NL | |
| | | | 2 | CS | GB | |
| | | | 20 | US | NL | |
| | <i>Elephas maximus</i> | ivory carvings | 1200 g | JP | XX | DE |
| | | live | 15 | AT | IN | IT |
| | | | 1 | CH | IN | GB |
| | | | 4 | SE | IN | DK |
| | <i>Equus grevyi</i> | live (captive bred) | 1 | CH | DE | |
| | | | 1 | CH | GB | |
| | | | 1 | IL | NL | |
| | <i>Equus przewalskii</i> | live (captive bred) | 3 | CS | GB | |
| | | | 1 | PL | DE | |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|---------------------------------|---------------------|--------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------|----------------------------------------------------------------------|
| | | | | TW | CH | DE |
| I | <i>Equus przewalskii</i> | live (captive bred) | 3 2 | TW TW | DD | DE |
| | <i>Rhinocerotidae</i> spp. | live | 1 | RE | | ES |
| | <i>Ceratotherium simum</i> | trophies | 2 | AU | XX | GB |
| | <i>Diceros bicornis</i> | live (captive bred) | 1 | CH | US | DE |
| | <i>Rhinoceros unicornis</i> | horn carvings | 1 | US | XX | DE |
| | <i>Vicugna vicugna</i> | cloth hair | 780 g 4272 g 4864 g 439 g 340 g 253 g 69 kg 285 kg 4 kg 16 kg 2 kg | JP HK JP JP JP TW HK JP JP JP XX BO BO PE XX BO BO BO PE XX BO BE | XX BO BO PE XX BO BO BO PE XX BO GB | BE GB GB GB GB GB GB GB GB GB GB GB |
| | | live (captive bred) | 1 | CH | | BE |
| | <i>Blastocerus dichotomus</i> | live (captive bred) | 1 | US | | DE |
| | <i>Cervus dama mesopotamica</i> | live (captive bred) | 3 4 2 | NZ NZ NZ | AT DE | DE GB GB |
| | <i>Moschus moschiferus</i> | live (captive bred) | 1 | US | DD | DE |
| | <i>Addax nasomaculatus</i> | live (captive bred) | 3 3 | CS ID | | DE DE |

European Economic Community Exports/Re-exports 1987

7

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|---------------------------------|---------------------|----------|------------------------------------|----|----|
| I | <i>Bos mutus</i> | cloth | 574 m | JP | CN | IT |
| | <i>Oryx dammah</i> | live (captive bred) | 3 | BE | GB | |
| | | | 4 | CS | DE | |
| | | | 2 | ID | DE | |
| | <i>Spheniscus humboldti</i> | live (captive bred) | 4 | DK | GB | |
| | | | 6 | IL | GB | |
| | <i>Geronticus eremita</i> | live (captive bred) | 9 | CA | DE | |
| | | | 5 | DD | DE | |
| | | | 4 | JP | GB | |
| | <i>Anas laysanensis</i> | live (captive bred) | 2 | HK | GB | |
| | <i>Branta sandvicensis</i> | live (captive bred) | 8 | BR | NL | |
| | | | 4 | CA | FR | |
| | | | 8 | CA | NL | FR |
| | | | 4 | CH | GB | |
| | | | 4 | CH | NL | |
| | | | 1 | CL | GB | |
| | | | 8 | CO | NL | |
| | | | 2 | DD | DE | |
| | | | 2 | HK | GB | |
| | | | 10 | SG | GB | |
| | | | 6 | TW | NL | |
| | <i>Cairina scutulata</i> | live (captive bred) | 3 | HK | GB | |
| | | | 6 | TH | GB | |
| | <i>Vultur gryphus</i> | live (captive bred) | 1 | JP | PL | GB |
| | | | 2 | NL | GB | |
| | | live | 1 | CS | XX | NL |
| | <i>Haliaeetus leucocephalus</i> | live (captive bred) | 3 | CS | DE | |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|---------------------------------|---------------------|----------|------------------------------------|----|----|
| | | | | US | US | IE |
| I | <i>Haliaeetus leucocephalus</i> | live | 1 | | | |
| | <i>Falco hybrid</i> | live (captive bred) | 1 | AT | DK | DE |
| | | | 4 | CA | | DE |
| | | | 1 | CH | | FR |
| | | | 1 | CH | DK | DE |
| | | | 1 | SA | | DE |
| | | | 9 | SY | DK | DE |
| | <i>Falco peregrinus</i> | live (captive bred) | 5 | AT | | DE |
| | | | 1 | AT | DK | DE |
| | | | 3 | CA | | DE |
| | | | 1 | CH | | BE |
| | | | 2 | CH | DK | DE |
| | | | 4 | CS | | DE |
| | | | 2 | CS | | GB |
| | | | 4 | DE | DE | GB |
| | | | 1 | FR | BE | GB |
| | | | 3 | HU | | DE |
| | | | 2 | HU | | FR |
| | | | 2 | HU | DK | DE |
| | | | 1 | PL | | DE |
| | | | 2 | SE | | FR |
| | | | 4 | SU | DK | DE |
| | | | 2 | SY | DK | DE |
| | | | 4 | ZA | | DE |
| | | live | 1 | BE | TR | GB |
| | <i>Falco peregrinus</i> | | | | | |
| | <i>peregrinus</i> | bodies | 4 | SE | | DK |
| | | eggs | 23 | SE | | DK |
| | | live | 23 | SE | | DK |
| | | | 2 | SE | NO | DK |
| | | | 18 | SE | SE | DK |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|----------------------------------|---------------------|----------|------------------------------------|----|----|
| I | <i>Falco rusticolus</i> | live (captive bred) | 1 | AT | DE | |
| | | | 1 | BE | FR | GB |
| | | | 1 | IT | DE | GB |
| | <i>Catreus wallichii</i> | eggs | 80 | IN | DE | |
| | | live (captive bred) | 4 | BR | NL | |
| | | | 194 | IN | BE | |
| | | | 236 | PK | BE | |
| | | | 38 | PK | NL | |
| | | | 2 | SR | NL | |
| | <i>Crossoptilon crossoptilon</i> | live (captive bred) | 4 | BR | NL | |
| | | | 6 | PK | NL | |
| | | | 4 | TH | DE | |
| | <i>Crossoptilon mantchuricum</i> | live (captive bred) | 2 | BR | NL | |
| | | | 2 | PE | BE | |
| | | | 6 | PK | NL | |
| | | | 12 | SU | NL | |
| | | | 4 | TH | DE | |
| | | | 2 | XX | NL | |
| | <i>Lophophorus impejanus</i> | live (captive bred) | 8 | BR | NL | |
| | | | 4 | CH | BE | |
| | | | 1 | CH | FR | |
| | | | 16 | IN | GB | |
| | | | 6 | PE | BE | |
| | | | 8 | PK | NL | |
| | | | 12 | SG | NL | |
| | | | 2 | SU | NL | |
| | | 4 items | | TH | DE | |
| | <i>Lophura edwardsi</i> | live (captive bred) | 2 | PE | BE | |
| | | | 2 | PK | NL | |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|------------------------------|---------------------|----------|------------------------------------|----|----|
| I | <i>Lophura imperialis</i> | live (captive bred) | 2 | QA | NL | |
| | <i>Lophura swinhoii</i> | live (captive bred) | 4 | BH | NL | |
| | | | 6 | MY | NL | |
| | | | 4 | OM | GB | |
| | | | 2 | OM | NL | |
| | | | 18 | PK | NL | |
| | | | 6 | SA | NL | |
| | | | 20 | SU | NL | |
| | <i>Polyplectron emphanum</i> | live (captive bred) | 2 | PK | NL | |
| | | | 4 | SR | NL | |
| | <i>Syrmaticus ellioti</i> | bodies | 1 | SE | DK | |
| | | live (captive bred) | 2 | BR | NL | |
| | | | 2 | CH | BE | |
| | | | 1 | PE | BE | |
| | | | 6 | PE | NL | |
| | | | 10 | PK | NL | |
| | | | 8 | QA | NL | |
| | | | 4 | SU | NL | |
| | | | 24 | TH | NL | |
| | <i>Syrmaticus humiae</i> | live (captive bred) | 2 | MT | NL | |
| | | | 17 | PK | NL | |
| | | | 2 | SR | NL | |
| | | | 12 | SU | NL | |
| | | | 6 | TH | NL | |
| | <i>Syrmaticus mikado</i> | live (captive bred) | 2 | OM | NL | |
| | | | 4 | PE | BE | |
| | | | 8 | PK | NL | |
| | <i>Grus leucogeranus</i> | live | 1 | JP | SU | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|------------------------------------------------|---------------------|-------------------------------------------------------|----------------------------------------------------------|----------------------------------------------------------|----|
| I | <i>Grus vipio</i> | live (captive bred) | 2 1 | CH | DE | |
| | | | | US | GB | |
| | <i>Amazona barbadensis</i> | live | 1 | DD | XX | DE |
| | <i>Amazona vinacea</i> | live (captive bred) | 1 | CH | | GB |
| | <i>Anodorhynchus hyacinthinus</i> | live | 1 | CH | XX | DE |
| | <i>Ara macao</i> | live (captive bred) | 1 | OM | | GB |
| | | live | 2 | US | PA | DE |
| | <i>Ara rubrogenys</i> | live (captive bred) | 1 | CH | | DE |
| | <i>Cyanoramphus novaezelandiae</i> | live (captive bred) | 2 30 2 10 20 6 4 354 294 8 | BH CA CL IL JP MT PK US ZA ZA | NL NL BE BE NL BE NL BE BE NL | |
| | <i>Psephotus chrysoterygius</i> | live (captive bred) | 17 | US | | DE |
| | <i>Psephotus chrysoterygius dissimilis</i> | live (captive bred) | 2 4 | CA NC | NL FR | |
| | <i>Carduelis cucullata</i> | live (captive bred) | 14 13 | CA MT | NL BE | |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------------------------------|------------------|------------|------------------------------------|----|----|
| I | <i>Cheloniidae</i> spp. | shells | 1 | US | XX | GB |
| | <i>Caretta caretta</i> | belts | 100 | HK | XX | DE |
| | | handbags | 6 | HK | XX | DE |
| | | wallets | 260 | HK | XX | DE |
| | <i>Chelonia mydas</i> | belts | 36 | HK | KY | IT |
| | | bodies | 1 | XX | | FR |
| | | carvings | 20 | XX | | FR |
| | | | 18 | XX | XX | FR |
| | | handbags | 300 | HK | KY | IT |
| | | | 1 | XS | KY | IT |
| | | meat | 10 cans | XX | | FR |
| | | | 20 kg | JP | KY | DE |
| | | oil | 8 bottles | XX | | FR |
| | | shells | 2 | XX | | FR |
| | | skins | 100 | TR | KY | IT |
| | | | 500 | XX | | FR |
| | | soup | 96 | XX | KY | FR |
| | | | 50 cans | MT | KY | GB |
| | | | 20 cans | XX | | FR |
| | | | 10608 cans | XX | KY | FR |
| | | | 362 cans | XX | KY | GB |
| | | specimens | 14 | XX | | FR |
| | | | 6 | XX | MG | FR |
| | | wallets | 32 | HK | KY | IT |
| | | | 2 | XS | KY | IT |
| | <i>Eretmochelys imbricata</i> | spectacle frames | 40 | HK | JM | DE |
| | | | 14 | JP | JM | DE |
| | <i>Dermochelys coriacea</i> | skeletons | 1 | IS | IS | DK |
| | <i>Crocodylus acutus</i> | skins | 1 | FI | GT | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|--------------------------------|---------------------|--------------------------------------------|----------------------------------------------|----------------------------------------------|----------------------------------------------|
| I | <i>Crocodylus cataphractus</i> | handbags | 1 59 15 182 2 12 31 6 | AT HK HK JP JP JP SG SG | CG CG ZR CG XX ZR CG ZR | DE DE DE DE DE DE DE DE |
| | | wallets | 6 | CH | CG | DE |
| | <i>Crocodylus niloticus</i> | handbags | 8 37 50 28 37 2 26 | CH HK HK JP JP JP JP | SD SD XX SD XX ZA ZM | IT IT DE IT DE DE IT |
| | | skins | 5 | JP | SD | IT |
| | <i>Crocodylus siamensis</i> | belts handbags | 6 16 9 43 3 2 | US CH HK JP CH US | TH TH TH TH TH TH | DE DE DE DE DE DE |
| | | wallets | | | | |
| | <i>Osteolaemus tetraspis</i> | handbags | 1 1 5 | AT HK JP | AO AO AO | DE DE DE |
| | | wallets | 22 | JP | AO | DE |
| | <i>Acrantophis dumerili</i> | live (captive bred) | 2 2 | CH CH | | DE IT |
| | <i>Epicrates subflavus</i> | live (captive bred) | 3 | CH | | IT |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | |
|-------------------------|----------------------------------|---------------------|----------|------------------------------------|-------|
| I | <i>Python molurus</i> | live (captive bred) | 1 | AT | DE |
| | <i>Sanzinia madagascariensis</i> | live (captive bred) | 2 | CH | IT |
| | | | 2 | CH | CH DE |
| | <i>Alocasia sanderiana</i> | live (art. prop.) | 39 | AE | NL |
| | | | 1143 | AT | NL |
| | | | 18 | CH | NL |
| | | | 18 | FI | NL |
| | | | 103 | HK | NL |
| | | | 8 | KW | NL |
| | | | 24 | MT | NL |
| | | | 4 | OM | NL |
| | | | 4 | SA | NL |
| | | | 255 | SE | NL |
| | | | 20 | XX | NL |
| | | | 13044 | ZA | NL |
| | <i>Aztekium ritteri</i> | live (art. prop.) | 3 | CH | DE |
| | <i>Leuchtenbergia principis</i> | live (art. prop.) | 30 | AT | NL |
| | | | 890 | CH | NL |
| | | | 15 | IS | NL |
| | | | 210 | NO | NL |
| | | | 15 | SG | NL |
| | <i>Mammillaria plumosa</i> | live (art. prop.) | 1 | AT | DE |
| | | | 23 | AT | NL |
| | | | 3355 | CH | NL |
| | | | 140 | HK | NL |
| | | | 1880 | NO | NL |
| | <i>Pediocactus spp.</i> | live (art. prop.) | 3 | AU | DE |
| | | | 4 | CH | DE |
| | | | 3 | US | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | |
|-------------------------|---------------------------------------|-------------------|------------------|------------------------------------|----------------------|
| I | <i>Pediocactus bradyi</i> | live (art. prop.) | 2 1 | CH US | DE DE |
| | <i>Pediocactus paradigmeli</i> | live (art. prop.) | 2 | CH | DE |
| | <i>Pediocactus peeblesianus</i> | live (art. prop.) | 2 1 | CH US | DE DE |
| | <i>Pediocactus sileri</i> | live (art. prop.) | 1 | US | DE |
| | <i>Pediocactus winkleri</i> | live (art. prop.) | 2 | CH | DE |
| | <i>Pelecyphora aselliformis</i> | live (art. prop.) | 2 | CH | DE |
| | <i>Sclerocactus mesae-verdae</i> | live (art. prop.) | 3 2 1 | AU CH US | DE DE DE |
| | <i>Strombocactus disciformis</i> | live (art. prop.) | 1 1 | AT CH | DE DE |
| | <i>Turbinicarpus lophophoroides</i> | live (art. prop.) | 2 | JP | DE |
| | <i>Turbinicarpus pseudomacrochele</i> | live (art. prop.) | 2 2 | AT JP | DE DE |
| | <i>Wilcoxia schmollii</i> | live (art. prop.) | 1 | CH | DE |
| | <i>Cattleya skinneri</i> | live (art. prop.) | 1 7 5 2 | AT CH JP ZA | DE DE DE DE |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-----------------------------------------------|-------------------------------|------------------------------------------------------------------|----------------------------------------------------------------|----------------------------------------------------------------------|----|
| I | <i>Laelia jongheana</i> | live (art. prop.) | 1000 1 | BR ZA | DE | DE |
| II | <i>Loris tardigradus</i> | live (captive bred) | 4 items | CS | DE | |
| | <i>Perodicticus potto</i> | bodies | 1 | TW | XX | BE |
| | <i>Otolemur crassicaudatus</i> | bodies live (captive bred) | 1 2 | TW CH | XX DE | BE |
| | <i>Callithrix argentata</i> | live (captive bred) | 2 | CA | XX | GB |
| | <i>Callithrix jacchus</i> | live (captive bred) | 2 35 26 10 8 35 2 25 36 124 4 8 | CA CH CH HU HU JP KY RO US US ZA | GB DE GB GB NL GB FR NL DE GB NL NL | |
| C2 | <i>Callithrix jacchus</i> <i>geoffroyi</i> | live (captive bred) | 1 | CA | | DE |
| C2 | <i>Cebuella pygmaea</i> | live (captive bred) | 1 2 2 1 | FI JP SE ZA | NL GB NL GB | |
| C2 | <i>Saguinus fuscicollis</i> | live (captive bred) | 2 | JP | | GB |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|---------------------------------------|-------------------------------|-----------------------------------|----------------------------------------|----------------------------------------|----------------------------------------|
| II | C2 <i>Saguinus labiatus</i> | live (captive bred) | 1 1 10 1 | DD JP US ZA | NL GB GB FR | |
| | C2 <i>Ateles fusciceps</i> | live (captive bred) | 1 | CH | FR | |
| | C2 <i>Ateles paniscus</i> | bodies live (captive bred) | 2 1 | TW SG | XX BE GB | |
| | C2 <i>Cebus apella</i> | bones live (captive bred) | 1 1 | JP AT | GB DE | |
| | C2 <i>Cebus olivaceus</i> | live (captive bred) | 4 | IL | DE | |
| | C2 <i>Saimiri sciureus</i> | live (captive bred) live | 4 7 10 15 1 3 2 | AT CH CH CH HU IL JP | DE BO GY SE XX GY GY | DK NL DK NL NL GB GB |
| | C2 <i>Allenopithecus nigroviridis</i> | live | 4 | US | XX | NL |
| | C2 <i>Cercocebus aterrimus</i> | live (captive bred) live | 1 2 | RO RO | BE BE | NL NL |
| | <i>Cercocebus galeritus</i> | live | 5 1 1 | HU RO RO | XX BE XX | NL NL NL |
| | C2 <i>Cercocebus torquatus</i> | live | 1 4 | HU RO | XX XX | NL NL |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|---------------------------|---------------------|----------|------------------------------------|----|----|
| II | C2 Cercopithecus aethiops | bodies | 1 | TW | XX | BE |
| | | bones | 1 | JP | XX | GB |
| | | live | 25 | CS | KE | NL |
| | | | 15 | PL | KE | NL |
| | | | 8 | RO | XX | NL |
| | | | 1455 | SU | KE | NL |
| C2 | Cercopithecus ascanius | live (captive bred) | 1 | LK | BE | NL |
| | | | 1 | PL | BE | NL |
| | | live | 3 | DD | XX | NL |
| | | | 3 | LK | XX | NL |
| | | | 1 | PL | BE | NL |
| | | | 2 | RO | BE | NL |
| C2 | Cercopithecus cebus | live | 2 | HU | XX | NL |
| | | | 1 | RO | XX | NL |
| C2 | Cercopithecus hamlyni | live (captive bred) | 1 | DD | | BE |
| C2 | Cercopithecus neglectus | live | 2 | LK | XX | NL |
| | | | 1 | SE | | DK |
| | | | 21 | TW | UG | GB |
| C2 | Cercopithecus petaurista | live | 4 | JP | GH | GB |
| | | | 5 | PL | XX | NL |
| C2 | Cercopithecus pogonias | bones | 1 | JP | XX | GB |
| | | live | 1 | RO | XX | NL |
| C2 | Cercopithecus wolffii | live | 1 | RO | XX | NL |
| C2 | Colobus guereza | live (captive bred) | 1 | JP | HU | GB |
| | | skins | 80 | TR | SD | DE |
| C2 | Colobus polykomos | live (captive bred) | 1 | DD | CH | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|------------------------------|---------------------|----------|------------------------------------|----|----|
| II | C2 <i>Erythrocebus patas</i> | bones | 1 | JP | XX | GB |
| | | live (captive bred) | 3 | SU | | NL |
| | | live | 2 | JP | SN | GB |
| | | | 145 | MX | SN | GB |
| | | | 1 | RO | SN | NL |
| C2 | <i>Macaca arctoides</i> | live (captive bred) | 7 | PL | | DE |
| | | | 6 | PL | | NL |
| C2 | <i>Macaca fascicularis</i> | bones | 1 | JP | XX | GB |
| | | live (captive bred) | 10 | HU | | NL |
| | | | 7 | PL | | DE |
| | | | 9 | PL | | NL |
| | | | 12 | RO | | NL |
| | | live | 9 | HU | XX | NL |
| | | | 10 | IL | ID | BE |
| | | | 12 | MT | ID | BE |
| | | | 70 | MX | PH | GB |
| | | | 1 | RO | XX | NL |
| | | specimens | 300 | SE | PH | GB |
| | | | 1 | JP | ET | GB |
| | | | 122 | JP | PH | GB |
| C2 | <i>Macaca fuscata</i> | live (captive bred) | 3 | UY | | DE |
| C2 | <i>Macaca mulatta</i> | live (captive bred) | 10 | AT | | FR |
| | | | 19 | CH | | FR |
| | | live | 5 | CH | CN | GB |
| | | | 136 | US | BU | NL |
| C2 | <i>Macaca nemestrina</i> | live (captive bred) | 1 | RO | | NL |
| | | live | 1 | HU | IT | NL |
| C2 | <i>Macaca nigra</i> | live (captive bred) | 2 | RO | BE | NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-----------------------------------|-------------------------------|----------------------------------|------------------------------------|----------------------------------|----------------------------------|
| II | C2 <i>Papio hamadryas</i> | bodies live (captive bred) | 1 32 4 | TW AT TW | XX DE BE | |
| | C2 <i>Papio hamadryas anubis</i> | specimens | 2 l 224 ml | JP US | KE ET | GB GB |
| | C2 <i>Presbytis obscura</i> | bodies | 1 | TW | XX | BE |
| | C2 <i>Theropithecus gelada</i> | live (captive bred) | 2 2 | CH US | | DE DE |
| | C1 <i>Myrmecophaga tridactyla</i> | bodies | 1 | TW | XX | BE |
| | C1 <i>Manis javanica</i> | pairs of shoes | 26 24 22 2 | CH NG SA US | TH TH TH TH | IT IT IT IT |
| | C1 <i>Ratufa bicolor</i> | live | 2 | US | LA | GB |
| | C1 <i>CETACEA spp.</i> | carvings | 441 | GL | GL | DK |
| | C1 <i>Monodon monoceros</i> | carvings tusks | 266 2 2 1 1 13 kg | GL AU GL JP US CH | GL GL GL GL GL GL | DK DK DK DK DK DK |
| | C1 <i>Delphinus delphis</i> | teeth | 7 | US | | FR |
| | C1 <i>Orcinus orca</i> | live | 1 | US | IS | NL |
| | C1 <i>Phocoena phocoena</i> | bodies | 1 | TW | XX | BE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | | |
|-------------------------|-------|------------------------------|---------------------|------------------------------------|----|----|----|
| II | C1 | <i>Phocoena phocoena</i> | skulls | 1 | AT | TR | DK |
| | C2 | <i>Canis lupus</i> | garments | 95 | NO | BE | GR |
| | | | | 14 | NO | MN | DK |
| | | | | 1 | SE | MN | DK |
| | | | live (captive bred) | 1 | CH | | DE |
| | | | plates | 1 | US | KR | FR |
| | | | skins | 5 | AT | CA | DE |
| | | | | 33 | AT | CA | DK |
| | | | | 35 | AT | MN | DE |
| | | | | 2 | CH | CA | DE |
| | | | | 4 | GL | CA | DK |
| | | | | 2 | GL | MN | DK |
| | | | | 205 | JP | SU | DE |
| | | | | 1 | SE | CA | DE |
| | | | | 2 | US | | FR |
| | C2 | <i>Chrysocyon brachyurus</i> | live (captive bred) | 1 | PL | | NL |
| | | | | 2 | SU | | DE |
| | | | | 1 | US | | FR |
| | | | | 1 | US | CH | FR |
| | | <i>Dusicyon griseus</i> | bodies | 2 | AT | AR | DE |
| | | | | 5 | CH | AR | DE |
| | | | garments | 2 | AD | AR | DE |
| | | | | 27 | AT | AR | DE |
| | | | | 4 | AT | CL | DE |
| | | | | 21 | CH | AR | DE |
| | | | | 12 | HK | AR | DE |
| | | | | 1 | JP | AR | DE |
| | | | | 4 | US | AR | DE |
| | | | skins | 1 | AR | AR | DE |
| | | | | 294 | AT | AR | DE |
| | | | | 23 | CH | AR | DE |
| | | | | 114 | IL | AR | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|----------------------------------|---------------------|----------|------------------------------------|----|----|
| | | | | US | EG | NL |
| II | <i>Vulpes zerda</i> | live | 10 | | | |
| | <i>Ursus arctos</i> | live (captive bred) | 5 | AT | DE | IT |
| | | | 8 | AT | FR | IT |
| | | | 2 | ID | DD | DE |
| | | | 1 | LK | DE | NL |
| | | | 2 | YU | PL | NL |
| | | live skins | 2 | AT | FR | IT |
| | | | 3 | AT | US | DE |
| | | | 106 | CA | CA | GB |
| | <i>Ursus arctos horribilis</i> | bodies | 1 | TW | XX | BE |
| | <i>Ursus arctos middendorffi</i> | live (captive bred) | 2 | | AT | US |
| C2 | <i>Ursus maritimus</i> | bodies | 1 | TW | XX | BE |
| | | skins | 16 | GL | GL | DK |
| | | | 1 | JP | GL | DK |
| | | | 2 | SE | GL | DK |
| | | skin pieces | 10 kg | SE | GL | DK |
| | | skulls | 2 | GL | GL | DK |
| | <i>Aonyx cinerea</i> | live (captive bred) | 2 | JP | | NL |
| | <i>Lutra canadensis</i> | garments | 20 | CA | CA | DE |
| | | | 3 | CH | CA | DE |
| | | | 8 | JP | CA | DE |
| | | | 6 | US | CA | DE |
| | | skins | 391 | AT | US | DE |
| | | | 310 | AT | US | DK |
| | | | 4 | CH | CA | DE |
| | | | 220 | JP | US | DK |
| | <i>Lutra sumatrana</i> | skins | 1000 | AT | XX | DE |
| | | | 32 | HK | XX | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|------------------------------------------------|---------------------|----------|------------------------------------|----|----|
| II | C2 <i>Felis bengalensis</i> | bodies | 1 | TW | XX | BE |
| | | garments | 4 | AT | CN | IT |
| | | live (captive bred) | 2 | US | | GB |
| | | plates | 295 | XX | CN | GB |
| | | skins | 1 | AT | CN | IT |
| | <i>Felis bengalensis</i> <i>bengalensis</i> | live (captive bred) | 1 | CS | | DE |
| | | | 2 | DD | | DE |
| C2 | <i>Felis bengalensis</i> <i>chinensis</i> | bodies | 3 | AT | CN | DE |
| | | garments | 15 | AT | CN | DE |
| | | | 1 | CH | CN | IT |
| | | | 9 | JP | CN | DE |
| | | | 5 | US | CN | DE |
| | | skins | 412 | AT | CN | DE |
| | | | 1500 | CN | CN | DE |
| | | | 313 | IL | CN | DE |
| | | | 202 | TR | CN | DE |
| | <i>Felis caracal</i> | live (captive bred) | 2 | CA | | GB |
| | | | 2 | JP | | GB |
| | | | 2 | MA | | GB |
| | | | 6 | US | | GB |
| | <i>Felis chaus</i> | live (captive bred) | 1 | JP | | GB |
| | | | 1 | PL | US | DE |
| | | | 1 | US | | GB |
| | | live | 1 | PL | XX | DE |
| C2 | <i>Felis concolor</i> | live (captive bred) | 2 | AT | | FR |
| | | | 2 | ID | | DE |
| | | | 1 | SG | | DE |
| | | | 2 | TW | | DE |

| CITES EEC App. Annex | | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|----|------------------------|---------------------|----------|------------------------------------|----|----|
| II | C2 | <i>Felis concolor</i> | live (captive bred) | 2 | | ZA | DE |
| | C2 | <i>Felis geoffroyi</i> | garments | 10 | AT | PY | DE |
| | | | | 1 | AT | XX | DE |
| | | | live (captive bred) | 3 | US | | GB |
| | C2 | <i>Felis lynx</i> | bodies | 2 | CA | SU | DE |
| | | | | 1 | TW | XX | BE |
| | | | garments | 24 | CA | SU | DE |
| | | | | 4 | CH | CA | BE |
| | | | | 2 | CH | SU | DE |
| | | | | 2 | JP | SU | DE |
| | | | | 3 | US | CN | DE |
| | | | | 3 | US | SU | DE |
| | | | | 5 | US | SU | GB |
| | | | | 1 | US | US | GB |
| | | | live (captive bred) | 2 | US | | DE |
| | | | | 11 | US | | GB |
| | | | skins | 3 | AT | CN | DE |
| | | | | 71 | CA | CN | DK |
| | | | | 2 | CH | CA | FR |
| | | | | 32 | CH | CN | IT |
| | | | | 21 | DE | CA | GB |
| | | | | 40 | FR | CA | GB |
| | | | | 1 | HK | CN | FR |
| | | | | 21 | IL | CN | DE |
| | | | | 2 | IL | SU | FR |
| | | | | 30 | JP | SU | DE |
| | | | | 1 | JP | SU | IT |
| | | | | 1 | SU | SU | FR |
| | | | | 14 | TR | CA | GB |
| | | | | 400 | US | CN | DE |
| | | | | 552 | US | CN | DK |
| | | | | 1000 | US | CN | FR |
| | | | | 400 | US | CN | GB |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|------------------------------|---------------------|------------------------------------------------------------|----------------------------------------------------------------|----------------------------------------------------------------|----------------------------------------------------------------|
| II | C2 <i>Felis lynx</i> | skins | 65 1 3 76 972 | US US US XX XX | CN SU US CA CN | IT FR FR GB GB |
| | | bodies | 50 2 | CA IL | US CA | DE DE |
| | | garments | 4 18 22 2 92 76 2 120 4 60 1 | CA CA CA CH CH FI US US CA US AT | CA CA CA CA US US CA CA CA CA XX | DE DE GR GR GR GR DE GR GR DE DE |
| | | skins | 1 61 255 3 4 | AT AT CA CH CH | CA US US CA CA | DK DK DE IT |
| C2 | <i>Felis lynx isabellina</i> | live (captive bred) | 4 | PK | | NL |
| C2 | <i>Felis pardalis</i> | garments | 2 21 12 7 1 1 10 | AT AT JP JP NO TR YU | PY XX PY PY XX PY XX | DE GR DE IT DK DE GR |
| | | live (captive bred) | 3 | AT | | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | |
|-------------------------|-------|-----------------------|---------------------|------------------------------------|----------|
| II | C2 | <i>Felis pardalis</i> | live (captive bred) | 1 | CL DE |
| | | | | 1 | JP DE |
| | | live skins | 1 | AT MX | DE |
| | | | 4 | AT MX | DE |
| | | | 2 | CH PY | DE |
| | | | 44 | HK PY | DE |
| | | <i>Felis rufa</i> | bodies | 36 | AT CA DE |
| | | | | 8 | CA CA DE |
| | | garments | 2 | AD CA | DE |
| | | | 11 | AD XX | GR |
| | | | 1 | AE US | DE |
| | | | 12 | AT CA | DE |
| | | | 111 | AT US | DE |
| | | | 7 | CA CA | DE |
| | | | 1 | CA CA | FR |
| | | | 1 | CA CA | GR |
| | | | 31 | CA US | DE |
| | | | 4 | CA US | FR |
| | | | 10 | CA US | GR |
| | | | 6 | CH CA | DE |
| | | | 2 | CH DK | GR |
| | | | 37 | CH US | DE |
| | | | 2 | CH US | DK |
| | | | 5 | CH US | IT |
| | | | 36 | CM US | FR |
| | | | 1 | FI US | DE |
| | | | 7 | JP CA | DE |
| | | | 1 | JP CA | FR |
| | | | 58 | JP US | DE |
| | | | 6 | JP US | DK |
| | | | 3 | JP US | FR |
| | | | 4 | JP US | IT |
| | | | 8 | NO CA | GR |
| | | | 2 | NO US | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------------------|-------------|----------|------------------------------------|----|----|
| II | <i>Felis rufa</i> | garments | 18 | PL | US | GR |
| | | | 1 | TN | US | DE |
| | | | 1 | TR | US | DE |
| | | | 1 | TW | US | DE |
| | | | 13 | US | CA | DE |
| | | | 4 | US | CA | GR |
| | | | 157 | US | US | DE |
| | | | 8 | US | US | DK |
| | | | 2 | US | US | FR |
| | | | 3 | US | US | GB |
| | | | 39 | US | US | GR |
| | | | 6 | US | US | IT |
| | | | 1 | US | XX | DK |
| | | | 15 | US | XX | GR |
| | | handbags | 1 | US | US | DK |
| | | skins | 22 | AD | US | DK |
| | | | 33 | AT | CA | DE |
| | | | 348 | AT | US | DE |
| | | | 39 | AT | US | DK |
| | | | 451 | CA | US | FR |
| | | | 16 | CH | CA | DE |
| | | | 117 | CH | US | DE |
| | | | 33 | CH | US | DK |
| | | | 1 | CH | US | IT |
| | | | 57 | HK | US | DK |
| | | | 27 | IL | SE | DK |
| | | | 13 | JP | CA | DK |
| | | | 65 | JP | US | DK |
| | | | 20 | LB | US | DE |
| | | | 15 | NA | US | DE |
| | | | 1 | NO | US | DE |
| | | | 4 | SE | US | DE |
| | | | 62 | SE | US | DK |
| | | | 482 | TN | US | DE |
| | | | 12 | TR | CA | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------------------------|---------------------|----------|------------------------------------|----|----|
| II | <i>Felis rufa</i> | skins | 37 | TR | US | DE |
| | | | 4 | US | US | DE |
| | | | 395 | US | US | DK |
| | | | 14 | US | US | GB |
| | | | 3 | XX | US | GB |
| | | skin/leather items | 5 | JP | US | IT |
| | | | 3 | US | US | IT |
| | | skin pieces | 1 | CH | US | DE |
| | | | 7 kg | TN | US | DE |
| C2 | <i>Felis serval</i> | live (captive bred) | 1 | BG | | GB |
| | | | 3 | BR | | DE |
| | | | 1 | BR | | NL |
| | | | 2 | CU | | NL |
| | | | 2 | FR | | GB |
| | | | 1 | JP | | GB |
| | | | 1 | PL | | DE |
| | | | 1 | RO | DE | NL |
| | | | 8 | US | | GB |
| | | live | 1 | BR | PL | DK |
| C2 | <i>Felis silvestris</i> | live (captive bred) | 2 | AE | | GB |
| | | | 2 | US | | GB |
| | | plates | 45 | US | CN | DE |
| C2 | <i>Felis tigrina</i> | garments | 6 | AT | XX | GR |
| | | | 10 | YU | XX | GR |
| | | plates | 3 | FI | XX | DE |
| | <i>Felis viverrina</i> | live (captive bred) | 2 | PL | | NL |
| | | | 4 | US | | NL |
| C2 | <i>Felis wiedii</i> | garments | 4 | JP | PY | DE |
| | | skins | 20 | AT | PY | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|--------------------------------|---------------------|----------|------------------------------------|----|----|
| II | <i>Panthera leo</i> | live (captive bred) | 1 | AE | NL | |
| | | | 2 | CH | DE | |
| | | | 2 | DD | DE | |
| | | | 14 | US | GB | |
| | | skins | 1 | AT | TZ | DE |
| | | | 2 | BR | CF | FR |
| | | | 11 | KE | KE | DE |
| | | | 1 | TR | TZ | DE |
| | | | 1 | US | CF | DE |
| | | skulls | 1 | CH | ZM | DE |
| | | trophies | 1 | CH | ZM | DE |
| | <i>Arctocephalus australis</i> | skins | 210 | ZA | UY | DE |
| | <i>Arctocephalus pusillus</i> | garments | 119 | AT | NA | DE |
| | | | 60 | AT | NA | DK |
| | | | 57 | AT | ZA | DE |
| | | | 3 | CA | NA | DE |
| | | | 14 | CA | ZA | DE |
| | | | 8 | FI | NA | DE |
| | | | 164 | FI | NA | DK |
| | | | 7 | IS | NA | DK |
| | | | 2 | JP | ZA | DE |
| | | | 378 | NO | NA | DK |
| | | | 8 | TR | ZA | GR |
| | | | 3 | US | DK | GR |
| | | skins | 11 | AT | ZA | DE |
| | | | 11 | CA | US | DK |
| | | | 1033 | CA | ZA | DE |
| | | | 454 | JP | ZA | DE |
| | | | 6 | NO | NA | DK |
| | <i>Orycteropus afer</i> | live | 1 | CS | ZA | NL |
| | PROBOSCIDEA spp. | ivory carvings | 11 | MA | ZA | FR |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|--------------------|----------------|-----------|------------------------------------|----|----|
| II | PROBOSCIDEA spp. | ivory carvings | 5260 | US | CF | FR |
| | | 400 g | | AT | KY | FR |
| | | 288 g | | US | BW | FR |
| | | 200 g | | US | ZM | FR |
| C2 | Elephantidae spp. | ivory carvings | 1 | JP | XX | NL |
| | | tusks | 2 | AU | | LU |
| C2 | Loxodonta africana | belts | 9 | CA | ZW | IT |
| | | | 6 | HK | ZA | IT |
| | | | 5 | JP | ZA | IT |
| | | | 4 | JP | ZW | IT |
| | | | 21 | US | BW | IT |
| | | | 515 | US | ZA | IT |
| | | | 15 sq. ft | JP | BW | IT |
| | | ears | 2 | AT | TZ | DE |
| | | feet | 2 | AT | TZ | DE |
| | | garments | 10 | CH | ZA | IT |
| | | hair | 50 | AT | XX | DE |
| | | handbags | 1 | CH | ZA | FR |
| | | | 1 | CH | ZW | FR |
| | | | 2 | HK | ZA | FR |
| | | | 10 | HK | ZA | IT |
| | | | 13 | HK | ZW | DE |
| | | | 7 | JP | BW | FR |
| | | | 17 | JP | BW | IT |
| | | | 1 | JP | CF | FR |
| | | | 2 | JP | CF | IT |
| | | | 18 | JP | ZA | DE |
| | | | 28 | JP | ZA | FR |
| | | | 19 | JP | ZA | IT |
| | | | 5 | JP | ZW | DE |
| | | | 7 | JP | ZW | FR |
| | | | 51 | JP | ZW | IT |
| | | ivory carvings | 12 | AD | CG | FR |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | | |
|-------------------------|-------|---------------------------|----------------|------------------------------------|----|----|----|
| II | C2 | <i>Loxodonta africana</i> | ivory carvings | 2 | AD | SD | FR |
| | | | 255 | AT | ZW | FR | |
| | | | 1 | AU | ZA | NL | |
| | | | 6 | CA | CF | FR | |
| | | | 1 | CA | XX | BE | |
| | | | 1 | CH | XX | NL | |
| | | | 30 | CH | ZA | IT | |
| | | | 166 | CH | ZR | ES | |
| | | | 3376 | CH | ZW | FR | |
| | | | 1 | CO | ZW | NL | |
| | | | 16 | FI | ZA | DK | |
| | | | 2 | HK | CG | IT | |
| | | | 37 | HK | KE | IT | |
| | | | 412 | HK | SD | IT | |
| | | | 123 | HK | ZA | IT | |
| | | | 5 | HK | ZW | FR | |
| | | | 318 | HT | ZW | FR | |
| | | | 49 | IL | CF | IT | |
| | | | 3 | JP | BW | FR | |
| | | | 1 | JP | CI | DK | |
| | | | 2 | JP | XX | FR | |
| | | | 1 | JP | XX | NL | |
| | | | 114 | JP | ZA | IT | |
| | | | 664 | JP | ZW | FR | |
| | | | 12 | JP | ZW | IT | |
| | | | 1 | NZ | XX | NL | |
| | | | 9 | US | | ES | |
| | | | 10 | US | CF | FR | |
| | | | 273 | US | CF | IT | |
| | | | 4 | US | XX | BE | |
| | | | 1 | US | XX | NL | |
| | | | 1 | US | ZA | FR | |
| | | | 3 | US | ZA | IT | |
| | | | 1713 | US | ZW | FR | |
| | | | 1 | ZA | XX | NL | |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|---------------------------|----------------|------------------------------------|----|-------|
| II | C2 | <i>Loxodonta africana</i> | ivory carvings | 4650 g | AD | SD FR |
| | | | 920 g | AD | SO | FR |
| | | | 695 g | AD | UG | FR |
| | | | 380 g | AD | ZM | FR |
| | | | 180 g | AT | KE | DE |
| | | | 1088 g | AT | SD | DE |
| | | | 550 g | AT | TZ | DE |
| | | | 350 g | AT | XX | DE |
| | | | 520 g | AT | ZA | DE |
| | | | 1874 g | AT | ZW | DE |
| | | | 400 g | AU | XX | DE |
| | | | 3255 g | AU | ZA | DE |
| | | | 500 g | BM | TZ | DK |
| | | | 700 g | BM | XF | DK |
| | | | 1200 g | BR | ZA | DE |
| | | | 500 g | BS | TZ | DK |
| | | | 100 g | BS | XF | DK |
| | | | 330 g | CA | SD | DE |
| | | | 1822 g | CA | ZA | DE |
| | | | 42 g | CA | ZM | DE |
| | | | 748 g | CA | ZM | FR |
| | | | 22 g | CA | ZW | DE |
| | | | 700 g | CF | CF | FR |
| | | | 550 g | CH | CF | FR |
| | | | 600 g | CH | CG | FR |
| | | | 1745 g | CH | KE | DE |
| | | | 2325 g | CH | SD | DE |
| | | | 300 g | CH | SD | FR |
| | | | 313 g | CH | SO | IT |
| | | | 80 g | CH | TZ | DE |
| | | | 3990 g | CH | XX | DE |
| | | | 9147 g | CH | ZA | DE |
| | | | 1028 g | CH | ZM | DE |
| | | | 930 g | CH | ZR | IT |
| | | | 1453 g | CH | ZW | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | | |
|-------------------------|-------|---------------------------|----------------|------------------------------------|----|----|----|
| II | C2 | <i>Loxodonta africana</i> | ivory carvings | 500 g | CO | XX | GB |
| | | | 220 g | DD | ZA | DE | |
| | | | 550 g | DJ | CG | FR | |
| | | | 185 g | DJ | TD | FR | |
| | | | 335 g | DJ | UG | FR | |
| | | | 200 g | DJ | ZM | FR | |
| | | | 430 g | EC | ZA | DE | |
| | | | 30 g | FI | SD | DK | |
| | | | 220 g | FI | ZA | DK | |
| | | | 650 g | GA | CF | FR | |
| | | | 550 g | HK | TD | FR | |
| | | | 2120 g | HK | ZA | DE | |
| | | | 1150 g | IL | SD | FR | |
| | | | 289 g | IL | TZ | DE | |
| | | | 1200 g | IL | ZA | DE | |
| | | | 450 g | IN | KE | DE | |
| | | | 667 g | IN | ZW | DE | |
| | | | 850 g | JP | KE | DE | |
| | | | 119 g | JP | SD | DE | |
| | | | 15 g | JP | SD | DK | |
| | | | 30 g | JP | TZ | DK | |
| | | | 4 g | JP | XF | DK | |
| | | | 2480 g | JP | XX | DE | |
| | | | 57350 g | JP | ZA | DE | |
| | | | 300 g | KN | TZ | DK | |
| | | | 200 g | KN | XF | DK | |
| | | | 2000 g | KR | ZA | DE | |
| | | | 400 g | LB | ZA | DE | |
| | | | 400 g | MX | ZA | DE | |
| | | | 30 g | NL | SD | DE | |
| | | | 25 g | NZ | KE | DK | |
| | | | 400 g | NZ | NA | DE | |
| | | | 800 g | NZ | ZA | DE | |
| | | | 100 g | SE | XX | DK | |
| | | | 860 g | SE | ZA | DE | |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|---------------------------|----------------|------------------------------------|-------|-------|
| II | C2 | <i>Loxodonta africana</i> | ivory carvings | 400 g | SG | ZA DE |
| | | | 76 g | US | CF FR | |
| | | | 3055 g | US | KE DE | |
| | | | 25 g | US | KE DK | |
| | | | 264 g | US | KY FR | |
| | | | 1781 g | US | SD DE | |
| | | | 170 g | US | SD DK | |
| | | | 2953 g | US | TZ DE | |
| | | | 800 g | US | TZ DK | |
| | | | 1080 g | US | XX DE | |
| | | | 32634 g | US | ZA DE | |
| | | | 8 g | US | ZA DK | |
| | | | 1977 g | US | ZM DE | |
| | | | 305 g | US | ZM FR | |
| | | | 2785 g | US | ZW DE | |
| | | | 210 g | XX | ZA DK | |
| | | | 220 g | ZA | ZA DE | |
| | | | 35 kg | AD | CF FR | |
| | | | 4 kg | AD | SD FR | |
| | | | 2 kg | AD | UG FR | |
| | | | 3 kg | AD | ZM FR | |
| | | | 2 kg | AT | SD DE | |
| | | | 3 kg | AT | TZ DE | |
| | | | 23 kg | AT | ZA DE | |
| | | | 1 kg | AU | ZA DE | |
| | | | 1 kg | BM | TZ DK | |
| | | | 1 kg | CA | CF FR | |
| | | | 2 kg | CA | CG FR | |
| | | | 6 kg | CA | ZA DE | |
| | | | 1 kg | CA | ZM FR | |
| | | | 63 kg | CH | SD DE | |
| | | | 11 kg | CH | ZA DE | |
| | | | 63 kg | CH | ZA FR | |
| | | | 2 kg | CH | ZW DE | |
| | | | 12 kg | DD | SD DE | |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|---------------------------|----------------|------------------------------------|----|-------|
| II | C2 | <i>Loxodonta africana</i> | ivory carvings | 4 kg | DD | ZA DE |
| | | | | 2 kg | HK | CF DK |
| | | | | 1 kg | HK | SD DE |
| | | | | 1 kg | HK | SO FR |
| | | | | 136 kg | HK | TZ DE |
| | | | | 1 kg | IL | CG DE |
| | | | | 7 kg | JP | SD DE |
| | | | | 1 kg | JP | XX DK |
| | | | | 1 kg | NL | XF DK |
| | | | | 22 kg | SG | MW FR |
| | | | | 2 kg | TR | SD FR |
| | | | | 2 kg | US | BW FR |
| | | | | 1 kg | US | CF BE |
| | | | | 18 kg | US | SD DE |
| | | | | 1 kg | US | TZ DE |
| | | | | 57 kg | US | ZA DE |
| | | | | 1 kg | XX | ZM GB |
| | | | | 38 kg | ZA | SD DE |
| | | | | 5 kg | ZA | ZA DE |
| | | | | 4 sets | HK | SD IT |
| | | | | 1 set | JP | XF IT |
| | | | | 4 sets | JP | ZA NL |
| | | ivory pieces | | 120 g | US | CM GB |
| | | | | 1856 g | US | ZA DE |
| | | | | 300 kg | AT | BW GB |
| | | | | 750 kg | AT | KE GB |
| | | | | 130 kg | AT | TZ GB |
| | | | | 165 kg | AT | ZA GB |
| | | | | 65 kg | AT | ZW GB |
| | | | | 1 kg | AU | KE GB |
| | | | | 10 kg | AU | ZM GB |
| | | | | 7 kg | DD | TZ DE |
| | | | | 1 kg | HK | KE GB |
| | | | | 25 kg | HK | TZ GB |
| | | | | 1 kg | HK | ZA GB |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | | |
|-------------------------|-------|---------------------------|--------------------|---------------------------------------------------------------------------------------------|----------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|----------------------------------------------------|
| II | C2 | <i>Loxodonta africana</i> | ivory pieces | 1 kg 2 kg 3 kg 29 kg 19 kg 4 kg 11 kg 11 kg 27 kg | US US US US XX XX XX XX ZA | KE XX ZR ZW KE ZA ZR ZW ZA | GB GB GB GB GB GB GB DE |
| | | | ivory scraps | 755 g 81 g 4 kg 275 kg | CA US AT HK | ZA ZA ZM ZA | DE DE DE GB |
| | | | live | 1 2 4 items 1 item | SE SE DD SE | ZA ZW ZW ZW | DK DK DE DE |
| | | | pairs of shoes | 10 336 236 | JP US US | BW BW ZW | IT IT IT |
| | | | skins | 1 10 1 4 1000 1 9210 24607 2315 1102 sq.m 1178 sq.m 5 sq.m | CH CH CN JP US US US XX ZW CH CH MU | ZW ZW ZW ZW BW ZW ZW ZW GB FR BE BE GB FR GB GB DE DE FR | BE FR BE BE GB FR GB GB IT |
| | | | skin/leather items | 12 96 163 | CH CH JP | CF ZA CF | IT IT IT |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|---------------------------|--------------------|------------------------------------|----|-------|
| II | C2 | <i>Loxodonta africana</i> | skin/leather items | 1556 | JP | ZA IT |
| | | | 11 | JP | ZW | IT |
| | | | 3 | TW | CF | IT |
| | | | 43 | ZA | ZA | FR |
| | | skulls | 1 | AT | TZ | DE |
| | | tails | 1 | AT | TZ | DE |
| | | trophies | 1 | AT | TZ | DE |
| | | | 1 | AU | XX | GB |
| | | tusks | 2 | HK | TD | FR |
| | | | 45 | HK | TZ | GB |
| | | | 108 | HK | ZA | GB |
| | | | 204 | HK | ZM | GB |
| | | | 7 | HK | ZR | GB |
| | | | 25 | HK | ZW | GB |
| | | | 83 | IN | TZ | GB |
| | | | 100 | IN | ZM | GB |
| | | | 5 | IN | ZW | GB |
| | | | 18 kg | AT | TZ | DE |
| | | | 131 kg | HK | CF | FR |
| | | | 829 kg | HK | CG | BE |
| | | | 13 kg | HK | GA | FR |
| | | | 1550 kg | HK | TD | FR |
| | | | 14488 kg | HK | XX | BE |
| | | | 50 kg | HK | ZA | DE |
| | | | 255 kg | HK | ZR | BE |
| | | | 550 kg | JP | CF | BE |
| | | | 3444 kg | JP | CG | FR |
| | | | 1626 kg | JP | GA | BE |
| | | | 26631 kg | JP | XX | BE |
| | | | 344 kg | JP | ZR | BE |
| | | wallets | 60 kg | US | SD | DE |
| | | | 3 | CH | ZA | IT |
| | | | 268 | HK | ZA | IT |
| | | | 2 | JP | ZA | DE |
| | | | 54 | JP | ZA | IT |

| CITES EEC App. Annex | | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|----|----------------------------------|------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|
| II | C2 | <i>Loxodonta africana</i> | wallets watchstraps | 205 20 | JP HK | ZW CF | IT IT |
| | C1 | <i>Equus zebra hartmannae</i> | live (captive bred) skins | 1 1 | CS NA | NA | GB DE |
| | C1 | <i>Tapirus terrestris</i> | live (captive bred) | 1 1 | CH US | | DE DE |
| | | <i>Tayassu tajacu</i> | skins watchstraps | 1378 650 4 | JP CH JP | AR PY PY | DE FR FR |
| | C2 | <i>Choeropsis liberiensis</i> | live (captive bred) | 1 1 | ID PL | | DE DE |
| | | <i>Lama guanicoe</i> | cloth live (captive bred) plates | 8 items 47 items 1 item 2 1 4 8 2 3 1 item 30 items skins skin/leather items skin pieces | AT CH US AT IL CH CH US XX AT CH CH CH CH | AR AR AR AR ES AR AR AR AR GB AR AR AR AR | DE DE DE DE ES DE DE FR FR GB DE DE DE IT DE |
| | | <i>Cervus elaphus bactrianus</i> | live (captive bred) | 1 | US | | DE |
| | | <i>Ammotragus lervia</i> | live (captive bred) | 4 4 | AT PL | | DE DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|---------------------------------|---------------------|----------|------------------------------------|----|----|
| II | <i>Budorcas taxicolor</i> | live (captive bred) | 2 | US | DD | DE |
| | <i>Kobus leche</i> | skins | 2 | US | ZM | DE |
| | | trophies | 2 | CH | ZM | DE |
| | <i>Rhea americana</i> | belts | 27 | US | AR | IT |
| | | pairs of shoes | 20 | CH | AR | IT |
| | | | 33 | JP | AR | IT |
| | | | 22 | US | AR | IT |
| | | skins | 10 | US | BO | IT |
| | <i>Rhea americana albescens</i> | pairs of shoes | 1 | US | AR | FR |
| | | skins | 18 | AT | AR | FR |
| | | | 12 | CH | AR | FR |
| | | watchstraps | 2 | CH | AR | FR |
| | | | 1 | HK | AR | FR |
| | | | 1 | JP | AR | FR |
| | <i>Balaeniceps rex</i> | live | 2 | CH | UG | BE |
| | <i>Eudocimus ruber</i> | bodies | 1 | TW | XX | BE |
| C1 | <i>Platalea leucorodia</i> | live | 15 | JP | SU | IT |
| | | | 8 | TW | SU | IT |
| | <i>Phoeniconaias minor</i> | bodies | 3 | NO | XX | DK |
| | | live | 16 | CH | TZ | BE |
| | | | 4 | CH | TZ | NL |
| | | | 10 | ID | TZ | NL |
| | | | 62 | TW | TZ | BE |
| C1 | <i>Phoenicopterus chilensis</i> | live | 4 | CH | XX | DE |
| | <i>Phoenicopterus roseus</i> | live | 9 | NO | TZ | DK |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|------------------------------|---------------------|------------------------------------|----|----|
| II | C1 | <i>Branta ruficollis</i> | live (captive bred) | 2 | BR | FR |
| | | | 6 | BR | NL | |
| | | | 4 | CA | FR | |
| | | | 36 | CA | NL | |
| | | | 6 | CA | NL | FR |
| | | | 20 | CH | DE | |
| | | | 12 | CH | GB | |
| | | | 4 | CH | NL | |
| | | | 2 | CL | GB | |
| | | | 8 | DD | DE | |
| | | | 2 | DD | NL | |
| | | | 2 | HK | DE | |
| | | | 4 | JP | NL | |
| | | | 2 | TW | NL | |
| | | | 44 | US | GB | |
| | | | 27 | US | NL | |
| | | | 2 | ZW | GB | |
| C1 | | <i>Coscoroba coscoroba</i> | bodies | 1 | NO | DK |
| | | | live (captive bred) | 1 | CH | NL |
| | | | | 5 | JP | NL |
| | | <i>Cygnus melanocoryphus</i> | live (captive bred) | 4 | BN | NL |
| | | | | 6 | CA | NL |
| | | | | 2 | CH | DE |
| | | | | 2 | ID | NL |
| | | | | 2 | IL | BE |
| | | | | 4 | IL | GB |
| | | | | 12 | JP | NL |
| | | | | 14 | TW | NL |
| | | | | 14 | US | GB |
| | | | live | 12 | US | GB |
| | | <i>Dendrocygna arborea</i> | live (captive bred) | 6 | DD | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------------------------------|---------------------|----------|------------------------------------|----|----|
| II | <i>Oxyura leucocephala</i> | live (captive bred) | 2 | JP | | NL |
| | <i>Sarkidiornis melanotos</i> | live (captive bred) | 8 | DD | | DE |
| | | | 2 | HK | | DE |
| C1 | <i>Accipiter gentilis</i> | live (captive bred) | 2 | AT | AT | NL |
| | | | 2 | CA | | DE |
| | | live | 2 | CA | | DK |
| C1 | <i>Accipiter melanoleucus</i> | live (captive bred) | 1 | US | | GB |
| C1 | <i>Accipiter nisus</i> | bodies | 1 | NO | XX | DK |
| C1 | <i>Aquila chrysaetos</i> | bodies | 1 | US | DE | DK |
| | | live (captive bred) | 1 | SA | | DE |
| | | live | 1 | CH | | FR |
| | | | 1 | HU | | FR |
| C1 | <i>Aquila rapax</i> | bodies | 1 | CA | XX | GB |
| C1 | <i>Buteo buteo</i> | bodies | 1 | NO | XX | DK |
| C1 | <i>Buteo jamaicensis</i> | bodies | 1 | TW | XX | BE |
| | | live (captive bred) | 1 | CS | | DE |
| C1 | <i>Buteo regalis</i> | live (captive bred) | 2 | DE | | GB |
| C1 | <i>Gypaetus barbatus</i> | bodies | 1 | NO | DE | DK |
| | | live (captive bred) | 2 | AT | | NL |
| | | live | 2 | CH | XX | NL |
| C1 | <i>Gyps fulvus</i> | bodies | 1 | NO | XX | DK |
| | | | 1 | TW | XX | BE |
| C1 | <i>Haliaeetus leucoryphus</i> | live | 1 | DD | XX | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|--------------------------------------|---------------------|----------|------------------------------------|----|----|
| II | C1 <i>Heterospizias meridionalis</i> | bodies | 1 | NO | XX | DK |
| | C1 <i>Parabuteo unicinctus</i> | live (captive bred) | 1 | XX | | GB |
| | C1 <i>Pernis apivorus</i> | live | 1 | TN | | DE |
| | C1 <i>Sarcogyps calvus</i> | live (captive bred) | 1 | US | | FR |
| | C1 <i>Torgos tracheliotus</i> | bodies | 2 | TW | XX | BE |
| | C1 <i>Falco biarmicus</i> | live (captive bred) | 2 | AT | | DE |
| | | | 4 | CA | | DE |
| | | | 3 | CS | | DE |
| | | | 1 | PL | | DE |
| | | | 2 | XX | | GB |
| | | live | 1 | YU | XX | BE |
| | C1 <i>Falco cherrug</i> | live (captive bred) | 2 | AE | | DE |
| | | | 2 | AT | | DE |
| | | | 3 | CA | | DE |
| | | | 6 | PK | | GB |
| | C1 <i>Falco mexicanus</i> | live (captive bred) | 2 | DE | | GB |
| | C1 <i>Falco tinnunculus</i> | bodies | 1 | NO | XX | DK |
| | C1 <i>Poliherax semitorquatus</i> | live (captive bred) | 4 | DD | | GB |
| | <i>Argusianus argus argus</i> | live (captive bred) | 5 | SR | | NL |
| | C1 <i>Gallus sonneratii</i> | live (captive bred) | 10 | PK | | NL |
| | | | 10 | US | | GB |
| | | | 12 | ZA | | BE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|----------------------------------|---------------------|----------|------------------------------------|----|----|
| II | <i>Pavo muticus</i> | live (captive bred) | 2 | OM | NL | |
| C1 | <i>Polyplectron bicalcaratum</i> | live (captive bred) | 2 | OM | NL | |
| | | | 2 | PE | BE | |
| | | | 8 | PK | NL | |
| | | | 2 | QA | NL | |
| | | | 4 | SR | NL | |
| | <i>Anthropoides virgo</i> | live (captive bred) | 2 | CH | DE | |
| | | | 2 | MX | FR | |
| | <i>Balearica pavonina</i> | live | 3 | MY | TZ | BE |
| | <i>Balearica regulorum</i> | bodies | 1 | NO | XX | DK |
| | | ivory carvings | 2 | CS | TZ | NL |
| | | live | 1 | AT | TZ | DE |
| | | | 2 | BS | TZ | NL |
| | | | 3 | CH | KE | NL |
| | | | 1 | CH | TZ | DE |
| | | | 4 | CO | KE | NL |
| | | | 2 | CS | KE | NL |
| | | | 17 | CS | TZ | NL |
| | | | 1 | HK | TZ | GB |
| | | | 4 | ID | KE | DE |
| | | | 4 | ID | TZ | NL |
| | | | 7 | KW | KE | NL |
| | | | 4 | OM | KE | NL |
| | | | 4 | TW | TZ | BE |
| | | | 2 | YU | TZ | DE |
| | <i>Grus antigone</i> | live (captive bred) | 2 | LK | DE | NL |
| | | live | 2 | CH | XX | DE |
| | <i>Choriotis kori</i> | live | 1 | AT | TZ | GB |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|---------------------------------|---------------------|----------|------------------------------------|----|----|
| II | C2 <i>Gallicolumba luzonica</i> | live (captive bred) | 8 | ZA | NL | |
| | C2 <i>PSITTACIFORMES</i> spp. | live (captive bred) | 46 | AN | NL | |
| | | | 288 | CA | NL | |
| | | | 62 | TW | NL | |
| | C2 <i>Agapornis cana</i> | live | 11 | CA | MG | NL |
| | | | 124 | US | MG | BE |
| | | | 100 | US | MG | NL |
| | | | 400 | ZA | MG | BE |
| | C2 <i>Agapornis fischeri</i> | live (captive bred) | 16 | AN | NL | |
| | | | 12 | DO | NL | |
| | | | 10 | MT | BE | |
| | | | 6 | ZA | NL | |
| | | live | 14 | AN | TZ | NL |
| | | | 120 | CA | TZ | NL |
| | | | 10 | CY | TZ | BE |
| | | | 370 | IL | TZ | BE |
| | | | 50 | MT | TZ | BE |
| | | | 40 | SA | TZ | NL |
| | C2 <i>Agapornis nigrigenis</i> | live | 4 | ES | DK | |
| | | | 14 | SE | DK | |
| | C2 <i>Agapornis personata</i> | live (captive bred) | 104 | AN | NL | |
| | | | 52 | BH | NL | |
| | | | 2 | BR | DE | |
| | | | 1 | BR | NL | |
| | | | 40 | BS | NL | |
| | | | 135 | CA | NL | |
| | | | 10 | CR | BE | |
| | | | 4 | CU | NL | |
| | | | 60 | DO | NL | |
| | | | 4 | HN | BE | |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export |
|-------------------------|-------|------------------------------|---------------------|------------------------------------|
| II | C2 | <i>Agapornis personata</i> | live (captive bred) | |
| | | | 52 | IL BE |
| | | | 20 | IN BE |
| | | | 190 | JP NL |
| | | | 14 | LK NL |
| | | | 10 | MT NL |
| | | | 112 | MX NL |
| | | | 12 | MY NL |
| | | | 40 | PK NL |
| | | | 189 | QA NL |
| | | | 6 | SV NL |
| | | | 46 | TT NL |
| | | | 16 | TW NL |
| | | | 80 | US BE |
| | | | 80 | ZA BE |
| | | | 19 | ZA NL |
| C2 | | <i>Agapornis roseicollis</i> | live (captive bred) | |
| | | | 292 | AE NL |
| | | | 36 | AN BE |
| | | | 883 | AN NL |
| | | | 18 | AW NL |
| | | | 40 | BH BE |
| | | | 326 | BH NL |
| | | | 5 | BR DE |
| | | | 19 | BR NL |
| | | | 6 | BS NL |
| | | | 405 | CA NL |
| | | | 6 | CL BE |
| | | | 25 | CR BE |
| | | | 60 | CR NL |
| | | | 4 | CU NL |
| | | | 30 | CY BE |
| | | | 166 | DO NL |
| | | | 12 | DZ BE FR |
| | | | 178 | EG BE |
| | | | 160 | EG NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export |
|-------------------------|-------|------------------------------|---------------------|------------------------------------|
| II | C2 | <i>Agapornis roseicollis</i> | live (captive bred) | |
| | | | 40 | GT BE |
| | | | 46 | HN BE |
| | | | 18 | HN NL |
| | | | 20 | ID NL |
| | | | 1122 | IL BE |
| | | | 10 | JM DE |
| | | | 80 | JO NL |
| | | | 6 | JP BE |
| | | | 282 | JP NL |
| | | | 110 | KW BE |
| | | | 60 | KW NL |
| | | | 70 | MT BE |
| | | | 140 | MT NL |
| | | | 518 | MX NL |
| | | | 18 | MY NL |
| | | | 40 | OM NL |
| | | | 138 | PA NL |
| | | | 10 | PE BE |
| | | | 20 | PE NL |
| | | | 66 | PK NL |
| | | | 1585 | SA NL |
| | | | 40 | SG BE |
| | | | 10 | SV NL |
| | | | 38 | TT NL |
| | | | 40 | TW NL |
| | | | 4056 | US BE |
| | | | 474 | ZA BE |
| | | | 240 | ZA NL |
| | | live | 4 | BR DK |
| | | | 4 | SE DK |
| C2 | | <i>Alisterus scapularis</i> | live (captive bred) | |
| | | | 26 | JP NL |
| | | | 2 | NC FR |
| | | | 3 | US NL |
| | | live | 2 | NC FR |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|--------------------------------------------------|---------------------|----------|------------------------------------|----|----|
| II | C2 <i>Amazona autumnalis</i> | live | 1 | SE | XX | NL |
| | C2 <i>Amazona farinosa</i> | live | 1 | US | XX | DE |
| | C2 <i>Amazona festiva</i> | live (captive bred) | 1 | IL | | FR |
| | C2 <i>Amazona finschi</i> | live (captive bred) | 2 | SE | | NL |
| | | live | 4 | DD | XX | NL |
| | C2 <i>Amazona ochrocephala</i> | live (captive bred) | 1 | KW | US | GB |
| | | | 2 | LK | | DE |
| | | live | 1 | AR | CO | FR |
| | | | 1 | BF | SR | NL |
| | | | 12 | DD | XX | NL |
| | | | 6 | LK | XX | NL |
| | | | 3 | RO | XX | NL |
| | C2 <i>Amazona ochrocephala</i> <i>oratrix</i> | live (captive bred) | 1 | DD | | NL |
| | | live | 2 | DD | XX | NL |
| | C2 <i>Amazona ventralis</i> | live (captive bred) | 1 | CA | | FR |
| | C2 <i>Amazona xanthops</i> | live (captive bred) | 2 | DD | | NL |
| | C2 <i>Anodorhynchus</i> <i>hyacinthinus</i> | live | 2 | DD | | GB |
| | C2 <i>Aprosmictus erythropterus</i> | live (captive bred) | 1 | CA | | NL |
| | | | 1 | HK | | DE |
| | | | 9 | JP | | BE |
| | | | 18 | JP | | NL |
| | C2 <i>Ara ararauna</i> | live (captive bred) | 1 | US | | NL |
| | | | 1 | YU | BR | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-----------------------|-------------------------------|---------------------------------------|----------------------------------------------|----------------------------------------------|----------------------------------------------|
| II | C2 Ara ararauna | live | 1 1 1 6 6 2 5 | AT CY EG HK SU TH TW | GY GY XX GY SR GF GY | DE DE NL PT NL FR PT |
| C2 | Ara chloroptera | live (captive bred) live | 2 10 2 2 6 5 1 1 | CA AT BB CY HK TW US US | GB GY GY GY PT PT BO XX | GB DE GB DE PT PT GB DE |
| C2 | Ara maracana | live (captive bred) | 2 | PH | | ES |
| C2 | Aratinga erythrogenys | live | 12 | CY | PE | DE |
| C2 | Aratinga finschi | live | 10 | CA | CR | NL |
| C2 | Aratinga solstitialis | live (captive bred) | 4 | IL | | DE |
| C2 | Barnardius barnardi | bodies live (captive bred) | 1 8 49 2 4 2 6 4 | NO CA JP PK US US ZA SE | XX NL NL NL DE NL BE DK | DK |
| C2 | Barnardius zonarius | live (captive bred) | 10 | CA | | NL |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------------------------------|---------------------|----------|------------------------------------|----|----|
| II | C2 <i>Barnardius zonarius</i> | live (captive bred) | 2 | IL | BE | |
| | | | 6 | JP | BE | |
| | | | 47 | JP | NL | |
| | | | 3 | LK | NL | |
| | | | 2 | PK | NL | |
| | | | 6 | US | BE | |
| | | | 8 | ZA | BE | |
| | | live | 2 | SE | DK | |
| C2 | <i>Brotogeris jugularis</i> | live | 10 | CA | CR | NL |
| C2 | <i>Cacatua alba</i> | live | 1 | AN | ID | NL |
| | | | 3 | BH | ID | NL |
| | | | 6 | CY | ID | DE |
| | | | 2 | IL | ID | BE |
| | | | 1 | KE | XX | GB |
| | | | 2 | PE | ID | DE |
| | | | 1 | VE | TW | PT |
| | | | 2 | YU | ID | DE |
| C2 | <i>Cacatua galerita</i> | live | 1 | CH | | ES |
| | | | 2 | IL | XX | BE |
| C2 | <i>Cacatua goffini</i> | live (captive bred) | 2 | OM | | GB |
| | | live | 2 | AT | ID | NL |
| | | | 4 | CY | ID | DE |
| C2 | <i>Cacatua moluccensis</i> | live | 1 | BR | ID | BE |
| | | | 1 | CH | ID | DE |
| | | | 2 | CY | ID | DE |
| | | | 2 | DO | ID | DE |
| | | | 1 | IL | ID | BE |
| | | | 10 | SU | ID | NL |
| | | | 2 | US | XX | DE |
| | | | 2 | YU | ID | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------------------------------|---------------------|----------|------------------------------------|----|----|
| II | C2 <i>Cacatua sanguinea</i> | live | 2 | CS | XX | DE |
| | C2 <i>Cacatua sulphurea</i> | live | 2 | AT | ID | DE |
| | | | 10 | AT | ID | NL |
| | | | 3 | BH | ID | NL |
| | | | 5 | CA | ID | NL |
| | | | 8 | CY | ID | DE |
| | | | 3 | IL | ID | BE |
| | | | 1 | MY | ID | DE |
| | | | 6 | OM | ID | GB |
| | | | 1 | SA | ID | NL |
| | | | 2 | US | ID | DE |
| | | | 1 | US | XX | DE |
| | | | 1 | VE | TW | PT |
| | | | 2 | YU | ID | DE |
| C2 | <i>Cacatua tenuirostris</i> | live | 1 | CH | XX | BE |
| C2 | <i>Charmosyna placentis</i> | live | 4 | AT | ID | DE |
| C2 | <i>Charmosyna pulchella</i> | live | 4 | AT | ID | DE |
| C2 | <i>Coracopsis vasa</i> | live | 10 | US | MG | BE |
| C2 | <i>Cyanoramphus auriceps</i> | live (captive bred) | 2 | BH | | NL |
| | | | 20 | JP | | NL |
| | | | 10 | MT | | NL |
| | | | 4 | ZA | | BE |
| C2 | <i>Deroptyus accipitrinus</i> | live | 5 | SG | SR | NL |
| C2 | <i>Eclectus roratus</i> | live (captive bred) | 2 | MX | | NL |
| | | | 1 | OM | FR | GB |
| | | | 3 | US | | NL |
| | | live | 1 | SE | | DK |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|-----------------------------------|---------------------|------------------------------------|----|----|
| II | C2 | <i>Enicognathus ferrugineus</i> | live | 3 | DD | DK |
| | | | | 4 | SE | DK |
| | C2 | <i>Enicognathus leptorhynchus</i> | live | 12 | CA | NL |
| | C2 | <i>Eolophus roseicapillus</i> | live (captive bred) | 2 | BH | NL |
| | C2 | <i>Eos bornea</i> | live (captive bred) | 4 | DD | DE |
| | | | live | 2 | DD | DE |
| | C2 | <i>Eos squamata</i> | live | 2 | PE | DE |
| | C2 | <i>Forpus coelestis</i> | bodies | 1 | NO | DK |
| | | | live (captive bred) | 12 | CA | NL |
| | | | | 1 | US | DE |
| | C2 | <i>Forpus conspicillatus</i> | live | 4 | SE | DK |
| | C2 | <i>Lathamus discolor</i> | live (captive bred) | 32 | JP | NL |
| | C2 | <i>Lorius garrulus</i> | live | 2 items | CY | DE |
| | C2 | <i>Myiopsitta monachus</i> | live | 10 | CY | DE |
| | C2 | <i>Nandayus nenday</i> | live (captive bred) | 19 | IL | BE |
| | | | | 6 | JM | DE |
| | | | live | 14 | CY | DE |
| | C2 | <i>Neophema bourkii</i> | live (captive bred) | 4 | AN | NL |
| | | | | 6 | BR | BE |
| | | | | 14 | CA | NL |
| | | | | 4 | CL | BE |
| | | | | 6 | CR | NL |
| | | | | 4 | CS | DE |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Import | Country of Origin Export |
|-------------------------|------------------------------|---------------------|----------|----------------------|-----------------------------|
| II | C2 <i>Neophema bourkii</i> | live (captive bred) | 4 | CU | NL |
| | | | 8 | CY | DE |
| | | | 36 | IL | BE |
| | | | 12 | IN | BE |
| | | | 10 | JP | BE |
| | | | 254 | JP | NL |
| | | | 10 | KR | NL |
| | | | 4 | MX | BE |
| | | | 2 | SA | NL |
| | | | 6 | TH | NL |
| | | | 40 | TW | NL |
| | | | 8 | TW | GN NL |
| | | | 110 | US | BE |
| | | | 50 | US | NL |
| | | | 59 | ZA | BE |
| | | | 110 | ZA | NL |
| | | live | 4 | SE | DK |
| | <i>Neophema chrysogaster</i> | live (captive bred) | 70 | JP | NL |
| | | | 4 | PK | NL |
| C2 | <i>Neophema elegans</i> | live (captive bred) | 4 | BH | NL |
| | | | 14 | CA | NL |
| | | | 6 | IL | BE |
| | | | 4 | IN | BE |
| | | | 122 | JP | NL |
| | | | 10 | MT | NL |
| | | | 20 | TW | NL |
| | | | 32 | US | BE |
| | | | 20 | US | NL |
| | | | 12 | ZA | BE |
| | | | 4 | ZA | NL |
| C2 | <i>Neophema pulchella</i> | live (captive bred) | 12 | AN | NL |
| | | | 4 | BR | BE |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Import | Country of Origin Export | |
|-------------------------|-------|---------------------------|---------------------|----------------------|-----------------------------|----|
| II | C2 | <i>Neophema pulchella</i> | live (captive bred) | 18 | CA | NL |
| | | | 20 | CS | DE | |
| | | | 12 | CY | DE | |
| | | | 27 | IL | BE | |
| | | | 16 | JP | BE | |
| | | | 245 | JP | NL | |
| | | | 54 | KR | NL | |
| | | | 12 | KW | BE | |
| | | | 6 | MT | BE | |
| | | | 20 | MT | NL | |
| | | | 12 | MX | NL | |
| | | | 14 | PK | NL | |
| | | | 2 | SA | ID NL | |
| | | | 6 | TH | NL | |
| | | | 62 | TW | NL | |
| | | | 8 | TW | GN NL | |
| | | | 8 | ZA | BE | |
| | | | 12 | ZA | NL | |
| | C2 | <i>Neophema splendida</i> | live (captive bred) | 2 | AN | NL |
| | | | 2 | BD | NL | |
| | | | 10 | BR | BE | |
| | | | 14 | CA | NL | |
| | | | 4 | CS | DE | |
| | | | 10 | CY | DE | |
| | | | 2 | IL | BE | |
| | | | 2 | JP | BE | |
| | | | 216 | JP | NL | |
| | | | 12 | KW | BE | |
| | | | 4 | MX | BE | |
| | | | 8 | MX | NL | |
| | | | 6 | OM | NL | |
| | | | 4 | PK | NL | |
| | | | 4 | TH | NL | |
| | | | 54 | TW | NL | |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-----------------------------------------------|---------------------|----------|------------------------------------|----|----|
| II | C2 <i>Neophema splendida</i> | live (captive bred) | 38 | ZA | BE | |
| | | | 20 | ZA | NL | |
| | | live | 4 | SE | DK | |
| C2 | <i>Neopsittacus</i> <i>musschenbroekii</i> | live | 2 | PE | ID | DE |
| C2 | <i>Pionites melanocephala</i> | live | 1 | DD | GF | DE |
| | | | 3 | NO | DK | |
| | | | 2 | SE | DK | |
| | | | 2 | SE | GY | DE |
| C2 | <i>Platycercus adelaideae</i> | live (captive bred) | 2 | AE | | NL |
| | | | 8 | CA | | NL |
| | | | 1 | IO | | NL |
| | | | 2 | IL | | BE |
| | | | 32 | JP | | NL |
| | | | 2 | LK | | NL |
| | | | 6 | MT | | NL |
| | | | 2 | PK | | NL |
| | | | 14 | TW | | NL |
| | | | 4 | TW | GN | NL |
| | | | 4 | US | | NL |
| | | | 13 | ZA | | BE |
| | | | 6 | ZA | | NL |
| C2 | <i>Platycercus adscitus</i> | live (captive bred) | 3 | AE | | NL |
| | | | 2 | AN | | NL |
| | | | 2 | BD | | NL |
| | | | 4 | BN | | BE |
| | | | 43 | CA | | NL |
| | | | 4 | IN | | BE |
| | | | 6 | JP | | BE |
| | | | 185 | JP | | NL |
| | | | 1 | OM | | GB |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export |
|-------------------------|--------------------------------|---------------------|----------|------------------------------------|
| II | C2 <i>Platycercus adscitus</i> | live (captive bred) | 2 | PK NL |
| | | | 2 | TH NL |
| | | | 38 | TW NL |
| | | | 20 | US BE |
| | | | 88 | ZA BE |
| | | | 2 | ZA DE |
| C2 | <i>Platycercus caledonicus</i> | live (captive bred) | 26 | JP NL |
| | | | 2 | PK NL |
| C2 | <i>Platycercus elegans</i> | live (captive bred) | 24 | AE NL |
| | | | 4 | BD NL |
| | | | 2 | BH NL |
| | | | 10 | BN BE |
| | | | 2 | BS NL |
| | | | 33 | CA NL |
| | | | 14 | CY DE |
| | | | 8 | IL BE |
| | | | 8 | JP BE |
| | | | 260 | JP NL |
| | | | 5 | LK NL |
| | | | 6 | MT NL |
| | | | 37 | MX NL |
| | | | 2 | PK NL |
| | | | 4 | SG NL |
| | | | 4 | TW BE |
| | | | 32 | TW NL |
| | | | 44 | US BE |
| | | | 16 | US DE |
| | | | 40 | US NL |
| | | | 89 | ZA BE |
| | | | 10 | ZA DE |
| | | | 31 | ZA NL |
| | | live | 4 | SE DK |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | |
|-------------------------|-------|----------------------------|---------------------|------------------------------------|-------|
| II | C2 | <i>Platycercus eximius</i> | live (captive bred) | 14 | AE NL |
| | | | 174 | AN NL | |
| | | | 8 | BD NL | |
| | | | 4 | BH BE | |
| | | | 16 | BH NL | |
| | | | 10 | BN BE | |
| | | | 7 | BS NL | |
| | | | 157 | CA NL | |
| | | | 4 | CR NL | |
| | | | 7 | CY BE | |
| | | | 22 | CY DE | |
| | | | 6 | CY CS DE | |
| | | | 6 | DO NL | |
| | | | 4 | HN NL | |
| | | | 4 | ID NL | |
| | | | 135 | IL BE | |
| | | | 4 | IN BE | |
| | | | 12 | JP BE | |
| | | | 664 | JP NL | |
| | | | 12 | KR NL | |
| | | | 19 | LK NL | |
| | | | 6 | MT BE | |
| | | | 12 | MT NL | |
| | | | 70 | MX NL | |
| | | | 4 | NC FR | |
| | | | 2 | OM GB | |
| | | | 2 | OM NL | |
| | | | 68 | PA NL | |
| | | | 24 | PK NL | |
| | | | 10 | QA NL | |
| | | | 20 | SG BE | |
| | | | 30 | SG NL | |
| | | | 12 | SV NL | |
| | | | 6 | TH NL | |
| | | | 132 | TW BE | |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|------------------------------|---------------------|------------------------------------|----|----|
| II | C2 | <i>Platycercus eximius</i> | live (captive bred) | 176 | TW | NL |
| | | | 6 | TW | GN | NL |
| | | | 435 | US | BE | |
| | | | 6 | US | DE | |
| | | | 150 | US | NL | |
| | | | 269 | ZA | BE | |
| | C2 | <i>Platycercus flaveolus</i> | live (captive bred) | 8 | CA | NL |
| | | | 40 | JP | NL | |
| | | | 10 | MT | NL | |
| | | | 2 | PK | NL | |
| | | | 8 | TW | NL | |
| | | | 2 | ZA | BE | |
| | | live | 2 | SE | DK | |
| | C2 | <i>Platycercus icterotis</i> | live (captive bred) | 2 | AE | NL |
| | | | 4 | AN | NL | |
| | | | 2 | BH | NL | |
| | | | 41 | CA | NL | |
| | | | 4 | CY | DE | |
| | | | 2 | ID | NL | |
| | | | 4 | IN | BE | |
| | | | 8 | JP | BE | |
| | | | 126 | JP | NL | |
| | | | 3 | MT | BE | |
| | | | 4 | PK | NL | |
| | | | 16 | TW | NL | |
| | | | 4 | US | BE | |
| | | | 10 | US | NL | |
| | | | 22 | ZA | BE | |
| | | | 4 | ZA | NL | |
| | | live | 4 | SE | DK | |
| | C2 | <i>Platycercus venustus</i> | live (captive bred) | 10 | JP | NL |

| CITES EEC App. Annex | | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|----|----------------------------------|---------------------|----------|------------------------------------|----|-------|
| II | C2 | <i>Poicephalus cryptoxanthus</i> | live | 12 | | TW | TZ BE |
| | C2 | <i>Poicephalus gulielmi</i> | bodies | 1 | | NO | XX DK |
| | C2 | <i>Poicephalus meyeri</i> | live | 10 | | CA | TZ NL |
| | | | | 2 | | CY | TZ DE |
| | | | | 20 | | IL | TZ BE |
| | | | | 12 | | TW | TZ BE |
| | C2 | <i>Poicephalus senegalus</i> | live (captive bred) | 4 | | DO | DE |
| | | | | 4 | | JM | DE |
| | | | live | 3 | | AT | SN DE |
| | | | | 34 | | CY | SN DE |
| | | | | 83 | | IL | ML BE |
| | C2 | <i>Polytelis</i> spp. | live (captive bred) | 4 | | CA | NL |
| | C2 | <i>Polytelis alexandrae</i> | live (captive bred) | 4 | | AN | NL |
| | | | | 6 | | BD | NL |
| | | | | 6 | | BN | BE |
| | | | | 4 | | BS | NL |
| | | | | 32 | | CA | NL |
| | | | | 4 | | CH | BE |
| | | | | 14 | | CY | DE |
| | | | | 2 | | HK | DE |
| | | | | 12 | | JP | BE |
| | | | | 110 | | JP | NL |
| | | | | 6 | | MT | NL |
| | | | | 19 | | MX | NL |
| | | | | 4 | | PK | NL |
| | | | | 6 | | TH | NL |
| | | | | 14 | | TW | NL |
| | | | | 2 | | TW | GN NL |
| | | | | 39 | | US | BE |
| | | | | 9 | | US | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export |
|-------------------------|--------------------------------|---------------------|----------|------------------------------------|
| II | C2 <i>Polytelis alexandrae</i> | live (captive bred) | 40 | US NL |
| | | | 169 | ZA BE |
| | | | 8 | ZA DE |
| | | | 25 | ZA NL |
| | | live | 2 | SE DK |
| C2 | <i>Polytelis anthopeplus</i> | live (captive bred) | 2 | AN NL |
| | | | 3 | CA NL |
| | | | 4 | CY DE |
| | | | 4 | IL BE |
| | | | 4 | JP BE |
| | | | 86 | JP NL |
| | | | 2 | LK NL |
| | | | 2 | MX NL |
| | | | 4 | TH NL |
| | | | 16 | TW NL |
| | | | 12 | US BE |
| | | | 106 | ZA BE |
| | | | 6 | ZA DE |
| | | | 58 | ZA NL |
| C2 | <i>Polytelis swainsonii</i> | live (captive bred) | 2 | AN NL |
| | | | 5 | BS NL |
| | | | 32 | CA NL |
| | | | 2 | CY DE |
| | | | 4 | EG NL |
| | | | 2 | HK DE |
| | | | 4 | IL BE |
| | | | 2 | IN BE |
| | | | 2 | JP BE |
| | | | 116 | JP NL |
| | | | 1 | LK NL |
| | | | 1 | PK NL |
| | | | 4 | TH NL |
| | | | 20 | TW NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-----------------------------------|---------------------|----------|------------------------------------|----|----|
| II | C2 <i>Psephotus haematonotus</i> | live (captive bred) | 40 | US | NL | |
| | | | 100 | ZA | BE | |
| | | | 8 | ZA | NL | |
| | C2 <i>Psephotus varius</i> | live (captive bred) | 24 | CA | NL | |
| | | | 2 | JP | BE | |
| | | | 36 | JP | NL | |
| | | | 6 | TW | NL | |
| | C2 <i>Pseudeos fuscata</i> | live | 2 | AT | ID | DE |
| | | | 2 | CY | ID | DE |
| | C2 <i>Psittacula alexandri</i> | live (captive bred) | 8 | CA | NL | |
| | | live | 100 | CA | IN | NL |
| | | | 82 | US | IN | BE |
| | C2 <i>Psittacula cyanocephala</i> | live (captive bred) | 15 | CA | NL | |
| | | | 5 | CA | MG | NL |
| | | live | 8 | AN | IN | NL |
| | | | 8 | BR | IN | BE |
| | | | 24 | CY | IN | DE |
| | | | 202 | US | IN | BE |
| | | | 58 | US | IN | DE |
| | | | 60 | ZA | IN | BE |
| | C2 <i>Psittacula derbiana</i> | live (captive bred) | 6 | CA | | NL |
| | C2 <i>Psittacula eupatria</i> | live | 24 | CA | IN | NL |
| | | | 26 | CY | IN | DE |
| | | | 40 | IL | IN | BE |
| | | | 25 | US | IN | BE |
| | | | 35 | US | IN | DE |
| | | | 94 | ZA | IN | BE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|----------------------------------------------|---------------------|------------------------------------|-------|-------|
| II | C2 | <i>Psittaculirostris</i> <i>edwardsii</i> | live | 2 | AT | ID DE |
| | C2 | <i>Psittacus erithacus</i> | live (captive bred) | 2 | DO | DE |
| | | | | 4 | JM | DE |
| | | | live | 7 | AT CM | DE |
| | | | | 10 | AT CM | NL |
| | | | | 5 | AT GH | DE |
| | | | | 1 | BH CM | NL |
| | | | | 1 | CA XX | FR |
| | | | | 1 | CO XX | NL |
| | | | | 24 | CY CM | DE |
| | | | | 1 | DD | DK |
| | | | | 2 | DO XX | DE |
| | | | | 1 | GL TG | DK |
| | | | | 1 | IR CM | GB |
| | | | | 2 | KW XX | NL |
| | | | | 6 | LK XX | NL |
| | | | | 1 | MY XX | DE |
| | | | | 3 | PA CM | NL |
| | | | | 18 | RO XX | NL |
| | | | | 1 | SA CG | FR |
| | | | | 2 | SA CM | DE |
| | | | | 5 | SA CM | NL |
| | | | | 1 | SE GQ | DK |
| | | | | 2 | TN SN | FR |
| | | | | 2 | TT CM | NL |
| | | | | 1 | TW ZR | DE |
| | | | | 1 | US GH | DE |
| | | | | 1 | US XX | DE |
| | | | | 4 | US XX | GB |
| | | | | 1 | VE ZR | FR |
| | | | | 2 | YU CM | DE |
| | | | | 1 | ZA PT | |
| | | | | 1 | ZA ZA | FR |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|---------------------------------|---------------------|----------|------------------------------------|----|----|
| II | C2 <i>Psittacus erithacus</i> | | | | | |
| | erithacus | live | 4 | BR | GN | BE |
| | | | 20 | CH | CM | BE |
| | | | 20 | DZ | CM | BE |
| | | | 170 | IL | CM | BE |
| | | | 3 | KW | XX | NL |
| | | | 2 | MT | CM | BE |
| | | | 8 | MX | CM | BE |
| | | | 1 | RW | RW | BE |
| | | | 15 | TW | CM | BE |
| | | | 20 | TW | LR | BE |
| | | | 20 | US | CM | BE |
| C2 | Psittacus erithacus | | | | | |
| | timneh | live | 5 | CY | LR | BE |
| | | | 3 | CY | LR | DE |
| | | | 10 | IL | LR | BE |
| | | | 30 | JO | LR | BE |
| | | | 8 | LR | KW | BE |
| | | | 12 | MT | LR | BE |
| | | | 10 | TW | GN | NL |
| | | | 414 | US | LR | BE |
| C2 | <i>Purpureicephalus spurius</i> | live (captive bred) | 5 | CA | | NL |
| | | | 32 | JP | | NL |
| | | | 2 | PK | | NL |
| | | | 2 | ZA | | BE |
| | | | 4 | ZA | | DE |
| C2 | <i>Pyrrhura frontalis</i> | live (captive bred) | 6 | CA | | NL |
| C2 | <i>Pyrrhura perlata</i> | live | 10 | US | | DK |
| C2 | <i>Pyrrhura picta</i> | live | 40 | SG | SR | NL |

| CITES EEC App. Annex | | TAXON | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|----|---------------------------------|---------------------|----------|------------------------------------|----|----|
| II | C2 | <i>Tanygnathus sumatranus</i> | live | 1 | SE | PH | DK |
| | C2 | <i>Trichoglossus goldiei</i> | live | 2 | PE | ID | DE |
| | C2 | <i>Trichoglossus haematodus</i> | live (captive bred) | 1 | OM | | GB |
| | | | live | 2 | AT | ID | DE |
| | | | | 4 | CY | ID | DE |
| | | | | 2 | PE | ID | DE |
| | C1 | <i>Aegolius funereus</i> | live (captive bred) | 5 | AT | | DE |
| | C1 | <i>Bubo africanus</i> | live (captive bred) | 1 | IL | | BE |
| | C1 | <i>Bubo bubo</i> | live (captive bred) | 20 | HU | | DE |
| | | | live | 1 | CH | | FR |
| | | | | 4 | NO | | DK |
| | | | | 3 | SE | | DK |
| | C1 | <i>Bubo capensis</i> | live (captive bred) | 1 | DD | | GB |
| | C1 | <i>Bubo sumatrana</i> | live | 1 | DD | XX | DE |
| | C1 | <i>Ninox novaezealandiae</i> | live (captive bred) | 2 | DD | | GB |
| | C1 | <i>Nyctea scandiaca</i> | bodies | 1 | GL | GL | DK |
| | | | live (captive bred) | 6 | CH | | DE |
| | | | | 2 | JP | | DE |
| | | | | 1 | PL | | DE |
| | | | | 2 | YU | | DE |
| | | | skins | 1 | NO | | DK |
| | C1 | <i>Otus bakkamoena</i> | live (captive bred) | 2 | DD | | GB |
| | C1 | <i>Speotyto cunicularia</i> | live | 2 | CS | | DK |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|--------------------------------|-------------------------------|------------------|------------------------------------|----------------------|----------|
| II | C1 <i>Strix aluco</i> | bodies live (captive bred) | 1 2 | NO HK | XX | DK GB |
| | C1 <i>Strix nebulosa</i> | live (captive bred) | 1 1 2 2 | AT AT CS DD | DK DE DE CH | DE |
| | C1 <i>Surnia ulula</i> | live (captive bred) | 1 2 | FI US | | DE DE |
| | <i>Buceros hydrocorax</i> | bodies | 1 | NO | XX | DK |
| | <i>Poephila cincta</i> | live (captive bred) | 20 | ZA | | NL |
| | <i>Poephila cincta cincta</i> | live (captive bred) | 2 | JP | | NL |
| C1 | <i>Cicinnurus regius</i> | live (captive bred) | 4 | US | | IT |
| C1 | <i>Diphylloides magnificus</i> | live (captive bred) live | 1 3 | US US | ID | IT |
| C1 | <i>Paradisaea minor</i> | live (captive bred) live | 1 2 | US US | ID | IT |
| C1 | <i>Seleucidis melanoleuca</i> | live | 4 | US | ID | IT |
| C2 | <i>Geochelone chilensis</i> | live | 3 | SE | XX | DK |
| C2 | <i>Geochelone denticulata</i> | live | 1 1 | CH SE | GY XX | DE DK |
| C2 | <i>Geochelone elegans</i> | live | 1 | ID | XX | DK |
| C2 | <i>Geochelone pardalis</i> | live | 20 | AT | TZ | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-----------------------------------|---------------------|----------|------------------------------------|----|----|
| II | C2 <i>Geochelone pardalis</i> | live | 10 | CH | TZ | DE |
| | | | 50 | JP | TZ | DK |
| | | | 3 | MY | TZ | NL |
| | | | 109 | SE | TZ | DK |
| | | | 34 | SE | TZ | NL |
| | | | 54 | TZ | TZ | DK |
| C2 | <i>Gopherus polyphemus</i> | shells | 1 | AU | XX | GB |
| C2 | <i>Kinixys spp.</i> | live | 1 | SR | XX | BE |
| C2 | <i>Kinixys belliana</i> | live | 20 | SE | GH | DK |
| C2 | <i>Malacoctenus tornieri</i> | live | 10 | JP | TZ | DK |
| | | | 2 | MY | TZ | NL |
| | | | 7 | SE | TZ | DK |
| | | | 25 | US | TZ | DK |
| C1 | <i>Testudo graeca</i> | live | 2 | ZA | | IT |
| C1 | <i>Testudo hermanni</i> | live | 4 | SE | XX | DK |
| C2 | <i>Testudo horsfieldii</i> | live | 8 | SE | XX | DK |
| C1 | <i>Testudo marginata</i> | live (captive bred) | 5 | CH | | DE |
| C2 | <i>Podocnemis unifilis</i> | live | 4 | DD | BR | DE |
| C2 | <i>Alligator mississippiensis</i> | belts | 6 | AT | US | DE |
| | | | 20 | CA | US | IT |
| | | | 14 | CH | US | IT |
| | | | 60 | HK | US | FR |
| | | | 12 | HK | US | IT |
| | | | 30 | JP | US | DE |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------------------------|-------------|----------|------------------------------------|----|----|
| II C2 Alligator | | | | | | |
| | <i>mississippiensis</i> | belts | 26 | JP | US | FR |
| | | | 226 | JP | US | IT |
| | | | 80 | KR | US | FR |
| | | | 11 | NO | US | IT |
| | | | 7 | SE | US | IT |
| | | | 98 | US | US | FR |
| | | | 9 | US | US | GB |
| | | | 11521 | US | US | IT |
| | | | 12 | XX | US | IT |
| | | garments | 2 | HK | US | FR |
| | | | 10 | US | US | FR |
| | | handbags | 1 | AE | US | DE |
| | | | 3 | AN | US | IT |
| | | | 32 | AT | US | DE |
| | | | 2 | AT | US | FR |
| | | | 10 | AT | US | IT |
| | | | 3 | AU | US | DE |
| | | | 1 | CA | US | FR |
| | | | 143 | CA | US | IT |
| | | | 80 | CH | US | DE |
| | | | 19 | CH | US | FR |
| | | | 100 | CH | US | IT |
| | | | 54 | HK | US | DE |
| | | | 107 | HK | US | FR |
| | | | 282 | HK | US | IT |
| | | | 7 | JP | US | BE |
| | | | 51 | JP | US | DE |
| | | | 204 | JP | US | FR |
| | | | 2260 | JP | US | IT |
| | | | 2 | KR | US | DE |
| | | | 7 | KW | US | IT |
| | | | 1 | MC | US | IT |
| | | | 3 | SE | US | IT |
| | | | 6 | SG | US | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|----------------------------------|----------------|-------------|----------|------------------------------------|----|----|
| II C2 Alligator mississippiensis | | handbags | 34 | SG | US | FR |
| | | | 1 | US | ID | IT |
| | | | 3 | US | PG | IT |
| | | | 4 | US | SD | IT |
| | | | 2 | US | SV | IT |
| | | | 22 | US | US | DE |
| | | | 387 | US | US | FR |
| | | | 1438 | US | US | IT |
| | | | 30 | XS | US | FR |
| | | | 293 | XS | US | IT |
| | | | 204 | XX | US | IT |
| | live | | 2 | CH | US | DE |
| | | | 7 | MY | US | IT |
| | meat | | 13619 kg | SE | US | NL |
| | pairs of shoes | | 6 | AT | US | IT |
| | | | 2 | CA | US | IT |
| | | | 37 | CH | US | FR |
| | | | 1 | JP | US | FR |
| | | | 25 | JP | US | IT |
| | | | 2 | SE | US | IT |
| | | | 1 | US | CO | IT |
| | | | 2 | US | US | ES |
| | | | 183 | US | US | FR |
| | sides | | 1142 | US | US | IT |
| | skins | | 1123 | US | US | IT |
| | | | 61 | AT | US | FR |
| | | | 4 | CH | US | FR |
| | | | 1 | HK | US | FR |
| | | | 46 | JP | US | FR |
| | | | 20 | KR | US | FR |
| | | | 2 | LB | US | FR |
| | | | 16 | TR | US | FR |
| | | | 1 | TW | US | FR |
| | | | 3883 | US | US | FR |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------------------------------|--------------------|----------|------------------------------------|----|----|
| II | C2 Alligator mississippiensis | skins | 8108 | US | US | IT |
| | | | 1 sq.ft | US | US | IT |
| | | skin/leather items | 3 | AT | US | IT |
| | | | 4 | CA | US | IT |
| | | | 14 | CH | US | GB |
| | | | 4 | CH | US | IT |
| | | | 6 | HK | US | IT |
| | | | 10 | JP | US | IT |
| | | | 12 | MC | US | IT |
| | | | 7 | US | US | FR |
| | | | 416 | US | US | IT |
| | | | 101 | XX | US | IT |
| | | skin pieces | 64 | US | US | IT |
| | | skin scraps | 4 | US | US | DE |
| | | wallets | 77 | CH | US | DE |
| | | | 5 | CH | US | IT |
| | | | 43 | HK | US | DE |
| | | | 80 | HK | US | FR |
| | | | 31 | HK | US | IT |
| | | | 45 | JP | US | DE |
| | | | 374 | JP | US | IT |
| | | | 3 | US | US | DE |
| | | | 1 | US | US | FR |
| | | | 482 | US | US | IT |
| | | | 8 | XX | US | IT |
| | | watchstraps | 1047 | CH | US | FR |
| | | | 1 | JP | US | DE |
| | | | 1160 | US | ID | IT |
| C2 | Caiman crocodilus | belts | 5 | CH | BO | IT |
| | | | 172 | JP | BO | IT |
| | | | 321 | KR | BO | IT |
| | | | 1 | US | BO | IT |
| | | handbags | 3 | JP | VE | IT |

| CITES EEC App. Annex | | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|----|---------------------------------|---------------------|----------|------------------------------------|----|----|
| II | C2 | Caiman crocodilus | live (captive bred) | 3 | DD | DE | |
| | | | pairs of shoes | 8 | JP | VE | IT |
| | | | | 10 | US | GY | IT |
| | | | | 137 | US | VE | IT |
| C2 | | Caiman crocodilus crocodilus | belts | 4 | AD | CO | IT |
| | | | | 127 | AD | VE | IT |
| | | | | 18 | AE | BO | FR |
| | | | | 6 | AE | CO | DE |
| | | | | 24 | AE | GY | DE |
| | | | | 4 | AE | VE | IT |
| | | | | 171 | AN | BO | IT |
| | | | | 6 | AN | CO | IT |
| | | | | 30 | AN | VE | IT |
| | | | | 39 | AR | VE | IT |
| | | | | 66 | AS | CO | FR |
| | | | | 113 | AT | CO | DE |
| | | | | 6 | AT | CO | FR |
| | | | | 242 | AT | CO | IT |
| | | | | 37 | AT | GY | DE |
| | | | | 95 | AT | GY | FR |
| | | | | 6 | AT | GY | IT |
| | | | | 343 | AT | PY | IT |
| | | | | 122 | AT | VE | DE |
| | | | | 75 | AT | VE | FR |
| | | | | 103 | AT | VE | IT |
| | | | | 35 | AT | XX | DE |
| | | | | 18 | CA | BO | IT |
| | | | | 12 | CA | CO | FR |
| | | | | 548 | CA | CO | IT |
| | | | | 90 | CA | GY | FR |
| | | | | 104 | CA | GY | IT |
| | | | | 3 | CA | VE | FR |
| | | | | 756 | CA | VE | IT |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|-----------------------------------------------|----------|------------------------------------|----|-------|
| II | C2 | <i>Caiman crocodilus</i> <i>crocodilus</i> | belts | 8 | CG | PY FR |
| | | | 134 | CH | BO | FR |
| | | | 92 | CH | BO | IT |
| | | | 223 | CH | CO | DE |
| | | | 2 | CH | CO | DK |
| | | | 80 | CH | CO | FR |
| | | | 2514 | CH | CO | IT |
| | | | 27 | CH | GY | DE |
| | | | 1153 | CH | GY | FR |
| | | | 875 | CH | GY | IT |
| | | | 35 | CH | PE | DE |
| | | | 10 | CH | PY | FR |
| | | | 1 | CH | US | FR |
| | | | 711 | CH | VE | DE |
| | | | 388 | CH | VE | FR |
| | | | 544 | CH | VE | IT |
| | | | 85 | CH | XX | DE |
| | | | 10 | CI | BO | FR |
| | | | 32 | CI | VE | IT |
| | | | 32 | EG | BO | FR |
| | | | 9 | FI | XX | DE |
| | | | 2 | GA | BO | FR |
| | | | 87 | GB | CO | IT |
| | | | 140 | GU | VE | IT |
| | | | 119 | HK | BO | FR |
| | | | 812 | HK | BO | IT |
| | | | 1 | HK | CO | DE |
| | | | 400 | HK | CO | FR |
| | | | 2869 | HK | CO | IT |
| | | | 20 | HK | CU | FR |
| | | | 157 | HK | GY | FR |
| | | | 1423 | HK | GY | IT |
| | | | 48 | HK | VE | ES |
| | | | 40 | HK | VE | FR |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | | |
|-------------------------|-------|-----------------------------------------------|----------|------------------------------------|----|----|----|
| II | C2 | <i>Caiman crocodilus</i> <i>crocodilus</i> | belts | 17 | HK | VE | GB |
| | | | 1082 | HK | VE | IT | |
| | | | 31 | HK | XX | DE | |
| | | | 28 | IL | BO | FR | |
| | | | 25 | IL | CO | IT | |
| | | | 12 | JO | CO | IT | |
| | | | 459 | JP | BO | FR | |
| | | | 1090 | JP | BO | IT | |
| | | | 359 | JP | CO | FR | |
| | | | 4162 | JP | CO | IT | |
| | | | 26 | JP | GY | DE | |
| | | | 1 | JP | GY | ES | |
| | | | 1020 | JP | GY | FR | |
| | | | 482 | JP | GY | IT | |
| | | | 240 | JP | PY | FR | |
| | | | 1 | JP | TH | FR | |
| | | | 174 | JP | VE | FR | |
| | | | 2331 | JP | VE | IT | |
| | | | 470 | JP | XX | DE | |
| | | | 40 | JP | XX | FR | |
| | | | 878 | KR | CO | IT | |
| | | | 164 | KR | GY | FR | |
| | | | 464 | KR | GY | IT | |
| | | | 88 | KR | VE | FR | |
| | | | 93 | KR | VE | IT | |
| | | | 6 | KW | BO | IT | |
| | | | 118 | LB | GY | IT | |
| | | | 28 | LB | VE | FR | |
| | | | 1 | MC | GY | FR | |
| | | | 18 | MC | VE | IT | |
| | | | 17 | NO | CO | IT | |
| | | | 30 | NO | GY | DE | |
| | | | 63 | NO | GY | FR | |
| | | | 22 | NO | VE | FR | |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-----------------------------|-------------|----------|------------------------------------|----|----|
| II | C2 <i>Caiman crocodilus</i> | | | | | |
| | <i>crocodilus</i> | belts | 6 | NO | VE | IT |
| | | | 2 | PY | CO | FR |
| | | | 5 | QA | BO | FR |
| | | | 232 | SA | BO | FR |
| | | | 16 | SA | BO | IT |
| | | | 3 | SA | CO | FR |
| | | | 8 | SA | CO | IT |
| | | | 20 | SA | PY | FR |
| | | | 2 | SA | VE | FR |
| | | | 131 | SE | CO | IT |
| | | | 12 | SE | GY | FR |
| | | | 4 | SE | VE | FR |
| | | | 51 | SE | VE | IT |
| | | | 10 | SG | BO | FR |
| | | | 24 | SG | BO | IT |
| | | | 195 | SG | CO | IT |
| | | | 10 | SG | GY | FR |
| | | | 11 | SG | GY | IT |
| | | | 34 | SG | VE | IT |
| | | | 1 | TG | VE | FR |
| | | | 2 | TR | GY | IT |
| | | | 10 | TW | CO | IT |
| | | | 2 | TW | GY | ES |
| | | | 13 | US | BO | FR |
| | | | 395 | US | BO | IT |
| | | | 145 | US | CO | DE |
| | | | 653 | US | CO | FR |
| | | | 48 | US | CO | GB |
| | | | 6817 | US | CO | IT |
| | | | 2190 | US | GY | ES |
| | | | 1797 | US | GY | FR |
| | | | 10771 | US | GY | IT |
| | | | 16 | US | ID | IT |
| | | | 11 | US | PG | FR |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|-----------------------------------------------|----------|------------------------------------|----|-------|
| II | C2 | <i>Caiman crocodilus</i> <i>crocodilus</i> | belts | 120 | US | PG IT |
| | | | | 25 | US | PY IT |
| | | | | 1770 | US | SV ES |
| | | | | 4 | US | VE DE |
| | | | | 6496 | US | VE ES |
| | | | | 796 | US | VE FR |
| | | | | 17 | US | VE GB |
| | | | | 19357 | US | VE IT |
| | | | | 2 | US | XX DE |
| | | | | 111 | US | ZA IT |
| | | | | 190 | VE | GY FR |
| | | | | 12 | XC | VE IT |
| | | | | 81 | XS | CO IT |
| | | | | 23 | XS | VE IT |
| | | | | 50 | XX | CO GB |
| | | | | 2 | XX | CO IT |
| | | | | 3 | XX | VE IT |
| | | | | 6 | ZA | GY FR |
| | | | | 1 | ZR | CO IT |
| | | bodies | | 1 | CA | GY FR |
| | | garments | | 3970 | AT | GY ES |
| | | | | 1 | CA | GY FR |
| | | | | 3 | CA | VE IT |
| | | | | 1 | CH | GY FR |
| | | | | 22 | CH | GY IT |
| | | | | 3 | CH | VE FR |
| | | | | 10 | CH | VE IT |
| | | | | 12 | CH | XX IT |
| | | | | 11 | HK | VE IT |
| | | | | 25 | JP | CO IT |
| | | | | 6 | JP | VE FR |
| | | | | 13 | JP | VE IT |
| | | | | 5 | US | CO DE |
| | | | | 34 | US | CO IT |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|--------------------------------------------------|-------------|------------------------------|------------------------------------|----|----|
| II | C2 <i>Caiman crocodilus</i> <i>crocodilus</i> | garments | 4 6 6 4 295 5 | US | GY | FR |
| | | | | US | GY | GB |
| | | | | US | GY | IT |
| | | | | US | VE | FR |
| | | | 295 | US | VE | IT |
| | | | 5 | UY | VE | IT |
| | | handbags | 2 18 3 10 4 1 | AD | GY | IT |
| | | | 132 | AE | GY | DE |
| | | | 2 | AE | VE | IT |
| | | | 48 | AN | CO | IT |
| | | | 48 | AN | VE | IT |
| | | | 1 | AR | VE | IT |
| | | | 132 | AT | CO | DE |
| | | | 2 | AT | CO | IT |
| | | | 48 | AT | GY | DE |
| | | | 48 | AT | GY | IT |
| | | | 2 | AT | SV | DE |
| | | | 4 | AT | VE | DE |
| | | | 10 | AT | VE | IT |
| | | | 7 | AT | XX | DE |
| | | | 6 | BS | GY | IT |
| | | | 28 | BS | VE | IT |
| | | | 1 | CA | CO | FR |
| | | | 132 | CA | CO | IT |
| | | | 2 | CA | GY | FR |
| | | | 70 | CA | GY | IT |
| | | | 46 | CA | VE | IT |
| | | | 2 | CA | XX | DE |
| | | | 121 | CH | CO | DE |
| | | | 130 | CH | CO | IT |
| | | | 178 | CH | GY | DE |
| | | | 26 | CH | GY | FR |
| | | | 159 | CH | GY | IT |
| | | | 3 | CH | TH | IT |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|------------------------------------|-------------|----------|------------------------------------|----|----|
| II | C2 Caiman crocodilus crocodilus | handbags | 56 | CH | VE | DE |
| | | | 2 | CH | VE | ES |
| | | | 8 | CH | VE | FR |
| | | | 72 | CH | VE | IT |
| | | | 37 | CH | XX | DE |
| | | | 1 | DE | VE | IT |
| | | | 16 | HK | BO | IT |
| | | | 21 | HK | CO | DE |
| | | | 486 | HK | CO | IT |
| | | | 408 | HK | GY | DE |
| | | | 3 | HK | GY | FR |
| | | | 551 | HK | GY | IT |
| | | | 6 | HK | PG | IT |
| | | | 11 | HK | VE | IT |
| | | | 227 | HK | XX | DE |
| | | | 5 | IE | GY | IT |
| | | | 2 | IE | VE | IT |
| | | | 10 | IL | CO | IT |
| | | | 4 | IL | VE | IT |
| | | | 2 | IS | CO | DE |
| | | | 170 | JP | CO | DE |
| | | | 1813 | JP | CO | IT |
| | | | 228 | JP | GY | DE |
| | | | 21 | JP | GY | ES |
| | | | 30 | JP | GY | FR |
| | | | 2264 | JP | GY | IT |
| | | | 3 | JP | PG | FR |
| | | | 2 | JP | PG | IT |
| | | | 11 | JP | SV | IT |
| | | | 33 | JP | VE | FR |
| | | | 318 | JP | VE | IT |
| | | | 77 | JP | XX | DE |
| | | | 385 | KR | CO | IT |
| | | | 16 | KR | GY | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | | |
|-------------------------|-------|-----------------------------------------------|----------|------------------------------------|----|----|----|
| II | C2 | <i>Caiman crocodilus</i> <i>crocodilus</i> | handbags | 67 | KR | GY | IT |
| | | | | 1 | KW | CO | FR |
| | | | | 3 | KW | CO | IT |
| | | | | 2 | KW | GY | FR |
| | | | | 10 | KW | GY | IT |
| | | | | 6 | LB | GY | IT |
| | | | | 12 | MC | VE | IT |
| | | | | 2 | MX | CO | IT |
| | | | | 2 | MX | GY | FR |
| | | | | 9 | NO | CO | DE |
| | | | | 3 | NO | GY | DE |
| | | | | 39 | NO | GY | ES |
| | | | | 1 | NO | VE | DE |
| | | | | 5 | NO | XX | DE |
| | | | | 13 | PA | CO | IT |
| | | | | 20 | PR | CO | IT |
| | | | | 10 | SA | CO | IT |
| | | | | 17 | SA | GY | IT |
| | | | | 10 | SE | CO | DE |
| | | | | 25 | SE | CO | IT |
| | | | | 49 | SE | GY | IT |
| | | | | 25 | SE | VE | IT |
| | | | | 1 | SG | CO | DE |
| | | | | 11 | SG | CO | IT |
| | | | | 20 | SG | GY | DE |
| | | | | 2 | SG | GY | IT |
| | | | | 50 | SG | VE | IT |
| | | | | 40 | SU | GY | DE |
| | | | | 5 | TW | CO | IT |
| | | | | 2 | TW | GY | FR |
| | | | | 4 | TW | GY | IT |
| | | | | 2 | TW | VE | IT |
| | | | | 732 | US | CO | DE |
| | | | | 4 | US | CO | FR |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|------------------------------------|----------------|-----------|------------------------------------|----|----|
| II | C2 Caiman crocodilus crocodilus | handbags | 2195 | US | CO | IT |
| | | | 384 | US | GY | DE |
| | | | 149 | US | GY | ES |
| | | | 39 | US | GY | FR |
| | | | 4688 | US | GY | IT |
| | | | 2 | US | ID | FR |
| | | | 81 | US | NG | IT |
| | | | 3 | US | PA | DE |
| | | | 1 | US | PG | IT |
| | | | 154 | US | SR | IT |
| | | | 39 | US | SV | IT |
| | | | 31 | US | VE | DE |
| | | | 104 | US | VE | FR |
| | | | 14608 | US | VE | IT |
| | | | 97 | US | XX | DE |
| | | | 6 | VI | VE | IT |
| | | | 106 | XS | CO | IT |
| | | | 208 | XS | GY | IT |
| | | | 43 | XS | VE | IT |
| | | | 10 | ZA | CO | IT |
| | | leather | 6 | CH | GY | ES |
| | | | 3 | TW | BO | ES |
| | | | 300 sq.ft | CH | GY | FR |
| | | pairs of shoes | 60 | AD | VE | IT |
| | | | 66 | AE | CO | IT |
| | | | 46 | AE | GY | IT |
| | | | 36 | AE | VE | IT |
| | | | 20 | AN | GY | IT |
| | | | 116 | AN | VE | IT |
| | | | 9 | AR | CO | IT |
| | | | 54 | AR | GY | IT |
| | | | 117 | AR | VE | IT |
| | | | 409 | AT | CO | IT |
| | | | 1 | AT | GY | DE |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|-----------------------------------------------|----------------|------------------------------------|----|-------|
| II | C2 | <i>Caiman crocodilus</i> <i>crocodilus</i> | pairs of shoes | 16 | AT | GY ES |
| | | | | 468 | AT | GY IT |
| | | | | 36 | AT | SV IT |
| | | | | 402 | AT | VE IT |
| | | | | 1 | AU | CO IT |
| | | | | 13 | AU | GY IT |
| | | | | 6 | AU | VE IT |
| | | | | 52 | BH | GY IT |
| | | | | 24 | BS | GY IT |
| | | | | 1737 | CA | CO IT |
| | | | | 6 | CA | GY DE |
| | | | | 23 | CA | GY FR |
| | | | | 2183 | CA | GY IT |
| | | | | 40 | CA | SV IT |
| | | | | 6 | CA | VE DE |
| | | | | 1214 | CA | VE IT |
| | | | | 5 | CH | CO FR |
| | | | | 675 | CH | CO IT |
| | | | | 70 | CH | GY DE |
| | | | | 31 | CH | GY ES |
| | | | | 1543 | CH | GY IT |
| | | | | 7 | CH | PA ES |
| | | | | 274 | CH | PY IT |
| | | | | 375 | CH | VE ES |
| | | | | 1141 | CH | VE IT |
| | | | | 115 | CM | VE IT |
| | | | | 63 | CN | CO IT |
| | | | | 3 | DE | VE IT |
| | | | | 20 | FI | GY IT |
| | | | | 21 | FI | VE IT |
| | | | | 7 | FR | CO IT |
| | | | | 24 | GY | GY IT |
| | | | | 6 | HK | BO IT |
| | | | | 401 | HK | CO IT |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|--------------------------|----------------|------------------------------------|----|----|
| II | C2 | <i>Caiman crocodilus</i> | | | | |
| | | <i>crocodilus</i> | pairs of shoes | | | |
| | | | 194 | HK | GY | IT |
| | | | 330 | HK | PY | IT |
| | | | 72 | HK | SV | IT |
| | | | 56 | HK | VE | ES |
| | | | 1128 | HK | VE | IT |
| | | | 7 | IL | GY | IT |
| | | | 40 | IL | VE | IT |
| | | | 22 | IS | GY | DE |
| | | | 12 | JO | CO | IT |
| | | | 12 | JO | VE | IT |
| | | | 1 | JP | AR | IT |
| | | | 2158 | JP | CO | IT |
| | | | 851 | JP | GY | IT |
| | | | 94 | JP | PY | FR |
| | | | 48 | JP | SV | IT |
| | | | 2142 | JP | VE | IT |
| | | | 20 | KR | CO | IT |
| | | | 3 | KR | GY | IT |
| | | | 163 | KR | VE | IT |
| | | | 8 | KW | CO | IT |
| | | | 212 | KW | GY | IT |
| | | | 10 | KW | SV | IT |
| | | | 193 | KW | VE | IT |
| | | | ? | LB | VE | ES |
| | | | 16 | LB | VE | IT |
| | | | 76 | MC | VE | IT |
| | | | 10 | MQ | VE | ES |
| | | | 2 | MY | CO | IT |
| | | | 1 | MY | VE | IT |
| | | | 1 | NC | VE | ES |
| | | | 86 | NG | CO | IT |
| | | | 42 | NG | VE | ES |
| | | | 1 | NG | VE | IT |
| | | | 19 | NO | CO | IT |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|-----------------------------------------------|----------------|------------------------------------|----|-------|
| II | C2 | <i>Caiman crocodilus</i> <i>crocodilus</i> | pairs of shoes | 83 | NO | GY IT |
| | | | | 14 | NO | VE ES |
| | | | | 81 | NO | VE IT |
| | | | | 42 | PR | CO IT |
| | | | | 1 | PR | VE ES |
| | | | | 26 | QA | CO IT |
| | | | | 22 | QA | GY IT |
| | | | | 50 | QA | VE IT |
| | | | | 129 | SA | CO IT |
| | | | | 260 | SA | GY IT |
| | | | | 20 | SA | VE ES |
| | | | | 474 | SA | VE IT |
| | | | | 78 | SA | XX IT |
| | | | | 16 | SE | CO IT |
| | | | | 211 | SE | GY IT |
| | | | | 304 | SE | VE IT |
| | | | | 51 | SG | CO IT |
| | | | | 179 | SG | VE IT |
| | | | | 24 | TR | GY IT |
| | | | | 12 | TR | VE IT |
| | | | | 14 | TW | CO IT |
| | | | | 28 | TW | VE IT |
| | | | | 1289 | US | AR IT |
| | | | | 130 | US | BO ES |
| | | | | 1 | US | CO FR |
| | | | | 22928 | US | CO IT |
| | | | | 67 | US | GT IT |
| | | | | 2281 | US | GY ES |
| | | | | 55 | US | GY FR |
| | | | | 61049 | US | GY IT |
| | | | | 159 | US | ID IT |
| | | | | 393 | US | PG IT |
| | | | | 88 | US | SV ES |
| | | | | 21 | US | SV IT |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | | |
|-------------------------|-------|--------------------------|----------------|------------------------------------|----|----|----|
| II | C2 | <i>Caiman crocodilus</i> | | | | | |
| | | crocodilus | pairs of shoes | 6 | US | TH | IT |
| | | | | 2040 | US | VE | ES |
| | | | | 45 | US | VE | FR |
| | | | | 3 | US | VE | GB |
| | | | | 315 | US | VE | GR |
| | | | | 83800 | US | VE | IT |
| | | | | 247 | US | XX | IT |
| | | | | 26 | US | ZA | IT |
| | | | | 16 | VE | GY | FR |
| | | | | 4 | ZA | VE | ES |
| | | | | 52 | ZA | VE | IT |
| | | | | 4 | ZR | CO | IT |
| | | | | 40 | ZR | VE | FR |
| | | | | 40 | ZR | VE | IT |
| | | sides | | 239 | AT | BO | FR |
| | | | | 226 | AT | CO | DE |
| | | | | 345 | AT | GY | FR |
| | | | | 411 | AT | PY | FR |
| | | | | 3893 | AT | VE | DE |
| | | | | 664 | AT | VE | FR |
| | | | | 880 | CA | CO | FR |
| | | | | 499 | CA | GY | FR |
| | | | | 547 | CA | VE | FR |
| | | | | 3748 | CH | BO | FR |
| | | | | 4046 | CH | CO | FR |
| | | | | 7555 | CH | GY | FR |
| | | | | 987 | CH | PY | IT |
| | | | | 2444 | CH | VE | FR |
| | | | | 7214 | CH | VE | IT |
| | | | | 400 | FI | BO | FR |
| | | | | 662 | HK | CO | DE |
| | | | | 12 | HK | CO | IT |
| | | | | 48 | JP | VE | IT |
| | | | | 550 | US | US | IT |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | | |
|-------------------------|-------|-----------------------------------------------|----------|------------------------------------|----|----|----|
| II | C2 | <i>Caiman crocodilus</i> <i>crocodilus</i> | sides | 15 | US | VE | FR |
| | | | | 25142 | US | VE | IT |
| | | | | 172 | ZA | VE | IT |
| | | | | 300 sq.ft | CH | GY | FR |
| | | | | 10171 sq.ft | US | VE | IT |
| | | | skins | 8023 | AR | BO | ES |
| | | | | 123 | AT | BO | FR |
| | | | | 11055 | AT | CO | DE |
| | | | | 30 | AT | CO | IT |
| | | | | 108 | AT | GY | DE |
| | | | | 1567 | AT | GY | ES |
| | | | | 24 | AT | VE | FR |
| | | | | 6 | CA | VE | GB |
| | | | | 11105 | CH | BO | FR |
| | | | | 12009 | CH | CO | IT |
| | | | | 4998 | CH | GY | FR |
| | | | | 229 | CH | GY | IT |
| | | | | 300 | CH | SV | IT |
| | | | | 1051 | CH | VE | FR |
| | | | | 1263 | CH | VE | IT |
| | | | | 531 | FI | GY | ES |
| | | | | 52 | HK | CO | IT |
| | | | | 1952 | HK | VE | FR |
| | | | | 311 | JP | CO | DE |
| | | | | 2 | KR | GY | IT |
| | | | | 5000 | MU | CO | FR |
| | | | | 9 | SG | XX | DE |
| | | | | 2 | TW | VE | FR |
| | | | | 1 | US | | FR |
| | | | | 57 | US | CO | DE |
| | | | | 3736 | US | GY | FR |
| | | | | 971 | US | GY | IT |
| | | | | 3 | US | VE | DE |
| | | | | 283 | US | VE | FR |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | | |
|-------------------------|-------|-----------------------------------------------|----------|------------------------------------|----|----|----|
| II | C2 | <i>Caiman crocodilus</i> <i>crocodilus</i> | skins | 12 | US | VE | IT |
| | | | | 603 | ZA | CO | DE |
| | | | | 182 | ZA | GY | DE |
| | | | | 150 | ZA | GY | IT |
| | | | 125 cm | skin/leather items | US | GY | IT |
| | | | | 3 | AD | GY | FR |
| | | | | 150 | AN | BO | IT |
| | | | | 5 | AN | VE | IT |
| | | | | 32 | AT | CO | IT |
| | | | | 46 | AT | GY | IT |
| | | | | 60 | AT | PY | IT |
| | | | | 275 | BH | CO | IT |
| | | | | 315 | CA | CO | IT |
| | | | | 87 | CA | GY | IT |
| | | | | 1 | CA | VE | FR |
| | | | | 80 | CA | VE | IT |
| | | | | 2 | CH | CO | FR |
| | | | | 148 | CH | CO | IT |
| | | | | 310 | CH | GY | FR |
| | | | | 173 | CH | GY | IT |
| | | | | 26 | CH | PA | IT |
| | | | | 17 | CH | PY | IT |
| | | | | 6 | CH | VE | FR |
| | | | | 103 | CH | VE | IT |
| | | | | 32 | CM | VE | FR |
| | | | | 20 | GU | BO | IT |
| | | | | 30 | GU | VE | IT |
| | | | | 22 | HK | BO | IT |
| | | | | 291 | HK | CO | IT |
| | | | | 8 | HK | GY | FR |
| | | | | 214 | HK | GY | GB |
| | | | | 7 | HK | GY | IT |
| | | | | 4 | HK | VE | FR |
| | | | | 20 | HK | VE | IT |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|--------------------------|----------|------------------------------------|----|----|
| II | C2 | <i>Caiman crocodilus</i> | | | | |
| | | <i>crocodilus</i> | | | | |
| | | skin/leather items | 5 | JP | BO | FR |
| | | | 3341 | JP | CO | IT |
| | | | 10 | JP | GY | FR |
| | | | 268 | JP | GY | IT |
| | | | 6 | JP | PY | FR |
| | | | 1 | JP | SV | FR |
| | | | 30 | JP | VE | FR |
| | | | 40 | JP | VE | IT |
| | | | 5 | KR | GY | IT |
| | | | 36 | KW | CO | IT |
| | | | 1 | MC | VE | IT |
| | | | 6 | NO | VE | FR |
| | | | 1 | SA | GY | FR |
| | | | 62 | SE | CO | IT |
| | | | 2 | SE | PY | FR |
| | | | 6 | TW | VE | IT |
| | | | 1 | US | BO | IT |
| | | | 27 | US | CO | FR |
| | | | 4496 | US | CO | IT |
| | | | 290 | US | GY | ES |
| | | | 38 | US | GY | FR |
| | | | 16 | US | GY | GB |
| | | | 3302 | US | GY | IT |
| | | | 50 | US | ID | FR |
| | | | 200 | US | PY | FR |
| | | | 8 | US | PY | IT |
| | | | 140 | US | VE | ES |
| | | | 4487 | US | VE | IT |
| | | | 94 | XS | CO | IT |
| | | | 49 | XS | VE | IT |
| | | | 250 | XX | GY | GB |
| | | | 3 | ZR | VE | FR |
| | | skin pieces | 45 | US | CO | DE |
| | | | 9 | US | CO | IT |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|-----------------------------------------------|----------|------------------------------------|----|----|
| II | C2 | <i>Caiman crocodilus</i> <i>crocodilus</i> | | | | |
| | | tails | 290 | AT | BO | FR |
| | | trophies | 1 | JP | VE | FR |
| | | wallets | 3 | AE | CO | DE |
| | | | 3 | AE | VE | IT |
| | | | 25 | AT | BO | DE |
| | | | 144 | AT | CO | DE |
| | | | 14 | AT | CO | IT |
| | | | 47 | AT | GY | DE |
| | | | 47 | AT | XX | DE |
| | | | 8 | CA | CO | IT |
| | | | 9 | CA | GY | IT |
| | | | 9 | CA | VE | IT |
| | | | 6 | CA | XX | DE |
| | | | 19 | CH | AR | IT |
| | | | 98 | CH | CO | DE |
| | | | 34 | CH | CO | IT |
| | | | 213 | CH | GY | DE |
| | | | 22 | CH | GY | IT |
| | | | 119 | CH | XX | DE |
| | | | 2 | HK | CO | DE |
| | | | 200 | HK | CO | IT |
| | | | 46 | HK | GY | DE |
| | | | 173 | HK | GY | IT |
| | | | 37 | HK | VE | IT |
| | | | 2 | HK | XX | DE |
| | | | 517 | JP | CO | IT |
| | | | 284 | JP | GY | IT |
| | | | 2 | JP | PG | IT |
| | | | 8 | JP | PY | IT |
| | | | 23 | JP | VE | IT |
| | | | 110 | KR | CO | IT |
| | | | 43 | KR | GY | IT |
| | | | 20 | KR | VE | IT |
| | | | 59 | MC | CO | IT |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|--------------------------|----------|------------------------------------|----|----|
| II | C2 | <i>Caiman crocodilus</i> | | | | |
| | | <i>crocodilus</i> | wallets | | | |
| | | | 10 | NO | GY | DE |
| | | | 100 | SG | GY | IT |
| | | | 87 | US | CO | DE |
| | | | 1900 | US | CO | IT |
| | | | 156 | US | GY | DE |
| | | | 99 | US | GY | ES |
| | | | 2121 | US | GY | IT |
| | | | 2 | US | ID | IT |
| | | | 4 | US | PA | IT |
| | | | 55 | US | VE | DE |
| | | | 200 | US | VE | ES |
| | | | 70 | US | VE | FR |
| | | | 5837 | US | VE | IT |
| | | | 17 | US | ZA | IT |
| | | | 58 | XS | CO | IT |
| | | | 10 | XS | GY | IT |
| | | | 11 | XS | VE | IT |
| | | watchstraps | 42 | AD | CO | FR |
| | | | 174 | AD | GY | FR |
| | | | 97 | AE | CO | FR |
| | | | 52 | AE | PY | FR |
| | | | 137 | AE | VE | FR |
| | | | 3 | AN | GY | FR |
| | | | 5 | AN | VE | FR |
| | | | 14 | AS | CO | FR |
| | | | 53 | AT | BO | FR |
| | | | 107 | AT | CO | DE |
| | | | 11 | AT | CO | DK |
| | | | 98 | AT | CO | FR |
| | | | 40 | AT | CO | NL |
| | | | 399 | AT | GY | DE |
| | | | 53 | AT | GY | FR |
| | | | 70 | AT | GY | NL |
| | | | 21 | AT | PY | FR |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | | |
|-------------------------|-------|-----------------------------------------------|-------------|------------------------------------|----|----|----|
| II | C2 | <i>Caiman crocodilus</i> <i>crocodilus</i> | watchstraps | 100 | AT | VE | DE |
| | | | | 945 | AT | VE | FR |
| | | | | 2924 | AT | XX | DE |
| | | | | 8 | AU | BO | FR |
| | | | | 210 | AU | CO | FR |
| | | | | 122 | AU | GY | FR |
| | | | | 32 | AU | VE | FR |
| | | | | 34 | BE | CO | FR |
| | | | | 6 | BE | GY | FR |
| | | | | 6 | BE | VE | FR |
| | | | | 55 | BH | CO | FR |
| | | | | 35 | BR | CO | FR |
| | | | | 20 | BR | GY | FR |
| | | | | 412 | CA | CO | DE |
| | | | | 140 | CA | CO | FR |
| | | | | 272 | CA | CO | IT |
| | | | | 1889 | CA | GY | DE |
| | | | | 33 | CA | GY | FR |
| | | | | 335 | CA | GY | GB |
| | | | | 108 | CA | PY | FR |
| | | | | 6646 | CA | VE | DE |
| | | | | 89 | CA | VE | FR |
| | | | | 280 | CA | VE | NL |
| | | | | 4 | CF | CO | FR |
| | | | | 1228 | CH | BO | FR |
| | | | | 103 | CH | CO | DE |
| | | | | 8260 | CH | CO | FR |
| | | | | 83 | CH | GY | DE |
| | | | | 132913 | CH | GY | FR |
| | | | | 651 | CH | GY | IT |
| | | | | 2 | CH | PY | FR |
| | | | | 6 | CH | SV | FR |
| | | | | 633 | CH | VE | DE |
| | | | | 11296 | CH | VE | FR |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | | |
|-------------------------|-------|-----------------------------------------------|-------------|------------------------------------|----|----|----|
| II | C2 | <i>Caiman crocodilus</i> <i>crocodilus</i> | watchstraps | 2037 | CH | VE | IT |
| | | | | 115 | CH | XX | DE |
| | | | | 546 | CO | BO | FR |
| | | | | 3000 | CO | MU | FR |
| | | | | 3 | CO | SA | FR |
| | | | | 65 | CO | US | FR |
| | | | | 33 | CY | CO | FR |
| | | | | 113 | CY | GY | FR |
| | | | | 6 | CY | PY | FR |
| | | | | 6 | CY | VE | FR |
| | | | | 1 | EC | PY | FR |
| | | | | 32 | EG | BO | FR |
| | | | | 100 | FI | GY | NL |
| | | | | 22 | FJ | VE | FR |
| | | | | 45 | FR | CO | FR |
| | | | | 2 | GA | CO | FR |
| | | | | 22 | GB | GY | FR |
| | | | | 1 | GH | CO | IT |
| | | | | 3 | GY | GY | FR |
| | | | | 300 | GY | PY | FR |
| | | | | 120 | HK | BO | FR |
| | | | | 3356 | HK | CO | DE |
| | | | | 963 | HK | CO | FR |
| | | | | 450 | HK | GY | DE |
| | | | | 1466 | HK | GY | FR |
| | | | | 354 | HK | PY | FR |
| | | | | 13 | HK | US | FR |
| | | | | 304 | HK | VE | DE |
| | | | | 294 | HK | VE | FR |
| | | | | 5 | HK | VE | IT |
| | | | | 20 | ID | GY | FR |
| | | | | 18 | ID | VE | FR |
| | | | | 2 | IL | BO | FR |
| | | | | 2 | IL | CO | FR |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|------------------------------------|-------------|----------|------------------------------------|----|----|
| II | C2 Caiman crocodilus crocodilus | watchstraps | 50 | IL | GY | FR |
| | | | 132 | IS | CO | DE |
| | | | 12 | IS | CO | DK |
| | | | 15 | JO | CO | FR |
| | | | 6 | JP | BO | FR |
| | | | 187 | JP | CO | DE |
| | | | 1291 | JP | CO | FR |
| | | | 1 | JP | GY | DE |
| | | | 82 | JP | GY | FR |
| | | | 634 | JP | PY | FR |
| | | | 11 | JP | VE | FR |
| | | | 202 | JP | VE | IT |
| | | | 3 | KE | VE | FR |
| | | | 9 | KR | CO | FR |
| | | | 254 | KW | BO | FR |
| | | | 282 | KW | CO | FR |
| | | | 15 | KW | GY | FR |
| | | | 208 | KW | PY | FR |
| | | | 280 | KW | VE | FR |
| | | | 22 | LB | CO | FR |
| | | | 200 | LR | CO | FR |
| | | | 30335 | MA | BO | FR |
| | | | 1840 | MU | BO | FR |
| | | | 23556 | MU | CO | FR |
| | | | 9000 | MU | MU | FR |
| | | | 14000 | MU | VE | FR |
| | | | 4 | NC | CO | FR |
| | | | 29 | NC | GY | FR |
| | | | 2 | NC | PY | FR |
| | | | 7 | NG | CO | FR |
| | | | 80 | NO | CO | DE |
| | | | 210 | NO | CO | IT |
| | | | 6 | NO | GY | FR |
| | | | 31 | NO | GY | NL |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|-----------------------------------------------|-------------|------------------------------------|----|-------|
| II | C2 | <i>Caiman crocodilus</i> <i>crocodilus</i> | watchstraps | 22 | NO | VE FR |
| | | | | 91 | NZ | GY FR |
| | | | | 26 | NZ | VE FR |
| | | | | 7 | OM | CO FR |
| | | | | 4 | PA | GY FR |
| | | | | 1 | PF | CO FR |
| | | | | 18 | PF | GY FR |
| | | | | 4 | PY | CO FR |
| | | | | 3 | PY | PY FR |
| | | | | 93 | QA | CO FR |
| | | | | 13 | QA | PY FR |
| | | | | 106 | QA | VE FR |
| | | | | 174 | SA | CO FR |
| | | | | 50 | SA | GY FR |
| | | | | 80 | SA | PY FR |
| | | | | 1030 | SA | VE FR |
| | | | | 3 | SE | CO DE |
| | | | | 15 | SE | CO FR |
| | | | | 2657 | SE | CO IT |
| | | | | 49 | SE | GY FR |
| | | | | 495 | SE | GY NL |
| | | | | 867 | SE | VE DE |
| | | | | 1337 | SE | VE IT |
| | | | | 527 | SE | VE NL |
| | | | | 91 | SG | CO FR |
| | | | | 880 | SG | GY FR |
| | | | | 440 | SG | PY FR |
| | | | | 1106 | SG | VE FR |
| | | | | 10 | SG | VE IT |
| | | | | 12 | TH | BO FR |
| | | | | 44 | TH | CO FR |
| | | | | 24 | TH | VE FR |
| | | | | 31 | TR | CO FR |
| | | | | 294 | TR | GY FR |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|------------------------------------|-------------|----------|------------------------------------|----|----|
| II | C2 Caiman crocodilus crocodilus | watchstraps | 207 | TR | VE | FR |
| | | | 13 | TW | PY | FR |
| | | | 200 | TW | VE | NL |
| | | | 498 | UA | GY | DE |
| | | | 250 | US | BO | FR |
| | | | 10191 | US | CO | DE |
| | | | 14870 | US | CO | FR |
| | | | 49078 | US | CO | IT |
| | | | 135 | US | GT | FR |
| | | | 7403 | US | GY | DE |
| | | | 41839 | US | GY | FR |
| | | | 335 | US | GY | IT |
| | | | 240 | US | GY | NL |
| | | | 4280 | US | PE | DE |
| | | | 22146 | US | VE | DE |
| | | | 5505 | US | VE | FR |
| | | | 8516 | US | VE | IT |
| | | | 2 | VE | CO | FR |
| | | | 30 | VE | KW | FR |
| | | | 4 | XX | BO | FR |
| | | | 46 | XX | CO | IT |
| | | | 46 | XX | GY | FR |
| | | | 19 | XX | PY | IT |
| | | | 24 | XX | VE | FR |
| | | | 24 | YE | CO | FR |
| | | | 14 | YU | CO | FR |
| | | | 72 | ZA | GY | IT |
| C2 | Caiman crocodilus fuscus | belts | 25 | AT | CO | IT |
| | | | 6 | BM | SV | IT |
| | | | 57 | CA | CO | IT |
| | | | 8 | CH | CO | DE |
| | | | 23 | CH | CO | IT |
| | | | 2 | CH | GT | DE |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|---------------------------------|----------|------------------------------------|----|-------|
| II | C2 | <i>Caiman crocodilus fuscus</i> | belts | 4 | CH | GT FR |
| | | | 151 | CH | NI | FR |
| | | | 60 | HK | CO | FR |
| | | | 5 | HK | CO | IT |
| | | | 22 | HK | PA | IT |
| | | | 48 | HK | VE | IT |
| | | | 25 | ID | GT | FR |
| | | | 10 | JP | CO | DE |
| | | | 75 | JP | CO | IT |
| | | | 6 | JP | GT | DE |
| | | | 27 | JP | GT | IT |
| | | | 335 | JP | PA | IT |
| | | | 360 | JP | SV | ES |
| | | | 2 | JP | SV | IT |
| | | | 6 | JP | XX | IT |
| | | | 380 | KR | GT | FR |
| | | | 14 | NO | SV | ES |
| | | | 20 | RE | CO | IT |
| | | | 12 | SE | GT | FR |
| | | | 5 | SG | PA | IT |
| | | | 1559 | US | CO | IT |
| | | | 7 | US | GT | IT |
| | | | 4 | US | HN | DE |
| | | | 65 | US | PA | FR |
| | | | 132 | US | PA | IT |
| | | | 25170 | US | SV | ES |
| | | | 2057 | US | SV | IT |
| | | | 4 | XG | CO | IT |
| | | | 15 | XS | PA | IT |
| | | | 12 | XX | CO | IT |
| | | garments | 2 | CA | SV | IT |
| | | | 62 | US | GT | FR |
| | | | 9 | US | GT | IT |
| | | handbags | 3 | AD | CO | FR |
| | | | 4 | AD | SV | IT |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|---------------------------------|----------|------------------------------------|----|-------|
| II | C2 | <i>Caiman crocodilus fuscus</i> | handbags | 8 | AE | PA DE |
| | | | | 33 | AT | CO DE |
| | | | | 7 | AT | CO IT |
| | | | | 4 | AT | PA DE |
| | | | | 4 | AT | SV DE |
| | | | | 5 | AU | CO DE |
| | | | | 57 | BM | SV IT |
| | | | | 2 | CA | CO IT |
| | | | | 48 | CA | SV IT |
| | | | | 82 | CH | CO DE |
| | | | | 5 | CH | GT DE |
| | | | | 32 | CH | PA DE |
| | | | | 8 | CH | SV DE |
| | | | | 5 | CH | SV IT |
| | | | | 39 | GY | BD IT |
| | | | | 6 | HK | CO DE |
| | | | | 99 | HK | CO IT |
| | | | | 40 | HK | GT FR |
| | | | | 11 | HK | HN FR |
| | | | | 65 | HK | PA DE |
| | | | | 2 | HK | PA IT |
| | | | | 22 | HK | SV DE |
| | | | | 4 | ID | GT FR |
| | | | | 56 | JP | CO DE |
| | | | | 5 | JP | CO FR |
| | | | | 35 | JP | CO IT |
| | | | | 6 | JP | GT DE |
| | | | | 3 | JP | GT FR |
| | | | | 18 | JP | GT IT |
| | | | | 246 | JP | HN FR |
| | | | | 40 | JP | PA DE |
| | | | | 22 | JP | PA IT |
| | | | | 3 | JP | SV DE |
| | | | | 209 | JP | SV IT |
| | | | | 3 | JP | TH IT |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|---------------------------------|----------|------------------------------------|----|-------|
| II | C2 | <i>Caiman crocodilus fuscus</i> | handbags | 59 | KR | CO FR |
| | | | | 2 | KR | PY FR |
| | | | | 1 | KW | HN FR |
| | | | | 15 | LB | CO IT |
| | | | | 3 | NO | CO DE |
| | | | | 2 | NO | SV DE |
| | | | | 10 | PT | SV IT |
| | | | | 2 | SA | CO IT |
| | | | | 3 | SA | HN FR |
| | | | | 4 | SA | SV IT |
| | | | | 5 | SG | HN FR |
| | | | | 5 | SG | PA DE |
| | | | | 2 | SG | PA IT |
| | | | | 43 | US | CO DE |
| | | | | 45 | US | CO ES |
| | | | | 327 | US | CO IT |
| | | | | 245 | US | GT ES |
| | | | | 2 | US | GT FR |
| | | | | 357 | US | GT IT |
| | | | | 3 | US | GY DE |
| | | | | 23 | US | PA DE |
| | | | | 1 | US | PA ES |
| | | | | 15 | US | PA IT |
| | | | | 2 | US | SA IT |
| | | | | 11 | US | SV DE |
| | | | | 2640 | US | SV ES |
| | | | | 9 | US | SV FR |
| | | | | 761 | US | SV IT |
| | | | | 26 | US | ZA IT |
| | | | | 3 | XS | CO IT |
| | | | | 8 | XS | PA IT |
| | | | | 5 | XX | CO IT |
| | | pairs of shoes | | 239 | AE | SV IT |
| | | | | 10 | AT | GT IT |
| | | | | 20 | AT | PA IT |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|---------------------------------|----------------|------------------------------------|----|-------|
| II | C2 | <i>Caiman crocodilus fuscus</i> | pairs of shoes | 300 | AT | PY IT |
| | | | 7 | AT | SV | DE |
| | | | 83 | AT | SV | IT |
| | | | 43 | AT | VE | IT |
| | | | 1 | AU | SV | IT |
| | | | 15 | CA | CO | IT |
| | | | 85 | CA | GT | IT |
| | | | 13 | CA | GY | IT |
| | | | 122 | CA | SV | IT |
| | | | 53 | CH | CO | IT |
| | | | 20 | CH | GT | DE |
| | | | 44 | CH | GT | IT |
| | | | 1 | CH | PA | IT |
| | | | 401 | CH | PY | IT |
| | | | 152 | CH | SV | DE |
| | | | 51 | CH | SV | ES |
| | | | 117 | CH | SV | IT |
| | | | 8 | CI | SV | IT |
| | | | 24 | GU | SV | IT |
| | | | 216 | HK | CO | IT |
| | | | 15 | HK | GT | IT |
| | | | 105 | HK | PA | IT |
| | | | 857 | HK | SV | IT |
| | | | 12 | HK | VE | IT |
| | | | 50 | IQ | SV | IT |
| | | | 18 | IS | GT | IT |
| | | | 29 | JO | SV | IT |
| | | | 66 | JP | CO | IT |
| | | | 85 | JP | GT | IT |
| | | | 1053 | JP | SV | IT |
| | | | 5 | KR | CO | FR |
| | | | 53 | KR | PA | IT |
| | | | 193 | KR | SV | IT |
| | | | 48 | KW | GT | IT |
| | | | 67 | KW | SV | IT |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export |
|-------------------------|-------|---------------------------------|----------------|------------------------------------|
| II | C2 | <i>Caiman crocodilus fuscus</i> | pairs of shoes | |
| | | | 2 | LB SV IT |
| | | | 32 | NO CO IT |
| | | | 43 | NO SV IT |
| | | | 31 | PA SV IT |
| | | | 36 | PR GT IT |
| | | | 50 | QA GT IT |
| | | | 72 | QA SV IT |
| | | | 8 | QA ZA IT |
| | | | 21 | SA GT IT |
| | | | 206 | SA SV IT |
| | | | 106 | SE CO IT |
| | | | 78 | SE SV IT |
| | | | 504 | SG SV IT |
| | | | 55 | TW GT IT |
| | | | 49 | TW SV IT |
| | | | 457 | US AR IT |
| | | | 816 | US CO IT |
| | | | 7 | US GT DE |
| | | | 241 | US GT FR |
| | | | 5296 | US GT IT |
| | | | 6 | US GU ES |
| | | | 7 | US GY IT |
| | | | 6 | US HN FR |
| | | | 1 | US PA ES |
| | | | 5 | US PA IT |
| | | | 64 | US PY IT |
| | | | 19 | US SV DE |
| | | | 431 | US SV ES |
| | | | 258 | US SV FR |
| | | | 13339 | US SV IT |
| | | | 266 | US VE IT |
| | | | 12 | VI GT IT |
| | | | 7 | XX SV IT |
| | | | 1 | ZA GT IT |
| | | | 12 | ZA SV IT |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|---------------------------------|--------------------|------------------------------------|----|-------|
| II | C2 | <i>Caiman crocodilus fuscus</i> | pairs of shoes | 17 | ZA | VE IT |
| | | | sides | 12 | ZR | SV IT |
| | | | | 384 | AT | CO DE |
| | | | | 400 | AT | HN DE |
| | | | | 1041 | CH | GT IT |
| | | | | 5914 | CH | SV IT |
| | | | | 3871 | HK | HN DE |
| | | | skins | 12 | ZA | PA DE |
| | | | | 3073 | AT | CO DE |
| | | | | 6 | AT | GT DE |
| | | | | 234 | AT | GT FR |
| | | | | 500 | AT | GT IT |
| | | | | 17 | AT | PA DE |
| | | | | 40 | AT | SV IT |
| | | | | 5 | CH | CO DE |
| | | | | 1933 | CH | GT FR |
| | | | | 853 | CH | GT IT |
| | | | | 187 | CH | NG FR |
| | | | | 750 | CH | NI FR |
| | | | | 1191 | CH | SV IT |
| | | | | 16 | HK | GT IT |
| | | | | 158 | HN | HN FR |
| | | | | 562 | US | HN FR |
| | | | | 135 | US | SV IT |
| | | | | 637 | ZA | CO DE |
| | | | skin/leather items | 32 | ZA | PA DE |
| | | | | 4 | AT | CO IT |
| | | | | 24 | CH | GT FR |
| | | | | 20 | CH | NI FR |
| | | | | 3 | CM | GT FR |
| | | | | 77 | HK | PA IT |
| | | | | 24 | HK | SV IT |
| | | | | 2 | JP | CO IT |
| | | | | 72 | JP | HN FR |
| | | | | 685 | JP | PA IT |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | | |
|-------------------------|-------|---------------------------------|--------------------|------------------------------------|----|----|----|
| II | C2 | <i>Caiman crocodilus fuscus</i> | skin/leather items | 116 | JP | SV | IT |
| | | | 30 | KR | GT | FR | |
| | | | 6 | MC | CO | IT | |
| | | | 33 | NO | SV | IT | |
| | | | 6 | SA | CO | FR | |
| | | | 6 | SA | CO | IT | |
| | | | 3 | SG | SV | IT | |
| | | | 5 | US | CO | ES | |
| | | | 191 | US | CO | IT | |
| | | | 41 | US | GT | FR | |
| | | | 31 | US | GT | IT | |
| | | | 7 | US | PA | IT | |
| | | | 7 | US | SA | IT | |
| | | | 20771 | US | SV | ES | |
| | | | 9 | US | SV | FR | |
| | | | 822 | US | SV | IT | |
| | | wallets | 35 | XS | PA | IT | |
| | | | 9 | AE | CO | DE | |
| | | | 724 | AT | CO | DE | |
| | | | 4 | AT | CO | IT | |
| | | | 123 | CH | CO | DE | |
| | | | 40 | CH | CO | IT | |
| | | | 9 | CH | GT | FR | |
| | | | 4 | CH | GT | IT | |
| | | | 15 | CH | PA | DE | |
| | | | 1 | GM | CO | IT | |
| | | | 3 | HK | CO | DE | |
| | | | 104 | HK | CO | IT | |
| | | | 3 | HK | GT | DE | |
| | | | 59 | HK | PA | DE | |
| | | | 61 | HK | PA | IT | |
| | | | 61 | HK | SV | IT | |
| | | | 113 | JP | CO | IT | |
| | | | 8 | JP | GT | IT | |
| | | | 4 | JP | PA | DE | |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|---------------------------------|----------|------------------------------------|----|-------|
| | | | | | | |
| II | C2 | <i>Caiman crocodilus fuscus</i> | wallets | 39 | JP | PA IT |
| | | | | 3 | JP | SV DE |
| | | | | 125 | JP | SV IT |
| | | | | 10 | KR | CO IT |
| | | | | 8 | KW | GT FR |
| | | | | 4 | MX | CO IT |
| | | | | 13 | NO | SV IT |
| | | | | 6 | PA | SD IT |
| | | | | 14 | US | CO DE |
| | | | | 235 | US | CO IT |
| | | | | 29 | US | GT FR |
| | | | | 6 | US | GT IT |
| | | | | 4 | US | PA DE |
| | | | | 34 | US | PA IT |
| | | | | 60 | US | SV IT |
| | | | | 3 | XS | CO IT |
| | | | | 26 | XS | PA IT |
| | | | | 20 | XX | CO IT |
| | | | | 5 | XX | GT IT |
| | | watchstraps | | 34 | AE | GT FR |
| | | | | 3850 | AT | CO DE |
| | | | | 140 | AT | GT FR |
| | | | | 50 | AT | PA DE |
| | | | | 161 | AT | PA NL |
| | | | | 2 | CA | GT DK |
| | | | | 724 | CA | GT FR |
| | | | | 20 | CA | PA NL |
| | | | | 600 | CH | CO FR |
| | | | | 72 | CH | GT FR |
| | | | | 49 | CH | NI FR |
| | | | | 10 | CL | GT FR |
| | | | | 30 | CM | NI FR |
| | | | | 226 | CO | CO FR |
| | | | | 306 | CO | GT FR |
| | | | | 2 | CO | NI FR |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|---------------------------------|-------------|------------------------------------|----|-------|
| II | C2 | <i>Caiman crocodilus fuscus</i> | watchstraps | 10 | ES | GT FR |
| | | | 277 | HK | CO | FR |
| | | | 1 | HK | GT | DK |
| | | | 1487 | HK | GT | FR |
| | | | 28 | HK | HN | FR |
| | | | 26 | HK | NI | FR |
| | | | 180 | HK | PA | FR |
| | | | 12 | HK | SV | IT |
| | | | 7 | JP | CO | FR |
| | | | 25 | JP | GT | DK |
| | | | 712 | JP | GT | FR |
| | | | 30 | JP | SV | IT |
| | | | 115 | KR | GT | FR |
| | | | 100 | KW | NI | FR |
| | | | 40 | MY | GT | FR |
| | | | 5 | NG | TG | FR |
| | | | 6 | NO | GT | DK |
| | | | 105 | NO | GT | FR |
| | | | 39 | NO | PA | NL |
| | | | 2 | NZ | GT | DK |
| | | | 62 | NZ | GT | FR |
| | | | 447 | PA | GT | FR |
| | | | 8 | SA | GT | FR |
| | | | 200 | SE | PA | NL |
| | | | 140 | SG | CO | FR |
| | | | 641 | SG | GT | FR |
| | | | 6 | SG | SV | IT |
| | | | 85 | TR | GT | FR |
| | | | 65 | TR | NI | FR |
| | | | 318 | US | GA | FR |
| | | | 894 | US | GT | FR |
| | | | 440 | US | HN | FR |
| | | | 61 | US | NO | FR |
| | | | 9 | UY | GT | FR |
| | | | 24 | ZA | CM | FR |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|---------------------------------|-------------|------------------------------------|----|-------|
| II | C2 | <i>Caiman crocodilus fuscus</i> | watchstraps | 285 | ZA | GT FR |
| | C2 | <i>Caiman crocodilus yacare</i> | belts | 3 | AT | PY DE |
| | | | | 13 | AT | PY FR |
| | | | | 2 | AT | TH FR |
| | | | | 2 | CA | PY FR |
| | | | | 75 | CH | PY DE |
| | | | | 65 | CH | PY FR |
| | | | | 273 | CH | PY IT |
| | | | | 96 | HK | PY IT |
| | | | | 36 | JP | AR FR |
| | | | | 85 | JP | PY DE |
| | | | | 351 | JP | PY FR |
| | | | | 924 | JP | PY IT |
| | | | | 11 | JP | TH FR |
| | | | | 22 | KR | PY FR |
| | | | | 327 | KR | PY IT |
| | | | | 19 | QA | PY FR |
| | | | | 110 | SA | PY IT |
| | | | | 12 | SG | PY FR |
| | | | | 83 | US | PY IT |
| | | garments | | 8 | CH | PY FR |
| | | handbags | | 2 | AE | PY DE |
| | | | | 67 | AN | PY IT |
| | | | | 338 | AT | PY DE |
| | | | | 38 | AT | XX DE |
| | | | | 6 | CA | PY DE |
| | | | | 6 | CA | PY IT |
| | | | | 61 | CH | PY DE |
| | | | | 27 | CH | PY IT |
| | | | | 1 | CI | PY DE |
| | | | | 151 | HK | PY DE |
| | | | | 102 | HK | PY IT |
| | | | | 3 | JP | AR ES |
| | | | | 866 | JP | PY DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|---------------------------------|----------|------------------------------------|-------|-------|
| II | C2 | <i>Caiman crocodilus yacare</i> | handbags | 12 | JP | PY FR |
| | | | 394 | JP | PY IT | |
| | | | 3 | JP | SV ES | |
| | | | 3 | KR | PY FR | |
| | | | 27 | KR | PY IT | |
| | | | 14 | NO | PY DE | |
| | | | 241 | SG | PY DE | |
| | | | 290 | TW | PY DE | |
| | | | 12 | US | AR IT | |
| | | live | 79 | NO | PY NL | |
| | | pairs of shoes | 40 | AT | PY IT | |
| | | | 193 | CA | PY IT | |
| | | | 5 | CH | AR IT | |
| | | | 41 | CH | PY DE | |
| | | | 326 | CH | PY IT | |
| | | | 47 | HK | PY IT | |
| | | | 28 | JP | AR FR | |
| | | | 9 | JP | AR IT | |
| | | | 6 | JP | PY FR | |
| | | | 37 | JP | PY IT | |
| | | | 12 | JP | SV ES | |
| | | | 120 | SA | GT IT | |
| | | | 334 | SE | PY IT | |
| | | | 48 | TW | PY IT | |
| | | | 14 | US | AR IT | |
| | | | 20 | US | GY IT | |
| | | | 3 | US | PY IT | |
| | | sides | 1 | US | SV IT | |
| | | | 8602 | AT | PY DE | |
| | | | 5998 | AT | PY FR | |
| | | | 8095 | CH | PY FR | |
| | | | 1594 | CH | PY IT | |
| | | | 2150 | HK | PY FR | |
| | | | 29000 | MU | PY FR | |
| | | | 938 | ZA | PY FR | |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|---------------------------------|----------|------------------------------------|----|-------|
| II | C2 | <i>Caiman crocodilus yacare</i> | skins | 4921 | AR | CO ES |
| | | | | 570 | AT | PY DE |
| | | | | 150 | AT | PY FR |
| | | | | 2 | CA | PY IT |
| | | | | 550 | CH | GT FR |
| | | | | 8 | CH | PY DE |
| | | | | 2 | FI | PY ES |
| | | | | 7 | US | PY DE |
| | | | | 107 | ZA | PY DE |
| | | | | 185 | ZA | PY FR |
| | | skin/leather items | | 10 | AT | PY IT |
| | | | | 20 | CH | PY FR |
| | | | | 8 | CH | PY IT |
| | | | | 32 | HK | PY IT |
| | | | | 140 | JP | PY IT |
| | | tails | | 2293 | AT | PY FR |
| | | wallets | | 61 | AT | PY DE |
| | | | | 65 | CH | PY DE |
| | | | | 3 | HK | PY DE |
| | | | | 55 | HK | PY IT |
| | | | | 342 | JP | PY IT |
| | | | | 12 | NO | PY IT |
| | | | | 15 | SG | PY DE |
| | | | | 60 | TW | PY DE |
| | | | | 36 | US | PA IT |
| | | watchstraps | | 9000 | AR | PY FR |
| | | | | 20 | CA | PY FR |
| | | | | 198 | CH | PY BE |
| | | | | 661 | CH | PY FR |
| | | | | 1438 | CH | PY IT |
| | | | | 4062 | HK | PY FR |
| | | | | 62 | JP | PY FR |
| | | | | 3490 | KR | PY FR |
| | | | | 7800 | MU | CO FR |
| | | | | 32000 | MU | MU FR |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|---------------------------------|--------------------|------------------------------------|----|-------|
| II | C2 | <i>Caiman crocodilus yacare</i> | watchstraps | 115117 | MU | PY FR |
| | | | 72 | NO | PY | NL |
| | | | 6 | NZ | PY | FR |
| | | | 100 | PY | PY | FR |
| | | | 18 | SD | PY | FR |
| | | | 28 | SE | PY | FR |
| | | | 18 | SE | PY | NL |
| | | | 12 | SG | PY | FR |
| | | | 14 | TR | PY | FR |
| | | | 19 | XX | PY | IT |
| C2 | | <i>Paleosuchus palpebrosus</i> | belts | 12 | CH | CO FR |
| | | | handbags | 12 | CH | CO IT |
| | | | 2 | HK | CO | DE |
| | | | 247 | JP | CO | IT |
| | | | live | 3 | CH | GY DE |
| | | | | 3 | JP | GY DE |
| | | | pairs of shoes | 3 | US | GY IT |
| | | | skins | 10 | SA | CO IT |
| | | | skin/leather items | 8 | CH | CO IT |
| | | | | 17 | JP | CO IT |
| C2 | | <i>Paleosuchus trigonatus</i> | live | 2 | JP | GY DE |
| C2 | | <i>Crocodylidae spp.</i> | handbags | 2 | AU | LU |
| C2 | | <i>Crocodylus spp.</i> | belts | 1 | CH | BE |
| C2 | | <i>Crocodylus niloticus</i> | belts | 19 | CH | ZW FR |
| | | | 809 | HK | ZW | FR |
| | | | 35 | JP | SD | IT |
| | | | 268 | JP | ZW | FR |
| | | | 120 | JP | ZW | IT |
| | | | 261 | KR | ZW | FR |
| | | | 8 | SE | ZM | IT |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|-----------------------------|----------|------------------------------------|----|-------|
| II | C2 | <i>Crocodylus niloticus</i> | belts | 50 | US | ZW FR |
| | | | handbags | 2 | AD | ZW FR |
| | | | | 1 | AR | TZ DE |
| | | | | 2 | AR | ZM DE |
| | | | | 2 | AT | SD DE |
| | | | | 6 | AT | TZ DE |
| | | | | 44 | AT | ZM DE |
| | | | | 13 | AT | ZM IT |
| | | | | 5 | AT | ZW DE |
| | | | | 2 | AT | ZW IT |
| | | | | 16 | BN | SD FR |
| | | | | 2 | CH | MW DE |
| | | | | 23 | CH | SD DE |
| | | | | 36 | CH | SD IT |
| | | | | 30 | CH | TZ DE |
| | | | | 68 | CH | ZM DE |
| | | | | 6 | CH | ZM IT |
| | | | | 2 | CH | ZW DE |
| | | | | 100 | CH | ZW FR |
| | | | | 22 | CN | ZW FR |
| | | | | 1 | HK | ML FR |
| | | | | 4 | HK | MW DE |
| | | | | 3 | HK | PG DE |
| | | | | 15 | HK | SD DE |
| | | | | 61 | HK | SD IT |
| | | | | 136 | HK | SO FR |
| | | | | 19 | HK | TZ DE |
| | | | | 135 | HK | ZM DE |
| | | | | 32 | HK | ZM FR |
| | | | | 46 | HK | ZM IT |
| | | | | 99 | HK | ZW DE |
| | | | | 293 | HK | ZW FR |
| | | | | 106 | HK | ZW IT |
| | | | | 6 | JP | MW DE |
| | | | | 19 | JP | SD DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|-----------------------------|----------------|------------------------------------|----|-------|
| | | | | | | |
| II | C2 | <i>Crocodylus niloticus</i> | handbags | 655 | JP | SD IT |
| | | | | 8 | JP | TZ DE |
| | | | | 51 | JP | XX DE |
| | | | | 51 | JP | ZA FR |
| | | | | 129 | JP | ZM DE |
| | | | | 208 | JP | ZM IT |
| | | | | 236 | JP | ZW DE |
| | | | | 403 | JP | ZW FR |
| | | | | 203 | JP | ZW IT |
| | | | | 2 | KR | ML FR |
| | | | | 4 | KR | ZM DE |
| | | | | 12 | KR | ZW DE |
| | | | | 195 | KR | ZW FR |
| | | | | 4 | KW | ZM IT |
| | | | | 1 | MA | ZW FR |
| | | | | 1 | NO | ZM DE |
| | | | | 3 | PG | TZ DE |
| | | | | 4 | SE | ZM IT |
| | | | | 11 | SG | ZW DE |
| | | | | 28 | SG | ZW FR |
| | | | | 7 | US | CM FR |
| | | | | 15 | US | PG IT |
| | | | | 6 | US | SD IT |
| | | | | 1 | US | TZ DE |
| | | | | 4 | US | ZM DE |
| | | | | 2 | US | ZW DE |
| | | | | 16 | US | ZW FR |
| | | | | 68 | XS | SD IT |
| | | | | 23 | XS | ZW FR |
| | | | | 13 | XX | ZW FR |
| | | | pairs of shoes | 3 | HK | ZW FR |
| | | | | 15 | JP | ZW FR |
| | | | | 16 | US | GY IT |
| | | | skins | 12 | AT | TZ FR |
| | | | | 6 | AT | ZM FR |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|-----------------------------|----------|------------------------------------|----|-------|
| II | C2 | <i>Crocodylus niloticus</i> | skins | 20 | AT | ZW DE |
| | | | | 94 | AT | ZW FR |
| | | | | 2 | BN | SD FR |
| | | | | 30 | BN | ZW GB |
| | | | | 2 | CH | TZ FR |
| | | | | 6 | CH | ZW FR |
| | | | | 50 | JP | ZW FR |
| | | | | 15 | KR | ZW GB |
| | | | | 28 | MX | ZM FR |
| | | | | 1 | XX | ZW GB |
| | | skin/leather items | | 17 | CH | SD IT |
| | | | | 73 | CH | ZW FR |
| | | | | 34 | GU | ZW FR |
| | | | | 24 | HK | SD IT |
| | | | | 12 | HK | ZW FR |
| | | | | 222 | HK | ZW IT |
| | | | | 45 | JP | SD IT |
| | | | | 1 | JP | ZM IT |
| | | | | 32 | JP | ZW FR |
| | | | | 926 | JP | ZW IT |
| | | | | 60 | KR | ZW FR |
| | | | | 9 | NO | ZW FR |
| | | | | 3 | US | ZW FR |
| | | wallets . . | | 3 | XX | ZW FR |
| | | | | 1 | AT | MW DE |
| | | | | 1 | AT | SD DE |
| | | | | 2 | AT | ZM IT |
| | | | | 7 | CH | MW DE |
| | | | | 53 | CH | SD DE |
| | | | | 20 | CH | TZ DE |
| | | | | 1 | CH | XX DE |
| | | | | 77 | CH | ZM DE |
| | | | | 1 | CH | ZW DE |
| | | | | 1 | HK | SD IT |
| | | | | 2 | HK | ZM DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|--------------------------------|-------------|------------------------------------|----|-------|
| II | C2 | <i>Crocodylus niloticus</i> | wallets | 39 | HK | ZW IT |
| | | | | 365 | JP | SD IT |
| | | | | 86 | JP | ZW DE |
| | | | | 39 | JP | ZW IT |
| | | | | 16 | SE | ZM IT |
| | | | | 15 | US | TZ DE |
| | | | | 12 | XS | SD IT |
| | | | watchstraps | 602 | CH | PG FR |
| | | | | 4 | CH | ZW FR |
| | | | | 18 | JP | ZW FR |
| | | | | 2000 | US | SD DE |
| C2 | | <i>Crocodylus novaeguineae</i> | | | | |
| | | <i>novaeguineae</i> | belts | 5 | CA | PG FR |
| | | | | 35 | CH | PG FR |
| | | | | 3 | CH | PG IT |
| | | | | 1 | DE | PG FR |
| | | | | 33 | HK | PG DE |
| | | | | 46 | HK | PG FR |
| | | | | 236 | HK | PG IT |
| | | | | 56 | JP | PG FR |
| | | | | 36 | JP | PG IT |
| | | | | 16 | KR | PG FR |
| | | | | 4 | NO | PG IT |
| | | | | 8 | SG | PG FR |
| | | | | 32 | SG | PG IT |
| | | | | 4 | US | PG DE |
| | | | | 348 | US | PG FR |
| | | | | 3104 | US | PG IT |
| | | | | 3 | US | XX IT |
| | | garments | | 8 | US | PG IT |
| | | handbags | | 1 | AD | PG FR |
| | | | | 6 | AE | PG DE |
| | | | | 4 | AN | PG IT |
| | | | | 15 | AT | PG DE |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Import Origin Export | | | |
|-------------------------|-------|--------------------------------|----------|------------------------------------|----|----|----|
| II | C2 | <i>Crocodylus novaeguineae</i> | | | | | |
| | | <i>novaeguineae</i> | handbags | 23 | AT | PG | FR |
| | | | | 6 | AT | PG | IT |
| | | | | 9 | AU | PG | IT |
| | | | | 2 | BN | NG | FR |
| | | | | 44 | BN | PG | FR |
| | | | | 4 | CA | PG | FR |
| | | | | 17 | CA | PG | IT |
| | | | | 8 | CA | VE | IT |
| | | | | 9 | CH | GY | IT |
| | | | | 221 | CH | PG | DE |
| | | | | 155 | CH | PG | FR |
| | | | | 105 | CH | PG | IT |
| | | | | 1 | CH | VE | IT |
| | | | | 149 | HK | PG | DE |
| | | | | 504 | HK | PG | FR |
| | | | | 358 | HK | PG | IT |
| | | | | 1 | HK | SG | FR |
| | | | | 1 | JP | ID | DE |
| | | | | 192 | JP | ID | IT |
| | | | | 972 | JP | PG | DE |
| | | | | 1099 | JP | PG | FR |
| | | | | 3135 | JP | PG | IT |
| | | | | 7 | JP | SG | FR |
| | | | | 3 | JP | SG | IT |
| | | | | 20 | JP | VE | FR |
| | | | | 33 | JP | ZA | FR |
| | | | | 11 | JP | ZW | IT |
| | | | | 12 | KP | CM | FR |
| | | | | 61 | KP | PG | FR |
| | | | | 1 | KR | PG | DE |
| | | | | 310 | KR | PG | FR |
| | | | | 47 | KR | PG | IT |
| | | | | 8 | KW | PG | IT |
| | | | | 24 | LB | PG | IT |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-----------------------------------|----------------|----------|------------------------------------|----|----|
| II | C2 <i>Crocodylus novaeguineae</i> | | | | | |
| | <i>novaeguineae</i> | handbags | 6 | MC | PG | IT |
| | | | 4 | MX | PG | FR |
| | | | 4 | PG | PG | DE |
| | | | 2 | QA | PG | DE |
| | | | 2 | SA | PG | IT |
| | | | 10 | SE | PG | FR |
| | | | 73 | SG | PG | DE |
| | | | 45 | SG | PG | FR |
| | | | 16 | SG | PG | IT |
| | | | 2 | TW | ID | IT |
| | | | 17 | TW | PG | FR |
| | | | 10 | TW | PG | IT |
| | | | 10 | US | ID | IT |
| | | | 79 | US | PG | DE |
| | | | 409 | US | PG | FR |
| | | | 952 | US | PG | IT |
| | | | 502 | XS | PG | IT |
| | | | 13 | XX | PG | FR |
| | | | 35 | XX | PG | IT |
| | | pairs of shoes | 4 | CA | PG | IT |
| | | | 22 | CH | PG | IT |
| | | | 22 | HK | PG | IT |
| | | | 58 | JP | PG | FR |
| | | | 66 | JP | PG | IT |
| | | | 88 | KR | PG | IT |
| | | | 4 | SA | PG | IT |
| | | | 10 | SE | AR | IT |
| | | | 1 | SG | PG | IT |
| | | | 247 | US | GY | IT |
| | | | 141 | US | PG | FR |
| | | | 2337 | US | PG | IT |
| | | | 34 | US | US | IT |
| | | | 10 | US | XX | IT |
| | | skins | 6 | AT | PG | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|--------------------------------|--------------------|----------|------------------------------------|----|----|
| II C2 | <i>Crocodylus novaeguineae</i> | | | | | |
| | <i>novaeguineae</i> | skins | 7 | AT | PG | FR |
| | | | 13 | CA | PG | FR |
| | | | 505 | CH | AR | IT |
| | | | 100 | CH | PG | FR |
| | | | 393 | CH | PG | IT |
| | | | 142 | HK | PG | FR |
| | | | 6 | HK | PG | IT |
| | | | 311 | JP | PG | FR |
| | | | 2 | KR | PG | FR |
| | | | 1 | KR | PG | IT |
| | | | 12 | MX | PG | FR |
| | | | 2 | PG | PG | IT |
| | | | 1 | SG | PG | FR |
| | | | 660 | US | PG | FR |
| | | | 14 | US | PG | IT |
| | | | 28 | ZA | PG | IT |
| | | skin/leather items | 8 | AE | PG | FR |
| | | | 336 | CH | PG | FR |
| | | | 7 | CH | PG | IT |
| | | | 100 | GU | PG | IT |
| | | | 154 | HK | PG | FR |
| | | | 86 | HK | PG | IT |
| | | | 100 | ID | SD | IT |
| | | | 5 | JP | ID | IT |
| | | | 200 | JP | PG | FR |
| | | | 496 | JP | PG | IT |
| | | | 10 | JP | SD | FR |
| | | | 17 | KR | PG | FR |
| | | | 61 | MA | PG | FR |
| | | | 37 | SA | PG | IT |
| | | | 12 | SE | PG | IT |
| | | | 15 | SG | PG | FR |
| | | | 120 | US | PG | FR |
| | | | 808 | US | PG | IT |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Import Origin Export | | |
|--------------------------------------|---------------------------|--------------------|----------|------------------------------------|----|----|
| II C2 <i>Crocodylus novaeguineae</i> | <i>novaeguineae</i> | skin/leather items | 20 | XS | PG | IT |
| | | | 15 | XX | PG | FR |
| | | skin pieces | 165 | US | PG | IT |
| | | wallets | 2 | CA | PG | IT |
| | | | 160 | CH | PG | DE |
| | | | 6 | CH | PG | IT |
| | | | 304 | HK | PG | DE |
| | | | 240 | HK | PG | IT |
| | | | 160 | JP | PG | DE |
| | | | 2 | JP | PG | FR |
| | | | 326 | JP | PG | IT |
| | | | 2 | JP | XX | IT |
| | | | 12 | KR | PG | IT |
| | | | 6 | QA | PG | DE |
| | | | 36 | SG | PG | DE |
| | | | 7 | SG | PG | IT |
| | | | 11 | TW | PG | IT |
| | | | 77 | US | PG | DE |
| | | | 379 | US | PG | IT |
| | | | 18 | XS | PG | IT |
| | | watchstraps | 5159 | CH | PG | FR |
| | | | 28 | HK | PG | FR |
| | | | 5 | HK | PG | IT |
| | | | 28 | JP | PG | FR |
| | | | 2 | TR | PG | FR |
| | | | 15 | US | PG | FR |
| | | | 450 | US | PG | IT |
| C2 | <i>Crocodylus porosus</i> | belts | 6 | AT | PG | IT |
| | | | 3 | CH | GY | FR |
| | | | 17 | CH | PG | FR |
| | | | 8 | CN | PG | IT |
| | | | 67 | HK | PG | FR |
| | | | 1 | JP | PG | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|---------------------------|----------|------------------------------------|----|-------|
| II | C2 | <i>Crocodylus porosus</i> | belts | 22 | JP | PG FR |
| | | | 100 | KR | PG | FR |
| | | | 308 | US | PG | FR |
| | | | 8 | US | PG | IT |
| | | handbags | 1 | AE | ID | DE |
| | | | 1 | AE | PG | DE |
| | | | 1 | AE | PG | FR |
| | | | 11 | AT | PG | DE |
| | | | 4 | AT | PG | FR |
| | | | 1 | AT | PG | IT |
| | | | 1 | BR | PG | FR |
| | | | 1 | CA | PG | FR |
| | | | 36 | CH | PG | DE |
| | | | 29 | CH | PG | FR |
| | | | 13 | CH | PG | IT |
| | | | 1 | HK | ID | DE |
| | | | 74 | HK | PG | DE |
| | | | 101 | HK | PG | FR |
| | | | 66 | HK | PG | IT |
| | | | 65 | JP | PG | DE |
| | | | 286 | JP | PG | FR |
| | | | 254 | JP | PG | IT |
| | | | 28 | JP | ZA | IT |
| | | | 4 | KR | PG | DE |
| | | | 120 | KR | PG | FR |
| | | | 1 | LI | PG | FR |
| | | | 1 | NO | PG | DE |
| | | | 1 | SG | PG | DE |
| | | | 14 | US | PG | DE |
| | | | 92 | US | PG | FR |
| | | | 6 | US | PG | IT |
| | | | 54 | XS | PG | IT |
| | | | 95 | XX | PG | FR |
| | | | 59 | XX | PG | IT |
| | | skins | 12 | AT | PG | FR |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|---------------------------|----------|------------------------------------|----|----|
| II | C2 | <i>Crocodylus porosus</i> | | | | |
| | | skins | 138 | CH | PG | FR |
| | | | 166 | CH | PG | IT |
| | | | 22 | HK | PG | FR |
| | | | 42 | JP | PG | FR |
| | | skin/leather items | 1 | AU | PG | GB |
| | | | 115 | BN | PG | GB |
| | | | 29 | CH | PG | FR |
| | | | 1 | GI | PG | FR |
| | | | 31 | HK | PG | FR |
| | | | 55 | JP | PG | FR |
| | | | 13 | JP | PG | GB |
| | | | 14 | JP | PG | IT |
| | | | 36 | MA | PG | GB |
| | | | 3 | NO | PG | GB |
| | | | 2 | NP | PG | GB |
| | | | 1 | SE | PG | FR |
| | | | 24 | US | PG | FR |
| | | | 135 | US | PG | GB |
| | | | 65 | XX | PG | GB |
| | | wallets | 11 | AT | PG | DE |
| | | | 88 | CH | PG | DE |
| | | | 174 | HK | PG | DE |
| | | | 8 | HK | PG | IT |
| | | | 47 | JP | PG | DE |
| | | | 1 | JP | PG | FR |
| | | | 42 | JP | PG | IT |
| | | | 2 | NO | PG | DE |
| | | | 116 | US | PG | DE |
| | | | 9 | XS | PG | IT |
| | | | 8 | XX | PG | IT |
| | | watchstraps | 2 | AD | PG | FR |
| | | | 714 | CH | PG | FR |
| | | | 97 | HK | PG | FR |
| | | | 7 | JP | PG | FR |
| | | | 800 | US | PG | FR |

| CITES EEC App. Annex | | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|----|----------------------------------|---------------------|----------|------------------------------------|----|----|
| II | C2 | <i>Phelsuma cepediana</i> | live (captive bred) | 37 | | CH | DE |
| | | | | 8 | | US | DE |
| | | | live | 4 | BR | KM | DE |
| | | | | 35 | US | KM | NL |
| | C2 | <i>Phelsuma comorensis</i> | live (captive bred) | 10 | | CH | DE |
| | C2 | <i>Phelsuma dubia</i> | live | 10 | | CH | KM |
| | C2 | <i>Phelsuma laticauda</i> | live (captive bred) | 10 | JP | MG | DE |
| | | | live | 47 | AT | MG | DE |
| | | | | 12 | CA | MG | DK |
| | | | | 40 | CH | MG | DE |
| | | | | 20 | JP | MG | DK |
| | | | | 24 | US | MG | DE |
| | | | | 70 | US | MG | DK |
| | | | | 1 | US | MG | NL |
| | | | | 5 | ZA | MG | DE |
| | C2 | <i>Phelsuma lineata</i> | live | 10 | AT | MG | DE |
| | | | | 4 | BR | MG | DE |
| | | | | 12 | CA | MG | DK |
| | | | | 10 | CH | MG | DE |
| | | | | 200 | JP | MG | DK |
| | | | | 24 | US | MG | DE |
| | | | | 100 | US | MG | DK |
| | | | | 2 | US | MG | NL |
| | | | | 5 | ZA | MG | DE |
| | C2 | <i>Phelsuma madagascariensis</i> | live (captive bred) | 1 | AR | MG | DE |
| | | | | 3 | PL | | DE |
| | | | | 2 | US | | DE |
| | | | live | 10 | AT | MG | DE |
| | | | | 10 | CA | MG | DK |
| | | | | 36 | CH | MG | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------------------------------------|-----------------------------|--------------------------------------------|----------------------------------------------|----------------------------------------------|----------------------------------------------|
| II | C2 <i>Phelsuma madagascariensis</i> | live | 10 50 29 30 | JP JP US US | MG MG MG MG | DE DK DE DK |
| | C2 <i>Phelsuma ornata</i> | live | 25 | US | KM | NL |
| | C2 <i>Phelsuma quadriocellata</i> | live | 10 12 60 20 20 24 1 5 | AT CA CH JP JP US US ZA | MG MG MG MG MG MG MG MG | DE DK DE DE DK DE NL DE |
| | C2 <i>Phelsuma serraticauda</i> | live | 10 | CH | MG | DE |
| | C2 <i>Phelsuma standingi</i> | live (captive bred) live | 7 4 6 | US AT CH | | DE DE DE |
| | C2 <i>Uromastyx spp.</i> | wallets | 288 | US | BJ | ES |
| | C2 <i>Uromastyx aegyptius</i> | live | 2 7 15 5 10 | AT CA CH JP US | EG EG EG EG EG | DE DK DE DK DE |
| | C2 <i>Uromastyx ocellatus</i> | live | 2 10 | CH US | EG EG | DE DE |
| | C2 <i>Uromastyx ornatus</i> | live | 4 12 | AT US | EG EG | DE DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|----------------------------|----------------|------------------|------------------------------------|----------------|----------------|
| II | <i>Chamaeleo dilepis</i> | live | 122 30 | CA SE | TZ | DK |
| | <i>Chamaeleo fischeri</i> | live | 12 | CA | TZ | DK |
| | <i>Chamaeleo oustaleti</i> | live | 4 | SE | MG | DE |
| | <i>Iguana</i> spp. | handbags | 2 | AU | | LU |
| | <i>Iguana iguana</i> | belts | 12 | JO | CO | IT |
| | | | 24 | US | CO | IT |
| | | handbags | 1 | CH | XX | DK |
| | | live | 1 | FI | XX | NL |
| | | | 5 | JP | PE | GB |
| | | wallets | 110 | US | CO | IT |
| | <i>Cordylus cordylus</i> | live | 10 100 250 | CA TZ US | TZ TZ TZ | DK DK DK |
| | <i>Dracaena guianensis</i> | belts | 30 | US | GY | IT |
| | | handbags | 3 | AU | GY | IT |
| | | | 7 | CH | GY | IT |
| | | | 6 | HK | GY | IT |
| | | | 4 | JP | GY | IT |
| | | | 30 | US | GY | IT |
| | | | 7 | US | PY | IT |
| | | leather | 10 | AR | CL | ES |
| | | pairs of shoes | 12 | AU | GY | IT |
| | | | 20 | CA | GY | IT |
| | | | 20 | CH | GY | IT |
| | | | 1 | HK | GY | IT |
| | | | 1 | JP | GY | IT |
| | | | 40 | NG | GY | IT |
| | | | 27 | QA | GY | IT |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|----------------------------|--------------------|----------|------------------------------------|----|----|
| II | <i>Dracaena guianensis</i> | pairs of shoes | 40 | SA | GY | IT |
| | | | 36 | SG | GY | IT |
| | | | 236 | US | AR | ES |
| | | | 24 | US | GN | ES |
| | | | 2527 | US | GY | ES |
| | | | 1131 | US | GY | IT |
| | | | 63 | US | TH | ES |
| | | skins | 3 | CH | GY | IT |
| | | | 1 | KR | GY | IT |
| | | | 308 | US | GY | FR |
| | | skin/leather items | 324 | US | GY | ES |
| | <i>Tupinambis</i> spp. | belts | 8 | CH | AR | DE |
| | | pairs of shoes | 46 | CH | AR | FR |
| | | | 9 | JP | BO | IT |
| | | | 48 | US | AR | FR |
| | | | 22 | US | BO | FR |
| | | | 2 | US | BO | IT |
| | | | 71 | US | PY | IT |
| | | skins | 1000 | HK | BO | IT |
| | | | 950 | TW | PY | FR |
| | | | 117 | US | AR | FR |
| | | | 4628 | US | BO | IT |
| | | watchstraps | 50 | CH | AR | FR |
| | <i>Tupinambis teguixin</i> | belts | 11 | AE | AR | IT |
| | | | 20 | AN | AR | IT |
| | | | 167 | CA | AR | IT |
| | | | 96 | CA | PY | IT |
| | | | 50 | CH | AR | DE |
| | | | 62 | CH | AR | IT |
| | | | 23 | CH | PY | IT |
| | | | 95 | HK | AR | IT |
| | | | 219 | JP | AR | IT |
| | | | 12 | KW | AR | IT |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|----------------------------|----------------|----------|------------------------------------|----|----|
| II | <i>Tupinambis teguixin</i> | belts | 5 | SG | AR | IT |
| | | | 502 | US | AR | ES |
| | | | 14291 | US | AR | IT |
| | | | 12 | US | PG | IT |
| | | | 2 | ZR | AR | IT |
| | | garments | 116 | US | AR | IT |
| | | handbags | 4 | AT | AR | IT |
| | | | 1 | AU | AR | ES |
| | | | 2 | CA | AR | IT |
| | | | 32 | CA | PY | IT |
| | | | 60 | CH | AR | ES |
| | | | 1 | CH | AR | IT |
| | | | 150 | HK | AR | IT |
| | | | 8 | IL | PY | IT |
| | | | 26 | JP | AR | IT |
| | | | 1 | NO | AR | ES |
| | | | ? | PR | AR | ES |
| | | | 35 | SA | AR | IT |
| | | | 1 | TW | AR | IT |
| | | | 29 | US | AR | DE |
| | | | 70 | US | AR | ES |
| | | | 448 | US | AR | IT |
| | | | 2 | XS | AR | IT |
| | | pairs of shoes | 319 | AE | AR | IT |
| | | | 23 | AR | PE | IT |
| | | | 2 | AR | PY | IT |
| | | | 35 | AR | TH | IT |
| | | | 1 | AR | VE | IT |
| | | | 105 | AT | AR | ES |
| | | | 248 | AT | AR | IT |
| | | | 304 | AU | AR | ES |
| | | | 39 | AU | AR | IT |
| | | | 23 | AU | ZA | IT |
| | | | 11 | BD | AR | ES |
| | | | 72 | BH | AR | IT |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|----------------------------|----------------|----------|------------------------------------|----|----|
| II | <i>Tupinambis teguixin</i> | pairs of shoes | 1201 | CA | AR | IT |
| | | | 18 | CA | PY | IT |
| | | | 89 | CH | AR | ES |
| | | | 813 | CH | AR | IT |
| | | | 78 | CH | AU | IT |
| | | | 44 | CH | PY | IT |
| | | | 60 | CH | VE | IT |
| | | | 58 | CI | AR | IT |
| | | | 92 | CN | AR | IT |
| | | | 4 | FI | AR | ES |
| | | | 21 | FI | AR | IT |
| | | | 36 | GA | AR | IT |
| | | | 7 | GU | AR | IT |
| | | | 1672 | HK | AR | ES |
| | | | 2571 | HK | AR | IT |
| | | | 32 | IL | AR | IT |
| | | | 24 | IL | PY | IT |
| | | | 400 | IQ | AR | IT |
| | | | 16 | IS | AR | DE |
| | | | 9 | IS | AR | IT |
| | | | 63 | JO | AR | IT |
| | | | 1016 | JP | AR | FR |
| | | | 4276 | JP | AR | IT |
| | | | 86 | JP | AU | IT |
| | | | 275 | KR | AR | IT |
| | | | 302 | KW | AR | ES |
| | | | 386 | KW | AR | IT |
| | | | 14 | LB | AR | ES |
| | | | 211 | LB | AR | IT |
| | | | 210 | MQ | AR | ES |
| | | | 8 | NC | AR | ES |
| | | | 20 | NG | AR | ES |
| | | | 53 | NG | AR | IT |
| | | | 283 | NO | AR | ES |
| | | | 236 | NO | AR | IT |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|----------------------------|----------------|----------|------------------------------------|----|----|
| II | <i>Tupinambis teguixin</i> | pairs of shoes | 108 | PA | AR | IT |
| | | | 866 | PR | AR | ES |
| | | | 9 | PR | XX | IT |
| | | | 469 | QA | AR | IT |
| | | | 152 | SA | AR | ES |
| | | | 1364 | SA | AR | IT |
| | | | 515 | SE | AR | IT |
| | | | 12 | SE | VE | IT |
| | | | 114 | SG | AR | ES |
| | | | 1032 | SG | AR | IT |
| | | | 270 | SU | AR | ES |
| | | | 31 | TW | AR | ES |
| | | | 102 | TW | AR | IT |
| | | | 7 | US | AR | DE |
| | | | 120520 | US | AR | ES |
| | | | 81 | US | AR | FR |
| | | | 919 | US | AR | GR |
| | | | 48439 | US | AR | IT |
| | | | 191 | US | BO | IT |
| | | | 25 | US | CO | IT |
| | | | ? | US | ID | ES |
| | | | 31 | US | ID | IT |
| | | | 327 | US | JP | IT |
| | | | 4 | US | PE | IT |
| | | | 131 | US | PG | IT |
| | | | 90 | US | PY | IT |
| | | | 1262 | US | TH | ES |
| | | | 121 | US | US | GR |
| | | | ? | US | VE | ES |
| | | | 75 | US | VE | IT |
| | | | 6 | US | XX | IT |
| | | | 467 | ZA | AR | ES |
| | | | 402 | ZA | AR | IT |
| | | | 114 | ZR | AR | IT |
| | | skins | 5066 | AT | AR | GB |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|----------------------------|--------------------|----------|------------------------------------|----|----|
| II | <i>Tupinambis teguixin</i> | skins | 100 | AT | AR | IT |
| | | | 3 | CA | AR | IT |
| | | | 6823 | CH | AR | ES |
| | | | 11536 | CH | AR | IT |
| | | | 27 | HK | AR | ES |
| | | | 53 | HK | AR | IT |
| | | | 1302 | TW | AR | ES |
| | | | 32552 | US | AR | ES |
| | | | 498 | US | AR | GB |
| | | | 166 | US | AR | IT |
| | | | 19 | US | GY | IT |
| | | | 1401 | US | TH | ES |
| | | | 450 | US | US | GR |
| | | | 16265 | XX | AR | GB |
| | | skin/leather items | 400 | CH | AR | FR |
| | | | 28 | CH | AR | IT |
| | | | 24 | GU | AR | IT |
| | | | 37 | JP | AR | IT |
| | | | 1 | US | AR | FR |
| | | | 3007 | US | AR | IT |
| | | | 2865 | US | PG | IT |
| | | skin scraps | 3100 | US | AR | IT |
| | | | 1 kg | US | AR | IT |
| | | wallets | 76 | KR | PG | IT |
| | | | 33 | US | AR | IT |
| | | | 1 | US | PY | IT |
| | | watchstraps | 32 | AE | AR | FR |
| | | | 54 | AT | AR | DE |
| | | | 31147 | CA | AR | DE |
| | | | 804 | CH | AR | DE |
| | | | 9123 | CH | AR | FR |
| | | | 2150 | CH | BO | FR |
| | | | 110 | CH | PG | FR |
| | | | 1653 | HK | AR | DE |
| | | | 68 | HK | AR | FR |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-----------------------------------------------------|--------------------|----------|------------------------------------|----|----|
| II | <i>Tupinambis teguixin</i> | watchstraps | 26 | HK | AR | IT |
| | | | 331 | JP | AR | IT |
| | | | 1720 | MU | AR | FR |
| | | | 4 | NO | AR | FR |
| | | | 25 | SE | AR | NL |
| | | | 20 | SG | AR | FR |
| | | | 23 | SG | AR | IT |
| | | | 200 | TW | AR | NL |
| | | | 3441 | UA | AR | DE |
| | | | 210626 | US | AR | DE |
| | | | 457 | US | AR | ES |
| | | | 170 | US | AR | FR |
| | | | 2 | US | AR | IT |
| | <i>Tupinambis teguixin</i> <i>nigropunctatus</i> | belts | 59 | CH | PY | IT |
| | | | 70 | HK | PY | IT |
| | | | 60 | JP | PY | IT |
| | | | 6 | US | PY | IT |
| | | handbags | 3 | CH | PY | IT |
| | | | 11 | JP | PY | IT |
| | | | 6 | US | PY | IT |
| | | pairs of shoes | 7 | JP | BO | IT |
| | | | 2 | JP | PY | IT |
| | | | 91 | US | BO | IT |
| | | | 1 | US | PY | IT |
| | | skin/leather items | 87 | CA | PY | IT |
| | | | 184 | US | PY | IT |
| C2 | <i>Varanus</i> spp. | belts | 3 | CH | | BE |
| C2 | <i>Varanus exanthematicus</i> | belts | 30 | CH | NG | IT |
| | | handbags | 3 | US | NG | DE |
| | | | 84 | US | NG | IT |
| | | live | 2 | DD | GH | DE |

| CITES EEC App. Annex | | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|----|-------------------------------|----------------|----------|------------------------------------|----|----|
| II | C2 | <i>Varanus exanthematicus</i> | live | 25 | SE | GH | DK |
| | | | pairs of shoes | 16 | CH | NG | IT |
| | | | | 65 | CH | SD | IT |
| | | | | 3 | HK | SD | IT |
| | | | | 129 | JP | SD | IT |
| | | | | 24 | SA | SD | IT |
| | | | | 24 | SE | SD | IT |
| | | | | 2 | US | SD | IT |
| | | | skins | 209 | CA | SD | GB |
| | | | | 90 | JP | SD | IT |
| | | | watchstraps | 440 | CA | NG | DE |
| C2 | | <i>Varanus karlschmidti</i> | live | 2 | CH | ID | DE |
| C2 | | <i>Varanus niloticus</i> | belts | 125 | AN | SD | IT |
| | | | | 6 | AT | CM | FR |
| | | | | 10 | AT | NG | IT |
| | | | | 15 | AT | SD | FR |
| | | | | 88 | AT | SD | IT |
| | | | | 1 | BM | CM | FR |
| | | | | 222 | CA | ML | IT |
| | | | | 255 | CA | NG | IT |
| | | | | 355 | CA | SD | IT |
| | | | | 7 | CH | CA | FR |
| | | | | 60 | CH | CM | FR |
| | | | | 538 | CH | CM | IT |
| | | | | 2041 | CH | ID | IT |
| | | | | 81 | CH | ML | FR |
| | | | | 133 | CH | ML | IT |
| | | | | 13 | CH | NG | FR |
| | | | | 200 | CH | NG | IT |
| | | | | 1 | CH | SD | FR |
| | | | | 147 | CH | SD | IT |
| | | | | 145 | GB | NG | IT |
| | | | | 52 | HK | CM | IT |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | | |
|-------------------------|-------|--------------------------|----------|------------------------------------|----|----|----|
| II | C2 | <i>Varanus niloticus</i> | belts | 54 | HK | ML | IT |
| | | | | 56 | HK | NG | GB |
| | | | | 104 | HK | NG | IT |
| | | | | 24 | HK | SD | ES |
| | | | | 50 | HK | SD | FR |
| | | | | 479 | HK | SD | IT |
| | | | | 625 | IL | ML | IT |
| | | | | 114 | JP | CM | FR |
| | | | | 20 | JP | CM | IT |
| | | | | 47 | JP | ML | FR |
| | | | | 48 | JP | ML | IT |
| | | | | 12 | JP | NG | FR |
| | | | | 108 | JP | NG | IT |
| | | | | 30 | JP | SD | FR |
| | | | | 203 | JP | SD | IT |
| | | | | 544 | JP | TG | ES |
| | | | | 108 | KR | ML | FR |
| | | | | 14 | KW | ML | IT |
| | | | | 103 | KY | TG | ES |
| | | | | 31 | NO | ML | FR |
| | | | | 20 | NO | SD | IT |
| | | | | 12 | PT | SD | IT |
| | | | | 19 | QA | CM | FR |
| | | | | 12 | SD | AT | FR |
| | | | | 22 | SE | CO | IT |
| | | | | 19 | SE | ML | FR |
| | | | | 12 | SE | NG | FR |
| | | | | 58 | SE | NG | IT |
| | | | | 6 | SG | SD | IT |
| | | | | 2 | TW | NG | IT |
| | | | | 30 | US | CM | FR |
| | | | | 6358 | US | CM | IT |
| | | | | 21 | US | ID | IT |
| | | | | 34 | US | ML | FR |
| | | | | 4823 | US | ML | IT |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|--------------------------|----------|------------------------------------|----|-------|
| | | | | | | |
| II | C2 | <i>Varanus niloticus</i> | belts | 20 | US | NG FR |
| | | | | 13511 | US | NG IT |
| | | | | 32913 | US | SD ES |
| | | | | 18 | US | SD FR |
| | | | | 8199 | US | SD IT |
| | | | | 60 | US | TD FR |
| | | | | 12829 | US | TG ES |
| | | | | 105 | VI | SD IT |
| | | | | 2 | XS | ML IT |
| | | | | 90 | XX | NG GB |
| | | | | 8 | XX | VE FR |
| | | | garments | 50 m | US | SD IT |
| | | | | 10 | AT | SD IT |
| | | | | 6 | CA | SD IT |
| | | | | 25 | JP | SD IT |
| | | | | 8 | SE | NG IT |
| | | | handbags | 292 | US | SD IT |
| | | | | 1 | AE | CM IT |
| | | | | 1 | AE | SD IT |
| | | | | 1 | AT | CA FR |
| | | | | 8 | AT | ML FR |
| | | | | 3 | AT | ML IT |
| | | | | 2 | AT | NG FR |
| | | | | 38 | AT | SD FR |
| | | | | 16 | BM | SD IT |
| | | | | 3 | CA | ML FR |
| | | | | 14 | CA | NG FR |
| | | | | 47 | CA | NG IT |
| | | | | 5 | CA | SD FR |
| | | | | 32 | CA | SD IT |
| | | | | 1 | CH | CA FR |
| | | | | 9 | CH | CM FR |
| | | | | 3 | CH | CM IT |
| | | | | 12 | CH | ML FR |
| | | | | 11 | CH | ML IT |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|--------------------------|----------|------------------------------------|----|-------|
| II | C2 | <i>Varanus niloticus</i> | handbags | 1 | CH | NG DE |
| | | | 234 | CH | NG | FR |
| | | | 15 | CH | NG | IT |
| | | | 3 | CH | SD | DE |
| | | | 70 | CH | SD | ES |
| | | | 9 | CH | SD | FR |
| | | | 33 | CH | SD | IT |
| | | | 1 | CM | NG | FR |
| | | | 6 | HK | CM | IT |
| | | | 32 | HK | ML | FR |
| | | | 2 | HK | ML | IT |
| | | | 5 | HK | NG | FR |
| | | | 367 | HK | NG | IT |
| | | | 185 | HK | SD | IT |
| | | | 6 | HK | ZM | DE |
| | | | 3 | JP | CA | FR |
| | | | 15 | JP | CM | FR |
| | | | 1 | JP | ML | DE |
| | | | 31 | JP | ML | FR |
| | | | 34 | JP | ML | IT |
| | | | 17 | JP | NG | FR |
| | | | 194 | JP | NG | IT |
| | | | 10 | JP | SD | FR |
| | | | 164 | JP | SD | IT |
| | | | 8 | JP | TD | FR |
| | | | 31 | JP | XF | IT |
| | | | 12 | KR | CA | FR |
| | | | 25 | KR | ML | FR |
| | | | 25 | KR | NG | FR |
| | | | 6 | KR | NG | IT |
| | | | 1 | KW | NG | FR |
| | | | 4 | KW | SD | IT |
| | | | 3 | LB | SD | IT |
| | | | 1 | MC | NG | IT |
| | | | 10000 | MU | NG | FR |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | | |
|-------------------------|-------|-------------------|----------|------------------------------------|----|----|----|
| II | C2 | Varanus niloticus | handbags | 40 | SA | TG | ES |
| | | | | 6 | SE | NG | IT |
| | | | | 8 | SE | SD | IT |
| | | | | 5 | SG | NG | FR |
| | | | | 1 | SG | SD | FR |
| | | | | 17 | SG | SD | IT |
| | | | | 6 | TW | CM | IT |
| | | | | 2 | TW | NG | IT |
| | | | | 80 | TW | SD | IT |
| | | | | 105 | US | CA | FR |
| | | | | 220 | US | CM | FR |
| | | | | 87 | US | CM | IT |
| | | | | 2 | US | ID | IT |
| | | | | 6 | US | ML | DE |
| | | | | 326 | US | ML | FR |
| | | | | 109 | US | ML | IT |
| | | | | 14 | US | NG | FR |
| | | | | 2632 | US | NG | IT |
| | | | | 23 | US | SD | FR |
| | | | | 1623 | US | SD | IT |
| | | | | 16 | US | TD | FR |
| | | | | 12 | XC | SD | IT |
| | | live | | 3 | XX | SD | IT |
| | | | | 3 | AT | TG | DE |
| | | | | 4 | BR | TG | DE |
| | | | | 2 | CH | TG | DE |
| | | pairs of shoes | | 9 | AT | SD | IT |
| | | | | 24 | CA | NG | IT |
| | | | | 13 | CA | SD | IT |
| | | | | 1 | CH | CM | FR |
| | | | | 1 | CH | ML | FR |
| | | | | 1 | CH | NG | FR |
| | | | | 43 | CH | NG | IT |
| | | | | 12 | CH | SD | FR |
| | | | | 341 | CH | SD | IT |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | | |
|-------------------------|-------|--------------------------|----------------|------------------------------------|----|----|----|
| II | C2 | <i>Varanus niloticus</i> | pairs of shoes | 114 | HK | ML | IT |
| | | | 3 | JP | CM | FR | |
| | | | 5 | JP | ML | FR | |
| | | | 11 | JP | ML | IT | |
| | | | 10 | JP | NG | FR | |
| | | | 8 | JP | SD | FR | |
| | | | 432 | JP | SD | IT | |
| | | | 30 | JP | ZW | FR | |
| | | | 20 | KR | SD | IT | |
| | | | 19 | KW | NG | IT | |
| | | | 24 | KW | SD | IT | |
| | | | 20 | MT | SD | IT | |
| | | | 15 | NO | SD | IT | |
| | | | 18 | QA | NG | IT | |
| | | | 3 | SA | NG | IT | |
| | | | 84 | SA | SD | IT | |
| | | | 31 | SE | SD | IT | |
| | | | 2 | SE | ZW | FR | |
| | | | 425 | SG | SD | IT | |
| | | | 22 | TW | SD | IT | |
| | | | 64 | US | AR | IT | |
| | | | 45 | US | CM | FR | |
| | | | 60 | US | CM | IT | |
| | | | 6006 | US | GN | ES | |
| | | | 15 | US | GQ | ES | |
| | | | 8 | US | GW | ES | |
| | | | 9 | US | GY | IT | |
| | | | 94 | US | ID | IT | |
| | | | 14 | US | ML | FR | |
| | | | 505 | US | ML | IT | |
| | | | 47 | US | NG | FR | |
| | | | 2822 | US | NG | IT | |
| | | | 1 | US | SD | ES | |
| | | | 3 | US | SD | FR | |
| | | | 9720 | US | SD | IT | |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Import Origin Export | | | |
|-------------------------|-------|--------------------------|----------------|------------------------------------|----|----|----|
| II | C2 | <i>Varanus niloticus</i> | pairs of shoes | 6418 | US | TG | ES |
| | | | 32 | 32 | US | VE | IT |
| | | | 4 | 4 | US | ZW | FR |
| | | skins | 1974 | 1974 | AT | ML | FR |
| | | | 200 | 200 | AT | SD | DE |
| | | | 7232 | 7232 | AT | SD | IT |
| | | | 6 | 6 | AT | ZW | FR |
| | | | 682 | 682 | AU | ML | FR |
| | | | 14 | 14 | CA | SD | IT |
| | | | 2500 | 2500 | CH | CM | FR |
| | | | 11889 | 11889 | CH | ML | FR |
| | | | 1354 | 1354 | CH | NG | FR |
| | | | 55 | 55 | CH | SD | FR |
| | | | 367 | 367 | CH | SD | IT |
| | | | 1050 | 1050 | CM | ML | FR |
| | | | 1 | 1 | HK | CA | FR |
| | | | 19 | 19 | HK | SD | IT |
| | | | 3 | 3 | JP | CA | FR |
| | | | 120 | 120 | JP | SD | IT |
| | | | 35775 | 35775 | MA | SD | FR |
| | | | 50850 | 50850 | MU | CM | FR |
| | | | 1000 | 1000 | MU | SO | FR |
| | | | 1 | 1 | SD | SD | FR |
| | | | 128 | 128 | SE | SD | FR |
| | | | 128 | 128 | SN | ML | FR |
| | | | 3663 | 3663 | US | BJ | FR |
| | | | 200 | 200 | US | CM | FR |
| | | | 150 | 150 | US | ML | FR |
| | | | 8 | 8 | US | SD | IT |
| | | | 20 | 20 | ZA | NG | DE |
| | | | 20 | 20 | ZA | TD | DE |
| | | | 2 kg | 2 kg | SE | SD | FR |
| | | | 2 kg | 2 kg | SN | ML | FR |
| | | | 847 m | 847 m | US | SD | IT |
| | | skin/leather items | 69 | 69 | AN | SD | IT |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|--------------------------|--------------------|------------------------------------|----|-------|
| II | C2 | <i>Varanus niloticus</i> | skin/leather items | 1 | AT | ML IT |
| | | | 200 | AT | SD | IT |
| | | | 114 | CA | NG | IT |
| | | | 141 | CA | SD | IT |
| | | | 65 | CH | CM | FR |
| | | | 242 | CH | ML | FR |
| | | | 8 | CH | ML | IT |
| | | | 4 | CH | NG | FR |
| | | | 3 | CH | NG | IT |
| | | | 389 | CH | SD | IT |
| | | | 45 | GM | SD | IT |
| | | | 10 | GU | NG | IT |
| | | | 175 | GU | SD | IT |
| | | | 175 | HK | NG | GB |
| | | | 27 | HK | SD | FR |
| | | | 35 | HK | SD | IT |
| | | | 2 | JP | CM | FR |
| | | | 218 | JP | ML | FR |
| | | | 1 | JP | ML | IT |
| | | | 10 | JP | NG | FR |
| | | | 146 | JP | NG | IT |
| | | | 844 | JP | SD | IT |
| | | | 11 | MC | SD | IT |
| | | | 2 | ML | ML | GB |
| | | | 300 | MO | CM | FR |
| | | | 168 | MT | SD | IT |
| | | | 100 | SD | SD | IT |
| | | | 164 | TH | SD | IT |
| | | | 24 | TW | ID | IT |
| | | | 168 | TW | SD | IT |
| | | | 400 | US | CA | FR |
| | | | 5935 | US | CM | FR |
| | | | 37 | US | ID | IT |
| | | | 3818 | US | ML | FR |
| | | | 1482 | US | ML | IT |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|--------------------------|----------|------------------------------------|----|----|
| II | C2 | <i>Varanus niloticus</i> | | | | |
| | | skin/leather items | 1736 | US | NG | FR |
| | | | 12 | US | NG | GB |
| | | | 1459 | US | NG | IT |
| | | | 200 | US | SD | ES |
| | | | 3520 | US | SD | IT |
| | | | 106 | US | TG | ES |
| | | | 560 | US | TH | FR |
| | | | 4 | US | ZA | FR |
| | | | 5 | XS | SD | IT |
| | | | 136 | XX | ID | GB |
| | | | 13 | XX | ML | GB |
| | | | 79 | XX | NG | GB |
| | | | 1 set | TW | NG | IT |
| | | skin pieces | 200 | US | SD | ES |
| | | | 314 | US | SD | IT |
| | | skin scraps | 1 | US | SD | DE |
| | | wallets | 274 | CA | ID | GB |
| | | | 33 | CA | SD | IT |
| | | | 3 | CH | ML | IT |
| | | | 27 | CH | NG | DE |
| | | | 39 | CH | SD | DE |
| | | | 10 | CH | SD | IT |
| | | | 1 | GM | SD | IT |
| | | | 22 | JP | NG | IT |
| | | | 102 | JP | SD | IT |
| | | | 3 | MC | SD | DE |
| | | | 25 | SE | NG | IT |
| | | | 74 | SE | SD | IT |
| | | | 4 | TW | ML | IT |
| | | | 32 | US | CM | DE |
| | | | 85 | US | ID | IT |
| | | | 247 | US | ML | FR |
| | | | 160 | US | ML | IT |
| | | | 99 | US | NG | ES |
| | | | 61 | US | NG | IT |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|--------------------------|----------|------------------------------------|----|-------|
| II | C2 | <i>Varanus niloticus</i> | wallets | 11 | US | SD DE |
| | | | 2028 | | US | SD IT |
| | | | 1 | | XS | ML IT |
| | | | 1 | | XX | ID GB |
| | | watchstraps | 124 | | AD | ML FR |
| | | | 37 | | AD | NG FR |
| | | | 46 | | AT | CM DE |
| | | | 2962 | | AT | ML DE |
| | | | 311 | | AT | ML FR |
| | | | 435 | | AT | NG DE |
| | | | 87 | | AT | NG FR |
| | | | 548 | | AT | SD NL |
| | | | 232 | | CA | CM FR |
| | | | 479 | | CA | ML FR |
| | | | 2559 | | CA | NG DE |
| | | | 10 | | CA | NG FR |
| | | | 1936 | | CA | SD DE |
| | | | 415 | | CA | SD IT |
| | | | 375 | | CA | TD FR |
| | | | 5 | | CH | CA FR |
| | | | 115 | | CH | CM FR |
| | | | 200 | | CH | CM IT |
| | | | 30 | | CH | ID FR |
| | | | 43396 | | CH | ML FR |
| | | | 65 | | CH | NG DE |
| | | | 18429 | | CH | NG FR |
| | | | 1915 | | CH | NG IT |
| | | | 975 | | CH | SD DE |
| | | | 8 | | CH | SD FR |
| | | | 2520 | | CH | SD IT |
| | | | 22 | | CY | NG FR |
| | | | 20 | | DD | ML FR |
| | | | 3 | | GH | SD IT |
| | | | 20 | | HK | CA FR |
| | | | 2000 | | HK | CM FR |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|--------------------------|-------------|------------------------------------|----|-------|
| II | C2 | <i>Varanus niloticus</i> | watchstraps | 532 | HK | ML FR |
| | | | 77271 | HK | NG | FR |
| | | | 18 | HK | NG | IT |
| | | | 2260 | ID | NG | FR |
| | | | 50 | JP | CM | FR |
| | | | 46 | JP | ML | FR |
| | | | 137 | JP | NG | FR |
| | | | 301 | JP | SD | IT |
| | | | 20 | KR | ML | FR |
| | | | 215235 | MA | SD | FR |
| | | | 110100 | MU | CM | FR |
| | | | 10000 | MU | ID | FR |
| | | | 133240 | MU | ML | FR |
| | | | 133790 | MU | NG | FR |
| | | | 38460 | MU | TD | FR |
| | | | 1266 | NO | SD | IT |
| | | | 40 | NO | SD | NL |
| | | | 1200 | SA | CM | FR |
| | | | 40 | SA | ML | FR |
| | | | 5 | SE | ML | DK |
| | | | 565 | SE | ML | IT |
| | | | 124 | SE | NG | NL |
| | | | 6322 | SE | SD | IT |
| | | | 1200 | SE | SD | NL |
| | | | 1760 | SG | NG | FR |
| | | | 6950 | US | CA | FR |
| | | | 16027 | US | CM | FR |
| | | | 4215 | US | CM | IT |
| | | | 121262 | US | ML | FR |
| | | | 14 | US | ML | IT |
| | | | 2217 | US | NG | DE |
| | | | 12689 | US | NG | FR |
| | | | 17879 | US | NG | IT |
| | | | 30073 | US | SD | DE |
| | | | 37958 | US | SD | IT |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|------------------|----------|------------------------------------|----|----|
| II | C2 | Varanus salvator | | | | |
| | | belts | 5 | XX | ML | IT |
| | | garments | 2 | CH | ID | IT |
| | | | 14 | GU | ID | IT |
| | | | 7 | HK | ID | IT |
| | | | 32 | JP | ID | IT |
| | | | 285 | US | ID | IT |
| | | | 4 | UY | ID | IT |
| | | handbags | 1 | AD | TH | FR |
| | | | 3 | AE | ID | IT |
| | | | 2 | AT | ID | DE |
| | | | 799 | AT | ID | FR |
| | | | 10 | AT | ID | IT |
| | | | 2 | AT | TH | DE |
| | | | 8 | AT | TH | IT |
| | | | 1 | AU | ID | FR |
| | | | 14 | CA | ID | FR |
| | | | 88 | CA | ID | IT |
| | | | 1 | CA | TH | FR |
| | | | 28 | CH | BD | IT |
| | | | 50 | CH | ID | DE |
| | | | 39 | CH | ID | ES |
| | | | 1850 | CH | ID | FR |
| | | | 167 | CH | ID | IT |
| | | | 1 | CH | SD | FR |
| | | | 1 | CH | SG | ES |
| | | | 46 | CH | TH | DE |
| | | | 23 | CH | TH | ES |
| | | | 67 | CH | TH | FR |
| | | | 2 | CH | TH | IT |
| | | | 3 | DE | ID | IT |
| | | | 1 | EG | ID | IT |
| | | | 2512 | HK | ID | FR |
| | | | 166 | HK | ID | IT |
| | | | 5 | HK | TH | FR |
| | | | 3 | HK | TH | IT |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|-------------------------|----------|------------------------------------|----|-------|
| II | C2 | <i>Varanus salvator</i> | handbags | 2 | JO | ID IT |
| | | | 42 | JP | ID | DE |
| | | | 140 | JP | ID | FR |
| | | | 331 | JP | ID | IT |
| | | | 74 | JP | SD | FR |
| | | | 19 | JP | TH | FR |
| | | | 29 | JP | TH | IT |
| | | | 7 | KR | ID | FR |
| | | | 9 | KR | TH | FR |
| | | | 4 | KW | ID | FR |
| | | | 16 | KW | ID | IT |
| | | | 2 | KW | TH | FR |
| | | | 14 | KW | TH | IT |
| | | | 2 | MC | ID | IT |
| | | | 3 | NO | ID | DE |
| | | | 2500 | PR | TH | ES |
| | | | 8 | QA | ID | DE |
| | | | 97 | SA | ID | IT |
| | | | 10 | TW | ID | FR |
| | | | 11 | TW | ID | IT |
| | | | 2 | UA | ID | IT |
| | | | 4 | US | BD | IT |
| | | | 1 | US | GY | IT |
| | | | 194 | US | ID | DE |
| | | | 1977 | US | ID | ES |
| | | | 1344 | US | ID | FR |
| | | | 2869 | US | ID | IT |
| | | | 1 | US | JP | FR |
| | | | 8 | US | SD | FR |
| | | | 93 | US | SD | IT |
| | | | 1 | US | TD | FR |
| | | | 102 | US | TH | DE |
| | | | 4368 | US | TH | ES |
| | | | 1345 | US | TH | FR |
| | | | 511 | US | TH | IT |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|------------------|----------|------------------------------------|----|-------|
| II | C2 | Varanus salvator | handbags | 3 | US | ZA IT |
| | | | | 4 | VI | ID IT |
| | | | | 32 | XC | ID IT |
| | | | | 4 | XS | ID IT |
| | | | | 6 | XX | ID FR |
| | | | | 2 | XX | ML IT |
| | | live | | 5 | JP | TH GB |
| | | | | 2 | SE | MY DE |
| | | pairs of shoes | | 9 | AE | ID IT |
| | | | | 11 | AE | TH IT |
| | | | | 3 | AR | ID IT |
| | | | | 14 | AT | ID DE |
| | | | | 2 | AT | ID FR |
| | | | | 113 | AT | ID IT |
| | | | | 10 | AU | ID ES |
| | | | | 487 | AU | TH ES |
| | | | | 54 | CA | ID FR |
| | | | | 1248 | CA | ID IT |
| | | | | 38 | CA | TH IT |
| | | | | 14 | CH | HK IT |
| | | | | 8 | CH | ID DE |
| | | | | 1 | CH | ID ES |
| | | | | 38 | CH | ID FR |
| | | | | 593 | CH | ID IT |
| | | | | 8 | CH | TH DE |
| | | | | 484 | CH | TH ES |
| | | | | 42 | CH | TH FR |
| | | | | 248 | CH | TH IT |
| | | | | 3 | DE | ID IT |
| | | | | ? | DO | ID ES |
| | | | | 1 | EG | ID IT |
| | | | | 900 | HK | ID IT |
| | | | | 8 | HK | TH FR |
| | | | | 24 | HK | TH IT |
| | | | | 4 | ID | JP FR |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|-------------------------|----------------|------------------------------------|----|-------|
| II | C2 | <i>Varanus salvator</i> | pairs of shoes | 168 | ID | TH IT |
| | | | | 65 | JO | ID IT |
| | | | | 74 | JP | ID FR |
| | | | | 1209 | JP | ID IT |
| | | | | 1 | JP | TH FR |
| | | | | 1216 | JP | TH IT |
| | | | | 199 | KW | ID IT |
| | | | | 75 | KW | TH IT |
| | | | | 9 | MQ | ID IT |
| | | | | 228 | QA | ID IT |
| | | | | 521 | SA | ID IT |
| | | | | 35 | SE | ID IT |
| | | | | 64 | SG | ID IT |
| | | | | 1 | SG | TH ES |
| | | | | 14 | TW | ID FR |
| | | | | 123 | TW | ID IT |
| | | | | 170 | TW | TH IT |
| | | | | 306 | US | AR IT |
| | | | | 390 | US | BD ES |
| | | | | 108 | US | GY IT |
| | | | | 41155 | US | ID ES |
| | | | | 485 | US | ID FR |
| | | | | 46538 | US | ID IT |
| | | | | 11 | US | IN IT |
| | | | | 51 | US | SD IT |
| | | | | 3 | US | SG ES |
| | | | | 12 | US | TG ES |
| | | | | 1 | US | TH DE |
| | | | | 42789 | US | TH ES |
| | | | | 254 | US | TH FR |
| | | | | 24572 | US | TH IT |
| | | | | 140 | US | US GR |
| | | | | 114 | US | VE IT |
| | | | | 69 | US | ZA IT |
| | | | | 41 | XX | ID FR |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|-------------------------|----------|------------------------------------|----|-------|
| | | | | | | |
| II | C2 | <i>Varanus salvator</i> | skins | 3819 | AT | ID FR |
| | | | | 2948 | AT | ID GB |
| | | | | 539 | AT | TH ES |
| | | | | 1419 | AU | TH FR |
| | | | | 1488 | CA | ID GB |
| | | | | 10074 | CH | ID FR |
| | | | | 50 | CH | ID IT |
| | | | | 3000 | CH | ID NL |
| | | | | 2 | CH | TH ES |
| | | | | 2353 | CH | TH FR |
| | | | | 3 | FI | ID IT |
| | | | | 10338 | HK | ID FR |
| | | | | 700 | HK | ID GB |
| | | | | 2006 | HK | ID IT |
| | | | | 67 | ID | AT FR |
| | | | | 500 | ID | CH FR |
| | | | | 39 | ID | ID GB |
| | | | | 4 | JP | ID IT |
| | | | | 1050 | JP | SD IT |
| | | | | 474 | JP | TH IT |
| | | | | 5520 | MU | ID FR |
| | | | | 495 | MX | ID FR |
| | | | | 619 | SA | ID FR |
| | | | | 100 | TN | ID FR |
| | | | | 6286 | TR | ID GB |
| | | | | 5 | TR | ID IT |
| | | | | 565 | US | ID ES |
| | | | | 1662 | US | ID FR |
| | | | | 16194 | US | ID GB |
| | | | | 9495 | US | ID IT |
| | | | | 252 | US | PH IT |
| | | | | 2707 | US | TH FR |
| | | | | 43 | US | TH IT |
| | | | | 4461 | US | US GR |
| | | | | 5614 | XX | ID GB |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|-------------------------|-----------------------------|------------------------------------|-------|-------|
| II | C2 | <i>Varanus salvator</i> | skins skin/leather items | 1 sq.ft | US | ID IT |
| | | | 6 | AD | ID FR | |
| | | | 22 | AN | ID IT | |
| | | | 4 | BN | ID GB | |
| | | | 16 | BO | ID FR | |
| | | | 2 | CA | ID FR | |
| | | | 8 | CA | ID GB | |
| | | | 110 | CA | ID IT | |
| | | | 68 | CH | ID FR | |
| | | | 2 | CH | ID IT | |
| | | | 160 | CH | TH FR | |
| | | | 7 | CM | ID FR | |
| | | | 25 | GU | ID IT | |
| | | | 48 | HK | ID FR | |
| | | | 6 | HK | ID GB | |
| | | | 155 | HK | ID IT | |
| | | | 4 | HK | TH FR | |
| | | | 12 | JP | HN FR | |
| | | | 601 | JP | ID FR | |
| | | | 128 | JP | ID GB | |
| | | | 68 | JP | ID IT | |
| | | | 4 | JP | TH FR | |
| | | | 81 | JP | TH IT | |
| | | | 64 | KR | ID FR | |
| | | | 24 | KR | TH FR | |
| | | | 12 | KW | ID FR | |
| | | | 22 | MA | ID GB | |
| | | | 8 | MC | TH IT | |
| | | | 3000 | MU | ID FR | |
| | | | 18 | SA | ID FR | |
| | | | 6 | SE | ID FR | |
| | | | 2 | US | FR | |
| | | | 5210 | US | ID ES | |
| | | | 2267 | US | ID FR | |
| | | | 277 | US | ID GB | |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|------------------|--------------------|------------------------------------|----|-------|
| II | C2 | Varanus salvator | skin/leather items | 3065 | US | ID IT |
| | | | | 3267 | US | TH ES |
| | | | | 306 | US | TH FR |
| | | | | 1362 | US | TH IT |
| | | | | 7 | XX | ID GB |
| | | | | 1 | ZA | ID IT |
| | | | | 5 | ZR | TH FR |
| | | skin pieces | | 2011 | US | US GR |
| | | skin scraps | | 1 | US | ID DE |
| | | wallets | | 2 | US | TH DE |
| | | | | 30 | AT | ID DE |
| | | | | 18 | AT | TH DE |
| | | | | 231 | CH | ID DE |
| | | | | 58 | CH | TH DE |
| | | | | 1 | CH | TH FR |
| | | | | 1 | JP | ID FR |
| | | | | 20 | JP | NG IT |
| | | | | 1 | JP | TH DE |
| | | | | 34 | JP | TH IT |
| | | | | 24 | KR | ID FR |
| | | | | 3 | MC | ID IT |
| | | | | 1 | TW | ID IT |
| | | | | 1 | US | AR IT |
| | | | | 332 | US | ID DE |
| | | | | 4602 | US | ID ES |
| | | | | 6 | US | ID GB |
| | | | | 1087 | US | ID IT |
| | | | | 393 | US | TH DE |
| | | | | 521 | US | TH ES |
| | | | | 1 | US | TH FR |
| | | | | 29 | US | TH IT |
| | | | | 9 | XX | ML IT |
| | | watchstraps | | 121 | AD | TH FR |
| | | | | 1894 | AT | ID DE |
| | | | | 19 | AT | ID DK |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|------------------|-------------|------------------------------------|----|-------|
| II | C2 | Varanus salvator | watchstraps | 1378 | AT | ID FR |
| | | | | 492 | AT | ID NL |
| | | | | 1183 | AT | TH DE |
| | | | | 220 | AT | TH NL |
| | | | | 22021 | CA | ID DE |
| | | | | 294 | CA | ID FR |
| | | | | 799 | CA | ID GB |
| | | | | 850 | CA | ID NL |
| | | | | 80 | CA | TH FR |
| | | | | 9143 | CH | ID DE |
| | | | | 28940 | CH | ID FR |
| | | | | 255 | CH | ID IT |
| | | | | 50 | CH | ML FR |
| | | | | 24724 | CH | TH FR |
| | | | | 1046 | CO | TH FR |
| | | | | 160 | FI | ID NL |
| | | | | 624 | FI | TH FR |
| | | | | 4674 | HK | ID DE |
| | | | | 48 | HK | ID FR |
| | | | | 2001 | HK | TH FR |
| | | | | 4200 | ID | ID FR |
| | | | | 1 | ID | TH FR |
| | | | | 64 | IN | ID GB |
| | | | | 16 | IS | ID DK |
| | | | | 905 | JP | ID FR |
| | | | | 6 | JP | TH FR |
| | | | | 50310 | MA | TH FR |
| | | | | 9250 | MU | ID FR |
| | | | | 35 | NO | ID NL |
| | | | | 336 | PY | ID FR |
| | | | | 103 | QA | ID FR |
| | | | | 100 | SA | TH FR |
| | | | | 5899 | SE | ID DE |
| | | | | 4 | SE | ID FR |
| | | | | 5185 | SE | ID NL |

| CITES EEC App. Annex | | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|----|----------------------------------------------|---------------------|-----------------------------------------------------|----------------------------------------------------|----------------------------------------------------|----------------------------------------------------|
| II | C2 | <i>Varanus salvator</i> | watchstraps | 1 315522 9392 240 12245 1505 1175 | TH US US US US US | TH ID ID NL TH TH TH | FR DE FR NL DE FR IT |
| C2 | | <i>Varanus salvator cumingi</i> | watchstraps | 43400 4 | CH CH | PH PY | FR FR |
| | | <i>Boidae</i> spp. | handbags | 2 | CH | XX | FR |
| C2 | | <i>Boa constrictor</i> | live (captive bred) | 5 2 10 1 3 2 live 3 1 1 | AT AT AT CA SA SE SE US US | AT AT DD FR DE DE DK US XX | DE DE DE FR DE DE DE DE GB |
| | | | pairs of shoes | 160 | US | XX | PT |
| C2 | | <i>Boa constrictor</i> <i>constrictor</i> | handbags | 371 1 | US US | AR PY | IT IT |
| | | | pairs of shoes | 32 537 6 83 47 53 20 22 | CA CH CH HK JP JP KW NO | PY AR PY PY AR PY PY PY | IT IT IT IT IT IT IT IT |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | | |
|-------------------------|-------|-----------------------------------------------|----------------|------------------------------------|----|----|----|
| II | C2 | <i>Boa constrictor</i> <i>constrictor</i> | pairs of shoes | 4 | OM | PY | FR |
| | | | 96 | PR | AR | ES | |
| | | | 10 | SE | PY | FR | |
| | | | 150 | US | AR | ES | |
| | | | 973 | US | AR | IT | |
| | | | 959 | US | CO | IT | |
| | | | 2 | US | ID | IT | |
| | | | 7931 | US | PE | IT | |
| | | | 685 | US | PY | IT | |
| | | | 5 | US | US | IT | |
| | | skins | 59 | AT | PY | IT | |
| | | | 4 | CA | PY | IT | |
| | | | 2 | CH | PY | IT | |
| | | | 7 | HK | PY | IT | |
| | | | 20 | US | AR | IT | |
| | | | 576 | US | PY | IT | |
| | | | 34 m | TR | AR | IT | |
| | | <i>Boa constrictor</i> <i>occidentalis</i> | belts | 95 | US | AR | ES |
| | | | handbags | 566 | US | AR | ES |
| | | | 7 | US | TH | ES | |
| | | | pairs of shoes | 95 | AE | AR | ES |
| | | | | 45 | CH | AR | ES |
| | | | | 120 | DO | AR | ES |
| | | | | 116 | JP | AR | ES |
| | | | | 848 | KW | AR | ES |
| | | | | 180 | MQ | AR | ES |
| | | | | 96 | NO | AR | ES |
| | | | | 40 | NZ | AR | ES |
| | | | | 1190 | PR | AR | ES |
| | | | | 16 | SG | AR | ES |
| | | | | 41116 | US | AR | ES |
| | | | | ? | US | ID | ES |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-----------------------------------------------|---------------------|----------|------------------------------------|----|----|
| II | <i>Boa constrictor</i> <i>occidentalis</i> | pairs of shoes | 7968 | US | PY | ES |
| | | | 546 | US | TH | ES |
| | | | 270 | US | ZA | ES |
| | | skins | 91 | US | AR | ES |
| | | | 1 | US | PY | ES |
| | | skin/leather items | 48 | US | AR | ES |
| | <i>Candoia aspera</i> | live (captive bred) | 4 | CH | NL | DE |
| | <i>Corallus caninus</i> | live (captive bred) | 4 | CH | | NL |
| | | live | 2 | CH | GY | DE |
| | | | 1 | DD | GY | DE |
| | | | 3 | JP | GY | DE |
| | <i>Corallus enydris</i> | live (captive bred) | 2 | AT | | DE |
| | | live | 30 | CH | GY | IT |
| | | | 2 | JP | GY | DE |
| | <i>Epicrates cenchria</i> | live (captive bred) | 4 | CH | US | DE |
| | | live | 2 | AT | GY | DE |
| | | | 10 | CH | AR | DE |
| | | | 2 | SE | US | DK |
| | <i>Epicrates striatus</i> | live (captive bred) | 3 | CH | | DE |
| | | live | 8 | SE | GY | DK |
| | <i>Eryx colubrinus</i> | live | 10 | CA | EG | DK |
| | | | 4 | CH | EG | DE |
| | | | 12 | US | EG | DE |
| | <i>Eryx conicus</i> | live (captive bred) | 5 | US | | NL |
| | <i>Eryx johnii</i> | live (captive bred) | 5 | US | | NL |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------------------------|---------------------|----------|------------------------------------|----|----|
| II | <i>Eryx miliaris</i> | live (captive bred) | 4 | US | DD | DE |
| | <i>Eryx tataricus</i> | live (captive bred) | 4 | US | DD | DE |
| C2 | <i>Eunectes spp.</i> | skins | 118 | MX | AR | ES |
| | | | 246 | US | PY | IT |
| C2 | <i>Eunectes murinus</i> | belts | 4 | US | GY | IT |
| | | garments | 216 | US | AR | IT |
| | | handbags | 4 | CA | GY | IT |
| | | | 6 | CH | GY | IT |
| | | | 1 | CH | PY | IT |
| | | | 16 | HK | AR | IT |
| | | | 766 | JP | AR | IT |
| | | | 1 | JP | GY | IT |
| | | | 90 | US | AR | IT |
| | | | 46 | US | GY | FR |
| | | | 5 | US | PY | IT |
| | | | 1 | US | XX | DE |
| | | live | 6 | CH | GY | IT |
| | | pairs of shoes | 60 | AT | GY | IT |
| | | | 42 | AU | GY | IT |
| | | | 26 | CA | AR | IT |
| | | | 18 | CA | GY | IT |
| | | | 973 | CH | AR | IT |
| | | | 16 | CH | BO | IT |
| | | | 118 | CH | GY | IT |
| | | | 121 | JP | GY | IT |
| | | | 13507 | US | AR | IT |
| | | | 1352 | US | GY | IT |
| | | | 14 | US | ID | IT |
| | | | 36 | US | PY | IT |
| | | | 810 | US | TH | IT |
| | | skins | 7 | US | AR | IT |
| | | | 3564 | US | GY | FR |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | | |
|-------------------------|------------|-------------------------|----------|------------------------------------|----|----|----|
| II | C2 | <i>Eunectes murinus</i> | | | | | |
| | | skins | 18 | m | US | AR | IT |
| | | skin/leather items | 80 | | JP | GY | FR |
| | | | 111 | | US | GY | FR |
| | | skin pieces | 1758 | cm | CH | BO | DE |
| | C2 | <i>Eunectes notaeus</i> | | | | | |
| | | garments | 80 | | JP | GY | FR |
| | | | 10 | | US | AR | IT |
| | | | 24 | | US | BO | IT |
| | | handbags | 2 | | CH | BO | DE |
| | | | 4 | | GA | GY | FR |
| | | | 17 | | HK | GY | FR |
| | | | 404 | | JP | GY | FR |
| | | | 2 | | US | BO | DE |
| | | | 15 | | US | BO | FR |
| | | | 254 | | US | GY | FR |
| | | | 19 | | US | PY | IT |
| | | live (captive bred) | 10 | | JP | SU | DE |
| | | pairs of shoes | 32 | | AT | AR | IT |
| | | | 492 | | CH | AR | IT |
| | | | 11 | | CH | GY | FR |
| | | | 74 | | JP | GY | FR |
| | | | 8 | | SA | GY | FR |
| | | | 45 | | SA | PE | IT |
| | | | 28 | | US | AR | FR |
| | | | 57 | | US | GY | FR |
| | | | 194 | | US | PY | IT |
| | | skins | 4 | | CA | PY | IT |
| | | | 4 | | HK | AR | IT |
| | | | 23 | | IL | PY | IT |
| | | | 1700 | | US | AR | FR |
| | | | 21 | | US | AR | GB |
| | | | 1161 | | US | GY | FR |
| | | wallets | 2 | | CH | BO | DE |
| | Liasis boa | live (captive bred) | 3 | | US | | NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|----------------------------------|---------------------|----------|------------------------------------|----|----|
| II | C2 <i>Python curtus</i> | pairs of shoes | 18 | SA | ID | IT |
| | | | 103 | SA | TH | IT |
| | | | 427 | US | ID | IT |
| | | | 104 | US | TH | IT |
| | | skins | 1800 | US | ID | FR |
| | | | 87 | US | ID | IT |
| | | | 102 | US | SG | IT |
| | | | 27 m | HK | ID | IT |
| | | | 40 m | US | ID | FR |
| | | | 17 m | VE | ID | IT |
| | | wallets | 10 | JP | CO | IT |
| C2 | <i>Python molurus</i> | live (captive bred) | 5 | CH | | IT |
| | | skins | 26 | CA | ID | GB |
| C2 | <i>Python molurus bivittatus</i> | belts | 8 | AD | TH | FR |
| | | | 20 | AN | TH | IT |
| | | | 2 | AT | TH | DE |
| | | | 2 | AT | TH | IT |
| | | | 60 | AU | TH | IT |
| | | | 5 | BE | TH | FR |
| | | | 2 | CA | TH | FR |
| | | | 65 | CA | TH | IT |
| | | | 50 | CH | TH | DE |
| | | | 199 | CH | TH | FR |
| | | | 716 | CH | TH | IT |
| | | | 8 | HK | TH | FR |
| | | | 65 | HK | TH | IT |
| | | | 217 | JP | TH | FR |
| | | | 430 | JP | TH | IT |
| | | | 9 | NO | TH | FR |
| | | | 2 | QA | TH | FR |
| | | | 8 | SA | TH | FR |
| | | | 55 | SE | TH | FR |
| | | | 29 | SG | TH | FR |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|----------------------------------|----------|------------------------------------|----|-------|
| II | C2 | <i>Python molurus bivittatus</i> | belts | 10 | US | ID IT |
| | | | | 4 | US | TH DE |
| | | | | 445 | US | TH ES |
| | | | | 54 | US | TH FR |
| | | | | 518 | US | TH IT |
| | | | | 18 | ZA | TH IT |
| | | | | 1 | ZR | TH IT |
| | | garments | | 36 | CA | TH IT |
| | | | | 3 | CH | TH DE |
| | | | | 43 | CH | TH IT |
| | | | | 2 | HK | TH FR |
| | | | | 6 | HK | TH IT |
| | | | | 3 | JP | TH FR |
| | | | | 120 | JP | TH IT |
| | | | | 7 | US | TH DE |
| | | | | 36 | US | TH FR |
| | | | | 609 | US | TH IT |
| | | handbags | | 5 | AD | TH IT |
| | | | | 28 | AE | TH IT |
| | | | | 4 | AN | TH IT |
| | | | | 6 | AT | ID DE |
| | | | | 27 | AT | TH DE |
| | | | | 42 | AT | TH IT |
| | | | | 55 | CA | TH IT |
| | | | | 15 | CH | ID IT |
| | | | | 619 | CH | TH DE |
| | | | | 55 | CH | TH FR |
| | | | | 221 | CH | TH IT |
| | | | | 3 | EG | TH IT |
| | | | | 78 | HK | TH DE |
| | | | | 4 | HK | TH FR |
| | | | | 99 | HK | TH IT |
| | | | | 6 | JO | TH IT |
| | | | | 163 | JP | ID IT |
| | | | | 1 | JP | TH DE |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|----------------------------------|----------|------------------------------------|----|-------|
| II | C2 | <i>Python molurus bivittatus</i> | handbags | 89 | JP | TH FR |
| | | | 1232 | JP | TH | IT |
| | | | 42 | KW | TH | IT |
| | | | 6 | LB | TH | IT |
| | | | 3 | NO | TH | IT |
| | | | 185 | PR | TH | ES |
| | | | 1 | QA | TH | IT |
| | | | 20 | SA | TH | ES |
| | | | 84 | SA | TH | IT |
| | | | 2 | SE | TH | IT |
| | | | 27 | SG | TH | IT |
| | | | 12 | TW | TH | IT |
| | | | ? | US | AR | ES |
| | | | 3 | US | GY | IT |
| | | | 5 | US | ID | IT |
| | | | 251 | US | TH | ES |
| | | | 97 | US | TH | FR |
| | | | 757 | US | TH | IT |
| | | | 34 | XC | TH | IT |
| | | | 25 | XS | TH | IT |
| | | | 36 | XX | TH | FR |
| | | live (captive bred) | 2 | BH | | GB |
| | | | 2 | CH | | IT |
| | | | 2 | QA | | GB |
| | | live | 1 | AT | MY | DE |
| | | | 2 | IL | TH | NL |
| | | | 3 | MY | IN | IT |
| | | | 4 | SE | MY | DE |
| | | | 20 | SE | TH | NL |
| | | pairs of shoes | 12 | AD | TH | FR |
| | | | 211 | AE | TH | IT |
| | | | 2 | AT | ID | DE |
| | | | 1 | AT | TH | DE |
| | | | 268 | AT | TH | IT |
| | | | 38 | AU | TH | FR |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|-------------------------------------------------|----------|------------------------------------|----|----|
| II | C2 | <i>Python molurus bivittatus</i> pairs of shoes | 120 | BH | TH | IT |
| | | | 36 | BM | TH | ES |
| | | | 13 | CA | TH | DE |
| | | | 70 | CA | TH | FR |
| | | | 528 | CA | TH | IT |
| | | | 64 | CH | TH | DE |
| | | | 351 | CH | TH | ES |
| | | | 309 | CH | TH | FR |
| | | | 1347 | CH | TH | IT |
| | | | 6 | EG | TH | IT |
| | | | 80 | FI | TH | IT |
| | | | 6 | GA | TH | FR |
| | | | 22 | HK | TH | FR |
| | | | 715 | HK | TH | IT |
| | | | 12 | ID | TH | IT |
| | | | 11 | IL | TH | DE |
| | | | 42 | IL | TH | IT |
| | | | 50 | JO | ID | IT |
| | | | 41 | JO | TH | IT |
| | | | 293 | JP | TH | FR |
| | | | 855 | JP | TH | IT |
| | | | 24 | JP | XX | IT |
| | | | 52 | KW | ID | IT |
| | | | 240 | KW | TH | IT |
| | | | 45 | LB | TH | IT |
| | | | 23 | MQ | TH | IT |
| | | | 18 | NG | TH | IT |
| | | | 15 | NO | TH | FR |
| | | | 80 | NO | TH | IT |
| | | | 14 | PR | TH | ES |
| | | | 7 | PR | TH | IT |
| | | | 60 | QA | TH | IT |
| | | | 22 | SA | TH | FR |
| | | | 213 | SA | TH | IT |
| | | | 84 | SD | TH | IT |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|----------------------------------|----------------|------------------------------------|----|-------|
| II | C2 | <i>Python molurus bivittatus</i> | pairs of shoes | 4 | SE | TH FR |
| | | | 14 | SE | TH | IT |
| | | | 79 | SG | TH | IT |
| | | | 43 | TW | TH | IT |
| | | | 18 | US | AR | ES |
| | | | 48 | US | BD | IT |
| | | | 1 | US | GY | IT |
| | | | 40 | US | ID | IT |
| | | | 26000 | US | TH | ES |
| | | | 3189 | US | TH | FR |
| | | | 17859 | US | TH | IT |
| | | | 1 | XX | TH | IT |
| | | | 18 | ZA | VE | IT |
| | | | 4 | ZR | TH | IT |
| | | skins | 20 | AT | ID | FR |
| | | | 13 | AT | TH | FR |
| | | | 20 | CA | ID | GB |
| | | | 8 | CH | TH | FR |
| | | | 594 | CH | TH | NL |
| | | | 50 | JP | TH | IT |
| | | | 123 | US | ID | FR |
| | | | 150 | US | TH | DE |
| | | | 889 | US | TH | ES |
| | | | 4601 | US | TH | FR |
| | | | 89 | US | TH | IT |
| | | | 24 | XX | ID | GB |
| | | | 7 | ZA | TH | DE |
| | | | 4 cm | CH | TH | DE |
| | | | 177 m | CA | TH | IT |
| | | | 24 m | CY | TH | IT |
| | | | 9 m | PH | TH | IT |
| | | | 528 m | TR | TH | IT |
| | | | 903 m | US | TH | IT |
| | | | 788 m | VE | TH | IT |
| | | skin/leather items | 54 | AD | TH | FR |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|----------------------------------|--------------------|------------------------------------|----|-------|
| II | C2 | <i>Python molurus bivittatus</i> | skin/leather items | 144 | AU | TH FR |
| | | | 620 | BM | TH | FR |
| | | | 4 | CA | TH | IT |
| | | | 210 | CH | TH | FR |
| | | | 128 | CH | TH | IT |
| | | | 24 | HK | TH | FR |
| | | | 5 | IL | TH | IT |
| | | | 752 | JP | TH | FR |
| | | | 64 | JP | TH | IT |
| | | | 16 | KR | TH | IT |
| | | | 5725 | RO | TH | FR |
| | | | 400 | RO | US | FR |
| | | | 156 | SA | TH | FR |
| | | | 8 | SE | TH | FR |
| | | | 73417 | US | TH | FR |
| | | skin pieces | 4671 | US | TH | IT |
| | | | 13 | US | TH | GR |
| | | | 220 cm | CH | TH | DE |
| | | skin scraps | 483 | PH | TH | IT |
| | | wallets | 15 | AT | TH | DE |
| | | | 78 | CH | TH | DE |
| | | | 140 | CH | TH | IT |
| | | | 2 | CH | VN | DE |
| | | | 150 | JP | TH | IT |
| | | | 10 | US | TH | DE |
| | | | 13 | US | TH | IT |
| | | watchstraps | 55 | NO | TH | IT |
| | | | 18 | SE | TH | IT |
| | | | 1700 | US | TH | IT |
| | | | 20 | XX | TH | IT |
| | | <i>Python molurus molurus</i> | handbags | 3 | US | TH ES |
| | | | pairs of shoes | 74 | US | TH ES |
| C2 | | <i>Python regius</i> | live | 2 | AR | TG DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|---------------------------|----------|------------------------------------|-------|-------|
| II | C2 | <i>Python regius</i> | live | 16 | AT | TG DE |
| | | | 2 | BR | TG | DE |
| | | | 50 | CH | TG | DE |
| | | | 6 | CS | GH | DE |
| | | | 2 | CS | TG | DK |
| | | | 2 | DD | TG | DE |
| | | | 10 | IL | TG | NL |
| | | | 25 | SE | GH | DK |
| | | | 2 | SE | XX | DK |
| C2 | | <i>Python reticulatus</i> | belts | 27 | AN | ID IT |
| | | | 24 | AT | ID DE | |
| | | | 24 | AT | ID FR | |
| | | | 44 | AU | ID IT | |
| | | | 36 | CA | ID FR | |
| | | | 62 | CA | ID IT | |
| | | | 23 | CH | ID DE | |
| | | | 4 | CH | ID ES | |
| | | | 294 | CH | ID IT | |
| | | | 612 | CH | TH IT | |
| | | | 350 | FI | ID IT | |
| | | | 12 | HK | ID GB | |
| | | | 12 | HK | ID IT | |
| | | | 372 | JP | ID IT | |
| | | | 66 | JP | TH IT | |
| | | | 311 | US | ID FR | |
| | | | 203 | US | ID IT | |
| | | | 2432 | US | TH ES | |
| | | | 6 | US | TH FR | |
| | | | 22 | US | TH IT | |
| | | | 627 | VE | TH ES | |
| | | | 19 | ZA | ID IT | |
| | | garments | 3 | AN | ID IT | |
| | | | 23 | AT | ID IT | |
| | | | 4 | AU | ID IT | |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|---------------------------|----------|------------------------------------|-------|-------|
| II | C2 | <i>Python reticulatus</i> | garments | 2 | CA | ID FR |
| | | | 18 | CA | ID IT | |
| | | | 1 | CA | TH IT | |
| | | | 1 | CH | ID DE | |
| | | | 11 | CH | ID IT | |
| | | | 2 | CH | TH FR | |
| | | | 2 | DE | TH IT | |
| | | | 4 | HK | ID IT | |
| | | | 158 | JP | ID IT | |
| | | | 15 | JP | TH IT | |
| | | | 1 | NO | ID DE | |
| | | | 3 | SE | ID IT | |
| | | | 2 | SG | ID IT | |
| | | | 2 | TW | ID IT | |
| | | | 27 | US | ID DE | |
| | | | 4 | US | ID FR | |
| | | | 227 | US | ID IT | |
| | | | 4 | US | TH DE | |
| | | | 42 | US | TH FR | |
| | | handbags | 3 | AD | ID IT | |
| | | | 4 | AE | ID DE | |
| | | | 44 | AN | ID IT | |
| | | | 21 | AN | TH IT | |
| | | | 53 | AT | ID DE | |
| | | | 202 | AT | ID IT | |
| | | | 3 | AT | PH IT | |
| | | | 130 | AT | TH IT | |
| | | | 98 | AU | ID IT | |
| | | | 4 | AU | TH FR | |
| | | | 12 | BH | TH ES | |
| | | | 6 | BH | TH IT | |
| | | | 10 | BM | ID IT | |
| | | | 157 | CA | ID IT | |
| | | | 20 | CA | TH IT | |
| | | | 53 | CH | ID DE | |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|---------------------------|----------|------------------------------------|----|-------|
| II | C2 | <i>Python reticulatus</i> | handbags | 1 | CH | ID ES |
| | | | 861 | CH | ID | IT |
| | | | 24 | CH | PH | IT |
| | | | 21 | CH | TH | DE |
| | | | 8 | CH | TH | ES |
| | | | 253 | CH | TH | IT |
| | | | 8 | CI | ID | FR |
| | | | 57 | GP | TH | IT |
| | | | 75 | HK | ID | DE |
| | | | 423 | HK | ID | IT |
| | | | 3 | HK | TH | FR |
| | | | 6 | HK | TH | IT |
| | | | 32 | IL | ID | IT |
| | | | 34 | JP | ID | DE |
| | | | 73 | JP | ID | FR |
| | | | 1742 | JP | ID | IT |
| | | | 6 | JP | TH | ES |
| | | | 109 | JP | TH | FR |
| | | | 366 | JP | TH | IT |
| | | | 26 | KW | ID | IT |
| | | | 16 | KW | TH | IT |
| | | | ? | MQ | ID | ES |
| | | | 6 | MY | TH | IT |
| | | | 1 | NO | ID | ES |
| | | | 15 | NO | ID | IT |
| | | | 2 | NO | TH | IT |
| | | | 744 | PR | TH | ES |
| | | | 8 | SA | TH | ES |
| | | | 8 | SE | ID | DK |
| | | | 222 | SE | ID | IT |
| | | | 1 | SE | XX | DK |
| | | | 7 | SG | ID | IT |
| | | | 4 | TW | ID | IT |
| | | | 21 | US | AR | ES |
| | | | 15 | US | ID | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|---------------------------|----------|------------------------------------|----|-------|
| II | C2 | <i>Python reticulatus</i> | handbags | 1541 | US | ID ES |
| | | | | 60 | US | ID FR |
| | | | | 691 | US | ID IT |
| | | | | 4630 | US | TH ES |
| | | | | 41 | US | TH FR |
| | | | | 196 | US | TH IT |
| | | | | 24 | US | XX IT |
| | | | | 36 | XC | TH IT |
| | | | | 24 | XS | TH IT |
| | | | | 6 | XX | ID IT |
| | | | | 69 | ZA | ID IT |
| | | live | | 2 | BR | MY DE |
| | | | | 1 | NO | XX DK |
| | | | | 1 | SE | DK |
| | | | | ? | SE | XX DK |
| | | | | 1 | US | TH DE |
| | | pairs of shoes | | 12 | AD | ID IT |
| | | | | 558 | AT | ID IT |
| | | | | 137 | AT | PH IT |
| | | | | 159 | AT | TH IT |
| | | | | 185 | AU | ID IT |
| | | | | 82 | AU | TH ES |
| | | | | 12 | BH | ID ES |
| | | | | 36 | BH | TH ES |
| | | | | 22 | BH | TH IT |
| | | | | 520 | CA | ID IT |
| | | | | 1 | CA | SG IT |
| | | | | 627 | CA | TH IT |
| | | | | 53 | CH | ID DE |
| | | | | 197 | CH | ID ES |
| | | | | 100 | CH | ID FR |
| | | | | 3561 | CH | ID IT |
| | | | | 209 | CH | PH IT |
| | | | | 11 | CH | SG IT |
| | | | | 422 | CH | TH ES |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|---------------------------|----------------|------------------------------------|----|-------|
| II | C2 | <i>Python reticulatus</i> | pairs of shoes | 638 | CH | TH IT |
| | | | | 35 | CH | XS IT |
| | | | | 29 | CI | ID FR |
| | | | | 14 | FI | ID IT |
| | | | | 39 | FI | TH IT |
| | | | | 6 | GA | TH FR |
| | | | | 16 | HK | ID ES |
| | | | | 131 | HK | ID IT |
| | | | | 58 | HK | SG IT |
| | | | | 12 | HK | TH IT |
| | | | | 12 | IL | ID IT |
| | | | | 50 | IQ | ID IT |
| | | | | 7 | JO | ID IT |
| | | | | 907 | JP | ID IT |
| | | | | 25 | JP | PH IT |
| | | | | 6 | JP | SG IT |
| | | | | 155 | JP | TH ES |
| | | | | 294 | JP | TH IT |
| | | | | 2 | KR | TH IT |
| | | | | 48 | KW | ID ES |
| | | | | 146 | KW | ID IT |
| | | | | 73 | KW | TH IT |
| | | | | ? | LB | TH ES |
| | | | | 16 | MY | TH IT |
| | | | | 13 | NO | ID ES |
| | | | | 26 | NO | ID FR |
| | | | | 103 | NO | ID IT |
| | | | | 60 | NO | TH ES |
| | | | | 43 | NO | TH IT |
| | | | | 167 | PR | TH ES |
| | | | | 30 | SA | ID ES |
| | | | | 12 | SA | ID IT |
| | | | | 176 | SA | TH ES |
| | | | | 8 | SA | TH IT |
| | | | | 15 | SD | TH IT |

| CITES EEC App. Annex | | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|----|---------------------------|----------------|----------|------------------------------------|----|----|
| II | C2 | <i>Python reticulatus</i> | pairs of shoes | 10 | SE | ID | FR |
| | | | | 153 | SE | ID | IT |
| | | | | 12 | SE | TH | IT |
| | | | | 96 | SG | ID | IT |
| | | | | 40 | SG | TH | IT |
| | | | | 96 | TH | ID | IT |
| | | | | 24 | TW | ID | ES |
| | | | | 112 | TW | ID | IT |
| | | | | 91 | TW | TH | IT |
| | | | | 12 | US | | ES |
| | | | | 145 | US | AR | ES |
| | | | | 6 | US | ID | DE |
| | | | | 28808 | US | ID | ES |
| | | | | 331 | US | ID | FR |
| | | | | 9885 | US | ID | IT |
| | | | | 5 | US | PA | IT |
| | | | | 120 | US | SG | GR |
| | | | | 6 | US | SG | IT |
| | | | | 103410 | US | TH | ES |
| | | | | 80 | US | TH | FR |
| | | | | 12033 | US | TH | IT |
| | | | | 166 | US | US | GR |
| | | | | 8 | US | VE | IT |
| | | | | 516 | US | XX | IT |
| | | | | 1080 | VE | TH | ES |
| | | | | 8 | XE | ID | IT |
| | | | | 36 | XX | ID | FR |
| | | | | 61 | XX | ID | IT |
| | | | | 360 | XX | TH | IT |
| | | | | 26 | ZR | ID | IT |
| | | | skins | 58 | AT | ID | FR |
| | | | | 8 | AT | ID | IT |
| | | | | 2 | AT | TH | FR |
| | | | | 1 | BR | ID | ES |
| | | | | 24 | CA | ID | FR |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | | |
|-------------------------|-------|---------------------------|----------|------------------------------------|----|----|----|
| II | C2 | <i>Python reticulatus</i> | skins | 303 | CA | ID | GB |
| | | | | 32 | CA | ID | IT |
| | | | | 84 | CA | TH | FR |
| | | | | 635 | CH | ID | NL |
| | | | | 1580 | HK | ID | ES |
| | | | | 1226 | HK | ID | GB |
| | | | | 7 | HK | ID | IT |
| | | | | 36 | HK | TH | ES |
| | | | | 1 | HU | ID | IT |
| | | | | 882 | ID | ID | GB |
| | | | | 150 | ID | US | FR |
| | | | | 37 | IL | ID | GB |
| | | | | 390 | JP | TH | ES |
| | | | | 158 | JP | TH | FR |
| | | | | 1 | JP | TH | IT |
| | | | | 1763 | MX | SG | ES |
| | | | | 144 | SG | ID | FR |
| | | | | 16 | SN | ID | FR |
| | | | | 152 | TR | ID | FR |
| | | | | 395 | TR | ID | GB |
| | | | | 2000 | TR | TH | IT |
| | | | | 5488 | US | ID | DE |
| | | | | 4351 | US | ID | ES |
| | | | | 32586 | US | ID | FR |
| | | | | 17369 | US | ID | GB |
| | | | | 5724 | US | ID | IT |
| | | | | 221 | US | SG | FR |
| | | | | 1719 | US | TH | DE |
| | | | | 9138 | US | TH | ES |
| | | | | 6612 | US | TH | FR |
| | | | | 877 | US | TH | IT |
| | | | | 95 | VE | TH | IT |
| | | | | 7632 | XX | ID | GB |
| | | | | 16 | ZA | ID | DE |
| | | | | 4347 | ZA | ID | NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------|---------------------------|----------|------------------------------------|----|----|
| II | C2 | <i>Python reticulatus</i> | skins | | | |
| | | | 2 | ZA | TH | DE |
| | | | 2014 | ZA | TH | NL |
| | | | 3 kg | SN | ID | FR |
| | | | 31 kg | US | ID | FR |
| | | | 202 m | CA | ID | IT |
| | | | 120 m | CA | TH | IT |
| | | | 38 m | CH | ID | IT |
| | | | 16 m | CH | TH | FR |
| | | | 149 m | CY | ID | IT |
| | | | 301 m | JP | TH | IT |
| | | | 266 m | TR | ID | IT |
| | | | 95 m | TR | TH | IT |
| | | | 80 m | US | ID | IT |
| | | | 778 m | US | TH | IT |
| | | | 934 m | VE | ID | IT |
| | | | 333 m | VE | TH | IT |
| | | skin/leather items | 102 | AU | ID | IT |
| | | | 58 | CA | ID | IT |
| | | | 2 | CH | ID | IT |
| | | | 18 | HK | ID | IT |
| | | | 506 | JP | ID | IT |
| | | | 100 | US | ID | FR |
| | | | 1500 | US | ID | GB |
| | | | 225 | US | ID | IT |
| | | | 60 | US | TH | ES |
| | | | 465 | US | TH | FR |
| | | | 6 | ZA | ID | FR |
| | | skin pieces | 118 | US | US | GR |
| | | wallets | 6 | CH | TH | DE |
| | | | 146 | CH | TH | IT |
| | | | 50 | JP | ID | IT |
| | | | 138 | JP | TH | IT |
| | | | 23 | US | ID | DE |
| | | | 223 | US | ID | IT |
| | | | 25 | US | TH | ES |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|------------------------------|---------------------|-----------|------------------------------------|----|----|
| II | C2 <i>Python reticulatus</i> | wallets | 196 | US | TH | IT |
| | | watchstraps | 2 | CH | ID | DE |
| | | | 9 | JP | TH | IT |
| C2 | <i>Python sebae</i> | belts | 15 | US | TG | ES |
| | | handbags | 20 | SA | TG | ES |
| | | | 2 | US | GN | ES |
| | | | 11 | US | GW | ES |
| | | | 96 | US | TG | ES |
| | | pairs of shoes | 6 | JP | SD | IT |
| | | | 2 | JP | TG | ES |
| | | | 15 | US | GB | ES |
| | | | 1046 | US | GN | ES |
| | | | 198 | US | GQ | ES |
| | | | 303 | US | GW | ES |
| | | | 8260 | US | ML | ES |
| | | | 7161 | US | TG | ES |
| | | skins | 403 | US | GN | ES |
| | | | 216 | US | TG | ES |
| C2 | <i>Python spilotus</i> | live (captive bred) | 2 | AT | | DE |
| | | | 2 | CH | CA | DE |
| C2 | <i>Cyclagras gigas</i> | pairs of shoes | 384 | US | ID | ES |
| | <i>Ambystoma mexicanum</i> | live (captive bred) | 9 | AT | | DE |
| | | | 400 | JP | | DE |
| | <i>Phyllobates vittatus</i> | live (captive bred) | 25 | US | | NL |
| | <i>Rana hexadactyla</i> | legs | 4899 kg | CA | BD | NL |
| | <i>Rana tigerina</i> | legs | 79446 kg | CA | BD | NL |
| | | | 370731 kg | US | BD | BE |
| | | | 40456 kg | US | BD | NL |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|--------------------------------------|---------------------|----------|------------------------------------|----|----|
| II | <i>Rana tigerina</i> | legs | 953 kg | US | IN | NL |
| C1 | <i>Ornithoptera priamus</i> | bodies | 45 | CH | PG | FR |
| C1 | <i>Ornithoptera priamus poseidon</i> | bodies | 20 | CH | PG | FR |
| | <i>Brachypelma smithi</i> | live (captive bred) | 1 | GB | | GB |
| | <i>Hirudo medicinalis</i> | live (captive bred) | 110 | CH | XX | GB |
| | | | 10890 | US | XX | GB |
| | | unspecified | 605 | CH | | FR |
| | | | 4455 | US | | FR |
| | <i>Hippopus hippopus</i> | carvings | 1 | AT | *S | IT |
| | | | 46 | CH | *S | IT |
| | | | 13 | NC | *S | IT |
| | | | 3 | NG | *S | IT |
| | | | 1 | SG | *S | IT |
| | | | 4 | US | *S | IT |
| | | | 110 | US | XX | IT |
| | | | 4 | UY | *S | IT |
| | | | 5 | XC | *S | IT |
| | <i>Hippopus porcellanus</i> | carvings | 22 | CH | *S | IT |
| | | | 3 | IL | *S | IT |
| | | | 1 | JP | *S | IT |
| | | | 1 | SN | *S | IT |
| | | | 5 | US | *S | IT |
| C2 | ANTIPATHARIA spp. | raw corals | 2 | AU | | LU |
| | Scleractinia spp. | raw corals | 1 | AU | | LU |
| | Agave spp. | live (art. prop.) | 10 | CH | | FR |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | |
|-------------------------|--------------------------------|-------------------|----------|------------------------------------|----|
| II | <i>Agave victoriae-reginae</i> | live (art. prop.) | 100 | CH | FR |
| | <i>Pachypodium spp.</i> | live (art. prop.) | 21 | CH | BE |
| | | | 800 | CH | DE |
| | <i>Pachypodium bispinosum</i> | live (art. prop.) | 20 | US | DE |
| | <i>Pachypodium lamerei</i> | live (art. prop.) | 8623 | AT | NL |
| | | | 9148 | CH | NL |
| | | | 3878 | CY | NL |
| | | | 276 | FI | NL |
| | | | 2000 | HK | NL |
| | | | 307 | IL | NL |
| | | | 198 | IS | NL |
| | | | 100 | JP | NL |
| | | | 500 | RE | NL |
| | | | 10 | SA | NL |
| | | | 2866 | SE | NL |
| | <i>Pachypodium rosulatum</i> | live (art. prop.) | 50 | US | DE |
| | <i>Araucaria araucana</i> | live (art. prop.) | 125 | AE | NL |
| | | | 1025 | AT | NL |
| | | | 1763 | CH | NL |
| | | | 878 | CY | NL |
| | | | 566 | FI | NL |
| | | | 136 | HK | NL |
| | | | 20 | IS | NL |
| | | | 140 | KW | NL |
| | | | 500 | LB | NL |
| | | | 60 | MT | NL |
| | | | 6 | OM | NL |
| | | | 120 | SA | NL |
| | | | 892 | SE | NL |
| | | | 1 | US | IT |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Import | Origin Export |
|-------------------------|-------------------------|-------------------|----------|----------------------|---------------|
| II | <i>Ceropegia woodii</i> | live (art. prop.) | 25 | AE | NL |
| | | | 657 | AT | NL |
| | | | 96 | CA | NL |
| | | | 17836 | CH | NL |
| | | | 120 | CY | NL |
| | | | 286 | FI | NL |
| | | | 990 | HK | NL |
| | | | 2340 | IL | NL |
| | | | 3 | KE | NL |
| | | | 28 | KW | NL |
| | | | 300 | MT | NL |
| | | | 192 | NO | NL |
| | | | 12 | OM | NL |
| | | | 12 | QA | NL |
| | | | 25 | SA | NL |
| | | | 3323 | SE | NL |
| | | | 200 | SG | NL |
| | | | 24 | TR | NL |
| | | | 745 | TW | NL |
| | <i>Cactaceae</i> spp. | live (art. prop.) | 7 | AE | BE |
| | | | 781 | AE | NL |
| | | | 2512 | AT | BE |
| | | | 673 | AT | DE |
| | | | 453 | AT | ES |
| | | | 913605 | AT | NL |
| | | | 21 | AU | DE |
| | | | 60 | BH | NL |
| | | | 200 | BM | NL |
| | | | 3553 | CH | BE |
| | | | 259 | CH | DE |
| | | | 175337 | CH | ES |
| | | | 979 | CH | FR |
| | | | 15589 | CH | NL |
| | | | 6324 | CY | NL |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Import | Origin Export |
|-------------------------|------------------|-------------------|----------|----------------------|---------------|
| II | Cactaceae spp. | live (art. prop.) | 1400 | EG | NL |
| | | | 5402 | FI | BE |
| | | | 22583 | FI | NL |
| | | | 148 | GP | NL |
| | | | 4180 | HK | NL |
| | | | 3 | IL | DE |
| | | | 7960 | IS | NL |
| | | | 49 | JP | DE |
| | | | 235 | JP | ES |
| | | | 372 | KE | NL |
| | | | 199 | KW | BE |
| | | | 1508 | KW | NL |
| | | | 40 | LY | BE |
| | | | 7091 | MT | NL |
| | | | 4 | NO | BE |
| | | | 4200 | NO | NL |
| | | | 17 | PL | DE |
| | | | 280 | QA | NL |
| | | | 2602 | SA | NL |
| | | | 116 | SE | BE |
| | | | 93 | SE | DE |
| | | | 4712 | SE | NL |
| | | | 7 | SG | DE |
| | | | 14000 | SG | NL |
| | | | 5 | TH | NL |
| | | | 52 | TR | NL |
| | | | 35 | US | DE |
| | | | 950 | XX | NL |
| | | | 12000 | YU | NL |
| | | live | 26 | US | ES |
| | | seeds | 5 | CH | DE |
| | Cactaceae hybrid | live (art. prop.) | 25 | IS | NL |
| | | | 75 | SE | NL |
| | | | 725 | ZA | NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import | Country of Export |
|-------------------------|---------------------------------------------|-------------------|----------|----------------------|----------------------|
| II | <i>Aporocactus</i> spp. | live (art. prop.) | 75 | AT | NL |
| | | | 1 | CH | DE |
| | | | 21990 | CH | NL |
| | | | 100 | CY | NL |
| | | | 34 | SE | NL |
| | <i>Aporocactus</i> <i>flagelliformis</i> | live (art. prop.) | 1 | CH | DE |
| | <i>Arthrocereus</i> spp. | live (art. prop.) | 10 | FI | NL |
| | <i>Astrophytum</i> spp. | live (art. prop.) | 2043 | AT | NL |
| | | | 8767 | CH | NL |
| | | | 236 | FI | DE |
| | | | 55 | FI | NL |
| | | | 290 | IS | NL |
| | | | 1200 | NO | NL |
| | | | 10 | PK | NL |
| | | | 70 | SE | NL |
| | | | 95 | SG | NL |
| | | | 1275 | TR | NL |
| | | | 540 | TW | NL |
| | | | 1 | YU | NL |
| | <i>Astrophytum capricorne</i> | live (art. prop.) | 1 | AT | DE |
| | <i>Astrophytum myriostigma</i> | live (art. prop.) | 650 | CH | FR |
| | <i>Astrophytum ornatum</i> | live (art. prop.) | 1000 | CH | FR |
| | <i>Austrocephalocereus</i> spp. | live (art. prop.) | 372 | AT | NL |
| | | | 3480 | CH | NL |
| | | | 975 | NO | NL |
| | | | 95 | TR | NL |
| | | | 510 | ZA | NL |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Import Origin | Export |
|-------------------------|--------------------------------|-------------------|--------------------------------------------------------------------------------------------|----------------------------------------------------------------------------|----------------------------------------------------------------------------------|
| II | <i>Borzicactus</i> spp. | live (art. prop.) | 1 759 440 200 10640 730 950 2180 2340 15 540 55 1 item | AT AT CA CH CH FI IS NO SE SG TR TW CH | DE NL NL FR NL NL NL NL NL NL NL NL NL DE |
| | <i>Brasiliopuntia</i> spp. | live (art. prop.) | 12 55 2100 | AT IS NO | NL NL NL |
| | <i>Browningia</i> spp. | live (art. prop.) | 14 480 355 | AT IS SE | NL NL NL |
| | <i>Browningia hertlingiana</i> | live (art. prop.) | 500 | CH | FR |
| | <i>Carnegiea</i> spp. | live (art. prop.) | 24 7035 | AT CH | NL NL |
| | <i>Cephalocereus</i> spp. | live (art. prop.) | 16 1420 5280 36 40 3080 4100 | AT CA CH FI FI NO TR | NL NL NL DE NL NL NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | |
|-------------------------|--------------------------------|-------------------|----------|------------------------------------|----|
| II | <i>Cephalocereus senilis</i> | live (art. prop.) | 1000 | CH | FR |
| | <i>Cereus</i> spp. | live (art. prop.) | 12 | AE | NL |
| | | | 8856 | AT | NL |
| | | | 1800 | CH | FR |
| | | | 13792 | CH | NL |
| | | | 60 | CY | NL |
| | | | 23 | FI | NL |
| | | | 1190 | IS | NL |
| | | | 12 | KE | NL |
| | | | 48 | KW | NL |
| | | | 10060 | NO | NL |
| | | | 20 | PK | NL |
| | | | 162 | SA | NL |
| | | | 11177 | SE | NL |
| | | | 2050 | TR | NL |
| | | | 4085 | TW | NL |
| | | | 12 | XX | NL |
| | | | 595 | ZA | NL |
| | <i>Cereus peruvianus</i> | live (art. prop.) | 1000 | CH | FR |
| | | | 96 | FI | DE |
| | <i>Cleistocactus</i> spp. | live (art. prop.) | 3457 | AT | NL |
| | | | 210 | CA | NL |
| | | | 16821 | CH | NL |
| | | | 1230 | FI | NL |
| | | | 1985 | IS | NL |
| | | | 4810 | NO | NL |
| | | | 8750 | SE | NL |
| | | | 110 | TW | NL |
| | | | 890 | ZA | NL |
| | <i>Cleistocactus straussii</i> | live (art. prop.) | 200 | CH | FR |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export |
|-------------------------|--------------------------------|-------------------|----------|------------------------------------|
| II | <i>Echinopsis</i> spp. | live (art. prop.) | 1955 | ZA NL |
| | <i>Echinopsis chamaecereus</i> | live (art. prop.) | 1 | CH DE |
| | <i>Epiphyllum</i> spp. | live (art. prop.) | 5300 | AT NL |
| | | | 19345 | CH NL |
| | | | 535 | CY NL |
| | | | 200 | IL NL |
| | | | 1500 | IS NL |
| | | | 52 | MT NL |
| | | | 100 | SE NL |
| | | | 20000 | US NL |
| | | | 500 | XX NL |
| | <i>Epithelantha</i> spp. | live (art. prop.) | 30 | AT NL |
| | | | 15 | FI NL |
| | | | 55 | TW NL |
| | <i>Epostoa</i> spp. | live (art. prop.) | 1730 | AT NL |
| | | | 7345 | CH NL |
| | | | 95 | FI NL |
| | | | 970 | NO NL |
| | | | 2310 | SE NL |
| | | | 580 | SG NL |
| | | | 410 | TR NL |
| | | | 450 | TW NL |
| | <i>Epostoa lanata</i> | live (art. prop.) | 1 | CH FR |
| | | | 76 | FI DE |
| | <i>Ferocactus</i> spp. | live (art. prop.) | 4375 | AT NL |
| | | | 10651 | CH NL |
| | | | 70 | IS NL |
| | | | 126 | JP NL |
| | | | 7870 | NO NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-----------------------------|-------------------|----------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|----|
| II | <i>Ferocactus</i> spp. | live (art. prop.) | 8762 350 | SE ZA | NL | NL |
| | <i>Ferocactus gracilis</i> | live (art. prop.) | 125 | JP | ES | NL |
| | <i>Ferocactus wislizeni</i> | live | 3 | JP | US | NL |
| | <i>Frailea</i> spp. | live (art. prop.) | 1 | CH | | DE |
| | <i>Gymnocalyxium</i> spp. | live (art. prop.) | 2500 1 40 | AT CH SE | NL DE NL | |
| | <i>Gymnocactus</i> spp. | live (art. prop.) | 100 41086 24 250 79910 4496 600 4581 50 455 652 21080 299 39880 1880 1990 3850 4050 | AE AT BH CH CH CY FI FI ID IS KW NO SA SE SG TR TW ZA | NL NL NL FR NL NL DE NL NL NL NL NL NL NL NL NL NL NL NL NL NL NL | |
| | <i>Haageocereus</i> spp. | live (art. prop.) | 2884 3425 50 | AT CH IS | NL NL NL | |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Import Origin Export |
|-------------------------|----------------------------|-------------------|---------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|
| II | <i>Haageocereus</i> spp. | live (art. prop.) | 650 1310 20 230 | NO NL SE NL SG NL TR NL |
| | <i>Hamatocactus</i> spp. | live (art. prop.) | 3670 4340 2105 10 | AT NL CH NL SE NL SG NL |
| | <i>Hatiora</i> spp. | live (art. prop.) | 2280 1 | CH NL XX NL |
| | <i>Heliocereus</i> spp. | live (art. prop.) | 560 | CH NL |
| | <i>Hylocereus</i> spp. | live (art. prop.) | 69325 125760 790 70 805 49750 70340 2430 3325 6775 5020 | AT NL CH NL FI NL ID NL IS NL NO NL SE NL SG NL TR NL TW NL ZA NL |
| | <i>Leuchtenbergia</i> spp. | live (art. prop.) | 1 item | CH DE |
| | <i>Lophocereus</i> spp. | live (art. prop.) | 650 500 | CH NL IS NL |
| | <i>Lophophora</i> spp. | live (art. prop.) | 10 1 | AT NL YU NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | |
|-------------------------|-----------------------------------|-------------------|----------|------------------------------------|----|
| II | <i>Mammillaria</i> spp. | live (art. prop.) | 647 | AE | NL |
| | | | 9 | AT | DE |
| | | | 27695 | AT | NL |
| | | | 4 | AU | DE |
| | | | 3 | CH | DE |
| | | | 137114 | CH | NL |
| | | | 600 | CY | NL |
| | | | 5874 | FI | NL |
| | | | 1060 | HK | NL |
| | | | 45 | ID | NL |
| | | | 2850 | IS | NL |
| | | | 536 | KW | NL |
| | | | 40065 | NO | NL |
| | | | 20 | PK | NL |
| | | | 686 | SA | NL |
| | | | 21469 | SE | NL |
| | | | 210 | SG | NL |
| | | | 750 | TR | NL |
| | | | 1250 | TW | NL |
| | <i>Mammillaria bocasana</i> | live (art. prop.) | 1 | AT | DE |
| | | | 450 | CH | FR |
| | <i>Mammillaria candida</i> | live (art. prop.) | 20 | CH | FR |
| | <i>Mammillaria elongata</i> | live (art. prop.) | 1 | AT | DE |
| | | | 500 | CH | FR |
| | | | 79 | FI | DE |
| | <i>Mammillaria gracilis</i> | live (art. prop.) | 150 | FI | DE |
| | <i>Mammillaria kraehenbuehlii</i> | live (art. prop.) | 1 | CH | DE |
| | <i>Mammillaria magnimamma</i> | live (art. prop.) | 1 | AT | DE |

| CITES EEC App. Annex | TAXON | DESCRIPTION | QUANTITY | Country of Import Origin | Export |
|-------------------------|---------------------------------|-------------------|----------|-----------------------------|--------|
| II | <i>Mammillaria prolifera</i> | live (art. prop.) | 1 | CH | DE |
| | <i>Mammillaria rhodantha</i> | live (art. prop.) | 1 | AT | DE |
| | <i>Mammillaria uncinata</i> | live (art. prop.) | 2 | AT | DE |
| | <i>Mammillaria wildii</i> | live (art. prop.) | 25 | FI | DE |
| | <i>Mammillaria zeilmanniana</i> | live (art. prop.) | 886 | FI | DE |
| | <i>Melocactus spp.</i> | live (art. prop.) | 3841 | AT | NL |
| | | | 730 | CA | NL |
| | | | 8555 | CH | NL |
| | | | 10 | CY | NL |
| | | | 35 | FI | NL |
| | | | 25 | ID | NL |
| | | | 1975 | IS | NL |
| | | | 1810 | NO | NL |
| | | | 2350 | SE | NL |
| | | | 650 | TR | NL |
| | | | 215 | TW | NL |
| | <i>Monvillea spp.</i> | live (art. prop.) | 215 | AT | NL |
| | | | 55 | CA | NL |
| | | | 305 | CH | NL |
| | | | 25 | FI | NL |
| | | | 1175 | ID | NL |
| | | | 50 | IS | NL |
| | | | 350 | NO | NL |
| | | | 310 | SE | NL |
| | | | 810 | SG | NL |
| | | | 55 | TW | NL |
| | | | 60 | ZA | NL |
| | <i>Myrtillocactus spp.</i> | live (art. prop.) | 5739 | AT | NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | |
|-------------------------|----------------------------|-------------------|--------------------------------------------------------------------------------|----------------------------------------------------------------|----------------------------------------------------------------|
| II | <i>Myrtillocactus</i> spp. | live (art. prop.) | 2380 360 2060 4310 | CH FI NO SE | NL NL NL NL |
| | <i>Neobuxbaumia</i> spp. | live (art. prop.) | 3234 9990 340 250 580 2715 1650 | AT CH FI ID NO SE SG | NL NL NL NL NL NL NL |
| | <i>Neoporteria</i> spp. | live (art. prop.) | 200 7650 280 | AT CH NO | NL NL NL |
| | <i>Neoraimondia</i> spp. | live (art. prop.) | 4350 50 110 1280 1970 1325 | CH FI IS NO SE TR | NL NL NL NL NL NL |
| | <i>Notocactus</i> spp. | live (art. prop.) | 15 8375 655 12485 12820 173 995 198 10 830 13705 | AE AT CA CH CY FI FI HK ID IS NO | NL NL NL NL NL DE NL NL NL NL NL |

| CITES EEC App. Annex | TAXON | DESCRIPTION | QUANTITY | Country of Import Origin Export |
|-------------------------|------------------------------|-------------------|-------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| II | <i>Notocactus spp.</i> | live (art. prop.) | 215 13998 1430 500 565 1 240 | SA NL SE NL SG NL TR NL TW NL YU NL ZA NL |
| | <i>Notocactus magnificus</i> | live (art. prop.) | 500 | CH FR |
| | <i>Opuntia spp.</i> | live (art. prop.) | 125 13378 115 2 1900 48298 383 3630 800 1500 22365 10 30 12878 75 | AE NL AT NL CA NL CH DE CH FR CH NL FI DE FI NL HK NL IS NL NO NL PK NL SA NL SE NL TW NL |
| | <i>Opuntia aciculata</i> | live (art. prop.) | 150 | CH FR |
| | <i>Opuntia azurea</i> | live (art. prop.) | 1 | CH DE |
| | <i>Opuntia clavarioides</i> | live (art. prop.) | 200 | CH FR |
| | <i>Opuntia papyracantha</i> | live (art. prop.) | 300 | CH FR |
| | <i>Opuntia robusta</i> | live (art. prop.) | 1000 | CH FR |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | |
|-------------------------|-----------------------------|-------------------|----------------------------------------------------|----------------------------------------|----------------------------------------|
| II | <i>Oroya peruviana</i> | live (art. prop.) | 2 1 | AT CH | DE DE |
| | <i>Pachycereus</i> spp. | live (art. prop.) | 18 13314 1015 200 1100 12425 110 | AT CH FI IS NO SE TW | NL NL NL NL NL NL NL |
| | <i>Pachycereus pringlei</i> | live (art. prop.) | 30 | CH | FR |
| | <i>Parodia</i> spp. | live (art. prop.) | 2 16 7760 70 100 70 | AT AT CH ID IS TR | DE NL NL NL NL NL |
| | <i>Pediocactus</i> spp. | live (art. prop.) | 6 | AU | DE |
| | <i>Pilosocereus</i> spp. | live (art. prop.) | 6 9850 370 310 2850 10710 | CH CH FI IS NO SE | FR NL NL NL NL NL |
| | <i>Polaskia</i> spp. | live (art. prop.) | 4039 335 4210 5105 | CH NO SE SG | NL NL NL NL |
| | <i>Rebutia</i> spp. | live (art. prop.) | 18 | AT | NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import | Country of Origin Export |
|-------------------------|----------------------------------|-------------------|--------------------------------------------------------------------------------------|----------------------------------------------------------------------|----------------------------------------------------------------------|
| II | <i>Rebutia</i> spp. | live (art. prop.) | 1755 580 5 8330 280 | CH NO PK SE SG | NL NL NL NL NL |
| | <i>Rhipsalidopsis</i> spp. | live (art. prop.) | 1030 16964 10576 400 840 2964 260 5 144 12 5178 144 | AE AT CH CY FI HK IL KW RE SA SE TW | NL NL NL NL NL NL NL NL NL NL NL NL |
| | <i>Rhipsalis</i> spp. | live (art. prop.) | 75 40486 36 13628 216 168 155 2700 | AE AT CH CH FI HK MT SE | NL NL BE NL BE NL NL NL |
| | <i>Rhipsalis coralloides</i> | live (art. prop.) | 1 | CH | DE |
| | <i>Rhipsalis madagascarensis</i> | live (art. prop.) | 1 | CH | DE |
| | <i>Schlumbergera</i> spp. | live (art. prop.) | 4082 3000 10948 | AT CA CH | NL NL NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin | Export |
|-------------------------|-----------------------------|-------------------|-----------------------------------------------------|----------------------------------------------|----------------------------------------------|
| II | <i>Schlumbergera</i> spp. | live (art. prop.) | 600 31000 6 65 30 2696 12 1512 | FI JP KE KW QA SE XX YU | NL NL NL NL NL NL NL NL |
| | <i>Sclerocactus</i> spp. | live (art. prop.) | 6 | AU | DE |
| | <i>Selenicereus</i> spp. | live (art. prop.) | 24 1310 90 | AT CH SE | NL NL NL |
| | <i>Stenocactus</i> spp. | live (art. prop.) | 4400 100 4390 5 230 305 | CH IS NO PK SE SG | NL NL NL NL NL NL |
| | <i>Stenocereus</i> spp. | live (art. prop.) | 5858 9750 310 3970 5285 | AT CH IS NO SE | NL NL NL NL NL |
| | <i>Stenocereus thurberi</i> | live (art. prop.) | 100 | CH | FR |
| | <i>Stetsonia</i> spp. | live (art. prop.) | 20 8310 120 2180 2345 | AT CH FI NO SE | NL NL NL NL NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | |
|-------------------------|--------------------------------------|-------------------|----------------------------------|------------------------------------|----------------------------|
| II | <i>Sulcorebutia</i> spp. | live (art. prop.) | 2180 305 100 750 705 | CH FI IS SE TW | NL NL NL NL NL |
| | <i>Thelocactus</i> spp. | live (art. prop.) | 20 2340 100 340 830 | AT CH IS NO SE | NL NL NL NL NL |
| | <i>Turbinicarpus</i> spp. | live (art. prop.) | 2 | JP | DE |
| | <i>Turbinicarpus schmiedickeanus</i> | live (art. prop.) | 4 | JP | DE |
| | <i>Uebelmannia</i> spp. | live (art. prop.) | 13 | AT | NL |
| | <i>Weberbaueroocereus</i> spp. | live (art. prop.) | 7310 5380 6510 | AT CH SE | NL NL NL |
| | <i>Weingartia</i> spp. | live (art. prop.) | 75 | AT | NL |
| | <i>Wilcoxia</i> spp. | live (art. prop.) | 1 | CH | DE |
| | <i>Wilcoxia albiflora</i> | live (art. prop.) | 1 | CH | DE |
| | <i>Wilcoxia poselgeri</i> | live (art. prop.) | 1 | CH | DE |
| | <i>Cycas</i> spp. | live (art. prop.) | 8 309 | AT CH | BE BE |
| | <i>Cycas revoluta</i> | live (art. prop.) | 24 | AE | NL |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Import Origin Export |
|-------------------------|-----------------------|-------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| II | <i>Cycas revoluta</i> | live (art. prop.) | 2071 3254 373 244 6 24 13 2 2 112 2682 19 11 | AT NL CH NL CY NL FI NL HK NL IS NL KW NL MT NL OM NL SA NL SE NL SG NL XX NL |
| | <i>Euphorbia spp.</i> | live (art. prop.) | 420 11 3 2.0326 330 408 282 600 49287 5554 995 800 680 30006 382 200 8 1132 40 6 20 | AE NL AT BE AT DE AT NL CH BE CH DE CH ES CH FR CH NL FI NL HK NL IL NL IS NL JP DE KW NL LB NL MT DE MT NL NO NL OM NL QA NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | |
|-------------------------|------------------------------|-------------------|----------|------------------------------------|-------|
| II | <i>Euphorbia</i> spp. | live (art. prop.) | 543 | SA | NL |
| | | | 5515 | SE | NL |
| | | | 28 | SG | NL |
| | | | 300 | US | ZA DE |
| | | | 100 | XX | NL |
| | <i>Euphorbia acrurensis</i> | live (art. prop.) | 20 | CH | FR |
| | <i>Euphorbia angularis</i> | live (art. prop.) | 600 | CH | FR |
| | <i>Euphorbia mammillaris</i> | live (art. prop.) | 1200 | CH | FR |
| | <i>Euphorbia milii</i> | live (art. prop.) | 30 | CH | NL |
| | | | 10 | XX | NL |
| | <i>Euphorbia silenifolia</i> | live (art. prop.) | 50 | US | DE |
| | <i>Euphorbia stellata</i> | live (art. prop.) | 100 | US | DE |
| | | | 300 | US | ZA DE |
| | <i>Euphorbia tirucallii</i> | live (art. prop.) | 26 | CH | NL |
| | <i>Euphorbia trigona</i> | live (art. prop.) | 35 | AE | NL |
| | | | 100 | AT | NL |
| | | | 6 | CH | NL |
| | | | 95 | HK | NL |
| | | | 1 | XX | NL |
| | <i>Aloe</i> spp. | live (art. prop.) | 5 | AE | NL |
| | | | 1311 | AT | NL |
| | | | 22434 | CH | NL |
| | | | 240 | FI | NL |
| | | | 75 | HK | NL |
| | | | 11500 | JP | NL |
| | | | 101 | NO | NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|------------------|-------------------|----------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|----|
| II | Aloe spp. | live (art. prop.) | 10 1577 | SA SE | NL | NL |
| | Aloe arborescens | live (art. prop.) | 173 1500 27 6 48 | FI JP KW SA SE | NL | NL |
| | Aloe ferox | timber | 55 pieces | FI | ZA | DE |
| | Aloe humilis | live (art. prop.) | 1000 | JP | | NL |
| | Aloe marlothii | live (art. prop.) | 2000 | JP | | NL |
| | Orchidaceae spp. | live (art. prop.) | 321 14 230 20 10 12 44 150 27 17 5005 37 82 28 50 463 9 20 104 59 | AT AT AU AU BJ BR BR BU CA CA CH CH CH CI CO CO CR CR CS CS | DE FR DE NL FR DE FR DE FR DE DE FR DE FR NL FR DE FR DE NL DE FR | |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import | Country of Origin Export |
|-------------------------|------------------|-------------------|----------|----------------------|-----------------------------|
| II | Orchidaceae spp. | live (art. prop.) | 95 | DD | DE |
| | | | 5 | FI | DE |
| | | | 20 | GH | NL |
| | | | 1500 | IL | DE |
| | | | 12 | IN | FR |
| | | | 43 | JP | DE |
| | | | 1942 | JP | FR |
| | | | 100 | KE | DE |
| | | | 10 | LY | BE |
| | | | 19 | MA | FR |
| | | | 187 | MU | FR |
| | | | 175 | MV | FR |
| | | | 17 | MX | FR |
| | | | 50 | MX | NL |
| | | | 220 | MY | DE |
| | | | 112 | NC | FR |
| | | | 19 | NO | FR |
| | | | 450 | NZ | FR |
| | | | 6 | PK | FR |
| | | | 134 | PL | DE |
| | | | 5 | PL | FR |
| | | | 137 | SE | DE |
| | | | 13 | SE | FR |
| | | | 32 | SG | DE |
| | | | 7 | SN | FR |
| | | | 71 | TH | DE |
| | | | 14 | TH | FR |
| | | | 18503 | US | DE |
| | | | 1255 | US | FR |
| | | | 2012 | US | NL |
| | | | 14 | VN | FR |
| | | | 1673 | XX | DE |
| | | | 331 | ZA | DE |
| | | | 85 kg | AT | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import | Country of Origin Export |
|-------------------------|--------------------|-------------------|----------|----------------------|-----------------------------|
| II | Orchidaceae hybrid | live (art. prop.) | 23 | AE | NL |
| | | | 11 | AT | FR |
| | | | 3880 | AT | NL |
| | | | 4923 | AU | NL |
| | | | 30 | BR | FR |
| | | | 14 | CA | FR |
| | | | 185 | CA | NL |
| | | | 8 | CH | FR |
| | | | 5559 | CH | NL |
| | | | 50 | CR | NL |
| | | | 10 | CS | DE |
| | | | 50 | CY | NL |
| | | | 40 | DD | NL |
| | | | 30 | FI | NL |
| | | | 20 | GP | NL |
| | | | 2 | GY | FR |
| | | | 145 | HK | NL |
| | | | 3 | ID | FR |
| | | | 50 | IL | NL |
| | | | 511 | JP | FR |
| | | | 4670 | JP | NL |
| | | | 20 | KE | NL |
| | | | 2 | KM | FR |
| | | | 5 | KP | FR |
| | | | 10 | KW | NL |
| | | | 10 | MG | FR |
| | | | 3 | MT | NL |
| | | | 100 | MX | NL |
| | | | 2 | MY | FR |
| | | | 27 | NO | FR |
| | | | 55 | NZ | FR |
| | | | 360 | NZ | NL |
| | | | 5 | SA | NL |
| | | | 14 | SE | FR |
| | | | 855 | SE | NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | |
|-------------------------|-------------------------|-------------------|-----------|------------------------------------|----|
| II | Orchidaceae hybrid | live (art. prop.) | 20 | TR | FR |
| | | | 3942 | US | FR |
| | | | 9264 | US | NL |
| | | | 20 | VE | NL |
| | | | 100 | XX | NL |
| | | | 600 | ZA | NL |
| | | | 24 flasks | TR | FR |
| | | | 16 flasks | US | FR |
| | Aerangis spp. | live (art. prop.) | 3 | US | FR |
| | Aerides crassifolia | live (art. prop.) | 1 | ZA | DE |
| | Aerides falcata | live (art. prop.) | 1 | ZA | DE |
| | Aerides krabiensis | live (art. prop.) | 1 | ZA | DE |
| | Angraecum spp. | live (art. prop.) | 4 | CH | FR |
| | | | 150 | US | FR |
| | | | 1 | VE | FR |
| | | | 1 | ZA | DE |
| | Ascocentrum ampullaceum | live (art. prop.) | 1 | ZA | DE |
| | Ascocentrum curvifolium | live (art. prop.) | 1 | ZA | DE |
| | Aspasia lunata | live (art. prop.) | 5 | AT | BR |
| | Barkeria spp. | live (art. prop.) | 240 | US | NL |
| | | | 500 | ZA | NL |
| | Barkeria cyclotella | live (art. prop.) | 1 | ZA | DE |
| | Barkeria lindleyana | live (art. prop.) | 1 | ZA | DE |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Import Origin Export | |
|-------------------------|--------------------------------|-------------------|----------|------------------------------------|-------|
| II | <i>Bifrenaria atropurpurea</i> | live (art. prop.) | 10 | CS | DE |
| | <i>Bifrenaria harrisoniae</i> | live (art. prop.) | 10 | CS | DE |
| | <i>Bletilla</i> spp. | live (art. prop.) | 50 | CH | NL |
| | | | 55 | IS | NL |
| | <i>Brassia</i> spp. | live (art. prop.) | 280 | AT | NL |
| | | | 695 | CH | NL |
| | | | 510 | SE | NL |
| | | | 200 | US | NL |
| | <i>Brassia caudata</i> | live (art. prop.) | 4 | CH | DE |
| | <i>Brassia lawrenceana</i> | live (art. prop.) | 4 | CH | DE |
| | <i>Brassia maculata</i> | live (art. prop.) | 2 | CH | DE |
| | <i>Bulbophyllum</i> spp. | live (art. prop.) | 25 | CH | NL |
| | <i>Calanthe</i> spp. | live (art. prop.) | 120 | AT | NL |
| | | | 115 | CH | NL |
| | | | 980 | SE | NL |
| | <i>Catasetum</i> spp. | live (art. prop.) | 2 | ZA | FR |
| | <i>Catasetum pileatum</i> | live (art. prop.) | 2 | ZA | DE |
| | <i>Cattleya</i> spp. | live (art. prop.) | 35 | AE | NL |
| | | | 35 | AT | NL |
| | | | 41 | AT | BR DE |
| | | | 6500 | BR | DE |
| | | | 1 | CA | FR |
| | | | 3 | CH | DE |
| | | | 7 | CH | FR |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|------------------------------|-------------------|---------------------------------------------------------------------|----------------------------------------------------------|----------------------------------------------------------|----|
| II | <i>Cattleya</i> spp. | live (art. prop.) | 230 5 3 40 5 5 230 157 9 1 | CH CI CS HK SA SE US US VE ZA | NL FR FR NL NL NL FR NL FR DE | |
| | <i>Cattleya guttata</i> | live (art. prop.) | 10 | AT | BR | DE |
| | <i>Cattleya maxima</i> | live | 8 | CH | PE | DE |
| | <i>Cattleya schilleriana</i> | live (art. prop.) | 19 | AT | BR | DE |
| | <i>Cattleya walkeriana</i> | live (art. prop.) | 10 | AT | BR | DE |
| | <i>Cirrhopetalum putidum</i> | live (art. prop.) | 1 | ZA | | DE |
| | <i>Coelogyne cristata</i> | live (art. prop.) | 1 | CH | | DE |
| | <i>Comparettia coccinea</i> | live (art. prop.) | 5 | AT | BR | DE |
| | <i>Cymbidium</i> spp. | live (art. prop.) | 10 539 25581 120 3700 20 28692 230 5 789 | AE AE AT AU CA CH CH CL CN CY | BE NL NL NL NL BE NL FR NL NL | |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export |
|-------------------------|--------------------------------|-------------------|----------|------------------------------------|
| II | <i>Cymbidium</i> spp. | live (art. prop.) | 50 | DD NL |
| | | | 701 | FI NL |
| | | | 1300 | HK NL |
| | | | 1975 | HU NL |
| | | | 100 | IL NL |
| | | | 48 | IS NL |
| | | | 1544 | JP NL |
| | | | 7 | LB NL |
| | | | 462 | MT NL |
| | | | 148 | NO NL |
| | | | 16225 | NZ NL |
| | | | 8 | PK NL |
| | | | 1000 | PL NL |
| | | | 124 | SA NL |
| | | | 16878 | SE NL |
| | | | 300 | SG NL |
| | | | 404 | TW NL |
| | | | 32872 | US NL |
| | | | 4 | UY FR |
| | | | 51 | XX NL |
| | | | 39635 | ZA NL |
| | <i>Cymbidium devonianum</i> | live (art. prop.) | 1 | ZA DE |
| | <i>Cymbidium erythrostylum</i> | live (art. prop.) | 1 | ZA DE |
| | <i>Cypripedium</i> spp. | live (art. prop.) | 10 | AE NL |
| | | | 6 | AT DE |
| | | | 361 | AT NL |
| | | | 1776 | CH NL |
| | | | 162 | FI NL |
| | | | 15 | HK NL |
| | | | 141 | SE NL |
| | | | 12 | US NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | |
|-------------------------|------------------------------------------------|-------------------|----------|------------------------------------|-------|
| II | <i>Cypripedium reginae</i> | live (art. prop.) | 6 | AT | DE |
| | <i>Dendrobium</i> spp. | live (art. prop.) | 270 | AT | NL |
| | | | 6 | CH | DE |
| | | | 416 | CH | NL |
| | | | 6 | CH | TH DE |
| | | | 55 | HK | NL |
| | | | 2 | JP | DE |
| | | | 80 | JP | NL |
| | | | 40 | SE | NL |
| | <i>Dendrobium crepidatum</i> | live (art. prop.) | 1 | ZA | DE |
| | <i>Dendrobium crystallinum</i> | live | 8 | CH | TH DE |
| | <i>Dendrobium dearei</i> | live (art. prop.) | 1 | ZA | DE |
| | <i>Dendrobium falconeri</i> | live (art. prop.) | 1 | ZA | DE |
| | <i>Dendrobium loddigesii</i> | live (art. prop.) | 1 | CH | DE |
| | <i>Dendrobium scabringue</i> | live (art. prop.) | 1 | ZA | DE |
| | <i>Dendrobium tortile</i> | live (art. prop.) | 1 | ZA | DE |
| | <i>Dendrobium venustum</i> | live | 5 | CH | TH DE |
| | <i>Dendrobium victoriae-</i> <i>reginae</i> | live (art. prop.) | 1 | ZA | DE |
| | <i>Doritis pulcherrima</i> | live (art. prop.) | 1 | ZA | DE |
| | <i>Encyclia</i> spp. | live (art. prop.) | 5 | CH | DE |
| | <i>Encyclia belizensis</i> | live (art. prop.) | 5 | CH | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|--------------------------------------|-------------------|----------|------------------------------------|----|----|
| II | <i>Encyclia bracteata</i> | live (art. prop.) | 10 | AT | BR | DE |
| | <i>Encyclia cochleata</i> | live (art. prop.) | 5 | CH | | DE |
| | <i>Encyclia dichroma</i> | live (art. prop.) | 5 | AT | BR | DE |
| | <i>Encyclia megalantha</i> | live (art. prop.) | 5 | AT | BR | DE |
| | <i>Epidendrum pseudopsepidendrum</i> | live (art. prop.) | 1 | CH | | DE |
| | <i>Epidendrum randii</i> | live (art. prop.) | 2 | AT | BR | DE |
| | <i>Epidendrum schumannianum</i> | live (art. prop.) | 2 | CH | | DE |
| | | | 1 | ZA | | DE |
| | <i>Gongora quinquenervis</i> | live (art. prop.) | 1 | CS | | DE |
| | <i>Huntleya meleagris</i> | live (art. prop.) | 2 | AT | BR | DE |
| | <i>Laelia spp.</i> | live (art. prop.) | 4000 | BR | | DE |
| | | | 1 | CH | BR | DE |
| | <i>Laelia flava</i> | live (art. prop.) | 25 | AT | BR | DE |
| | <i>Laelia ghillanyi</i> | live (art. prop.) | 1 | CH | BR | DE |
| | <i>Laelia grandis</i> | live (art. prop.) | 8 | AT | BR | DE |
| | <i>Laelia longipes</i> | live (art. prop.) | 1 | CH | BR | DE |
| | <i>Laelia mantiqueirae</i> | live (art. prop.) | 10 | AT | BR | DE |
| | <i>Laelia pfisteri</i> | live (art. prop.) | 5 | AT | BR | DE |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-----------------------------|-------------------|-----------------------------------------------------------------|----------------------------------------------------------|----------|----------------------------------------------------------|
| II | <i>Laelia pumila</i> | live (art. prop.) | 50 | AT | BR | DE |
| | <i>Laelia reginae</i> | live (art. prop.) | 15 | AT | BR | DE |
| | <i>Laelia sincorana</i> | live (art. prop.) | 5 | AT | BR | DE |
| | | | 1 | CH | BR | DE |
| | <i>Leptotes bicolor</i> | live (art. prop.) | 10 items 1 item | AT CH | BR BR | DE DE |
| | <i>Leptotes tenuis</i> | live (art. prop.) | 1 item | CH | BR | DE |
| | <i>Ludisia discolor</i> | live (art. prop.) | 4 100 | CH US | | NL NL |
| | <i>Lycaste spp.</i> | live (art. prop.) | 1 | AT | | DE |
| | <i>Lycaste mitchelli</i> | live (art. prop.) | 5 | CH | | DE |
| | <i>Masdevallia spp.</i> | live (art. prop.) | 2 | CH | | DE |
| | <i>Masdevallia bicolor</i> | live | 15 | CH | PE | DE |
| | <i>Masdevallia infracta</i> | live (art. prop.) | 1 | CH | BR | DE |
| | <i>Miltonia spp.</i> | live (art. prop.) | 515 3078 30 431 1 5 80 160 30210 480 | AT AU CA CH CI CS DD FI JP SE | | NL NL NL NL FR DE NL NL NL NL |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|--------------------------------|-------------------|----------|------------------------------------|----|----|
| II | <i>Miltonia</i> spp. | live (art. prop.) | 3900 | US | NL | |
| | <i>Miltonia candida</i> | live (art. prop.) | 5 | AT | BR | DE |
| | <i>Miltonia regnellii</i> | live (art. prop.) | 1 | CH | | DE |
| | <i>Miltonia spectabilis</i> | live (art. prop.) | 25 | AT | BR | DE |
| | | | 4 | CH | | DE |
| | <i>Miltoniopsis vexillaria</i> | live | 5 | CH | PE | DE |
| | <i>Neomoorea</i> spp. | live (art. prop.) | 1 | CH | | DE |
| | <i>Odontoglossum</i> spp. | live (art. prop.) | 100 | CH | NL | |
| | | | 20 | CS | DE | |
| | | | 2 | ID | DE | |
| | | | 370 | JP | FR | |
| | | | 500 | US | NL | |
| | | live | 10 | AT | PE | DE |
| | <i>Odontoglossum cordatum</i> | live (art. prop.) | 1 | CH | | DE |
| | <i>Odontoglossum laeve</i> | live (art. prop.) | 3 | CH | | DE |
| | <i>Oncidium</i> spp. | live (art. prop.) | 2 | AT | FR | |
| | | | 3 | CH | FR | |
| | | | 80 | CH | NL | |
| | | | 9 | ID | DE | |
| | | | 105 | US | NL | |
| | | live | 13 | CH | PE | DE |
| | <i>Oncidium barbatum</i> | live (art. prop.) | 10 | AT | BR | DE |
| | <i>Oncidium blanchetii</i> | live (art. prop.) | 10 | AT | BR | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------------------------------|-------------------|----------|------------------------------------|----|----|
| II | <i>Oncidium brachyandrum</i> | live (art. prop.) | 1 | CH | | DE |
| | <i>Oncidium concolor</i> | live (art. prop.) | 5 | AT | BR | DE |
| | <i>Oncidium duveenii</i> | live (art. prop.) | 20 | AT | BR | DE |
| | <i>Oncidium fimbriatum</i> | live (art. prop.) | 10 | AT | BR | DE |
| | <i>Oncidium forbesii</i> | live (art. prop.) | 10 | AT | BR | DE |
| | <i>Oncidium gardneri</i> | live (art. prop.) | 10 | AT | BR | DE |
| | <i>Oncidium gracile</i> | live (art. prop.) | 20 | AT | BR | DE |
| | <i>Oncidium harrisonianum</i> | live (art. prop.) | 10 | AT | BR | DE |
| | <i>Oncidium leucochilum</i> | live (art. prop.) | 1 | CH | | DE |
| | <i>Oncidium lionetianum</i> | live (art. prop.) | 10 | AT | BR | DE |
| | <i>Oncidium longipes</i> | live (art. prop.) | 10 | AT | BR | DE |
| | <i>Oncidium macranthum</i> | live | 10 | CH | PE | DE |
| | <i>Oncidium micropogon</i> | live (art. prop.) | 10 | AT | BR | DE |
| | <i>Oncidium nanum</i> | live (art. prop.) | 500 | BR | | DE |
| | <i>Oncidium praetextum</i> | live (art. prop.) | 10 | AT | BR | DE |
| | <i>Oncidium robustissimum</i> | live (art. prop.) | 3 | AT | BR | DE |
| | <i>Oncidium sanderae</i> | live (art. prop.) | 1 | CH | | DE |
| | | | 1 | CS | | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-----------------------------------------|---------------------|----------|------------------------------------|----|----|
| II | <i>Oncidium sphacelatum</i> | live (art. prop.) | 7 | CH | DE | |
| | <i>Oncidium varicosum</i> | live (art. prop.) | 20 | AT | BR | DE |
| | <i>Ornithocephalus grandiflorus</i> | live | 8 | CH | PE | DE |
| | <i>Ornithophora radicans</i> | live (art. prop.) | 10 | AT | BR | DE |
| | <i>Pabstia jugosa</i> | live (art. prop.) | 3 | CH | | DE |
| | <i>Paphiopedilum</i> spp. | live (art. prop.) | 1 | AT | FR | |
| | | | 1722 | AT | NL | |
| | | | 40 | AU | NL | |
| | | | 130 | CA | NL | |
| | | | 231 | CH | NL | |
| | | | 23 | CH | NL | DE |
| | | | 300 | DD | NL | |
| | | | 86 | FI | NL | |
| | | | 65 | HK | NL | |
| | | | 70 | JP | DE | |
| | | | 3151 | JP | NL | |
| | | | 28 | KW | NL | |
| | | | 12 | OM | NL | |
| | | | 48 | RE | NL | |
| | | | 8 | SA | NL | |
| | | | 257 | SE | NL | |
| | | | 120 | US | BE | |
| | | | 1 | US | FR | |
| | | | 540 | US | NL | |
| | | | 18000 | ZA | IT | |
| | | | 650 | ZA | NL | |
| | | live (captive bred) | 10160 | JP | IT | |
| | | live | 30 | JP | PH | DE |
| | | | 145 | US | PH | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | |
|-------------------------|---------------------------------|-------------------|----------|------------------------------------|----|
| II | <i>Phalaenopsis</i> spp. | live (art. prop.) | 12 | KM | FR |
| | | | 10 | KW | NL |
| | | | 12 | MT | NL |
| | | | 50 | MX | NL |
| | | | 20000 | MY | NL |
| | | | 2080 | NZ | NL |
| | | | 20 | SA | NL |
| | | | 2247 | SE | NL |
| | | | 115 | SG | NL |
| | | | 3 | TH | FR |
| | | | 2 | TW | FR |
| | | | 400 | US | DE |
| | | | 88 | US | FR |
| | | | 49233 | US | NL |
| | | | 100 | VE | NL |
| | | | 3225 | VN | FR |
| | | | 2500 | ZA | NL |
| | <i>Phalaenopsis aphrodite</i> | live (art. prop.) | 1 | CS | DE |
| | <i>Phalaenopsis cornu-cervi</i> | live (art. prop.) | 1 | CH | DE |
| | <i>Phalaenopsis violacea</i> | live (art. prop.) | 5 | CH | TH |
| | <i>Phragmipedium</i> spp. | live (art. prop.) | 20 | US | BE |
| | | live | 10 | CH | DE |
| | <i>Phragmipedium besseae</i> | live | 10 | JP | PE |
| | | | 115 | US | DE |
| | <i>Phragmipedium caudatum</i> | live | 5 | AT | PE |
| | <i>Phragmipedium pearci</i> | live | 5 | AT | PE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-----------------------------------------------|-------------------|----------|------------------------------------|----------|----------|
| II | <i>Phymatidium</i> <i>tillandsioides</i> | live (art. prop.) | 10 | AT | BR | DE |
| | <i>Pleione</i> spp. | live (art. prop.) | 350 | CA | | NL |
| | | | 80 | CH | | NL |
| | | | 125 | PL | | NL |
| | <i>Pleurothallis</i> <i>alligatorifera</i> | live (art. prop.) | 1 | CH | BR | DE |
| | <i>Pleurothallis cæspitosa</i> | live (art. prop.) | 1 | CH | BR | DE |
| | <i>Pleurothallis grobyi</i> | live (art. prop.) | 1 | CH | BR | DE |
| | <i>Pleurothallis pterophora</i> | live (art. prop.) | 1 | CH | BR | DE |
| | <i>Pleurothallis sonderana</i> | live (art. prop.) | 1 | CH | BR | DE |
| | <i>Polystachya</i> spp. | live (art. prop.) | 50 | US | | FR |
| | <i>Promenaea stapelioides</i> | live (art. prop.) | 1 | CH | BR | DE |
| | <i>Promenaea xanthina</i> | live (art. prop.) | 10 1 | AT CH | BR BR | DE DE |
| | <i>Renanthera</i> spp. | live (art. prop.) | 1 | CI | | FR |
| | <i>Restrepia</i> spp. | live (art. prop.) | 2 | JP | | DE |
| | <i>Rhyncholaelia</i> spp. | live (art. prop.) | 1 | JP | | DE |
| | <i>Rodriguezia</i> spp. | live | 5 | CH | PE | DE |
| | <i>Rodriguezia obtusifolia</i> | live (art. prop.) | 2 | AT | BR | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-----------------------------------------|-------------------|----------|------------------------------------|----|----|
| II | <i>Rodriguezia venusta</i> | live (art. prop.) | 10 | AT | BR | DE |
| | <i>Smitinandia micrantha</i> | live (art. prop.) | 2 | ZA | | DE |
| | <i>Sophronitella violacea</i> | live (art. prop.) | 5 | AT | BR | DE |
| | <i>Sophronitis brevipedunculata</i> | live (art. prop.) | 40 | AT | BR | DE |
| | <i>Sophronitis coccinea</i> | live (art. prop.) | 60 | AT | BR | DE |
| | <i>Stanhopea</i> spp. | live (art. prop.) | 1 | US | | FR |
| | <i>Tetramicra</i> spp. | live (art. prop.) | 2 | JP | | DE |
| | <i>Vanda</i> spp. | live (art. prop.) | 2 | CH | | NL |
| | | | 8 | CH | TH | DE |
| | | | 3 | CI | | FR |
| | | | 10 | KM | | FR |
| | <i>Vanda amesiana</i> | live (art. prop.) | 1 | JP | | DE |
| | <i>Vanda lilacina</i> | live (art. prop.) | 3 | JP | | DE |
| | <i>Chrysalidocarpus lutescens</i> | live (art. prop.) | 1049 | AE | | NL |
| | | | 384 | AT | | BE |
| | | | 42259 | AT | | NL |
| | | | 2 | BH | | NL |
| | | | 5922 | CH | | BE |
| | | | 6351 | CH | | NL |
| | | | 1316 | CY | | NL |
| | | | 430 | EG | | NL |
| | | | 68 | FI | | BE |
| | | | 3113 | FI | | NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | |
|-------------------------|-----------------------------------|---------------------------|------------------------------------------------------------------------------------|----------------------------------------------------------------------|----------------------------------------------------------------------------|
| II | <i>Chrysalidocarpus lutescens</i> | live (art. prop.) | 665 100 199 556 1466 3 229 6136 54008 150 21 5150 | HK IS KW LB MT QA SA SE SE SG TR XX | NL NL NL NL NL NL NL BE NL NL NL NL NL |
| C1 | <i>Cyclamen balearicum</i> | live (art. prop.) | 5 1 | IL SE | TR TR |
| C2 | <i>Cyclamen cilicium</i> | live (art. prop.) live | 22 6240 225 360 2100 | SE AT CA SE US | TR TR TR TR TR |
| C2 | <i>Cyclamen coum</i> | live (art. prop.) live | 30 150 50 4500 | SE CA CL JP | TR TR TR TR |
| C2 | <i>Cyclamen hederifolium</i> | live | 10535 3127 22560 100 4000 942 65739 | AT CA CH IL JP SE US | TR TR TR TR TR TR TR |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------------------------------|-------------------|----------|------------------------------------|----|----|
| II | <i>Cyclamen persicum</i> | live (art. prop.) | 2083 | AE | NL | |
| | | | 363282 | AT | NL | |
| | | | 20015 | CA | NL | |
| | | | 338614 | CH | NL | |
| | | | 3 | CN | NL | |
| | | | 3634 | CY | NL | |
| | | | 20913 | FI | NL | |
| | | | 7410 | HK | NL | |
| | | | 42535 | IL | NL | |
| | | | 715 | IS | NL | |
| | | | 1000 | JO | NL | |
| | | | 289 | KW | NL | |
| | | | 5068 | MT | NL | |
| | | | 1968 | NO | NL | |
| | | | 7 | OM | NL | |
| | | | 60 | PK | NL | |
| | | | 55 | QA | NL | |
| | | | 355 | SA | NL | |
| | | | 118881 | SE | NL | |
| | | | 827 | SG | NL | |
| | | | 3032 | TR | NL | |
| | | | 232 | TW | NL | |
| | | | 1000 | XX | NL | |
| | | | 560 | YU | NL | |
| C2 | <i>Cyclamen pseudibericum</i> | live (art. prop.) | 20 | AT | TR | NL |
| C2 | <i>Cyclamen purpurascens</i> | live (art. prop.) | 20 | SE | TR | NL |
| | | live | 4200 | CH | TR | NL |
| | | | 700 | US | TR | NL |
| C2 | <i>Cyclamen rohlfsianum</i> | live (art. prop.) | 1 | SE | TR | NL |
| III | <i>Odobenus rosmarus</i> | trophies | 2 | GL | GL | DK |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|--------------------------|-------------------|----------|------------------------------------|----------|----------|
| III | <i>Odobenus rosmarus</i> | trophies tusks | 1 5 | JP GL | GL GL | DK DK |
| | <i>Tayassu pecari</i> | pairs of shoes | 4 | JP | AR | IT |
| | <i>Tayassu tajacu</i> | belts | 3 | US | CO | IT |
| | | | 20 | US | PE | IT |
| | | | 7 | US | XX | IT |
| | | handbags | 18 | US | AR | IT |
| | | pairs of shoes | 23 | AU | PY | IT |
| | | | 28 | CA | AR | IT |
| | | | 6 | CA | BW | IT |
| | | | 6 | CA | DE | IT |
| | | | 41 | CA | PE | IT |
| | | | 53 | CH | AR | IT |
| | | | 91 | CH | PY | IT |
| | | | 2 | CH | XM | IT |
| | | | 94 | HK | AR | IT |
| | | | 87 | JP | AR | IT |
| | | | 31 | JP | PE | IT |
| | | | 127 | JP | PY | IT |
| | | | 78 | JP | VE | IT |
| | | | 195 | JP | XM | IT |
| | | | 32 | JP | XX | IT |
| | | | 20 | SE | AR | IT |
| | | | 1 | SG | XX | IT |
| | | | 896 | US | AR | IT |
| | | | 219 | US | CO | IT |
| | | | 378 | US | IN | IT |
| | | | 1182 | US | PE | IT |
| | | | 29 | US | PG | IT |
| | | | 9 | US | PY | IT |
| | | | 24 | US | US | IT |
| | | | 79 | US | XM | IT |
| | | | 135 | US | XX | IT |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------------------------------|---------------------|----------|------------------------------------|----|----|
| III | <i>Tayassu tajacu</i> | pairs of shoes | 1 | US | ZA | IT |
| | | skins | 250 | JP | AR | IT |
| | | skin/leather items | 5 | US | AR | IT |
| | | | 7 | US | PY | IT |
| | | | 6 | US | US | IT |
| | | watchstraps | 79 | JP | AR | IT |
| | | | 7 | SG | XX | IT |
| C2 | <i>Hippopotamus amphibius</i> | belts | 9 | JP | ZA | IT |
| | | garments | 5 | JP | ZA | IT |
| | | skin/leather items | 31 | JP | ZA | IT |
| | | | 3 | TW | ZA | IT |
| | | wallets | 3 | CH | ZA | IT |
| | | | 34 | JP | ZA | IT |
| | <i>Antilope cervicapra</i> | live (captive bred) | 3 | IL | | NL |
| | | | 2 | PK | | NL |
| | <i>Boocercus eurycerus</i> | live (captive bred) | 1 | US | | DE |
| | <i>Bubalus bubalis</i> | belts | 55 | US | ID | IT |
| | | | 1000 | US | PK | IT |
| | | handbags | 16 | AU | TH | DE |
| | | | 252 | CA | PK | IT |
| | | | 280 | HK | PK | IT |
| | | | 80 | JP | ID | IT |
| | | | 15 | TW | PK | IT |
| | | | 89 | US | IN | IT |
| | | | 1725 | US | PK | IT |
| | | | 23 | US | TH | DE |
| | | horn pieces | 310 kg | JP | IN | GB |
| | | live (captive bred) | 1 | CH | | GB |
| | | pairs of shoes | 72 | CA | IN | IT |
| | | | 41 | ID | IN | IT |
| | | | 636 | SE | IN | IT |

| CITES EEC App. Annex | TAXON | DESCRIPTION | QUANTITY | COUNTRY OF IMPORT ORIGIN EXPORT | | |
|-------------------------|--------------------------------------|---------------------|--------------|------------------------------------|----|----|
| III | <i>Bubalus bubalis</i> | pairs of shoes | 345 | US | ID | IT |
| | | | 61043 | US | IN | IT |
| | | | 8758 | US | PK | IT |
| | | | 2 | US | TH | IT |
| | | skins | 6887 | CA | IN | GB |
| | | | 157816 | US | IN | GB |
| | | | 6261 | US | IN | IT |
| | | | 3276 | XX | IN | GB |
| | | | 131 sq.ft | US | ID | IT |
| | | | 171703 sq.ft | US | IN | IT |
| | | | 2046 sq.ft | US | PK | IT |
| | | | 13278 sq.m | US | IN | IT |
| | | skin/leather items | 138 | JP | ID | IT |
| | | | 350 | US | IN | GB |
| | | wallets | 476 | JP | PK | IT |
| | | | 42 | JP | TH | DE |
| | | | 3503 | US | PK | IT |
| | | | 3 | US | TH | DE |
| | | watchstraps | 2100 | US | PK | IT |
| | <i>Damaliscus lunatus</i> | trophies | 1 | CH | ZM | DE |
| | <i>Gazella cuvieri</i> | live (captive bred) | 6 | US | | DE |
| | <i>Tragelaphus spekei</i> | skulls | 1 | CH | ZM | DE |
| | <i>Rhea americana</i> | live (captive bred) | 6 | AE | | NL |
| | | | 2 | CH | | DE |
| | | | 4 | PK | | NL |
| | | | 7 | PL | | GB |
| | | | 4 | YU | | DE |
| | | skins | 936 | HK | BO | DE |
| | <i>Ephippiorhynchus senegalensis</i> | live | 1 | AT | TZ | NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|---------------------------------|-------------------------------------------------------|------------------------------------------------------------------|----------------------------------------------------------------|----------------------|----------------------------------------------------------------|
| III | <i>Leptoptilos crumeniferus</i> | live | 1 10 4 2 items | CS TH TW DD | KE KE KE TZ | GB GB NL DE |
| | <i>Threskiornis aethiopicus</i> | live | 2 | CS | TZ | GB |
| C1 | <i>Alopochen aegyptiacus</i> | bodies live (captive bred) | 1 6 4 2 4 | NO CA CO JP PK | NL | DK FR NL NL NL |
| | <i>Anas acuta</i> | live (captive bred) | 10 10 220 2 12 225 | CH JP NL OM QA XX | | DE NL GB GB NL GB |
| | <i>Anas clypeata</i> | live (captive bred) | 6 4 57 | JP OM XX | | NL GB GB |
| | <i>Anas crecca</i> | bodies eggs feathers live (captive bred) | 146 80 100 680 640 10 50 10 2 4 72 | BE CH FR IT XX US JP CH JP OM XX | | GB GB GB GB GB GB GB DE NL GB GB |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | |
|-------------------------|-------------------------------|---------------------|----------|------------------------------------|----|
| III | <i>Anas penelope</i> | bodies | 4 | BE | GB |
| | | | 300 | XX | GB |
| | | live (captive bred) | 6 | CH | DE |
| | | | 4 | OM | GB |
| | | | 20 | QA | NL |
| | | | 244 | XX | GB |
| C1 | <i>Anas querquedula</i> | live (captive bred) | 10 | BR | NL |
| | | | 2 | CH | DE |
| | | | 4 | JP | NL |
| | | skins | 2 | US | DK |
| C1 | <i>Aythya nyroca</i> | live (captive bred) | 4 | JP | NL |
| | <i>Dendrocygna autumnalis</i> | live (captive bred) | 2 | XX | GB |
| | <i>Dendrocygna bicolor</i> | live (captive bred) | 2 | XX | GB |
| | <i>Nettapus auritus</i> | live (captive bred) | 11 | CA | NL |
| | | live | 1 | JP | ML |
| | | | | | NL |
| | <i>Pteronetta hartlaubii</i> | live (captive bred) | 4 | SU | NL |
| | <i>Sarcoramphus papa</i> | live | 2 | JP | SR |
| | | | | | NL |
| | <i>Lophura ignita</i> | live (captive bred) | 1 | CH | BE |
| | | | 3 items | CH | DE |
| | <i>Rollulus rouloul</i> | live (captive bred) | 2 | XX | NL |
| | <i>Tragopan satyra</i> | live (captive bred) | 2 | BR | NL |
| | | | 2 | PK | NL |
| | | | 8 | TH | DE |
| | <i>Oena capensis</i> | live | 12 | CA | SN |
| | | | | | NL |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|----------------------------|---------------------|----------|------------------------------------|----|----|
| III | <i>Psittacula krameri</i> | live (captive bred) | 4 | AN | NL | |
| | | | 31 | CA | NL | |
| | | | 4 | CL | BE | |
| | | | 10 | CY | BE | |
| | | | 115 | IL | BE | |
| | | | 14 | JP | NL | |
| | | | 2 | SA | ID | NL |
| | | | 14 | TH | NL | |
| | | | 4 | TT | NL | |
| | | | 12 | TW | NL | |
| | | | 129 | US | BE | |
| | | | 705 | ZA | BE | |
| | | | 37 | ZA | GB | |
| | | | 188 | ZA | NL | |
| | | live | 20 | CA | IN | NL |
| | | | 60 | IL | IN | BE |
| | | | 1 | US | XX | DE |
| | <i>Musophaga violacea</i> | live | 2 | IL | GN | BE |
| | | | 4 | JP | GN | NL |
| | | | 2 | JP | XX | NL |
| | | | 4 | KR | GN | NL |
| | | | 5 | SU | XX | NL |
| | | | 14 | TW | ML | BE |
| | <i>Fringillidae</i> spp. | live | 27 | CH | ML | NL |
| | <i>Serinus leucopygius</i> | live | 12 | AN | SN | NL |
| | | | 10 | BS | ML | NL |
| | | | 24 | CH | ML | NL |
| | | | 8 | CR | ML | NL |
| | | | 1655 | HK | SN | NL |
| | | | 250 | HK | SN | PT |
| | | | 10 | SA | ML | NL |
| | | | 100 | SU | ML | NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|----------------------------|-------------|----------|------------------------------------|----|----|
| III | <i>Serinus leucopygius</i> | live | 5 | TT | ML | NL |
| | | | 250 | TW | ML | BE |
| | | | 100 | TW | SN | BE |
| | | | 250 | TW | SN | PT |
| | <i>Serinus mozambicus</i> | live | 10 | AE | ML | NL |
| | | | 6 | AN | ML | NL |
| | | | 60 | AN | SN | NL |
| | | | 12 | AW | ML | NL |
| | | | 30 | BH | SN | NL |
| | | | 30 | BS | ML | NL |
| | | | 24 | CH | | NL |
| | | | 183 | CH | ML | NL |
| | | | 50 | CH | SN | NL |
| | | | 70 | CY | GN | DE |
| | | | 500 | HK | GN | DE |
| | | | 200 | HK | LR | DE |
| | | | 900 | HK | ML | NL |
| | | | 750 | HK | ML | PT |
| | | | 3430 | HK | SN | NL |
| | | | 600 | HK | SN | PT |
| | | | 100 | ID | GN | DE |
| | | | 50 | ID | LR | DE |
| | | | 20 | JO | ML | NL |
| | | | 10 | SA | ML | NL |
| | | | 300 | SG | ML | NL |
| | | | 100 | SU | ML | NL |
| | | | 35 | TT | ML | NL |
| | | | 200 | TW | GN | DE |
| | | | 600 | TW | LR | BE |
| | | | 300 | TW | LR | DE |
| | | | 185 | TW | ML | BE |
| | | | 550 | TW | ML | PT |
| | | | 400 | TW | SN | BE |
| | | | 600 | TW | SN | NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|------------------------------|-------------|---------------------------------------------------------------------|----------------------------------------------------------------------|----------------------------------------------------------------------------|----------------------------------------------------------------------|
| III | <i>Serinus mozambicus</i> | live | 1100 100 | TW | SN | PT |
| | | | | TW | TZ | DE |
| | <i>Estrildidae spp.</i> | live | 94 | CH | ML | NL |
| | <i>Amadina fasciata</i> | live | 50 30 60 18 8 40 3 100 30 50 20 30 | BH BS CA CH CH CH CR CY JO PA SA TT | SN ML ML NL ML SN ML NL ML NL ML NL ML | NL NL NL NL NL NL NL NL NL NL NL NL |
| | <i>Amandava subflava</i> | live | 150 200 131 18 30 30 100 100 | CA CA CH CH HK ID SU TW | GN ML ML SN GN GN ML TZ | NL NL NL NL DE DE NL DE |
| | <i>Estrilda astrild</i> | live | 315 | CA | GN | NL |
| | <i>Estrilda caerulescens</i> | live | 12 41 44 100 | AN CA CH SU | SN SN ML ML | NL NL NL NL |
| | <i>Estrilda melpoda</i> | live | 32 | AN | SN | NL |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|------------------------------|-------------|----------|------------------------------------|----|----|
| III | <i>Estrilda melpoda</i> | live | 60 | CA | LR | NL |
| | | | 112 | CH | ML | NL |
| | | | 20 | HK | GN | DE |
| | | | 20 | ID | GN | DE |
| | | | 100 | SU | ML | NL |
| | | | 150 | TW | GN | BE |
| | | | 200 | TW | GN | DE |
| | | | 300 | ZA | LR | BE |
| | <i>Estrilda troglodytes</i> | live | 36 | AN | SN | NL |
| | | | 20 | BS | ML | NL |
| | | | 160 | CA | ML | NL |
| | | | 45 | CA | SN | NL |
| | | | 72 | CH | ML | NL |
| | | | 100 | SU | ML | NL |
| | | | 30 | TT | ML | NL |
| | | | 300 | ZA | LR | BE |
| | <i>Lagonosticta senegala</i> | live | 10 | CA | ML | NL |
| | | | 100 | CA | SN | NL |
| | | | 194 | CH | ML | NL |
| | | | 6 | CH | SN | NL |
| | | | 10 | ID | LR | DE |
| | | | 20 | QA | ML | NL |
| | | | 100 | SU | ML | NL |
| | <i>Lonchura cucullata</i> | live | 150 | CA | GN | NL |
| | | | 130 | CA | ML | NL |
| | <i>Lonchura malabarica</i> | live | 6 | AW | ML | NL |
| | | | 150 | CA | ML | NL |
| | | | 60 | CH | ML | NL |
| | <i>Pytilia hypogrammica</i> | live | 50 | ID | LR | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------------------------------|-------------|----------------------------------------|----------------------------------------|----------------------------------------|----------------------------------------|
| III | <i>Pytilia phoenicoptera</i> | live | 40 16 | CA CH | GN ML | NL NL |
| | <i>Uraeginthus bengalus</i> | live | 100 70 110 30 100 100 | CA CA CH ID SU TW | SN TZ ML LR ML TZ | NL NL NL DE NL DE |
| | <i>Ploceidae spp.</i> | live | 6 | CH | ML | NL |
| | <i>Euplectes afer</i> | live | 14 200 | CH TW | ML SN | NL BE |
| | <i>Euplectes hordeaceus</i> | live | 80 | CY | GN | DE |
| | <i>Euplectes orix</i> | live | 18 3 20 10 200 | AN BS CH CH TW | ML ML ML SN TZ | NL NL NL NL DE |
| | <i>Ploceus luteolus</i> | live | 10 | CH | ML | NL |
| | <i>Ploceus melanocephalus</i> | live | 12 6 | AN CH | ML ML | NL NL |
| | <i>Vidua chalybeata</i> | live | 6 12 23 30 20 40 100 | AN AW BS CH ID TT TW | ML ML ML ML GN ML SN | NL NL NL NL DE NL BE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|----------------------------|-------------|---------------------------------------------------|----------------------------------------------------|----------------------------------------------------|----------------------------------------------------|
| III | <i>Vidua macroura</i> | live | 6 20 36 20 200 200 | AN CA CH SU TW TW | ML ML ML ML ML SN | NL NL NL NL BE BE |
| | <i>Vidua paradisaea</i> | live | 16 10 250 150 300 | CR ID TW TW TW | ML GN ML SN TZ | NL DE BE BE DE |
| | <i>Atretium schistosum</i> | skins | 601 6182 | TR XX | NP NP | GB GB |
| | <i>Cerberus rhynchops</i> | belts | 1 8 18 7802 | AT JP NO US | TH TH TH TH | ES ES ES ES |
| | | garments | 7 293 13 36 51 267 | AT CH MC NO US US | TH TH TH TH ID TH | ES ES ES ES ES ES |
| | | handbags | 21 54 36 12 15 48 ? ? 157 | AT AT CH CH HK JP PR US US | TH TH TH TH TH TH ID AR ID | ES IT ES IT ES ES ES ES ES |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|---------------------------|--------------------|----------|------------------------------------|----|----|
| III | <i>Cerberus rhynchops</i> | handbags | 1360 | US | TH | ES |
| | | pairs of shoes | 226 | AE | ID | ES |
| | | | 14 | AU | ID | ES |
| | | | 12 | BH | ID | ES |
| | | | 44 | BM | ID | ES |
| | | | 27 | CH | ID | ES |
| | | | 630 | DO | SG | ES |
| | | | 12 | HK | ID | ES |
| | | | 1054 | JP | ID | ES |
| | | | 24 | KW | ID | ES |
| | | | 687 | NO | ID | ES |
| | | | 365 | PR | ID | ES |
| | | | 48 | QA | ID | ES |
| | | | 30 | SA | ID | ES |
| | | | 277 | US | AR | ES |
| | | | 140646 | US | ID | ES |
| | | | 59114 | US | TH | ES |
| | | | 786 | US | TH | IT |
| | | | 276 | ZA | ID | ES |
| | | skins | 201 | BR | TH | ES |
| | | | 396 | CA | ID | GB |
| | | | 4424 | US | ID | GB |
| | | | 572 | XX | ID | GB |
| | | skin/leather items | 34 | HK | TH | ES |
| | | | 100 | JP | TH | IT |
| | | | 2016 | US | TH | ES |
| | | wallets | 22109 | US | TH | ES |
| | <i>Ptyas mucosus</i> | belts | 17 | AT | BD | DE |
| | | | 161 | AT | BD | IT |
| | | | 130 | AT | CN | IT |
| | | | 16 | AT | ID | IT |
| | | | 5 | AT | TH | IT |
| | | | 103 | AU | BD | IT |
| | | | 115 | AU | ID | GB |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|----------------------|-------------|----------|------------------------------------|----|----|
| III | <i>Ptyas mucosus</i> | belts | 336 | AU | TH | IT |
| | | | 3 | BE | IN | FR |
| | | | 6 | CA | BD | IT |
| | | | 49 | CA | ID | IT |
| | | | 252 | CA | TH | FR |
| | | | 503 | CA | TH | GB |
| | | | 33 | CA | TH | IT |
| | | | 10 | CH | BD | DE |
| | | | 6 | CH | CN | DE |
| | | | 1397 | CH | CN | IT |
| | | | 7 | CH | ID | DE |
| | | | 3 | CH | ID | ES |
| | | | 19 | CH | ID | IT |
| | | | 11 | CH | IN | FR |
| | | | 9 | CH | NP | FR |
| | | | 3 | CH | TH | DE |
| | | | 199 | CH | TH | FR |
| | | | 1496 | CH | TH | IT |
| | | | 19 | GB | MY | IT |
| | | | 10 | HK | BD | IT |
| | | | 138 | HK | ID | IT |
| | | | 12 | JO | ID | IT |
| | | | 26 | JP | BD | IT |
| | | | 18 | JP | CN | IT |
| | | | 568 | JP | ID | IT |
| | | | 7 | JP | IN | FR |
| | | | 82 | JP | NP | FR |
| | | | 4022 | JP | TH | FR |
| | | | 28 | JP | TH | IT |
| | | | 4 | KR | TH | FR |
| | | | 8 | LB | TH | IT |
| | | | 12 | MC | ID | IT |
| | | | 77 | NO | TH | IT |
| | | | 44 | SE | TH | IT |
| | | | 371 | US | BD | IT |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|----------------------|-------------|----------|------------------------------------|----|----|
| III | <i>Ptyas mucosus</i> | belts | 34 | US | CN | IT |
| | | | 10 | US | ID | DE |
| | | | 3314 | US | ID | IT |
| | | | 236 | US | MY | IT |
| | | | 18 | US | NP | FR |
| | | | 64 | US | NP | IT |
| | | | 103 | US | PK | IT |
| | | | 48 | US | TH | ES |
| | | | 249 | US | TH | FR |
| | | | 2512 | US | TH | GB |
| | | | 937 | US | TH | IT |
| | | | 119 | US | VE | IT |
| | | | 26 | US | XX | FR |
| | | | 49 | US | ZA | IT |
| | | | 27 | VI | TH | IT |
| | | | 7 | XF | ID | IT |
| | | | 5 | XS | ID | IT |
| | | garments | 8 | AE | BD | DE |
| | | | 9 | AE | TH | DE |
| | | | 310 | AT | BD | DE |
| | | | 4 | AT | ID | DE |
| | | | 33 | AT | ID | IT |
| | | | 31 | AT | TH | DE |
| | | | 137 | CA | BD | DE |
| | | | 10 | CA | BD | IT |
| | | | 21 | CA | ID | DE |
| | | | 21 | CA | ID | IT |
| | | | 202 | CA | TH | DE |
| | | | 402 | CH | BD | DE |
| | | | 11 | CH | BD | IT |
| | | | 16 | CH | ID | IT |
| | | | 10 | CH | NP | FR |
| | | | 171 | CH | TH | DE |
| | | | 2 | CH | TH | FR |
| | | | 2 | EG | BD | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|----------------------|-------------|----------|------------------------------------|----|----|
| III | <i>Ptyas mucosus</i> | garments | 9 | EG | TH | DE |
| | | | 3 | ES | BD | DE |
| | | | 68 | FI | BD | DE |
| | | | 7 | FI | ID | DE |
| | | | 32 | FI | TH | DE |
| | | | 72 | HK | BD | DE |
| | | | 34 | HK | ID | IT |
| | | | 5 | HK | TH | FR |
| | | | 6 | IS | BD | DE |
| | | | 3 | IS | TH | DE |
| | | | 6 | JO | BD | DE |
| | | | 2 | JO | TH | DE |
| | | | 56 | JP | BD | DE |
| | | | 1 | JP | BD | IT |
| | | | 14 | JP | ID | IT |
| | | | 8 | JP | NP | FR |
| | | | 11 | JP | TH | DE |
| | | | 113 | JP | TH | IT |
| | | | 7 | LB | BD | DE |
| | | | 2 | LB | ID | DE |
| | | | 13 | LB | TH | DE |
| | | | 2 | MX | BD | DE |
| | | | 122 | NO | BD | DE |
| | | | 7 | NO | ID | DE |
| | | | 27 | NO | TH | DE |
| | | | 2 | NZ | ID | IT |
| | | | 105 | SE | BD | DE |
| | | | 65 | SE | TH | DE |
| | | | 10 | SE | TH | IT |
| | | | 332 | US | BD | DE |
| | | | 415 | US | BD | IT |
| | | | 6 | US | CN | IT |
| | | | 14 | US | ID | DE |
| | | | 361 | US | ID | IT |
| | | | 4 | US | NP | FR |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|----------------------|-------------|----------|------------------------------------|----|----|
| III | <i>Ptyas mucosus</i> | garments | 361 | US | TH | DE |
| | | | 1 | US | TH | ES |
| | | | 66 | US | TH | FR |
| | | | 492 | US | TH | IT |
| | | | 6 | ZA | BD | DE |
| | | | 17 | ZA | TH | DE |
| | | handbags | 24 | AE | BD | DE |
| | | | 16 | AE | BD | IT |
| | | | 24 | AE | MY | DE |
| | | | 6 | AN | TH | IT |
| | | | 61 | AT | BD | DE |
| | | | 11 | AT | BD | IT |
| | | | 2 | AT | CN | IT |
| | | | 10 | AT | ID | ES |
| | | | 57 | AT | ID | IT |
| | | | 2 | AT | IN | DE |
| | | | 4 | AT | MY | DE |
| | | | 20 | AT | TH | DE |
| | | | 60 | AT | TH | IT |
| | | | 96 | AU | BD | IT |
| | | | 44 | AU | ID | ES |
| | | | 16 | AU | ID | IT |
| | | | 178 | AU | TH | ES |
| | | | 29 | AU | TH | IT |
| | | | 28 | BB | ID | ES |
| | | | 12 | BM | TH | IT |
| | | | 25 | BS | NP | GB |
| | | | 115 | CA | BD | IT |
| | | | 12 | CA | CN | IT |
| | | | 178 | CA | ID | IT |
| | | | 114 | CA | NP | GB |
| | | | 3 | CA | PK | IT |
| | | | 24 | CA | TH | FR |
| | | | 45 | CA | TH | IT |
| | | | 24 | CH | BD | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|----------------------|-------------|----------|------------------------------------|----|----|
| III | <i>Ptyas mucosus</i> | handbags | 146 | CH | BD | IT |
| | | | 8 | CH | CN | DE |
| | | | 4 | CH | CN | IT |
| | | | 6 | CH | ID | DE |
| | | | 72 | CH | ID | ES |
| | | | 312 | CH | ID | IT |
| | | | 10 | CH | NP | GB |
| | | | 166 | CH | TH | DE |
| | | | 184 | CH | TH | ES |
| | | | 5 | CH | TH | FR |
| | | | 233 | CH | TH | IT |
| | | | 24 | CH | ZA | IT |
| | | | 1 | DE | ID | IT |
| | | | 3 | DE | TH | IT |
| | | | 6 | DK | NP | GB |
| | | | 1 | EG | ID | IT |
| | | | 34 | FI | ID | IT |
| | | | 19 | FI | NP | GB |
| | | | 40 | FR | NP | GB |
| | | | 148 | GP | ID | ES |
| | | | 4 | HK | CN | IT |
| | | | 211 | HK | ID | IT |
| | | | 3 | HK | NP | IT |
| | | | 67 | HK | TH | IT |
| | | | 4 | ID | ID | IT |
| | | | 10 | IL | BD | IT |
| | | | 3 | IN | ID | DE |
| | | | 2 | JO | BD | IT |
| | | | 16 | JO | ID | IT |
| | | | 9 | JP | BD | DE |
| | | | 436 | JP | BD | IT |
| | | | 143 | JP | CN | IT |
| | | | 2070 | JP | ID | IT |
| | | | 105 | JP | IN | FR |
| | | | ? | JP | SG | ES |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|----------------------|-------------|----------|------------------------------------|----|----|
| III | <i>Ptyas mucosus</i> | handbags | 96 | JP | TH | FR |
| | | | 693 | JP | TH | IT |
| | | | 9 | KW | BD | IT |
| | | | 15 | KW | ID | IT |
| | | | 2 | KW | TH | IT |
| | | | 17 | LB | ID | IT |
| | | | 7 | LB | TH | IT |
| | | | 15 | MC | ID | IT |
| | | | 64 | MQ | ID | ES |
| | | | 3 | NO | BD | IT |
| | | | 9 | NO | ID | IT |
| | | | 28 | NO | TH | ES |
| | | | 4 | NZ | BD | IT |
| | | | 100 | PR | ID | ES |
| | | | 21 | QA | BD | IT |
| | | | 1 | QA | ID | IT |
| | | | 60 | SA | BD | IT |
| | | | 203 | SA | ID | IT |
| | | | 17 | SE | ID | IT |
| | | | 3 | SE | IN | FR |
| | | | 72 | SE | NP | GB |
| | | | 6 | SG | BD | IT |
| | | | 6 | SG | ID | IT |
| | | | 49 | SG | NP | GB |
| | | | 2 | SG | TH | IT |
| | | | 25 | TW | BD | IT |
| | | | 4 | TW | TH | IT |
| | | | 47 | UA | BD | DE |
| | | | 19 | US | AF | IT |
| | | | ? | US | AR | ES |
| | | | 103 | US | BD | DE |
| | | | 4 | US | BD | ES |
| | | | 2757 | US | BD | IT |
| | | | 202 | US | CN | IT |
| | | | 5 | US | ID | DE |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|----------------|-------------|----------|------------------------------------|----|----|
| III | Ptyas mucosus | handbags | 2879 | US | ID | ES |
| | | | 2989 | US | ID | IT |
| | | | 5 | US | IN | FR |
| | | | 18 | US | IN | IT |
| | | | 9 | US | MY | DE |
| | | | 2 | US | MY | IT |
| | | | 1 | US | NP | IT |
| | | | 1 | US | PG | IT |
| | | | 22 | US | PK | IT |
| | | | 550 | US | SG | ES |
| | | | 2 | US | TH | DE |
| | | | 10720 | US | TH | ES |
| | | | 1727 | US | TH | IT |
| | | | 6 | VI | TH | IT |
| | | | 4 | XS | ID | IT |
| | | | 164 | XX | NP | GB |
| | | | 6 | ZA | BD | IT |
| | | | 18 | ZA | ID | IT |
| | live | | 29 | US | ID | GB |
| | pairs of shoes | | 155 | AE | BD | IT |
| | | | 56 | AE | ID | IT |
| | | | 432 | AE | TH | ES |
| | | | 54 | AN | ID | IT |
| | | | 52 | AN | TH | IT |
| | | | 276 | AR | CN | IT |
| | | | 78 | AR | ID | IT |
| | | | 243 | AR | TH | IT |
| | | | 60 | AT | BD | DE |
| | | | 349 | AT | BD | IT |
| | | | 12 | AT | CN | IT |
| | | | 188 | AT | ID | DE |
| | | | 89 | AT | ID | ES |
| | | | 531 | AT | ID | IT |
| | | | 153 | AT | TH | ES |
| | | | 2494 | AT | TH | IT |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|----------------------|----------------|----------|------------------------------------|----|----|
| III | <i>Ptyas mucosus</i> | pairs of shoes | 61 | AU | BD | GR |
| | | | 560 | AU | BD | IT |
| | | | 4650 | AU | ID | ES |
| | | | 328 | AU | ID | IT |
| | | | 165 | AU | SG | ES |
| | | | 9163 | AU | TH | ES |
| | | | 25 | AU | TH | FR |
| | | | 539 | AU | TH | IT |
| | | | 186 | BB | ID | ES |
| | | | 24 | BB | TH | IT |
| | | | 12 | BD | TH | IT |
| | | | 42 | BM | TH | IT |
| | | | 36 | BS | BD | IT |
| | | | 54 | BS | TH | IT |
| | | | 6406 | CA | BD | IT |
| | | | 406 | CA | CN | IT |
| | | | 6972 | CA | ID | IT |
| | | | 5 | CA | IN | DE |
| | | | 36 | CA | IN | FR |
| | | | 9340 | CA | TH | IT |
| | | | 60 | CA | XX | IT |
| | | | 360 | CH | BD | ES |
| | | | 207 | CH | BD | GR |
| | | | 3497 | CH | BD | IT |
| | | | 125 | CH | CN | IT |
| | | | 1792 | CH | ID | ES |
| | | | 27 | CH | ID | FR |
| | | | 4933 | CH | ID | IT |
| | | | 58 | CH | IN | FR |
| | | | 11 | CH | IN | IT |
| | | | 1 | CH | NP | FR |
| | | | 30 | CH | NP | IT |
| | | | 28 | CH | TH | DE |
| | | | 2724 | CH | TH | ES |
| | | | 4872 | CH | TH | IT |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|----------------------|----------------|----------|------------------------------------|----|----|
| III | <i>Ptyas mucosus</i> | pairs of shoes | 2 | DE | ID | IT |
| | | | 2 | DE | TH | IT |
| | | | 3 | DO | ID | ES |
| | | | 3 | EG | ID | IT |
| | | | 14 | FI | BD | IT |
| | | | 311 | FI | ID | IT |
| | | | 305 | FI | TH | IT |
| | | | 192 | GF | ID | ES |
| | | | 1141 | GP | ID | ES |
| | | | 90 | GP | TH | IT |
| | | | 24 | GT | ID | IT |
| | | | 66 | GU | BD | IT |
| | | | 28 | GU | TH | IT |
| | | | 120 | GY | BD | IT |
| | | | 105 | GY | TH | IT |
| | | | 323 | HK | BD | IT |
| | | | 513 | HK | CN | IT |
| | | | 139 | HK | ID | ES |
| | | | 1413 | HK | ID | IT |
| | | | 37 | HK | NP | IT |
| | | | 820 | HK | TH | ES |
| | | | 2035 | HK | TH | IT |
| | | | 294 | ID | CH | IT |
| | | | 51 | ID | ID | IT |
| | | | 235 | ID | TH | IT |
| | | | 204 | IL | BD | IT |
| | | | 54 | IL | CN | IT |
| | | | 83 | IL | ID | IT |
| | | | 214 | IL | TH | IT |
| | | | 9 | IS | ID | IT |
| | | | 6 | IS | NP | IT |
| | | | 60 | IT | TH | IT |
| | | | 24 | JO | BD | IT |
| | | | 156 | JO | ID | IT |
| | | | 72 | JP | BD | ES |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|----------------------|----------------|----------|------------------------------------|----|----|
| III | <i>Ptyas mucosus</i> | pairs of shoes | 2134 | JP | BD | IT |
| | | | 152 | JP | CN | IT |
| | | | 249 | JP | ID | ES |
| | | | 1708 | JP | ID | IT |
| | | | 81 | JP | IN | FR |
| | | | 39 | JP | IN | IT |
| | | | 16 | JP | NP | IT |
| | | | 168 | JP | TH | ES |
| | | | 66 | JP | TH | FR |
| | | | 3682 | JP | TH | IT |
| | | | 66 | KR | BD | IT |
| | | | 44 | KW | BD | GR |
| | | | 718 | KW | BD | IT |
| | | | 72 | KW | ID | ES |
| | | | 581 | KW | ID | IT |
| | | | 487 | KW | TH | IT |
| | | | 78 | LB | BD | IT |
| | | | 28 | LB | ID | IT |
| | | | 218 | LB | TH | IT |
| | | | 24 | MC | BD | IT |
| | | | 12 | MC | ID | IT |
| | | | 12 | MC | SD | IT |
| | | | 1224 | MQ | ID | ES |
| | | | 13 | MQ | ID | IT |
| | | | 1109 | MQ | TH | ES |
| | | | 144 | MQ | TH | IT |
| | | | 113 | MY | BD | IT |
| | | | 40 | MY | ID | IT |
| | | | 1 | NG | ID | IT |
| | | | 54 | NG | SG | ES |
| | | | 24 | NL | TH | ES |
| | | | 146 | NO | BD | IT |
| | | | 119 | NO | ID | ES |
| | | | 74 | NO | ID | IT |
| | | | 13 | NO | NP | IT |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|----------------------|----------------|----------|------------------------------------|----|----|
| III | <i>Ptyas mucosus</i> | pairs of shoes | 47 | NO | SG | ES |
| | | | 230 | NO | TH | ES |
| | | | 93 | NO | TH | IT |
| | | | 102 | NZ | BD | IT |
| | | | 392 | NZ | ID | ES |
| | | | 84 | NZ | ID | IT |
| | | | 304 | NZ | TH | ES |
| | | | 183 | NZ | TH | IT |
| | | | 54 | PH | BD | IT |
| | | | 9 | PH | TH | IT |
| | | | 48 | PR | BD | ES |
| | | | 18 | PR | BD | IT |
| | | | 3274 | PR | ID | ES |
| | | | 5 | PR | ID | IT |
| | | | 114 | PR | SG | ES |
| | | | 636 | PR | TH | ES |
| | | | 72 | QA | ID | IT |
| | | | 12 | QA | TH | ES |
| | | | 328 | SA | BD | IT |
| | | | 835 | SA | ID | IT |
| | | | 264 | SA | TH | ES |
| | | | 90 | SA | TH | IT |
| | | | 18 | SD | TH | IT |
| | | | 245 | SE | BD | GR |
| | | | 831 | SE | BD | IT |
| | | | 62 | SE | CN | IT |
| | | | 28 | SE | ID | DE |
| | | | 280 | SE | ID | IT |
| | | | 72 | SE | NP | IT |
| | | | 3192 | SE | TH | IT |
| | | | 284 | SG | BD | IT |
| | | | 24 | SG | ID | ES |
| | | | 181 | SG | ID | IT |
| | | | 137 | SG | TH | ES |
| | | | 494 | SG | TH | IT |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|----------------------|----------------|----------|------------------------------------|----|----|
| III | <i>Ptyas mucosus</i> | pairs of shoes | 1739 | TR | ID | IT |
| | | | 178 | TW | BD | IT |
| | | | 54 | TW | ID | IT |
| | | | 6 | TW | IN | IT |
| | | | 324 | TW | TH | IT |
| | | | 86 | UA | ID | IT |
| | | | 1583 | US | AR | ES |
| | | | 7 | US | AR | IT |
| | | | 1179 | US | BD | ES |
| | | | 142 | US | BD | GR |
| | | 126130 | | US | BD | IT |
| | | | 225 | US | BG | ES |
| | | | 31 | US | BO | IT |
| | | | 728 | US | CN | ES |
| | | 43103 | | US | CN | IT |
| | | | 663 | US | HK | ES |
| | | | 30 | US | HT | ES |
| | | 151727 | | US | ID | ES |
| | | | 18 | US | ID | FR |
| | | 165404 | | US | ID | IT |
| | | | 128 | US | IN | FR |
| | | | 397 | US | IN | IT |
| | | | 118 | US | IS | ES |
| | | | 45 | US | MY | IT |
| | | | 51 | US | NE | IT |
| | | | 310 | US | NP | IT |
| | | | 13 | US | PG | IT |
| | | | 665 | US | PK | ES |
| | | | 1292 | US | SG | ES |
| | | | 89 | US | SV | IT |
| | | 508275 | | US | TH | ES |
| | | | 195 | US | TH | FR |
| | | 324569 | | US | TH | IT |
| | | | 36 | US | XS | IT |
| | | | 4111 | US | XX | IT |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|----------------------|----------------|----------|------------------------------------|----|----|
| III | <i>Ptyas mucosus</i> | pairs of shoes | 70 | US | ZA | IT |
| | | | 44 | VE | ID | IT |
| | | | 38 | VI | TH | IT |
| | | | 36 | XX | BD | IT |
| | | | 71 | XX | ID | IT |
| | | | 62 | XX | TH | IT |
| | | | 165 | ZA | BD | IT |
| | | | 238 | ZA | ID | IT |
| | | | 79 | ZR | BD | IT |
| | | skins | 800 | AT | BD | DE |
| | | | 120 | AT | CN | DE |
| | | | 33 | AT | CN | IT |
| | | | 328 | AT | ID | DE |
| | | | 100 | AT | TH | DE |
| | | | 5 | AT | TH | IT |
| | | | 260 | AU | ID | GB |
| | | | 170 | AU | ID | IT |
| | | | 10 | BR | TH | ES |
| | | | 401 | CA | BD | GB |
| | | | 53 | CA | CN | IT |
| | | | 1 | CA | ID | DE |
| | | | 10502 | CA | ID | GB |
| | | | 256 | CA | ID | IT |
| | | | 4471 | CA | TH | IT |
| | | | 6950 | CH | BD | DE |
| | | | 25 | CH | BD | IT |
| | | | 20 | CH | CN | IT |
| | | | 10250 | CH | ID | DE |
| | | | 3681 | CH | ID | IT |
| | | | 1 | CH | IN | FR |
| | | | 324 | CH | TH | IT |
| | | | 105 | CN | TH | IT |
| | | | 4000 | CO | TH | IT |
| | | | 3 | FI | CN | IT |
| | | | 10 | FI | TH | IT |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|---------------|-------------|----------|------------------------------------|----|----|
| III | Ptyas mucosus | skins | 14 | GY | ID | ES |
| | | | 1034 | HK | BD | IT |
| | | | 1633 | HK | CN | IT |
| | | | 19 | HK | TH | ES |
| | | | 5 | HK | TH | IT |
| | | | 2827 | ID | ID | GB |
| | | | 950 | IL | TH | IT |
| | | | 107 | JP | BD | IT |
| | | | 301 | JP | ID | IT |
| | | | 300 | JP | TH | IT |
| | | | 196 | KR | TH | IT |
| | | | 235 | MT | TH | IT |
| | | | 275 | NZ | BD | DE |
| | | | 357 | TH | TH | GB |
| | | | 50 | TN | NP | FR |
| | | | 1249 | TR | BD | IT |
| | | | 2530 | TR | CN | GB |
| | | | 1050 | TR | ID | DE |
| | | | 2732 | TR | ID | GB |
| | | | 3163 | TR | ID | IT |
| | | | 800 | TR | IN | DE |
| | | | 60 | TR | TH | DE |
| | | | 57863 | TR | TH | IT |
| | | | 199 | TW | TH | IT |
| | | | 500 | US | BD | DE |
| | | | 321 | US | BD | GB |
| | | | 22340 | US | BD | IT |
| | | | 9789 | US | CN | DE |
| | | | 2896 | US | CN | GB |
| | | | 10192 | US | CN | IT |
| | | | 39398 | US | ID | DE |
| | | | 370 | US | ID | ES |
| | | | 16131 | US | ID | GB |
| | | | 33119 | US | ID | IT |
| | | | 495 | US | NP | GB |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|----------------------|--------------------|----------|------------------------------------|----|----|
| III | <i>Ptyas mucosus</i> | skins | 763 | US | TH | ES |
| | | | 120 | US | TH | FR |
| | | | 1230 | US | TH | GB |
| | | | 4301 | US | TH | IT |
| | | | 4834 | VE | TH | IT |
| | | | 3535 | XX | CF | GB |
| | | | 1069 | XX | CN | GB |
| | | | 7717 | XX | ID | GB |
| | | | 7222 | XX | TH | GB |
| | | | 200 | ZA | BD | IT |
| | | | 4823 | ZA | ID | IT |
| | | | 409 | ZA | TH | IT |
| | | 4 sq.ft | | US | TH | IT |
| | | skin/leather items | 1 | AD | NP | FR |
| | | | 4 | AT | ID | IT |
| | | | 6 | AT | NP | FR |
| | | | 160 | AU | BD | IT |
| | | | 300 | AU | TH | IT |
| | | | 96 | BH | MY | IT |
| | | | 2700 | BM | BD | IT |
| | | | 1100 | BM | TH | IT |
| | | | 4500 | BS | TH | IT |
| | | | 435 | CA | BD | IT |
| | | | 33 | CA | ID | IT |
| | | | 63 | CA | IN | IT |
| | | | 1 | CA | TH | FR |
| | | | 158 | CA | TH | IT |
| | | | 28 | CH | ID | FR |
| | | | 1 | CH | ID | IT |
| | | | 5 | CH | IN | FR |
| | | | 5 | CH | NP | FR |
| | | | 44 | CH | TH | FR |
| | | | 646 | CH | TH | IT |
| | | | 16 | FI | TH | FR |
| | | | 7 | HK | IN | FR |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|----------------------|--------------------|----------|------------------------------------|----|----|
| III | <i>Ptyas mucosus</i> | skin/leather items | 8 | IL | TH | IT |
| | | | 21 | JP | BD | IT |
| | | | 6 | JP | CN | IT |
| | | | 351 | JP | ID | IT |
| | | | 141 | JP | IN | FR |
| | | | 1 | JP | TH | FR |
| | | | 669 | JP | TH | IT |
| | | | 18 | PA | BD | IT |
| | | | 200 | SE | TH | IT |
| | | | 5814 | US | BD | IT |
| | | | 9 | US | CN | IT |
| | | | 2843 | US | ID | ES |
| | | | 42 | US | ID | GB |
| | | | 2519 | US | ID | IT |
| | | | 354 | US | IN | FR |
| | | | 3 | US | NP | FR |
| | | | 9 | US | PK | IT |
| | | | 4056 | US | TH | ES |
| | | | 1485 | US | TH | FR |
| | | | 10203 | US | TH | IT |
| | | | 5 | XS | ID | IT |
| | | | 852 | XX | TH | IT |
| | | skin pieces | 6 | CH | BD | DE |
| | | | 5 | US | TH | ES |
| | | wallets | 108 | AT | ID | IT |
| | | | 64 | AU | TH | IT |
| | | | 58 | CA | ID | IT |
| | | | 210 | SE | ID | IT |
| | | | 492 | SE | TH | IT |
| | | | 662 | US | BD | DE |
| | | | 61 | US | BD | IT |
| | | | 969 | US | ID | DE |
| | | | 564 | US | ID | ES |
| | | | 344 | US | ID | IT |
| | | | 72 | US | MY | DE |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------------------------|---------------------|----------|------------------------------------|----|----|
| III | <i>Ptyas mucosus</i> | wallets | 277 | US | PK | IT |
| | | | 8572 | US | TH | ES |
| | | | 662 | US | TH | IT |
| | | watchstraps | 1 | CA | BD | IT |
| | | | 15 | CH | TH | FR |
| | | | 2 | JP | ID | IT |
| | | | 115 | US | TH | ES |
| | <i>Naja naja</i> | belts | 35 | CA | TH | IT |
| | | | 18 | JP | TH | FR |
| | | handbags | 1 | CH | IN | IT |
| | | live (captive bred) | 2 | IL | | GB |
| | | pairs of shoes | 12 | CA | ID | IT |
| | | | 51 | CA | IN | IT |
| | | | 36 | CN | TH | IT |
| | | | 100 | HK | IN | IT |
| | | | 108 | JP | ID | IT |
| | | | 48 | JP | IN | IT |
| | | | 36 | KR | ID | IT |
| | | | 36 | PH | ID | IT |
| | | | 2 | US | CN | IT |
| | | | 130 | US | ID | IT |
| | | | 12 | US | IN | IT |
| | | | 20188 | US | TH | IT |
| | | | 18 | US | XX | IT |
| | | skins | 50 | CA | TH | IT |
| | | | 99 | JP | TH | IT |
| | | | 530 | US | TH | IT |
| | | | 500 | ZA | PK | NL |
| | | skin/leather items | 268 | US | IN | IT |
| | | skin pieces | 1 | AT | ID | DE |
| | <i>Vipera russellii</i> | belts | 88 | CH | TH | IT |
| | | | 6 | HK | ID | IT |
| | | garments | 31 | JP | TH | IT |

| CITES EEC App. Annex | Taxon | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------------------------|----------------|----------|------------------------------------|----|----|
| III | <i>Vipera russellii</i> | garments | 2 | US | TH | IT |
| | | handbags | 3 | AT | IN | DE |
| | | | 136 | CH | TH | IT |
| | | | 20 | HK | TH | IT |
| | | | 20 | US | ID | IT |
| | | | 2 | US | TH | FR |
| | | | 106 | US | TH | IT |
| | | pairs of shoes | 522 | AR | TH | IT |
| | | | 345 | AT | ID | IT |
| | | | 25 | AT | IN | DE |
| | | | 795 | AT | TH | IT |
| | | | 90 | AU | TH | IT |
| | | | 678 | CA | ID | IT |
| | | | 12 | CA | IN | IT |
| | | | 3405 | CA | TH | IT |
| | | | 2637 | CH | ID | IT |
| | | | 48 | CH | IN | DE |
| | | | 2180 | CH | TH | IT |
| | | | 11 | FI | IN | IT |
| | | | 369 | HK | ID | IT |
| | | | 155 | HK | TH | IT |
| | | | 7 | ID | ID | IT |
| | | | 798 | ID | TH | IT |
| | | | 225 | IL | ID | IT |
| | | | 31 | JP | IN | IT |
| | | | 6 | JP | TH | IT |
| | | | 12 | NO | TH | IT |
| | | | 30 | SA | ID | IT |
| | | | 103 | TW | ID | IT |
| | | | 516 | US | CN | IT |
| | | | 10064 | US | ID | IT |
| | | | 112 | US | IN | IT |
| | | | 65226 | US | TH | IT |
| | | skins | 71 | CA | TH | IT |
| | | | 65 | MT | TH | IT |

| CITES EEC App. Annex | TAXON | Description | Quantity | Country of Import Origin Export | | |
|-------------------------|-------------------------|-------------|----------|------------------------------------|----|----|
| III | <i>Vipera russellii</i> | skins | 1000 | TR | IN | FR |
| | | | 6879 | TR | TH | IT |
| | | | 1742 | US | TH | DE |
| | | | 209 | US | TH | IT |

INDEX OF I.S.O. COUNTRY CODES USED

*S INTRODUCTION FROM THE SEA
AD ANDORRA
AE UNITED ARAB EMIRATES
AF AFGHANISTAN
AN NETHERLANDS ANTILLES
AO ANGOLA
AR ARGENTINA
AS AMERICAN SAMOA
AT AUSTRIA
AU AUSTRALIA
AW ARUBA
BB BARBADOS
BD BANGLADESH
BE BELGIUM
BF BURKINA FASO
BG BULGARIA
BH BAHRAIN
BI BURUNDI
BJ BENIN
BM BERMUDA
BN BRUNEI DARUSSALAM
BO BOLIVIA
BR BRAZIL
BS BAHAMAS
BU BURMA
BW BOTSWANA
BZ BELIZE
CA CANADA
CF CENTRAL AFRICAN REPUBLIC
CG CONGO
CH SWITZERLAND
CI COTE D'IVOIRE
CL CHILE
CM CAMEROON
CN CHINA

INDEX OF I.S.O. COUNTRY CODES USED

CO COLOMBIA
CR COSTA RICA
CS CZECHOSLOVAKIA
CU CUBA
CY CYPRUS
DD GERMAN DEMOCRATIC REPUBLIC
DE GERMANY, FEDERAL REPUBLIC OF
DJ DJIBOUTI
DK DENMARK
DM DOMINICA
DO DOMINICAN REPUBLIC
DZ ALGERIA
EC ECUADOR
EG EGYPT
ES SPAIN
ET ETHIOPIA
FI FINLAND
FJ FIJI
FK FALKLAND ISLANDS (MALVINAS)
FO FAEROE ISLANDS
FR FRANCE
GA GABON
GB UNITED KINGDOM
GF FRENCH GUIANA
GH GHANA
GI GIBRALTAR
GL GREENLAND
GM GAMBIA
GN GUINEA
GP GUADELOUPE
GQ EQUATORIAL GUINEA
GR GREECE
GT GUATEMALA
GU GUAM
GW GUINEA-BISSAU

INDEX OF I.S.O. COUNTRY CODES USED

GY GUYANA
HK HONG KONG
HN HONDURAS
HT HAITI
HU HUNGARY
ID INDONESIA
IE IRELAND
IL ISRAEL
IN INDIA
IQ IRAQ
IR IRAN (ISLAMIC REPUBLIC OF)
IS ICELAND
IT ITALY
JM JAMAICA
JO JORDAN
JP JAPAN
KE KENYA
KM COMOROS
KN SAINT KITTS AND NEVIS
KP KOREA, DEMOCRATIC PEOPLE'S REPUBLIC OF
KR KOREA, REPUBLIC OF
KW KUWAIT
KY CAYMAN ISLANDS
LA LAO PEOPLE'S DEMOCRATIC REPUBLIC
LB LEBANON
LC ST LUCIA
LI LIECHTENSTEIN
LK SRI LANKA
LR LIBERIA
LU LUXEMBOURG
LY LIBYAN ARAB JAMAHARIYA
MA MOROCCO
MC MONACO
MG MADAGASCAR
ML MALI

INDEX OF I.S.O. COUNTRY CODES USED

| | |
|----|------------------|
| MN | MONGOLIA |
| MO | MACAU |
| MQ | MARTINIQUE |
| MT | MALTA |
| MU | MAURITIUS |
| MV | MALDIVES |
| MW | MALAWI |
| MX | MEXICO |
| MY | MALAYSIA |
| MZ | MOZAMBIQUE |
| NA | NAMIBIA |
| NC | NEW CALEDONIA |
| NE | NIGER |
| NG | NIGERIA |
| NI | NICARAGUA |
| NL | NETHERLANDS |
| NO | NORWAY |
| NP | NEPAL |
| NZ | NEW ZEALAND |
| OM | OMAN |
| PA | PANAMA |
| PE | PERU |
| PF | FRENCH POLYNESIA |
| PG | PAPUA NEW GUINEA |
| PH | PHILIPPINES |
| PK | PAKISTAN |
| PL | POLAND |
| PR | PUERTO RICO |
| PT | PORTUGAL |
| PY | PARAGUAY |
| QA | QATAR |
| RE | REUNION |
| RO | ROMANIA |
| RW | RWANDA |
| SA | SAUDI ARABIA |

INDEX OF I.S.O. COUNTRY CODES USED

SB SOLOMON ISLANDS
SC SEYCHELLES
SD SUDAN
SE SWEDEN
SG SINGAPORE
SL SIERRA LEONE
SN SENEGAL
SO SOMALIA
SR SURINAME
SU UNION OF SOVIET SOCIALIST REPUBLICS
SV EL SALVADOR
SY SYRIA
TD CHAD
TG TOGO
TH THAILAND
TN TUNISIA
TR TURKEY
TT TRINIDAD AND TOBAGO
TV TUVALU
TW TAIWAN, PROVINCE OF
TZ TANZANIA, UNITED REPUBLIC OF
UA UKRAINIAN S.S.R.
UG UGANDA
US UNITED STATES
UY URUGUAY
VE VENEZUELA
VI VIRGIN ISLANDS, U.S.
VN VIET NAM
XC CARIBBEAN
XE EUROPE
XF AFRICA
XM SOUTH AMERICA
XS ASIA
XX COUNTRY UNKNOWN
YE YEMEN

INDEX OF I.S.O. COUNTRY CODES USED

YU YUGOSLAVIA
ZA SOUTH AFRICA
ZM ZAMBIA
ZR ZAIRE
ZW ZIMBABWE

This tabulation was prepared by WTMU on 5 July 1989

European Communities — Commission

Convention on International Trade in Endangered Species of Wild Fauna and Flora — EC annual report 1987

Document

Luxembourg: Office for Official Publications of the European Communities

1989 — 532 pp. — 21.0 × 29.7 cm

EN

ISBN 92-825-9927-2

Catalogue number: CB-56-89-732-EN-C

Price (excluding VAT) in Luxembourg: ECU 42.75

**Venta y suscripciones · Salg og abonnement · Verkauf und Abonnement · Πωλήσεις και συνδρομές
Sales and subscriptions · Vente et abonnements · Vendita e abbonamenti
Verkoop en abonnementen · Venda e assinaturas**

BELGIQUE / BELGIË

Moniteur belge / Belgisch Staatsblad
42, Rue de Louvain / Louverweg 42
1000 Bruxelles / 1000 Brussel
Tél. 512 00 26
Télecopieur: 511 01 84
CCP / Postrekening 000-2006502-27

Sous-dépôts / Agentschappen:
Librairie européenne / Europees Boekhandel
Avenue Albert Jonart 50 / Albert Jonnartlaan 50
1200 Bruxelles / 1200 Brussel
Tél. 734 02 81
Télecopieur: 735 08 80

Jean De Lannoy
Avenue du Roi 202 / Korenmarktlaan 202
1060 Bruxelles / 1060 Brussel
Tél. (02) 538 5169
Telex 63220 UNBOOK B

CREDOC
Rue de la Montagne 34 / Bergstraat 34
Bte 11 / Bus 11
1000 Bruxelles / 1000 Brussel

DANMARK

J. H. Schultz Information A/S
EF-Publicationer
Ottikavej 18
2500 Valby
Tlf: 38 44 22 68
Telefax: 38 44 01 41
Girokonto 6 00 08 86

BR DEUTSCHLAND

Bundesanzeiger Verlag
Breite Straße
Postfach 10 80 08
5000 Köln
Tel. (0211) 20 29 0
Fernschreiber
ANZEIGER BONN 8 882 595
Telex: 20 29 278

GREECE

G.C. Eleftheroudakis SA
International Bookstore
4 Nikis Street
105 83 Athens
Tel. 3226-323
Telex: 219410 ELEF
Telefax: 3254 889

Sub-agent for Northern Greece:
Molho's Bookstore
The Business Bookshop
10 Tsimiski Street
Thessaloniki
Tel. 275 271
Telex: 412885 LIMO

ESPAÑA

Boletín Oficial del Estado
Tránsito 27
E-28010 Madrid
Tel. (91) 446 60 00

Mundi-Prensa Libros, S.A.
Castelló 37
E-28001 Madrid
Tel. (91) 431 33 99 (Libros)
431 32 22 (Suscripciones)
435 36 37 (Dirección)
Telex 49370-MPLI-E
Telefax: (91) 275 39 98

FRANCE

Journal officiel
Service des publications
des Communautés européennes
26, rue Desaix
75722 Paris Cedex 15
Tel. (1) 40 58 75 00
Télecopieur: (1) 4058 7574

IRELAND

Government Publications Sales Office
Sun Alliance House
Molenvorth Street
Dublin 2
Tel. 71 03 09
or by post:
Government Stationery Office
EEC Section
6th floor
Bishop Street
Dublin 8
Tel. 78 16 66

ITALIA

Licosa SpA
Via Benedetto Fortini, 120/10
Casella postale 552
50 125 Firenze
Tel. 64 54 15
Telex: 64 12 57
Telex 570466 LICOSA I
CCP 343 509
Subagent:
Libreria scientifica Lucio de Biasio - AEIOU
Via Merenghi, 16
20 123 Milano
Tel. 80 76 79

GRAND-DUCHÉ DE LUXEMBOURG

Abonnements seulement
Subscriptions only
Nur für Abonnements
Messageries Paul Kraus
11, rue Christophe Plantin
L-2339 Luxembourg
Tel. 48 21 31
Telex 25 15
CCP 49242-63

NEDERLAND

SDU uitgeverij
Christoffel Plantijnstraat 2
Postbus 20014
2500 EA s-Gravenhage
Tel. (070) 78 98 80 (bestellingen)
Telefax: (070) 476351

PORTUGAL

Imprensa Nacional
Casa da Moeda, E.P.
Rua D. Francisco Manuel de Melo, 5
1092 Lisboa Codex
Tel. 89 34 14
Distribuidora Livros Bertrand Lda.
Grupo Bertrand, S.A.R.L.
Rua das Terras dos Vales, 4-A
Apart. 37
2700 Amadora Codex
Tel. 493 30 50 / 494 87 88
Telex 19798 BERDIS

UNITED KINGDOM

HMSO Books (PC 16)
HMSO Publications Centre
51 Nine Elms Lane
London SW8 5DR
Tel. (01) 873 9090
Fax: GP3 873 8463
Sub-agent:
Alan Armstrong Ltd
2 Arkwright Road
Reigate, Surrey RG2 0SQ
Tel. (0734) 75 17 71
Telex 849937 AAALTD G
Fax: (0734) 755164

SUISSE

OSEC
Stampfenbachstraße 85
CH-8035 Zürich
Tel. (01) 365 51 51
Fax: (01) 365 52 21

ÖSTERREICH

Manzische Verlagbuchhandlung
Kohlmarkt 16
1014 Wien
Tel. (0222) 531 61 0
Telex 11 25 00 BOX A
Telefax: (0222) 531 61 81

TURKIYE

Dünya super web offset A.Ş.
Narılıbaşı Sokak No. 15
Çegaloğlu
İstanbul
Tel. 512 01 90
Telex 23822 dsvo-tr

UNITED STATES OF AMERICA

UNIPUB
4501-F Assembly Drive
Lanham, MD 20706-4391
toll free (800) 274-4888
Fax: (301) 459-0066
Telex 7108260418

CANADA

Renouf Publishing Co., Ltd
61 Sparks Street
Ottawa
Ontario K1P 5R1
Tel. Toll Free 1 (800) 267 4164
Ottawa Region (613) 238 8985-6
Telex 053 4936

JAPAN

Kinokuniya Company Ltd
17-2 Shinjuku 3-Chome
Shinjuku-ku
Tokyo 160-91
Tel. (03) 354 0131

Journal Department
PO Box 55 Chitose
Tokyo 156
Tel. (03) 439 0124

AUTRES PAYS OTHER COUNTRIES ANDERE LANDER

Office des publications officielles
des Communautés européennes
2, rue Mercier
L-2985 Luxembourg
Tel. 49 92 81
Telex PUBCO LU 1324 b
CC bancaire BIL 8-109/6003/700

Price (excluding VAT) in Luxembourg: ECU 42.75

ISBN 92-825-9927-2

 OFFICE FOR OFFICIAL PUBLICATIONS
OF THE EUROPEAN COMMUNITIES

L - 2985 Luxembourg

