

COMMISSION OF THE EUROPEAN COMMUNITIES

COM(89) 423 final

Brussels, 8 September 1989

D r a f t

DECISION OF THE REPRESENTATIVES OF THE GOVERNMENTS OF THE MEMBER
STATES OF THE EUROPEAN COAL AND STEEL COMMUNITY,
MEETING WITHIN THE COUNCIL

establishing ceilings and Community supervision for imports of certain
goods falling under the ECSC Treaty originating in Yugoslavia
(1990)

(presented by the Commission)

EXPLANATORY MEMORANDUM

1. The Agreement between the Member States of the European Coal and Steel Community and the European Coal and Steel Community on the one hand and the Socialist Federal Republic of Yugoslavia on the other hand provides for dutyfree import into the Community of certain steel products falling under Chapters 26, 27 and 73 of the Common Customs tariff and originating in Yugoslavia. As an exception to this provision Article 3 stipulates that the imports of some of these goods shall be subject to ceilings above which the customs duties applicable to third countries may be introduced until the end of the calendar year (1).
2. Article 12 of the Agreement provides for the progressive abolition of trade obstacles to be carried on in stages, the first stage of 5 years having expired on 31 March 1988. Pending conclusion of an additional Protocol to this Agreement, the Representatives of the Governments of the Member States have extended by Decision (88/652/ECSC), the system provided for by Article 3 of the Agreement for the year 1990.
3. Within the limits of these tariff ceilings, the Kingdom of Spain and the Portuguese Republic shall apply customs duties calculated according to Decision 87/603/ECSC of the Representatives of the Governments of the Member States, meeting with the Council, and of the Commission of 21 December 1987 laying down the arrangements for Spain's and Portugal's trade with Yugoslavia in products falling under the ECSC Treaty and amending Decisions 86/69/ECSC and 87/456/ECSC.
4. The draft Decision joined hereto has as its objective :
 - to establish the ceilings to be applied in 1990 for imports of certain steel products originating in Yugoslavia,
 - to establish the rules under which customs duties may be reintroduced under certain conditions and
 - to establish a system of surveillance relating to imports of the product subject to ceilings.

(1) The amounts of certain of these ceilings have been increased autonomously by DECISION OF THE REPRESENTATIVES OF THE GOVERNMENTS OF THE MEMBER STATES OF THE EUROPEAN COAL AND STEEL COMMUNITY MEETING WITHIN THE COUNCIL, of 18.4.1983 laying down the arrangements applicable to trade between Greece and Yugoslavia in products covered by that Community (OJ No L 126, 13.5.1983, p. 18).

5. Implementation of these two measures :

(a) annual ceilings, and

(b) reintroduction of customs duties,

implies the adoption of precise common rules to be applied uniformly by all Member States. These requirements may be met by the establishment of a Community system of surveillance of actual imports from the partner country. To this end, the Member States should take appropriate measures to permit the rapid collection of statistical returns at Community level. In this connection it is necessary to take into account only imports of the products in question as and when they are entered with Customs authorities for free circulation and accompanied by a movement certificate conforming to the rules contained in the Agreement referred to under 1 above.

These returns should be drawn up by each Member State at the end of every month and forwarded by the fifteenth day of the following month to the Commission so as to enable the latter to communicate to all the Member States the overall, product-by-product returns for the imports in question in the preceding month. The system of surveillance will require diligent and close co-operation between the responsible departments of the Member States and the Commission.

6. The following system would be adopted for setting in train machinery to reintroduce duties : if one of the overall monthly returns drawn up by the Commission revealed that 75 % of the ceiling fixed for a given product had been reached, consultations could be held, for example in the working Party on Economic Tariff Problems, either at the request of a Member State or upon the Commission's initiative. The aim of these consultations would be to examine, case by case, the reintroduction or not of the levying of customs duties applicable to third countries once the ceiling is actually reached. Monthly returns would still be made in respect of imports of the product in question or, if requested by the Commission, by telex at intervals of ten days. The maximum delay for the transmission of this last mentioned information is five days.

7. As far as application of the rule on ceilings and reintroduction of duties is concerned, the drafts make provisions for conferring powers of the Council upon the Commission.

In these conditions the Commission would be able within the shortest possible time, either to take measures leading to the reintroduction of customs duties in respect of the partner country until the end of the calendar year, or to coordinate the necessary procedures in the case of the initiative being taken by a Member State.

The draft Decision does no more than outline in broad terms how these powers are to be exercised so that, the machinery to be established may be adopted flexibly and rapidly, in close collaboration with the Member States.

ANNEX : Draft for a Council Decision.

DRAFT

DECISION OF THE REPRESENTATIVES OF THE GOVERNMENTS OF THE
MEMBER STATES, MEETING WITHIN THE COUNCIL

of

establishing ceilings and Community supervision for imports of certain goods falling under the
ECSC Treaty originating in Yugoslavia (1990)

89 / / ECSC

THE REPRESENTATIVES OF THE GOVERNMENTS OF THE
MEMBER STATES OF THE EUROPEAN COAL AND STEEL
COMMUNITY, MEETING WITHIN THE COUNCIL,

In agreement with the Commission,

HAVE DECIDED AS FOLLOWS:

Article 1

1. From 1 January to 31 December 1990 imports into the Community of certain products originating in Yugoslavia and indicated in Article 3 of the Agreement between the Member States of the European Coal and Steel Community, of the one part, and the Socialist Federal Republic of Yugoslavia, of the other part ⁽¹⁾, shall be subject to annual ceilings and to Community supervision in the Community.

2. In application of the provisions of Article 12 of the Agreement, the contracting parties will begin negotiations towards concluding an additional Protocol to the Agreement determining the future regime of their commerce. Pending the conclusion of the Protocol in question, the Community, by its Decision 88/652/ECSC ⁽²⁾, has extended for 1990 the system provided for by Article 3 of the Agreement.

3. Within the limits of these tariff ceilings, the Kingdom of Spain and the Portuguese Republic shall apply customs duties calculated according to Decision 87/603/ECSC of the Representatives of the Governments of the Member States, meeting within the Council, and of the Commission of 21 December 1987 laying down the arrangements for

⁽¹⁾ OJ No L 41, 14. 2. 1983, p. 113.
⁽²⁾ OJ No L 367, 31.12.1988, p. 78

Spain's and Portugal's trade with Yugoslavia in products falling under the ECSC Treaty and amending Decisions 86/69 ECSC and 87/456/ECSC ⁽³⁾

The description of the goods referred to in the preceding subparagraph, their CN codes and the levels of the indicative ceilings are given in the Annex hereto.

4. Amounts shall be set off against the ceilings as and when the goods are entered with customs authorities for free circulation and accompanied by a movement certificate conforming to the rules contained in Protocol 3 to the Cooperation Agreement between the European Economic Community and the Socialist Federal Republic of Yugoslavia ⁽⁴⁾

Goods shall be set off against the ceilings only if the movement certificate has been submitted before the date on which customs duties are re-established.

The reaching of a ceiling shall be determined at Community level on the basis of imports set off against it in the manner defined in the preceding subparagraphs.

The Member States shall periodically inform the Commission of imports effected in accordance with the above rules; such information shall be supplied under the conditions laid down in paragraph 6.

5. As soon as the ceilings are reached at Community level, Member States may at any time, at the request of any one of them or of the Commission, and in respect of the whole of the Community, re-establish the levying of the customs duties applicable to third countries.

⁽³⁾ OJ No L 389, 31. 12. 1987, p. 61.
⁽⁴⁾ OJ No L 41, 14. 2. 1983, p. 2.

Within the framework of the foregoing provisions, the Commission shall coordinate the procedures for re-establishing the customs duties applicable to third countries, in particular by notifying the date common to the whole of the Community and directly applicable in each Member State. The notification shall be published in the *Official Journal of the European Communities*.

6. Member States shall forward to the Commission, not later than the 15th day of each month, statements of the amounts set off during the preceding month. They shall, if the Commission so requests, make up such statements for periods of 10 days and forward them within five clear days of expiry of the preceding 10-day period.

Article 2

Member States and the Commission shall cooperate **closely** to ensure that this Decision is complied with.

Article 3

Member States shall take all measures necessary to implement this Decision.

Done at Brussels,

The President

ANNEX (a)

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
06.0010		Pig iron and spiegeleisen in pigs, blocks or other primary forms: – Non-alloy pig iron containing by weight 0,5% or less of phosphorus: – – Containing by weight not less than 0,4% of manganese: 7201 10 11 – – – Containing by weight 1% or less of silicon 7201 10 19 – – – Containing by weight more than 1% of silicon 7201 10 30 – – Containing by weight not less than 0,1% but less than 0,4% of manganese 7201 10 90 – – Containing by weight less than 0,1% of manganese 7201 20 00 – Non-alloy pig iron containing by weight more than 0,5% of phosphorus – Alloy pig iron: 7201 30 10 – – Containing by weight not less than 0,3% but not more than 1% of titanium and not less than 0,5% but not more than 1% of vanadium 7201 30 90 – – Other 7201 40 00 – Spiegeleisen Ferro-alloys: – Other: – – Other: – – – Ferro-phosphorus: 7202 99 11 – – – – Containing by weight more than 3% but less than 15% of phosphorus Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99,94%, in lumps, pellets or similar forms: 7203 90 00 – Other	26.769
06.0020		Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, hot-rolled, not clad, plated or coated: – In coils, not further worked than hot-rolled, of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa: 7208 11 00 – – Of a thickness exceeding 10 mm – – Of a thickness of 4,75 mm or more but not exceeding 10 mm: 7208 12 10 – – – Intended for re-rolling ⁽¹⁾ – – – Other: 7208 12 91 – – – – With patterns in relief 7208 12 99 – – – – Other – – Of a thickness of 3 mm or more but less than 4,75 mm: 7208 13 10 – – – Intended for re-rolling ⁽¹⁾ – – – Other: 7208 13 91 – – – – With patterns in relief 7208 13 99 – – – – Other – – Of a thickness of less than 3 mm: 7208 14 10 – – – Intended for re-rolling ⁽¹⁾ 7208 14 90 – – – Other – Other, in coils, not further worked than hot-rolled: – – Of a thickness exceeding 10 mm: 7208 21 10 – – – With patterns in relief	38.862

⁽¹⁾ Entry within this code is subject to conditions laid down in the relevant Community provisions.

Notwithstanding the rules for the interpretation of the combined nomenclature, the wording for the designation of the products is to be considered as having no more than an indicative value, the preferential scheme being determined, within the context of this Annex, by the application of the CN code where ex CN codes position are indicated, the preferential scheme is to be determined by application of the CN code and corresponding description taken together.

Order No	CIN code	Description	Ceiling tonnes
(1)	(2)	(3)	(4)
06.0020 (cont'd)	7208 21 90	- - - Other	38.862 (cont'd)
		- - Of a thickness of 4,75 mm or more but not exceeding 10 mm:	
	7208 22 10	- - - Intended for re-rolling (1)	
		- - - Other:	
	7208 22 91	- - - - With patterns in relief	
	7208 22 99	- - - - Other	
		- - Of a thickness of 3 mm or more but less than 4,75 mm:	
	7208 23 10	- - - Intended for re-rolling (1)	
		- - - Other:	
	7208 23 91	- - - - With patterns in relief	
	7208 23 99	- - - - Other	
		- - Of a thickness of less than 3 mm:	
	7208 24 10	- - - Intended for re-rolling (1)	
	7208 24 90	- - - Other	
		Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated:	
		- Not further worked than hot-rolled, of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:	
		- - Other, of a thickness of 4,75 mm or more:	
ex 7211 12 10	- - - Of a width exceeding 500 mm: - (2)		
	- - Other:		
ex 7211 19 10	- - - Of a width exceeding 500 mm: - (2)		
	- Other, not further worked than hot-rolled:		
	- - Other, of a thickness of 4,75 mm or more:		
ex 7211 22 10	- - - Of a width exceeding 500 mm: - (2)		
	- - Other:		
ex 7211 29 10	- - - Of a width exceeding 500 mm: - (2)		
06.0030		Semi-finished products of iron or non-alloy steel:	25.607
		- Containing by weight less than 0,25% of carbon:	
		- - Other:	
		- - - Of circular or polygonal cross-section:	
		- - - - Rolled or obtained by continuous casting:	
	7207 19 15	- - - - - Other	
		- Containing by weight 0,25% or more of carbon:	
		- - Or circular or polygonal cross-section:	
		- - - Rolled or obtained by continuous casting:	
		- - - - Other:	
	7207 20 55	- - - - - Containing by weight 0,25% or more but less than 0,6% of carbon	
	Bars and rods, hot-rolled, in irregularly wound coils of iron or non-alloy steel:		
7213 10 00	- Containing indentations, ribs, grooves or other deformations produced during the rolling process		
7213 31 00	- Other, containing by weight less than 0,25% of carbon		
7213 39 00			
7213 41 00	- Other, containing by weight 0,25% or more but less than 0,6% of carbon		
7213 49 00			

(1) Entry within this code is subject to conditions laid down in the relevant Community provisions.
(2) Flat-rolled products of a weight of 500 kg or more.

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
06.0030 (cont'd)	<p>7214 20 00</p> <p>7214 40 10 7214 40 91 7214 40 99</p> <p>7214 50 10 7214 50 91 7214 50 99</p> <p>7215 90 10</p> <p>7228 80 90</p>	<p>Other bars and rods of other alloy steel, not further worked than forged hot-rolled, hot-drawn or hot-extruded but including those twisted after rolling:</p> <ul style="list-style-type: none"> - Containing indentations, ribs, grooves, or other deformations produced during the rolling process or twisted after rolling - Other, containing by weight less than 0,25 % of carbon - Other, containing by weight 0,25 % or more but less than 0,6 % of carbon <p>Other bars and rods of iron or non-alloy steel:</p> <ul style="list-style-type: none"> - Other: - - Hot-rolled, hot-drawn or extruded not further worked than clad <p>Other bars and rods of other alloy steel, angles, shapes and sections of other alloy steel:</p> <ul style="list-style-type: none"> - Hollow drill bars and rods: - - Of non-alloy steel 	<p>25.607 (cont'd)</p>
06.0040	<p>7207 19 31</p> <p>7207 20 71</p> <p>7216 10 00</p> <p>7216 21 00 7216 22 00</p> <p>7216 31 00 7216 32 00 7216 33 00</p> <p>7216 40 10 7216 40 90</p> <p>7216 50 10 7216 50 90</p> <p>7216 90 10</p> <p>7301 10 00</p>	<p>Semi-finished products of iron or non-alloy steel:</p> <ul style="list-style-type: none"> - Containing by weight less than 0,25 % of carbon: - - Other: - - - Blanks for angles, shapes and sections: - - - Rolled or obtained by continuous casting - Containing by weight 0,25 % or more of carbon: - - Blanks for angles, shapes and sections: - - - Rolled or obtained by continuous casting <p>Angles, shapes and sections of iron or non-alloy steel:</p> <ul style="list-style-type: none"> - U-, I- or H-sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm - L- or T-sections, not further worked than hot-rolled, hot-drawn or extruded of a height of less than 80 mm - U-, I- or H-sections, not further worked than hot-rolled, hot-drawn or extruded of a height of 80 mm or more - L- or T-sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more - Other angles, shapes and sections, not further worked than hot-rolled, hot-drawn or extruded - Other: - - Hot-rolled, hot-drawn or extruded, not further worked than clad: <p>Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements, welded angles, shapes and sections, of iron or steel</p> <ul style="list-style-type: none"> - Sheet piling 	<p>3.652</p>
06.0050		<p>Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, clad, plated or coated</p> <ul style="list-style-type: none"> - Not further worked than hot-rolled, of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa: - - Other, of a thickness of 4,75 mm or more: 	<p>7.551</p>

69

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
06.0050 (cont'd)	ex 7211 12 90	- - - Of a width not exceeding 500 mm: - (1)	7.551 (cont'd)
		- - Other:	
		- - - Of a width not exceeding 500 mm:	
	ex 7211 19 91	- - - - Of a thickness of 3 mm or more but less than 4,75 mm: - (2)	
	7211 19 99	- - - - Of a thickness of less than 3 mm: - (1)	
		- Other, not further worked than hot-rolled:	
		- - Other, of a thickness of 4,75 mm or more:	
	ex 7211 22 90	- - - Of a width not exceeding 500 mm: - (1)	
		- Other, not further worked than hot-rolled:	
		- - Other:	
		- - - Of a width not exceeding 500 mm (E.C.S.C.):	
	ex 7211 29 91	- - - - Of a thickness of 3 mm or more but less than 4,75 mm: - (1)	
	ex 7211 29 99	- - - - Of a thickness of less than 3 mm: - (1)	
	- Other, not further worked than cold-rolled (cold-reduced) :		
	- - Containing by weight less than 0.25 % of carbon :		
	- - - Of a width not exceeding 500 mm :		
7211 41 91	- - - - In coils intended for the manufacture of tinplate		
	- Clad:		
	- - Of a width not exceeding 500 mm :		
	- - - Not further worked than surface-treated:		
ex 7212 60 91	- - - - Hot-rolled, not further worked than clad: - (1)		
06.0060		Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, hot-rolled, not clad, plated or coated:	46.838
		- Not in coils, not further worked than hot-rolled, of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:	
		- - Other, of a thickness exceeding 10 mm	
	7208 32 10		
	7208 32 30		
	7208 32 51		
	7208 32 59		
	7208 32 91		
	7208 32 99		
	7208 33 10	- - Other, of a thickness of 4,75 mm or more but not exceeding 10 mm	
	7208 33 91		
	7208 33 99		
	7208 34 10	- - Other, of a thickness of 3 mm or more but less than 4,75 mm	
	7208 34 90		
	7208 35 10	- - Other, of a thickness of less than 3 mm	
	7208 35 91		
	7208 35 93		
	7208 35 99		
		- - Other, not in coils, not further worked than hot-rolled	
		- - Other, of a thickness exceeding 10 mm	
	7208 42 10		
	7208 42 30		
	7208 42 51		
	7208 42 59		
	7208 42 91		
	7208 42 99		
	7208 43 10	- - Other, of a thickness of 4,75 mm or more but not exceeding 10 mm	
	7208 43 91		
	7208 43 99		
	7208 44 10	- - Other, of a thickness of 3 mm or more but less than 4,75 mm	
	7208 44 90		
	7208 45 10	- - Other, of a thickness of less than 3 mm	
	7208 45 91		
7208 45 93			
7208 45 99			
	- Other:		
7208 90 10	- - Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)		

(1) Other than products of steel consisting, by weight, not less than 0,60 % of carbon and having a content, by weight, less than 0,04 % of phosphorus and sulphur taken separately and less than 0,07 % of these elements taken together.

10

Order No (1)	CN code (2)	Description (3)	Ceiling (tonnes) (4)
06.0060 (cont'd)		<p>Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold-reduced) not clad, plated or coated:</p> <ul style="list-style-type: none"> - In coils, not further worked than cold-rolled (cold-reduced) of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa: <ul style="list-style-type: none"> - - Of a thickness exceeding 1 mm but less than 3 mm - - Of a thickness of 0,5 mm or more but not exceeding 1 mm - - Of a thickness of less than 0,5 mm - - Other, in coils not further worked than cold-rolled (cold-reduced): <ul style="list-style-type: none"> - - Of a thickness exceeding 1 mm but less than 3 mm - - Of a thickness of 0,5 mm or more but not exceeding 1 mm - - Of a thickness of less than 0,5 mm - Not in coils, not further worked than cold-rolled (cold-reduced) of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa: <ul style="list-style-type: none"> - - Of a thickness exceeding 1 mm but less than 3 mm - - Of a thickness of 0,5 mm or more but not exceeding 1 mm - - Of a thickness of less than 0,5 mm - - Other, not in coils, not further worked than cold-rolled (cold-reduced): <ul style="list-style-type: none"> - - Of a thickness exceeding 1 mm but not exceeding 3 mm - - Of a thickness of 0,5 mm or more but not exceeding 1 mm - - Of a thickness of less than 0,5 mm - - Other: <p>Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, clad, plated or coated:</p> <ul style="list-style-type: none"> - Plated or coated with tin: <ul style="list-style-type: none"> - - Of a thickness of 0,5 mm or more: <ul style="list-style-type: none"> - - - Not further worked than surface-treated or simply cut into shapes other than rectangular (including square) - - - Of a thickness of less than 0,5 mm: - - - Not further worked than surface-treated or simply cut into shapes other than rectangular (including square) - Plated or coated with lead, including terne-plate: <ul style="list-style-type: none"> - - Not further worked than surface-treated or simply cut into shapes other than rectangular (including square) - Electrolytically plated or coated with zinc: <ul style="list-style-type: none"> - - Of steel of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or a thickness of 3 mm or more and having a minimum yield point of 355 MPa: <ul style="list-style-type: none"> - - - Not further worked than surface-treated or simply cut into shapes other than rectangular (including square) - - - Other: 	<p style="text-align: right;">46.838 (cont'd)</p>

M

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
06.0060 (cont'd)	7210 39 10	- - - Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	46.838 (cont'd)
		- Otherwise plated or coated with zinc:	
		- - Corrugated:	
	7210 41 10	- - - Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
		- - Other:	
	7210 49 10	- - - Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
		- Plated or coated with chromium oxides or with chromium and chromium oxides:	
	7210 50 10	- - Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
		- Plated or coated with aluminium:	
		- - Not further worked than surface-treated or simply cut into shapes other than rectangular (including square):	
	7210 60 11	- - - Plated or coated with aluminium-zinc alloys	
	7210 60 19	- - - Other	
		- Painted, varnished or plastic coated:	
	7210 70 11	- - Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
	7210 70 19	- - Other:	
		- - Other:	
	7210 90 31	- - - Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
	7210 90 33		
	7210 90 35		
	7210 90 39		
		Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated:	
		- Not further worked than hot-rolled, of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:	
		- - Other, of a thickness of 4,75 mm or more:	
ex 7211 12 10	- - - Of a width exceeding 500 mm:		
	- (1)		
	- - Other:		
ex 7211 19 10	- - - Of a width exceeding 500 mm:		
	- (1)		
	- Other, not further worked than hot-rolled:		
	- - Other, of a thickness of 4,75 mm or more:		
ex 7211 22 10	- - - Of a width exceeding 500 mm:		
	- (1)		
	- - Other:		
ex 7211 29 10	- - - Of a width exceeding 500 mm:		
	- (1)		
	Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated:		
	- Not further worked than cold-rolled (cold-reduced) of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:		
7211 30 10	- - Of a width exceeding 500 mm		
	- Other, not further worked than cold-rolled (cold-reduced):		
	- - Containing by weight less than 0,25 % of carbon:		
7211 41 10	- - - Of a width exceeding 500 mm		
	- - Other:		
7211 49 10	- - - Of a width exceeding 500 mm		
	- Other:		
	- - Of a width exceeding 500 mm:		

(1) Not including flat-rolled products of a weight of 500 kg or more.

12

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
06.0060 (cont'd)	7211 90 11 7212 10 10 7212 21 11 7212 29 11 7212 30 11 7212 40 10 7212 40 91 7212 50 31 7212 50 51 7212 60 11	- - - Not further worked than surface-treated Flat-rolled products of iron or non-alloy steel, of a width of less than 500 mm, clad, plated or coated: - Plated or coated with tin: - - Tinplate, not further worked than surface-treated - Electrolytically plated or coated with zinc: - - Of steel of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa: - - - Of a width exceeding 500 mm: - - - - not further worked than surface-treated - - Other: - - - Of a width exceeding 500 mm: - - - - Not further worked than surface-treated - Otherwise plated or coated with zinc: - - Of a width exceeding 500 mm: - - - Not further worked than surface-treated - Painted, varnished or plastic coated: - - Tin plate, not further worked than varnished - - Other: - - - Of a width exceeding 500 mm: - - - - Not further worked than surface-treated - Otherwise plated or coated: - - Of a width exceeding 500 mm: - - - Lead-coated: - - - - Not further worked than surface-treated - - - Other: - - - - Not further worked than surface-treated - Clad: - - Of a width exceeding 500 mm: - - - Not further worked than surface-treated	46.838 (cont'd)
06.0070	7204 50 90 7206 10 00 7207 11 11 7207 19 11	Ferrous waste and scrap; remelting scrap ingots of iron or steel: - Remelting scrap ingots: - - Other Iron and non-alloy steel in ingots or other primary forms (excluding iron of code 7203) - Ingots (ECSC) Semi-finished products of iron or non-alloy steel - Containing by weight less than 0,25 % of carbon: - - Of rectangular (including square) cross-section, the width measuring less than twice the thickness: - - - Rolled or obtained by continuous casting: - - - - Free-cutting steel - - Other: - - - Of circular or polygonal cross-section: - - - - Rolled or obtained by continuous casting: - - - - - Of free-cutting steel - Containing by weight 0,25 % or more of carbon: - - Of rectangular (including square) cross-section, the width measuring less than twice the thickness: - - - Rolled or obtained by continuous casting:	25.515

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
06.0070 (cont'd)	7207 20 11	- - - - Free-cutting steel	25.515 (cont'd)
	7207 20 17	- - - - Other, containing by weight: - - - - 0,6 % or more of carbon - - Of circular or polygonal cross-section: - - - Rolled or obtained by continuous casting:	
	7207 20 51	- - - - Free-cutting steel - - - - Other:	
	7207 20 57	- - - - - Containing by weight 0,6 % of carbon Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated: - Not further worked than hot-rolled, of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa: - - Other, of a thickness of 4,75 mm or more:	
	ex 7211 12 90	- - - Of a width not exceeding 500 mm - (1) - - Other: - - - Of a width not exceeding 500 mm:	
	ex 7211 19 91	- - - - Of a thickness of 3 mm or more but less than 4,75 mm - (1)	
	ex 7211 19 99	- - - - Of a thickness of less than 3 mm - (1) - Other, not further worked than hot-rolled: - - Other, of a thickness of 4,75 mm or more:	
	ex 7211 22 90	- - - Of a width not exceeding 500 mm - (1) - - Other: - - - Of a width not exceeding 500 mm:	
	ex 7211 29 91	- - - - Of a thickness of 3 mm or more but less than 4,75 mm - (1)	
	ex 7211 29 99	- - - - Of a thickness of less than 3 mm - (1) Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, clad, plated or coated: - Clad: - - Of a width not exceeding 500 mm : - - - Not further worked than surface-treated:	
	ex 7212 60 91	- - - - Hot-rolled, not further worked than clad - (1) Bars and rods, hot-rolled, in irregularly wound coils of iron or non-alloy steel	
	7213 20 00	- Of free-cutting steel	
	7213 50 00	- Other, containing by weight 0,6 % or more of carbon	
	7214 30 00	- Of free-cutting steel	
	7214 60 00	- Other, containing by weight 0,6 % or more of carbon	
	7218 10 00	Stainless steel in ingots or other primary forms, semi-finished products of stainless steel - Ingots and other primary forms - Other: - - Of rectangular (including square) cross-section: - - - Rolled or obtained by continuous casting	
	7218 90 11	- - - Rolled or obtained by continuous casting	
	7218 90 13		
	7218 90 15		
	7218 90 19		
	7218 90 50	- - - Other: - - - Rolled or obtained by continuous casting	

(1) Of steel containing, by weight, not less than 0,6 % of carbon and having a content, by weight, less than 0,04 % of phosphorus and sulphur taken separately and less than 0,07 % of these elements taken together.

14

Order No	CN code	Description	Ceiling amount (in tonnes)
(1)	(2)	(3)	(4)
06.0070 (cont'd)		Flat-rolled products of stainless steel, of a width of 600 mm or more:	
	7219 11 10	- Not further worked than hot-rolled in coils	
	7219 11 90		
	7219 12 10	- Not further worked than hot-rolled, not in coils	
	7219 12 90		
	7219 13 10	- Not further worked than cold-rolled (cold-reduced):	
	7219 13 90		
	7219 14 10	- - Of a thickness exceeding 1 mm but less than 3 mm	
	7219 14 90		
	7219 21 10		
	7219 21 90		
	7219 22 10		
	7219 22 90		
	7219 23 10		
	7219 23 90		
	7219 24 10		
	7219 24 90		
	7219 33 10		
	7219 33 90		
	7219 34 10	- - Of a thickness of 0,5 mm or more but not exceeding 1 mm	
	7219 34 90		
	7219 35 10	- - Of a thickness of less than 0,5 mm	
	7219 35 90		
		- Other:	
	7219 90 11	- - Not further worked than surface-treated, including cladding, or simply cut into shapes other than rectangular (including square)	
	7219 90 19		
		Flat-rolled products of stainless steel, of a width of less than 600 mm:	
	7220 11 00	- Not further worked than hot-rolled	
	7220 12 00		
	7227 (all numbers)	Bars and rods, hot-rolled, in irregularly wound coils, of other alloy steel	
		Other bars and rods of other alloy steel; angles, shapes and sections of other alloy steel, hollow drill bars and rods, of alloy or non-alloy steel:	
	7228 10 10	- Bars and rods, or alloy or non-alloy steel:	
		- - Not further worked than hot-rolled, hot-drawn or extruded	
		- - Other:	
	7228 10 91	- - - Hot-rolled, hot-drawn or extruded not further worked than clad	
		- Bars and rods, of silico-manganese steel:	
	7228 20 11	- - Not further worked than hot-rolled, hot-drawn or extruded	
	7228 20 19		
		- - Other:	
	7228 20 31	- - - Hot-rolled, hot-drawn or extruded not further worked than clad	
7228 30 10	- Other bars and rods, not further worked than hot-rolled, hot-drawn or extruded		
7228 30 90			
	- Other bars and rods:		
7228 60 10	- - Hot-rolled, hot-drawn or extruded not further worked than clad		
	- Angles, shapes and sections:		
7228 70 10	- - Not further worked than hot-rolled hot-drawn or extruded		
	- Not further worked than cold-rolled (cold-reduced):		
7220 20 10	- - Of a width exceeding 500 mm		
	- Other:		
	- - Of a width exceeding 500 mm:		
7220 90 11	- - - Not further worked, than surface-treated, including cladding		
	- - Of a width not exceeding 500 mm:		
	- - - Not further worked than surface-treated, including cladding:		

25.515
(cont'd)

Order No	CN code	Description	Ceiling amount (in tonnes)	
(1)	(2)	(3)	(4)	
06.0070 (cont'd)	7220 90 31	- - - - Hot-rolled, not further worked than clad Other bars, and rods of stainless steel; shapes and sections of stainless steel:	25.515 (cont'd)	
	7222 10 11	- Bars and rods, not further worked than hot-rolled, hot-drawn or extruded		
	7222 10 19			
	7222 10 91			
	7222 10 99			
		- Other bars and rods:		
	7222 30 10	- - Hot-rolled, hot-drawn or extruded not further worked than clad - Angles, shapes and sections:		
	7222 40 11	- - Not further worked than hot-rolled hot-drawn or extruded		
	7222 40 19			
		- - Other:		
	7222 40 30	- - - Hot-rolled, hot-drawn or extruded not further worked than clad Other alloy steel in ingots or other primary forms, semi-finished products of other alloy steel:		
	7224 10 00	- Ingots and other primary forms: - Other:		
		- - Of rectangular (including square) cross-section:		
	7224 90 11	- - - Hot-rolled or obtained by continuous casting - - Other:		
	7224 90 30	- - - Hot-rolled or obtained by continuous casting Flat-rolled products of other alloy steel, of a width of 600 mm or more		
	7225 10 10	- Of silicon-electrical steel		
	7225 10 91			
	7225 10 99			
		- Of high speed steel:		
	7225 20 11	- - Not further worked than hot-rolled		
	7225 20 19	- - Not further worked than surface-treated, including cladding or simply cut into shapes other than rectangular (including square)		
	7225 20 30			
	7225 30 00	- Other, not further worked than hot-rolled, in coils		
	7225 40 10	- Other, not further worked than hot-rolled, not in coils		
	7225 40 30			
	7225 40 50			
	7225 40 70			
	7225 40 90			
		- Other:		
	7225 90 10	- - Not further worked than surface-treated including cladding or simply cut into shapes other than rectangular (including square) Flat-rolled products of other alloy steel, of a width of less than 600 mm		
		- Of silicon-electrical steel		
	7226 10 10	- - Not further worked than hot-rolled - - Other:		
	7226 10 30	- - - Of a width exceeding 500 mm - Of high-speed steel		
7226 20 10	- - Not further worked than hot-rolled - - Not further worked than cold-rolled (cold reduced)			
7226 20 31	- - - Of a width exceeding 500 mm - - Other:			
	- - - Of a width exceeding 500 mm			

Order No	CN code	Description	Ceiling amount (in tonnes)
(1)	(2)	(3)	(4)
06.0070 (cont'd)	7226 20 51	- - - - Not further worked than surface treated, including cladding	
		- - - - Of a width not exceeding 500 mm:	
		- - - - Not further worked than surface-treated including cladding:	
	7226 20 71	- - - - - Hot-rolled, not further worked than clad	
		- Other:	
	7226 91 00	- - Not further worked than hot-rolled	
		- - Not further worked than cold-rolled (cold-reduced):	
	7226 92 10	- - - - Of a width exceeding 500 mm	
		- - Other:	
		- - - - Of a width exceeding 500 mm:	
	7226 99 11	- - - - Not further worked than surface-treated, including cladding	
		- - - - Of a width not exceeding 500 mm:	
		- - - - Not further worked than surface-treated, including cladding:	
	7226 99 31	- - - - - Hot-rolled, not further worked than clad	
		- - Other:	
	7228 70 31	- - - - Hot-rolled, hot-drawn or extruded not further worked than clad	
		- Hollow drill bars and rods:	
	7228 80 10	- - Of alloy steel	
			25.515 (cont'd)

17

ISSN 0254-1475

COM(89) 423 final

DOCUMENTS

EN

11

Catalogue number : CB-CO-89-379-EN-C

ISBN 92-77-52669-6

Office for Official Publications of the European Communities
L-2985 Luxembourg