COMMISSION OF THE EUROPEAN COMMUNITIES

COM (79) 282 final

Brussels, 28 May 1979

DRAFT COUNCIL REGULATION (EEC) TEMPORARLY SUSPENDING THE AUTONOMOUS COMMON CUSTOMS TARIFF DUTIES ON CERTAIN INDUSTRIAL PRODUCTS

(presented by the Commission to the Council)

COM (79) 282 final

			•
			•
			4
			4

EXPLANATORY MEMORANDUM

- 1. The subject of the following draft regulation is the temporary suspension of duties in the Common Customs Tariff for a number of industrial items, as requested by the Member States.

 It is partly a prolongation and partly a new measure.
- 2. It seems appropriate to the Commission that a duty suspension is justified for the goods listed in the annex to this regulation. The Commission proposes a total suspension for those products for which Community production does not exist or is minimal. A partial suspension is proposed in cases where the Community production covers only a part of the requirements. The rate of the partially suspended duty depends on the extent of the possible Community supply to the Community users. The Commission is also always looking for the right balance between the interests of the suppliers, users and the consumers in the Community.

It also takes into account the need to protect employment.

- or twelve

 3. The proposed measures are confined to six: months because of the difficulties of estimating the evolution of the basic factors.
- 4. For a number of items for which the Member States also requested duty suspensions the Commission does not propose a tariff measure because the necessary conditions are not fulfilled. This concerns the following items:

CCT heading No	Description
3F 10 A	Magnes an oxide, dead hurned bu fused, of a
ex 25.19 A	purity not was then 95 % which may men comment
·	(a) more than 0.05 % by weight of boron compounds evaluated as B ₂ O ₃ ;
	(b) more than 1.25 % by weight of calcium compounds evaluated as CaO;
	(c) more than 0.5 % by weight of silicon compounds evaluated as SiO ₂ ;
	(d) a total of more than 0.5 % by weight of aluminium compounds and iron compounds ovelvested as Al ₂ O ₃ and Fc ₂ O ₃
ex 28.55 A	Non-phosphiles fiere phosphores) commining 1000 or more by unight of phosphores from or check
er 29.08 A III c)	1,2-Bis(2, 1,6 aib. omophenoxy) chain
ex 29.09	Epoxyethylbenzene (styrene oxide)
ex 29.14 A II c) 4	3 Methoxy 6-lethoky 20 thopregra 3,5 dien-17-yl acetal
ex 29.23 B II	3-Chloro 1: (4-chloropi.cho.cyjaniline
ex 29.30	Methyl isocyanate
ex 29.39 E	11-beta, 17,20,21-Tetrahydroxypregn-4-en-3-one 21-acetate
ex 38.19 G	Catalysts in the form of round rodlets having a length of not more than 5.0 mm and a diameter of not more than 3.6 mm, consisting of copper oxide and dichromium trioxide
ex 38.19 U	Reaction products containing not less than 50% by weight of butyl(chlorophenoxy)benzene
ex 39.01 C III	A solution in styrene, of an intermediate unsaturated polyester prepared from monomers which include a brominated monomer, such that the solution contains not less than 30% and not more than 35% of bromine by weight
ex 39.01 C V	Polyurethane pre-polymers, in the forms mentioned in Note 3 (a) to Chapter 39, containing not less than 3.9% and not more than 4.3% of isocyanate by weight and having a viscosity at 100 °C of not less than 500 and not more than 600 centipoises, based on alpha-(4-hydroxybutyl)-omega-hydroxypoly (oxytetramethylene) and 4.4'-methylenedi(cyclohexyl)di-isocyanate or methyl-m-phenylene di-isocyanate

>	
CCT heading No	Descrip on
ex 39.02 C VII b)	Reflecting polyvinyl chloride sheeting embossed on one side in a regular pyramidal pattern, whether or not in rolls
ex 39.02 C XI	Polyvinyl butyral sheet of a width exceeding 200 cm, in rolls
ex 39.02 C XII	Polyacrylic acid for use as a thickener in textile pigment printing pastes
ex 39.02 C XIV a)	Copolymer of acrylic acid and a small quantity of polyalkenyl polyether for use as a thickener in textile pigment printing pastes
ex 39.02 C XIV a)	Copolymer of hexafluoropropylene and vinylidene fluoride containing allyltributylphosphonium chloride, intended for the manufacture of seals
ex 39.02 C XIV a)	Copolymer of hexafluoropropylene and vinylidene fluoride containing bis(chlorophenyl) sulphone, intended for the manufacture of seals
ex 39.02 C XIV a)	Copolymer of hexafluoropropylene and vinylidene fluoride containing chlorotrifluoroethylene and vinylidene fluoride, intended for the manufacture of seals
ex 39.02 C XIV a)	Copolymer of hexafluoropropylene and vinylidene fluoride containing benziltriphenylphosphonium chloride, intended for the manufacture of seals
ex 39.02 C XIV a)	Copolymers of ethyl acrylate and vinyl chloro= acetate, in one of the forms mentioned in Note 3(a) and (b) to Chapter 39.
ex 39.03 B III a)	Cellulose acetate flakes, not plasticised intended for the manufacture of cellulose acetate fibre
ex 49.11 B	Sheets (not being trade advertising material) folded, merely with illustrations or pictures not bearing a text or caption for editions of books or periodicals which are published in different countries in one or more languages (a)
ex 51.02 A II	Strip of polytetrafluoroethylene, whether or not in rolls, with an extension at break not exceeding 25%
ex 51.04 A IV	Woven fabrics of polyvinyl alcohol tibres for machine embroidery
ex 70.12 A	Unfinished handblown glass inners for insulating vessels made from glass dyed in the batch
ex 70.12 B	Handblown glass inner for insulating vessels made from glass dyed in the batch
ex 84.59 B	Integrally forged, rough-turned components with unit weights of more than 150 tonnes, for reactor pressure vessels

UKAFT COUNCIL RECUENTION (EEC)

temporarily suspending the autonomous Common Customs Tariff duties on certain industrial products

THE COUNCIL OF THE EUROPEAN COMMUNITIES,

Har no regard to the Treaty establishing the European Economic Community and in particular Article 28 thereof,

Having regard to the draft Regulation submitted by the Commission.

Whereas production of the products referred to in this Regulation is at present inadequate or non-existent within the Community and producers are thus unable to meet the needs of user industries in the Community:

Whereas it is in the Community's interest to suspend the autonomous Common Gustoms Tariff duties only partially in certain cases, due particularly to the existence of Community production, and to suspend them completely in other cases; Whereas, taking account of the difficulties involved in accurately assessing the development of the economic circurion in the sectors concerned in the near future, these suspension incesures should be taken only comporarily, with their term of validity fixed to coincide with the interests of Community production,

HAS ADOPTED THIS REGULATION:

Article 1

The autonomous Common Customs Tariff duties for the products listed in the tables annexed to this Regulation shall be suspended at the level indicated in respect of each of them.

These suspensions shall be valid: December — from 1 July 1979 to 31 / 1979 for the

duct listed in Table I.

— from 1 July 1979 to 30 June 1980 for the products listed in Table II.

Article 2

July

This Regulation shall enter into force on 1

This Regulation shall be binding in its entirety and directly applicable in all Member

Done at Brussels.

For the Council
The President

K

TABLE 1

	CCT heading No	Description	Rate of autonomous duty (%)
ex	28.21	Chromium dioxide	0
ex	28.42 A VI	Lithium carbonates other than those destinated for the manufacture of products falling within heading No 30.03 (a)	0
ex	29.13 G II	1-Chloro-3,3-dimethylbutanone	0
ex	29.16 A II	L-Malic acid and its salts and esters	0
ex	29.19 C	2,2-Bis(chloromethyl)trimethylene tetrakis (2-chloro-ethyl)bis(phosphate)	0
ex	29.19 C	Tetrakis(2-chloroethyl) ethylene bis(phosphate)	0
ex	29.22 A II	I <u>tert</u> -Butylamine	0
ex	29.22 D I	3,5-Dichloroaniline	0
ex	29.23 E	Levodopa (INN)	0
ex	29.31 B	Cyclohexanethiol	0
ex	29.35 Q	Amprolium (INN) hydrochloride	0
ex	29.35 Q	2-(4-Pyridyl)ethanesulphonic acid	0
ex	29.44 C	Cefaclor (INN) and its hydrates, salts and esters	0
ex	30.01 B II	Mixture of oestrogens of equine origin	0
ex	38.19 G	Catalysts, in the form of granules or rings having a diameter of not less than 3 mm and not more than 10 mm, consisting of silver supported on aluminium oxide, the silver content being not less than 10% and not more than 20% by weight	0
ex	38.19 G	Catalyst consisting of a mixture of oxides on a silica support and containing by weight: a) not less than 25% and not more than 40% of Antimony b) not less than 5% and not more than 10% of Iron c) not less than 0.2% and not more than 1.5% of Molybdenum d) not less than 0.8% and not more than 4.0% of Tellurium	

	The second secon	Raic
CCT beading Ne	Dec. po	artonomous futv (3)
The control of the co	egen menerale e e e e e e e e e e e e e e e e e e	
38 19 5	having a diameter of not more than 1.4 mm, consisting of cobalt oxide on a silicon dioxide support	
ex 38.19 G	Catalyst in the form of sphericle grains with a diameter of not less than 1.4 mm and not more than 1.8 mm consisting of boron trifluoride on an aluminium oxide support	0
ex 38.19 U	Tetramethylammonium hydroxide dissolved in methanol	0
ex 38.19 U	Flame-retardant reaction products of acetaldehyde. ethylene oxide and phosphorus trichloride	0
ex 39.01 C V	Polyurethane reflecting foils, even in roll form	0
ex 39.02 C II	Microporous polytetrafluoroethylene film, not less than 30 cm in width and weighing not more than 22-4 g/m², whether or not in rolls	Q
ex 39.02 C XII	Copolymerization products of acrylic and methacrylic esters in the form of film of a thickness not less than 50 and not more than 150 micrometres, whether or not in rolls	0
ex 39.02 C XIV a)	Copolymers of ethyl acrylate with chloroethylvinyl ether, in one of the forms mentioned in Note 3 (b) to Chapter 39	Q.
ex 51.01 A	Yarn, multiple, of polyamide, impregnated, coated or covered with a phenolic resin	0
ex 70.20 B	Yarns of 33 tex or a multiple thereof obtained from continuous spun glass filaments having a diameter of not less than 2.5 and not more than 5.07 micrometers, other than those treated so as to improve their adhesion to elastomers	0
ex 75.04 A	Tubes of nickel, not alloyed, of a purity not less than 99%, not deviating from straightness lengthwise by more than 1 mm per 150 cm of length, and with an outside diameter either	Q.
	— Not less than 213-36 mm and not more than 214 mm, or	•
	Not less than 209-95 mm and not more than 210-59 mm, or	
	- Not less than 168-28 mm and not more than 168-78 mm	

CCT heading No	Description .	Rate of autonomous duty (%)
ex 84.51 A	An electronic pocket communicator for handicapped persons which, by means of push buttons and printing thermic head, prints and issues text on tape	0
ex 84,55 C	Parts and accessories of electronic pocket communicator for handicapped persons which, by means of push buttons and printing thermic head, prints and issues text on tape	0
ex 85.21 A V	Digital displays consisting of a glass tube mounted on a board up to 220 mm long and 45 mm wide excluding leads. The tube contains a straight line of digits not less than four in number, each digit consisting of a number of segments containing an inert gas with a metallic base coated with phosphorus salts which give off light when bombarded with electrons	0
85.21 D II	Digital displays consisting of a printed circuit board of a size not exceeding 35 × 90 mm with a single line of digits, not less than three in number comprising light-emitting diodes manufactured from gallium-based semi-conductor compounds mounted thereon. Each digit is comprised of seven segments plus a decimal point and the line of digits has a protective cover of translucent plastic	0
ex 88.05 B	Visual display system generating images by computer intended for equipping flight simulators for civil	
	aircraft (a)	0

a version of the use for this special purpose shall be effected pursuant to the relevant Community provisions

and the second s		R 0'
;	. Name	
CA 20314 C 111	Tellunum in powder or ingow	ĵ
ex 28.13 IJ	Tellurium dioxide	0
ex 28.24	Cobalt oxides and hydroxides	0
ex 28.31 C	Lithium hypochlorite	0.
ex 28.38 C	Potassium hydrogenperoxomonosulphate	0
28.46 A I b)	Sodium borates, anhydrous	0
ex 28.48 B III	Dialuminium hexamagnesium carbonate decahydroxide tetrahydrate	0
28.51 A	Deuterium, heavy water and other compounds of deuterium; hydrogen and compounds thereof, enriched in deuterium; mixtures and solutions containing these products (EURATOM)	0
ex 28.55 A	Iron phosphides (ferro-phosphorus) containing 15% or more by weight of phosphorus, for use exclusively in the manufacture of refined phosphoric iron or steel (a)	0
ex 28.57 B	Manganese nitride containing not more than 8 % of nitrogen by weight	0
ex 29.01 C I	beta-Pinene	0
ex 29.01 D VI	Vinyltoluenes	0
ex 29.02 A II b)	1,2,3-Trichloropropenes	0
ex 29 02 A III	Vinyl bromide	0
ex 29 02 A III	1,2-Dibromoethane	4
ex 29.02 A V	Bromochloromethane	0
ex 29 02 B	Hexachlorocyclopentadiene	0
ex 29.02 B	1,6,7,8,9,14,15,16,17,17,18,18-Dodecachloro- pentacyclo [12.2.1.16,9.0 ² ,1 ³ .0 ⁵ ,1 ⁰]octadeca-7, 15-diene,	
	intended for use in the manufacture of polyamide 6-6 or of polypropylene (a)	0
ex 29 03 B II	Nitromethane	0
cx 29.03 B H	1-Nitropropane	0
ex 29.03 B II	2-Nitropropane	0
ex 29,04 C I	Butane-1,3-diol	0
ex 29.04 C V	2,2-Bis(bromomethyl) propanediol	0
ex 29 06 A IV	2-tert-Butyl-4-ethylphenol	0
ex 29 06 A IV	2-Isopropylphenol	'6
ex 29.06 B V	4,4-(2,3-Dimethyltetramethylene)dipyrocatechol, not less than 98 % pure	0 .

CCI heading No	Descriptio	Rate of autonomous duty (%)
ex 29.06 B V	6,6' 6"-Tri-tert-butyl-4,4',4"-(1-methylpropan-1- yl-3-ylidene)tri-m-cresol, whether or not containing toluene of crystallisation	0
ex 29.06 B V	2,5-Di(tert-phenyl)hydroquinone	a
x 29.08 A III c)	Bis(phenoxyphenoxy)benzene, mixed isomers	0
× 29.08 A III c)	Sodium 4-(2-methylallyloxy)benzenesulphonate	0
ex 29.08 D	tert-Butyl hydroperoxide, aqueous solution	0
ex 29.09	1,2-Epoxybutane	7
ex 29.13 A I	5-Methylhexan-2-one	0
ex 29.13 B I b)	Refined natural bornan-2-one (camphor))
ex 29.13 D I	3-beta-Hydroxy-16-alpha-methylpregn-5-en-20-one	6
ex 29.13 D I	11-alpha, 17,21-Trihydroxy-16-beta-methylpregna-1,4-diene-3,20-dione	0
ex 29.13 F	1,4-Naphthoquinone	0.
ex 29.14 A II c) 4	16-alpha,17-alpha-Epoxy-20-oxopregn-5-en-3-beta-yl acetate	6
ex 29.14 A II c) 4	11-alpha, 17-alpha, 21-Trihydroxy-16-alpha-methyl-5-alpha-pregnane-3,20-dione 21-acetate 11-(toluene-4-sulphonate)	9
ex 29.14 A II c) 4	20-Oxopregna-5,16-dien-3-beta-yl acetate	0
ex 29.14 A XI	2,2'-Ethylenedioxydiethyl bis (2-ethylbutyrate)	0
ex 29.14 B IV b)	Butyl perchlorocrotonate	0
29.15 A IV a)	Azelaic acid and sebacic acid	0
ex 29.15 C III	Benzene-1,2,4-tricarboxylic acid	0
ex 29.15 C III	Benzene-1,2,4-tricarboxylic acid 1,2-anhydride	0
ex 29.15 C III	Tetrachlorophthalic anhydride	0
ex 29.15 C III	Benzyl 3-isobutyryloxy-1-isopropyl-2,2-dimethylpropyl phthalate	0
29.16 A III a)	Crude calcium tartrate	3.5
ex 29.16. A VIII a)	2,2-Bis(hydroxymethyl)propionic acid	0.
ex 29.16 B III	2-Ethylhexyl 4-hydroxybenzoate	0
ex 29.16 B VI	Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	0
ex 29.16 B VI	Sodium 5-(2,4-difluorophenyl)salicylate	0
ex 29.16 B VI	Pentaerythritol tetrakis [3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate]	0
ex 29.16 D	Dinoprostone (INN)	0
ex 29 22 B H	N,N,N',N';-Tetrabutylhexamethylenediamine	0
ex 29.22 E II	1,8-Naphthylenediamine	0
ex 29.22 E II	*m-Phenylenebis(methylamine)	0
ex 29.23 A II	(+)-4-Dimethylamino-3-methyl-1,2-diphenylbutan-2-ol	0
ex 29.23 A II	Bis(2-dimethylaminoethyl) ether	0

EET heading No	Description	Bate of autonomous duty (%)
ex 29.23 A II	Dinoprost (INN), Trometamol sit (INN)	ų.
x 29.2	Ketanone (100) hydenchioride	' c
ex 29.23 D V	Tranexamic acid (INN)	0 :
ex 29.23 15 V	Sodium 2-cycloheza-1,4-dienyl-N(2 methoxycarbonyl-1 methylvinyl)glycinsic	Ç -
ex 29.23 D V	3,5-Diaminobenzoic acid	0
ex 29.23 D V	beta-Alanine	0.
ex 29.23 E	4-(2-Hydroxy-3-isopropylaminopropoxy)-2,3,6-trimethylphenyl acetate	0
ex 29.23 E	Methyldopa (INN)	0
ex 29.23 E	Dicthyl 1,3-benzodioxol-5-ylaminomethylenemalonate	0
ex 29.23 E	6-Acetyl-1,3-benzodioxol-5-ylammonium chloride	0
ex 29.25 A II	N-Acetyl-DL-valine	0
ex 29.25 A II	(3-Methacrylamidopropyl)trimethylammonium chloride	0
ex 29.25 B IIa)	Phenobarbital (INN) and its salts	0 -
,	2'-Benzoyl-4'-chloro-N-(2-hydroxypropyl)glycinanilide	0
ex 29.25 B III b)	1,2-Benzisothiazol-3-one 1,1-dioxide (O-benzoic-sulphimide, saccharin) and its sodium salt	0.
ex 29.27	4-Bromophenylacetonitrile	0
ex 29.27	(-)- N-(alpha-Cyano-4-hydroxy-3-methoxy-alpha-methylphenethyl)acetamide	0.
ex 29.27	2-(3-Phenoxyphenyl)propiononitrile	0
ex 29.29	20-Hydroxyiminopregna-5,16-dien-3-yl acetate *	0
ex 29.29	2-(3,4-Dihydroxybenzyl)-2-hydrazinopropionic acid	0
ex 29.29	1,3-Bis(4-chlorobenzylideneamino)guanidinium chloride	0
ex 29.29	N.N-Diethylhydroxylamine	0
ex 29.30	O,O-Bis(4-tert-butylphenyl) N-cyclohexylphosphoramidothioate	0
ex 29.31 B	Octadecyl (4-hydroxy-3,5-dimethylbenzylthio)acetate	0
ex 29.31 B	2-Methyl-2-(methylthio)propionaldehyde oxime	0
ex 29.31 B	4-(Methylthio)phenol	0
ex 29.31 B	Thiophenol	0
ex 29.31 B	Tolnaftate (INN)	0
ex 29.34 C	Crystalline dimethyltin dichloride in the form of powder intended for the production of goods falling within Chapter 70	0
e 29.34 C	Trichloronat (ISO)	0
尼)	I	1 .

Ê

A C. I to iding No	Description	Rate of autonomou duty (%)
ex 29 35 Q	2-Acetyl-1,4-butyrolactone	0
× 29.35 Q	4-Nitrobenzyl 7-amino-3-methyl-8-oxo-5-thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylate and its salts	0
ex 29 35 Q	2-Benzotriazol-2-yl-4-(1,1,3,3-tetramethylbutyl)phenol	0
x 29 35 Q	2-Benzotriazol-2-yl-p-cresol	0
x 2935 Q	2.6-Di-tert-butyl-4- [4.6-bis(octylthio)-1,3,5-triazin-2-ylamino] phenol	0
(x 29.35 Q and (x 30.03 A II b)	Butorphanol (INN) and its salts	0
x 29 33 Q	(-)-1-tert-Butylamino-3-(4-morpholino-1,2,5-thiadiazol-3-yloxy)propan-2-ol	0
x 2935 Q	Clotiazepam (INN)	0
x 29 % Q	1,4-Diazabicyclo [2.2.2] octane (triethylenediamine)	t,
x 29 35 Q	2,4-Di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)phenol	0
x 29.35 Q	Carpipramine (INN) dihydrochloride	0
ex 29/35 Q	2,3-Dihydro-2,2-dimethylbenzofuran-7-ol	0
x 2935 Q	1-Ethyl-1,4-dihydro-4-oxo [1,3] dioxolo [4,5-g] cinnoline-3-carbonitrile	0
ex 2935 Q	Indometacin (INN)	0
x 29.35 Q	Diphemanil metilsulphate (INN)	0
ex 2935 Q	Minoxidil (INN)	0
ex 29.35 Q	Orazamide (INN)	0
ex 2933 Q	(25 K)-Spirost-5-en-3-beta-ol (diosgenin) and its esters	0
x 29.35 Q	7-Tryptophan	0
ex 29.35 Q	Pteridine-2,4(1H,3H)-dione	0
ex 29.25 Q	4-Nitrobenzyl 7-amino-3-chloro-8-oxo-5-thia-1-azabicyclo/4.2.0/oct-2-ene-2-carboxylate and its salts	0
ex 29.35 Q	Azatadine (INN) dimaleate	0
ex 2936	Quinethazone (INN)	0
ex 29.36	Sultaguanidme (INN)	0
ex 29 36	Sultathiazole (INN)	0
ex 29,36	4-Chloro-5-sulphamoylanthranil-0-toluidide	0
ex 29 38 B H	Panthenol (INN)	0
ex 29 38 B III	Folic acid (INN)	0
ex 29 39 C.1	Setum gonadotrophin (INN)	0
ex 29 39 D II	Betamethasone (INN) 21-acetate	0
ex 29 39 D II	Triamcinolone (INN) acetonide	8

er e	Description	Rate of autonomous duty (%)
es 29.39 D H	Betamethasone (1908) 17.21-dipropionate	• 9
ex 29/39 D4f	Triameinales of any inculpha;21-diacetate	. 2
ex 29.39 D II	Fluorometholone (INN)	0
ex/29.394941	Halcinonide (INN)	v
ex 29,39 D II	Triamcinolone hexacetonide (INN)	. 8
ex 29.39 D II	Methylprednisolone (INN)	8 :-
ex 2939 D II	Triamcinolone (INN)	8
ex 29.39 D II	Diflorasone (INN) di(acetate)	0
ex 29.39 L	Calcitonin (INN), porcine	0
ex 29.39 L	Calcitonin (INN), salmon-type, and its salts	0
ех 2939 Е	Calusterone ⁽ (INN)	0
ex 29 39 E	Prasterone (INN)	0
ex 29/42 CVII	Pilocarpine hydrochloride	O
ex 29.42 C VII	(22R, 25R)-Tomat-5-enin-3-beta-ol (Solasodine)	0
ex 29.42 C VII	Pilocarpine nitrate	0
ex 29.44 A	Epicillin (INN)	0
ex 29/44 C and ex 30.03 A H b)	Amikacin (INN) and its salts	0
CC 29.44 C	Amphotericin B (INN)	0
ex 29.44 C	Sodium (7.5)-3-carbamoyloxymethyl-7-methoxy-8-oxo-7-[2-(2-thienyl)acetamido]- 5-thia-1-azabicyclo [4.2.0] oct-2-ene-2-carboxylate	0
ex 129,44 C	Cefradine (INN)	0
ex 29.44 C	Minocycline (INN) mono-hydrochloride dihydrate	0
ex/29.44 C	Clindamycin (INN) and its salts and esters	0
ex 29.44 C	Spectinomycin (INN) dihydrochloride pentahydrate	0.
ex 29.44 C	Gentamicin (INN) and its salts	0
ex 29.44 C	Nystatin (INN)	0
ex 29/44 C and ex 30.03 A II b)	Bleomycin (INN) sulphate	0
ex 29,44°C	Sisomicin (INN) sulphate	0
ex 29.44°C	Spectinomycin (INN) sulphate	0
ex 29.44 C	Tobramycin (INN) and its salts	0
ex 29.44 C	Cefamandole (INN) and its salts and esters	0

a C1 ne ofm,	Description	Rate of autonomou duty (%)
ex 29.44 C	Cefazolin (INN) and its salts	0
ex 29.44 C	Lincomycin (INN) and its salts and esters, intended for the manufacture of products falling within heading No 30.03 (a)	0
ex 29.44 C	Monensin (INN) and its salts	0
ex 29.45	Potassium tert-butoxide	0
ex 30.01 A [Bovine livers for organotherapeutic purposes, dried	0
ex 30.01 A II	Extracts of liver of bovine animals	0
ex 30.01 B I I	Extracts of suprarenal glands	0
ex 30.02 A	Tetanus immunoglobulin	0
ex 30.02 A	Anti-tetanus immunoplasma	0
еж 30.02 А	German measles immunoplasma	0
ex 30.02 A	Mumps immunoplasma	0
ex 30.02 A	Whooping-cough immunoplasma	0
ex 30.03 VII b. and B II b;	Human albumin, whether or not in solution	0
ex 30 03 A H b) and b H b)	Human tibrinogen	0
ex 30 0 s \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Preserved serum prepared on a basis of human blood	0
ex 2003 X H () and b H or	Anti-haemophilic globulin and anti-Rho(D)-globulin derived from human blood	0
ex 30 03 B H b)	gamma-Globulin, in solution, derived from human blood	Ó
ex 30.03 B II b)	Lyophilized gamma-globulin derived from human blood	0
32.01 A I	Tanning extracts of wattle (mimosa)	0
ex 32.01 A IV	Tanning extracts of eucalyptus	4
ex 32.01 A IV	Tanning extracts derived from gambier and myrobolan fruits	0
ex 32.07 B	Inorganic colouring matter preparations mentioned in Note 3 to Chapter 32 in hollow polyurethane spheres having a diameter of less than 200 micrometers	0
ex 32.08 D	Glass in the form of flakes of a length not less than 0-1 and not more than 3-5 mm and of a thickness not less than two and not more than tive micrometers	0
ex 35a)7	Bromelans (INN)	0
ex 3507	Mixture of streptokinase (INN) and streptodornase (INN)	0
CX 3507	Peroxidase	0
ex 37.02 b	Colour negative film of a width not less than 7.5 mm and not more than 10.5 mm and of a length of 100 m or more, suitable for use in the manufacture of instant picture film packs (a)	0

CCT heading No	Description	Rate of autonomo duty (%
ех 38.03 В	Acid activated montmorillonite which, when examined by X-ray powder diffraction, shows four principal lines corresponding to crystal interplanar spacing (d values) of 0.44, 0.40, 0.33 and 0.25 nm, the line corresponding to 0.40 nm being the most intense	0
38.07 A	Gum spirits of turpentine	3
38.07 B	Spirits of sulphate turpentine; crude dipentene	3
38 0° C	Spirits of wood turpentine; terpenic solvents produced by the distillation or other treatment of coniferous woods; sulphite turpentine; pine oil (excluding 'pine oils' not rich in terpineol)	3
x 38.08 C	Hydroabietyl alcohol	0
x 38.08 C	Rosin, hydrogenated, polymerized, dimerized or oxidized	4
ex 38.19 G	Catalysts consisting of copper chloride supported on aluminium oxide for the preparation of dichloroethane from ethylene, hydrochloric acid and oxygen (a)	0
x 38.19 G	Catalysts consisting of bis(2-dimethylaminoethyl) ether dissolved in 1,1'-oxydi- propan-2-ol	. 0,
x 3819 G	Catalysts consisting essentially of diphosphorus pentaoxide on an inert support	0
x 38.19 K	Sintered magnesite mixed with small quantities of mineral oils	0
ж 38.19 U	Calcined bauxite (refractory grade)	0
x 38.19 U	Diosgenin crude	0
x 38 19 U	4-(6-Fluoro-2-methylinden-3-ylmethyl)phenyl methyl sulphide, dissolved in toluene	0
x 3849 U	Mixture of x-butyl-4,4'-isopropylidenediphenol and x,x'-dibutyl-4,4'-isopropylidenediphenol	0
ex 38 19 U	Mixture of nitromethane and 1,2-epoxybutane	4
∝ 38 19 U	Mixture of 4-octyldiphenylamine and 4,4'-dioctyldiphenylamine	0
ex 38.19 U	Reaction products containing not less than 55 % by weight of 2-(2-p-chlorophenylbenzoxazol-5-yl)propiononitrile	0
ex 38.19 U	Mixtures of tertiary thiols	9
ex 38.19 U	Residue from the manufacture containing not less than 40% by weight of 11-beta, 17, 20, 21-Tetrahydroxy-6-methylpregna-1, 4-dien-3-one 21 acetate	0
ex 38.19 U	Intermediate products from the manufacture of monensin salts	0
ex 38.19 U	Grains consisting of a mixture of dialuminium trioxide and zirconium dioxide containing by weight not less than 70% and not more than 78% dialuminium trioxide and not less than 19% and not more than 26% zirconium dioxide	0
ex 38.19 U	Grains consisting of a mixture of dialuminium trioxide and zirconium dioxide containing by weight not less than 54% and not more than 62% dialuminium trioxide and not less than 36% and not more than 44% zirconium dioxide	0
ex 38.19 U	N-(2-Methyl-2-nitropropyl)-4-nitrosoaniline containing not less than 65% by weight of an inert filler	0

CCT to white No	Description	Hate of autonomous duty (%)
ex 39.01 A	Colestipol (INN) hydrochloride	0
ex 39.01 C III, ex 39.03 B II b) 2, B III b) 4 aa) and B IV b) 4 aa)	i	, 0
ex 39.01 C III	Reflecting polyester sheeting, whether or not in rolls	0
ex 3901 C III	Waste and scrap of polyester sheets coated with tungsten compounds	0
ex 39.01 C III	Film base, in rolls, of polyethylene terephthalate, for cinematography or photography (including radiography)	8
ex 39.01 C VII	Polyimide sheet and strip, whether or not in rolls	0
ex 3901 C VII	alpha-4-hydroxybutyl-omega-hydroxypoly(oxytetramethylene)	0
ex 3901 C VII	Polyethylene oxide having a molecular weight of not less than 4 000 000	8
ex 39.02 C Ib	Transparent polyethylene film which will split longitudinally when stretched at right angles to its length, and having a specific gravity of not less than 0.925 and yielding not less than 11.5 and not more than 18.8 g per sqm, intended for the manufacture of typewriter ribbon (a)	
ex 39.02 C1b)	Polyethylene film of a width of not less than 4-5 cm and not more than 5-5 cm and having a molecular weight of not less than 4 000 000, in rolls intended for use as conveyor belts in machines for manufacturing cigars (a)	O
ex 39.02 C III	Polysulphohaloethylenes in one of the forms mentioned in Note 3 (a) and (b) to Chapter 39	4
ex 39.02 C VI a) and b)	Copolymers solely of allyl alcohol with styrene, which have an acetyl value of not less than 175	0
ex 39.02 C VII b)	Polyvinyl chloride sheeting, whether or not in rolls, of a thickness less than 1 mm and coated with an adhesive in which are embedded hollow glass balls having a diameter of not less than 50 micrometres and not more than 100 micrometres	0
ex 39.02 C VIII	Copolymers of vinylidene chloride with vinyl chloride, containing not less than 73.57by weight of vinylidene chloride, in one of the forms mentioned in Note 3 (a) and (b) to Chapter 39, for the manufacture of fibres, monofil or strip (a)	. 0
ex 39 02 C XII	Reflecting polyacrylic sheeting, whether or not in rolls	0
ex 39.02 C XII	Poly(2-diethylaminoethyl methacrylate) dissolved in N,N-dimethylacetamide, with a polymer content of not less than 55% by weight	0
ex 39.02 C XII	Copolymer of 2-di-isopropylaminoethyl methacrylate and decyl methacrylate dissolved in N _i N-dimethylacetamid, with a copolymer content of not les than 55% by weight	. 0
ex 39.02 C XII	Copolymer of acrylic acid and 2-ethylhexyl acrylate containing not less than 10% and not more than 11% by weight of 2-ethylhexyl acrylate	0

⁽a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

	CCI heading No.	Description	Rate of autonomous duty (%)
ex	39.02 C XIV a)	Alternating copolymers of ethylene and maleic anhydride for use as a thickener in textile pigment printing pastes (a)	0
ex	39 02 C XIV a)	Copolymers of vinylidene chloride and acrylonitrile in the form of expandable beads of a diameter not less than 4 micrometres and not more than 20 micrometres	0
ex	39 02 C XIV a)	Copolymers of vinyl chloride with vinyl acetate and vinyl alcohol containing by weight not less than 89 % and not more than 92 % of vinyl chloride, not less than 2 % and not more than 6 % of vinyl acetate and not less than 4 % and not more than 8 % of vinyl alcohol, in one of the forms mentioned in Note 3 (a) and (b) to Chapter 39	0
сx	39 02 C XIV a)	Fluorinated ethylene propylene copolymers, intended for the manufacture of flat (ribbon) cable, containing not less than 60 cores (a)	0
ex	39.02 (; XIV a)	Poly(1-ethylethylene) in one of the forms mentioned in Note 3 (b) to Chapter 39	0
сx	39 02 C XIV b)	Polyvinyl fluoride sheet, whether or not in rolls	0
x	39.02 C XIV b)	Reflecting sheeting of an acrylic copolymer modified by melamine-formaldehyde, whether or not in rolls	0
	39,03 B V a) 1	Ethylcellulose, not plasticized	4
сx	39 03 B V a) 2	Ethylhydroxyethylcellulose, insoluble in water	4
·х	39.03 B V a) 2	Hydroxypropylcellulose	0
·х	39.06 B	≎(2-hydroxyethyl)amylopectin hydrolysate	0
СХ	41 02 B	Bovine skins, chrome tanned in the moist state (wet blue)	0
cx	41 02 B	Leather, of East India kip, whole, whether or not the heads and legs have been removed, each weighing more than 4.5 kg net and not more than 8 kg, not further prepared than vegetable tanned, whether or not having undergone further preservative treatment with oil, but obviously unsuitable for immediate use in the manufacture of leather articles	0
	41.03 B I	Sheep and lambskin leather, except leather falling within heading No 41.06 or 41.08, other, not further prepared than tanned	0
	41 04 B I	Goat and kid skin leather, except leather falling within heading No 41.06 or 41.08, other, not further prepared than tanned	0
	41.05 B I	Other kinds of leather, except leather falling within heading No 41.06 or 41.08, other, not further prepared than tanned	0
ex	44 22 B	Used casks and barrels of oak, whether assembled or not; their staves and heads	0

⁽a) Control of the use for this special purpose shall be effected pursuant to the relevant Community provisions.

CC) footne No	Description	Rate of autonomous duty (%)
45.01	Natural cork, unworked, crushed, granulated or ground; waste cork	0
45 02	Natural cork in blocks, plates, sheets or strips (including cubes or square slabs, cut to size for corks or stoppers)	4
ex 49 11 B	Microcopies on an opaque base intended for data banks and libraries (a)	0
cc 4711 B	Artists' screen prints (commonly described as serigraphs), signed by the artist and numbered from 1 to 200	0
cx 51.01 A	Yarn wholly of polyglycollic acid	0
ex 51.01 A	Yarn of polytetrafluoroethylene	0
ex 51.01 A	Yarn of poly-para-phenylenediamine-terephtalamide	0
ex 51.01 A	Yarn of poly(<u>m</u> -phenylene isophtalamide)	0
ex 51.02 A I	Monofil of polytetrafluoroethylene	0
ex 51 02 A II	Polyimide strip, whether or not in rolls	0
ex 54.03 B La)	Unbleached linen yarn (excluding yarn of flax tow), measuring per kg 30 000 m or less, for the manufacture of multiple or cabled yarns for the footwear industry or for whipping cables (a)	0
ex 56.01 A	Synthetic textile tibres of aromatic polyamides obtained by polycondensation of m-phenylenediamine and isophthalic acid	0
ex 56.01 A	Textile fibres of polytetrafluoroethylene	0
ex 58.01 B	Carpets, carpeting and rugs of silk or of waste silk other than noil, of which the pile contains not less than 85 % by weight of silk or waste silk other than noil	20 with a maximum duty of 4 ¢ u.a. per m
ex 58.07 A	Braid wholly of polyglycollic acid yarn	0
ex 59,03	Bonded tibre tabrics and similar bonded yarn fabrics of aromatic polyamide man- made tibres produced by polycondensation of <i>m</i> -phenylene-diamine and isophthalic acid	0
ex 59.04	Coir varn for the manufacture of carpets, carpeting and rugs, mats and the like (a)	0
ex 59.12	Cotton tabric coated with adhesive in which are embedded hollow glass balls the diameters of which range from 45 to 75 micrometres, weighing not less than 300 and not more than 550 g per m ²	0
ex 59 (7 t)	Yarn and strip of impregnated polytetrafluoroethylene, whether or not oiled or graphited	0

⁽a) Control of the use for this special purpose shall be effected pursuant to the relevant Community provisions.

CCI orithe	Description	Rate of autonomous duty (%)
	,	
62.03 A I	Sacks and bags, of a kind used for the packing of goods, used, of jute or of other textile bast fibres of heading. No. 57.03	0
ex 68.02 B	Artificially coloured granules and chippings	0
es, 69,09 B	Catalyst supports, consisting of porous cordiente ceramic pieces of roughly circular or oval cross-section with parallel sides, having an overall volume of not less than 240 ml and not more than 11 100 ml, and having a minimum dimension of not less than 70 mm and a maximum dimension of not more than 480 mm, having not less than 28 continuous channels per 100 mm² running parallel to the main axis of symmetry, the total channel cross-section area being not less than 50 % and not more than 80 % of the whole cross-section area	0
ex 70 19 A IV b)	Glass beads of a diameter of less than 0-1 mm and with a refractive index of 2-26	0
	-	
ex 70.20 A	Mats of non-textile glass fibres of a weight per square metre of not more than 100 g and a fibre diameter of	
	not more than seven micrometres	0
70.300 0		
ex 70.20 B	Glass-fibre yarns, with afibre diameter of not more than 4.0 micrometres, for the manufacture of	
	carpets (a)	0
× 7603	Aluminium alloy strip in coils, containing not less than 18 % by weight and not more than 23 % by weight of tin and not less than 0.7 % by weight and not more than 1.5 % by weight of copper as the major alloying elements and having a width of not less than 75 mm and not more than 2.30 mm and a thickness of not less than 3 mm and not more than 6.5 mm	0
ex 81.03 B	Wire of unalloyed tantalum, of a diameter not less than 0.25 mm nor more than 0.5 mm, intended for the production of capacitors (a)	! :
ex 81.04 D l b)	Chromium, in the form of cathode chips, pellets or briquettes, which contains not more than 0·10 % by weight of total oxygen, not more than 0·015 % by weight of total aluminium and not more than 0·001 % by weight of aluminium compounds insoluble in boiling 5N hydrochloric acid and in boiling fuming perchloric acid, and evaluated as aluminium, intended for the production of alloy for the manufacture of the following parts of gas turbines and jet engines (a):	
	- blades, fixed or movable, including their rings,	
	— vanes,	
	— nozzles	0
x 81 04 G I	Electrolytic manganese of a purity of at least 99-7 %, intended for the chemical industry (a)	0
ex 81 04 G I		0
	industry (a)	
× 81 04 K I	waste and scrap of titanium	0

on Cortrol of the use for this special purpose shall be effected pursuant to the relevant Community provisions

CCT neading No	Description	Rate of autonomous duty (%)
ex 84.63	Forged and roughly shaped generator and turbine shafts of a weight exceeding 150 tonnes	0
ex 85.13 B	Sonic convertors consisting of a box approximately 28 cm long, approximately 13 cm broad and approximately 10 cm high, the top being shaped in the form of a cradle to receive a telephone handset, incorporating a lamp to indicate the state of call. This modem (MODulator/DEModulator) converts tele-printer keyboard signals for transmission by telephone line or radio for reconversion to keyboard signals on a distant teleprinter	0
ex 90.01 B	Material consisting of a polarizing film, supported on one or both sides by transparent material	0
ex 90.19 A III	. Vascular prostheses	O
ex 90.19 B H	Reading applicances for the blind, in which a miniature camera using photo- transistors transmits letters on to a scanning board with piezo-electric pencils, and its parts and accessories	0

period

- from 1.7. until 31.12.1979 of 613 000 EU/

5 500 000 EU!

- from 1.7. 1979 until 30.6.1980 of

by non collection of duties