### COMMISSION OF THE EUROPEAN COMMUNITIES

COM(92) 500 final

Brussels, 10 December 1992

M1.5(20)

Proposal for a

#### COUNCIL REGULATION (EEC)

concerning the arrangements applicable to the import into the Community of products originating in the Republics of Bosnia-Herzegovina, Croatia and Slovenia and the territory of the former Yugoslav Republic of Macedonia.

Draft

DECISION OF THE REPRESENTATIVES OF THE GOVERNMENTS OF THE MEMBER STATES

OF THE EUROPEAN COAL AND STEEL COMMUNITY,

MEETING WITHIN THE COUNCIL

concerning the arrangements applicable to the import into the Community of products covered by the ECSC Treaty and originating in the Republics of Bosnia-Herzegovina, Croatia, Slovenia and in the territory of the former Yugoslav Republic of Macedonia.

(presented by the Commission)

#### **Explanatory** memorandum

On 3 February 1992 the Council adopted Regulation (EEC) No 545/92 concerning the arrangements applicable to the import of products originating in the Republics of Croatia and Slovenia and the Yugoslav Republics of Bosnia-Herzegovina, Macedonia and Montenegro. 1

The Regulation entitled those Republics to benefit from trade provisions equivalent to those contained in the EEC-Yugoslavia Cooperation Agreement, suspended and later denounced by the Community.

Decision 92/150/ECSC of the Representatives of the Governments of the Member States meeting within the Council made similar provisions for products covered by the ECSC Treaty.

Since then, Montenegro has been removed from the list of beneficiaries.

Given that there are no conventional relations with most of these countries, and that the preferential arrangements from which they benefit must be retained, the provisions concerned should be maintained in 1993.

Accordingly, the Commission is putting before the Council:

- a proposal for a Council Regulation (EEC) concerning the arrangements applicable to the import into the Community of products originating in the Republics of Bosnia-Herzegovina, Croatia and Slovenia and in the territory of the former Yugoslav Republic of Macedonia;
- a draft Decision of the Representatives of the Governments of the Member States, meeting within the Council, concerning the arrangements applicable to the import into the Community of products covered by the ECSC Treaty and originating in the Republics of Bosnia-Herzegovina, Croatia and Slovenia and in the territory of the former Yugoslav Republic of Macedonia.

<sup>1 0</sup>J L 63, 7.3.1992

## PROPOSAL FOR A COUNCIL REGULATION (EEC) NO

concerning the arrangements applicable to the import into the Community of products originating in the Republics of Bosnia-Herzegovina, Croatia and Slovenia and the territory of the former Yugoslav Republic of Macedonia.

THE COUNCIL OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Economic Community, and in particular Article 113 thereof;

Having regard to the proposal from the Commission,

Whereas Council Regulation (EEC) No 545/92<sup>1</sup> granted the Republics of Croatia and Slovenia and the Yugoslav Republics of Bosnia-Herzegovina, Macedonia and Montenegro the benefit of trade provisions which are equivalent to those of the Cooperation Agreement concluded by the Community with the former Socialist Federal Republic of Yugoslavia;

Whereas Council Regulation (EEC) No 1433/92 removed Montenegro from the list of beneficiaries of these measures:

Whereas these measures should be maintained for 1993;

HAS ADOPTED THIS REGULATION:

#### Article 1

Subject to the special provisions laid down in Articles 2 to 8, products other than those listed in Annex II to the Treaty establishing the European Economic Community and in Annex A to this Regulation, originating in the Republics of Bosnia-Herzegovina, Croatia and Slovenia and in the territory of the former Yugoslav Republic of Macedonia, shall be admitted for import into the Community without quantitative restrictions or measures having equivalent effect and exempt from customs duties and charges having equivalent effect.

This article shall be without prejudice to the provisions of Council Regulation (EEC) No 3301/91 of 11 November 1991 concerning import arrangements for certain textile products originating in Yugoslavia, 2 as extended by Council Regulation (EEC) No 52/92 of 19 December 1991.3

<sup>1</sup> OJ L 63, 15.11.1991, p. 1.

<sup>2</sup> OJ L 315, 15.11.1991, p. 3.

<sup>3</sup> OJ L 6, 11.1.1992, p. 1.

The import duties, i.e. the customs duties and levies (variable components) applicable on import into the Community of the products listed in Annex B shall be those indicated for each product in the said Annex.

#### Article 3

- 1. The import of products listed in Annexes CI, CII, CIII, and CIV shall be subject, from 1 January to 31 December, to annual ceilings, indicated for each product, above which the customs duties actually applied in respect of third countries may be reintroduced in accordance with the provisions of paragraph 2.
- 2. As soon as a ceiling set for the import of a product has been reached, the Commission may reintroduce, by means of a regulation, the levying of the customs duties referred to in paragraph 1 until the end of the calendar year.

#### Article 4

- 1. In respect of products listed in Annex D to this Regulation and originating in the Republics and territory referred to in this Regulation, customs duties on imports into the Community shall be reduced to the levels indicated in the said Annex for each product.
- 2. In the case of products for which annual Community tariff quotas are indicated in Annex D, these reduced levels shall be granted within the limits of the quotas.
  - For quantities imported exceeding the quota, the Community shall apply the customs duties actually applied in respect of third countries.
- 3. With a view to the reduction of the customs duties in respect of certain products listed in Annex D and originating in the Republics and territory referred to in this Regulation, the annual reference quantity is set out in the said. Annex.
- 4. For tobacco of the "Prilep" type falling within CN codes ex 2401 10 60 and ex 2401 20 60 originating in and coming from the Republics and territory concerned, paragraphs 1 and 2 shall apply within the limits of an annual Community tariff quota of 1 500 tonnes.
- 5. For plum spirit marketed under the name of "Sljivovica" falling within CN codes ex 2208 90 33, paragraphs 1 and 2 shall apply within the limits of an annual guota of 5 420 hl.
- 6. For sweet cherries, clear fleshed, preserved in alcohol and intended for the manufacture of chocolate products, falling within CF code ex 2008 60-39, originating in the Republics and territory concerned, paragraphs 1 and 2 shall apply within the limits of an annual tariff quota of 3-000 tonnes.

- For sour cherries falling within CN codes 0809 20 20, 0809 20 60, ex 0811 90 10, ex 0811 90 30, 0811 90 75, 0812 10 00, 2008 60 51, 2008 60 61, 2008 60 71 or 2008 60 91 originating in the Republics concerned, the customs duties payable shall be those referred to in Annex D.
- 2. Paragraph 1 shall apply within the limits of a ceiling of 3 000 tonnes to sour cherries falling within CN Codes 0809 20 20 and 0809 20 60 and of 19 900 tonnes to sour cherries falling within the other CN Codes referred to therein. Where these ceilings are exceeded, the issuing of the import certificates provided for in respect of the products concerned may be suspended.

Paragraph 1 shall apply to sour cherries falling within CN Codes ex 0811 90 10, ex 0811 90 30, 0811 90 75, 2008 60 51, 2008 60 61, 2008 60 71 or 2008 60 91 on condition that the minimum import price set by the Community is applied. Where the minimum price is not applied, a countervailing charge shall be payable.

#### Article 6

- 1. For wines of fresh grapes falling within CN Codes ex 2204 21 or 2204 29 originating in the Republics concerned, import duties shall be reduced to the levels set out in Annex D. This provision shall apply within the limit of an annual Community tariff quota of 545 000 hl. For quantities imported in excess of the quota, the Community shall apply the duty laid down in the common customs tariff.
- 2. Paragraph 1 shall apply on condition that the import price of the wines imported into the Community and originating in the Republics concerned, increased by the customs duties actually collected, is at all times at least equal to the Community reference prices.

#### Article 7

The following provisions shall apply to "baby-beef" products defined in Annex E to this Regulation:

1. Within the limits of a first annual Community quota of 25 000 tonnes, the levy collected on imports into the Community shall be equivalent to 20% of the basic levy. This provision shall apply on condition that the free-at-frontier offer price, increased by customs duty and the reduced levy, is equal to or higher than the Community intervention price for the category AU 3 increased by 5%.

- 2. Within the limits of a second annual Community quota of 25 400 tonnes, to be used after the quota referred to in paragraph 1 is used up, the amount of levy collected on imports into the Community shall be equivalent to 50% of the basic levy. This provision shall apply on condition that the free-at-frontier offer price, increased by customs duty and the reduced levy, is equal to or higher than the price resulting from application of the standard levy.
- 3. To help stabilize the Community's internal market, the Commission shall ensure that each Republic concerned maintains an appropriate delivery rate and shall adopt any measures required to ensure the orderly growth of its exports to the Community, in particular through effective controls on each consignment by means of a certificate stating that the goods originate in and come from the Republic concerned and correspond exactly to the definition in Annex E. The text of this certificate shall be drawn up by the Community.
- 4. Where the Community market price is less than 98% of the guide price, paragraphs 1 and 2 shall apply within the limit of a volume of 4 200 tonnes per month. Where, during a certain month, this volume has not been entirely used up, the remaining quantity may only be carried over to the following month.
- 5. The Commission shall ensure that each Republic concerned transmits any relevant information concerning export prices together with the quantities and presentation of the products exported (livestock, carcasses or quarters) to the Community authorities.

The Kingdom of Spain and the Portuguese Republic shall apply, mutatis mutandis, customs duties calculated in accordance with Regulation (EEC) No 4150/87.

#### Article 9

The ceilings, reference quantities and quotas provided for in this Regulation shall apply as a whole to all the Republics to which this Regulation refers.

#### Article 10

The implementing rules governing the agricultural provisions of this Regulation shall be determined by the Commission.

The rules of origin shall apply as laid down in Article 14 of Council Regulation (EEC) No 802/68 of 27 June 1968 on the common definition of the concept of the origin of  $goods^2$  as last amended by Regulation (EEC) No 546/91.3.

<sup>1</sup> OJ No L 389, 31.12.1987, p. 1.

<sup>2</sup> OJ L 148, 28.6.1968, p. 1.

<sup>3.</sup> OJ L 54, 28.2.1991, p. 4.

This Regulation shall enter into force on the day following that of its publication in the Official Journal of the European Communities.

It shall be applicable from 1 January 1992 to 31 December 1993.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels,

For the Council
The President

ANNEX A concerning the products referred to in Article 1

CN code	Description
0503 00 00	Horsehair and horsehair waste, whether or not put up as a layer with or without supporting material
0507	Ivory, tortoise-shell, whalebone and whalebone hair, horns, antlers, hooves, nails, claws and beaks, unworked or simply prepared but not cut to shape; powder and waste of these products:
0507 10 00	- Ivory; ivory powder and waste
0509 00	Natural sponges of animal origin
1302	Vegetable saps and extracts; pectic substances, pectinates and pectates; agar-agar and other mucilages and thickeners, whether or not modified, derived from vegetable products
	- Vegetable saps and extracts
1302 13 00	Of hops
1302 20	- Pectic substances, pectinates and pectates
ex 1302 20 10	- Dry:     - Pectic substances and pectinates
ex 1302 20 90	Other: - Pectic substances and pectinates
	- Mucilages and thickeners, whether or not modified, derived from vegetables:
1302 31 00	– Agar-agar
1302 32	Mucilages and thickeners, whether or not modified, derived from locust beans, locust bean seeds or guar seeds:
1302 32 10	Of locust beans or locust bean seeds
1302 32 90	Of guar seeds
1302 39 00	Other
1401	Vegetable materials of a kind used primarily for plaiting (for example, bamboos, rattans, reeds, rushes, osier, raffia, cleaned, bleached or dyed cereal straw, and lime bark):
ex 1401 10 00	- Bamboos Other than unworked or not further worked than split
1401 20 00	Rattans:     Other than unworked or not further worked than split
ex 1401 90 00	- Other: - Reeds and the like, rushes and the like, unworked or not isurther worked than split
1402	Vegetable materials of a kind used primarily as stuffing or as padding (for example, kapok, vegetable hair and eel-grass) whether or not put up as a layer with or without supporting material:
ex 1402 10 00	- Kapok: - Put up on a layer or between two layers of other material - Other than unworked
	- Other:
ex 1402 91 00	Vegetable hair:
	<ul> <li>Put up on a layer or between two layers of other material</li> <li>Other than unworked</li> </ul>

code	Description
1404	Vegetable products not elsewhere specified or included.
x 1404 90 00	Other Other than raw vegetable materials of a kind used for dyeing or tanning, hard seeds pips, hulls and nuts, of a kind used for carving (for example, corozo and dom) Put up on a layer or between two layers of other material
1505	Wool grease and fatty substances derived therefrom (including lanolin)
1515	Other fixed vegetable fats and oil (including jojoba oil) and their fractions, whether or no refined, but not chemically modified
1515 60	Jojoba oil and its fractions
1515 60 90	Other
1518	Animal or vegetable fats and oils and their fractions, boiled, oxidized, dehydrated sulphurized, blown, polymerized by heat in vacuum or in merit gas or otherwise chemically modified, excluding those of heading No 1516, inedible mixtures or preparations of animal or vegetable fats or oils or of tractions of different fats of oils of this Chapter, not clsewhere specified or included
1518 00 91	- Animal or vegetable fats and oils and their fractions boiled, oxidized, dehydrated, sulphurized, blown,
	polymerized by heat in vacuum or in inert gas or otherwise chemically modified, excluding those of heading N° 1516  - Other:
1518 00 95	Inedible mixtures or preparations of animal or of animal and vegetable fats and oils and their fractions
1518 00 99	Other
1520	Glycerol (glycerine), whether or not pure; glycerol waters and glycerol lyes
1521	Vegetable waxes (other than triglycerides), beeswax, other insect waxes and spermacet whether or not refined or coloured
1521 10	~ Vegetable waxes
1521 10 90	Other
1521 90	- Other
1521 90 10	- Spermacett, whether or not refined or coloured
1521 90 91 and 99	Beeswax and other insect waxes, whether or not refined or coloured
1702	Other sugars, including chemically pure lactose, maltose, glucose and fructose, in solid form sugar syrups not containing added flavouring or colouring matter; artificial honey, whether or not mixed with natural honey; caramel
1702 10	- Lactose and lactose syrup
1702 10 10	- Containing in the dry state, 99% or more by weight of the pure product
1702 30	- Glucose and glucose syrup, not containing fructose or containing in the dry state less th 20 % by weight of fructose - Other
1702 30 51 and 59	Containing in the dry state 99% or more by weight of glucose
1803	Cocoa paste, whether or not defatted
1804	Cocoa butter, fat and oil
1805	Cocoa powder, not containing added sugar or other sweetening matter
1901	Malt extract, food preparations of flour, meal, starch or malt extract, not containing cocopowder or containing cocoa powder in a proportion by weight of less than 50%, nelsewhere specified or included, food preparations of goods of heading Nos 0401 to 0404, necontaining cocoa powder or containing cocoa powder in proportion by weight of less th 10%, not elsewhere specified or included
	Preparations for infant use, put up for retail sale

	The second of th
(N	,
code	Description
1901-20-00	Mixes and doughs for the preparation of bakers' wares of heading No. 1908
	Other
1901-90	- Malt extract
1901 90 11	
	Other
1901 90 19	
ex 1901 90 90	Other     Excluding those containing cocoa and prepared milk in powder form for dietetic or culinary purposes
1902	Pasta, whether or not cooked or stuffed (with meat or other substances) or otherwise prepared, such as spaghetti, macaroni, noodles, lasagne, gnocchi, ravioli, cannelloni; couscous, whether or not prepared
	Uncooked pasta, not stuffed or otherwise prepared
1902 11	Containing eggs
1902 19	Other
1902 40	Couscous
1902 40 10	Unprepared
1903	Tapioca and substitutes therefor prepared from starch, in the form of flakes, grains, pearls, siftings or similar forms
1905	Bread, pastry, cakes, biscuits and other bakers' ware's, whether or not containing cocoa, communion wafers, empty cachets of a kind suitable for pharmaceutical use, sealing wafers, rice paper and similar products
2008	Fruit, nuts and other edible parts of plants, otherwise prepared or preserved, whether or not containing added sugar or other sweetening matter or spirit, not elsewhere specified or included
	- Nuts, ground-nuts and other seeds, whether or not mixed together.
2008 11	Ground-nuts:
2008 11 10	Peanut butter
2008 99	– Other
ex 2008 99 99	Other:
CX 2000 77 77	~ Vine leaves, hop shoots and similar edible parts of plants
2101	Extracts, essences and concentrates, of coffee, tea or maté, and preparations with a basis of these products or with a basis of coffee, tea or maté; roasted chicory and other roasted coffee substitutes and extracts, essences and concentrates or with a basis of coffee:
2101 10	- Extracts, essences and concentrates, of coffee, and preparations with a basis of these extracts, essences or concentrates or with a basis of coffee:
2101 10 11 and 19	- Extracts, essences or concentrates
	Preparations:
2101 10 91	<ul> <li>Containing no milkfats, milk proteins, sucrose, isoglucose, glucose or starch or containing less than 1,5% milkfat, 2,5% milk proteins, 5% sucrose or isoglucose, 5% glucose or starch</li> </ul>
2101 20	- Extracts, essences and concentrates of tea or maté, and preparations with a basis of these extracts, essences or concentrates or with a basis of tea or mate



CN	Description
2101-20-10	Containing no milktats, milk proteins, sucrose, isoglucose, glucose or store <sup>1</sup> or containing less than 1,5% milkfat, 2,5% milk proteins, 5% sucrose or isoglucose, 5% glucose or starch
2101 30	Roasted chicory and other roasted coffee substitutes, and extracts, essences and concentrates thereof
2102	Yeast (active or inactive), other single-cell micro-organisms, dead (but not including vaccines of heading No 3002), prepared baking powders
2102 20	- Inactive yeasts, other single-cell micro-organisms, dead
2102 20 11 and 19	Inactive veasts
2102 30	Prepared baking powders
2103	Sauces and preparations therefor, mixed condiments and mixed seasonings, mustard flour and meal and prepared mustard
2104	Soups and broths and preparations therefor, homogenized composite food preparations
2106	Food preparations not elsewhere specified or included
2106 10	Protein concentrates and textured protein substances
2106 10 10	Containing no milkfats, milk proteins, sucrose, isoglucose, glucose or starch or containing less than 1,5% milkfat, 2,5% milk proteins, 5% sucrose or isoglucose, 5% glucose or starch
2106 90	- Other
2106 90 30 to 59	Flavoured or coloured sugar syrups
ex 2106 90 91	Containing no milkfats, milk proteins, sucrose, isoglucose, glucose or starch or containing less than 1,5 % milkfat, 2,5 % milk proteins, 5 % sucrose or isoglucose, 5 % glucose or starch
	Excluding hydrolysates of proteins and autolysates of yeast
2202	Waters, including mineral waters and aerated waters, containing added sugar or other sweetening matter or flavoured, and other non-alcoholic beverages, not including fruit or vegetable juices of heading No 2009
2203	Beer made from malt
2205	Vermouth and other wine of fresh grapes flavoured with plants or aromatic substances
2207	Undenatured ethyl alcohol of an alcoholic strength by volume of less than 80 % vol or higher, ethyl alcohol and other spirits, denatured, of any strength
2208	Undenatured ethyl alcohol of an alcoholic strepgth by volume of less than 80 % vol; spirits, liqueurs and other spirituous beverages; compound alcoholic preparations of a kind used for the manufacture of beverages
2209	Vinegar and substitutes for vinegar obtained from acetic acid
2402	Cigars, cheroots, cigarillos and cigarettes, of tobacco or of tobacco substitutes
2403	Other manufactured tobacco and manufactured tobacco substitutes; 'homogenized' or 'reconstituted' tobacco, tobacco extracts and essences
2905	Acyclic alcohols and their halogenated, sulphonated, nitrated or nitrosated derivatives
	- Other polyhydric alcohols.
2905 43	Mannitol
2905 44	p-Glucitol (sorbitol)

	1.9
 	· · · · · · · · · · · · · · · · · · ·
CN	Description 1
3501	Casein, caseinates and other casein derivates, casein glues
3501-10	- Cascin
3501 <b>9</b> 0	- Other
3501 90 90	Other
3502	Albumins, albuminates and other albumin derivatives
3502 10	- Egg albumin.
3502 10 91 and 99	Other
3502 <b>9</b> 0	- Other:
	Albumins, other than egg albumin
	Other
3502 90 51 and 59	= Milk albumin (lactalalbumin)
3505	Dextrins and other modified starches (for example, pregelatinized or esterified starches), glues based on starches, or on dextrins or other modified starches:
3505 10	- Dextrins and other modified starches
3505 10 10	Dextrins
	Other modified starches.
3505 10 90	Other
3505 20	- Glues
3809	Finishing agents, dye carriers to accelerate the dveing or fixing of dyestuffs and other products and preparations (for example, dressings and mordants), of a kind used in the textile, paper, leather or like industries, not elsewhere specified or included:
3809 10	- With a basis of amylaceous substances
3823	Prepared binders for foundry moulds or cores, chemical products and preparations of the chemical or allied industries (including those consisting of mixtures of natural products), not elsewhere specified or included; residual products of the chemical or allied industries, not elsewhere specified or included.
3823 60	- Sorbitol, other than that of subheading 2905 44

 $4 \times \times k \times B$  concerning the tariff arrangements and rules applicable to certain goods resulting from the processing of agricultural products referred to in Article 2

CN code	Description	Rates of duts (%)
0403	Buttermilk, curdled milk and cream, voghurt, kephir and other fermented or acidified milk and cream, whether or not concentrated or containing added sugar or other sweetening matter or flavoured or containing added fruit or cocoa	
0403 10	- Yoghurt	
0403 10 51 to 99	Flavoured or containing added fruit or cocoa	MOB
0403 90	- Other	
0403 90 71 to 99	Flavoured or containing added fruit or cocoa	МОВ
0710	Vegetables (uncooked or cooked by steaming or boiling in water), frozen	
0710 40	- Sweet corn	МОВ
0711	Vegetables, provisionally preserved (for example by sulphur dioxide gas, in brine, in sulphur water or in other preservative solutions), but unsuitable in that state for immediate consumption.	
0711 90	- Other vegetables; mixtures of vegetables:	
	– – Vegetables	
0711 90 30	Sweet corn	MOB
1517	Margarine, edible mixtures or preparations of animal or vegetable fats or oils or of fractions of different fats or oils of this Chapter, other than edible fats or oils or their fractions of heading No 1516	
1517 10	- Margarine, excluding liquid margarine	
1517 10 10	Containing more than 10% but not more than 15% by weight of milkfats	МОВ
1517 90	- Other:	
1517 <b>9</b> 0 10	Containing more than 10% but not more than 15% by weight of milkfats	МОВ
1519	Industrial monocarboxylic fatty acids; acid oils from refining, industrial fatty acids  — Industrial monocarboxylic fatty acids	
1519 11	Stearic acid	2 %
1519 12	Oleic acid	5 %
1519 20	- Industrial fatty alcohols	6%
1704	Sugar confectionery (including white chocolate), not containing cocoa:	
1704 10	- Chewing-gum, whether or not sugar coated	MOB max 23
1704 90	Other	2.)
1704 90 10	- Liquorice extract containing more than 10% by weight of sucrose but not containing other added substances	9%
1704 90 30	White chocolate	MOB max 27 + AD S
1704 90 51 to 99	Other	MOB max 27 + AD S

CN code	िन्द् Description	Rates of duty (%)
1806	Chocolate and other food preparations containing cocoa:	
1806 10	- Cocoa powder, containing added sugar or other sweetening matter	МОВ
1806 20	- Other preparations in blocks or slabs weighing more than 2 kg or in liquid, paste, powder, granular or other bulk form in containers or immediate packings, of a content exceeding 2 kg:	
1806 20 10	- Containing 31 % or more by weight of cocoa butter or containing a combined weight of 31 % or more of cocoa butter and milk fat	MOB max 27 % + AD S/Z
1806 20 30	Containing a combined weight of 25 % or more, but less than 31 % of cocoa butter and milk fat	MOB max 27 % + AD S/Z
	Other:	
1806 20 50	Containing 18% or more by weight of cocoa butter	MOB max 27 % + AD \$/Z
1806 20 70	Chocolate milk crumb	6% + MOB
1806 20 80	Chocolate flavour coating	
1806 20 9 <b>5</b>	Other	MOB max 27 % + AD \$/Z
	- Other in blocks, slabs or bars:	
1806 31	Filled	MOB max 27 % + AD S/Z
1806 32	Not filled	MOB max 27 % + AD S/Z
1806 90	- Other:	
1806 90 11 to 39	Chocolate and chocolate products	MOB max 27 % + AD S/Z
1806 90 50	- Sugar confectionery and substitutes therefor made from sugar substitution products,	
1806 90 60	containing cocoa	MOB max 27 % + AD S/Z
1000 70 00	- Spreads containing cocoa:  - in immediate packings of a net capacity of 1 kg or less	МОВ
		max 27 % + AD S/Z
	Other	6% + MOE max 27% + AD S/Z
1806 90 70	Preparations containing cocoa for making beverages:	
	in immediate packings of a net capacity of 1 kg/br less	MOB max 27 % + AD S/Z
	Other	6% + MOE max 27% + AD S/Z
1806 90 90	Other:	
	— in immediate packings of a net capacity of 1 kg or less	MOB max 27 % + AD S/Z
	Other	6% + MOI max 27% + AD S/Z

· <b>-</b>		
( N code	Description .	Rates of duty
1901	Malt extract, food preparations of flour, meal, starch or malt extract, not containing cocoa powder or containing cocoa powder in a proportion by weight of less than 80%, not elsewhere specified or included, food preparations of goods of headings Nos 0401 to 0404, not containing cocoa powder or containing cocoa powder in a proportion by weight of less than 10%, not elsewhere specified or included.	- <del></del> -
1901-10	- Preparations for infant use, put up for retail sale containing coco	MOB
	prepared milk, in powder form	MOB
1901 90 1901 90 90	Other  Other	
1701 70 70	containing cocoa  prepared milk, in powder form, for dictic or culturary purposes	MOB MOB
1902	Past 1, whether or not cooked or stuffed (with meat or other substances, or otherwise prepared, such as spaghetti, macaroni, noodles, lasagne, gnocchi, ravioli, cannelloni, couscous, whether or not prepared	
1902 20	- Stuffed pasta, whether or not cooked or otherwise prepared	
102 20 91 10 99	Other	MOB
1902 30	- Other pasta	MOB
1902 40	- Couscous	
1902 40 90	Other	MOB
1904	Prepared foods obtained by the swelling or roasting of cereals or cereal products (for example, corn flakes), cereals, other than maize (corn), in grain form, pre-cooked or otherwise prepared	МОВ
2001	Vegetables, fruit, nuts and other edible parts of plants, prepared or preserved by vinegar or acetic acid	
2001 90	- Other	
2001 90 30	– – Sweet corn (Zea mays var saccharata)	MOB
2001 90 40	Yams, sweet potatoes and similar edible parts of plants containing 5 % or more by weight of starch	мов
2004	Other vegetables prepared or preserved otherwise than by vinegar or acetic acid, frozen	
2004 10	- Potatoes	
	Other	
2004 10 91	In the form of flour, meal or flakes	MOB
2004 90	- Other vegetables and mixtures of vegetables-	
2004 90 10	Sweet corn (Zea mays var. saccharata)	MOB
2005	Other vegetables prepared or preserved otherwise than by vinegar or acetic acid, not frozen.	
2005 20	- Potatoes	
2005 20 10	- In the form of flour, meal or flakes	мов
2005 80	- Sweet corn (Zea mays var. saccharata)	мов
2008	Fruit, nuts and other edible parts of plants, otherwise prepared or preserved, whether or not containing added sugar or other sweetening matter of spirit, not elsewhere specified or included	
	- Other, including mixtures other than those of subheading No 2008 19	
2008 91 00	Paim hearts	9 %
2008 92	Mixtures :	
2008 92 45	Not containing added spirit: Preparation of the Müsli type based on unroasted cereal flakes	
2008 99	Other	
	- Not containing added spirit:	
	- Not containing added sugar	
2008 99 85	Maize (corn), other than sweet corn (Zea mays viii saccharata)	MOB

	- 10-	
-		
(N code	Description	Rares or duty
		° 0
2101	Extracts, essences and concentrates, of coffee, teal or mate and preparations with a basis of these products or with a basis of coffee, tealor mate, roasted chicors and other roasted coffee substitutes and extracts, essences or concentrates thereof	
2101 10	Extracts, essences and concentrates, of coffee, and preparations with a basis of these extracts, essences or concentrates or with a basis of coffee	
2101 10 99	- Preparations - Other	МОВ
2101 20	Extracts, essences and concentrates of tea or mate, and preparations with a basis of these extracts, essences or concentrates or with a basis of tea or mate	
2101 20 90	– Other	МОВ
2102	Yeasts (active or inactive), other single-cell micro-organisms, dead (but not including vaccines of heading No 3002), prepared baking powders	
2102 10	Active yeasis	
2102 10 10	- Culture veasts	8%
2102 10 31 and <sup>39</sup>	- Bakers' yeast	МОВ
2102 10 90	- Other	10%
2105	Ice cream and other edible ice, whether or not containing cocoa	MOB max 27 % + AD S/Z
2106	Food preparations not elsewhere specified or included	
2106 10	Protein concentrates and textured protein substances.	
2106 10 90	- Other	МОВ
2106 90	- Other	
2106 90 10	- Cheese fondues	MOB max ECU 25 100 kg/net
	Other.	
ex 2106 90 91	- Containing no milkfats, milk proteins, sucrose, isoglucose, glucose or starch or containing less than 1,5% milkfat, 2,5% milk proteins, 5% sucrose or isoglucose, 5% glucose or starch:	
	Hydrolysates of proteins; autolysates of yeast	6%
2106 90 99	Other:	
	- Containing 26% or more by weight of milkfats:	
	In immediate packings of a net capacity of 1 kg or less	MOB
	- Other - Other	6% + MOB MOB

#### ANNIX CL a b

Order No	( N code	Description	Colons
(1)	(2)	76	4
01 0010	3102 (1)	Mineral or chemical fertilizers, nitrogenous	4510
	3102 10 10	Urea containing more than 45% by weight of nitrogen on the dry anhydrous product	
01 0020	3102 10 9 <b>0</b>	— <b>O</b> ther	
		Ammonium sulphate, double salts and mixtures of ammonium sulphate and ammonium nitrate	
	3102 21 00	Ammonium sulphate	
	3102 29 OC	Other	
	3102 29 10	Ammonium sulphate-nitrate	
	3102 29 90	Other	
	3102 30	- Ammonium nitrate, whether or not in aqueous solution:	
	3102 30 10	In aqueous solution	
	3102 30 90	Other	
	3102 40	Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilizing substances	39610
	3102 40 10	With a nitrogen content not exceeding 28% by weight	
	3102 40 90	With a nitrogen content exceeding 28% by weight	
	3102 50	– Sodium nitrate.	
	3102 50 90	Other fertilizers	
	3102 60 00	- Double salts and mixtures of calcium nitrate and aminonium nitrate	
	3102 70 00	- Calcium cvanamide	
	3102 80 00	- Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution	
	3102 90 00	- Other, including mixtures not specified in the foregoing subheadings	
01 0030	3105 (')	Mineral or chemical fertilizers containing two or three of the fertilizing elements nitrogen, phosphorus and potassium; other fertilizers; goods of this chapter in tablets or similar forms or in packages of a gross weight not exceeding 10 kg	G2 933
01 0040	3915	Waste, parings and scrap, of plastics.	
	3915 90	- Of other plastics	
		Other	
	3915 90 91	Of epoxide resins	
	3915 90 99	Other	1 852
	3916	Monofilament of which any cross-sectional dimension exceeds 1 mm, rods, sticks and profile shapes, whether or not surface-worked but not otherwise worded, of plastics.	
	3916 90	- Of other plastics	
	ex 3916 90 90	Other	
		Of regenerated cellulose	
	3917	Tubes, pipes and hoses, and fittings therefor (for example, joints, elbows, flanges), of plastics	
	3917 10	Artificial guts (sausage casings) of hardened protein or of cellulosic materials	

<sup>(1)</sup> Within the limit, with regard to exports to Italy, of quantities consolidated under the GATI
(a) Notwithstanding the rules for the interpretation of the combined nomenclature, the wording for the designation of the products is to be considered as having no more than an indicative value, the preferential scheme being determined, within the context of this Annex, by the application of the CN code. Where ex CN code positions are indicated, the preferential scheme is to be determined by application of the CN code and corresponding description taken together.

(b) See Taric codes in Annex C V

		$\mathcal{A} \mathcal{A}$	
Order No	( N code	Description	Ceiling
1	,	• • • • • • • • • • • • • • • • • • • •	
	7	•	
0040 ont d	ex 3917 10 90	Of cellulose plastic materials Of regenerated cellulose	
		- Tubes, pipes and hoses, rigid	
	3917-29	Of other plastics	
		Seamless and cut to a length exceeding the maximum cross-sectional dimension, whether or not surface worked, but not otherwise worked	
	₹ 3917.29.19	Other	
		- Ot regenerated cellulosc	
	3917 32	Other, not reinforced or otherwise combined with other materials, without fittings	
		Seamless and cut to a length exceeding the maximum cross-sectional dimension, whether or not surface-worked, but not otherwise worked	
	ex 3917 32 51	Other	
		- Of regenerated cellulose	
	3917 39	Other	
		Seamless and cut to a length exceeding the maximum cross-sectional dimension, whether or not surface-worked, but not otherwise worked	
	ex 3917 39 19	Other	
		- Of regenerated cellulose	
	3919	Self-adhesive plates, sheets, film, foil, tape, strip and other flat shapes, of plastics, whether or not in rolls	
	3919 10	- In rolls of a width not exceeding 20 cm	
		Other:	4.852
	ex 3919 10 90	· Other	1.000
		- Of regenerated cellulose	
	3919 90	- Other:	
		Other	
	ex 3919 90 90	Other:	
		Of regenerated cellulose	
	3920	Other plates, sheets, film, foil and strip, of plastics, non-cellular and not reinforced, laminated, supported or similarly combined with other materials	
		- Of cellulose or its chemical derivatives.	
	3920 71	Of regenerated cellulose:	
		Sheets, film or strip, coiled or not, of a thickness of less than 0,75 mm	
	3920 71 11	Not printed	
	3920 71 19	Printed	
	3920 71 90	· Other	
	3921	Other plates, sheets, film, foil and strip, of plastics:	
	3921 14 00	Cellular Of regenerated cellulose	
1 0050	3912	Cellulose and its chemical derivatives, not elsewhere specified or included, in primary forms:	
	3912 20	- Cellulose nitrates (including collodions)	
		- Non-plasticized	1.1

Other  ex 3915 90  3916 90  ex 3916 90 90  Other  Collodions and celloidin Other  Plasticized  Waste, parings and scrap, of plastics Other  Other  Other  Other  Other  Of cellulose and its chemical derivatives  Monofilament of which any cross-sectional dimensions exceeds 1 mm, rods, profile shapes, whether or not surface-worked but not otherwise wiplastics  Other  Of other plastics  Of other plastics	
Other  3912 20 19  3912 20 90  Plasticized  Waste, parings and scrap, of plastics Other  ex 3915 90  Of other plastics Other  ex 3916 90  Monofilament of which any cross-sectional dimensions exceeds 1 mm, rods, profile shapes, whether or not surface-worked but not otherwise wiplastics  3916 90  Other  Of cellulose nitrates	
Other  3912 20 19  3912 20 90  Plasticized  Waste, parings and scrap, of plastics Other  ex 3915 90  Of other plastics Other  - Of cellulose and its chemical derivatives  Monofilament of which any cross-sectional dimensions exceeds 1 mm, rods, profile shapes, whether or not surface-worked but not otherwise wiplastics  3916 90  Other  ex 3916 90 90  Other  Of cellulose nitrates	
3912 20 90  3915  3915  3915 90  Conter plastics Other  ex 3915 90 93  Monofilament of which any cross-sectional dimensions exceeds 1 mm, rods, profile shapes, whether or not surface-worked but not otherwise wiplastics  3916 90  ex 3916 90 90  Other  - Of cellulose nitrates	
3915 90 Waste, parings and scrap, of plastics Of other plastics Other  ex 3915 90 93  Monofilament of which any cross-sectional dimensions exceeds 1 mm, rods, profile shapes, whether or not surface-worked but not otherwise wiplastics  3916 90  Of other plastics  Other  Of cellulose nitrates	
Of other plastics Other  ex 3915 90 93  Of cellulose and its chemical derivatives  Monofilament of which any cross-sectional dimensions exceeds 1 mm, rods, profile shapes, whether or not surface-worked but not otherwise wiplastics  3916 90  Of other plastics  - Of other plastics  ex 3916 90 90  Other  - Of cellulose nitrates	
Other  ex 3915 90 93  3916  Monofilament of which any cross-sectional dimensions exceeds 1 mm, rods, profile shapes, whether or not surface-worked but not otherwise wiplastics  3916 90  - Of other plastics  ex 3916 90 90  Other  Of cellulose nitrates	
ex 3915 90 93  Of cellulose and its chemical derivatives  Monofilament of which any cross-sectional dimensions exceeds 1 mm, rods, profile shapes, whether or not surface-worked but not otherwise wiplastics  3916 90  Of other plastics  ex 3916 90 90  Other  Of cellulose nitrates	
Monofilament of which any cross-sectional dimensions exceeds 1 mm, rods, profile shapes, whether or not surface-worked but not otherwise wiplastics  3916 90  - Of other plastics - Other - Of cellulose nitrates	
profile shapes, whether or not surface-worked but not otherwise with plastics  2916 90  Of other plastics  Other  Of cellulose nitrates	
ex 3916 90 90 - Other - Of cellulose nitrates	
- Of cellulose nitrates	
	i
	4
Tubes, pipes and hoses, and fittings therefor (for example, joints, elbows, fl	langes), of
- Tubes, pipes and hoses, rigid	
3917-29 Of other plastics	
Scamless and cut to a length exceeding the maximum cross dimension, whether or not surface worked but not otherwise wa	
ex 3917 29 19 Other	i
- Of cellulose nitrates	į į
Other tubes, pipes and hoses	
3917 32 — Other, not reinforced or otherwise combined with other materials fittings	s, without
Seamless and cut to a length exceeding the maximum cross dimension, whether or not surface-worked, but not otherwise with	1 1
ex 3917 32 51   Other	
- Of cellulose nitrates	
3917 39 - Other	
Seamless and cut to a length exceeding the maximum cross dimension, whether or not surface-worked, but not otherwise w	
ex 3917 39 19   Other	
- Of cellulose mtrates	
Self-adhesive plates, sheets, film, foil, tape, strip and other flat shapes, of whether or not in rolls	of plastics,
3919 10 – In rolls of a width not exceeding 20 cm:	
Other	
ex 3919 10 90   - · - Other	
Of cellulose nitrates	
3919 90 Other	
- Other	
ex 3919 90 90   - · · · Other.	
Of cellulose nitrates	
Other plates, sheets, film, foil and strip, of plastics, non-cellular and not r laminated, supported or similarly combined with other materials:	reinforced,
- Of cellulose or its chemical derivatives:	
3920 72 00   - Of vulcanized fibre	

1159

Cedim totates

```
Order Nº
           CN code
                                         Description
                                                                                           Ceilina
                                                                                           (tonnes)
  (1)
             (2)
                                            (3)
                                                                                              (4)
01.0050
           3921
                         Other plates, sheets, film, foil and strip, of plastics:
(cont'd)
                         - Cellular :
           3921 19
                          - - Of other plastics:
                                                                                              1159
           3921 19 90
                         - - - Other
           3921 90
                         - Other:
           3921 90 90
                         - - Other
01.0060
           4011
                         New pneumatic tyres, of rubber:
                         - Of a kind used on motor cars (including station wagons
           4011 10 00
                            and racing cars)
           4011 20
                         - Of a kind used on buses or lorries
           4011 20 10
                         -- With a level index not exceeding 121
           4011 20 90
                         - - With a level index exceeding 121
           4011 30
                         - Of a kind used on aircraft:
           4011 30 90
                         - - Other
                         - Other:
           4011 91 00
                         -- Having a 'herring-bone' or similar tread
           4011 91 10
                         -- Of a kind used on agricultural and forestry vehicles
           4011 91 30
                         --- Of a kind used on civil engineering vehicles
           4011 91 90
                         - - - Other
           4011 99
                         - - Other :
           4011 99 10
                         - - Of a kind used on agricultural and forestry vehicles
           4011 99 30
                         -- Of a kind used on civil engineering vehicles
           4011 99 90
                         - - - Other
           4012
                         Retreaded or used pneumatic tyres of rubber; solid
                         or cushion tyres, interchangeable tyre treads and tyre
                         flaps, of rubber:
           4012 10
                         - Retreaded tyres:
                         - - - Other :
           4012 10 30
                         - - Of a kind used on motor cars (including station
                                wagons and racing cars)
           4012 10 50
                         - - - of a kind used on buses or lorries
        ex 4012 10 80
                         - - Other:
                             - Other than of the kind used on bicycles or cycles
                                                                                           6052
                                with auxiliary motor, on motor-cycles or motor-
                                 scooters
           4012 20
                          - Used pneumatic tyres :
        ex 4012 20 90
                          - - Other:
                             - Other than of the kind used on bicycles or cycles
                               motor-cycles or motor-scooters
           4013
                         Inner tubes, of rubber:
           4013 10
                         - Of a kind used on motor cars (including station wagons
                           and racing cars), buses or lorries:
           4013 10 10
                         - - Of the kind used on motor cars (including station
                             wagons and racing cars)
           4013 10 90
                         - - Of the kind used on buses or lorries
                         - Other:
           4013 90 90
                         - - Other
```

# -20 tis\_

Order N	CN code	Description	Celling (tonnes)
(1)	(2)	(3)	(4)
01.0080	4203	Articles of apparel and clothing accessories, of leather or of composition leather:	
	4203 10 00	- Articles of apparel	
		- Gloves, mittens and mitts:	
	4203 21 00	Specially designed for use in sports	<b>5</b> 90
		Other:	
	1000 00 01	Other:	
	4203 29 91	Men's and Boys'	
	4203 29 99	Other	
	4203 30 00	- Belts and bandoliers	
	4203 40 00	- Other clothing accessories	
01.0090	4412	Plywood, veneered panels and similar laminated wood:	
	4420	Wood marquetry and inlaid wood; caskets and cases for	
		jewellery or cutlery, and similar articles, of wood;	
		statuettes and other ornaments, of wood; wooden articles	
		of furniture not falling within Chapter 94:	
	4420 90	- Other:	161 162m3
		Wood marquetry and inlaid wood:	
	4420 90 11	Of tropical woods referred to in Additional Note 2	
		of this Chapter	
	4420 90 19	Of other woods	
01.0100	4410	Particle board and similar board of wood or other ligneous	
		materials; wether or not agglomerated with resins or other	
		organic binding substances	41 523

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
01.0110	6401	Waterproof footwear with outer soles and uppers of rubber or of plastics, the uppers of which are neither fixed to the sole nor assembled by stitching, riveting, nailing, screwing, plugging or similar processes	698
	6402	Other footwear with outer soles and uppers of rubber or plastics	
01 0120	6403	Footwear with outer soles of rubber, plastics, leather or composition leather and uppers of leather	825
01.0130	6404	Footwear with outer soles of rubber, plastics, leather or composition leather and uppers of textile materials	
	6405	Other footwear:	2
	6405 90	~ Other:	344
	6405 90 10	- With outer soles of rubber, plastics, leather or composition leather	
01.0140	7004	Drawn glass and blown glass, in sheets, whether or not having an absorbent or reflecting layer, but not otherwise worked	
	7004 10	- Glass, coloured throughout the mass (body tinted), opacified, flashed or having an absorbent or reflecting layer.	
	7004 10 30	Antique glass	
	7004 10 50	Horticultural sheet glass	
	7004 10 90	Other	
	7004 90	- Other glass:	
	7004 90 50	Antique glass	9 61.
	7004 90 70	Horticultural sheet glass	8 67
		Other, of a thickness:	•
	7004 90 91	Not exceeding 2,5 mm	
	7004 90 93	Exceeding 2,5 mm but not exceeding 3,5 mm	
	7004 90 95	Exceeding 3,5 mm but not exceeding 4,5 mm	
	7004 90 99	Exceeding 4,5 mm	
01.0150	9405	Lamps and lighting fittings including searchlights and spotlights and parts thereof, not elsewhere specified or included, illuminated signs, illuminated name-plates and the like, having a permanently fixed light source, and parts thereof not elsewhere specified or included:	
	9405 91	- Parts:	
	İ	Of glass:	3 201
	0405.01.10	Articles for electrical lighting fittings (excluding searchlights and spotlights):	
	9405 91 19	Other (for example, diffusers, ceiling lights, bowls, cups, lampshades, globes, tulip-shaped pieces)	
	7304	Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel:	
	7304 10	- Line pipe of a kind used for oil or gas pipelines:	
01.0160	7304.10 10	- Of an external diameter not exceeding 168,3 mm	
•	7304 III 30	- Of an emernal diameter exceeding 168,3 mm, but not exceeding 406,4 mm	
	7304 10 90		16 521
	7304 20	- Casing, tubing and drill pipe, of a kind used in drilling for oil or gas: - Other:	7,0 5 4 1
	7304 20 91	Of an external diameter not exceeding 406,4 mm	(
	7304 20 99	1	
	1	- Other, of circular cross-section, of iron or non-alloy steel:	}
	7304 31	Cold-drawn or cold-rolled (cold-reduced):	
		· · · Other	
	7304 31 91	· Precision tubes	
	7304 31 99	· - Other	1

1.0160 7304 39 10 7304 39 10 7304 39 10 7304 39 10 7304 39 10 7304 39 10 7304 39 10 7304 39 10 7304 39 50 7304 39 51 7304 39 73 7304 39 73 7304 39 73 7304 39 73 7304 39 73 7304 39 73 7304 39 73 7304 39 73 7304 31 7304 41 7304 41 7304 41 7304 41 7304 41 7304 49 10 7304 49 10 7304 49 73 7304 49 73 7304 49 73 7304 49 73 7304 49 73 7304 49 73 7304 49 73 7304 49 73 7304 49 73 7304 49 73 7304 49 73 7304 49 73 7304 49 73 7304 49 73 7304 51 73											D	cs	crı	ptie	on															Ceil toni		
7304 39 10  - Unworked, straight and of uniform wall-thickness, for use solely in the manufacture of tubes and pipes with other cross-sections and wall-thicknesses (')  - Other: - Oth													(3	)																 (4	)	
7304 39 10  - Unworked, straight and of uniform wall-thickness, for use solely in the manufacture of tubes and pipes with other cross-sections and wall-thicknesses (')  - Other: Other: Other: Other: Other: Other: Other of the straight of the straight and of uniform wall-thickness (gas pipe):  7304 39 59  Plated or coated with zinc  7304 39 99  Other, of an external diameter:  7304 39 91  Exceeding 168,3 mm  7304 39 99  Exceeding 466,4 mm  Other, of circular cross-section, of stainless steel:  7304 41  7304 49 10  - Other:  - Unworked, straight and of uniform wall-thickness, for use solely in the manufacture of tubes and pipes with other cross-sections and wall-thicknesses (')  - Other:																													Į			
Other: Other: Threaded or threadable tubes (gas pipe):  7304 39 51 Plated or coated with zinc  7304 39 51 Other, of an external diameter:  7304 39 91 Other, of an external diameter:  7304 39 93 Exceeding 168,3 mm 7304 39 93 Exceeding 406,4 mm  7304 39 93 Exceeding 406,4 mm  Other, of circular cross-section, of stainless steel:  7304 41 - Cold-drawn or cold-rolled (cold-reduced):  7304 49 10 - Other: - Unworked, straight and of uniform wall-thickness, for use solely in the manufacture of tubes and pipes with other cross-sections and wall-thicknesses(') - Other: Other: Other: Other: Other: Other: Other, of circular cross-section, of other alloy steel: 7304 49 91 Of an external diameter on exceeding 406,4 mm Other, of circular cross-section, of other alloy steel: 7304 49 99 Of an external diameter exceeding 406,4 mm Other, of circular cross-section, of other alloy steel: Cold-drawn or cold-rolled (cold-reduced): Straight and of uniform wall-thickness, of alloy steel containing by weight not less than 0,5 w but now more than 1,15 % of carbon, not less than 0,5 % but now more than 2,5 % of molybdenum, of a length: Other:	tube	ulacture	ure	re	0	of	ŧu	an ube	nd es	0	f : an	ur ıd	nfe	bit	m s pes	wa	ll-t wit	hic th	kn ot	ess he	, fo	or (	use ss-	sec	olel	y ı ns	n th an	d d				
Other: Other: Threaded or threadable tubes (gas pipe):  7304 39 51 Plated or coated with zinc  7304 39 59 Other, of an external diameter:  7304 39 91 Other, of an external diameter:  7304 39 93 Exceeding 168,3 mm, but not exceeding 406,4 mm  7304 39 99 Exceeding 406,4 mm  7304 41 90 - Other, of circular cross-section, of stainless steel: - Cold-drawn or cold-rolled (cold-reduced): - Other - 3004 49 10 - Other - Other: Other:  - Other: Other:  7304 49 91 Other:  7304 49 91 Of an external diameter not exceeding 406,4 mm - Other, of circular cross-section, of other alloy steel: Other: Of an external diameter exceeding 406,4 mm - Other, of circular cross-section, of other alloy steel: Cold-drawn or cold-rolled (cold-reduced): Straight and of uniform wall-thickness, of alloy steel containing by weight not less than 0,9 % but not more than 1,15 % of carbon, not less than 0,5 % but not more than 1,2 % of chromium and not more than 0,5 % of molybdenum, of a length:  7304 51 11 Not exceeding 4,5 m Other:		er					-																									
Threaded or threadable tubes (gas pipe):  7304 39 51 Plated or coated with zinc  7304 39 59 Other  Other  7304 39 91 Other, of an external diameter:  7304 39 93 Exceeding 168,3 mm, but not exceeding 406,4 mm  7304 39 99 Exceeding 416,4 mm  Other, of circular cross-section, of stainless steel:  7304 41 7304 41 90 Other:  7304 49 10 - Unworked, straight and of uniform wall-thickness, for use solely in the manufacture of tubes and pipes with other cross-sections and wall-thicknesses(*) Other:  7304 49 91 Other: Other: Of an external diameter not exceeding 406,4 mm  Other, of circular cross-section, of other alloy steel: Other: Other: Of an external diameter exceeding 406,4 mm  Other, of circular cross-section, of other alloy steel: Cold-drawn or cold-rolled (cold-reduced): Straight and of uniform wall-thickness, of alloy steel containing by weight not less than 0.9 % but not more than 1.15 % of carbon, not less than 0.5 % but not more than 2.8 of carbon, not less than 0.5 % but not more than 2.8 of carbon, not less than 0.5 % but not more than 2.5 % of carbon, not less than 0.5 % but not more than 2.5 % of carbon, not less than 0.5 % but not more than 2.5 % of carbon, not less than 0.5 % but not more than 2.5 % of carbon, not less than 0.5 % but not more than 2.5 % of carbon, not less than 0.5 % but not more than 2.5 % of carbon, not less than 0.5 % but not more than 2.5 % of carbon, not less than 0.5 % but not more than 2.5 % of chromium and not more than 0.5 % of molybdenum, of a length:  7304 59 10 - Other:		Other:																								•	•	- 1	l			
7304 39 51 7304 39 59		- Other-	ier.	r.																								-				
7304 39 51 7304 39 59	d or t	- Thr	Thre	hre	read	ded	d o	or t	thr	rea	ad	ab	le	tu	ıbe	s (1	eas	Di	pe)	):												
Other, of an external diameter:  7304 39 91  7304 39 93  7304 39 93  7304 39 99  Exceeding 168,3 mm  Other, of circular cross-section, of stainless steel:  7304 41  7304 49 10  - Other.  7304 49 10  - Other.  7304 49 10  - Other:  - Other:  7304 49 91  - Other:  7304 51 11  - Other, of circular cross-section, of stainless steel:  7304 51 11  - Other:  7304 51 10  - Other:  7304 51 11  - Other:  7304 51 10  - Other:  7304 51 10  - Other:  7304 51 11  - Other:  7304 51 10  - Other:  7304 51 10  - Other:  7304 51 11  - Other:  7304 51 10  - Other:  7304 51 10  - Other:  7304 51 11  - Other:  7304 51 10  - Other:  7304 59 30  - Other:  7304 59 31  - Other:  - Other:  7304 59 31  - Other:																	,	•										- {				
Other, of an external diameter:  7304 39 91  7304 39 93  7304 39 93  7304 39 99  Exceeding 168,3 mm  Other, of circular cross-section, of stainless steel:  7304 41  7304 49 10  - Other  7304 49 10  - Other:  Other:  Other:  Other:  Other:  Other:  Other:  7304 49 91  - Other:  7304 51 11  - Cold-drawn or cold-rolled (cold-reduced)  7304 51 11  - Cold-drawn or cold-rolled (cold-reduced)  7304 51 11  - Other:  7304 51 10  - Other:  7304 51 10  - Other:  7304 51 11  - Other:  7304 51 10  - Other:  7304 51 10  - Other:  7304 51 11  - Other:  7304 51 10  - Ot																																
7304 39 91 7304 39 93 7304 39 93 7304 39 99 7304 39 99 7304 39 99 7304 41 7304 41 90 7304 49 10 7304 51 10 7304 51 10 7304 51 10 7304 51 11 7304 51 11 7304 51 19 7304 51 19 7304 51 19 7304 51 19 7304 51 19 7304 51 19 7304 51 19 7304 51 10 730				_				an e	CYI	161	rn	al	di	ı a m	nei	er.																
7304 39 93  7304 39 93  7304 39 99  7304 39 99  7304 41  7304 41  7304 41  7304 41  7304 49 10  7304 49 10  7304 49 10  7304 49 91  7304 49 91  7304 49 91  7304 49 91  7304 49 91  7304 49 91  7304 51 91  7304 51 11  7304 51 91  7304 59 10  7304 59 11  7304 59 11  7304 59 18  7304 59 18  7304 59 18  7304 59 18  7304 59 18  7304 59 18  7304 59 18  7304 59 18  7304 59 18  7304 59 18  7304 59 18  7304 59 18  7304 59 18  7304 59 18  7304 59 18  7304 59 19  7304 59 91  7304 5																																
7304 39 99  Other, of circular cross-section, of stainless steel:										•							or .			4	a 4	0.E	4	· · · · ·					İ			
Other, of circular cross-section, of stainless steel:  7304 41 90 Cold-drawn or cold-rolled (cold-reduced):  7304 49 10 Other:  7304 49 11 Other:  7304 49 11 Other:  7304 49 12 Of an external diameter not exceeding 406,4 mm  7304 49 91 Of an external diameter exceeding 406,4 mm  7304 49 91 Of an external diameter exceeding 406,4 mm  7304 51 11 Straight and of uniform wall-thickness, of alloy steel:  7304 51 11 Straight and of uniform wall-thickness, of alloy steel containing by weight not less than 0,9% but not more than 1,15% of carbon, not less than 0,5% but not more than 2% of chromium and not more than 0,5% of molybdenum, of a length:  7304 51 11 Not exceeding 4,5 m  7304 51 91 Other:  7304 51 91 Other:  7304 59 91 Other  7304 59 381 Other  7304 59 381 Not exceeding 4,5 m  7304 59 381 Note secting 4,5 m  7304 59 381 Other:  7304 59 381 Other:  7304 59 381 Note secting 4,5 m  7304 59 381 Note secting 4,5 m  7304 59 381 Other:  7304 59 391 Note secting 4,5 m  7304 59 91 Other:  7304 59 91 Other:  7304 59 91 Other:  7304 59 91 Note secting 4,5 m  7304 59 91 Note secting 4,5 m  7304 59 91 Other:	_							-							oui		ot e	exc	.cci	um	<b>в</b> ¬	UO.	,••	11111	1							
7304 41	_							-									_1.											-				
7304 41 90 7304 49 7304 49 7304 49 10 7304 49 10 7304 49 10 7304 49 10 7304 49 10 7304 49 10 7304 49 10 7304 49 10 7304 49 11 7304 49 91 7304 49 91 7304 49 91 7304 49 91 7304 49 91 7304 49 91 7304 49 91 7304 49 91 7304 49 91 7304 49 91 7304 51 7304 51 7304 51 7304 51 7304 51 10 7304 51																	C1:															
7304 49 10  7304 49 10  7304 49 10  7304 49 10  7304 49 10  7304 49 10  7304 49 91  7304 49 91  7304 49 91  7304 49 91  7304 49 99  7304 49 99  7304 59 11  7304 59 10  7304 59 181  7304 59 181  7304 59 181  7304 59 93  7304 59 91  7304 59 91  7304 59 93  7304 59 93  7304 59 91  7304 59 93	ronea		or c	or co	COIC	a-r	ron	пеа	) (c	co	на	-10	ea	uce	ea)														İ			
7304 49 10  Unworked, straight and of uniform wall-thickness, for use solely in the manufacture of tubes and pipes with other cross-sections and wall-thicknesses (*)  Other:  Other:  7304 49 91  7304 49 99  Of an external diameter not exceeding 406,4 mm  Other, of circular cross-section, of other alloy steel:  - Cold-drawn or cold-tolled (cold-reduced):  Straight and of uniform wall-thickness, of alloy steel containing by weight not less than 0,9% but not more than 1,15% of carbon, not less than 0,5% but not more than 1,15% of fearbon, not less than 0,5% but not more than 0,5% of molybdenum, of a length:  7304 51 11  Not exceeding 4,5 m  Other:  Other, straight and of uniform wall-thickness, for use solely in the manufacture of tubes and pipes with other cross-sections and wall-thicknesses (¹)  Other, straight and of uniform wall-thickness, of alloy steel containing by weight not less than 0,9% but not more than 1,15% of carbon, not less than 0,5% but not more than 2% of chromium and not more than 0,5% of molybdenum, of a length:  7304 59 38  Not.enceeding 4,5 m  Other:		er																														
manufacture of tubes and pipes with other cross-sections and wall-thicknesses (1)  Other:  Other:  7304 49 99  Of an external diameter not exceeding 406,4 mm  Other, of circular cross-section, of other alloy steel:  - Cold-drawn or cold-rolled (cold-reduced):  Straight and of uniform wall-thickness, of alloy steel containing by weight not less than 0,9% but not more than 1,15% of carbon, not less than 0,5% but not more than 1,15% of carbon, not less than 0,5% but not more than 0,5% of molybdenum, of a length:  7304 51 11  Not exceeding 4,5 m  Other:  Other straight and of uniform wall-thickness, for use solely in the manufacture of tubes and pipes with other cross-sections and wall-thicknesses (1)  Other; straight and of uniform wall-thickness, of alloy steel containing by weight not less than 0,9% but not more than 1,15% of carbon, not less than 0,5% of molybdenum, of a length:  Other:																					_											
Other:  7304 49 91  7304 49 99  Of an external diameter not exceeding 406,4 mm  Other, of circular cross-section, of other alloy steel:  7304 51  - Cold-drawn or cold-rolled (cold-reduced):  - Straight and of uniform wall-thickness, of alloy steel containing by weight not less than 0,9% but not more than 1,15% of carbon, not less than 0,5% but not more than 0,5% of molybdenum, of a length:  7304 51 11  Not exceeding 4,5 m  - Other:  Other:  7304 51 91  Precision tubes  7304 59 91  - Other:  - Unworked, straight and of uniform wall-thickness, for use solely in the manufacture of tubes and pipes with other cross-sections and wall-thicknesses(!)  - Other, straight and of uniform wall-thickness, of alloy steel containing by weight not less than 0,5% but not more than 1,15% of carbon, not less than 0,5% but not more than 2% of chromium and not more than 0,5% of molybdenum, of a length:  7304 59 39  Exceeding 4,5 m  - Other:  -	tube	ufacture	ure	re	0	of	tu	ube	nd es	0	an	ur	uto	bit	m i pes	wa	ll-ti Wit	hic	kn ot	ess he	, fo	or i	use SS-	sec	tio	y u ns	n th an	d				
7304 49 91 7304 49 99 7304 49 99 7304 49 99 7304 51 73		er:																														
7304 49 99  Of an external diameter exceeding 406,4 mm  Other, of circular cross-section, of other alloy steel:  - Cold-drawn or cold-rolled (cold-reduced)  - Straight and of uniform wall-thickness, of alloy steel containing by weight not less than 0,9 % but not more than 1,15 % of carbon, not less than 0,5 % but not more than 2 % of chromium and not more than 0,5 % of molybdenum, of a length:  7304 51 11  Not exceeding 4,5 m  Other:  Other, straight and of uniform wall-thickness, for use solely in the manufacture of tubes and pipes with other cross-sections and wall-thicknesses(1)  - Other, straight and of uniform wall-thickness, of alloy steel containing by weight not less than 0,9 % but not more than 1,15 % of carbon, not less than 0,5 % but not more than 2% of chromium and not more than 0,5 % of molybdenum, of a length:  Not.enceeding 4,5 m  Other:  -		Other:																														
7304 49 99  Of an external diameter exceeding 406,4 mm  Other, of circular cross-section, of other alloy steel:  - Cold-drawn or cold-rolled (cold-reduced)  - Straight and of uniform wall-thickness, of alloy steel containing by weight not less than 0,9% but not more than 1,15% of carbon, not less than 0,5% but not more than 1,15% of carbon, not less than 0,5% but not more than 1,15% of carbon, not less than 0,5% of molybdenum, of a length:  7304 51 11  - Not exceeding 4,5 m  - Other:	nal d	Of an e	an e	n e	exte	terr	nal	ıl di	liar	me	ete	r	na	) I (	exc	:e <b>e</b> c	din	e 4	106	.4	mn	1								A	6	5
- Other, of circular cross-section, of other alloy steel:  7304 51 - Cold-drawn or cold-rolled (cold-reduced): - Straight and of uniform wall-thickness, of alloy steel containing by weight not less than 0,9% but not more than 1,15% of carbon, not less than 0,5% but not more than 2 % of chromium and not more than 0,5% of molybdenum, of a length:  7304 51 11 Not exceeding 4,5 m - Other: Other: Other: Other: Other: Other: Other: Other: Other: Other: Other: Other: Other: Other: Other: Other: Other: Other: Other: Other, straight and of uniform wall-thickness, for use solely in the manufacture of tubes and pipes with other cross-sections and wall-thicknesses(1) Other, straight and of uniform wall-thickness, of alloy steel containing by weight not less than 0,9% but not more than 1,15% of carbon, not less than 0,5% but not more than 1,15% of carbon, not less than 0,5% but not more than 1,15% of carbon, not less than 0,5% but not more than 1,15% of carbon, not less than 0,5% but not more than 1,15% of carbon, not less than 0,5% but not more than 1,15% of carbon, not less than 0,5% of molybdenum, of a length: Not exceeding 4,5 m Other: Ot																														- 1	•	•
7304 51  - Cold-drawn or cold-rolled (cold-reduced):  - Straight and of uniform wall-thickness, of alloy steel containing by weight not less than 0,9 % but not more than 1,15 % of carbon, not less than 0,5 % but not more than 2 % of chromium and not more than 0,5 % of molybdenum, of a length:  7304 51 11  Not exceeding 4,5 m  - Other:  Other:  Other:  7304 51 91  7304 59 10  Other:																_																
Straight and of uniform wall-thickness, of alloy steel containing by weight not less than 0,9 % but not more than 1,15 % of carbon, not less than 0,5 % but not more than 2 % of chromium and not more than 0,5 % of molybdenum, of a length:  7304 51 11  7304 51 19  Not exceeding 4,5 m  Other:  Other:  Other:  7304 51 91  7304 59 10  Precision tubes  7304 59 10  Other, straight and of uniform wall-thickness, for use solely in the manufacture of tubes and pipes with other cross-sections and wall-thicknesses (1)  Other, straight and of uniform wall-thickness, of alloy steel containing by weight not less than 0,9 % but not more than 1,15 % of carbon, not less than 0,5 % but not more than 2 % of chromium and not more than 0,5 % of molybdenum, of a length:  7304 59 381  Not. arcceding 4,5 m  Other:  Other:  7304 59 91  7304 59 93  Exceeding 4,5 m  Other:  Other:  Other:  Of an external diameter not exceeding 168,3 mm, but not exceeding 406,4 mm																		•••														
7304 51 11 7304 51 19	form t not	ight and o than 0,9 9 more than	nd o ),9 %	d of	of u	unif but	ifor	rm not i	w: me	all or	l-t	hı h	ck: an	nes	ss, ,15	of %	of	car	rbo	n,	not	les	ss t	har	ı 0,	,59	% bi	ıt	}			
7304 51 19  Exceeding 4,5 m  Other:  7304 51 91  7304 59 10  Other:  7304 59 10  Other:  Other:  7304 59 10  Other:  Other:  Other:  Other:  Other:  Other:  Other, straight and of uniform wall-thickness, for use solely in the manufacture of tubes and pipes with other cross-sections and wall-thicknesses (¹)  Other, straight and of uniform wall-thickness, of alloy steel containing by weight not less than 0,9 % but not more than 1,15 % of carbon, not less than 0,5 % but not more than 2 % of chromium and not more than 0,5 % of molybdenum, of a length:  7304 59 31  Not.enceeding 4,5 m  Other:  Other:  Other:  Other:  Of an external diameter not exceeding 168,3 mm  Of an external diameter exceeding 168,3 mm, but not exceeding 406,4 mm	4.5 n	•	cee	eec	-dın	nø .	4.5	.5 n	m																							
Other: Other: Other: Other: Other: Other: Other: Other Other: Other: Other: Other: Other: Other: Other: Other: Other: Other, straight and of uniform wall-thickness, for use solely in the manufacture of tubes and pipes with other cross-sections and wall-thicknesses (1) Other, straight and of uniform wall-thickness, of alloy steel containing by weight not less than 0,5% but not more than 1,15% of carbon, not less than 0,5% but not more than 2% of chromium and not more than 0,5% of molybdenum, of a length: Netherceeding 4,5 m Other: Other: Other: Other: Other: Of an external diameter not exceeding 168,3 mm Of an external diameter exceeding 168,3 mm, but not exceeding 406,4 mm						_			•••																				İ			
Other:  7304 51 91  7304 59 99  7304 59 10  Other:  Other:  Other:  Other:  Other:  Other:  Other:  Other:  Other:  Other:  Other:  Other, straight and of uniform wall-thickness, for use solely in the manufacture of tubes and pipes with other cross-sections and wall-thicknesses (1)  Other, straight and of uniform wall-thickness, of alloy steel containing by weight not less than 0,9 % but not more than 1,15 % of carbon, not less than 0,5 % but not more than 2 % of chromium and not more than 0,5 % of molybdenum, of a length:  Nat.enceeding 4,5 m  Other:  O		_	Б	Б	י' 5	,,,,,	•••																									
7304 51 91 7304 51 99 7304 59 91 7304 59 10  Other:  Unworked, straight and of uniform wall-thickness, for use solely in the manufacture of tubes and pipes with other cross-sections and wall-thicknesses (1)  Other, straight and of uniform wall-thickness, of alloy steel containing by weight not less than 0,9% but not more than 1,15% of carbon, not less than 0,5% but not more than 2% of chromium and not more than 0,5% of molybdenum, of a length:  7304 59 381  Not.enceeding 4,5 m  Other:  Other:  Other:  Other:  Other:  Of an external diameter not exceeding 168,3 mm, but not exceeding 406,4 mm																																
7304 59 97 7304 59 97 7304 59 10  Other: Unworked, straight and of uniform wall-thickness, for use solely in the manufacture of tubes and pipes with other cross-sections and wall-thicknesses (1) Other, straight and of uniform wall-thickness, of alloy steel containing by weight not less than 0,9% but not more than 1,15% of carbon, not less than 0,5% but not more than 2% of chromium and not more than 0,5% of molybdenum, of a length: Not. enceeding 4,5 m Exceeding 4,5 m Other: Other: Other: Other: Of an external diameter not exceeding 168,3 mm, but not exceeding 406,4 mm	hac				۰	r., l	.hac																									
7304 59 10  - Other:  - Unworked, straight and of uniform wall-thickness, for use solely in the manufacture of tubes and pipes with other cross-sections and wall-thicknesses (1)  - Other, straight and of uniform wall-thickness, of alloy steel containing by weight not less than 0,9% but not more than 1,15% of carbon, not less than 0,5% but not more than 2% of chromium and not more than 0,5% of molybdenum, of a length:  Not. anceeding 4,5 m  Other:  Other:  Other:  Other:  Other:  Of an external diameter not exceeding 168,3 mm, but not exceeding 406,4 mm	ocs				011	tut	ocs	. 3																				- 1				
7304 59 10  Unworked, straight and of uniform wall-thickness, for use solely in the manufacture of tubes and pipes with other cross-sections and wall-thicknesses (1)  Other, straight and of uniform wall-thickness, of alloy steel containing by weight not less than 0,9 % but not more than 1,15 % of carbon, not less than 0,5 % but not more than 2% of chromium and not more than 0,5 % of molybdenum, of a length:  7304 59 381 Not enceeding 4,5 m  Other:  Other:  Other:  Other:  Of an external diameter not exceeding 168,3 mm  Of an external diameter exceeding 168,3 mm, but not exceeding 406,4 mm		- Other	ici	-1																												
Other, straight and of uniform wall-thickness, of alloy steel containing by weight not less than 0,9% but not more than 1,15% of carbon, not less than 0,5% but not more than 2% of chromium and not more than 0,5% of molybdenum, of a length:  7304 59 381 Not enceeding 4,5 m  7304 59 39 Exceeding 4,5 m  Other:  Other:  7304 59 91 Of an external diameter not exceeding 168,3 mm  7304 59 93 Of an external diameter exceeding 168,3 mm, but not exceeding 406,4 mm	tube	ufacture	ure	re	0	of	เน	an ube	nd es	o	f :	uri id	ufo	bit	m i	wa	li-ti wit	hic h	kn ot	ess :he	, fo	or (	usc ss-	sec	olel	y ı ns	n th an	ie d				
7304 59 iki	id of in 0,9 ore th	er, straigl sht not les % but no	aigh t les t no	igh less noi	hta ssth otπ	and than mo	nd c an 0 ore	0,9 th	) % har	ı b	านเ	n	ot	m	ого	e th	an	1,	15	%	of c	arl	oot	1, n	ot i	less	tha	n				
7304 59 39 Exceeding 4,5 m Other: Other: Other: Of an external diameter not exceeding 168,3 mm Of an external diameter exceeding 168,3 mm, but not exceeding 406,4 mm	_							_	_	1:																						
7304 59 91 7304 59 93  Other: Other: Of an external diameter not exceeding 168,3 mm Of an external diameter exceeding 168,3 mm, but not exceeding 406,4 mm									ET!																			-				
7304 59 91 7304 59 93  Other: Of an external diameter not exceeding 168,3 mm Of an external diameter exceeding 168,3 mm, but not exceeding 406,4 mm	m		ling	ng	3 4,	,5 1	m	i																								
7304 59 91  7304 59 93  Of an external diameter not exceeding 168,3 mm  Of an external diameter exceeding 168,3 mm, but not exceeding 406,4 mm																																
7304 59 93 Of an external diameter exceeding 168,3 mm, but not exceeding 406,4 mm																																
406,4 mm																																
		406,4 n	,4 n	4 m	mm	п					,										m,	bu	11	not	e	(C	cdın	g				
7304 59 99 Of an external diameter exceeding 406,4 mm	nal di	Of an e	an c	n e	exte	ern	nal	ıl dı	lıar	me	cte	r	ex-	cee	edi	ng	40	)6,4	4 m	ım												
7304 90 - Other: 7304 90 90 - Other																												-				

<sup>(1)</sup> Entry under this code is subject to conditions laid down in the relevant Community provisions. See also Section II, paragraph B, of the preliminary provisions (combined nomenclature)

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
01 0160 (cont'd)	7305	Other tubes and pipes (for example, welded, riveted or similarly closed), having internal and external circular cross-sections, the external diameter of which exceeds 406,4 mm, of iron or steel	
	7306	Other tubes, pipes and hollow profiles (for example, open seam or welded, riveted or similarly closed), of iron or steel:	
	7306 10	Line pipe of a kind used for oil or gas pipelines	
		- Longitudinally welded, of an external diameter of	
	7306 10 11	Not more than 168,3 mm	
	7306 10 19	More than 168,3 mm, but not more than 406,4 mm	
	7306 10 90	Spirally welded	
	7306 20 00	- Casing and tubing of a kind used in drilling for oil or gas	
	7306 30	Other, welded, of circular cross-section, of iron or non-alley steel     Other, welded, of circular cross-section, of iron or non-alley steel:	
		Other	
		Precision tubes, with a wall thickness:	
	7306 30 21	Not exceeding 2 mm	
	7306 30 29	Exceeding 2 mm	
		Other:	
		Threaded or threadable tubes (gas pipe)	16 52
	7306 30 51	Plated or coated with zinc	
	7306 30 59	Other	
		Other, of an external diameter:	1
		Not exceeding 168,3 mm:	
	7306 30 71	Plated or coated with zinc	
	7306 30 78	Other	
	7306 30 90	Exceeding 168,3 mm, but not exceeding 406,4 mm	
	7306 40	- Other, welded, of circular cross-section, of stainless steel-	
		Other:	
	7306 40 91	Cold-drawn or cold-rolled (cold-reduced)	
	7306 40 99	Other	
	7306 50	- Other, welded, of circular cross-section, of other alloy steel:	
		Other:	
	7306 50 91	Precision tubes	
	7306 50 99	Other	
	7306 60	- Other, welded, of non-circular cross-section:	
		Other:	
		Of rectangular (including square) cross-section, with a wall thickness:	
	7306 60 31	Not exceeding 2 mm	
	7306 600 39	Exceeding 2 mm	
	7306 60 90	Of other sections	
	7306 90 00	- Other	
01.0165	7407	Copper bars, rods and profiles	
	ex 7407 10 00	Of refined copper:	
		- Solid	
		- Of copper alloys:	
	7407 21	- Of copper-zinc base alloys (brass)-	5 11 2
	1	- Bars and rods	

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
01.0165 (cont'd)	ex 7407 21 90	Profiles:	
	7407 22	Of copper-nickel base alloys (cupro-nickel) or copper-nickel-zinc base alloys (nickel silver):	5117
	ex 7407 22 10	Of copper-nickel base alloys (cupro-nickel): - Solid	
	ex 7407 22 90	Of copper-nickel-zinc base alloys (nickel silver): - Solid	(cont'd)
	cx 7407 29 00	Other - Solid	
	7408	Copper wire:	
01.0170	7409	Copper plates, sheets and strip, of a thickness exceeding 0,15 mm:	1365
01.0180	7407	Copper bars, rods and profiles:	
	ex 7407 10 00	- Of refined copper:	
		- Hollow	
	7407 21	Of copper alloys:     Of copper-zinc base alloys (brass):	
	cx 7407 21 90	Profiles:	
	1	- Hollow	
		Of copper-nickel base alloys (cupro-nickel) or copper-nickel-zinc base alloys (nickel silver).	
	ex 7407 22 10	Of copper-nickel base alloys (cupro-nickel): - Hollow	3 79
	ex 7407 22 90	Of copper-nickel-zinc base alloys (nickel silver): - Hollow	
	ex 7407 29 00	Other	
		- Hollow	
	7411	Copper tubes and pipes	
01.0190	ex 7604	Aluminium bars, rods and profiles, excluding code 7604 21 00	}
	7605	Aluminium wire	2277
01.0200	7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	4 993
01.0210	7903	Zinc dust, powders and flakes	
	7905	Zinc plates, sheets, strip and foil	3 759
01.0220	8501	Electric motors and generators (excluding generating sets):	,
	8501 10	- Motors of an output not exceeding 37,5 W:	
	8501 10 10	Synchronous motors of an output not exceeding 18 W:	
		- ~ Other:	
		Universal AC/DC motors	
	<b>!</b> .	AC motors	408~
	8501 10 99 8501 20	DC motors - Universal AC/DC motors of an output exceeding 37.5 W:	•
	8501 20 90	- Other	}
	0301 20 70	- Other DC motors; DC generators:	
	8501 31	- Of an output not exceeding 750 W:	
	8501 31 90	Other:	
	8501 32	- Of an output exceeding 750 W but not exceeding 75 kW:	
	8501 32 91	Of an output exceeding 750 W but not exceeding 7,5 kW	
	8501 32 99	Of an output exceeding 7,5 kW but not exceeding 7.5 kW	

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
01.0220	8501 33	Of an output exceeding 75 kW but not exceeding 375 kW.	1
(cont'd)		· ·· · Other.	
	8501 33 91	Traction motors	
	8501 33 99	- · · · Other	
	8501 34	Of an output exceeding 375 kW:	
	0501.24.50	- Other	
	8501 34 50	Traction motors	
	9501.14.01	Other, of an output	
	8501 34 91	Exceeding 375 kW but not exceeding 75() kW	
	8501 34 99	1 xceeding 750 kW	
	8501 40	- Other AC motors, single phase :	
	8501 40 91	- Other	
		Of an output not exceeding 750 w Of an output exceeding 750 w	
	}	I I	
	8501.51	Other AC motors, multi-phase	
	8501 51 90	Of an output not exceeding 750 W.	
	8501 52		
	8301 32	- Of an output exceeding 750 W but not exceeding 75 kW-	
	8501 52 91	Of an output exceeding 750 W but not exceeding 7,5 kW	
	8501 52 93		
	8501 52 99	Of an output exceeding 37 kW but not exceeding 75 kW	
	8501 53	- Of an output exceeding 75 kW.	
		Other.	
	8501 53 50	Traction motors	
		Other, of an output.	
	8501 53 92 8501 53 94	Exceeding 75 kW but not exceeding 375 kW Exceeding 375 kW but not exceeding 750 kW	7081
	Ì	AC generators (alternators)	
	8501 61	Of an output not exceeding 75 kVA	
		- Other.	
	8501 61 91	Of an output not exceeding 7,5 kVA	
	8501 61 99	Of an output exceeding 7,5 kVA but not exceeding 75 kVA	
	8501 62	·· - Of an output exceeding 75 kVA but not exceeding 375 kVA:	
	8501 62 90	Other	
	8501 63	- Of an output exceeding 375 kVA but not exceeding 750 kVA	
	8501 63 90	Other	
	8501 64 00	Of an output exceeding 750 kVA	}
	8502	Electric generating sets and rotary converters.	
		Generating sets with compression-ignition internal combustion piston engines (diesel or semi-diesel engines)	
	8502 11	- Of an output not exceeding 75 kVA	
	8502 11 90	Other	
	8502 12	Of an output exceeding 75 kVA but not exceeding 375 kVA-	
	8502 12 90	Other	
	8502 13	Of an output exceeding 375 kVA.	
		Other	
	8502 13 91	Of an output exceeding 375 kVA but not exceeding 750 kVA	
	8502 13 99	Of an output exceeding 750 kVA	
	8502-20	Generating sets with spark-ignition internal combustion piston engines	

Other

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
01.0220	8502 20 91	Of an output not exceeding 7,5 kVA	
(cont'd)	8502 20 99	Of an output exceeding 7,5 kVA	7 081
	8502 30	- Other generating sets:	•
		Other:	
	8502 30 91	– – Turbo-generators	(cont'd)
	8502 30 99	Other	
	8502 40	- Electric rotary converters:	
	8502 40 90	Other	
01.0230	8503 00	Parts suitable for use solely or principally with the machines of code 8501 or 8502	
	8504	Electrical transformers, static converters (for example, rectifiers) and inductors	
	8504 90	- Parts-	
		Of transformers and inductors:	- 1
	8504 90 11	Ferrite cores	2 960
	8504 90 19	Other	0
	8504 90 90	- Of static converters	
01.0240	ex 8544	Insulated (including enamelled or anodized) wire, cable (including coaxial cable) and other insulated electric conductors, whether or not fitted with connectors; optical fibre cables, made up of individually sheathed fibres, whether or not assembled with electric conductors or fitted with connectors excluding products of CN codes 8544-30-10 and 8544-70-00	3057
01 0250	8546	Flectrical insulators of any material	536
01.0270	8716	Trailers and semi-trailers; other vehicles, not mechanically propelled; parts thereof	
	8716 10	- Trailers and semi-trailers of the caravan type, for housing or camping	
	8716 10 10	Trailer tents	
		- Other, of a weight:	
-	8716 10 91	Not exceeding 750 kg	
	8716 10 93	Exceeding 750 kg but not exceeding 3 500 kg	
	8716 10 99	Exceeding 3 500 kg	,
	8716 20	- Self-loading or self-unloading trailers and semi-trailers for agricultural purposes	3 32 6
	8716 20 10	‡	
	8716 20 90	Other	•
		- Other trailers and semi-trailers for the transport of goods:	
	8716 31 00	Tanker trailers and tanker semi-trailers:	
		New:	
	8716 39 30	Semi-trailers	
		Other:	
	8716 39 51	·· With a single axle	
	8716 39 59	Other	
	8716 39 80	· Used	
	8716 40 00	- Other trailers and semi-trailers	
01.0280	9401	Seats (other than those of code 9402), whether or not convertible into beds, and parts thereof:	10 328
	9401 30	- Swivel seats with variable height adjustment-	•
	9401 30 10	Upholstered, with backrest and fitted with castors or glides	
	9401 30 90	1	

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
01.0280	9401 40 00	- Seats other than garden seats or camping equipment, convertible into beds	
(cont'd)	9401 50 00	- Seats of cane, osier, bamboo or similar materials	
		- Other seats, with wooden frames:	
	9401 61 00	Upholstered	10 329
	9401 69 00	- Other	, 5
		- Other seats, with metal frames:	
	9401 71 00	Upholstered	(cont'd)
	9401 79 00	Other	
	9401 80 00	- Other seats	
	9401 90	- Parts:	
	9401 90 90	Other	
01 0300	0403		
01 0290	9403	Other furniture and parts thereof:	
	9403 10	Metal furniture of a kind used in offices	
,	9403 10 10	Drawing tables (other than those of code 9017)	
		- Other:	
		- Not exceeding 80 cm in height	
	9403 10 51	Desks	
	9403 10 59	Other	
		Exceeding 80 cm in height:	
	9403 10 91	Cupboards with doors, shutters or flaps	
	9403 10 93	Filing, card-index and other cabinets	
	9403 10 99	Other	
	9403 20	- Other metal furniture	
		Other.	
	9403 20 91	- ~ - Beds	9 029
	9403 20 99	Other	7 0 0 0
	9403 30	- Wooden furniture of a kind used in offices:	
		- Not exceeding 80 cm in height:	
	9403 30 11	Desks	•
	9403 30 19	- ·· - Other	
	1	Exceeding 80 cm in height:	
	9403 30 91	Cupboards with doors, shutters or flaps, filing, card-index and other cabinets	
	9403 30 99	Other	
	9403 40 00	- Wooden furniture of a kind used in the kitchen	
	9403 50 00	- Wooden furniture of a kind used in the bedroom	
	9403 60	- Other wooden furniture:	
	9403 60 10	Wooden furniture of a kind used in the dining room and the living room	
	9403 60 30	Wooden furniture of a kind used in shops	
	19403 60 90	- · Other wooden furniture	
	9403'70	- Furniture of plastics:	
	9403 70 90	Other	
	9403 80 00	- Furniture of other materials, including cane, osier, bamboo or similar materials	
	9403 90	- Parts:	
	9403 90 10	Of metal	
	9403 90 30	Of wood	
	9403 90 90	Of other materials	
	1	1	

#### ANNEX C II (a) (b)

Order No (category)	CN code	Description	Ceiling: (a) outward processing traffic (b) direct imports
(1)	(2)	(3)	(4)
02.0010	5204 11 00 5204 19 00	Cotton yarn not put up for retail sale	(b) 9 198 tonnes
	5205 11 00		
	5205 12 00 5205 13 00		
	5205 14 00		
	5205 15 10		
	5205 15 90		
	5205 21 00 5205 22 00		
	5205 23 00		
	5205 24 00		
	5205 25 10 5205 25 30		
	5205 25 90		
	5205 31 00		
	5205 32 00 5205 33 00		
	5205 34 00		
	5205 35 10		
	5205 35 90		
	5205 41 00 5205 42 00		
	5205 43 00		
	5205 44 00		
	5205 45 10 5205 45 30		
	5205 45 90		
	5206 11 00		
	5206 12 00		
	5206 13 00		
	5206 14 00 5206 15 10		
	5206 15 90		
	5206 21 00		
	5206 22 00 5206 23 00		
	5206 24 00		
	5206 25 10		
	5206 25 90 5206 31 00	1	
	5206 32 00		
	5206 33 00		
	5206 34 00 5206 35 10		
	5206 35 90		
	5206 41 00		
	5206 42 00 5206 43 00		
	5206 44 00		
	5206 45 10		
	.5206 45 90		
	ex 5604 90 00		
02.0020	5208 11 10	Woven fabrics of cotton, other than gauze, terry fabrics, narrow	(b) 11 392 tonnes
(2)	5208 11 90	woven fabrics, pile fabrics, chenille fabrics, tulle and other net	
52	5208 12 11	fabrics	

<sup>(</sup>a) Notwithstanding the rules for the interpretation of the combined nomenclature, the wording for the designation of the products is to be considered as having no more than an indicative value, the preferential scheme being determined, within the context of this Annex, by the application of the CN code. Where ex CN code positions are indicated, the preferential scheme is to be determined by application of CN code and corresponding description taken together.

(b) See Taric codes in Annex C V

(1)	(2)	(3)	(4)
02.0020	5208 12 15		(b) 11 392 tonnes
(2)	5208 12 19		(cont'd)
(cont'd)	5208 12 91		
	5208 12 93		
	5208 12 95		•
	5208 12 99		•
	5208 13 00		
	5208 19 00		ļ
	5208 21 10 5208 21 90		
	5208 22 11		
	5208 22 13		
	5208 22 15		
	5208 22 19		ĺ
	5208 22 91		
	5208 22 93		1
	5208 22 95		<u> </u>
	5208 22 99		
	5208 23 00		
	5208 29 00		[
	5208 31 00		
	5208 32 11 5208 32 13		
	5208 32 15		
	5208 32 19		
	5208 32 91		
	5208 32 93		Ĺ
	5208 32 95		
	5208 32 99		
	5208 33 00		
	5208 39 00		1
	5208 41 00		
	5208 42 00		
	5208 43 00		
	5208 49 00		
	5208 51 00		
	5208 52 10 5208 52 90		
	5208 53 00		
	5208 59 00		
	5209 11 00		
	5209 12 00		
	5209 19 00		
	5209 21 00		
	5209 22 00		
	5209 29 00		
	5209 31 00		
	5209 32 00		
	5209 39 00		
	5209 41 00		
	5209 42 00		
	5209 43 00 5209 49 10	*	
	5209 49 90		
	5209 51 00		
	5209 52 00	1	
٠.		•	
	5210 11 10		
	5210 11 10		
	5210 12 00		
	5210 19 00		
	5210 21 10		
	5210 21 90		
	5210 22 00		
	5210 29 00		}
	5210 31 10		
	5210 31 90		1
	5210 32 00		<b>4</b>

(1)	(2)	(3)	(4)
02.0020	5210 39 00		(b) 11 392 tonnes
(2)	5210 41 00		(cont'd)
(cont'd)	5210 42 00		
	5210 49 00		
	5210 51 00		
	5210 52 00 5210 59 00		
	5210 37 00		
	5211 12 00		
	5211 19 00		
	5211 21 00		
	5211 22 00		
	5211 29 00		
	5211 31 00 5211 32 00		
	5211 32 00		
	5211 41 00		
	5211 42 00		
	5211 43 00		
	5211 49 11		
	5211 49 19 5211 49 90		
	5211 51 00		
	5211 52 00		
	5211 59 00		
	5212 11 10		
	5212 11 90		
	5212 12 10		
	5212 12 90		
	5212 13 10 5212 13 90		
	5212 14 10		
	5212 14 90		
	5212 15 10		
	5212 15 90		
	5212 21 10 5212 21 90		
	5212 22 10		
	5212 22 90		
	5212 23 10		
	5212 23 90		
	5212 24 10 5212 24 90		
	5212 25 10		
	5212 25 90		
	ex 5811 00 00		
	ex 6308 00 00		
02.000			
02.0025 (2A)	5208 31 00	Of which other than unbleached or bleached	(b) 2 575 tonnes
(ZA)	5208 32 11 5208 32 13		
	5208 32 15		
	5208 32 19		
	5208 32 91		
	<b>5208</b> 32 93		
	5208 32 95		
	5208 32 99 5208 33 00		
	5208 39 00		
	5208 41 00		
	5208 42 00		
	5208 43 00	,	
	5208 49 00 5208 51 00		
	5208 52 10		
	5208 52 90		
		1	1
	5208 53 00 5208 59 00		1

(1)	(2)	(3)	(4)
02.0025	5209 31 00		(b) 2 575 tonnes
(2A)	5209 32 00		(cont'd)
(cont'd)	5209 39 00		( ( ( ) ) )
	5209 41 00		
	5209 42 00		
	5209 43 00		
	5209 49 10		
	5209 49 90		
	5209 51 00		
	5209 52 00 5209 59 00		
	5210 31 10		
	5210 31 90 5210 32 00		
	5210 32 00		
	5210 41 00		
	5210 42 00		
	5210 49 00		
	5210 51 00		
	5210 52 00		
	5210 59 00		
	5211 31 00		
	5211 32 00		
	5211 39 00		
	5211 41 00		
	5211 42 00		
	5211 43 00		
	5211 49 11		
	5211 49 19		
	5211 49 90		İ
	5211 51 00		
	5211 52 00		
	5211 59 00		
	5212 13 10		
	5212 13 90		1
	5212 14 10 5212 14 90		
	5212 15 10		
	5212 15 90		
	5212 21 10		
	5212 21 90		
	5212 22 10		
	5212 22 90		
	5212 23 10		
	5212 23 90		
	5212 24 10		
	5212 24 90		
	5212 25 10		
	5212 25 90	İ	
	ex 5811 00 00	•	
	ex 6308 00 00	f	
02.0030	5512 11 00	Woven fabrics of synthetic fibres (staple or waste) other than narrow	1 247 tonnes
(3)	5512 19 10	woven fabrics, pile fabrics (including terry fabrics) and chemile	
	5512 19 90	fabrics	
	5512 21 00		
	5512 29 10		
	5312 29 90		
	5512 91 00	1	1
	5512 99 10		1
	5512 99 90		
	5513 11 10		
	5513 11 30		
	5513 11 90		
	5513 12 00		
	5513 13 00 5513 19 00		
1			

1	2	*	4
02 0030	5513 21 10		1 247 tonnes
(3	5513 21 30		cont d
cont d	5513 21 90		
	5513 22 00 5513 23 00		
	5513 29 00		
i	5513 31 00		
i	5513 32 00 5513 33 00		1
	5513 39 00		
	5513 41 00		1
	5513 42 00 5513 43 00		
	5513 49 00		
į	5514 11 00		1
1	5514 12 00		i I
Ī	5514 13 00		i
,	5514 19 00		
	5514 22 00		:
	5514 23 00		
j	5514 29 00 5514 31 00		; }
	5514 32 00		
ļ	5514 33 00		
	5514 39 00 5514 41 00		
	5514 42 00		
	5514 43 00		
	5514 49 00		
	5515 11 10		
	5515 11 30 5515 11 90		
	5515 12 10		
	5515 12 30		
	5515 12 90 5515 13 11		•
	5515 13 19		
	5515 13 91 5515 13 99		
	5515 19 10		
	5515 19 30		
	5515 19 90 5515 21 10		
	5515 21 30		
	5515 21 90		
	5515 22 11 5515 22 19		
	5515 22 91		
	5515 22 99		
	5515 29 10 5515 29 30		
	5515 29 90		
	5515 91 10		
	5515 91 30 5515 91 90		
	5515 92 11		
	5515 92 19		
	5515 <b>92 9</b> 1 5515 <b>92 9</b> 9		
	5515 <b>99</b> 10		
	5515 99 30 5515 99 90		
	5803 90 30 ex 5905 00 70		
	ex 6308 00 00		
	CA 0 700 00 00 00		
•			1

(1)	(2)	31	4
(a) 02 0050 (b) 02 0055 (5)	6101 10 90 6101 20 90 6101 30 90 6102 10 90 6102 20 90 6102 30 90 6110 10 10 6110 10 31 6110 10 38 6110 10 91 6110 10 95 6110 10 98 6110 20 91 6110 20 99 6110 30 99	Jerseys, pullovers, shipovers, waisteoats, twinsers, cardigans, bed jackets and jumpers (other than jackets and blazers), anoraks, windcheaters, waister jackets and the like, knitted or crocheted	
(a) 02.0060 (b) 02 0065 (6)	6203 41 10 6203 41 90 6203 42 31 6203 42 33 6203 42 35 6203 42 90 6203 43 19 6203 43 90 6203 49 19 6203 49 50	Men's or boss' woven breeches, shorts (other than swimwear) and trousers (including slacks), women's or girls' woven trousers and slacks, of wool, of cotton or of man-made fibres	(a 14 311 000 pieces (b 1 272 000 pieces
	6204 61 10 6204 62 31 6204 62 33 6204 62 35 6204 63 18 6204 69 18		
(a) 02.0070 (b) 02.0075 (7)	6106 10 00 6106 20 00 6106 90 10 6206 20 00 6206 30 00 6206 40 00	Women's or girls' blouses, shirts and shirt-blouses, whether or not knitted or crocheted of wool, cotton or man-made fibres	.a) 7 328 000 pieces (b 761 000 pieces
(a) 02.0080 (b) 02.0085 (8)	6205 10 00 6205 20 00 6205 30 00	Men's or boys' shirts, other than knitted or crocheted, of wool, cotton or man-made fibres	(a) 17 184 000 pieces (b) 3 423 000 pieces
02.0090 (9)	5802 11 00 5802 19 00 ex 6302 60 00	Terry towelling and similar woven terry fabrics of cotton; toilet linen and kitchen linen, other than knitted or crocheted, of terry towelling and similar woven terry fabrics, of cotton	(b) 1 108 tonnes
(a) 02.0150 (b) 02.0155 (15)	6202 11 00 ex 6202 12 10 ex 6202 12 90 ex 6202 13 10 ex 6202 13 90 6204 31 00 6204 32 90 6204 33 90 6204 39 19	. Women's or girls' woven overcoats, raincoats and other coats, cloaks and capes; jackets and blazers, of wool, of cotton or of man-made textile fibres (other than parkas) (of category 21)	(a) 7 657 000 pieces (b) 993 000 pieces

-34-					
		· · · · · · · · · · · · · · · · · · ·	•		
ı			4		
01.0170	/ 302 11 00	Men's or boys' suits and ensembles, other than knitted or crocheted,	(a 4 235 000 pieces		
02 0160 02 0165	6203 11 00 6203 12 00	of wool of cotton or of man-made fibres, excluding ski suits	(b 756 000 pieces		
'16	6203 19 10	, or work or cotton or or man-made never excluding ski sales	iii iii iii iii jieees		
10	6203 19 30	•	I		
	6203 21 00	•	! !		
	6203 22 80	!	<b>i</b> !		
	6203 23 80				
	6203 29 18	: 	İ		
<u> </u>	02072710				
02 0670 (67)	5807 90 90	Knitted or crocheted clothing accessories other than for babies, household linen of all kinds, knitted or crocheted; curtains	(b) 962 tonnes		
(67)	6113 00 10	(including drapes) and interior blinds, curtain or bed valances and	<u> </u>		
	6117 10 00	other furnishing articles knitted or crocheted blankets and travelling	İ		
	6117 20 00	rugs, other knitted or crocheted articles including parts of garments			
	6117 80 10	or of clothing accessories			
	6117 80 90				
	6117 90 00				
	6301 20 10				
1	6301 30 10		1		
	6301 40 10				
	6301 90 10				
	!		 !		
	6302 10 10				
	6302 10 90		İ		
	6302 40 00				
	ex 6302 60 00				
	6303 11 00		İ		
	6303 12 00				
	6303 19 00		1		
	6304 11 00				
	6304 91 00				
			1		
	ex 6305 20 00				
	6305 31 10 ex 6305 39 00				
	ex 6305 39 00 ex 6305 90 00				
	ex 6303 30 00				
	6307 10 10				
	6307 90 10				

#### ANNEX C III

```
Order N°
           CN code
                                             Description
                                                                                       Ceiling
(category)
                                                                                        (tonnes)
03.0010
           2710 00
                        Petroleum oils and oils obtained from bituminous minerals.
                        other than crude; preparations not elsewhere specified or
                        included, containing by weight 70 % or more of petroleum oils
                        or of oils obtaineds from bituminous minerals, these oils
                        being the basic constituents of the preparations :
                        - Light oils :
                        - - For other purposes :
                        - - - Special spirits :
           2710 00 21
                        - - - - White spirit
           2710 00 25
                        - - - - Other
                        - - - Other :
                        - - - - Motor spirit :
           2710 00 26
                        --- Aviation spirit
                        --- Other, with a lead content:
                        - - - - - Not exceeding 0,013 g/litre
           2710 00 27
                        ---- With an octane number of less than 45
           2710 00 29
                        ---- With an octane number of 95 or more but less
                                      than 98
           2710 00 32
                        ---- With an octane number of 98 or more
                        - - - - - Exceeding 0,013 g per litre
           2710 00 34
                        ---- With an octane number of less than 98
           2710 00 36
                        ---- With an octane number of 98 or more
           2710 00 37
                        --- Spirit type Jet fuel
                        --- Other light oils
           2710 00 39
                                                                                        885589
                        - Medium oils :
                        - - For other purposes :
                        - - - Kerosene :
           2710 00 51
                        - - - - Jet fuel
           2710 00 55
                        - - - - Other
           2710 00 59
                        - - - Other
                        - Heavy oils :
                        - - Gas oil :
           2710 00 69
                        - - - For other purposes
                        - - Fuel oils :
                        - - - For other purposes :
           2710 00 74
                        --- With a sulphur content not exceeding 1 % weight
                        --- With a suiphur content exceeding 1 % by weight but
           2710 00 76
                                not exceeding 2 % by weight
           2710 00 77
                        --- With a sulphur content exceeding 2 % by weight but
                                not exceeding 2,8 % by weight
           2710 00 78
                        --- With a sulphur content exceeding 2,8 % by weight
                        - - Lubricating oils; other oils;
           2710 00 85
                        - - - To be mixed in accordance with the terms of
                              additional note 6 (CN) to this chapter (1)
                        - - - For other purposes :
           2710 00 87
                        --- Motor oils, compressor tube oils, turbine tube oils
           2710 00 88
                        - - - - Liquids for hydraulic purposes
           2710 00 89
                        --- White oils, liquid paraffin
```

<sup>(1)</sup> Entry under this code is subject to conditions laid down in the relevant Community provisions

Order N° CN code Description Ceiling (category) (tonnes)

```
2710 00 92
             --- Gear oils and reductor oils
2710 00 94
             - - - - Metal-working compounds, mould release oils,
                     anti-corrosions oils
2710 00 96
             --- Electrical insulating oils
2710 00 98
             - - - Other lubricating oils and other oils
2711
             Petroleum gases and other gaseous hydrocarbons :
             - Liquefied :
2711 12
             - - Propane :
             - - - Propane of a purity not less than 99 %
2711 12 11
             --- For use as a power or heating fuel
             - - - Other :
             --- For other purposes
2711 12 94
             --- of a purity exceeding 90 % but less than 99 %
2711 12 96
             --- - Mixtures of propane and butane containing more
                       than 50 % but not more than 70 % of propane
2711 12 98
             - - - - Other
             - - Butanes :
2711 13
             --- For other purposes :
2711 13 91
             - - - Of a purity exceeding 90 % but less than 95 %
2711 13 93
             - - - Mixtures of butane and propane containing more
                     than 50 % but not more than 65 % of butane
2711 13 98
             - - - - Other
             Petroleum Jelly; paraffin wax, microcrystailine petroleum
2712
             wax, slack wax, ozokerite, lignite wax, peat wax, other
             mineral waxes, and similar products obtained by synthesis
             or by other processes, whether or not coloured:
                                                                              885589
2712 10
             - Petroleum jelly :
2712 10 90
             - - Other
2712 20 00
             - Paraffin wax containing by weight less than 0,75 % of oil
2712 90
             - Other :
             - - Other :
             - - - Crude :
2712 90 39
             --- For other purposes
2712 90 90
             - - - Other
             Petroleum coke, petroleum bitumen and other residues of
2713
             petroleum oils or of oils obtained from bituminous minerais :
2713 90
             - Other residues of petroleum oils or of oils obtained from
               bituminous minerais :
2713 90 90
             - - Other
```

## ANNEX CIV. a. b.

Order No	CN code	Description	Ceiling (tonnes)
04.0030	7202	Ferro-alloys	)
		- Ferro-silicon.	
	7202 21	Containing by weight more than 55% of silicon.	
	7202 21 10	· · · ~ Containing by weight more than 55% but not more than 80% of silicon	}
	7202 21 90	Containing by weight more than 80% of silicon	1 125
	7202 29 00	Other	
04.0040	7202 30 00	- Ferro-silico-manganese	1 430
04.0050		- Ferro-chromium:	]
	7202 41	Containing by weight more than 4% of carbon:	
	7202 41 10	Containing by weight more than 4% but not more than 6% of carbon	
	7202 41 90	Containing by weight more than 6% of carbon	
	7202 49	Other:	}
	7202 49 10	Containing by weight not more than 0,05% of carbon	2200
	7202 49 50	Containing by weight more than 0,05% but not more than 0,5% of carbon	1 2 200
	7202 49 90	Containing by weight more than 0.5 % but not more than 4 % of carbon	
04.005.5	7202 40 10	of which:	
04.0055	ex 7202 49 10 ex 7202 49 50	- Ferro-chromium containing by weight not more than 0,10% of carbon and more than 30% but not more than 90% of chromium (super-refined ferro-chromium), maximum	1097
04.0090	7901	Unwrought zinc:	· )
		~ Zinc, not alloyed	
	7901 11 00	Containing by weight 99,99% or more of zinc	3 144
	7901 12	Containing by weight less than 99,99% of zinc:	
	7901 12 10	Containing by weight 99,95% or more but less than 99,99% of zinc	
	7901 12 30	Containing by weight 98,5% or more but less than 99,95% of zinc	
	7901 12 90	Containing by weight 97,5% or more but less than 98,5% of zinc	
	7901 20 00	- Zinc alloys	J

<sup>(4)</sup> Notwithstanding the rules for the interpretation of the combined nomenclature, the wording for the designation of the products is to be considered as having no more than an indicative value, the preferential scheme being determined, within the context of this Annex, by the application of the CN code. Where ex CN code positions are indicated, the preferential scheme is to be determined by application of CN code and corresponding description taken together.

(b) See Taric codes in Annex C V.

## ANNEX CV

## Taric codes

Order No	CN code	Taric code
01.0040	ex 3916 90 90	3916 90 90 4 10
ţ	ex 3917 10 90	3917 10 90 • 10
ľ	ex 3917 29 19	3917 29 19 • 10
ļ	ex 3917 32 51	3917 32 51 • 10
	ex 3917 39 19	3917 39 19 + 10
	ex 3919 10 90	3919 10 90 • 10
ŀ	ex 3919 90 90	3919 90 90 • 10
		37177070110
01.0050	ex 3915 90 93	3915 90 93 • 20
į	ex 3916 90 90	3916 90 90 • 20
	ex 3917 29 19	
[	ex 3917 23 13	3917 29 19 • 20 3917 32 51 • 20
į.	ex 3917 39 19	3917 39 19 • 20
1		
-	ex 3919 10 90	3919 10 90 • 20
	ex 3919 90 90	. 3919 90 90 • 20
01.0060	ex 4012 10 80	4012 10 80+ 90
1	ex 4012 20 90	4012 20 90 • 90
01 0:45	74074000	7407.000
01.0165	ex 7407 10 00	7407 10 00 + 90
1	ex 7407 21 90	7407 21 90 • 90 7407 22 10 • 90
1	ex 7407 22 10	7407 22 10 • 90
	ex 7407 22 90 ex 7407 29 00	7407 22 90 • 90
	CX 7407 27 00	7407 27 00 4 30
01.0180	ex 7407 10 00	7407 10 00 • 10
	ex 7407 21 90	7407 21 90 • 10
	ex 7407 22 10	7407 22 10 • 10
i	ex 7407 22 90	7407 22 90 • 10
	ex 7407 29 00	7407 29 00 • 10
02.0010	ex 5604 90 00	5604 90 00 + 50
02.0020	ex 5811 00 00	5811 00 00 • 91
02.0020		
	ex 6308 00 00	6308 00 00 • 11
02.0025	ex 5811 00 00	5811 00 00 + 92
1	ex 6308 00 00	6308 00 00 • 19
		0300 00 00 17
02.0030	ex 5905 00 70	5905 00 70 + 10
ļ	ex 6308 00 00	6308 00 00 • 20
02.0090	ex 6302 60 00	6302 60 00 + 90
		1 22 23 33 70
02.0150	ex 6202 12 10	6202 12 10 • 90
02.0155	ex 6202 12 90	6202 12 90 • 90
	ex 6202 13 10 ex 6202 13 90	6202 13 10 + 90 6202 13 90 + 90
	CX 0202 13 70	0202 13 90 + 90
02.0670	ex 6302 60 00	6302 60 00 • 10
•	ex 6305 20 00	6305 20 00 • 10
	ex 6305 20 00 ex 6305 39 00	6305 39 00 • 91
	ex 6305 90 00	6305 90 00 • 20
		1 200 70 00 120
04.0055	ex 7202 49 10	7202 49 10 • 10
ł	ex 7202 49 50	7202 49 50 + 10

ANNEX D Concerning the agricultural products referred to in Articles 4, 5 and 6

CN code	Description	Preferentia rate of dut
0101	Live horses, asses, mules and hinnies:	
	- Horses:	
0101 19	- Other:	
0101 19 10	For slaughter (¹)	0%
0703	Onions, shallots, garlic, leeks and other alliaceous vegetables, fresh or chilled:	
ex 0703 20 00	- Garlic:	
	- from 1 February to 31 May (²)	0%
0709	Other vegetables, fresh or chilled:	
	- Mushrooms and truffles:	
0709 51	Mushrooms:	
0709 51 30	Chanterelles	0%
0709 51 50	Flap mushrooms	0%
0709 51 90	Other, excluding truffles	0%
0709 60	- Fruits of the genus Capsicum or the genus Pimenta (3):	0.0
0709 60 10	Sweet peppers	0%
2.0,0010	Poppers	U/ <sub>0</sub>
0710	Vegetables (uncooked or cooked by steaming or boiling in water), frozen (4):	
	- Leguminous vegetables, shelled or unshelled	
0710 21 00	Peas (Pisum sativum)	0%
0711	Vegetables provisionally preserved (for example, by sulphur dioxide gas, in brine, in sulphur water or in other preservative solutions), but unsuitable in that state for immediate consumption:	
0711 <b>9</b> 0	- Other vegetables; mixtures of vegetables:	
	The second secon	
0711 90 40	of the Species Agaricus	
0744 00 40	<ul> <li>Excluding cultivated mushrooms</li> </ul>	0%
0711 90 60	Other	
	<ul> <li>Excluding cultivated mushrooms</li> </ul>	0%
0712	Dried vegetables, whole, cut, sliced, broken or in powder, but not further prepared:	
0712 20 00	- Onions	0%
ex 0712 30 <i>00</i>	- Mushrooms and truffles:	
	Excluding cultivated mushrooms	0%
0713	Dried leguminous vegetables, shelled, whether or not skinned or split:	;;
	- Beans (Vigna spp., Phaseolus spp.):	
0713 32	Small red (Adzuki) beans (Phaseolus or Vigna angularis):	
0713 32 90	Other	0%
0713 33	Kidney beans, including white pea beans (Phaseolus vulgaris):	
0713 33 90	Other	0%
0713 39	Other:	
	Other	0%

<sup>(1)</sup> Entry under this subheading is subject to the conditions laid down in the relevant Community provisions
(2) Within the limits of an annual tariff quota of 300 tonnes
(3) Within the limits of an annual tariff quota of 1 200 tonnes.
(4) Within the limits of an annual tariff quota of 1 300 tonnes.

CN code	Description	Preferential rate of duty
0809	Apricots, cherries, peaches (including nectarines), plums and sloes, fresh :	
0809 20	- Cherries :	
	From 1 May to 15 July :	
0809 20 20		0 %
0000 00 00	From 16 July to 30 April :	A #
0809 20 60 0810	Sour cherries (Prunus cerasus) (1)	0 %
0810 20	Other fruit, fresh: - Raspberries, blackberries, mulberries and loganberries:	
ex 0810 20 10		
0. 0010 20 70	- From 15 May to 15 June	0 %
ex 0810 20 90	Other :	0 %
	- From 15 May to 15 June	0 %
0811	Fruit and nuts, uncooked or cooked by steaming or boiling	
	in water, frozen, whether or not containing added sugar or	
	other sweetening matter :	
0811 90	- Other	
	<ul> <li>- Containing added sugar or other sweetening matter :</li> </ul>	
ex 0811 90 10	With a sugar content exceeding 13 % by weight	
	- Sour cherries (Prunus cerasus) (2) (4)	o %
ex 0811 90 30	Other	
	- Sour cherries (Prunus cerasus) (2) (4)	0 %
	Other	
0011 00 75	Cherries :	
0811 90 75	Sour cherries (Prunus cerasus) (2) (4)	0 %
0812	Fruit and nuts, provisionally preserved (for example,	
	by sulphur dioxide gas, in brine, in sulphur water or in other preservative solutions), but unsuitable in that state for	
	immediate consumption:	
0812 10	- Cherries	
ex 0812 10 00	- Sour cherries (Prunus cerasus) (2)	0 %
0813	Fruit, dried, other than that of heading Nos 0801 to 0806;	<b>V</b> <i>B</i>
00,0	mixtures of nuts of dried fruits of this chapter :	
0813 40	- Other fruit	
ex 0813 40 80	Other	
	- Sour cherries	0 %
0904	Pepper of the genus Piper; dried or crushed of ground fruits	
	of the genus Capsicum or of the genus Pimenta :	
	- Pepper :	
0904 12 00	Crushed or ground	0 %
0904 20	- Fruits of the genus Capsicum or of the genus Pimenta, dried	
0004 00 10	or crushed or ground	
0904 20 10	Sweet peppers	0 %
0904 20 90 0909	Crushed or ground	0 %
0303	Seeds of anise, badian, fennel, corlander, cumin or caraway; juniper berries	0.4
1209	Seeds, fruit and spores, of a kind used for sowing	0 % 0 %
2001	Vegetables, fruit, nuts and other edible parts of plants,	<b>.</b> .
	prepared or preserved by vinegar or acetic acid	

# - 39 bis

Preferential

		rate of duty
ex 2001 10 00	<ul><li>Cucumbers and gherkins :</li><li>Cucumbers H (3)</li></ul>	0 %
2001 90	- Other :	
ex 2001 90 70	Sweet peppers	0 %

Description

(1) Within an annual Community ceiling of 3.000 tonnes

CN code

- (2) Within an annual Community celling of 19.900 tonnes
- (3) Within the limits of a reference quantity of 3.000 tonnes
- (4) Subject to a minimum import price set annually by the Community

	CN code	Description	Preferential rate of duty
	2004	Other vegetables prepared or preserved otherwise than by	
	2004 00	vinegar or acetic acid, frozen :	
Δ.	2004 90 2004 90 30	- Other vegetables and mixtures of vegetables :	
ÇΧ	2004 90 30	<ul> <li>- Sauerkraut, copers and olives :</li> <li>- Sauerkraut (1)</li> </ul>	0 %
		- Sader Kradt (1) Other, including mixtures :	0 %
ρY	2004 90 99	Other:	
υ <b>λ</b>	2004 30 33	- The product known as 'AJVAR', obtained from	
		sweet peppers, to which spices, extracts of	
		spices or distillates of natural spices, and	
		sometimes aubergines and tomatoes, are added,	
		containing at least 9 % of dry extracts, used	
		mainly as a salad	0 %
	2005	Other vegetables prepared or preserved otherwise than by	<b>V</b> 20
	2000	vinegar or acetic acid, not frozen :	
	2005 30 00	- Sauerkraut (1)	0 %
	2005 90	- Other vegetables and mixtures of vegetables	~ ~
ex	2005 90 90	Other :	
		- The product known as 'AJVAR', obtained from	
		sweet peppers, to which spices, extracts of	
		spices or distillates of natural spices, and	
		sometimes aubergines and tomatoes, are added,	
		containing at least 9 % of dry extracts, used	
		mainly as a salad	0 %
	2008	Fruit, nuts and other edible parts of plants, otherwise	
		prepared or preserved, whether or not containing added sugar	
		or other sweetening matter or spirit, not elsewhere	
		specified or included.	
	2008 60	- Cherries :	
		Containing added spirit :	
		Other :	
ex	2008 60 39	Other :	
		- Sweet cherries, clear fleshed, of a diameter	
		equal to or less than 18,9 mm, stoned, intended	
		for the manufacture of chocolate products (2) (3)	0 %
	2008 60 51		0 %
	2008 60 61		0 %
	2008 60 71		0 %
	2008 60 91	Sour cherries (Prunus cerasus) (4) (5)	0%
	2208	Undenatured ethyl alcolhol of an alcoholic strength by	
		volume of less than 80 % vol; spirits, liqueurs and other	
		spirituous beverages; compound alcoholic preparations	
		of a kind used for the manufacture of beverages :	
	2208 90	- Other :	
		Vodka of an alcoholic strength by volume of 45,4 %	
		vol. or less and plum, pear or cherry spirit	
		(excluding liquers), in containers holding:	
		Two litres or less:	

<sup>(1)</sup> Within the limits of a reference quantity of 150 tonnes.

<sup>(2)</sup> Within the limits of an annual Community tariff quota of 3.000 tonnes.

<sup>(3)</sup> End use will be monitored in accordance with the relevant Community provisions.

<sup>(4)</sup> Within the limits of an annual Community ceiling of 19.300 tonnes.

<sup>(5)</sup> Subject to a minimum import price set annually by the Community.

CN code	Description	Preferential rate of duty
ex 2208 90 33	Plum, pear or cherry spirit (excluding liquers) - Plum spirit under the name 'Sijivovica'	o %
2401	Unmanufactured tobacco; tobacco refuse :	
ex 2401 10	- Tobacco, not stemmed/stripped : Other :	
ex 2401 10 60	Sun-cured oriental type tobacco	
	- Tobacco of the 'Prilep' (2) (3)	0 %
ex 2401 20	<ul> <li>Tobacco, partly or wholly stemmed/stripped:</li> <li>Other:</li> </ul>	
ex 2401 20 60	Sun-cured oriental type tobacco	
	- Tobacco of the 'Prilep' (2) (3)	O %
2204	Wine of fresh grapes, including fortified wines : grapes	
	must other than that of heading N° 2009	
	- Other wine; grape must with fermentation prevented or	
	arrested by the addition of alcohol:	
2204 21	<ul><li>- In containers holding two litres or less:</li></ul>	
	Other :	
	Of on actual alcoholic strength by volume	
	exceeding 13 % vol. :	
0004.04.05	Other:	
2204 21 25	White	A 97
2204 21 29		0 %
	Of an actual alcoholic strength by volume exceeding 13 % vol. but not exceeding 15 % vol.:	
	Other:	
2204 21 35		
2204 21 39		0 %
2204 21 03	Other :	V 20
	Other :	
	Of an actual alcoholic strength by volume not	
	exceeding 13 % vol. :	
	Other :	
2204 29 25	White	
2204 29 29	Other	0 %
	Of an actual alcoholic strength by volume exceeding	
	13 % vol. but not exceeding 15 % vol. :	
	Other :	
2204 29 35		
2204 29 39	Other	0 %

<sup>(1)</sup> Within the limits of an annual Community tariff quota of 5.420 hl.

<sup>(2)</sup> Within the limits of an annual Community tariff quota of 1.500 tonnes in respect of both subheadings concerning tobacco of the 'Prilep' type.

<sup>(3)</sup> Entry under this subheading is subject to conditions laid down in the relevant Community provisions.

<sup>(4)</sup> Within the limits of an annual Community tariff quota of 545.000 hi, and on condition that the import prices of wines originating in Bosnia-Herzegovina, Croatia, Slovenia and the former Yugoslav Republic of Macedonia, when added to any customs duties, are equal to the Community's reference prices.

#### ANNEX E

CN code

#### Description

Live bovine animals : 0102 0102 90 - Other : - - Domestic species : --- Of a weight exceeding 300 kg: --- Heifers (female bovines that have never calved): --- For slaughter ex 0102 90 51 - Not yet having any permanent teeth, of a weight of not less than 320 kg but not more than 470 kg (a) ex 0102 90 59 ---- Other - Not yet having any permanent teeth, of a weight of not less than 320 kg but not more than 470 kg (a) --- Other : ex 0102 90 71 --- For slaughter - Buils and steers not yet having permanent teeth, of a weight of not less than 350 kg but not more than 500 kg (a) - - - - - Other : ex 0102 90 79 - Bulls and steers not yet having permanent teeth, of a weight of not less than 350 kg but not more than 500 kg (a) Meat of bovine animais, fresh or chilled: 0201 0201 10 00 - Carcases and half-carcases : - Carcases of a weight of not less than 180 kg but not more than 300 kg, and half carcases of a weight of not less than 90 kg but not more than 150 kg, with a low degree of ossification of the cartilages (in particular those of the symphisis pubis and the vertebral apophyses), the meat of which is a light pink colour and the fat of which, of extremelly fine texture, is white to light yellow in colour: 0201 20 - Other cuts with bone in : - - 'Compensated' quarters : ex 0201 20 20 - 'Compensated' quarters of a weight of not less than 90 kg but not more than 150 kg, with a low degree of ossification of the cartilages (in particular those of the symphisis pubis and the vertebral apophyses), the meat of which is a light pink colour and the fat of which, of extremelly fine texture, is white to light yellow in colour (a) ex 0201 20 30 - - Unseparated or separated forequarters : - - - Separated forequarters, of a weight of not less than 45 kg but not more than 75 kg, with a low degree of ossification of the cartilages (in particular those of the vertebral apophyses), the meat of which is a light pink colour and the fat of which, of extremely fine texture, is white to light yellow in colour (a) ex 0201 20 50 - - Unseparated or separated hindquarters : - Separated hindquarters of a weight of not less than 45 kg but not more

white to lo light yellow in colour (a)

than 75 kg (but not less than 38 kg and not more 68 kg in the case of 'Pistola' cuts), with a low degree of ossification of the cartilages (in particular those of the vertebral apophyses), the meat of which is a light pink colour and the fat of which, of extremely fine texture, is

<sup>(</sup>a) Entry under this subheading is subject to conditions laid down in the relevant Community provisions

# DRAFT DECISION OF THE REPRESENTATIVES OF THE GOVERNMENTS OF THE MEMBER STATES, MEETING WITHIN THE COUNCIL

concerning the arrangements applicable to the import into the Community of products covered by the ECSC Treaty and originating in the Republics of Bosnia-Herzegovina, Croatia, Slovenia and in the territory of the former Yugoslav Republic of Macedonia.

THE REPRESENTATIVES OF THE GOVERNMENTS OF THE MEMBER STATES meeting within the Council,

In agreement with the Commission,

Having regard to the Treaty establishing the European Coal and Steel Community:

Whereas, by Decision No 91/558/ECSC<sup>1</sup> of the Representatives of the Member States meeting within the Council, the Community suspended the trade concessions provided for by the Agreement between the Member States of the ECSC and the Socialist Federal Republic of Yugoslavia;

Whereas Decision No 92/150/ECSC of the Representatives of the Member States meeting within the Council, of 3 February 1992, established the arrangements applicable to the import into the Community of products covered by the ECSC Treaty and originating in the Republics of Croatia and Slovenia and in the Yugoslav Republics of Bosnia-Herzegovina, Macedonia and Montenegro;

Whereas Decision No  $92/280/\text{ECSC}^2$  of the Representatives of the Member States meeting within the Council removed Montenegro from the list of beneficiaries of these arrangements;

Whereas these arrangements should be maintained in 1993;

HAVE DECIDED AS FOLLOWS:

#### Article 1

 Subject to the special provisions laid down in paragraphs 2 and 4, products originating in the Republics of Bosnia-Herzegovina, Croatia, Slovenia and the former Yugoslav Republic of Macedonia shall be admitted for import into the Community without quantitative restrictions or measures having equivalent effect and exempt from customs duties and charges having equivalent effect.

<sup>1</sup> OJ L 63, 7.3.1992

<sup>2</sup> OJ L 151, 3.6.1992

- 2. The import of goods referred to in the Annex shall be subject to a system of annual ceilings above which the customs duties actually applied in respect of third countries may be reintroduced in accordance with the provisions of paragraph 3. The ceilings established for 1993 are indicated for each of them. Such ceilings shall apply as a whole to all the Republics to which this Regulation refers.
- 3. As soon as a ceiling set for the import of a product has been reached, the customs duties actually applicable to third countries may again be levied on imports of the product in question until the end of the calendar year.
- 4. The Kingdom of Spain and the Portuguese Republic shall apply, mutatis mutandis, customs duties calculated in accordance with Decision 87/603/ECSC of the Representatives of the Governments of the Member States, meeting within the Council, and of the Commission of 21 December 1987.<sup>1</sup>

#### Article 2

1. The provisions determining the rules of origin laid down in Regulation (EEC) No  $343/92^2$  shall apply to this Decision.

#### Article 3

1. Where the offers made by economic operators in the Republics concerned are likely to cause injury to the operation of the common market and where this injury may be ascribed to a difference as regards prices in the conditions of competition, the Community may adopt such safeguard measures as it considers necessary to avoid or put an end to the injury to the operation of the common market; in particular it may withdraw tariff concessions.

#### Article 4

This Decision shall enter into force on the day following that of its publication in the Official Journal of the European Communities.

It shall be applicable from 1 January 1992 to 31 December 1993.

Done at Brussels,

The President

<sup>1</sup> OJ L 389, 31.12.1987.

<sup>2</sup> OJ L 38, 14.2.1992, p. 1

#### ANNEX (a)

	1		
Order No	CN code (*)	Description	Ceiling (tonnes)
4		(3)	(4
06.0010	7201	Pig iron and spiegeleisen in pigs, blocks or other primary forms.	
	72010	Non-alloy pig iron containing by weight 0,5% or less of phosphorus:	
		Containing by weight not less than 0,4% of manganese:	
	7201 10 11	Containing by weight 1% or less of silicon	
	7201 10 19	Containing by weight more than 1% of silicon	
	7201 10 30	Containing by weight not less than 0,1% but less than 0,4% of manganese	
	7201 10 90	Containing by weight less than 0,1% of manganese	
	7201 20 00	Non-alloy pig iron containing by weight more than 0.5% of phosphorus	
	7201 30	Alloy pig iron	
	7201 30 90	Other	
	7201 40 00	Spiegeleisen	30 <b>.98</b> 8
	7202	Ferro alloys	
	7700 00	Other.	
	7202 99	Other ·	
	7202.00.11	- Ferro-phosphorus	
	7202 99 11	Containing by weight more than 3% but less than 15% of phosphorus	
	7203	Perrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms, iron having a minimum purity by weight of 199,94%, in lumps, pellets or similar forms.	
	7203 90 00	Other	
••	-		
06.0020	7208	Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, hot-rolled, not clad, plated or coated:	
	: ! !	In coils, not further worked than hot-rolled, of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa	
	7208 11 00	- Of a thickness exceeding 10 mm	
	7208 12	Of a thickness of 4,75 mm or more but not exceeding 10 mm:	
	7208 12 10	Intended for re-rolling (1)	
		· Other:	
	7208 12 91	· · · With patterns in relief	
		Other·	
	7208 12 95	Pickled	
	7208 12 98	Other	
	7208 13	Of a thickness of 3 mm or more but less than 4,75 mm	44-987
	7208 13 10	Intended for re-rolling (*)	
		Other	
	7208 13 91	With patterns in relief	
		Other.	
	7208 13 95	Pickled	
	7208 13 98	Other	
	!	Of a thickness of less than 3 mm	
	7208 14 10	Of a thickness of less than 3 mm Intended for re-rolling (1) Other:	

<sup>1.</sup> Entry within this code is subject to conditions laid down in the relevant Community provisions,
2. Notwithstanding the rules for the interpretation of the combined nomenclature, the wording for the designation of the products is to be considered as having no more than an indicative value, the preferential scheme being determined, within the context of this Annex, by the application of CN codes. Where ex CN code positions are indicated, the preferential scheme is to be determined by application of the CN code and corresponding description taken together. The Taris codes are to be found on the last page of this Annex.

Order No	T CN code	Description	Cerling
(1)	1 2	3	4
		<ul> <li>And the second se</li></ul>	· · ·
06 0020 (cont'd)	7208 14 99	Other	
		Other, in coils, not further worked than hot-rolled	
	720821	Of a thickness exceeding 10 mm.	
	7208 21 10	- With patterns in relief	
	7208 21 90	Other	
	7208 22	Of a thickness of 4.75 mm or more but not exceeding 10 mm:	
	7208 22 10	Intended for re-rolling (1)	
		Other	
	7208 22 91	- With patterns in relief	
		- Other:	
	7208 22 95	Pickled	
	7208 22 98	Other	
	7208 73	Of a thickness of 3 mm or more but less than 4,75 mm	
	7208 23 10	Intended for re-rolling (1)	
	7109 12 91	Other.	
	7208 23 91	- With patterns in relief Other	
	7208 23 95	Pickled	
	7208 23 98	Other	
	1	Of a thickness of less than 3 mm	
	7208 24 7208 24 10	· Intended for re-rolling (¹)	
	72002110	Other:	
	7208 24 91	· · · · · · Pickled	44987
	7208 24 99	- Other	(cont'd)
	7211	Hat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated:	
		Not further worked than hot-rolled, of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:	
	7211 12	- Other, of a thickness of 4,75 mm or more:	
	ex 7211 12 10	- Of a width exceeding 500 mm:	
		- (2)	
	7211 19	- Other	
	ex 7211 19 10	- Of a width exceeding 500 mm	
		(2)	
		Other, not further worked than hot-rolled:	
	7211 22	Other, of a thickness of 4,75 mm or more:	
	ex 7211 22 10	Of a width exceeding 500 mm:	
		(1)	
	7211 29	- Other:	
	ex 7211 29 10	Of a width exceeding 500 mm:	
06.0030	7207	Semi-finished products of iron or non-alloy steel:	
	1207	- Containing by weight less than 0,25% of carbon:	
	7207 19	- Other:	
		Of circular or polygonal cross-section.	
		Rolled or obtained by continuous casting:	
	7207 19 15	Other	•
	7207 20	Containing by weight 0,25% or more of carbon:	29643
	1.23, 20	- Of circular or polygonal cross-section:	
		- Rolled or obtained by continuous casting-	
		· Other	

<sup>(1)</sup> I ntry within this code is subject to conditions laid down in the relevant Community provisions (2) Hat rolled products of a weight of \$00 kg or more

Order N°	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
06.0030	7207 20 55	Containing by weight 0,25% or more but less than 0,6% of carbon	
	7213	Bars and rods, hot-rolled, in Irregularly wound coils of iron or non-alloy steel:	
	7213 10 00	<ul> <li>Containing indentations, ribs, grooves or other deformations produced during the rolling process</li> </ul>	
	7213 31 00	- Other, containing by weight less than 0,25% of carbon	
	7213 39 00	• • • •	
	7213 41 00	<ul> <li>Other, containing by weight 0,25% or more but less than 0,6% of carbon</li> </ul>	
	7213 49 00		
	7214	Other bars and rods of other alloy steel, not further	
		worked than forged hot-rolled, hot-drawn or hot-extruded	
		but including those twisted after rolling:	
	7214 20 00	- Containing indentations, ribs, grooves, or other	
		deformations produced during the rolling process or	00.045
	7214 40 10	twisted after rolling	29.645
	7214 40 10 7214 40 91	- Other, containing by weight less than 0,25% of carbon	(cont'd)
	7214 40 97		
	7214 50 10	- Other, containing by weight 0,25% or more less than	
		0,6% of carbon	
	7214 50 91 7214 50 99		
	7214 50 99 7215	Other bars and rods of iron or non-alloy steel:	
	7215 90	- Other:	
	7215 90 10	Hot-rolled, hot-drawn or extruded not further worked than clad	
	7228	Others bars and rods of other alloy steel, angles, shapes and sections of other alloy steel:	
	7228 80	- Hollow drill bars and rods:	
	7228 80 90	Of non-alloy steel	
06.0040	7207	Semi-finished products of iron or non-alloy steel: - Containing by weight less than 0,25% of carbon:	
	7207 19	Other :	
		Blanks for angles, shapes and sections:	
	7207 19 31	Rolled or obtained by continuous casting	
	7207 20	- Containing by weight 0,25% or more of carbon:	
		Blanks for angles, shapes and sections:	
	7207 20 71	Rolled or obtained by continuous casting	
	7216	Angles, shapes and sections of iron of non-alloy steel:	
	7216 10 00	<ul> <li>U-,I- or H-sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm</li> </ul>	
	7216 21 00	- L- or T- secions, not further worked than hot-rolled, hot-	
	7216 22 00	drawn or extruded of a height of less than 80 mm - U-, I- or H-sections, not further worked than hot-rolled,	
	7045 65	hot-drawn or extruded of a height of 80 mm or more	
	7216 31	<ul> <li>- U-sections</li> <li>- of a height of 80 MM or more but not exceeding 220 mm:</li> </ul>	4.226

Ceiling Description Order N CN code (tonnes) (4) (3) (1) (2) - - - With parallel flange faces ex 7216 31 11 \_(1) - - - - Other ex 7216 31 19 -(1)- - - Of a height of more than 220 mm: - - - With parallel flange faces ex 7216 31 91 -(1)ex 7216 31 99 - - - - Other -(1) 7216 32 - - I-sections -- Of a height of 80 mm or more but not exceeding 220mm: --- With parallel flange faces ex 7216 32 11 -(1)

<sup>(1)</sup> Other than products containing, by weight, not less than 0,60 % of carbon and having a content, by weight, less than 0,04% of phosphorus and sulphur taken separately and less than 0,07% of these elements taken together

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
)	7217 22 10		
06.0040 (cont'd)	ex 7216 32 19	- Other	
		· (1)	
	ex 7216 32 91	Of a height of more than 220 mm: - With parallel flange faces	
		(1)	
	ex 7216 32 99	Other	
		- (¹)	
	7216 33	H-sections:	
	ex 7216 33 10	Of a height of 80 mm or more but not exceeding 180 mm	
	•	. (')	
	ex 7216 33 90	Of a height of more than 180 mm	4220
		(1)	(cont)
	7216 40 10	L- or T-sections, not further worked than hot-rolled, hot-drawn or extruded, of a	
	7216 40 90	height of 80 mm or more	
	7216 50 10 7216 50 90	Other angles, shapes and sections, not further worked than hot rolled, hot-drawn or extruded	
		Other.	
	721690 72169010	- Hot-rolled, hot-drawn or extruded, not further worked than clad	
	7301	Sheet piling of iron or steel, whether or not drilled, punched or made from assembled	
		clements, welded angles, shapes and sections, of iron or steel:	
	7301 10 00	Sheet piling	
		,	
		Not further worked than hot-rolled, of a thickness of less than 3 mm and having a	
		minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a	
	7211 12	minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa	
	7211 12 ex 7211 12 90	minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a	
	ex 7211 12 90	minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa  Other, of a thickness of 4.75 mm or more:  Of a width not exceeding 500 mm:  — (1)	
		Other:	
	ex 7211 12 90	minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa  Other, of a thickness of 4,75 mm or more:  Of a width not exceeding 500 mm:  (1)  Other:  Of a width not exceeding 500 mm.  Of a thickness of 3 mm or more but less than 4,75 mm:	
	7211 12 90 7211 19	minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa  Other, of a thickness of 4,75 mm or more:  Of a width not exceeding 500 mm:  - (1)  Other:  Of a width not exceeding 500 mm.  Of a thickness of 3 mm or more but less than 4,75 mm:  - (2)	
	ex 7211 12 90 7211 19 ex 7211 19 91	minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa  Other, of a thickness of 4,75 mm or more:  Of a width not exceeding 500 mm:  (1)  Other:  Of a width not exceeding 500 mm.  Of a thickness of 3 mm or more but less than 4,75 mm:	
	ex 7211 12 90 7211 19 ex 7211 19 91	minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa  Other, of a thickness of 4.75 mm or more:  Of a width not exceeding 500 mm:  - (1)  Other:  Of a width not exceeding 500 mm.  - Of a thickness of 3 mm or more but less than 4.75 mm:  - (2)  - Of a thickness of less than 3 mm:	
	ex 7211 12 90 7211 19 ex 7211 19 91 7211 19 99	minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa  Other, of a thickness of 4.75 mm or more:  Of a width not exceeding 500 mm:  (1)  Other:  Of a width not exceeding 500 mm.  Of a thickness of 3 mm or more but less than 4.75 mm:  (2)  Other, of a thickness of less than 3 mm:  (1)  Other, not further worked than hot-rolled:  Other, of a thickness of 4.75 mm or more:	
	ex 7211 12 90 7211 19 ex 7211 19 91	minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa  Other, of a thickness of 4.75 mm or more:  Of a width not exceeding 500 mm:  - (1)  Other:  Of a width not exceeding 500 mm.  - Of a thickness of 3 mm or more but less than 4.75 nim:  - (2)  - Of a thickness of less than 3 mm:  - (1)  Other, not further worked than hot-rolled:  Other, of a thickness of 4.75 mm or more:  - Of a width not exceeding 500 mm:	
	ex 7211 12 90 7211 19 ex 7211 19 91 7211 19 99	minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa  Other, of a thickness of 4.75 mm or more:  Of a width not exceeding 500 mm:  (1)  Other:  Of a width not exceeding 500 mm.  Of a thickness of 3 mm or more but less than 4.75 mm:  (2)  Other, of a thickness of less than 3 mm:  (1)  Other, not further worked than hot-rolled:  Other, of a thickness of 4.75 mm or more:	87/.0
	ex 7211 12 90  7211 19  ex 7211 19 91  7211 19 99  7211 22  ex 7211 22 90	minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa  Other, of a thickness of 4,75 mm or more:  Of a width not exceeding 500 mm:  Of a width not exceeding 500 mm.  Of a thickness of 3 mm or more but less than 4,75 mm:  (2)  Other, of a thickness of less than 3 mm:  (1)  Other, not further worked than hot-rolled:  Other, of a thickness of 4,75 mm or more:  Of a width not exceeding 500 mm:  (1)	8740
	ex 7211 12 90 7211 19 ex 7211 19 91 7211 19 99	minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa  Other, of a thickness of 4,75 mm or more:  Of a width not exceeding 500 mm:  (1)  Other:  Of a width not exceeding 500 mm.  Of a thickness of 3 mm or more but less than 4,75 mm:  (2)  Other, of a thickness of less than 3 mm:  (1)  Other, not further worked than hot-rolled:  Other, of a thickness of 4,75 mm or more:  Of a width not exceeding 500 mm:  (1)  Other.	8740
	ex 7211 12 90  7211 19  ex 7211 19 91  7211 19 99  7211 22  ex 7211 22 90	minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa  Other, of a thickness of 4,75 mm or more:  Of a width not exceeding 500 mm:  Of a width not exceeding 500 mm.  Of a thickness of 3 mm or more but less than 4,75 mm:  (2)  Other, of a thickness of less than 3 mm:  (1)  Other, not further worked than hot-rolled:  Other, of a thickness of 4,75 mm or more:  Of a width not exceeding 500 mm:  (1)	8740
	7211 12 90 7211 19 ex 7211 19 91 7211 19 99 7211 22 ex 7211 22 90 7211 29	minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa  Other, of a thickness of 4,75 mm or more:  Of a width not exceeding 500 mm:  (1)  Other:  Of a width not exceeding 500 mm.  Of a thickness of 3 mm or more but less than 4,75 mm:  (1)  Other, not further worked than hot-rolled:  Other, of a thickness of 4,75 mm or more:  Of a width not exceeding 500 mm:  (1)  Other.  Other.  Of a width not exceeding 500 mm (ECSC)  Of a thickness of 3 mm or more but less than 4,75 mm	8740
	7211 12 90 7211 19 ex 7211 19 91 7211 19 99 7211 22 ex 7211 22 90 7211 29 ex 7211 29 91	minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa  Other, of a thickness of 4,75 mm or more:  Of a width not exceeding 500 mm:  (1)  Other:  Of a thickness of 3 mm or more but less than 4,75 mm:  (2)  Other, not further worked than hot-rolled:  Other, of a thickness of 4,75 mm or more:  Of a width not exceeding 500 mm:  (1)  Other.  Of a width not exceeding 500 mm (ECSC)  Of a thickness of 3 mm or more but less than 4,75 mm  (1)  Other.  Other, not further worked than less than 4,75 mm  (1)  Other, not further worked than or more but less than 4,75 mm  (1)  Other, not further worked than cold-rolled (cold reduced)	8740
	7211 12 90 7211 19 ex 7211 19 91 7211 19 99 7211 22 ex 7211 22 90 7211 29 ex 7211 29 91	minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa  Other, of a thickness of 4,75 mm or more:  Of a width not exceeding 500 mm:  - (1) Other:  Of a width not exceeding 500 mm.  - Of a thickness of 3 mm or more but less than 4,75 mm:  - (2)  - Of a thickness of less than 3 mm:  - (1) Other, not further worked than hot-rolled:  Other, of a thickness of 4,75 mm or more:  - Of a width not exceeding 500 mm:  - (1)  Other.  Of a width not exceeding 500 mm (ECSC)  Of a thickness of 3 mm or more but less than 4,75 mm  (1)  Other, not further worked than 3 mm  (1) Other, not further worked than cold-rolled (cold reduced) Containing by weight less than 0,25% of carbon	8740
	ex 7211 12 90  7211 19  ex 7211 19 91  7211 19 99  7211 22  ex 7211 22 90  7211 29 91  ex 7211 29 99  7211 41	minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa  Other, of a thickness of 4,75 mm or more:  Of a width not exceeding 500 mm:  - (1) Other:  Of a width not exceeding 500 mm.  - Of a thickness of 3 mm or more but less than 4,75 mm;  - (2)  - Of a thickness of less than 3 mm:  - (1) Other, not further worked than hot-rolled:  Other, of a thickness of 4,75 mm or more:  - Of a width not exceeding 500 mm:  - (1)  Other.  Of a width not exceeding 500 mm (ECSC)  Of a thickness of 3 mm or more but less than 4,75 mm  (1) Other, not further worked than cold-rolled (cold reduced)  Containing by weight less than 0,25 % of carbon  Of a width not exceeding 500 mm	8740
	ex 7211 12 90  7211 19  ex 7211 19 91  7211 19 99  7211 22  ex 7211 22 90  7211 29 91  ex 7211 29 99  7211 41  7211 41 91	minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa  Other, of a thickness of 4,75 mm or more:  Of a width not exceeding 500 mm:  - (1)  Other:  Of a width not exceeding 500 mm.  - Of a thickness of 3 mm or more but less than 4,75 mm:  - (2)  - Of a thickness of less than 3 mm:  - (1)  Other, not further worked than hor-rolled:  Other, of a thickness of 4,75 mm or more:  - Of a width not exceeding 500 mm:  - (1)  Other.  Other.  Other, of a thickness of 3 mm or more but less than 4,75 mm  (1)  Other, not further worked than one but less than 4,75 mm  (1)  Other, not further worked than cold-rolled (cold reduced)  Containing by weight less than 0,25 % of carbon  Of a width not exceeding 500 mm  In coils intended for the manufacture of tin plate	87 <b>4</b> C
	ex 7211 12 90  7211 19  ex 7211 19 91  7211 19 99  7211 22  ex 7211 22 90  7211 29 91  ex 7211 29 99  7211 41	minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa  Other, of a thickness of 4,75 mm or more:  Of a width not exceeding 500 mm:  - (1)  Other:  Of a width not exceeding 500 mm.  - Of a thickness of 3 mm or more but less than 4,75 mm:  - (2)  - Of a thickness of less than 3 mm:  - (1)  Other, not further worked than hot-rolled:  Other, of a thickness of 4,75 mm or more:  Of a width not exceeding 500 mm:  - (1)  Other.  Of a width not exceeding 500 mm (ECSC)  Of a thickness of 3 mm or more but less than 4,75 mm  (1)  Other, not further worked than cold-rolled (cold reduced)  Containing by weight less than 0,25% of carbon  Of a width not exceeding 500 mm  In cols intended for the manufacture of tin plate  Flat-rolled products of Iron or non-alloy steel, of a width of less than 600 mm, clad, plated or coated	8740
	ex 7211 12 90  7211 19  ex 7211 19 91  7211 19 99  7211 22  ex 7211 22 90  7211 29 91  ex 7211 29 99  7211 41  7211 41 91	minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa  Other, of a thickness of 4,75 mm or more:  Of a width not exceeding 500 mm:  - (1)  Other:  Of a width not exceeding 500 mm.  - Of a thickness of 3 mm or more but less than 4,75 mm:  - (2)  - Of a thickness of less than 3 mm:  - (1)  Other, not further worked than hot-rolled:  Other, of a thickness of 4,75 mm or more:  Of a width not exceeding 500 mm:  - (1)  Other.  Of a width not exceeding 500 mm (ECSC)  Of a thickness of 3 mm or more but less than 4,75 mm  (1)  Other, not further worked than cold-rolled (cold reduced)  Containing by weight less than 0,25% of carbon  Of a width not exceeding 500 mm  In coils intended for the manufacture of tin plate  Flat-rolled products of Iron or non-alloy steel, of a width of less than 600 mm, clad, plated or coated	8740
,	ex 7211 12 90  7211 19  ex 7211 19 91  7211 19 99  7211 22  ex 7211 22 90  7211 29 91  ex 7211 29 99  7211 41  7211 41 91  7212	minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa  Other, of a thickness of 4,75 mm or more:  Of a width not exceeding 500 mm:  (1) Other:  Of a width not exceeding 500 mm.  Of a thickness of 3 mm or more but less than 4,75 mm:  (2)  Other, not a thickness of less than 3 mm:  (1) Other, of a thickness of 4,75 mm or more:  Of a width not exceeding 500 mm:  (1) Other.  Other.  Of a width not exceeding 500 mm (ECSC)  Of a thickness of 3 mm or more but less than 4,75 mm  (1) Other.  Other, not further worked than or more but less than 4,75 mm  (1) Other,  Of a width not exceeding 500 mm (ECSC)  Of a thickness of less than 3 mm  (1) Other, not further worked than cold-rolled (cold reduced) Containing by weight less than 0,25% of carbon  Of a width not exceeding 500 mm  In coils intended for the manufacture of tin plate  Flat-rolled products of Iron or non-alloy steel, of a width of less than 600 mm, clad, plated or coated  Clad: Of a width not exceeding 500 mm.	8740
	ex 7211 12 90  7211 19  ex 7211 19 91  7211 19 99  7211 22  ex 7211 22 90  7211 29 91  ex 7211 29 99  7211 41  7211 41 91  7212	minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa  Other, of a thickness of 4,75 mm or more:  Of a width not exceeding 500 mm:  - (1)  Other:  Of a width not exceeding 500 mm.  - Of a thickness of 3 mm or more but less than 4,75 mm:  - (2)  - Of a thickness of less than 3 mm:  - (1)  Other, not further worked than hot-rolled:  Other, of a thickness of 4,75 mm or more:  Of a width not exceeding 500 mm:  - (1)  Other.  Of a width not exceeding 500 mm (ECSC)  Of a thickness of 3 mm or more but less than 4,75 mm  (1)  Other, not further worked than cold-rolled (cold reduced)  Containing by weight less than 0,25% of carbon  Of a width not exceeding 500 mm  In coils intended for the manufacture of tin plate  Flat-rolled products of Iron or non-alloy steel, of a width of less than 600 mm, clad, plated or coated	8740

Order No	CN code	Description	Ceiling (tonnes)
' }	'2	;	(4)
06 0060	7208	Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, hot-rolled, not clad, plated or coated.	
		Not in coils, not further worked than hot-rolled, of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa.	
	7208 32 10 7208 32 30	Other, of a thickness exceeding 10 mm	
	7208 32 51 7208 32 59 7208 32 91 7208 32 99		
	7208 33 10 7208 33 91 7208 33 99	Other, of a thickness of 4,75 mm or more but not exceeding 10 mm	
	7208 34 10 7208 34 90	- Other, of a thickness of 3 mm or more but less than 4,75 mm	
	7208 35 10 7208 35 90	- Other, of a thickness of less than 3 mm	
	7208 42 10	- Other, not in coils, not further worked than hot-rolled - Other, of a thickness exceeding 10 mm	
	7208 42 30 7208 42 51 7208 42 59 7208 42 91 7208 42 99		
	7208 43 10 7208 43 91 7208 43 99	Other, of a thickness of 4,75 mm or more but not exceeding 10 mm	
	7208 44 10 7208 44 90	Other, of a thickness of 3 mm or more but less than 4,75 mm	
	7208 45 10 7208 45 90	Other, of a thickness of less than 3 mm	E/210
	7208 90 7208 90 10	- Other:	54219
		- Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)  [In rolled products of icon or non-aller study of a width of 600 mm as more	
	7209	Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold-reduced) not clad, plated or coated:	
		In coils, not further worked than cold-rolled (cold-reduced) of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:	
	7209 12 10 7209 12 90	Of a thickness exceeding 1 mm but less than 3 mm	
	7209 13 10 7209 13 90	Of a thickness of 0,5 mm or more but not exceeding 1 mm	
	7209 14 10 7209 14 90	- Of a thickness of less than 0,5 mm Other, in coils not further worked than cold-rolled (cold reduced)	
	7209 22 10 7209 22 90	Of a thickness exceeding 1 mm but less than 3 mm	
	7209 23 10 7209 23 90	Of a thickness of 0,5 mm or more but not exceeding 1 mm	
	7209 24 10 7209 24 91 7209 24 99	Of a thickness of less than 0.5 mm	
		Not in coils, not further worked than cold-rolled (cold-reduced) of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:	
	7209 32 10 7209 32 90	Of a thickness exceeding 1 mm but less than 3 mm	
	7209 33 10 7209 33 90	Of a thickness of 0,5 mm or more but not exceeding 1 mm	
	7209 34 10 7209 34 90	- Of a thickness of less than 0,5 mm	
	1	- Other, not in coils, not further worked than cold-rolled (cold-reduced)	

	• !	· · · · · · · · · · · · · · · · · · ·	
Order No	CN code	Description	Ceiling tonnes'
(1,	12	(3)	(4)
06.0060 (cont'd)	7209 42 10 7209 42 90	Of a thickness exceeding 1 mm but not exceeding 3 mm	
	7209 43 10 7209 43 90	- Of a thickness of 0,5 mm or more but not exceeding 1 mm	
	7209 44 10 7209 44 90	Of a thickness of less than 0,5 mm	
	<b>7209 90</b> 7209 90 10	- Other.  - Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
	721u	Hat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, clad, plated or coated:	
	7210 11	Plated or coated with tin:	
	7210 11	- Of a thickness of 0,5 mm or more:	
	7210 11 10	- Not further worked than surface-treated or simply cut inte shapes other than rectangular (including square)	
	7210 12 7210 12 11	Of a thickness of less than 0,5 mm:	
	7210 12 11	Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
	7210 20	Plated or coated with lead, including terne-plate.	
	7210 20 10	Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
		Electrolytically plated or coated with zinc:	
	7210 31	<ul> <li>Of steel of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or a thickness of 3 mm or more and having a minimum yield point of 355 MPa;</li> </ul>	
	7210 31 10	Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
į	7210 <b>39</b>	- Other:	
	7210 39 10	Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	54219
		Otherwise plated or coated with zinc:	
	7210 41	- Corrugated.	(cont'd)
	7210 41 10	Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
	7210 49	Other:	
	7210 49 10	Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
	7210 50	Plated or coated with chromium oxides or with chromium and chromium oxides:	
	7210 50 10	- Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)  Placed as a good with the same of the	
	7210 60	Plated or coated with aluminium:  - Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
	7210 60 11	- Plated or coated with aluminium-zinc alloys	
	7210 60 19	Other	
	7210 70	Painted, varnished or plastic coated:	
	7210 70 31	- Not further worked than surface-treated or simply cut into shapes other than	
	7210 70 39 <b>7210 90</b>	rectangular (including square)	
	7210 90	Other:	
	7210 90 31 7210 90 33 7210 90 35 7210 90 39	Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
	7211	Flat-rolled products of iron or non-alloys steel, of a width of less than 600 mm, not clad, plated or coated:	
		Not further worked than hot-rolled, of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of thickness of 3 mm or more and having a minimum yield point of 355 MPa.	
	7211 12	Other, of a thickness of 4,75 mm or more	

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
06,0060	ex 7211 12 10	Of a width exceeding 500 mm	1
(cont'd)		- (1)	
	7211 19	Other:	
	ex 7211 19 10	Of a width exceeding 500 mm	
		. (1)	
		Other, not further worked than hot-rolled	
	7211 22	Other, of a thickness of 4.75 mm or more	
	ex 7211 '2 10	Of a width exceeding 500 mm	
		(1)	
	7211 29	Other·	
	ex 7211 29 10	Of a width exceeding 500 mm	
		- (1)	
	7211 30	Not further worked than cold-rolled (cold-reduced) of a thickness of less than 3 mm and having a minimum yield point of 27.5 MPa or of a thickness of 3 mm or more and	
		having a minimum yield point of 355 MPa	
	7211 30 10	- Of a width exceeding 500 mm	
	<u> </u>	Other, not further worked than cold-rolled cold-reduced)-	
	7211 41	- Containing by weight less than 0,25% of carbon	
	7211 41 10	- Of a width exceeding 500 mm	}
	7211 49	Other.	
	7211 49 10	- Of a width exceeding 500 mm	
	7211 90	Other.	
		Of a width exceeding 500 mm.	54219
	7211 90 11	Not further worked than surface-treated	(cont
	7212	Hat-rolled products of iron or non-alloy steel, of a width of less than 500 mm, clad, plated or coated:	
		Plated or coated with tin:	
	7212 10 10	Tin plate, not further worked than surface-treated	1
		Other:	
ex	7212 10 91	of a width exceeding 500 mm:	
CA	7212 10 71	<ul><li> Not further worked than surface-treated</li><li>Electrolytically plated or coated with zinc :</li></ul>	
	<b>721</b> 2 21	Of steel of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:	
		· - Of a width exceeding 500 mm	
	7212 21 11	I	
	7212 29	Other:	
		Of a width exceeding 500 mm	
	7212 29 11	Not further worked than surface treated	
	7212 30	Otherwise plated or coated with zinc	
		Of a width exceeding 500 mm	
	7212 30 11	Not further worked than surface treated	
	7212 40	Painted, varnished or plastic coated	
	7212 40 10	Implate, not further worked than varnished	
		Other:	
	73.3	Of a width exceeding 500 mm	
	7212 40 91 <b>7212</b> 50	Not further worked than surface-treated	
	1212 00	Otherwise plated or coated	
		Of a width exceeding 500 mm	

Lead-coated

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
06.0060 (cont'd)	7212 50 31	Not further worked than surface-treated Other	
	7212 50 51	Not further worked than surface-treated	54219
	7212 60	Clad - Of a width exceeding 500 mm.	(cont'd)
	7212 60 11	- Not further worked than surface-treated	
06.0070	7204	Terrous waste and scrap; remelting scrap ingots of iron or steel	
	7204 50	- Remelting scrap ingots	
	7204 50 90	- Other	
	7206	from and non-alloy steel in ingots or other primary forms (excluding iron of code 7203)	
	7206 10 00	Ingots (ECSC)	
	7207	Semi-finished products of iron or non-alloy steel:	
		Containing by weight less than 0,25 % of carbon.	
	7207 11	Of rectangular (including square) cross-section, the width measuring less than twice the thickness:	
		Rolled or obtained by continuous casting	
	7207 11 11	· · · Free-cutting steel	
	7207 19	- Other	
		· - Of circular or polygonal cross-section:	
	7207.10.11	Rolled or obtained by continuous casting	
	7207 19 11 7207 20	- · - Of free-cutting steel	
	1201 20	Containing by weight 0,25 % or more of carbon  - Of rectangular (including square) cross-section, the width measuring less than	
		twice the thickness:	
	7207 20 11	Rolled or obtained by continuous casting Free-cutting steel	
	1	- Other, containing by weight	<b>295</b> 35
	7207 20 17	0.6 % or more of carbon	27333
	ex 7207 20 32	Other of rectangular cross-section - Rolled or obtained by continuous casting	
	ex 7207 20 31	· · · - Of a thickness of 50 mm or more	
		- (¹)	
		- Of circular or polygonal cross-section:	
	7207 20 51	Rolled or obtained by continuous casting Free-cutting steel	
	7207 20 31	- Other	
	7207-20 57	Containing by weight 0,6 % of carbon	
	7208	1	
		Flat-rolled products of Iron or non-alloy steel, of a width of 600 mm or more, not-rolled, and neither clad, plated nor coated:	
		Not in coils, not further worked than hot-rolled, of a thickness of less than 3 min and having a minimum yield point of 275 MPa or a thickness of 3 mm or more and having a minimum yield point of 355 MPa	
	ex 7208 31 00	Rolled on four faces or in a closed box pass, of a width not exceeding 1/250 mm and of a thickness of not less than 4 mm, without patterns in relief.	
		(1)	
		Other, not in coils, not further worked than hot-rolled	
	ex 7208 41 00	- Rolled on four faces or in a closed box pass, of a width not exceeding 1 250 mm	
		and of a thickness of not less than 4 mm, without patterns in relief	

Containing by weight, not less than 0.6% of carbon and having a content by weight, less than 0.04% of phosphorus and sulphur taken separately and less than 0.00% of these elements taken together.

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
06,0070 (cont'd)	7211	Flat-rolled products of iron or non-alloy steel, of a width of less than 60 mm, not clad, plated or coated:  Not further worked than hot-rolled, of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a	
	ex 7211 11 00	minimum yield point of 355 MPa:  Rolled on four faces or in a closed box pass, of a width exceeding 150 mm and a thickness of not less than 4 mm, not in coils and without patterns in relief.  (1)	
	7211 12		
	ex 7211 12 90	Other, of a thickness of 4,75 mm or more:	
	ex 7211 12 30	Of a width not exceeding 500 mm:	
	7111 19	Other.	
	7111 19		
	7311 10 01	Of a width not exceeding 500 mm	
	ex 7211 19 91	- Of a thickness of 3 mm or more but less than 4,75 mm - (1)	
	ex 7211 19 99	- Of a thickness of less than 3 mm;	
		(1)	
		Other, not further worked than hot-rolled:	
	ex 7211 21 00	Rolled on four faces or in a closed box pass, of a width exceeding 150 mm and a thickness of not less than 4 mm, not in coils and without patterns in relief	
		(')	
	7211 22	Other, of a thickness of 4,75 mm or more	
	ex 7211 22 90	Of a width not exceeding 500 mm:	
		- (')	
	7211 24	Other:	
		Of a width not exceeding 500 mm:	20 575
	ex 7211 29 91	Of a thickness of 3 mm or more but less than 4,75 mm (1)	(conf.
	ex 7211 29 99	Of a thickness of less than 3 mm:  — (1)	
	<b>721</b> 2	Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, clad.	
	7212 60	Clad:	
	1212 00	Of a width not exceeding 500 mm	
		Not further worked than surface-treated	
	ex 7212 60 91	· - · Hot-rolled, not further worked than clad· - (1)	
	7213	Bars and rods, hot-rolled, in irregularly wound coils of iron or non-alloy steel	
	7213 20 00	Of free-cutting steel	
	7213 50	Other, containing by weight 0,6 % or more of carbon	
	ex 7213 50 10	Containing by weight 0,6% or more but not more than 0,75% of carbon	
	ex 7213 80 90	(1) Containing by weight more than 0,75% of carbon (1)	
	7214	Other bats and rods of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but including those twisted after rolling:  (1)	
	7214 30 00	Of free-cutting steel	
	7214 60 00	Other, containing by weight 0,6 % or more of carbon	
	7216	Angles, shapes and sections of iron or non-alloy steel:	
		U, For H sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm	

<sup>(\*)</sup> Containing, by weight, not less than 0.6% of carbon and having a content, by weight, less than 0.04% of phosphorus and sulphur taken separately and less than 0.0% of these elements taken together.

Order No	CN code	Description	Ceiling amount (in tonnes)
(1)	(2)	(3)	(4)
06.0070	7216 31	· U sections:	
(cont'd)		Of a height of 80 mm or more but not exceeding 220 mm:	
	ex 7216 31 11	With parallel flange faces:	
		- (1)	
	ex 7216 31 19	Other:	
		- (¹)	
		Of a height of more than 220 mm:	
	ex 7216 31 91	With parallel flange faces:	
		- (¹)	
	ex 7216 31 99	- Other.	
		(')	
	7216 32	1 sections.	
		Of a height of 80 mm or more but not exceeding 220 mm	
	ex 7216 32 11	With parallel flange faces	
		(1)	
	ex 7216 32 19	- · · Other:	
		- (1)	
		Of a height of more than 220 mm·	
	ex 7216 32 91	With parallel flange faces:	
		- (¹)	
	ex 7216 32 99	Other:	
	704 ( 77	(1)	20525
	7216 33	· - H sections:	29535
	ex 7216 33 10	Of a height of 80 mm or more but not exceeding 180 mm.	(cont'd,
		- (')	
	ex 7216 33 90	Of a height of more than 180 mm:	
		- (¹)	
	7218	Stainless steel in ingots or other primary forms, semi-finished products of stainless steel	
	7218 10 00	Ingots and other primary forms	
	7218 90	Other:	
,		- Of rectangular (including square) cross-section	
	7218 90 11	Rolled or obtained by continuous casting	
	7218 90 13 7218 90 15		
	7218 90 19		1
		Other:	
	7218 90 50	Rolled or obtained by continuous casting	
	7219	Flat-rolled products of stainless steel, of a width of 600 mm or more:	į
	7219 11 10	- Not further worked than hot-rolled in coils	
	7219 11 90		
	7219 12 10 7219 12 90		
	7219 13 10		
	7219 13 90		
	7219 14 10 7219 14 90	- Not further worked than not-rolled, not in coils	
	7219 21 11		

<sup>(3)</sup> Containing, by weight, not less than 0.6 % of carbon and having a content, by weight, less than 0.04% of phosphorus and sulphur taken separately and less than 0.02% of these elements taken together

Order No	CN code	Description	Ceiling amount (in tonnes)
(1)	(2)	(3)	(4)
06.0070 cont'd)	7219 21 19 7219 21 90 7219 22 10 7219 22 90 7219 23 10 7219 23 90 7219 24 10		
	7219 24 90	- Not further worked than cold-rolled : Of a thickness of more than 1 mm but less than 3 mm	
	7219 33 10 7219 33 90	Of 8 (HICKIES? OF MOLO CHAIL I WIN DATE 1032 CHAIL 2 WIN	
	7219 34 10 7219 34 90	Of a thickness of 0,5 mm or more but not exceeding 1 mm	
	7219 35 10 7219 35 90	Of a thickness of less than 0,5 mm	
	7219 90	- Other	
	7219 90 11 7219 90 19	Not further worked than surface-treated, including cladding, or simply cut into shapes other than rectangular (including square)	
	7220	Flat-rolled products of stainless steel, of a width of less than 600 mm:	
	7220 11 00 7220 12 00	- Not further worked than hot-rolled	
	7221 00	Bars and rods, hot-rolled, in irregularly wound coils, of stainless steel:	
	7221 00 10	- Containing by weight 2,5% or more of nickel	
	7221 00 90	- Containing by weight less than 2,5% of nickel	
	7224	Other alloy steel in ingots or other primary forms, semi-finished products of other alloy steel	
	7224-90	Other	
		Of rectangular (including square) cross section	29535
		Hot-rolled or obtained by continuous casting:	(cont d)
		The width measuring less than twice the thickness	
	7224 90 01	Of high-speed steel	1
	7224 90 05	Containing by weight 0.7% or less of carbon and 0.5% or more but no more than 1.7% of manganese and 0.6% or more but no more than 2.3% of silicon; containing by weight 0.0008% or more of borium and provided that no other element reaches the minimum content specified in note 1 (f) to this chapter	
	7224 90 08	Other	
	7224 90 15	Other	
	7225	Hat-rolled products of other alloy steel, of a width of 600 mm or more:	
	<b>72</b> 25 <b>50</b>	Other, not further worked than cold-tolled (cold-reduced)	
	ex 7225 50 10	Containing by weight less than 0,6 % of silicon and not less than 0,3 % but not more than 1 % of aliminium	
		(1)	
	ex 7225 50 90	Other	
		(')	
	7227 (all numbers)	Bars and rods, hot-rolled, in irregularly wound coils, of other alloy steel	

Order N° (category)	CN code	Description	Ceiling (tonnes)
06. <b>0070</b> (cont'd)	7228 30	<ul> <li>Other bars and rods, not further worked than hot-rolled, hot-drawn or extruded:</li> </ul>	
(cont a)	7228 30 20		
	7228 30 40	<ul> <li>Containing by weight 0,9% or more but no more than 1.15% carbon, 0.5% or more but not more than 2% of chromium and 0.5% or less of mobybdenum</li> <li>Other:</li> </ul>	
	7228 30 61	Of circular cross-section, of a dimater of: 80 mm or more	
	7228 30 69	** *** *** *** *** *** *** *** *** ***	
		Of rectangular cross-section, rolled on four faces	
	7228 30 70	Other	
	7228 60	- Other bars and rods	
	7228 60 10	Hot-rolled, hot-drawn or extruded not further worked than clad	
	7228 70	- Angles, shapes and sections:	
	7228 70 10	<ul> <li>- not further worked than hot-rolled hot-drawn or extruded</li> <li>Flat-rolled products of stainless steel, of a width</li> <li>of less than 600 mm:</li> </ul>	
	7220 20	- Not further worked than cold-rolled (cold-reduced):	
	7220 20 10	Of a width exceeding 500 mm	
	7220 90	- Other Of a width exceeding 500 mm	
	7220 90 11	<ul> <li> Not further worked, than surface-treated,</li></ul>	29 535
	7220 90 31	<ul> <li> Hot-rolled, not further worked than clad</li> <li>Bars, and rods of stainless steel; shapes and sections</li> <li>of stainless steel;</li> </ul>	
	7222 10 11	<ul> <li>Bars and rods, not further worked than hot-rolled, hot-drawn or extruded</li> </ul>	
	7222 10 19		
	7222 10 51		
	7222 10 59		
	7222 10 99		
	7222 20	- Other bars and rods:	
	7222 30 11	or extruded	
	7222 40 7222 40 11		
	1222 40 11	NOT further worked than not-rolled not-drawn or extruded	
	7222 40 19	or extraued	
		Other	
	7222 40 30	Hot-rolled, hot-drawn or extruded not further worked than clad	
		Other alloy steel in ingots or other primary forms, semi- finished products of other alloy steel:	
	7224 10 00	- Ingots and other primary forms:	

			2 6
7224 90	-	Other:	
			Other:
			Hot-rolled or obtained by continuous casting
7224	90	31	Containing by weight 0.9% or more but no more than
			than 2% of chromium, and 0.5% or less of molybdenum
7224	90	39	Other
7225			Flat-rolled products of other alloy steel, of a width of 600 mm or more:
7225	10	10	- Of silicon-electrical steel
7225	10	91	
7225	10	99	
7225	20		- Of high speed steel:
7225	20	20	Not further worked than hot-rolled; not further worked,
			than surfaced-treated, including cladding or simply
			cut into shapes other than rectangular or square
7225			- Other, not further worked than hot-rolled, in colls:
7225	40	10	Other, not further worked than hot-rolled, not incolls
7225			•
7225	40	50	
7225	40	70	
7225	40	90	
7225			- Other
7225	90	10	<ul> <li>Not further worked than surface-treated including</li> </ul>
			cladding or simply cut into shapes other than,
			rectangular or square
7226			Flat-rolled products or other alloy steel, of a width of
			less than 600 mm
7226	10		- Of silicon-electrical steel

## Faric codes

Order No	(N code	Laric code	Order No	CN code	laric code	
06 0020	ex 7211 12 10	7211 12 10 12	06.0060	ex 7211 12 10	7211 12 10	18
		7211 12 10 * 91				19
					i	99
	ex 7211 19 10	7211 19 10 * 12		7211 10 10	i	
		7211 19 10 ' 14		ex 7211 19 10	7211 19 10	
		7211 19 10 * 91				15
	ex 7211 22 10	7211 22 10 12				17
	CR / 211 22 10	7211 22 10 ° 91			· ·	18
		1			7211 19 10	77
1	ex 7211 29 10	7211 29 10 " 12		ex 7211 22 10		18
i		7211 29 10 * 14			1	19
1		7211 29 10 * 91			7211 22 10	99
1				ex 7211 29 10	7211 29 10	13
1					, 7211 29 10	15
V 0040	7117 21 11	7317 31 11 5 10			7211 29 10	17
06 0040	ex 7216 31 11	7216 31 11 * 10				18
		7216 31 11 1 99	-			99
	ex 7216 31 19	7216 31 19 10		ex 7212 10 91	7212 10 91	90
		7216 31 19 * 99				, ,
-	ex 7216 31 91	7216 31 91 ° 10	į	_		
	ex /210 31 71	7216 31 91 10	06.0070	ex 7207 20 3 <b>2</b>	720 <sup></sup> 20 3 <b>2.</b>	10
Ì		/216 31 91 99		ex 7207/20/33	7207 20 33	10
	ex 7216 31 99	7216 31 99 10		ex 7208 31 00	7208 31 00	10
		7216 31 99 * 99		ex 7208 41 00	7208 41 00	10
	ex 7216 32 11	7216 32 11 5 10		ex 7211 11 00	7211 11 00	10
!	CX /210 /2 11	7216 32 11 * 99		ex 7211 12 90		10
		7210 32 11 99		ex 7211 19 91	· ·	10
	ex 7216 32 19	7216 32 19 10	į	ex 7211 19 99		10
Į		7216 32 19 * 99		ex 7211-21-00		10
	<b>73.</b>			ex 7211 22 90		10
	ex 7216 32 91	7216 32 91 * 10		ex 7211 29 91		10
,		7216 32 91 * 99		ex 7211 29 99		10
ł	ex 7216 32 99	7216 32 99 ° 10		ex 7212 60 91	7212 60 91	10
l l		7216 32 99 1 99			1	
	<b>***</b>			ex 7213 50 10	1	10
	ex 7216 33 10	7216 33 10 * 90	į	ex 7213 50 90	7213 50 90	10
	ex 7216 33 90	7216 33 90 ° 90		ex 7216 31 11	7216 31 11	91
1				ex 7216 31 19	7216 31 19	91
1				ex 7216 31 91	7216 31 91	91
			ļ	ex 7216 31 99	7216 31 99	91
06 0050	ex 7211 12 90	7211 12 90 ° 90	1	ex 7216 32 11	7216 32 11	91
	ex 7211 19 91	7211 19 91 * 90	ļ	ex 7216 32 19		91
+	ex 7211 19 99	7211 19 99 " 90		ex 7216 32 91		91
	ex 7211 22 90	7211 22 90 ° 90	İ	ex 7216 32 99	L.	91
	ex 7211 29 91	7211 29 91 * 90		ex 7216 33 10		10
	ex 7211 29 99	7211 29 99 ° 90		ex 7216 33 90	7216 33 90	10
	ex 7212 60 91	7212 60 91 " 90		ex 7225 50 10	7225 50 10	10
	CX /212 00/ /1	7212 00 71 70		ex 7225 50 90	7225 50 90	10

# COM(92) 500 final

# **DOCUMENTS**

EN 11 02

Catalogue number: CB-CO-92-518-EN-C

ISBN 92-77-49961-3