

COMMISSION OF THE EUROPEAN COMMUNITIES

COM(81) 217 final

Brussels, 29 April 1981

Draft

COUNCIL REGULATION (EEC)

temporarily suspending the autonomous Common Customs
Tariff duties on certain industrial products

(presented by the Commission to the Council)

COM(81) 217 final

EXPLANATORY MEMORANDUM

1. The subject of the following draft regulation is the temporary suspension of duties in the Common Customs Tariff for a number of industrial items, as requested by the Member States. It is partly a prolongation and partly a new measure.
2. It seems appropriate to the Commission that a duty suspension is justified for the goods listed in the annex to this regulation. The Commission proposes a total suspension for those products for which Community production does not exist or is minimal. A partial suspension is proposed in cases where the Community production covers only a part of the requirements. The rate of the partially suspended duty depends on the extent of the possible Community supply to the Community users. The Commission is also always looking for the right balance between the interests of the suppliers, users and the consumers in the Community. It also takes into account the need to protect employment.
3. The proposed measures are confined to ^{or twelve} ~~six~~ months because of the difficulties of estimating the evolution of the basic factors.
4. For a number of items for which the Member States also requested duty suspensions the Commission does not propose a tariff measure because the necessary conditions are not fulfilled. This concerns the following items .:

CCT heading No	Description
ex 28.24	Dicobalt trioxide, hydrated
ex 28.24	Cobalt oxides for the manufacture of cobalt salts (a)
ex 29.02 B	1, 6, 7, 8, 9, 14, 15, 16, 17, 17, 18, 18-Dodecachloropentacyclo(12.2.1.1 ^{6,9} .0 ^{2,13} .0 ^{5,10})octa-deca-7,15-diene, for use in the manufacture of polypropylene (a)
ex 29.13 E	2,2',4,4'-Tetrahydroxybenzophenone
ex 29.19 C ex 28.19 U	Tetrakis (2-chloroethyl) ethylene bis (phosphate)
ex 29.21 B II	0,0'-Dioctadecyl pentaerythritol bis (phosphite)
ex 29.22 D I	3,5-Dichloroaniline
ex 29.23 A II	Bis(2-dimethylaminoethyl) ether
ex 29.23 A II	1-Deoxy-1-(octylamino)-D-glucitol
ex 29.31 B	Tolnaftate (INN)
ex 29.31 B	Captafol (ISO)
ex 29.31 B	4,4'-Bis(1,1,3,3-tetramethylbutyl)-2,2'-thiophenol
ex 29.35 Q and ex 38.19 U	Reaction products containing not less than 65% by weight of benoxaprofen (INN)
ex 29.35 Q	Fluphenazine (INN)
ex 29.39 D II	Betamethasone 21-acetate (INN)
ex 29.39 D II	Triamcinolone acetonide (INN)
ex 29.39 D II	Triamcinolone 16- <i>alpha</i> ,21-diacetate (INN)
ex 29.39 D II	Halcinonide (INN)
ex 29.39 D II	Methylprednisolone (INN)
ex 29.39 D II	Triamcinolone (INN)
ex 29.39 D II	Diflorasone di(acetate) (INN)

CCT heading No	Description
ex 29.39 D II	Beclometasone dipropionate (INN)
ex 39.06 B	<p>Waxy maize starch, esterified, spray dried, having a viscosity greater than or equal to 250cps and less than or equal to 750cps when measured</p> <ol style="list-style-type: none"> 1) in the ratio of one part by weight of starch to 2.5 parts by weight of water 2) after mixing for ten minutes and standing until a clear solution (free of air bubbles) is obtained, at 23°C on a rotating viscometer, for use in the manufacture of particle gummed paper
ex 38.08 C	Rosin hydrogenated, polymerized, dimerized or oxidized
ex 38.19 G	Catalysts consisting of bis (2-dimethylaminoethyl) ether dissolved in 1,1'-oxydipropyl-2-ol
ex 38.19 G	<p>Catalysts consisting of a mixture of oxides on a silicon dioxide support and containing by weight:</p> <ol style="list-style-type: none"> (a) Not less than 25 % and not more than 40 % of antimony (b) Not less than 5 % and not more than 10 % of iron (c) Not less than 0.2 % and not more than 1.5 % of molybdenum (d) Not less than 0.8 % and not more than 4.0 % of tellurium
ex 38.19 U	<p>diAluminium trisodium pentadecahydrogenoctakis-(orthophosphate) containing food grade calcium salts $Al_2Na_3H_{15}(PO_4)_8$</p>
ex 38.19 U	Mixture of 4-octyldiphenylamine and 4, 4'-dioctyldiphenylamine
ex 39.02 C XIV b)	<p>Sheets consisting of a woven textile fabric covered on both sides with a copolymer of poly(tetrafluoroethylene) and poly(oxy(perfluoro-2-methylethylene)) with terminal carboxyl groups. Whether or not in rolls.</p>
ex 39.02 C VI a)	Copolymer of divinylbenzene and styrene, in one of the forms mentioned in Note 3(b) to Chapter 39
ex 39.02 C XIV a)	Polymerization products of acrylic acid with small quantities of a polyunsaturated monomer for use as a thickener in textile pigment printing pastes (a)

CCT heading No	Description
ex 39.02 C XIV a)	Terpolymer of ethylene, methyl acrylate and a monomer containing a non-terminal carboxy group as a substituent, compounded with silica
ex 77.01 A	Unwrought magnesium containing 99.95% by weight of pure magnesium (extra pure magnesium) with an iron content not exceeding 60 ppm, intended for the nuclear industry
ex 85.03	Alkaline primary batteries containing manganese dioxide with a power of less than 0,1 m Watt, and a diameter of not more than 11,6mm and a height of not more than 5,36mm
ex 85.19 B	Ultraminiature potentiometers, of less than 4,5 mm diameter, whether or not fitted with an on/off switch, for use in regulating the volume of hearing aids worn on the head
ex 85.21 A V	Digital displays consisting of a glass tube mounted on a board whose dimensions do not exceed 350 mm x 300 mm excluding leads. The tube contains one or more rows of characters or lines arranged in rows, each character or line consisting of phosphorescent elements. These elements are mounted on a metallised base which is covered with phosphorus salts which give off light when bombarded with electrons
ex 85.21 D II	<p>Electronic programmable read only memories (EPROMS) UV erasable, with a storage capacity of 32 K bits in the form of a monolithic integrated circuit contained in a housing whose exterior dimensions do not exceed 17 x 39 mm, with a quartz window on the upper surface, and bearing:</p> <ul style="list-style-type: none">- an identification marking either consisting of one of the following combinations of figures or figures and letters or including one of those combinations: 2532 25 A 32 25 L 32 2732or- other identification markings relating to EPROMS complying with the abovementioned description

CCT heading No	Description																																	
ex 85.21 D II	<p>C-MOS random access memories (RAMS of complementary MOS technology) with a storage capacity of 1 K bit in the form of a monolithic integrated circuit, contained in a housing whose exterior dimensions do not exceed 11 x 31 mm with 16, 18 or 22 connecting pins, and bearing:</p> <ul style="list-style-type: none"> — an identification marking either consisting of one of the following combinations of figures or figures and letters or including one of those combinations: <table data-bbox="555 677 938 959" style="margin-left: 40px;"> <tbody> <tr> <td>1821 C</td> <td>54 C 929</td> <td>6552</td> </tr> <tr> <td>1822</td> <td>54 C 930</td> <td>6561</td> </tr> <tr> <td></td> <td>5501</td> <td>6562</td> </tr> <tr> <td>μ PD 443</td> <td>5508</td> <td></td> </tr> <tr> <td></td> <td>MSM 573</td> <td>74920</td> </tr> <tr> <td>5001</td> <td>MSM 574</td> <td>74921</td> </tr> <tr> <td>5101</td> <td></td> <td>74 C 920</td> </tr> <tr> <td>510 E 1</td> <td>6501</td> <td>74 C 921</td> </tr> <tr> <td>5102</td> <td>6508</td> <td>74 C 929</td> </tr> <tr> <td>54 C 920</td> <td>6518</td> <td>74 C 930</td> </tr> <tr> <td>54 C 921</td> <td>6551</td> <td></td> </tr> </tbody> </table> <ul style="list-style-type: none"> or — other identification markings relating to C-MOS RAMS complying with the abovementioned description 	1821 C	54 C 929	6552	1822	54 C 930	6561		5501	6562	μ PD 443	5508			MSM 573	74920	5001	MSM 574	74921	5101		74 C 920	510 E 1	6501	74 C 921	5102	6508	74 C 929	54 C 920	6518	74 C 930	54 C 921	6551	
1821 C	54 C 929	6552																																
1822	54 C 930	6561																																
	5501	6562																																
μ PD 443	5508																																	
	MSM 573	74920																																
5001	MSM 574	74921																																
5101		74 C 920																																
510 E 1	6501	74 C 921																																
5102	6508	74 C 929																																
54 C 920	6518	74 C 930																																
54 C 921	6551																																	
ex 85.21 D II	<p>C-MOS random access memories (RAMS of complementary MOS technology), with a storage capacity of 4 K bits, in the form of a monolithic integrated circuit, contained in a housing whose exterior dimensions do not exceed 11 x 31 mm with 18, 20 or 22 connecting pins, and bearing:</p> <ul style="list-style-type: none"> — an identification marking either consisting of one of the following combinations of figures or figures and letters or including one of those combinations: 																																	

CCT heading No	Description																												
ex 85.21 D II	<p>C-MOS random access memories (RAMS of complementary MOS technology), with a storage capacity of 4 K bits, in the form of a monolithic integrated circuit, contained in a housing whose exterior dimensions do not exceed 11 x 31 mm with 18, 20 or 22 connecting pins, and bearing:</p> <ul style="list-style-type: none">— an identification marking either consisting of one of the following combinations of figures or figures and letters or including one of those combinations: <table data-bbox="478 631 925 826"><tr><td>21 SC 14</td><td>5047</td><td>6147</td><td>8404 E</td></tr><tr><td></td><td>5104</td><td>6504</td><td>8414 E</td></tr><tr><td>4315</td><td>5114 A</td><td>6514</td><td></td></tr><tr><td>4334</td><td>5115</td><td>6533</td><td></td></tr><tr><td>4434</td><td>5504</td><td>6543</td><td></td></tr><tr><td>μ PD 444</td><td>5514</td><td></td><td></td></tr><tr><td>μ PD 445 L</td><td>5894 L</td><td></td><td></td></tr></table> <p>or</p> <ul style="list-style-type: none">— other identification markings relating to C-MOS RAMS complying with the abovementioned description	21 SC 14	5047	6147	8404 E		5104	6504	8414 E	4315	5114 A	6514		4334	5115	6533		4434	5504	6543		μ PD 444	5514			μ PD 445 L	5894 L		
21 SC 14	5047	6147	8404 E																										
	5104	6504	8414 E																										
4315	5114 A	6514																											
4334	5115	6533																											
4434	5504	6543																											
μ PD 444	5514																												
μ PD 445 L	5894 L																												
ex 85.21 D II	<p>Programmable, non-erasable, read only memories (PROMS) with a storage capacity of 4 K bits in the form of a monolithic integrated circuit contained in a housing whose exterior dimensions do not exceed 17 x 34 mm, with not more than 24 connecting pins, and bearing:</p> <ul style="list-style-type: none">— an identification marking either consisting of one of the following combinations of figures or figures and letters or including one of those combinations:																												

CCT
heading
No

Description

ex 85.21 D II
(cont'd)

18 S 42	38510	74 S 472
18 S 46		74 S 473
18 SA 42	5340	74 S 474
18 SA 46	5341	74 S 475
	5348	74 S 476
24 S 41	5349	74 S 477
24 SA 41	5350	74 S 572
	5351	74 S 573
27 S 15	5352	
27 S 26	5353	7640
27 S 27		7641
27 S 28	54 S 472	7642
27 S 29	54 S 473	7643
27 S 30	54 S 474	7644
27 S 31	54 S 475	7645
27 S 32	54 S 476	7647
27 S 33	54 S 477	7648
	54 S 572	7649
	54 S 573	
28 L 42	54 740	82 S 115
28 L 45	54 741	82 S 136
28 P 42		82 S 137
28 P 45		82 S 140
28 R 45	5605	82 S 141
28 S 42	5625	82 S 142
28 S 45		82 S 146
	6340	82 S 147
29620	6341	
29621	6348	
29622	6349	93 438
29623	6350	93 448
29624	6351	93 452
29625	6352	93 453
29626	6353	
29627		
	7121	
3604	7122	
3624	7123	
3625	7125	
	7126	

or

-- other identification markings relating to PROMS complying with the abovementioned description

CCT
heading
No

Description

ex 85.21 D II

Microcomputer, in the form of an electronic microwriting or a monolithic integrated circuit, consisting of an arithmetical unit with a capacity of 4 bits plus a read only memory (ROM) with a capacity of not less than 18 K bits and not more than 65 K bits and a random access memory (RAM) with a capacity of not less than 512 bits and not more than 4 K bits, contained in a housing whose exterior dimensions do not exceed 16 x 54 mm with not more than 40 connecting pins.

The package bears

- one of the following identification markings :

CD 3200 to 3299
TMC 0270 to 0279
TMC 0500 to 0599
TMC 1500 to 1599
TMC 1980 to 1999
TP 0310 to 0329
TP 0450 to 0459
TP 0480 to 0489

or

- other identification markings relating to microcomputers complying with the abovementioned description.

ex 85.21 D II

Microcomputer in the form of a monolithic integrated circuit consisting of an 8 bit central processor, an 8 bit timer, 18 input/output gates, a read only memory (ROM) with a capacity of 8 K bits and a random access memory (RAM) with a capacity of 512 bits, contained in a housing, whose exterior dimensions are 54 x 14 mm with 40 connecting pins.

The package bears

- one of the following markings :

D 8041
P 8041

or

- other markings relating to microcomputers complying with the abovementioned description

ex 85.21 D II

P-MOS 12/24 hour clock circuit incorporating an elapsed time facility, in the form of a monolithic integrated circuit contained in a housing whose exterior dimensions do not exceed 52.6 mm by 13.9 mm, with 40 connecting pins, bearing the markings MMS3124, or other markings relating to clock circuits complying with this description, for the manufacture of car clocks

CCT heading No	Description
ex 85.21 D II	C-MOS 12/24 hour clock circuit in the form of a monolithic integrated circuit contained in a housing whose exterior dimensions do not exceed 53.8 mm by 13.4 mm, with 42 connecting pins, bearing the marking T 3605, or other markings relating to clock circuits complying with this description, for the manufacture of car clocks
ex 85.21 D II	H-MOS microcomputer, permanently programmed as a car trip computer, in the form of a monolithic integrated circuit consisting of an 8 bit microprocessor, a 16 bit timer, a 16384 bit read only memory (ROM) and a 1024 bit random access memory (RAM), contained in a housing with 40 connecting pins and bearing the marking MC 6801 and SC/EPU TC 10 or other markings relating to microcomputers complying with this description
ex 90.13	Liquid crystal display devices, formed by a layer of liquid crystal enclosed between two glass plates equipped with electrical conductors, of a length not exceeding 55 mm and a width not exceeding 22 mm

5. Attention is drawn to the fact that the Council Resolution of 27.6.1974 simplifying the task of the customs administrations (OJ C 79/74) requires the publication of the attached Regulation at least six weeks before its entry into force.

DRAFT

COUNCIL REGULATION (EEC) No .../81

of

temporarily suspending the autonomous Common Customs Tariff duties on certain industrial products

THE COUNCIL OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Economic Community, and in particular Article 28 thereof,

Having regard to the draft Regulation submitted by the Commission,

Whereas production of the products referred to in this Regulation is at present inadequate or non-existent within the Community and producers are thus unable to meet the needs of user industries in the Community;

Whereas it is in the Community's interest to suspend the autonomous Common Customs Tariff duties only partially in certain cases, due particularly to the existence of Community production, and to suspend them completely in other cases;

Whereas, taking account of the difficulties involved in accurately assessing the development of the economic situation in the sectors concerned in the near future, these suspension measures should be taken only

temporarily with their term of validity fixed to coincide with the interests of Community production,

HAS ADOPTED THIS REGULATION:

Article 1

The autonomous Common Customs Tariff duties for the products listed in the tables annexed to this Regulation shall be suspended at the level indicated in respect of each of them.

These suspensions shall be valid:

- from 1 July to 31 December 1981 for the products listed in Table I,
- from 1 July 1981 to 30 June 1982 for the products listed in Table II.

Article 2

This Regulation shall enter into force on 1 July 1981.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Luxembourg,

For the Council

The President

CCT heading No	Description	Rate of autonomous duty(%)
ex 29.44 C	(6R, 7R)-7-(2-Carboxy-2-(4-hydroxyphenyl)acetyl-amido)-7-methoxy-3-(1-methyl-1H-tetrazol-5-ylthiomethyl)-8-oxo-5-oxa-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid and its salts and esters	0
ex 38.19 G	Catalysts in the form of rodlets having a length of not more than 5.0 mm and a diameter of not more than 3.6 mm consisting of copper oxide and dichromium trioxide	0
ex 38.19 G	Catalysts, in the form of granules or rings having a diameter of not less than 3 mm and not more than 10 mm, consisting of silver supported on aluminium oxide, the silver content being not less than 10 % and not more than 20 % by weight	0
ex 38.19 G	Catalysts consisting of copper chloride supported on aluminium oxide for the preparation of dichloroethane from ethylene, hydrochloric acid and oxygen, with a surface area of less than 90 m ² /g (a)	0
ex 38.19 U	Dibutylmagnesium dissolved in organic solvents to a concentration of less than 28% by weight	0
ex 38.19 U	Flame retardant reaction products of acetaldehyde, ethylene oxide and phosphorous trichloride	0
ex 39.01 C VII	<i>alpha</i> -4-Hydroxybutyl- <i>omega</i> -hydroxypoly (oxytetramethylene)	0
ex 39.02 C VII b)	Reflecting polyvinyl chloride sheeting wholly embossed on one side in a regular pyramidal pattern, whether or not in rolls	0
ex 39.02 C X	Reflecting foil of a copolymer of vinyl chloride and vinyl acetate embossed on one side with a regular pattern on which there is a thin layer of aluminium, whether or not in rolls	0
ex 44.28 C	Match splints manufactured from aspen (<i>Populus tremuloides</i>) for the manufacture of matches, not requiring a specific striking surface (so called "strike anywhere" matches) (a)	0
ex 51.01 A	Yarn of a copolymer of glycollic acid and lactic acid for the manufacture of surgical sutures (a)	0
ex 51.01 A	Yarn wholly of polyglycollic acid	0
ex 51.01 A	Yarn of poly(<i>p</i> -phenyleneterephthalamide) for uses other than the manufacture of tyres (a)	2
ex 51.01 A	Yarn of poly(1,4-Dioxanon)	0
ex 51.02 A I	Monofil of poly(1,4-Dioxanon)	0
ex 56.01 A and ex 59.01 B I	Fibres of poly(<i>p</i> -phenyleneterephthalamide)	2
ex 58.07 A	Braid wholly of polyglycollic acid yarn	0

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

TABLE I

CCT heading No	Description	Rate of autonomous duty(%)
ex 29.04 A III a)	2-Methylpropan-2-ol (<u>tert</u> -butyl alcohol) of a purity of not less than 90% but not more than 96% by weight	0
ex 29.08 A III c)	2-Bromo-6-methoxynaphthalene	0
ex 29.11 C II	A mixture of 3-o-cumenyl-2-methylpropionaldehyde and 3-p-cumenyl-2-methylpropionaldehyde (cyclamen aldehyde)	0
ex 29.16 A II	<i>L</i> -Malic acid and its salts and esters	0
ex 29.25 A II	2-Acrylamido-2-methylpropanesulphonic acid	0
ex 29.31 B	Biosynthetic peptide having the structure of the 'A' chain of human insulin, in the form of the <u>S</u> -sulphonate derivative	0
ex 29.31 B	4,4'-Sulphonyldiphenol, not less than 99.5% pure	0
ex 29.34 C	Trichloronat (ISO)	0
ex 29.35 Q	Biosynthetic peptide having the structure of the 'B' chain of human insulin, in the form of a salt of the <u>S</u> -sulphonate derivative	0
ex 29.35 Q	Diazoxide (INN)	0
ex 29.35 Q	(6R,7R)-7-Amino-3-(5-methyl-1,3,4-thiadiazol-2-ylthiomethyl)-8-oxo-5-thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid and its salts	0
ex 29.35 Q	Tolmetin sodium (INN)	0
ex 29.39 D II	Betamethasone 17,21-dipropionate (INN)	0
ex 29.39 D II	Triamcinolone hexacetate (INN)	6.6
ex 29.44 C	Cefoxitin sodium (INN)	0
ex 29.44 C	Cefradine (INN)	0
ex 29.44 C	Cefamandole (INN) and its salts and esters	0
ex 29.44 C	Cefazolin (INN) and its salts	0

CCT heading No	Description	Rate of autonomous duty(%)
ex 58.07 A and ex 59.04	<p style="text-align: center;">of</p> Braid/yarn of a copolymer of glycollic acid and lactic acid, whether or not coated, for the manufacture of surgical sutures (a)	0
ex 59.17 A	Needle punched synthetic fibre felts on a woven synthetic fibre base coated or covered on one side with polytetrafluoroethylene film, for the manufacture of filtration products (a)	0
ex 59.17 D	Yarn of impregnated poly(p-phenylene-terephthalamide), oiled	0
ex 70.20 B	Yarns of 34 or 68 tex obtained from continuous spun glass filaments having a diameter of not less than 5.2 and not more than 6.2 micrometres, other than those treated so as to improve their adhesion to elastomers	6.3
ex 70.20 B	Yarns of 33 or 66 tex obtained from continuous spun glass filaments having a diameter of not less than 5.8 and not more than 6.4 micrometres, other than those treated so as to improve their adhesion to elastomers	6.3
ex 74.05 B	Flexible sheets and plates of polytetrafluoroethylene, with aluminium oxide as a filler or reinforced with glass-fibre fabric, laminated on both sides with copper foil	0
ex 84.18 C II b)	Apparatus, for the separation of gas from gas mixtures, of a total length of not less than 375 cm and not more than 690 cm consisting essentially of a metal cylinder, whose diameter is not less than 10.5 cm and not more than 22.5 cm, containing bundles of hollow permeable fibres	0

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

CCT heading No	Description	Rate of autonomous duty (%)
ex 84.55 C	<p>Opto-electric encoder for electronic typewriters consisting of electronic circuits, a light emitting diode (LED), a rotating disc with radial openings, a fixed mask and a single chip photovoltaic cell, contained in two plastic shells forming a housing of a size not exceeding 60 × 48 × 16 mm</p>	0
ex 85.21 A V	<p>Digital displays consisting of a glass tube mouned on a board up to 220 mm long and 45 mm wide excluding leads. The tube contains a straight line of digits not less than four in number, each digit consisting of a number of segments containing an inert gas with a metallic base coated with phosphorus salts which give off light when bombarded with electrons</p>	0
ex 85.21 D II	<p>Electronic programmable read only memories (EPROMS) UV erasable, with a storage capacity of 64 K bits in the form of a monolithic integrated circuit contained in a housing whose exterior dimensions do not exceed 17 × 39 mm, with a quartz window on the upper surface, and bearing:</p> <ul style="list-style-type: none"> — an identification marking either consisting of one of the following combinations of figures or figures and letters or including one of those combinations: <p style="margin-left: 40px;">2564 68764 68 A 764</p> <p style="margin-left: 40px;">or</p> <ul style="list-style-type: none"> — other identification markings relating to EPROMS complying with the abovementioned description 	5
ex 85.21 D II	<p>Random access memories (RAMS) with a storage capacity of 64 K bits, in the form of a monolithic integrated circuit contained in a housing whose exterior dimensions do not exceed 9 mm × 23 mm with 16 connecting pins, and bearing:</p> <ul style="list-style-type: none"> — an identification marking either consisting of one of the following combinations of figures or including one of those: <p style="margin-left: 40px;">3764 4164 4864 6664 6665 8164</p> <p style="margin-left: 40px;">or</p> <ul style="list-style-type: none"> — other identification markings relating to RAMS complying with the abovementioned description 	8.5

CCT heading No	Description	Rate of autonomous duty (%)																																																																																																																
ex 85.21 D II	<p style="text-align: center;">non erasable,</p> <p>Programmable/read only memories (PROMS) with a storage capacity of 8 K bits in the form of a monolithic integrated circuit, contained in a housing whose exterior dimensions do not exceed 17 x 34 mm, with not more than 24 connecting pins, and bearing:</p> <p>— an identification marking either consisting of one of the following combinations of figures or figures and letters or including one of those combinations:</p> <table style="margin-left: 40px;"> <tr> <td></td> <td></td> <td>74LS478</td> <td>TBPS81 M</td> </tr> <tr> <td>24 S 81</td> <td>29650</td> <td>74S2708</td> <td>82707</td> </tr> <tr> <td>24 SA 81</td> <td>29651</td> <td>74 S 454</td> <td>82708</td> </tr> <tr> <td></td> <td>29652</td> <td>74 S 455</td> <td>82 LS 180</td> </tr> <tr> <td>2708-65</td> <td>29653</td> <td>74 S 478</td> <td>82 LS 181</td> </tr> <tr> <td></td> <td></td> <td>74 S 479</td> <td>82 S 180</td> </tr> <tr> <td>27 S 180</td> <td>3628</td> <td></td> <td>82 S 181</td> </tr> <tr> <td>27 S 181</td> <td></td> <td>7608</td> <td>82 S 182</td> </tr> <tr> <td></td> <td>5380</td> <td>7680</td> <td>82 S 183</td> </tr> <tr> <td>28 L 85</td> <td>5381</td> <td>7681</td> <td>82 S 184</td> </tr> <tr> <td>28 L 86</td> <td>54LS478</td> <td>7684</td> <td>82 S 185</td> </tr> <tr> <td>28P85</td> <td>54S2708</td> <td>7685</td> <td>82S2708</td> </tr> <tr> <td>28R85</td> <td>54 S 454</td> <td>7686</td> <td>87 S 180</td> </tr> <tr> <td>28S2708</td> <td>54 S 455</td> <td>7687</td> <td>87 S 181</td> </tr> <tr> <td>28 S 85</td> <td>54 S 478</td> <td></td> <td>87 S 184</td> </tr> <tr> <td>28 S 86</td> <td>54 S 479</td> <td>77 S 180</td> <td>87 S 185</td> </tr> <tr> <td>28 SA 86</td> <td></td> <td>77 S 181</td> <td>87 S 186</td> </tr> <tr> <td></td> <td>6380</td> <td>77 S 184</td> <td>87 S 187</td> </tr> <tr> <td>29630</td> <td>6381</td> <td>77 S 185</td> <td></td> </tr> <tr> <td>29631</td> <td></td> <td>77 S 186</td> <td>93450</td> </tr> <tr> <td>29632</td> <td>7127</td> <td>77 S 187</td> <td>93451</td> </tr> <tr> <td>29633</td> <td>7128</td> <td></td> <td>93460</td> </tr> <tr> <td>29634</td> <td>7129</td> <td></td> <td>93461</td> </tr> <tr> <td>29635</td> <td>7130</td> <td></td> <td>93465</td> </tr> <tr> <td>29636</td> <td>7131</td> <td></td> <td>93466</td> </tr> <tr> <td>29637</td> <td>7132</td> <td></td> <td>93 L 450</td> </tr> <tr> <td></td> <td></td> <td></td> <td>93 L 451</td> </tr> <tr> <td></td> <td></td> <td></td> <td>9460</td> </tr> </table> <p>or</p> <p>— other identification markings relating to PROMS complying with the abovementioned description</p>			74LS478	TBPS81 M	24 S 81	29650	74S2708	82707	24 SA 81	29651	74 S 454	82708		29652	74 S 455	82 LS 180	2708-65	29653	74 S 478	82 LS 181			74 S 479	82 S 180	27 S 180	3628		82 S 181	27 S 181		7608	82 S 182		5380	7680	82 S 183	28 L 85	5381	7681	82 S 184	28 L 86	54LS478	7684	82 S 185	28P85	54S2708	7685	82S2708	28R85	54 S 454	7686	87 S 180	28S2708	54 S 455	7687	87 S 181	28 S 85	54 S 478		87 S 184	28 S 86	54 S 479	77 S 180	87 S 185	28 SA 86		77 S 181	87 S 186		6380	77 S 184	87 S 187	29630	6381	77 S 185		29631		77 S 186	93450	29632	7127	77 S 187	93451	29633	7128		93460	29634	7129		93461	29635	7130		93465	29636	7131		93466	29637	7132		93 L 450				93 L 451				9460	0
		74LS478	TBPS81 M																																																																																																															
24 S 81	29650	74S2708	82707																																																																																																															
24 SA 81	29651	74 S 454	82708																																																																																																															
	29652	74 S 455	82 LS 180																																																																																																															
2708-65	29653	74 S 478	82 LS 181																																																																																																															
		74 S 479	82 S 180																																																																																																															
27 S 180	3628		82 S 181																																																																																																															
27 S 181		7608	82 S 182																																																																																																															
	5380	7680	82 S 183																																																																																																															
28 L 85	5381	7681	82 S 184																																																																																																															
28 L 86	54LS478	7684	82 S 185																																																																																																															
28P85	54S2708	7685	82S2708																																																																																																															
28R85	54 S 454	7686	87 S 180																																																																																																															
28S2708	54 S 455	7687	87 S 181																																																																																																															
28 S 85	54 S 478		87 S 184																																																																																																															
28 S 86	54 S 479	77 S 180	87 S 185																																																																																																															
28 SA 86		77 S 181	87 S 186																																																																																																															
	6380	77 S 184	87 S 187																																																																																																															
29630	6381	77 S 185																																																																																																																
29631		77 S 186	93450																																																																																																															
29632	7127	77 S 187	93451																																																																																																															
29633	7128		93460																																																																																																															
29634	7129		93461																																																																																																															
29635	7130		93465																																																																																																															
29636	7131		93466																																																																																																															
29637	7132		93 L 450																																																																																																															
			93 L 451																																																																																																															
			9460																																																																																																															
ex 85.21 D II	<p>Microcomputer, in the form of a monolithic integrated circuit, consisting of an arithmetical unit with a capacity of 4 bits plus a read only memory (ROM) with a capacity of not less than 18 K bits and not more than 65 K bits and a random access memory (RAM) with a capacity of not less than 512</p>																																																																																																																	

CCT heading No	Description	Rate of autonomous duty (%)
ex 85.21 D II (cont'd)	<p>bits and not more than 4 K bits, contained in a housing whose exterior dimensions do not exceed 16 x 54 mm with not more than 40 connecting pins, for use in the manufacture of products of heading No 84.52 (a)</p> <p>The package bears</p> <p>-- one of the following identification markings:</p> <p>CD 3200 to 3299 TMC 0270 to 0279 TMC 0500 to 0599 TMC 0980 to 0989 TMC 1500 to 1599 TMC 1980 to 1999 TP 0310 to 0329 TP 0450 to 0459 TP 0480 to 0489 TP 0500 to 0599</p> <p>or</p> <p>-- other identification markings relating to microcomputers complying with the abovementioned description</p>	0
ex 85.21 D II	<p>Amplifier in the form of a monolithic integrated analog circuit contained in a housing whose dimensions do not exceed 3.56 x 3.56 x 1.65 mm with not more than 10 connecting pins for use in products falling within subheading 90.19 B I (a).</p> <p>The package bears</p> <p>- one of the following identification markings :</p> <p>V 35 C 05</p> <p>or</p> <p>- other identification markings relating to amplifiers complying with the abovementioned description</p>	0

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

TABLE II

CCT heading No	Description	Rate of autonomous duty (%)
ex 13.03 A V	Extract of dewaxed pyrethrum	0
ex 27.13 B II	Synthetic paraffin wax having a molecular weight of not less than 460 and not more than 1 560	0
ex 28.04 B	Helium	0
ex 28.04 C III	Tellurium	0
ex 28.13 I J	Tellurium dioxide	0
ex 28.21	Chromium dioxide	0
ex 28.31 C	Lithium hypochlorite	0
ex 28.38 C	Potassium hydrogenperoxomonosulphate	0
ex 28.40 B II	pentaCalcium hydroxide tris(orthophosphate) for use in non-ferrous metallurgy (a)	0
ex 28.42 A VI	Lithium carbonates not corresponding to the following specifications : — In the form of white powder — Containing 98.5 % or more of Li_2CO_3 and : — Less than 2 ppm of arsenic — Less than 200 ppm of calcium — Less than 200 ppm of chlorides — Less than 20 ppm of iron — Less than 150 ppm of magnesium — Less than 20 ppm of heavy metals — Less than 300 ppm of potassium — Less than 300 ppm of sodium — Less than 200 ppm of sulphates	0
28.46 A I b)	Sodium borates, anhydrous	0
ex 28.47 F	Calcium wolframate, for the manufacture of ferro-alloys or deca-ammonium 41-oxododecawolframate (ammonium paratungstate) (a)	0
ex 28.48 B III	Hydrotalcite (INN)	0
28.51 A	Deuterium, deuterium oxide (heavy water) and other compounds of deuterium ; hydrogen and compounds thereof, enriched in deuterium ; mixtures and solutions containing these products (Euratom)	0
ex 28.57 A	Silane (silicon hydride)	0

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

CCT heading No	Description	Rate of autonomous duty (%)
ex 28.57 B	Manganese nitride containing not more than 8 % of nitrogen by weight	0
ex 29.01 C I	<i>beta</i> -Pinene	0
ex 29.01 D VII	Vinyltoluenes	0
ex 29.02 A I	Carbon tetrafluoride (tetrafluoromethane)	0
ex 29.02 A II b)	1,2,3-Trichloropropenes	0
ex 29.02 A III	Vinyl bromide	0
ex 29.02 A III	1,2-Dibromoethane	4
ex 29.02 A V	Bromochloromethane	0
ex 29.02 B	1,6,7,8,9,14,15,16,17,17,18,18-Dodecachloropentacyclo (12.2.1.1 ^{6,9} .0 ^{2,13} .0 ^{5,10}) octadeca-7, 15-diene, for use in the manufacture of polyamide (a)	0
ex 29.03 B II	Nitromethane	0
ex 29.03 B II	1-Nitropropane	0
ex 29.03 B II	2-Nitropropane	0
ex 29.03 B II	Nitroethane	0
ex 29.03 C I	Methanesulphonyl chloride	0
ex 29.04 C I	Butane-1.3-diol	0
ex 29.04 C V	2,2-Bis(bromomethyl)propanediol	0
ex 29.06 A IV	2- <i>tert</i> -Butyl-4-ethylphenol	0
ex 29.06 A IV	2-Isopropylphenol	6
ex 29.06 B V	4,4'-(2.3-Dimethyltetramethylene)dipyrocatechol, not less than 98 % pure	0
ex 29.06 B V	6,6',6"-Tri- <i>tert</i> -butyl-4,4',4"-((1-methylpropan-1-yl-3-ylidene)tri- <i>m</i> -cresol, whether or not containing toluene of crystallization	0
ex 29.06 B V	2,5-Di(<i>tert</i> -phenyl)hydroquinone	0
ex 29.08 A III c)	Bis(phenoxyphenoxy)benzene, mixed isomers	0
ex 29.08 A III c)	Sodium 4-(2-methylallyloxy)benzenesulphonate	0
ex 29.09 B	1,2-Epoxybutane	0
ex 29.13 A I	5-Methylhexan-2-one	0
ex 29.13 A I	3.3-Dimethylbutanone	0

CCT heading No	Description	Rate of autonomous duty (%)
ex 29.13 B I b)	Refined natural bornan-2-one (camphor)	0
ex 29.13 D I b)	3- <i>beta</i> -Hydroxy-16- <i>alpha</i> -methylpregn-5-en-20-one	6
ex 29.13 D I b)	11- <i>alpha</i> ,17,21-Trihydroxy-16- <i>beta</i> -methylpregna-1,4-diene-3,20-dione	0
ex 29.13 E	4-Methoxy-4-methylpentan-2-one	0
ex 29.13 F	1,4-Naphthoquinone	0
ex 29.13 G II	1-Chloro-3,3-dimethylbutanone	0
ex 29.14 A II c) 4	16- <i>alpha</i> ,17- <i>alpha</i> -Epoxy-20-oxopregn-5-en-3- <i>beta</i> -yl acetate	6
ex 29.14 A II c) 4	11- <i>alpha</i> ,17- <i>alpha</i> ,21-Trihydroxy-16- <i>alpha</i> -methyl-5- <i>alpha</i> -pregnanc-3,20-dione 21-acetate 11-(toluene-4-sulphonate)	9
ex 29.14 A II c) 4	20-Oxopregna-5,16-dien-3- <i>beta</i> -yl acetate	0
ex 29.14 A XI	2,2'-Ethylenedioxydiethyl bis(2-ethylbutyrate)	0
ex 29.14 B IV b)	Butyl perchlorocrotonate	0
29.15 A IV a)	Azelaic acid and sebacic acid	0
ex 29.15 C III	Benzene-1,2,4-tricarboxylic acid	0
ex 29.15 C III	Benzene-1,2,4, tricarboxylic acid 1,2-anhydride	0
ex 29.15 C III	Tetrachlorophthalic anhydride	0
ex 29.15 C III	Benzyl 3-isobutyryloxy-1-isopropyl-2,2-dimethylpropylphthalate	0
ex 29.15 C III	Tetrabromophthalic anhydride	0
29.16 A III a)	Crude calcium tartrate	3-5
ex 29.16 A VIII a)	2,2- <i>Bis</i> (hydroxymethyl)propionic acid	0
ex 29.16 B III	2-Ethylhexyl 4-hydroxybenzoate	0
ex 29.16 B VI	Octadecyl 3-(3,5-di- <i>tert</i> -butyl-4-hydroxyphenyl)propionate	0
ex 29.16 B VI	Pentaerythritol tetrakis[3-(3,5-di- <i>tert</i> -butyl-4-hydroxyphenyl)propionate]	0
ex 29.16 D	Dinoprostone (INN)	0
ex 29.22 A III	<i>tert</i> -Butylamine	0
ex 29.22 B II	<i>N,N,N',N'</i> -Tetrabutylhexamethylenediamine	0
ex 29.22 E II	1,8-Naphthylenediamine	0
ex 29.22 E II	<i>m</i> -Phenylenebis(methylamine)	0

CCT heading No	Description	Rate of autonomous duty (%)
ex 29.23 A II	Dinoprost (INN), Trometamol salt (INN)	0
ex 29.23 A II	(+)-4-Dimethylamino-3-methyl-1,2-diphenylbutan-2-ol	0
ex 29.23 C	Ketamine hydrochloride (INNM)	0
ex 29.23 D V	Tranexamic acid (INN)	0
ex 29.23 D V	<i>beta</i> -Alanine	0
ex 29.23 E	4-(2-Hydroxy-3-isopropylaminopropoxy)-2,3,6-trimethylphenyl acetate	0
ex 29.23 E	Methyldopa (INN)	0
ex 29.23 E	Diethyl 1,3-benzodioxol-5-ylaminomethylenemalonate	0
ex 29.23 E	6-Acetyl-1,3-benzodioxol-5-ylammonium chloride	0
ex 29.23 F	Levodopa (INN)	0
ex 29.23 E	Dobutamine (INN) and its salts	0
ex 29.25 A II	<i>N</i> -Acetyl- <i>DL</i> -valine	0
ex 29.25 A II	(3-Methacrylamidopropyl)trimethylammonium chloride	0
29.25 B II a)	Phenobarbital (INN) and its salts	11
ex 29.25 B II c)	Barbituric acid	0
ex 29.25 B III b)	2'-Benzoyl-4'-chloro- <i>N</i> -(2-hydroxypropyl)glycinanilide	0
ex 29.25 B III b)	Bendiocarb (ISO)	0
ex 29.26 B II c)	1,1,3,3-Tetramethylguanidine	0
ex 29.27	4-Bromophenylacetonitrile	0
ex 29.27	(-)- <i>N</i> -(<i>alpha</i> -Cyano-4-hydroxy-3-methoxy- <i>alpha</i> -methylphenethyl)acetamide	0
ex 29.27	2-(3-Phenoxyphenyl)propiononitrile	0
ex 29.29	20-Hydroxyiminopregna-5,16-dien-3-yl acetate	0
ex 29.29	Carbidopa (INN)	0
ex 29.29	Robenidine hydrochloride (INNM)	0
ex 29.29	<i>N,N</i> -Diethylhydroxylamine	0
ex 29.30	<i>O,O</i> -Bis(4- <i>tert</i> -butylphenyl) <i>N</i> -cyclohexylphosphoramidothioate	0
ex 29.30	Methyl isocyanate	9

CCT heading No	Description	Rate of autonomous duty (%)
ex 29.30	Methylenedicyclohexyl di-isocyanate, mixed isomers	0
ex 29.31 B	2-Methyl-2-(methylthio)propionaldehyde oxime	0
ex 29.31 B	Thiophenol	0
ex 29.31 B	2,2'-Thiodiethyl bis[3-(3,5-di- <i>tert</i> -butyl-4-hydroxyphenyl)propionate]	0
ex 29.34 C	Crystalline dimethyltin dichloride in the form of powder, for the production of goods falling within Chapter 70 (a)	0
ex 29.34 C	2-Chloroethylphosphonic acid	7,6
ex 29.34 C	2-Diphenylphosphinobenzoic acid	0
ex 29.35 Q	2-Acetyl-1,4-butyrolactone	0
ex 29.35 Q	2-Benzotriazol-2-yl-4-(1,1,3,3-tetramethylbutyl) phenol	0
ex 29.35 Q	2-Benzotriazol-2-yl- <i>p</i> -cresol	0
ex 29.35 Q	2,6-Di- <i>tert</i> -butyl-4-[4,6-bis(octylthio)-1,3,5-triazin-2-yl-amino]phenol	0
ex 29.35 Q and ex 30.03 A II b)	Butorphanol (INN) and its salts	0
ex 29.35 Q	(-)-1- <i>tert</i> -Butylamino-3-(4-morpholino-1,2,5-thiadiazol-3-yloxy)propan-2-ol	0
ex 29.35 Q	Clotiazepam (INN)	0
ex 29.35 Q	1,4-Diazabicyclo[2.2.2]octane(triethylenediamine)	0
ex 29.35 Q	2,4-Di- <i>tert</i> -butyl-6-(5-chlorobenzotriazol-2-yl)phenol	0
ex 29.35 Q	Carpipramine dihydrochloride (INN)	0
ex 29.35 Q	2,3-Dihydro-2,2-dimethylbenzofuran-7-ol	0
ex 29.35 Q	1-Ethyl-1,4-dihydro-4-oxo[1,3]dioxolo[4,5-g]cinnoline-3-carbonitrile	0
ex 29.35 Q	Indometacin (INN)	0
ex 29.35 Q	Diphemanil metilsulphate (INN)	0
ex 29.35 Q	Orazamide (INN)	0
ex 29.35 Q	(25 <i>R</i>)-Spirost-5-en-3- <i>beta</i> -ol(diosgenin) and its esters	0
ex 29.35 Q	<i>L</i> -Tryptophan	0
ex 29.35 Q	4-Nitrobenzyl 7-amino-3-chloro-8-oxo-5-thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylate and its salts	0
ex 29.35 Q	Azatadine dimaleate (INN)	0
ex 29.35 Q	Amprolium hydrochloride (INN)	0

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

CCT heading No	Description	Rate of autonomous duty (%)
ex 29.35 Q	2-(4-Pyridyl)ethanesulphonic acid	0
ex 29.35 Q	Prifinium bromide (INN)	0
ex 29.35 Q	Glucuro lactone (INN)	0
ex 29.35 Q	2-Chlorodibenz [b,f] [1,4] oxazepin-11(10H)-one	0
ex 29.35 Q	2,3,5,6-Tetrachloropyridine	0
ex 29.35 Q	Diltiazem hydrochloride (INNM)	0
ex 29.35 Q	(6R,7R)-3-Acetoxymethyl-7-[(R)-2-formyloxy-2-phenylacetamido]-8-oxo-5-thia-1-azabicyclo [4.2.0.] oct-2-ene-2-carboxylic acid and its salts and esters	0
ex 29.35 Q and ex 30.03 A II b)	Bupirone hydrochloride (INNM)	0
29.35 Q and ex 30.03 A II b)	Encainide hydrochloride (INNM)	0
ex 29.35 Q	5-Bromopyrimidine	0
ex 29.36	Quinethazone (INN)	0
ex 29.36	Sulfaguanidine (INN)	0
ex 29.36	Sulfathiazole (INN)	0
ex 29.36	4-Chloro-5-sulphamoylanthranil- <i>o</i> -toluidide	0
ex 29.38 A	Nicotinic acid (INN)	0
ex 29.38 B II	Panthenol (INN)	0
ex 29.38 B III	Folic acid (INN)	0
ex 29.38 B V	Nicotinamide (INN)	0
ex 29.39 C I	Serum gonadotrophin (INN)	0
ex 29.39 E	Calcitonin (INN), salmon-type and its salts	0
ex 29.39 E	Calusterone (INN)	0
ex 29.39 E	Prasterone (INN)	0
ex 29.39 E	Calcitonin (INN), porcine	0
ex 29.41 D	Purified mixture of glycosides from the fermentation of <i>Streptomyces avermitilis</i>	0
ex 29.42 C VII	Pilocarpine hydrochloride	0
ex 29.42 C VII	Pilocarpine nitrate	0
ex 29.42 C VII	(22R,25R)-Tomat-5-enin-3- <i>beta</i> -ol (Solasonine)	0

CCT heading No	Description	Rate of autonomous duty (%)
ex 29.42 C VII	Vindesine sulphate (INN)	0
ex 29.43 B	Ribose	0
ex 29.43 B	Sucralfate (INN)	0
ex 29.44 A	Epicillin (INN)	0
ex 29.44 C and ex 30.03 A II b)	Amikacin (INN) and its salts	0
ex 29.44 C	Amphotericin B (INN)	0
ex 29.44 C	Minocycline <i>mono</i> -hydrochloride dihydrate (INN)	0
ex 29.44 C	Clindamycin (INN) and its salts and esters	0
ex 29.44 C	Spectinomycin dihydrochloride pentahydrate (INN)	0
ex 29.44 C	Gentamicin (INN) and its salts	0
ex 29.44 C	Nystatin (INN)	0
ex 29.44 C and ex 30.03 A II b)	Bleomycin sulphate (INN)	0
ex 29.44 C	Sisomicin sulphate (INN)	0
ex 29.44 C	Spectinomycin sulphate (INN)	0
ex 29.44 C	Tobramycin (INN) and its salts	0
ex 29.44 C	Lincomycin (INN) and its salts and esters, for the manufacture of products falling within heading No 30.03 (a)	0
ex 29.44 C	Monensin (INN) and its salts	0
ex 29.44 C	Cefaclor (INN) and its hydrates, salts and esters	0
ex 29.44 C	Fumagillin dicyclohexylammonium (INN)	0
ex 29.44 C	Netilmicin sulphate (INN)	0
ex 29.44 C	Dibekacin sulphate (INN)	0
ex 29.45	Potassium <i>tert</i> -butoxide	0
ex 30.01 A	Bovine livers for organotherapeutic purposes, dried	0
ex 30.01 B II	Extracts of liver of bovine animals	0
ex 30.01 B II	Extracts of suprarenal glands	0
ex 30.02 A	Tenanus immunoglobulin	0

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

CCT heading No	Description	Rate of autonomous duty (%)
ex 30.02 A	Anti-tetanus immunoplasma	0
ex 30.02 A	German measles immunoplasma	0
ex 30.02 A	Mumps immunoplasma	0
ex 30.02 A	Whooping-cough immunoplasma	0
ex 30.02 A	Rabies immunoplasma	0
ex 30.03 A II b) B II b)	Human albumin, whether or not in solution	0
ex 30.03 A II b) B II b)	Human fibrinogen	0
ex 30.03 A II b) B II b)	Preserved serum prepared on a basis of human blood	0
ex 30.03 A II b) B II b)	Anti-haemophilic globulin and anti-Rh, (D)-globulin derived from human blood	0
ex 30.03 A II b)	Cisplatin (INN)	0
ex 30.03 A II b)	Mixture of oestrogens of equine origin in powder form	0
ex 30.03 B II b)	Gamma-globulin, in solution, derived from human blood	0
ex 30.03 B II b)	Lyophilized gamma-globulin derived from human blood	0
32.01 A I	Tanning extracts of wattle (mimosa)	0
ex 32.01 A IV	Tanning extracts derived from gambier and myrobolan fruits	0
ex 32.01 A IV	Tanning extracts of eucalyptus	3.2
ex 32.07 B	Inorganic colouring matter preparations mentioned in Note 3 to Chapter 32, in hollow polyurethane spheres having a diameter of less than 200 micrometres	0
ex 32.08 D	Glass in the form of flakes of a length not less than 0.1 mm and not more than 3.5 mm of a thickness not less than two and not more than five micrometres	0
ex 32.09 A II and ex 39.01 C V	Polyurethane of 2,2'-(<i>tert</i> -butylimino) diethanol and 4,4'-methylenedi (cyclohexyl isocyanate), dissolved in <i>N,N</i> -dimethylacetamide, with a copolymer content of not less than 48 % by weight	0
ex 32.09 A II ex 32.02 C XIV a)	Copolymer of <i>p</i> -cresol and divinylbenzene, dissolved in <i>N,N</i> -dimethylacetamide, with a copolymer content of not less than 48 % by weight	0
ex 35.07	Bromelains (INN)	0
ex 35.07	Mixture of streptokinase (INN) and streptodornase (INN)	0
ex 35.07	Peroxidase	0
ex 37.02 B	Colour negative film of a width not less than 75 mm and not more than 105 mm and of a length of 100 m or more, for use in the manufacture of instant picture film packs (a)	0

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

CCT heading No	Description	Rate of autonomous duty (%)
ex 38.03 B	Acid activated montmorillonite which, when examined by X-ray powder diffraction, shows four principal lines corresponding to crystal interplaner spacing (d values) of 0.44, 0.40, 0.33 and 0.25 nm, the line corresponding to 0.40 nm being the most intense for the manufacture of self copy paper (a)	0
ex 38.07 A	Gum spirits of turpentine	3
38.07 B	Spirits of sulphate turpentine ; crude dipentene	3
38.07 C	Spirits of wood turpentine ; terpenic solvents produced by the distillation or other treatment of coniferous woods ; sulphite turpentine ; pine oil (excluding 'pine oils' not rich in terpinol)	3
ex 38.08 C	Hydroabietyl alcohol	0
ex 38.19 G	Catalysts consisting essentially of diphosphorus pentaoxide on an inert support	0
ex 38.19 G	Catalysts in the form of spherical grains with a diameter of not less than 1.4 mm and not more than 1.8 mm consisting of boron trifluoride on an aluminium oxide support	0
ex 38.19 G	Catalysts in the form of rodlets having a diameter of not less than 1.5 mm and not more than 9.5 mm containing not less than 84% by weight of diiron=trioxide not less than 8% by weight of dipotassium=oxide and not less than 2% by weight of dichromium=trioxide, for use in the production of styrene from ethylbenzene (a)	0
ex 38.19 K	Sintered magnesite mixed with small quantities of mineral oils	0
ex 38.19 U	Lyophilized extract of the blood cells of the crab <i>Limulus polyphemus</i> (Lyophilized <i>Limulus</i> ameocyte lysate)	0
ex 38.19 U	Calcined bauxite (refactory grade)	0
ex 38.19 U	Diosgenin crude	0
ex 38.19 U	4-(6-Fluoro-2-methylinden-3-ylmethyl)phenyl methyl sulphide dissolved in toluene	0
ex 38.19 U	Mixture of x-butyl-4,4'-isopropylidenediphenol and x,x'-dibutyl-4,4'-isopropylidenediphenol	0
ex 38.19 U	Mixture of nitromethane and 1,2-epoxybutane	4

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

CCT heading No	Description	Rate of autonomous duty (%)
ex 38.19 U	Reaction products containing not less than 55 % by weight of 2-(2- <i>p</i> -chlorophenylbenzoxazol-5-yl) propionitrile	0
ex 38.19 U	Residue of manufacture containing not less than 40 % by weight of 11- <i>beta</i> , 17,20,21-tetrahydroxy-6-methylpregna-1,4-dien-3-one 21-acetate	0
ex 38.19 U	Intermediate products from the manufacture of monensin salts	0
ex 38.19 U	Grains consisting of a mixture of dialuminium trioxide and zirconium dioxide containing by weight not less than 70 % and not more than 78 % dialuminium trioxide and not less than 19 % and not more than 26 % zirconium dioxide	6,7
ex 38.19 U	Grains consisting of a mixture of dialuminium trioxide and zirconium dioxide containing by weight not less than 54 % and not more than 62 % dialuminium trioxide and not less than 36 % and not more than 44 % zirconium dioxide	6,7
ex 38.19 U	<i>N</i> -(2-Methyl-2-nitropropyl)-4-nitrosoaniline containing not less than 65 % by weight of an inert filler	0
ex 38.19 U	Tetramethylammonium hydroxide dissolved in methanol	0
ex 38.19 U	Cholic acid and 3- <i>alpha</i> , 12- <i>alpha</i> -dihydroxy-5- <i>beta</i> -cholan-24-oic acid (deoxycholic acid), crude	0
ex 38.19 U	Crude bile acids	0
ex 38.19 U	Intermediate products of the antibiotics manufacturing process obtained from the fermentation of <u>Streptomyces tenebrarius</u> , whether or not dried	0
ex 39.01 A	Colestipol hydrochloride (INN)	0
ex 39.01 C II a)	Polycondensation products of formaldehyde and a mixture of toluene-2-sulphonamide and toluene-4-sulphonamide	0
ex 39.01 C III a)	Film base, in rolls, of polyethylene terephthalate, for cinematography or photography (including radiography)	8
ex 39.01 C III a)	Reflecting polyester sheeting, whether or not in rolls	0
ex 39.01 C III b) and ex 39.03 B II b) 2, III b) 4 aa) and IV b) 4 aa)	Waste and scrap of photographic (including cinematographic) and X-ray film	0
ex 39.01 C III b)	Waste and scrap of polyester sheets coated with tungsten compounds	0
ex 39.01 C III b)	Polyester of a mixture of isophthalic acid and terephthalic acid with 4-4'-isopropylidenediphenol	0
ex 39.01 CV	Polyurethane polymers in one of the forms mentioned in Note 3 (a) to Chapter 39, based on a mixture of 2-methyl and 4-methyl- <i>m</i> -phenylene di-isocyanates and branched chain triols with an average molecular weight of not less than 6 000, and containing terminal epoxy groups	10
ex 39.01 CV	Polyurethane reflecting sheeting whether or not in rolls	0

CCT heading No	Description	Rate of autonomous duty (%)
ex 39.01 C VII	Polyimide sheet and strip, whether or not in rolls	
ex 39.01 C VII	Polyethylene oxide having a molecular weight of not less than 4 000 000	8
ex 39.01 C VII	Polyoxy (2.6-dibromo-1.4-phenylene) for use in the manufacture of polyamide (a)	0
ex 39.01 C VII	Poly [oxy (2.6-dibromo-1.4-phenylene)] for use in the manufacture of polypropylene (a)	0
ex 39.01 C VII	Poly (oxy-1,4-phenylenesulphonyl-1,4-phenyleneoxy-1,4-phenyleneisopropylidene-1,4-phenylene), in one of the forms mentioned in Note 3 (b) to Chapter 39	0
ex 39.02 C I (b)	Transparent polyethylene film which will split longitudinally when stretched at right angles to this length, and having a density of not less than 0.925 g/cc and yielding not less than 11.5 g/m ² and not more than 18.8 g/m ² for the manufacture of typewriter ribbon (a)	0
ex 39.02 C II	Microporous polytetrafluoroethylene film, not less than 30 cm in width and weighing not more than 22.4 g/m ² whether or not in rolls	0
ex 39.02 C II	Microporous polytetrafluoroethylene film coated on one side with a polymer permeable to water vapour, not less than 30 cm in width and weighing not more than 50 g/m ² , whether or not in rolls	0
ex 39.02 C III	Polysulphohaloethylenes in one of the forms mentioned in Note 3 (a) and (b) to Chapter 39	4
ex 39.02 C VI (a)	Copolymers solely of allyl alcohol with styrene, which have an acetyl value of not less than 175	0
ex 39.02 C VI (b)		0
ex 39.02 C VI a)	Copolymer of maleic anhydride and styrene, whether or not containing a styrene-butadiene block copolymer in one of the forms mentioned in Note 3 (b) to Chapter 39	0
ex 39.02 C VI a)	An A-B-A block copolymer of polystyrene ethylene-butylene copolymer and polystyrene containing not more than 35 % by weight of styrene, in one of the forms mentioned in Note 3 (b) to Chapter 39	0
ex 39.02 C VII (b)	Polyvinyl chloride sheeting, whether or not in rolls, of a thickness less than 1 mm and coated with an adhesive in which are embedded hollow glass balls having a diameter of not less than 50 and not more than 100 micrometres	0
ex 39.02 C VIII	Copolymers of vinylidene chloride with vinyl chloride, containing not less than 79.5 % by weight of vinylidene chloride, in one of the forms mentioned in Note 3 (a) and (b) to Chapter 39, for the manufacture of fibres, monofil or strip (a)	0
ex 39.02 C XI	Poly(vinyl formal), in one of the forms mentioned in Note 3 (b) to Chapter 39, having a molecular weight not less than 10 000 and not more than 40 000 and containing by weight :	0
	— Not less than 9.5 % and not more than 13 % of vinyl acetate	
	— Not less than 5 % and not more than 6.5 % of vinyl alcohol	

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

CCT heading No	Description	Rate of autonomous duty (%)
ex 39.02 C XII	Poly(2-diethylaminoethyl methacrylate) dissolved in <i>N,N</i> -dimethylacetamide, with a polymer content of not less than 55 % by weight	0
ex 39.02 C XII	Copolymer of 2-di-isopropylaminoethyl methacrylate and decyl methacrylate dissolved in <i>N,N</i> -dimethylacetamide, with a copolymer content of not less than 55 % by weight	0
ex 39.02 C XII	Reflecting polyacrylic sheeting, whether or not in rolls	0
ex 39.02 C XII	Copolymerization products of acrylic and methacrylic esters in the form of film of a thickness not less than 50 and not more than 150 micrometers, whether or not in rolls	0
ex 39.02 C XII	Copolymer of acrylic acid and 2-ethylhexyl acrylate containing not less than 10 % and not more than 11 % by weight of 2-ethylhexyl acrylate	0
ex 39.02 C XIV a)	Alternating copolymer of ethylene and maleic anhydride for use as a thickener in textile pigment printing pastes (a)	0
ex 39.02 C XIV a)	Copolymers of vinylidene chloride and acrylonitrile in the form of expandable beads of a diameter not less than four and not more than 20 micrometres	0
ex 39.02 C XIV a)	Copolymers of vinyl chloride with vinyl acetate and vinyl alcohol containing by weight not less than 89 % and not more than 92 % of vinyl chloride, not less than 2 % and not more than 6 % of vinyl acetate and not less than 4 % and not more than 8 % of vinyl alcohol, in one of the forms mentioned in Note 3 (a) and (b) to Chapter 39	0
ex 39.02 C XIV a)	Fluorinated ethylene propylene copolymers, for the manufacture of flat (ribbon) cable, containing not less than 60 cores (a)	0
ex 39.02 C XIV a)	Poly(1-ethylethylene) (Polybutene-1) in one of the forms mentioned in Note 3 (b) to Chapter 39	0
ex 39.02 C XIV (b)	Polyvinyl fluoride sheet, whether or not in rolls	0
ex 39.02 C XIV (b)	Reflecting sheeting of an acrylic polymer modified by melamine-formaldehyde, whether or not in rolls	0
ex 39.02 C XIV (b)	Polyvinylidene fluoride film, whether or not in rolls	0
39.03 B V a) 1	Ethylcellulose, not plasticized	4
ex 39.03 B V a) 2	Ethylhydroxyethylcellulose, insoluble in water	4
ex 39.03 B V a) 2	Hydroxypropylcellulose	0
ex 39.06 B	<i>O</i> -(2-hydroxyethyl)amylopectin hydrolysate	0
ex 39.07 B V d)	Perforated polyethylene film of a width of not less than 4.5 cm and not more than 5.5 cm and having a molecular weight of not less than 4 000 000 in rolls for use as conveyor belts in machines for manufacturing cigars (a)	0
41.02 B	Bovine cattle leather (including buffalo leather) not further prepared than chrome-tanned, in the wet-blue state	0

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

CCT heading No	Description	Rate of autonomous duty (%)
ex 41.02 C	Leather of East India kip, whole, whether or not the heads and legs have been removed, each weighing more than 4.5 kg net and not more than 8 kg, not further prepared than vegetable tanned, whether or not having undergone further preservative treatment with oil, but obviously unsuitable for immediate use in the manufacture of leather articles	0
41.03 B I	Sheep and lambskin leather, except leather falling within heading No 41.06 or 41.08, other not further prepared than tanned	0
41.04 B I	Goat and kid skin leather, except leather falling within heading No 41.06 or 41.08, other, not further prepared than tanned	0
41.05 B I	Other kinds of leather, except leather falling within heading No 41.06 or 41.08, other, not further prepared than tanned	0
ex 44.22 B	Used casks and barrels of oak, whether assembled or not; their staves and heads	0
ex 44.28 D II	Shingles for roofs and walls of coniferous wood	0
45.01	Natural cork, unworked, crushed, granulated or ground; waste cork	0
45.02	Natural cork in blocks, plates, sheets or strips (including cubes or square slabs, cut to size for corks or stoppers)	4
ex 48.07 D	Kraft paper with latex addition to the stock, coated on one side with polybutadiene-styrene weighing not less than 104 g and not more than 130 g/m ² for the manufacture of all-in-one disposable nappies (a)	6
ex 49.11 B	Microcopies on an opaque base for data banks and libraries (a)	0
ex 49.11 B	Artists' screen prints (commonly described as serigraphs), signed by the artist and numbered from 1 to 200	0
ex 51.01 A	Yarn of polytetrafluoroethylene	0
ex 51.01 A	Yarn of polyvinyl alcohol, soluble in water at a temperature of 50 °C for use in the manufacture of wetless 'felts' for papermaking machines (a)	0
ex 51.01 A	Yarn, multiple, of polyamide, coated, impregnated or covered with a phenolic resin	0
ex 51.01 A	Yarn of synthetic textile fibres of aromatic polyamides obtained by polycondensation of <i>m</i> -phenylenediamine and isophthalic acid	0
ex 51.02 A I	Monofil of polytetrafluoroethylene	0
ex 51.02 A II	Polyimide strip, whether or not in rolls	0
ex 51.02 A II	Strip of polytetrafluoroethylene, whether or not in rolls with an extension at break not exceeding 25 %	0
ex 51.04 A IV	Woven fabrics of polyvinyl alcohol fibres for machine embroidery	0
ex 54.03 B I a)	Unbleached linen yarn (excluding yarn of flax tow), measuring per kg 30 000 m or less, for the manufacture of multiple or cabled yarns for the footwear industry or for whipping cables (a)	0
ex 56.01 A	Textile fibres of polytetrafluoroethylene	0

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

CCI heading No	Description	Rate of autonomous duty (%)
ex 56.01 A	Textile fibres of aromatic polyamides obtained by polycondensation of <i>m</i> -phenylenediamine and isophthalic acid	0
ex 58.01 B	Carpets, carpeting and rugs, of silk or of waste silk other than noil, of which the pile contains not less than 85 % by weight of silk or waste silk other than noil (b)	20 with a maximum duty of 4 EUA per m ²
ex 59.03	Bonded fibre fabrics and similar bonded yarn fabrics of aromatic polyamide man-made fibres obtained by polycondensation of <i>m</i> -phenylene-diamine and isophthalic acid	0
ex 59.03	Bonded-fibre fabrics, with a thickness of not more than 300 micrometres, of spun-bonded polyethylene fibres, with a weight not exceeding 115 g/m ² , whether or not in rolls	0
ex 59.04	Coir yarn, for the manufacture of carpets, carpeting and rugs, mats and the like (a)	0
ex 59.08	Knitted or woven fabric coated or covered on one side with artificial plastic material in which are embedded glass microspheres	0
ex 59.12	Cotton fabric coated with adhesive in which are embedded glass balls the diameters of which range from 45 to 75 micrometres, weighing not less than 300 g/m ² and not more than 550 g/m ²	0
ex 59.17 D	Yarn and strip of impregnated polytetrafluoroethylene, whether or not oiled or graphited	0
62.03 B I a)	Sacks and bags of the kind used for the packing of goods, used, of flax or of sisal	0
62.03 A I	Sacks and bags, of a kind used for the packing of goods, used, of jute or of other textile bast fibres of heading No 57.03	0
ex 68.02 B	Artificially coloured granules and chippings	0
ex 69.09 B	Catalyst supports, consisting of porous cordierite ceramic pieces of roughly circular or oval cross-section with parallel sides, having an overall volume of not less than 240 ml and not more than 11 100 ml, and having a minimum dimension of not less than 70 mm and a maximum dimension of not more than 480 mm, having not less than 28 continuous channels per 100 mm ² running parallel to the main axis of symmetry, the total channel cross-section area being not less than 50 % and not more than 80 % of the whole cross-section area	0
ex 70.19 A IV b)	Glass beads of a diameter of less than 0.1 mm and with a refractive index of 2.26	0
ex 70.20 A	Mats of non-textile glass fibres of a weight per square metre of not more than 100 g and a fibre diameter of not more than seven micrometres	0
ex 70.20 B	Glass-fibre yarns, with a filament diameter of not more than four micrometres, for the manufacture of carpets (a)	0
ex 70.20 B	Yarns of 33 tex or a multiple thereof obtained from continuous spun glass filaments having a diameter of not less than 2.5 and not more than 5.1 micrometres other than those treated so as to improve their adhesion to elastomers	0

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.
(b) The Additional Note to Chapter 58 shall apply here.

CCT heading No	Description	Rate of autonomous duty (%)
ex 75.04 A	Tubes of nickel, not alloyed, of a purity not less than 99 %, not deviating from straightness lengthwise by more than 1 mm per 150 cm of length, and with an outside diameter either : — Not less than 213.36 mm and not more than 214 mm, or — Not less than 209.95 mm and not more than 210.59 mm, or — Not less than 168.28 mm and not more than 168.78 mm	0
76.01 B 1 b)	Waste of aluminium other (including factory rejects)	0
ex 76.03	Aluminium alloy strip in coils, containing not less than 18 % by weight and not more than 23 % by weight of tin and not less than 0.7 % by weight and not more than 1.5 % by weight of copper as the major alloying elements and having a width of not less than 75 and not more than 230 mm and a thickness of not less than 3 and not more than 6.5 mm	0
ex 81.03 B	Wire of unalloyed tantalum, of a diameter not less than 0.2 mm and not more than 0.5 mm, for the manufacture of capacitors (a)	0
ex 81.04 D 1 b)	Chromium, in the form of cathode chips, pellets or briquettes, which contains not more than 0.10 % by weight of total oxygen, not more than 0.015 % by weight of total aluminium and not more than 0.001 % by weight of aluminium compounds insoluble in boiling 5N hydrochloric acid and in boiling fuming perchloric acid, and evaluated as aluminium, for the production of alloy for the manufacture of the following parts of gas turbines and jet engines (a): — Blades, fixed or movable, including their rings — Vanes — Nozzles	0
ex 81.04 G 1	Electrolytic manganese of a purity of at least 99.7 %, for the chemical industry (a)	0
ex 81.04 K 1	Waste and scrap titanium	0
ex 81.04 K 1	Titanium sponge	0
ex 81.04 M	Waste and scrap of uranium depleted in U 235	0
ex 84.31 A	Suction roll shells, not drilled, being alloy steel tubes with a length of not less than 5 207 mm and an outside diameter of not less than 754 mm for use in machinery for making paper or paperboard (a)	0
ex 84.51 A	Typewriters with Braille characters	0
ex 84.51 A	Electronic pocket communicators for handicapped persons which, by means of push buttons and printing thermic head, print and issue text on tape	0
ex 85.55 C	Parts and accessories of electronic pocket communicators for handicapped persons which, by means of push buttons and printing thermic head, print and issue text on tape	0
ex 84.59 B	Integrally forged, rough-turned components with unit weights of more than 180 tonnes, for reactor pressure vessels	0
ex 84.63 D	Forged and roughly shaped generator and turbine shafts of a weight exceeding 180 tonnes	0

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Co

CCT heading No	Description	Rate of autonomous duty (%)
ex 85.21 D II	Digital displays consisting of a printed circuit board of a size not exceeding 35 × 90 mm with a single line of digits, not less than three in number comprising light-emitting diodes manufactured from gallium-based semi-conductor compounds mounted thereon. Each digit is composed of seven segments plus a decimal point and the line of digits has a protective cover of transparent plastic	0
ex 85.21 D II	Digital displays, consisting of a printed circuit board of a size not exceeding 35 × 90 mm with a single line of characters not less than two in number comprising light-emitting diodes made from gallium-based semi-conductor compounds mounted thereon. Each character is composed of up to eight segments and the line of characters has a protective cover of transparent plastic	0
ex 90.01 B	Material consisting of a polarizing film, supported on one or both sides by transparent material	0
ex 90.19 A III	Vascular prostheses	0
ex 90.19 B II	Reading appliances for the blind, in which a miniature camera using photo-transistors transmits letters onto a scanning board with piezo-electric pencils, and its parts and accessories	0